Yahoo Group Archive:
XMLog

Yahoo Group summary: XMLog - Windows Logging System for Amateur Radio

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2016. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2000-03-21 through 2016-07-29

Source WARC: xmlog.xrSNdLl.warc.gz

Source item: https://archive.org/details/yahoo-groups-2016-08-06T17-47-56Z-9fbc1c

Messages included in this PDF: 4001

Message records with no body available in the source archive: 2

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. Starting reflector

Yahoo group: XMLog
Date: 2000-03-21 16:52:03 UTC
From: Michael McAmis
Topic: 1 Message: 1

```
Hello there,

This is just a test to see if the reflector is set up...

Mike - W1ECT
```

2. Re: Starting reflector

Yahoo group: XMLog
Date: 2000-03-21 17:26:46 UTC
From: jagius@sybase.com
Topic: 1 Message: 2

--- In XMLog@onelist.com, Michael McAmis <michael.mcamis@v...> wrote:
>
> Hello there,
>
> This is just a test to see if the reflector is set up...
>
> Mike - W1ECT

Mike,
The process has evidently worked.

I shall look forward to many inspiring discussions on XMlog.
I have been using it for about a year and found it to have more
features than any other 'free ware' logging program.

I especially like the packet option and the CW keying feature.
I use the customer QSL label feature for all the contests.

What I would like to see is its ability to keep track of already sent
QSLs and multi QSOs per label.

Thanks for the program.

Joe/WA1WFH

3. VERSION 3.0

Yahoo group: XMLog
Date: 2000-03-24 10:19:34 UTC
From: ng6z@home.com
Topic: 3 Message: 3

Thanks for the quick update for the Chesterfileld islands (TX) and East Timor (4W). Downloaded and installed it this morning. Works great.

73, Bill NG6Z

4. XMLog 3.00 - New features list

Yahoo group: XMLog
Date: 2000-03-24 20:13:58 UTC
From: Michael McAmis
Topic: 4 Message: 4

Hi - Just posted the official version of XMLog 3.00, here's a list of the changes:

*** 3.00 ***

- Added 4W/East Timor and TX/Chesterfield Is. to the prefixes list.

- XMLog can now (optionally) update your log to use prefixes that more closely match the ARRL DXCC prefix assignments. Most of the prefix changes in version
3.00 apply to former USSR countries.

Moved the ADIF DXCC country ID info from the file 'adifinfo.txt' to the prefixes file.

Both of these updates required changes to the format of the prefixes file. Although XMLog will still read old prefixes files anyone who maintains a custom file should consider updating it to use the new format.
See readme.txt for more info.

- Added a new menu item "DX/Show Callsign List" to the Log and Packet windows. This feature allows you to assign countries to specific callsigns that XMLog can't "guess" correctly.

- Add heading/distance to callbook lookup messages. For now only U.S. calls have the station location defined. This feature is currently only available for RAC Callbook, Inc. CD's.

- Added new commands for CW messages, #pause, #repeat and #file. For example you can create a repeating CQ with: CQ CQ de #me #me k #pause 3 #repeat
or if your CQ was in a file: #file c:\messages\cq.txt #pause 3 #repeat
See the help file section of CW Messages for more details.

- You can now double-click on RST fields in the log window to set the field to 59 or 599 (only works when the mode or frequency is set).

- Added rotor interface support for Yaesu SDX rotors and the HY-Gain DCU-1. Control-Click on a call or heading in the packet window to move
rotor.

- Added the Yaesu FT-840, FT-900, FT-747 and the Icom IC-746 to the list of supported rigs.

- Added new data mode, MT63.

- Added "Awards/IOTA Worked-Confirmed" summary to Log window.

- Bug fix: Internet addresses couldn't have port numbers greater than 32k.

- Bug fix: The scan of the QTH field to set the VE province wasn't working.

5. XMLog 3.00 - East Timor

Yahoo group: XMLog
Date: 2000-03-26 16:21:09 UTC
From: m.mcamis@valley.net
Topic: 5 Message: 5

Somehow an bad version of 3.00 was posted at www.xmlog.com - 4W appeared in the prefixes file for both East Timor and Yemen. The correct version was posted 3/26/00 1600Z.

To fix the problem you can download/install 3.00 again or edit the 'prefixes' file in your XMLog directory (usually c:\mlog). The line that reads:

7O,Republic of Yemen,AS,21,[13/-45],ADIF=492,
7O,4W,!,

should be:

7O,Republic of Yemen,AS,21,[13/-45],ADIF=492,
7O,!,

6. TX0DX

Yahoo group: XMLog
Date: 2000-03-27 19:10:51 UTC
From: C.Y. Dygitt
Topic: 6 Message: 6

Mike,
You always seem to be able to help. I downloaded the 3.0 version
last night, and all appears to work OK, except for a format error
in callsign file. C:\MLOG\dxcalls.ini
TX0DX=0

How can I fix this one??

73 de NA5S

7. Re: TX0DX - error in C:\MLOG\dxcalls.ini

Yahoo group: XMLog
Date: 2000-03-28 21:07:10 UTC
From: m.mcamis@valley.net
Topic: 7 Message: 7

```
>
>I downloaded the 3.0 version last night, and all appears to work OK,
>except for a format error in callsign file.
>
>Format error in callsign file C:\MLOG\dxcalls.ini
>TX0DX=0
>
```

I see what happened here - the callsign list is based on the ADIF index and TX doesn't have an ADIF index yet (so it was set to zero). When the list is loaded it complains about the 'bad' value. So for now you can just delete the entry from dxcalls.ini with an editor (like WordPad).

Since 3.0 knows about TX and 4W you don't need this entry anyhow.

I'll have a fix in the next version...

Mike

8. Re: [XMLog] Re: TX0DX - error in C:\MLOG\dxcalls.ini

Yahoo group: XMLog
Date: 2000-03-28 23:44:43 UTC
From: C.Y. Dygitt
Topic: 8 Message: 8

At 09:07 PM 3/28/00 -0000, you wrote:

>I see what happened here - the callsign list is based on the ADIF
>index and TX doesn't have an ADIF index yet (so it was set to zero).
>When the list is loaded it complains about the 'bad' value. So for
>now you can just delete the entry from dxcalls.ini with an editor
>(like WordPad).
>
>Since 3.0 knows about TX and 4W you don't need this entry anyhow.
>
>I'll have a fix in the next version...
>
>Mike

Mike,
Yeah, I saw that there also, and just deleted it before I got
` your email..... It's working fine now, with no error messages.
Thanks, and hopefully they will include it as a new DXCC entity.

73 de NA5S

9. Bearing/Distance/Country

Yahoo group: XMLog
Date: 2000-04-19 17:13:53 UTC
From: Tom Repstad
Topic: 9 Message: 9

I was wondering if there are any plans to add a display of bearing/distance/country when adding a qso? After the
callsign is typed in, it would be nice if that info were displayed on the screen. The current method of bringing up the country list and having to enter the call or prefix is awkward when trying to log a QSO real-time.

--Tom
KB1CGA

10. IOTA

Yahoo group: XMLog
Date: 2000-04-19 19:09:03 UTC
From: Didier
Topic: 10 Message: 10

How put new IOTA since AS145 or AF85 ?

--
From Didier F5NZO
Home Page Radio : http://www.ifrance.com/design/
Home Page Photo : http://www.multimania.com/dbruriaud/
Home Page Job : http://www.ac-rouen.fr/lycees/moulin/
Home Page Association : http://f5nzo.free.fr

11. Re: [XMLog] Bearing/Distance/Country

Yahoo group: XMLog
Date: 2000-04-19 21:25:28 UTC
From: Ivanildo Gomes - PX 500 I
Topic: 9 Message: 11

Dears,

I have did download of XMLOG 300, but unforetunally I cann't get open (unziped) the program. Ihave WinZip program, but when it try unzip the xmlog, stop on 50%.

please, If possible have any place to download completely I will thank.

Or can send via email - I know that it is a lot big, but if will try...i will thank again.

Good DX's and 73,
Ivanildo F Gomes - PV8IG (PX500I)
Boa Vista - RR - Brasil
Grid: FJ 92 PU

12. Re: [XMLog] Bearing/Distance/Country

Yahoo group: XMLog
Date: 2000-04-20 11:50:33 UTC
From: Mark Robinson
Topic: 12 Message: 12

I, too, would like to see that feature.

As an old Second Op user, I appreciated seeing worked/confirmed flags for the country upon entering the callsign. I am new to XMLog but didn't see where that capability is available.

From what I've done so far with the package, I am impressed with XMlog.

73
Mark WB3JIS
Hershey, PA
DMarkRobinson@...

On Wed, 19 Apr 2000 13:13:53 -0400, XMLog@egroups.com wrote:

> I was wondering if there are any plans to add a display of bearing/distance/country when adding a qso? After the
> callsign is typed in, it would be nice if that info were displayed on the screen. The current method of bringing up the country list and having to enter the call or prefix is awkward when trying to log a QSO real-time.
>
> --Tom
> KB1CGA

_____
Get 100% FREE Internet Access powered by Excite
Visit http://freelane.excite.com/freeisp

13. Re: Bearing/Distance/Country

Yahoo group: XMLog
Date: 2000-04-20 17:04:10 UTC
From: m.mcamis@valley.net
Topic: 9 Message: 13

--- "Tom Repstad" wrote:

> I was wondering if there are any plans to add a display
> of the bearing/distance/country when adding a qso?

Hi Tom,

Sounded like a good idea so I've added the feature to the next
release. This release (4.00) is a '32-bit' version of XMLog and
should be available for some limited testing in a couple of weeks.

Mike - W1ECT

14. Re: IOTA

Yahoo group: XMLog
Date: 2000-04-20 17:09:12 UTC
From: m.mcamis@valley.net
Topic: 10 Message: 14

--- Didier wrote:

> How put new IOTA since AS145 or AF85 ?

Hi Didier,

The IOTA information is kept in the file iota.lst
This is a simple text file that can be updated with an editor like
NotePad or WordPad. Be sure to keep the list sorted and use the
right
format (AF-085, not AF85).

Send me an email with the new IOTA entries and I will include them in
the next XMLog release.

Mike - W1ECT

15. Re: [XMLog] Re: Bearing/Distance/Country

Yahoo group: XMLog
Date: 2000-04-20 17:20:05 UTC
From: Tom Repstad
Topic: 15 Message: 15

Hi Mike,

Also, have you gotten any further with the computer control problem with the Kenwood 940's? If you need some help in "debugging" let me know.

--Tom
KB1CGA

----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@egroups.com>
Sent: Thursday, April 20, 2000 1:04 PM
Subject: [XMLog] Re: Bearing/Distance/Country

> --- "Tom Repstad" wrote:
>
> > I was wondering if there are any plans to add a display
> > of the bearing/distance/country when adding a qso?
>
> Hi Tom,
>
> Sounded like a good idea so I've added the feature to the next
> release. This release (4.00) is a '32-bit' version of XMLog and
> should be available for some limited testing in a couple of weeks.
>
> Mike - W1ECT
>
>
> ---
> Your high school sweetheart-where is he now? With 4.4 million alumni
> already registered at Classmates.com, there's a good chance you'll
> find her here. Visit your online high school class reunion at:
> http://click.egroups.com/1/3139/6/_/834596/_/956250260/
> ---
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
>

16. WPX ???

Yahoo group: XMLog
Date: 2000-04-23 12:11:52 UTC
From: Dennis Modigh
Topic: 16 Message: 16

Hello

Why don't you have support on XMLog for the WPX Award like other log programs have ?

I Also miss the support for 6m and SAT ! And why don't you have a map function that shows the Grid locators that is WKD on each band. Let's see what more to say... That map function i told you about can perhaps show what DXCC is worked ? You should learn and see on the very expensive program DX4WIN.

Sorry if im a little bit rude perhaps but this is function i really miss on XMLog ! Thanks anyway for a real good free program ! Keep up the good work.

73s de SM6WXO/Dennis

_____
Get Your Private, Free E-mail from MSN Hotmail at http://www.hotmail.com

17. Re: [XMLog] WPX ???

Yahoo group: XMLog
Date: 2000-04-24 16:18:08 UTC
From: Thomas M. Schaefer
Topic: 17 Message: 17

Generally, we ask nicely for features in a program we paid absolutely
nothing for!

Tom NY4I
----- Original Message -----
From: "Dennis Modigh" <sm6wxo@...>
To: <XMLog@egroups.com>
Sent: Sunday, April 23, 2000 6:11 AM
Subject: [XMLog] WPX ???

>
> Hello
>
> Why don't you have support on XMLog for the WPX Award like other log
> programs have ?
>
> I Also miss the support for 6m and SAT ! And why don't you have a map
> function that shows the Grid locators that is WKD on each band. Let's see
> what more to say... That map function i told you about can perhaps show
what
> DXCC is worked ? You should learn and see on the very expensive program
> DX4WIN.
>
> Sorry if im a little bit rude perhaps but this is function i really miss
on
> XMLog ! Thanks anyway for a real good free program ! Keep up the good
work.
>
> 73s de SM6WXO/Dennis
> ____
> Get Your Private, Free E-mail from MSN Hotmail at http://www.hotmail.com
>
>
> --
> You take good care of yourself, how about your planet? It's
> tough to be healthy when your environment isn't. Find out
> what you can do to protect your planet and yourself at ENN.com,
> the Environmental News Network.
> http://click.egroups.com/1/2798/6/_/834596/_/956491913/
> --
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>

>

18. Re: [XMLog] WPX ???

Yahoo group: XMLog
Date: 2000-04-24 16:30:29 UTC
From: John P Smith
Topic: 17 Message: 18

Here Here!
I've been using it for years...have over 7000 Qs in it and it is
great...especially considering what I paid for it!

73
J

19. Multiple QSO print

Yahoo group: XMLog
Date: 2000-04-26 08:26:58 UTC
From: Cherdchai Yiwlek
Topic: 19 Message: 19

Dear Sir,
Does anybody konw how to print multiple QSO in one lable?
Thanks,
Cy, HS0GBI

20. CW Interface

Yahoo group: XMLog
Date: 2000-05-04 10:48:45 UTC
From: hyrgrnd@color-country.net
Topic: 20 Message: 20

Maybe someone can help me with this problem.

I have tried to make the interface described in the help section to key my Kenwood TS-570 from the computer. Nothing happens.

I then attempted to verify that the signal was even getting to the serial port by using a VOM to see the voltage across pins 4 and 5 change - I assume that it should, 4 being DTR and 5 being ground. I can detect nothing there either.

I can hear the cw being sent in the computer speaker.

Can anyone shed some light on this situation for me?

Thanks

Steve - N7IF

21. Re: [XMLog] CW Interface

Yahoo group: XMLog
Date: 2000-05-04 15:29:00 UTC
From: John P Smith
Topic: 21 Message: 21

Hi Steve,
Let's see...make sure you have selected the correct port for cw under the options menu...that's the only thing I can think of. Once you do that your VOM, set to monitor ohms, should be able to detect some activity on pins 4 and 5...won't be any voltage change, but should be a resistance change from open to closed.

73 es GL!
John

22. XMLog 4.00

Yahoo group: XMLog
Date: 2000-05-25 23:00:50 UTC
From: m.mcamis@valley.net
Topic: 22 Message: 22

A pre-release of XMLog 4.00 is available for testing. This is a "32-bit" version that will not run on Windows version 3.

There's a nice collection of new features but unfortunately the first thing you may notice is that the .zip file is much bigger - 5mb. This
may make downloading a pain for people with slow/unreliable Internet connections.

If you are interested in trying this version it is available at www.xmlog.com/beta This page also includes a description of the new features.

If you decide to try it out, follow the suggestions on the beta page on backing up your current files before installing 4.0. Also, please let me know how things work out - good or bad.

The new installer seems to be a bit picker about running after other applications have been run so it's probably best to do the install after a reboot.

Mike - W1ECT

23. Re: [XMLog] XMLog 4.00

Yahoo group: XMLog
Date: 2000-05-28 12:42:46 UTC
From: John P Smith
Topic: 23 Message: 23

Hi Michael,
Got it downloaded and it seems to be okay except that when I brought it up this morning it seemed to have forgotten my color scheme. Then when I went under options to put the colors back the way I prefer them it gave me a run time error 380 and quit.

73
John

24. test

Yahoo group: XMLog
Date: 2000-05-30 11:46:49 UTC
From: Joseph Agius
Topic: 24 Message: 24

```
test
```

25. Re: XMLog 4.00

Yahoo group: XMLog
Date: 2000-05-30 12:19:49 UTC
From: m.mcamis@valley.net
Topic: 23 Message: 25

Hi John,

Fixed the problem and a new version (4.00 Beta 5) is available at
www.xmlog.com/beta

Mike

--- In XMLog@egroups.com, John P Smith <johnki4ro@j...> wrote:
> Hi Michael,
> Got it downloaded and it seems to be okay except that when I
brought it
> up this morning it seemed to have forgotten my color scheme. Then
when I
> went under options to put the colors back the way I prefer them it
gave
> me a run time error 380 and quit.
>
> 73
> John

26. Beta 5 landscape

Yahoo group: XMLog
Date: 2000-06-05 12:39:06 UTC
From: Joseph Agius
Topic: 26 Message: 26

testing Beta 5 of version 4.0.

Can't get it to display long form reports lanscape on the printer.

Version 3.0 works ok.

Joe

27. v 4.0 beta 5 - critical qso report

Yahoo group: XMLog
Date: 2000-06-06 11:59:48 UTC
From: Joseph Agius
Topic: 27 Message: 27

the count on the DXCC critical QSO list report is off.
The range in the top band of the window indicates a span of records displayed to be 42 which it actually is not.
It is counting the blank lines between each prefix break as well.

This throws all of the numbers off.

Joe
W1TW
ex Wa1wfh

28. Re: [XMLog] XMLog 4.00

Yahoo group: XMLog
Date: 2000-06-07 14:19:56 UTC
From: KB6NAN Dianna Killeen
Topic: 23 Message: 28

Mike

so far I have not noticed any problems but I am just a manager and use for up and downloading and doing qsl's ,, I am manager for v31md Bob and he uses a different log sure wish he would use yours it is so much easier to do qsl's

thank you

m.mcamis@... wrote:

> A pre-release of XMLog 4.00 is available for testing. This is a
> "32-bit" version that will not run on Windows version 3.
>
> There's a nice collection of new features but unfortunately the first
> thing you may notice is that the .zip file is much bigger - 5mb.
> This
> may make downloading a pain for people with slow/unreliable Internet
> connections.
>
> If you are interested in trying this version it is available at
> www.xmlog.com/beta This page also includes a description of the new
> features.
>
> If you decide to try it out, follow the suggestions on the beta page
> on backing up your current files before installing 4.0. Also, please
> let me know how things work out - good or bad.
>
> The new installer seems to be a bit picker about running after other
> applications have been run so it's probably best to do the install
> after a reboot.
>
> Mike - W1ECT
>
> --
> Old school buds here:
> http://click.egroups.com/1/4057/9/_/834596/_/959295679/
> --
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

--
KB6NAN Dianna R. Killeen
http://www.southcoast.net/dx/dxmain.html

29. ver 3.00/3.02 with Win 98

Yahoo group: XMLog
Date: 2000-06-09 15:38:01 UTC
From: david.noon@odyssey.on.ca
Topic: 29 Message: 29

Is anyone using ver 3.00/3.02 with Win 98 ?
Please contact me.

Tnx Dave VA3DN

30. Re: Beta 5 landscape

Yahoo group: XMLog
Date: 2000-06-10 23:22:41 UTC
From: m.mcamis@valley.net
Topic: 26 Message: 30

Hi Joe,

Have had a few more people try landscape mode without problems so
it probably won't be any easy fix - perhaps I'll need a new "Print
Setup" interface. For now you should be able to set landscape
mode through your Printers settings in Windows.

Mike

--- In XMLog@egroups.com, "Joseph Agius" <jagius@s...> wrote:
> testing Beta 5 of version 4.0.
>
> Can't get it to display long form reports lanscape on the printer.
>
> Version 3.0 works ok.
>
> Joe

31. Re: v 4.0 beta 5 - critical qso report

Yahoo group: XMLog
Date: 2000-06-10 23:25:56 UTC
From: m.mcamis@valley.net
Topic: 27 Message: 31

Yes, It turns out that the "Display" form is pretty dumb, it doesn't
know anything about the data being displayed - it just counts
the lines. I took a look and it's more that just a quick fix so
I'll add this to the 'todo' list.

Mike - W1ECT

--- In XMLog@egroups.com, "Joseph Agius" <jagius@s...> wrote:
> the count on the DXCC critical QSO list report is off.
> The range in the top band of the window indicates a span of records
displayed to
> be 42 which it actually is not.
> It is counting the blank lines between each prefix break as well.
>
> This throws all of the numbers off.
>
> Joe
> W1TW
> ex Wa1wfh

32. Re: CW Interface

Yahoo group: XMLog
Date: 2000-06-13 22:36:53 UTC
From: ka2x@arrl.net
Topic: 20 Message: 32

Steve,
I have a TS570 & just connected the CW keying circuit between my PC printer port and my straight key.
I used a DB25 male plug with the transistor & resistor circuit tucked into the plug's hood. The circuit schematic is in the CW Setup section of the XMLOG Help doc. I do not have a printer & do not use the printer port for anything else. I set the TX port in XMLOG CW Setup to LPT1.
Before I hooked up the keying circuit to the straight key:
- I measured across the output wires and noted ~5VDC during PC boot-up and .3 to .4VDC after boot-up. Continuity checks, while keying from the XMLOG program, verified an open/closed circuit with key-up/key-down conditions, respectively.
(I also checked voltage & continuity across my straight key, before I hooked up the keying circuit, and noted the same voltage levels & continuity checks.)
After I hooked up to the straight key & turned on the TS570, everything worked.
I hope this information helps you to isolate your problem.
73,
Tom - KA2X

--- In XMLog@egroups.com, hyrgrnd@c... wrote:
> Maybe someone can help me with this problem.
>
> I have tried to make the interface described in the help section to
> key my Kenwood TS-570 from the computer. Nothing happens.
>
> I then attempted to verify that the signal was even getting to the
> serial port by using a VOM to see the voltage across pins 4 and 5
> change - I assume that it should, 4 being DTR and 5 being ground.
I
> can detect nothing there either.
>
> I can hear the cw being sent in the computer speaker.
>
> Can anyone shed some light on this situation for me?
>
> Thanks
>
> Steve - N7IF

33. Re: [XMLog] Re: CW Interface

Yahoo group: XMLog
Date: 2000-06-14 11:08:41 UTC
From: Joseph Agius
Topic: 33 Message: 33
Attachments: 2 described; binary payloads are missing from this source WARC

[Attachment content not displayed]

34. Re: import/export

Yahoo group: XMLog
Date: 2000-06-27 14:04:23 UTC
From: Joseph Agius
Topic: 34 Message: 34

During ADIF file import/export, Most contesting programs use the QSL_sent and QSL_rcvd datafields during their import/export programs.
Mlog uses QSLSDATE and QSLRDATE which gives more appropriate information.

When importing these contestfiles into Mlog, the QSL fields are obviously not filled in.

CAn there be some cheange to the logic of Mlog to the effect:

For exporting:

If QSLSDATE != " " then QSL_sent=1 else QSL_sent = " ";

Also:

If QSLRDATE != " " then QSL_rcvd = 1 else QSL_rcvd = " ";

For importing:

If QSL_sent = 1 then QSLSDATE = [today's date or QSO date or whatever date] else QSLDATE = " ";

and

If QSL_rcvd = 1 then QSLRDATE = [today's date or QSO date or whatever date] else QSLDATE = " ";

These fields would then be included in the ADIF file logic that Mlog writes and reads. There are many optional fields for the ADIF format but these seem to be popular.

I am not sure how complicating this logic would be or whether the info is available.
I think that it would make it more compatible with other programs.

Right now I have to do it manually or edit the adif file each time I import.

Joe
W1TW

35. Re: import/export

Yahoo group: XMLog
Date: 2000-07-04 18:38:14 UTC
From: m.mcamis@valley.net
Topic: 34 Message: 35

Hi Joe,

I've posted new versions of XMLog 3 and 4 that should fix the
ADIF import problem with QSL_SENT and QSL_RCVD.

Mike

36. XMLog 4.00 Beta 10

Yahoo group: XMLog
Date: 2000-07-14 17:58:49 UTC
From: dvmcguire@mindspring.com
Topic: 36 Message: 36

Hello. This is my first message on this list. My name is David, and my callsign is AE4LH. I live in Danville, VA., USA. I have been using Hyperlog for a while, and now I'd like to try using XMLog.

I have downloaded the 4.00 Beta 10 version. I installed it on my computer. It all seemed to work fine.

I now have QBasic on my computer. I have saved the data from Hyperlog into a file called REPORT.TXT. How do I import this into IMPORT6.BAS and then run/compile/etc? I have never used Qbasic.

With Hyperlog I have my Kenwood TM-2550A connected to COM1 at 9600 Baud. This seems to be working ok. I have a packet window opened. Spots are coming in. I don't hear any bell, but I see them arriving. Can this program QSY the rig?

My HF radio is a Kenwood TS-440S. I have this connected to COM2 with a 4800 Baud. This does not work with XMLog. I thought I set it up properly. Here are my settings: Kenwood, COM2, 4800 Baud, Parity None, Data 8-bit, Stop Bits 1. With these settings (that I took from the Hyperlog program) nothing appears on the XMLog main screen.

I hope someone will be able to help me get setup.

Does anyone have any settings for colors that they prefer to other combinations?

Many thanks. vy 73 de David AE4LH

37. Re: [XMLog] XMLog 4.00 Beta 10

Yahoo group: XMLog
Date: 2000-07-14 18:25:14 UTC
From: Joseph Agius
Topic: 37 Message: 37

Dave,

If you want to import your report.txt file, you have to make sure that it is in the same format as the mlog.txt file and
import it that way. Or you can code it so that it is like the ct.res file and impoort it taht way.
It would be much easier if your old program can generte an adif file.

Secondly, what are you trying to di with the interface? Just key the transmitter or rig control?

Joe
W1TW

dvmcguire@... on 07/14/2000 01:58:49 PM

Please respond to XMLog@egroups.com

To: XMLog@egroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] XMLog 4.00 Beta 10

Hello. This is my first message on this list. My name is David, and my callsign is AE4LH. I live in Danville, VA., USA. I have been using Hyperlog for a while, and now I'd like to try using XMLog.

I have downloaded the 4.00 Beta 10 version. I installed it on my computer. It all seemed to work fine.

I now have QBasic on my computer. I have saved the data from Hyperlog into a file called REPORT.TXT. How do I import this into IMPORT6.BAS and then run/compile/etc? I have never used Qbasic.

With Hyperlog I have my Kenwood TM-2550A connected to COM1 at 9600 Baud. This seems to be working ok. I have a packet window opened. Spots are coming in. I don't hear any bell, but I see them arriving. Can this program QSY the rig?

My HF radio is a Kenwood TS-440S. I have this connected to COM2 with a 4800 Baud. This does not work with XMLog. I thought I set it up properly. Here are my settings: Kenwood, COM2, 4800 Baud, Parity None, Data 8-bit, Stop Bits 1. With these settings (that I took from the Hyperlog program) nothing appears on the XMLog main screen.

I hope someone will be able to help me get setup.

Does anyone have any settings for colors that they prefer to other combinations?

Many thanks. vy 73 de David AE4LH

Get great brand name shoes with just the click of a mouse. Check out the huge selection at Zappos.com, the Web's Most Popular Store!
http://click.egroups.com/1/6994/12/_/834596/_/963598417/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

38. Re: [XMLog] XMLog 4.00 Beta 10

Yahoo group: XMLog
Date: 2000-07-14 19:50:07 UTC
From: dvmcguire@mindspring.com
Topic: 37 Message: 38

Dear Joe,
Thank you for replying to my questions. I used the directions in IMPORT6.BAS to create REPORT.TXT from Hyperlog. I am unable to import this using the Import feature on XMLog.
I think I need to run the IMPORT6.BAS file, but I do not know how to do that. I have never used Quick Basic before.
I would like to see the readouts from my TS-440S on the XMLog screen. I would also like to QSY to freqs that are posted on the PacketCluster. I wonder if XMLog is able to do this.

David

_____
David V. McGuire
Amateur Radio Callsign: AE4LH
Trumpet: Jupiter 1200S
Danville, Virginia, USA
Life is Short: PRAY HARD!
----- Original Message -----
From: "Joseph Agius" <jagius@...>
To: <XMLog@egroups.com>
Sent: Friday, July 14, 2000 2:25 PM
Subject: Re: [XMLog] XMLog 4.00 Beta 10

> Dave,
>
> If you want to import your report.txt file, you have to make sure that it is in
> the same format as the mlog.txt file and
> import it that way. Or you can code it so that it is like the ct.res file and
> impoort it taht way.
> It would be much easier if your old program can generte an adif file.
>
> Secondly, what are you trying to di with the interface? Just key the transmitter
> or rig control?

39. Version 4.00, Beta 10

Yahoo group: XMLog
Date: 2000-07-14 21:07:09 UTC
From: David McGuire
Topic: 39 Message: 39

...well, I have imported the Hyperlog data. Now, I'll have to get the hang
of entering information, seeing if I can link the VHF and HF to the computer
program, and get used to the new system.

_____
David V. McGuire
Amateur Radio Callsign: AE4LH
Trumpet: Jupiter 1200S
Danville, Virginia, USA
Life is Short: PRAY HARD!

40. Re: Version 4.00, Beta 10

Yahoo group: XMLog
Date: 2000-07-15 13:04:21 UTC
From: m.mcamis@valley.net
Topic: 39 Message: 40

OK Dave, Sounds like you got your data from HyperLog. Glad you could
get the QBasic converter to work - sometimes DOS can still be useful.

There are a couple of ways to set your rig frequency from the packet window, the simplest way is to double click on a displayed frequency. You can also do a right click on a frequency. Check "Help/Shortcut Guide". In the log window you can double click on the frequency or mode fields to set them from your rig. Also check the "Help/Display Help" sections "Adding New Entries" (to see how to automatically get the freq/mode from your rig for new log entries).

XMLog does not have a display that simulates a rig control panel.

Mike

--- In XMLog@egroups.com, "David McGuire" <dvmcguire@m...> wrote:
> ...well, I have imported the Hyperlog data. Now, I'll have to get the hang
> of entering information, seeing if I can link the VHF and HF to the computer
> program, and get used to the new system.
>
> _____
> David V. McGuire
> Amateur Radio Callsign: AE4LH
> Trumpet: Jupiter 1200S
> Danville, Virginia, USA
> Life is Short: PRAY HARD!

41. Help County ???

Yahoo group: XMLog
Date: 2000-07-20 22:22:50 UTC
From: Didier
Topic: 41 Message: 41

I have a QSL from
WB4UBD in the state VA and Formerly Nansemond County
But this county isn't in the list
On the Call Book I see WB4UBD in Suffolk county but it is not in the
list...
Best 73 from F5NZO
--
From Didier
Home Page Radio : http://www.ifrance.com/design/
Home Page Photo : http://www.multimania.com/dbruriaud/
Home Page Job : http://www.ac-rouen.fr/lycees/moulin/
Home Page Association : http://f5nzo.free.fr

42. Re: Help County ???

Yahoo group: XMLog
Date: 2000-07-21 22:57:06 UTC
From: m.mcamis@valley.net
Topic: 41 Message: 42

Hi - I did some surfing on the web and it seems that
Nansemond-Suffolk
is often used to describe this county. I don't know if this is the
official name but I'll do some more checking. For now you can keep
using Nansemond or edit the counties.lst file. If you make changes
to
this file remember that it will get replaced when installing new
xmlog versions.

Mike - W1ECT

--- In XMLog@egroups.com, Didier <f5nzo@w...> wrote:
> I have a QSL from
> WB4UBD in the state VA and Formerly Nansemond County
> But this county isn't in the list
> On the Call Book I see WB4UBD in Suffolk county but it is not in the
> list...
> Best 73 from F5NZO
> --
> From Didier
> Home Page Radio : http://www.ifrance.com/design/
> Home Page Photo : http://www.multimania.com/dbruriaud/
> Home Page Job : http://www.ac-rouen.fr/lycees/moulin/
> Home Page Association : http://f5nzo.free.fr

43. GoList functionality

Yahoo group: XMLog
Date: 2000-07-22 00:30:51 UTC
From: Randy Becnel
Topic: 43 Message: 43

Hey Mike,

Great program! I have been using it now for about 3 years.

Any plans to incorporate access to the GoList for registered GoList users via the Internet now that the functionality is available? I, for one would like to see that. The packet cluster I access via the web from XMLOG does not directly have golist access.

73, Randy - W5UE

44. Re: Help County ???

Yahoo group: XMLog
Date: 2000-07-25 23:02:38 UTC
From: m.mcamis@valley.net
Topic: 41 Message: 44

It seems that the city of Nansemond merged with the city of Suffolk
and at that point Nansemond county ceased to exist. So, no new
county
was created and no Suffolk county exists. I will remove it from the
list. Here's a nice link for Virgina county information:

http://www.institute.virginia.edu/vaco/

Mike - W1ECT

--- In XMLog@egroups.com, Didier <f5nzo@w...> wrote:
> I have a QSL from
> WB4UBD in the state VA and Formerly Nansemond County
> But this county isn't in the list
> On the Call Book I see WB4UBD in Suffolk county but it is not in the
> list...
> Best 73 from F5NZO
> --
> From Didier
> Home Page Radio : http://www.ifrance.com/design/
> Home Page Photo : http://www.multimania.com/dbruriaud/
> Home Page Job : http://www.ac-rouen.fr/lycees/moulin/
> Home Page Association : http://f5nzo.free.fr

45. Re: GoList functionality

Yahoo group: XMLog
Date: 2000-07-25 23:11:36 UTC
From: m.mcamis@valley.net
Topic: 43 Message: 45

Hi Randy,

I'll check and see what's required. Here's a couple of my favorite
free QSL manager resources.

This web page has very reliable info on past, present and scheduled
DXpeditions. Times, ops, managers, etc.

http://www.cpcug.org/user/wfeidt/Misc/adxo.html

Also try this e-mail QSL manager server:
1) Start a new e-mail message
2) Set the subject to: qsl info request
3) Set the destination to: qsl-info@... (QSL Info Server)
4) Include the callsigns in the text, one call per line.
5) Send the message and you'll get a response in a few minutes.

Don't abuse this server by dumping hundreds of calls in a message!

Mike - W1ECT

--- In XMLog@egroups.com, Randy Becnel <w5ue@d...> wrote:
>
> Hey Mike,
>
> Great program! I have been using it now for about 3 years.
>
> Any plans to incorporate access to the GoList for registered GoList
users
> via the Internet now that the functionality is available? I, for
one
would
> like to see that. The packet cluster I access via the web from
XMLOG
does
> not directly have golist access.
>
> 73, Randy - W5UE

46. Re: [XMLog] Re: GoList functionality

Yahoo group: XMLog
Date: 2000-07-26 01:46:38 UTC
From: Randy Becnel
Topic: 43 Message: 46

> I'll check and see what's required.
Thanks.

> 3) Set the destination to: qsl-info@... (QSL Info Server)

Can't argue with that one. This is on the ISP for the Magnolia DX Assoc
and is maintained by one of our members, Ray, WQ5L. One point,
qsl-info@... will still work, however, Ametro no longer is
associated with this provider. It has returned to Datasync, Inc. The
correct address is qsl-info@....

Thanks for your help

73 es DX
Randy - W5UE
Magnolia DX Association / W5 Bureau Webmaster
http://mdxa.org

47. Mode

Yahoo group: XMLog
Date: 2000-07-27 07:14:32 UTC
From: Jonni Brockmoeller
Topic: 47 Message: 47

Hallo Mike,

As you know I am a satisfied European user of XMLog .

Until now, I didn't missing any features for my area, but many new digimodes (multitone modes) are coming on band, next is MFSK, Throb etc.

Is it possible to unlock the mode field in your program ? Or make a definable field by users to insert new modes ?

Temporary I use DATA for new modes, put under NOTES field the correct one, and add this if I print my qsl cards.

Maybe you have a better solution ?

73 de Jonni (DH2LJB)

48. Re: [XMLog] Digest Number 29

Yahoo group: XMLog
Date: 2000-07-27 23:51:50 UTC
From: Michael McAmis
Topic: 48 Message: 48

Hi Jonni,

There is a secret XMLog feature I added just for you when you asked for the last mode updates!

Here's how it works - Edit your mlog.ini file (save a copy first!) and add lines in this format:

MODE=modename,modetype

Where modetype is 2 for Phone, 3 for CW, and 4 for Data.

No warranty is expressed or implied...

Mike

49. Re: [XMLog] Digest Number 29

Yahoo group: XMLog
Date: 2000-07-28 00:06:09 UTC
From: Dianna Killeen, KB6NAN
Topic: 48 Message: 49

MIKE thanks

can PSK31 be added in there too ,,, jy4ne dies psk31 also

--
KB6NAN Dianna R. Killeen
http://www.southcoast.net/dx/dxmain.html

Michael McAmis wrote:

> Hi Jonni,
>
> There is a secret XMLog feature I added just for you when you asked for the
> last mode updates!
>
> Here's how it works - Edit your mlog.ini file (save a copy first!) and add
> lines in this format:
>
> MODE=modename,modetype
>
> Where modetype is 2 for Phone, 3 for CW, and 4 for Data.
>
> No warranty is expressed or implied...
>
> Mike
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

--
KB6NAN Dianna R. Killeen
http://www.southcoast.net/dx/dxmain.html

50. Re:Mode

Yahoo group: XMLog
Date: 2000-07-28 07:52:56 UTC
From: Jonni Brockmoeller
Topic: 47 Message: 50

Hi Mike,

I was very pleased to receive your solution immediately.

I realized it at once, and add the new digi modes.
Then I checked the data and qsl print to my complete satisfaction.

Thank you very much for your support.

73 de Jonni (DH2LJB)

51. QTR- UTC - setup

Yahoo group: XMLog
Date: 2000-07-30 22:03:06 UTC
From: Ivanildo F Gomes
Topic: 47 Message: 51

Dear Mike,

i am having problem to adjust the QTR for UTC, because the version 4.00 beta, it is giving as a diference of 3 hours, while my diference it is 4. How is possible I set up teh UTC time on adjust.

thank you for your attention and congratulations.
vy 73,

Ivanildo F Gomes

PV8IG // PY7IG
Grid Loc FJ92tm
Tel. (95) 6237484
(95) 9971.1381
ICQ uin 5739723
Boa Vista - Roraima
Brasil

52. Re: [XMLog] Re:Mode

Yahoo group: XMLog
Date: 2000-07-31 11:05:55 UTC
From: Joseph Agius
Topic: 52 Message: 52

Can you let me know what this option is for. I must have missed the original email.

Thanks
Joe
W1TW

"Jonni Brockmoeller" <Jonnib@...> on 07/28/2000 03:52:56 AM

Please respond to XMLog@egroups.com

To: XMLog@egroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] Re:Mode

Hi Mike,

I was very pleased to receive your solution immediately.

I realized it at once, and add the new digi modes.
Then I checked the data and qsl print to my complete satisfaction.

Thank you very much for your support.

73 de Jonni (DH2LJB)

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

53. Re: QTR- UTC - setup

Yahoo group: XMLog
Date: 2000-07-31 23:03:31 UTC
From: m.mcamis@valley.net
Topic: 47 Message: 53

Hello Ivanildo,

XMLog 4.00 gets the "System Time" (UTC) from Windows. This offset
between UTC and local time is set by selecting the Windows "Start"
button and picking "Settings/Control Panel". Double-click on the
"Date/Time" icon and then select the "Time Zone" tab. This should
let
you select the correct offset.

Mike

--- In XMLog@egroups.com, Ivanildo F Gomes <pv8ig@a...> wrote:
>
> Dear Mike,
>
> i am having problem to adjust the QTR for UTC, because the version
4.00
> beta, it is giving as a diference of 3 hours, while my diference it
is 4.
> How is possible I set up teh UTC time on adjust.
>
> thank you for your attention and congratulations.
> vy 73,
>
>
>
> Ivanildo F Gomes
>
> PV8IG // PY7IG
> Grid Loc FJ92tm
> Tel. (95) 6237484
> (95) 9971.1381
> ICQ uin 5739723
> Boa Vista - Roraima
> Brasil

54. XMLog Beta 12

Yahoo group: XMLog
Date: 2000-08-31 13:33:30 UTC
From: mslade@wteam.co.uk
Topic: 54 Message: 54

I am currently using 4.0 Beta 10 and am wondering what has changed in Beta 12...

Should I install ? ?

Regards

Mark, M0CUK

55. Re: XMLog Beta 12

Yahoo group: XMLog
Date: 2000-09-02 12:15:54 UTC
From: m.mcamis@valley.net
Topic: 54 Message: 55

Hi Mark,

I've posted the offical version of version 4.00 on the XMLog site but it won't be accessible from the web page for a few days. If you want to download it now you can access it directly from www.xmlog.com/xmlog400.zip

Mike

--- In XMLog@egroups.com, mslade@w... wrote:
> I am currently using 4.0 Beta 10 and am wondering what has changed in
> Beta 12...
>
> Should I install ? ?
>
> Regards
>
> Mark, M0CUK

56. Re: XMLog Beta 12

Yahoo group: XMLog
Date: 2000-09-04 08:39:01 UTC
From: uaziz@hotmail.com
Topic: 54 Message: 56

I hv download XMlog 4.0 the official version and installed it.
Problems is i cannot add the new log and search the old log.

Probles are :
-When i type in the field nothing come out...but the cursor run.
-When double click date and time field also nothing come out.
Can you help me.. nw i have to install back my old version 3.0

TNX

--- In XMLog@egroups.com, m.mcamis@v... wrote:
>
> Hi Mark,
>
> I've posted the offical version of version 4.00 on the XMLog site
but
> it won't be accessible from the web page for a few days. If you
want
> to download it now you can access it directly from
> www.xmlog.com/xmlog400.zip
>
> Mike
>
>
> --- In XMLog@egroups.com, mslade@w... wrote:
> > I am currently using 4.0 Beta 10 and am wondering what has
changed
> in
> > Beta 12...
> >
> > Should I install ? ?
> >
> > Regards
> >
> > Mark, M0CUK%
%

57. Adding new modes

Yahoo group: XMLog
Date: 2000-09-21 18:40:38 UTC
From: cliffhazen@aol.com
Topic: 57 Message: 57

Now operating on several of the new digital modes.
how do i add to the valid mode list??

gl es 73 de Cliff N7HIY

58. Re: Adding new modes

Yahoo group: XMLog
Date: 2000-09-22 16:36:47 UTC
From: m.mcamis@valley.net
Topic: 57 Message: 58

Hi Cliff,

There is an undocumented XMLog feature that lets you add your own
modes.

Here's how it works - Edit your mlog.ini file (save a copy first!)
and add lines in this format:

MODE=modename,modetype

Where modetype is 2 for Phone, 3 for CW, and 4 for Data.

What modes will you be adding?

Mike

> Now operating on several of the new digital modes.
> how do i add to the valid mode list??
>
> gl es 73 de Cliff N7HIY

59. Adding new modes, part II

Yahoo group: XMLog
Date: 2000-09-22 17:17:36 UTC
From: Keith Diehl
Topic: 59 Message: 59

Here's another question regarding modes. I have a computer interface to my FT1000 and have chosen to have the MODE field filled in with info from the rig. I believe the rig reports a numeric value that XMLOG translates to PACKET. Can I search the XMLOG executable for PACKET and replace it with PSK31<space>? (Yeah, I know, I'm getting really lazy with my logging now!)

60. Re: [XMLog] Re: Adding new modes

Yahoo group: XMLog
Date: 2000-09-22 23:40:05 UTC
From: cliffhazen@aol.com
Topic: 57 Message: 60

Hi Mike,
thanks
just started with mfsk16, impressed with its weak signal capabilities
especially with polar doppler fade and distortion. It has effective fec and
is even better that psk31 on polar routes.
I've worked europeans here in the Pacific NW and couldn't even hear the
signal in the speaker.
adding mfsk16 mfsk8 psk63f psk125f

gl es 73 de Cliff N7HIY

61. Re: Adding new modes, part II

Yahoo group: XMLog
Date: 2000-09-23 13:53:21 UTC
From: m.mcamis@valley.net
Topic: 59 Message: 61

Well, I wouldn't recommend hacking a string in an exe file to one
that's longer than the original! Likely to blow up in some way.

Have you checked out the "Edit/Use (or Edit) Defaults for New
Entries"
feature? You can set up some defaults with "Edit/Edit Defaults..."
which include PSK31 for the mode field and then toggle these defaults
on and off with "Edit/Use Defaults...".

Mike - W1ECT

--- In XMLog@egroups.com, "Keith Diehl" <kdiehl@x> wrote:
> Here's another question regarding modes. I have a computer interface
> to my FT1000 and have chosen to have the MODE field filled in with
> info from the rig. I believe the rig reports a numeric value that
> XMLOG translates to PACKET. Can I search the XMLOG executable for
> PACKET and replace it with PSK31<space>? (Yeah, I know, I'm getting
> really lazy with my logging now!)

62. Re: Adding new modes

Yahoo group: XMLog
Date: 2000-09-23 13:56:54 UTC
From: m.mcamis@valley.net
Topic: 57 Message: 62

I guess it's time to make adding custom modes an official feature
with
a real user interface. I'll add that to the todo list.

Mike - W1ECT

--- In XMLog@egroups.com, cliffhazen@a... wrote:
> Hi Mike,
> just started with mfsk16, impressed with its weak signal
capabilities
> especially with polar doppler fade and distortion. It has
effective
fec and
> is even better that psk31 on polar routes.
> I've worked europeans here in the Pacific NW and couldn't even hear
the
> signal in the speaker.
> adding mfsk16 mfsk8 psk63f psk125f
>
> gl es 73 de Cliff N7HIY

63. Re: [XMLog] Re: Adding new modes

Yahoo group: XMLog
Date: 2000-09-23 19:38:28 UTC
From: cliffhazen@aol.com
Topic: 57 Message: 63

Mike,
mode add in .ini file works great, thanks.
I keep playing with logger but always come back to xmlog, has such a power search capability and I love the qsl label section.
What is the field delimiter character that separates fields used in ADIF files? I've forgotten and can't find info anywhere, even tracked down the adif web page, no help.
gl es 73 de Cliff N7HIY

64. Question about XMLog QSL printing

Yahoo group: XMLog
Date: 2000-09-23 19:47:25 UTC
From: Casey
Topic: 64 Message: 64

Hi,

I'm new to XMLog, just now starting to read the documentation, but I have one quick question. I noticed in the description that it has some custom QSL label printing capability. I'm wondering just how flexible it is.

What I want to do is to print on one side of some custom QSL cards. I have my own card design that is 3 to a regular 8.5 X 11 in sheet of card stock. Is the label printing facility capable of a layout that would let me match to the fields on my custom card?

Barring that, does XMLog have the ability to customize an export of the QSL fields to a plain text file with my own delimiters? I do have another program that would allow the customized printing, however, it takes a special format for the input file and if XMLog would allow me to specify that format (just comma-delimited, except for the very first line) I might be able to print the cards directly from the DB.

tnx es 73,

Casey Bahr, KS7J, FISTS nr 3648, CC nr 450, CC/mobile nr 6
Trustee, K7FFF, FISTS Northwest, FISTS nr 4400, CC nr 457
http://www.foreign-interests.com/k7fff

65. Re: Adding new modes

Yahoo group: XMLog
Date: 2000-09-24 13:59:22 UTC
From: m.mcamis@valley.net
Topic: 57 Message: 65

Not sure what you're after - you can check the ADIF specs at:

http://hosenose.com/adif/adif.html

and you can also just peruse an adif file with any text editor (e.g. Wordpad) since it's just a simple text file.

Mike

--- In XMLog@egroups.com, cliffhazen@a... wrote:
> Mike,
> mode add in .ini file works great, thanks.
> I keep playing with logger but always come back to xmlog, has such a
power
> search capability and I love the qsl label section.
> What is the field delimiter character that separates fields used in ADIF
> files? I've forgotten and can't find info anywhere, even tracked down the
> adif web page, no help.
> gl es 73 de Cliff N7HIY

66. Re: Question about XMLog QSL printing

Yahoo group: XMLog
Date: 2000-09-24 14:10:00 UTC
From: m.mcamis@valley.net
Topic: 64 Message: 66

The custom layout features are very flexible. Try Options/QSL Label Layout, click on the Custom button, pick Demo QSL Card, click the Modify button, and then click the Preview button. Also try Demo QSL, Info Only.

The label info is written to the file labels.inf, the format is not customizable but it's a plain text file which you could reformat.

Mike

--- In XMLog@egroups.com, "Casey" <casey@f...> wrote:
Hi,

I'm new to XMLog, just now starting to read the documentation, but I have one quick question. I noticed in the description that it has some
custom QSL label printing capability. I'm wondering just how flexible it is. What I want to do is to print on one side of some custom QSL cards. I have my own card design that is 3 to a regular 8.5 X 11 in sheet of card stock. Is the label printing facility capable of a layout that would let me match to the fields on my custom card? Barring that, does XMLog have the ability to customize an export of the QSL fields to a plain text file with my own delimiters? I do have another program that would allow the customized printing, however, it takes a special format for the input file and if XMLog would allow me to specify that format (just comma-delimited, except for the very first line) I might be able to print the cards directly from the DB.

tnx es 73,
Casey Bahr, KS7J, FISTS nr 3648, CC nr 450, CC/mobile nr 6
Trustee, K7FFF, FISTS Northwest, FISTS nr 4400, CC nr 457
http://www.foreign-interests.com/k7fff

67. Problem w XMlog 4.00 and Win 98

Yahoo group: XMLog
Date: 2000-09-26 20:08:48 UTC
From: stefan@shdk.se
Topic: 67 Message: 67

Hi,

I found XMlog and believe it's a great piece of software, seems to cover my needs, simple to use etc etc. But, I just can't get it running.

I downloaded the latest XMlog 4.00 (build 08/26/00) from www.xmlog.com and ran the setup according to instructions in the readme. But when I try to log a QSO I get the error message "Run-time error '9': Subscript out of range". It happens when I type the first letter in the callsign field. I have tried to leave the software in default, i.e. not change any parameters at all, as well as changing the parameters to my needs but in both cases it always ends with the above error message.

The problem is easy to reproduce for me:

- Start XMLog
- Open a log file
- Press CTRL-A to add a new QSO
- TAB two times to move to callsign field.
- Any character I type will result in the above error message and the program will exit.

I am running a swedish Win 98.

Any help is appreciated. If you need to know the version of any particular DLL or any other info about my setup, just send me an email and I will check it out.

Thanks,
73 de SM0RGM / Stefan

68. Re: Problem w XMlog 4.00 and Win 98

Yahoo group: XMLog
Date: 2000-09-26 20:35:34 UTC
From: m.mcamis@valley.net
Topic: 67 Message: 68

Hi Stefan,

Does this problem only happen for the Callsign field? XMLog tries to show the country & bearing for the call being entered (in the caption for the window). Perhaps this code is having some kind of problem? Since this doesn't seem to happen elsewhere I'll probably need to send
you a debug version of mlog.exe that will allow us to narrow down the bug.

Mike - W1ECT

--- In XMLog@egroups.com, stefan@s... wrote:
> Hi,
>
> I found XMlog and believe it's a great piece of software, seems to
> cover my needs, simple to use etc etc. But, I just can't get it
> running.
>
> I downloaded the latest XMlog 4.00 (build 08/26/00) from
> www.xmlog.com and ran the setup according to instructions in the
> readme. But when I try to log a QSO I get the error message "Run-time
> error '9': Subscript out of range". It happens when I type the first
> letter in the callsign field. I have tried to leave the software in
> default, i.e. not change any parameters at all, as well as changing
> the parameters to my needs but in both cases it always ends with the
> above error message.
>
> The problem is easy to reproduce for me:
>
> - Start XMLog
> - Open a log file
> - Press CTRL-A to add a new QSO
> - TAB two times to move to callsign field.
> - Any character I type will result in the above error message and the
> program will exit.
>
> I am running a swedish Win 98.
>
> Any help is appreciated. If you need to know the version of any
> particular DLL or any other info about my setup, just send me an
> email and I will check it out.

>
> Thanks,
> 73 de SM0RGM / Stefan

69. Re: [XMLog] Re: Problem w XMlog 4.00 and Win 98

Yahoo group: XMLog
Date: 2000-09-27 05:42:23 UTC
From: Stefan Helander
Topic: 67 Message: 69

Hello Mike (and the list),

Yes it only happens for the callsign field. I can enter info in all other fields without any problem.

/Stefan, SM0RGM

----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@egroups.com>
Sent: Tuesday, September 26, 2000 10:35 PM
Subject: [XMLog] Re: Problem w XMlog 4.00 and Win 98

Hi Stefan,

Does this problem only happen for the Callsign field? XMLog tries to show the country & bearing for the call being entered (in the caption for the window). Perhaps this code is having some kind of problem? Since this doesn't seem to happen elsewhere I'll probably need to send
you a debug version of mlog.exe that will allow us to narrow down the bug.

Mike - W1ECT

--- In XMLog@egroups.com, stefan@s... wrote:
> Hi,
>
> I found XMlog and believe it's a great piece of software, seems to
> cover my needs, simple to use etc etc. But, I just can't get it
> running.
>
> I downloaded the latest XMlog 4.00 (build 08/26/00) from
> www.xmlog.com and ran the setup according to instructions in the
> readme. But when I try to log a QSO I get the error message "Run-time
> error '9': Subscript out of range". It happens when I type the first
> letter in the callsign field. I have tried to leave the software in
> default, i.e. not change any parameters at all, as well as changing
> the parameters to my needs but in both cases it always ends with the
> above error message.
>
> The problem is easy to reproduce for me:
>
> - Start XMLog

> - Open a log file
> - Press CTRL-A to add a new QSO
> - TAB two times to move to callsign field.
> - Any character I type will result in the above error message and
the
> program will exit.
>
> I am running a swedish Win 98.
>
> Any help is appreciated. If you need to know the version of any
> particular DLL or any other info about my setup, just send me an
> email and I will check it out.
>
> Thanks,
> 73 de SM0RGM / Stefan

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

70. Re: Problem w XMlog 4.00 and Win 98

Yahoo group: XMLog
Date: 2000-10-02 22:12:14 UTC
From: m.mcamis@valley.net
Topic: 67 Message: 70

Turns out that Stephens prefixes file got erased somehow. Added a
startup check for this problem for the next version.

Mike - W1ECT

--- In XMLog@egroups.com, "Stefan Helander" <stefan@s...> wrote:
> Hello Mike (and the list),
>
> Yes it only happens for the callsign field. I can enter info in all
other fields without any problem.
>
> /Stefan, SM0RGM
>
> ----- Original Message -----
> From: <m.mcamis@v...>
> To: <XMLog@egroups.com>
> Sent: Tuesday, September 26, 2000 10:35 PM
> Subject: [XMLog] Re: Problem w XMlog 4.00 and Win 98
>
>
>
> Hi Stefan,
>
> Does this problem only happen for the Callsign field? XMLog tries
to
> show the country & bearing for the call being entered (in the
caption
> for the window). Perhaps this code is having some kind of problem?

> Since this doesn't seem to happen elsewhere I'll probably need to
> send
> you a debug version of mlog.exe that will allow us to narrow down
the
> bug.
>
> Mike - W1ECT
>
> --- In XMLog@egroups.com, stefan@s... wrote:
> > Hi,
> >
> > I found XMlog and believe it's a great piece of software, seems
to
> > cover my needs, simple to use etc etc. But, I just can't get it
> > running.
> >
> > I downloaded the latest XMlog 4.00 (build 08/26/00) from

> > www.xmlog.com and ran the setup according to instructions in the
> > readme. But when I try to log a QSO I get the error message
> "Run-time
> > error '9': Subscript out of range". It happens when I type the
> first
> > letter in the callsign field. I have tried to leave the software
in
> > default, i.e. not change any parameters at all, as well as
changing
> > the parameters to my needs but in both cases it always ends with
> the
> > above error message.
> >
> > The problem is easy to reproduce for me:
> >
> > - Start XMLog
> > - Open a log file
> > - Press CTRL-A to add a new QSO
> > - TAB two times to move to callsign field.
> > - Any character I type will result in the above error message and
> the
> > program will exit.
> >
> > I am running a swedish Win 98.
> >
> > Any help is appreciated. If you need to know the version of any
> > particular DLL or any other info about my setup, just send me an
> > email and I will check it out.
> >
> > Thanks,
> > 73 de SM0RGM / Stefan
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

71. submission tracking

Yahoo group: XMLog
Date: 2000-10-04 13:36:25 UTC
From: Joseph Agius
Topic: 71 Message: 71

Mike;
I have the following suggestions for enhancements , if it is not a major restructure:

1. Is it possible to list ALL states in the "submission tracking" report under awards.
That way, any state for which you so not have a confirmation will be obvious - they will be blank but they will be there.

I know that you can use the check list but since there is no link to immediately go tho the
entry, the process could be streamlined, if you knew the call needed from the submission tracking report.

Or, perhaps, you can make a link from the "wrk" of the WAS checklist to the needed entry.
This may be even better. It could be designed the same way as the "list all entries for this call" report.

2. The same idea would apply to the DXCC check list, a link to needed entries would be useful.

Joe
W1TW

72. DTR/MCW

Yahoo group: XMLog
Date: 2000-10-16 11:17:26 UTC
From: Barrie
Topic: 72 Message: 72

Hi all
I have written to Mike before I remembered this reflector.
Am experiencing DTR switching difficulties using Windows Me OS, which appears to put the DTR in the high state on boot up, Windows 98 works perfectly.
Any solutions anyone.

Barrie G4CDZ

73. Frequency setting

Yahoo group: XMLog
Date: 2000-10-19 19:57:09 UTC
From: r.parker
Topic: 73 Message: 73

Has anyone found a way to connect a Ten Tec Paragon to XMLOG in order to automatically read the frequency?. I have tried all of the given combinations but none work with the Paragon.

Thanks

Bob Parker
W5VWD
r.parker@...

74. Re: Frequency setting

Yahoo group: XMLog
Date: 2000-10-21 22:50:42 UTC
From: m.mcamis@valley.net
Topic: 73 Message: 74

Hi Bob,

I have had people use the Paragon sucessfully. Have you had any luck using other software to control your radio? If so we can eliminate bad comm ports, cables, etc. If you've installed XMLog version 4.00 I've built in some debug features that can help solve this kind of problem. (By the way as a bit of trivia, Ten-Tec made it easy on us programmers by copying the rig-control protocol used by Icom).

Mike - W1ECT

--- In XMLog@egroups.com, "r.parker" <r.parker@c...> wrote:
> Has anyone found a way to connect a Ten Tec Paragon to XMLOG in order to
> automatically read the frequency?. I have tried all of the given
> combinations but none work with the Paragon.
>
> Thanks
>
> Bob Parker
> W5VWD
> r.parker@c...

75. Country Files

Yahoo group: XMLog
Date: 2000-10-30 19:33:59 UTC
From: Scott Stembaugh
Topic: 75 Message: 75

I just started using XMLog and have imported contest logs from
TRLog. Is there a way to import CTY.DAT country information file
used by TRLog and CT? Or is this not a good idea for some reason?

Thanks,
--scott

76. Re: Country Files

Yahoo group: XMLog
Date: 2000-10-31 22:28:45 UTC
From: m.mcamis@valley.net
Topic: 75 Message: 76

Hi Scott,

XMLog has a file (named prefixes) that contains data similar to that contained in the cty.dat file. This file is kept up to date in the current XMLog versions but it is possible to edit it yourself to make changes when you don't want to go to the trouble of a download/install. Take a look in the help file for a desciption of the prefixes file (there's also some doc at the start of the file itself).

The only change that currently needs to be made is adding ADIF indexes for Chesterfield Is. and East Timor - as far as I know the ARRL still hasn't assigned them yet.

Mike - W1ECT

--- In XMLog@egroups.com, "Scott Stembaugh" <scott@p...> wrote:
> I just started using XMLog and have imported contest logs from
> TRLog. Is there a way to import CTY.DAT country information file
> used by TRLog and CT? Or is this not a good idea for some reason?
>
> Thanks,
> --scott

77. Oscars

Yahoo group: XMLog
Date: 2000-11-21 01:33:30 UTC
From: wb4mle@mindspring.com
Topic: 77 Message: 77

With the launch of Oscar 40, I wonder if there are any plans to add the ADIF SAT_NAME and SAT_MODE fields to XMLog. I am searching for a replacement for the "2ND OP" logging program. I can use an Alpha4 database report to output my 2OP logs in ADIF format so they import to XMLog with no problem except I have to use "435 mhz" as frequency with no indications of satellite or mode used. Thanks!
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

78. Oscars

Yahoo group: XMLog
Date: 2000-11-21 15:35:58 UTC
From: wb4mle@mindspring.com
Topic: 77 Message: 78

With the launch of Oscar 40, I wonder if there are any plans to add the ADIF SAT_NAME and SAT_MODE fields to XMLog. I am searching for a replacement for the "2ND OP" logging program. I can use an Alpha4 database report to output my 2OP logs in ADIF format so they import to XMLog with no problem except I have to use "435 mhz" as frequency with no indications of satellite or mode used. Thanks!
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

79. Re: [XMLog] Oscars

Yahoo group: XMLog
Date: 2000-11-21 16:02:59 UTC
From: cliffhazen@aol.com
Topic: 77 Message: 79

Ed,
probably not.
I just enter the unique items i want into the notes field and use the power search capabilities later to extract, can even put into qsl label, power qsl label creation. wywiwyg -- what you want is what you get.
the software engineer, Mike W1ECT, has not added any new fields to the program in 2 years. It's a stable platform now with several powerful features, better than can be said for a number of other shareware logging programs out there. I run it on three machines, never locks up, lose or corrupt the data files, and has a great help file.
wouldn't it be great if the creators of these shareware programs supplied us with the source code for personal modifications.

gl es 73 de Cliff N7HIY

80. Re: Oscars

Yahoo group: XMLog
Date: 2000-11-23 14:12:09 UTC
From: m.mcamis@valley.net
Topic: 77 Message: 80

Hi Eddie,

I don't have any plans to add these fields in the near future. Here's one strategy you can use to make this data a bit more accessable though. Include the info within the Notes field as SAT_NAME: xxx and SAT_MODE: xxx . Then you can still filter your log searches by giving search keys for the Notes field like:

=*SAT_MODE:* to get all sat qso's
=*SAT_MODE: CW* sat/cw
=*SAT_MODE:CW*SAT_NAME: Oscar 99* oscar99/cw, etc

If you use the ADIF names I'll make a note to automatically move the data from the Notes fields whenever I add the fields to the log window.

Mike - W1ECT

--- In XMLog@egroups.com, wb4mle@m... wrote:
> With the launch of Oscar 40, I wonder if there are any plans to add
> the ADIF SAT_NAME and SAT_MODE fields to XMLog. I am searching for a
> replacement for the "2ND OP" logging program. I can use an Alpha4
> database report to output my 2OP logs in ADIF format so they import
to
> XMLog with no problem except I have to use "435 mhz" as frequency
with
> no indications of satellite or mode used. Thanks!
> --
> Eddie Seymour, WB4MLE
> E-Mail wb4mle@m...

81. Problems with CT9.49/B2R9 imports

Yahoo group: XMLog
Date: 2000-12-06 00:00:48 UTC
From: m.mcamis@valley.net
Topic: 81 Message: 81

WA3WSJ has reported a problem importing a .RES file created from a CT version 9.49 log. Running B2R9 resulted in a .RES file that had different column alignments (and the frequencies in the file included an additional digit). This meant that when the .RES file was imported the frequencies weren't interpreted properly.

The next step is to see if using C2A to convert the CT log to an ADIF file works ok... I'll keep you up to date.

mike - W1ECT

82. Mode Addin

Yahoo group: XMLog
Date: 2000-12-10 14:30:30 UTC
From: irvinf@gtw.net
Topic: 82 Message: 82

Mike:
Am new XMLog and using ANY logging software. Please excuse this "dumb"
question. When adding MODE to the ini file, what changes take place
in the program?

NICE logger!

73 Irv NØNOB

83. Re: Mode Addin

Yahoo group: XMLog
Date: 2000-12-11 13:30:32 UTC
From: m.mcamis@valley.net
Topic: 82 Message: 83

Hi Irv,

Adding modes directly to the ini file affects the values allowed in the "Mode" field. Normally this is used to add new data modes that aren't built in to XMLog. The next version will allow you to set these values from a menu item in the log window (any new modes you've defined will be retained).

Mike

--- In XMLog@egroups.com, irvinf@g... wrote:
> Mike:
> Am new XMLog and using ANY logging software. Please excuse this "dumb"
> question. When adding MODE to the ini file, what changes take place
> in the program?
>
> NICE logger!
>
> 73 Irv NØNOB

84. New Font

Yahoo group: XMLog
Date: 2000-12-11 19:33:52 UTC
From: Tom Provost
Topic: 84 Message: 84

I am trying to use a slashed zero font. It is working on print and the reports. How can I change the font in the logging window?

Thanks in advance,
Tom WA2YJF

85. Re: New Font

Yahoo group: XMLog
Date: 2000-12-12 04:44:42 UTC
From: irvinf@gtw.net
Topic: 84 Message: 85

--- In XMLog@egroups.com, "Tom Provost" <tprovost@w...> wrote:
> I am trying to use a slashed zero font. It is working on print and
the reports. How can I change the font in the logging window?
>
>
> Thanks in advance,
>
Tom WA2YJF

Tom:
Do not know if this info will help but works for me:
Using "numeric keypad"--press and hold ALT key strike 0216 and release
ALT key. Will insert Ø (slashed zero).

Irv NØNOB

86. Re: New Font

Yahoo group: XMLog
Date: 2000-12-12 23:33:41 UTC
From: m.mcamis@valley.net
Topic: 84 Message: 86

Sorry Tom, there's currently no way to change the font for the log window... I'll add it to the to-do list.

Mike - W1ECT

--- In XMLog@egroups.com, "Tom Provost" <tprovost@w...> wrote:
> I am trying to use a slashed zero font. It is working on print and the reports. How can I change the font in the logging window?
>
>
> Thanks in advance,
> Tom WA2YJF

87. Re: New Font

Yahoo group: XMLog
Date: 2000-12-12 23:39:20 UTC
From: m.mcamis@valley.net
Topic: 84 Message: 87

Hi Irv, nice trick. The only down side I can see is that wildcards won't work quite right. For example searching for W0 through W3 calls: =W[0-3]* This is because that special character isn't stored with the ascii value for a zero.

Mike - W1ECT

--- In XMLog@egroups.com, irvinf@g... wrote:
> --- In XMLog@egroups.com, "Tom Provost" <tprovost@w...> wrote:
> > I am trying to use a slashed zero font. It is working on print and
> the reports. How can I change the font in the logging window?
> >
> >
> > Thanks in advance,
> >
> Tom WA2YJF
>
> Tom:
> Do not know if this info will help but works for me:
> Using "numeric keypad"--press and hold ALT key strike 0216 and
release
> ALT key. Will insert Ø (slashed zero).
>
> Irv NØNOB

88. Re: [XMLog] Re: file import

Yahoo group: XMLog
Date: 2000-12-19 15:37:52 UTC
From: jagius@sybase.com
Topic: 88 Message: 88

While importing files into Mlog using an ADIF file generated by another program, the QTH field is not filled in when the entity is a US state. Thus, when a display (report) is done, the state does not show up on the report.
This information is usually taken from the contest exchange which includes the state or the section for local contests.
Canadian provinces seem to be filled in OK.

This situation does not occur while importing a RES file created by CT, however CT messes up the date and some manipulation has to be done before importing but it is a workaround. It seems that the program logic is different in these instances. I have a request for a fix there too.

I noted that this behaviour is present in both Mlog3 and Mlog4.

Mike, is it possible to include some kind of a county report that shows the call, city , call, and other pertinent contact info?
The ideal would be state, county, city or location, mode, band, notes.
The existing county report, although helpful, shows only the first contact but nothing else.
Most awards require the other information and it is not easy to get without going through the file call by call.

Joe
W1TW

89. Re: file import

Yahoo group: XMLog
Date: 2000-12-20 22:58:24 UTC
From: m.mcamis@valley.net
Topic: 88 Message: 89

Hi Joe,

I'll take a look at the ADIF import problem during the holidays...
Another ham has had problems using B2R9 with the current version of CT
so he was going to try C2A instead - didn't hear any results though.
The .res file had a different column alignment and had an extra 0 on
the frequency columns.

I'll put the county report on the todo list but it's not likely to
happen soon. This is the kind of thing you can do from Excel if
you've had any experience there. Since the logs are Access databases
Excel can reference them directly. Of course if you're paranoid like
myself you'd make a copy of the log first and hack on that temp copy
with Excel till you were satisfied your report was not only producing
the desired results, but wasn't modifying the file.

Mike - W1ECT
>
>
> While importing files into Mlog using an ADIF file generated by
another
> program, the QTH field is not filled in when the entity is a US
state.
> Thus, when a display (report) is done, the state does not show up on
the
> report.
> This information is usually taken from the contest exchange which
includes
> the state or the section for local contests.
> Canadian provinces seem to be filled in OK.
>
> This situation does not occur while importing a RES file created by
CT,
> however CT messes up the date and some manipulation has to be done
before
> importing but it is a workaround. It seems that the program logic
is
> different in these instances. I have a request for a fix there too.
>
> I noted that this behaviour is present in both Mlog3 and Mlog4.
>
> Mike, is it possible to include some kind of a county report that
shows the
> call, city , call, and other pertinent contact info?
> The ideal would be state, county, city or location, mode, band,
notes.

> The existing county report, although helpful, shows only the first
contact
> but nothing else.
> Most awards require the other information and it is not easy to get
without
> going through the file call by call.
>
>
> Joe
> W1TW

90. Re: [XMLog] Re: file import

Yahoo group: XMLog
Date: 2000-12-21 13:26:43 UTC
From: jagius@sybase.com
Topic: 88 Message: 90

Ok, thanks Mike.
C2A works all right. The only problem here is that mlog does not import the contest data from an adif file while it does from a res file. That's why I favor the res file.

B2R9 has recently been fixed to correct the date problem. The only thing remaining is your importing the data into the QTH field for the US states. It would be great if that were done from both the adif format and the res format.

I will play around with excel and access. I did not know the format you used. Now that I know, it should be a breeze to generate many reports I have been longing for.

Happy Holidays
Joe
W1TW

m.mcamis@... on 12/20/2000 05:58:24 PM

Please respond to XMLog@egroups.com

To: XMLog@egroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] Re: file import

Hi Joe,

I'll take a look at the ADIF import problem during the holidays... Another ham has had problems using B2R9 with the current version of CT so he was going to try C2A instead - didn't hear any results though. The .res file had a different column alignment and had an extra 0 on the frequency columns.

I'll put the county report on the todo list but it's not likely to happen soon. This is the kind of thing you can do from Excel if you've had any experience there. Since the logs are Access databases Excel can reference them directly. Of course if you're paranoid like myself you'd make a copy of the log first and hack on that temp copy with Excel till you were satisfied your report was not only producing the desired results, but wasn't modifying the file.

Mike - W1ECT
>
>
> While importing files into Mlog using an ADIF file generated by

another
> program, the QTH field is not filled in when the entity is a US
state.
> Thus, when a display (report) is done, the state does not show up on
the
> report.
> This information is usually taken from the contest exchange which
includes
> the state or the section for local contests.
> Canadian provinces seem to be filled in OK.
>
> This situation does not occur while importing a RES file created by
CT,
> however CT messes up the date and some manipulation has to be done
before
> importing but it is a workaround. It seems that the program logic
is
> different in these instances. I have a request for a fix there too.
>
> I noted that this behaviour is present in both Mlog3 and Mlog4.
>
> Mike, is it possible to include some kind of a county report that
shows the
> call, city , call, and other pertinent contact info?
> The ideal would be state, county, city or location, mode, band,
notes.
> The existing county report, although helpful, shows only the first
contact
> but nothing else.
> Most awards require the other information and it is not easy to get
without
> going through the file call by call.
>
>
> Joe
> W1TW

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

91. Missing DLL - XMlog400 download

Yahoo group: XMLog
Date: 2000-12-22 13:42:47 UTC
From: k4otv@mindspring.com
Topic: 91 Message: 91

I downloaded version 4.00 today. When I tried to unzip it I got error message stating that it was linked to some "export" DLL - I neglected to write down the missing DLL filename.

I am running a fairly old version of Windows 95. Can you help me with the filename of the missing DLL file and tell me where I can get the file?

And hopefully, how to install it so I can unzip and install xmlog?

Am I going to have to download the xmlog file again?

I want to get the log running so I can exchange logs with my friend W4RS/DU3 in Philippines so I can serve as his QSL manager.
Thanks in advance.

Charlie, K4OTV

92. xmlog400 Download problem - more info

Yahoo group: XMLog
Date: 2000-12-22 15:07:36 UTC
From: k4otv@mindspring.com
Topic: 92 Message: 92

Mike:

Some new/additional information regarding my xmlog400 download/unzip problem:

The problem seems to be that my Netscape Browser recognizes that I recently installed Netzip Classic. Netzip also does not work because the file comctl32.dll is missing. So apparently the error message that I received was from Netzip. I haven't found where to get the needed DLL file yet.

I tried unzipping the file with PKUNZIP, but it can't "see" the xmlog400 file - I get a "file not found" error when I try PKUNZIP

- any ideas??

Thanks

Charlie, K4OTV

93. Re: [XMLog] xmlog400 Download problem - more info

Yahoo group: XMLog
Date: 2000-12-22 16:01:06 UTC
From: Charlie Cunningham
Topic: 92 Message: 93

Mike:

Never mind - I found the .DLL file that I needed on the Internet and installed it - my Netzip works NOW and i got xmlog installed.

Will have to thrash around with it a bit and see how I do. Will let you know.

Regards,

Charlie, K4OTV

k4otv@... wrote:

> Mike:
>
> Some new/additional information regarding my xmlog400 download/unzip
> problem:
>
> The problem seems to be that my Netscape Browser recognizes that I
> recently installed Netzip Classic. Netzip also does not work because
> the file comctl32.dll is missing. So apparently the error message
> that I received was from Netzip. I haven't found where to get the
> needed DLL file yet.
>
> I tried unzipping the file with PKUNZIP, but it can't "see" the
> xmlog400 file - I get a "file not found" error when I try PKUNZIP
>
> - any ideas??
>
> Thanks
>
> Charlie, K4OTV
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

94. Log Windows V 2.0 Import?

Yahoo group: XMLog
Date: 2000-12-22 17:35:26 UTC
From: k4otv@mindspring.com
Topic: 94 Message: 94

Any ideas on importing Log Windows V 2.0 files into xmlog?

The logs are normally stored as ".dat", but I can also export ASCII
and dBase.

Anybody have any experience in converting Log Windows V2.0 files?

Thanks!

Charlie, K4OTV

95. Digipan DDE Interface

Yahoo group: XMLog
Date: 2000-12-27 19:26:40 UTC
From: Thomas M. Schaefer
Topic: 95 Message: 95

Digipan has a DDE interface to get the current selected callsign. The item changes whenever the Digipan user clicks on a callsign, would it be possible to add DDE support to XMLog so when a user clicked on a call in Digipan, it could populate the # variables in XMLog like #HIM, etc. This would integrate the two programs nicely.

Tom NY4I

96. Re: Digipan DDE Interface

Yahoo group: XMLog
Date: 2001-01-03 00:04:52 UTC
From: m.mcamis@valley.net
Topic: 95 Message: 96

Hi Tom, I don't think there's enough Digipan users out there to justify this project - No doubt if I had one myself this would alter my priorities somewhat!

Mike - W1ECT

--- In XMLog@egroups.com, "Thomas M. Schaefer" <ny4i@a...> wrote:
> Digipan has a DDE interface to get the current selected callsign. The item
> changes whenever the Digipan user clicks on a callsign, would it be possible
> to add DDE support to XMLog so when a user clicked on a call in Digipan, it
> could populate the # variables in XMLog like #HIM, etc. This would integrate
> the two programs nicely.
>
> Tom NY4I

97. Re: Problems with CT9.49/B2R9 imports

Yahoo group: XMLog
Date: 2001-01-03 00:07:38 UTC
From: m.mcamis@valley.net
Topic: 81 Message: 97

W1TW has let me know that there is a new version of B2R9 available at the CT download site that addresses this problem...

Mike - W1ECT

--- In XMLog@egroups.com, m.mcamis@v... wrote:
> WA3WSJ has reported a problem importing a .RES file created from a CT
> version 9.49 log. Running B2R9 resulted in a .RES file that had
> different column alignments (and the frequencies in the file included
> an additional digit). This meant that when the .RES file was imported
> the frequencies weren't interpreted properly.
>
> The next step is to see if using C2A to convert the CT log to an ADIF
> file works ok... I'll keep you up to date.
>
> mike - W1ECT

98. Re: [XMLog] Re: Digipan DDE Interface

Yahoo group: XMLog
Date: 2001-01-03 00:25:14 UTC
From: Thomas M. Schaefer
Topic: 95 Message: 98

Sounds like we need to get you involved in PSK31 with Digipan!

Thanks,

Tom
----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@egroups.com>
Sent: Tuesday, January 02, 2001 5:04 PM
Subject: [XMLog] Re: Digipan DDE Interface

> Hi Tom, I don't think there's enough Digipan users out there to
> justify this project - No doubt if I had one myself this would alter
> my priorities somewhat!
>
> Mike - W1ECT
>
> --- In XMLog@egroups.com, "Thomas M. Schaefer" <ny4i@a...> wrote:
> > Digipan has a DDE interface to get the current selected callsign.
> The item
> > changes whenever the Digipan user clicks on a callsign, would it be
> possible
> > to add DDE support to XMLog so when a user clicked on a call in
> Digipan, it
> > could populate the # variables in XMLog like #HIM, etc. This would
> integrate
> > the two programs nicely.
> >
> > Tom NY4I
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>

99. 65532 status with RAC callbook lookups

Yahoo group: XMLog
Date: 2001-01-20 18:20:30 UTC
From: m.mcamis@valley.net
Topic: 99 Message: 99

Per, LA4RC has reported a strange bug that occurs with the Radio Amateur Callbook CD for Winter 2001. If you do lookups for calls that are not on the CD and the call starts with a letter > "n" you receive a error message reporting a 65532 status. I've made a change to treat this status as a "call not found" in version 4.03 which should be ready for beta test in a few weeks.

Mike - W1ECT

100. Re: [XMLog] 65532 status with RAC callbook lookups

Yahoo group: XMLog
Date: 2001-01-20 20:20:05 UTC
From: sbezuk
Topic: 99 Message: 100

m.mcamis@... wrote:

> Per, LA4RC has reported a strange bug that occurs with the Radio
> Amateur Callbook CD for Winter 2001. If you do lookups for calls that
> are not on the CD and the call starts with a letter > "n" you receive
> a error message reporting a 65532 status. I've made a change to treat
> this status as a "call not found" in version 4.03 which should be
> ready for beta test in a few weeks.
>
> Mike - W1ECT
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

Hi Michael: I had the same problem and contacted RAC who had the fellow who put this CD together send me an e-mail with a couple of updated .dll's. I installed them and everything is working fine. I'll be more than happy to forward these to you, if you think they may be of some help to you.
73 Steve VE3ME

101. RE: Adding Modes

Yahoo group: XMLog
Date: 2001-01-23 02:40:35 UTC
From: Ray Forrester
Topic: 99 Message: 101

I know this has been covered. Put fer the life of me I can't remember.
I want to add PSK31 so when I print reports it does not just list RTTY it will also show PSK31 or any other mode I have entered in the MODE on the input screen.
Thanks & 73
de W4YTC Ray

102. Re: [XMLog] RE: Adding Modes

Yahoo group: XMLog
Date: 2001-01-23 12:56:29 UTC
From: jagius@sybase.com
Topic: 99 Message: 102

Edit the mlog.ini file.
Add the following entry:

Mode=psk31,4

The 4 stands for data

Joe
W1TW

"Ray Forrester" <bxi@...> on 01/22/2001 21:40:35

Please respond to XMLog@egroups.com

To: XMLog@egroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] RE: Adding Modes

I know this has been covered. Put fer the life of me I can't remember.
I want to add PSK31 so when I print reports it does not just list RTTY it
will also show PSK31 or any other mode I have entered in the MODE on the
input screen.
Thanks & 73
de W4YTC Ray

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

103. Quirk in adif import

Yahoo group: XMLog
Date: 2001-01-25 21:21:37 UTC
From: wb4mle@mindspring.com
Topic: 103 Message: 103

Noticed today that if the first record in an adif import has a bad field, the import will stop with no records imported. If the first record is ok, then xmlog will point out the problem with subsequent records and allow them to be fixed.
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

104. Imports

Yahoo group: XMLog
Date: 2001-01-26 23:38:36 UTC
From: wb4mle@mindspring.com
Topic: 104 Message: 104

Have an adif file and trying to get all to import into xmlog 4.03.
Handles the satellite name into the note field fine. Seems to not want
to import IOTA. Have it formatted as XX-nnn per the adif spec but no
import. Old log (2nd OP by John Fail) has names in the note field that
do not import but xmlog gets the "qsl via" that is preceeded by via
in the note field fine. Any ideas? Thanks
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

105. Re: Imports

Yahoo group: XMLog
Date: 2001-01-29 22:47:56 UTC
From: m.mcamis@valley.net
Topic: 104 Message: 105

Hi Eddie, I'll take a look at these issues soon and let you know what's happening.

Mike - W1ECT

--- In XMLog@y..., wb4mle@m... wrote:
> Have an adif file and trying to get all to import into xmlog 4.03.
> Handles the satellite name into the note field fine. Seems to not want
> to import IOTA. Have it formatted as XX-nnn per the adif spec but no
> import. Old log (2nd OP by John Fail) has names in the note field that
> do not import but xmlog gets the "qsl via" that is preceeded by via
> in the note field fine. Any ideas? Thanks
> --
> Eddie Seymour, WB4MLE
> E-Mail wb4mle@m...

106. Voice alerts

Yahoo group: XMLog
Date: 2001-02-02 16:03:29 UTC
From: Jim Allen WB1Z
Topic: 106 Message: 106

Mike et al,

Was wondering if there is a way to enable voice alerts on the packet cluster when someone connects to me in TALK mode (maybe CHAT in some other clusters).

Thanks for the help and as always for the great support for your software.

Jim

107. Re: Voice alerts

Yahoo group: XMLog
Date: 2001-02-03 16:12:00 UTC
From: m.mcamis@valley.net
Topic: 106 Message: 107

There is a problem with giving alerts for single line talk messages since the form of the message "call de xxx: text..." isn't very unique. I found that bulletin board prompts (among other things) would send lines like this and give bogus alerts. The latest version does recognize multi-line/chat mode though and gives an alert. The mail/chat alerts are CW only, I'll see about adding voice versions.

Mike - W1ECT

--- In XMLog@y..., "Jim Allen WB1Z" <jim.allen@t...> wrote:
> Mike et al,
>
> Was wondering if there is a way to enable voice alerts on the packet cluster
> when someone connects to me in TALK mode (maybe CHAT in some other
> clusters).
>
> Thanks for the help and as always for the great support for your software.
>
> Jim

108. Beta Version 4.04

Yahoo group: XMLog
Date: 2001-02-03 16:21:25 UTC
From: m.mcamis@valley.net
Topic: 108 Message: 108

There is now a beta version 4.04 of XMLog available at
www.xmlog.com/beta

I'd like to see some current version 4 users try it out and give me
some feedback.

Packet features include:
An experimental graphical PacketCluster spot display.
TenTec Omni-VI support fixed.

Log features include:
ADIF improvements.
A menu item for defining custom modes.
An option to always show the address fields.
Font selection for main log window.
A new interface routine from the Radio Amateur Callbook folk
fixes the "65532" error that sometimes occured when looking
up unknown calls.

Mike - W1ECT

109. Re: [XMLog] Beta Version 4.04

Yahoo group: XMLog
Date: 2001-02-03 17:15:12 UTC
From: Jim Stiles
Topic: 108 Message: 109

At 16:21 2/3/01 +0000, you wrote:

>There is now a beta version 4.04 of XMLog available at
>www.xmlog.com/beta
>
>I'd like to see some current version 4 users try it out and give me
>some feedback.
>
>Packet features include:
> An experimental graphical PacketCluster spot display.
> TenTec Omni-VI support fixed.
>
>Log features include:
> ADIF improvements.
> A menu item for defining custom modes.
> An option to always show the address fields.
> Font selection for main log window.
> A new interface routine from the Radio Amateur Callbook folk
> fixes the "65532" error that sometimes occured when looking
> up unknown calls.
>
>Mike - W1ECT

Hi Mike:
Thanks , now the ten tec Omni Vl works..
73 Jim Stiles W2NJN
Saturday 12:14 EST

>
>To unsubscribe from this group, send an email to:
>XMLog-unsubscribe@onelist.com

110. Basic Help

Yahoo group: XMLog
Date: 2001-02-04 19:23:36 UTC
From: ldavid@btinternet.com
Topic: 110 Message: 110

Can some kind hacker please help me to work Mike's Basic "import.bas"
program. I have GWBasic and a version of QBasic and VB6 here but not
much of an idea how to use any of them.
I guess the programs should run on any version of QBasic and suppose
I should substitute my log text file and path for "input" in the
program code and substitute the path to a new text file for "output".
Is this correct?
I may be doing something wrong with parentheses or double quotes but
nothing I have tried works yet.
Any advice or working example would be very welcome.
David Lloyd, G0NTT.

111. RE: [XMLog] Beta Version 4.04

Yahoo group: XMLog
Date: 2001-02-07 19:04:31 UTC
From: John Smith
Topic: 108 Message: 111

Hi Mike,

Hope all is well with you and yours.

I downloaded 4.04 but when it tries to install it I
am told that some of my system files are out of date and to reboot the computer
and that setup will fix it. I did that and it told me the same thing again
(tried 3 times).

73

John

----- Original Message -----

From:

To: XMLog@yahoogroups.com

Sent: 2/3/2001 11:21:32 AM

Subject: [XMLog] Beta Version 4.04

There is now a beta version 4.04 of XMLog available at

www.xmlog.com/beta

I'd like to see some current version 4 users try it out and give me

some feedback.

Packet features include:

An experimental graphical PacketCluster spot display.

TenTec Omni-VI support fixed.

Log features include:

ADIF improvements.

A menu item for defining custom modes.

An option to always show the address fields.

Font selection for main log window.

A new interface routine from the Radio Amateur Callbook
folk

fixes the "65532" error that sometimes occured when
looking

up unknown calls.

Mike - W1ECT

---------- Yahoo! Groups Sponsor
----------~~

eGroups is now Yahoo! Groups

Click here for more details

http://click.egroups.com/1/11231/1/_/834596/_/981217288/

----------_-

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

--- John - KI4RO

--- johnki4ro@...

--- EarthLink: It's your Internet.

112. Re: Beta Version 4.04

Yahoo group: XMLog
Date: 2001-02-08 15:28:21 UTC
From: m.mcamis@valley.net
Topic: 108 Message: 112

Hello John,

Are you getting messages that the files you currently have on your system are newer than the ones you are about to be install? The best way to deal with messages like this is to pick the "keep the current file" option and proceed.

Let me know the details from the message(s), even if you successfully go through the scenario described above.

Mike - W1ECT

--- In XMLog@y..., "John Smith" <johnki4ro@e...> wrote:
>
> Hi Mike,
>
> Hope all is well with you and yours.
>
>
>
> I downloaded 4.04 but when it tries to install it I
> am told that some of my system files are out of date and to reboot the computer
> and that setup will fix it. I did that and it told me the same thing again
> (tried 3 times).
>
>
>
> 73
>
> John
>
>
> ----- Original Message -----
>
> From:
>
> To: XMLog@y...
>
> Sent: 2/3/2001 11:21:32 AM
>
> Subject: [XMLog] Beta Version 4.04
>
>
>

>
>
>
>
> There is now a beta version 4.04 of XMLog available at
>
> www.xmlog.com/beta
>
>
>
> I'd like to see some current version 4 users try it out and give me
>
> some feedback.
>
>
>
> Packet features include:
>
> An experimental graphical PacketCluster spot display.
>
> TenTec Omni-VI support fixed.
>
>
>
> Log features include:
>
> ADIF improvements.
>
> A menu item for defining custom modes.
>
> An option to always show the address fields.
>
> Font selection for main log window.
>
> A new interface routine from the Radio Amateur Callbook
> folk
>
> fixes the "65532" error that sometimes occured when
> looking
>
> up unknown calls.
>
>
>
> Mike - W1ECT
>
>
>
>
>
>

> ------------------------ Yahoo! Groups Sponsor
> ----------------------~-~
>
> eGroups is now Yahoo! Groups
>
> Click here for more details
>
> http://click.egroups.com/1/11231/1/_/834596/_/981217288/
>
>
---_
-
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>
>
>
>
>
>
>
>
>
>
> --- John - KI4RO
>
> --- johnki4ro@e...
>
> --- EarthLink: It's your Internet.

113. RE: [XMLog] Re: Beta Version 4.04

Yahoo group: XMLog
Date: 2001-02-08 16:01:28 UTC
From: John Smith
Topic: 108 Message: 113

Hi Mike,

Actually it tells me that my system files are old
and that it will update them when I reboot...do you want to reboot now? I
do and then restart setup and it starts all over again.

73

John

----- Original Message -----

From:

To: XMLog@yahoogroups.com

Sent: 2/8/2001 10:28:43 AM

Subject: [XMLog] Re: Beta Version
4.04

Hello John,

Are you getting messages that the files you currently have on your

system are newer than the ones you are about to be install? The best

way to deal with messages like this is to pick the "keep the current

file" option and proceed.

Let me know the details from the message(s), even if you successfully

go through the scenario described above.

Mike - W1ECT

--- In XMLog@y..., "John Smith" johnki4ro@e... wrote:

Hi Mike,

Hope all is well with you and yours.

I downloaded 4.04 but when it tries to install
it I

am told that some of my system files are out of date and to reboot

the computer

and that setup will fix it. I did that and it told me the
same

thing again

(tried 3 times).

73

John

----- Original Message -----

From:

To: XMLog@y...

Sent: 2/3/2001 11:21:32 AM

Subject: [XMLog] Beta Version 4.04

There is now a beta version 4.04 of XMLog available at

www.xmlog.com/beta

I'd like to see some current version 4 users try it out and give me

some feedback.

Packet features include:

An experimental graphical PacketCluster spot
display.

TenTec Omni-VI support fixed.

Log features include:

ADIF improvements.

A menu item for defining custom modes.

An option to always show the address fields.

Font selection for main log window.

A new interface routine from the Radio Amateur Callbook

folk

fixes the "65532" error that sometimes occured when

looking

up unknown calls.

Mike - W1ECT

---------- Yahoo! Groups Sponsor

----------~-~

eGroups is now Yahoo! Groups

Click here for more details

http://click.egroups.com/1/11231/1/_/834596/_/981217288/

----------_

-

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

--- John - KI4RO

--- johnki4ro@e...

--- EarthLink: It's your Internet.

---------- Yahoo! Groups Sponsor
----------~-~

eGroups is now Yahoo! Groups

Click here for more details

http://click.egroups.com/1/11231/1/_/834596/_/981646119/

----------_-

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

--- John - KI4RO

--- johnki4ro@...

--- EarthLink: It's your Internet.

114. Beta 4.04 Install problems

Yahoo group: XMLog
Date: 2001-02-15 13:56:35 UTC
From: m.mcamis@valley.net
Topic: 114 Message: 114

I've taken the Beta 4.04 off line because of a reported install problem. If the install was sucessful there's no reason for concern but on some systems there were file conflicts reported and the install process would terminate.

I'll have an updated beta version available soon.

Mike - W1ECT

115. Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-15 14:52:07 UTC
From: Kevin Nathan
Topic: 115 Message: 115

Hi All,

Can anyone on the list suggest a good dx cluster accessible through the internet which I can log into for spots? I live in Boise, Idaho so would prefer something in this part of the country although I'm not too picky. Do I need to do anything else to xmlog besides set the port for internet and give the address?

Thanks very much and 73.
Kevin, K7RX

Kevin Nathan, Adaptive Technologist
Idaho Commission for the Blind & Visually Impaired

116. Re: [XMLog] Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-15 15:01:55 UTC
From: John Smith
Topic: 115 Message: 116

Hi Kevin,
Try KC0DJO at IP address 209.32.226.63.
They are in Duluth MN which is about as close to you as any of the
Telnet clusters that I'm aware of.

73
John

----- Original Message -----
From: "Kevin Nathan" <KNathan@...>
To: <xmlog@yahoogroups.com>
Sent: Thursday, February 15, 2001 9:52 AM
Subject: [XMLog] Internet DX Clusters

> Hi All,
>
> Can anyone on the list suggest a good dx cluster accessible through the
internet which I can log into for spots? I live in Boise, Idaho so would
prefer something in this part of the country although I'm not too picky. Do
I need to do anything else to xmlog besides set the port for internet and
give the address?
>
> Thanks very much and 73.
> Kevin, K7RX
>
> Kevin Nathan, Adaptive Technologist
> Idaho Commission for the Blind & Visually Impaired
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
>

117. Re: [XMLog] Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-15 15:14:37 UTC
From: Kevin Nathan
Topic: 115 Message: 117

Hi John,

I will definitely give them a try. If you don't mind, I want to ask a question about something strange that is happening at home. I was playing with DX Telnet for a while and had checked in a few times to the KA7R cluster in Portland/Vancouver. In fact I logged onto it last night using DXtelnet. However, when I try that same address with xmlog, it just says disconnected from the address which is 24.6.217.21. Any idea why this is occurring? I tried with telnet itself to that same address and can't connect either.

Thanks and I look forward to hearing back from you on this one. 73
Kevin, K7RX

Kevin Nathan, Adaptive Technologist
Idaho Commission for the Blind & Visually Impaired

118. Re: [XMLog] Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-15 15:22:08 UTC
From: Dianna Killeen, KB6NAN
Topic: 115 Message: 118

try K7AR if you typed the call wrong it may be the problem, good luck

--
KB6NAN Dianna R. Killeen
http://www.southcoast.net/dx/dxmain.html

Kevin Nathan wrote:
Hi John,

> I will definitely give them a try. If you don't mind, I want to ask a question about something strange that is happening at home. I was playing with DX Telnet for a while and had checked in a few times to the KA7R cluster in Portland/Vancouver. In fact I logged onto it last night using DXtelnet. However, when I try that same address with xmlog, it just says disconnected from the address which is 24.6.217.21. Any idea why this is occurring? I tried with telnet itself to that same address and can't connect either.
> Thanks and I look forward to hearing back from you on this one. 73
> Kevin, K7RX
>
> Kevin Nathan, Adaptive Technologist
> Idaho Commission for the Blind & Visually Impaired
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

119. Re: [XMLog] Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-15 15:34:35 UTC
From: Kevin Nathan
Topic: 115 Message: 119

Hi Dianna,

I just tried via telnet using K7AR with no luck. I then tried pinging the address for them and it connected fine on a ping result. However, when I try telnetting to them, it just says connection lost. Any idea why this might be happening and yet I can connect on DX Telnet?

Thanks much for your help. 73
Kevin, K7RX

Kevin Nathan, Adaptive Technologist
Idaho Commission for the Blind & Visually Impaired

120. Re: [XMLog] Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-15 16:51:21 UTC
From: cliffhazen@aol.com
Topic: 115 Message: 120

```
Hi Kevin,
here's my xmlog telnet connect file k7ar.nod
connect 24.6.217.21 7300
match call:
send n7hiy
match arc >
send set/nohere
match arc >
send sh/dx/18

gl es 73 de Cliff N7HIY
```

121. Thanks for Help on Intrernet Clusters

Yahoo group: XMLog
Date: 2001-02-15 18:17:49 UTC
From: Kevin Nathan
Topic: 121 Message: 121

Hi All,

Got it figured out thanks to Dianna and Cliff. Dianna, the 7300 was the key for my connect via telnet so should work tonight when I get home in xmlog. Cliff sent me the exact parameters to copy into my own >nod file.

I do have one last question though. Can I leave the packet window open in the background while logging in the log window to keep receiving dx announcements? Again, thanks so much to all and 73.
Kevin, K7RX

Kevin Nathan, Adaptive Technologist
Idaho Commission for the Blind & Visually Impaired

122. Re: [XMLog] Thanks for Help on Intrernet Clusters

Yahoo group: XMLog
Date: 2001-02-16 06:50:32 UTC
From: John Smith
Topic: 121 Message: 122

Kevin,
Yes, the Cluster window will continue to function normally whether its "out front" or lying behind some other windows.

73
John

----- Original Message -----
From: "Kevin Nathan" <KNathan@...>
To: <xmlog@yahoogroups.com>
Sent: Thursday, February 15, 2001 1:17 PM
Subject: [XMLog] Thanks for Help on Intrernet Clusters

> Hi All,
>
> Got it figured out thanks to Dianna and Cliff. Dianna, the 7300 was the key for my connect via telnet so should work tonight when I get home in xmlog. Cliff sent me the exact parameters to copy into my own >nod file.
>
> I do have one last question though. Can I leave the packet window open in the background while logging in the log window to keep receiving dx announcements? Again, thanks so much to all and 73.
> Kevin, K7RX
>
> Kevin Nathan, Adaptive Technologist
> Idaho Commission for the Blind & Visually Impaired
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
>

123. Re: [XMLog] Thanks for Help on Intrernet Clusters

Yahoo group: XMLog
Date: 2001-02-16 14:42:45 UTC
From: Kevin Nathan
Topic: 121 Message: 123

Hi John and All,

Got it up and running last night. Getting those dx spots is fun and my IC-746 goes right to the point of interest when I double click the freq in the packet window. I just wish it would go to narrow cw but oh well. I love it anyway and thanks to all who helped yesterday.
73
Kevin, K7RX

Kevin Nathan, Adaptive Technologist
Idaho Commission for the Blind & Visually Impaired

124. (no subject)

Yahoo group: XMLog
Date: 2001-02-16 19:58:58 UTC
From: Ton van Tuijn
Topic: 124 Message: 124

Hi,

Got this horrible message after a 1 sec. power-dip: pa1cc.log is corrupted or isn't a Microsoft Acces database. Does this mean I lost my log ? (last backup was 01/27/01). Is there something in the file that I can repair so I can open it ?
Please suggestions (please...)

73,
Ton

125. Help Please

Yahoo group: XMLog
Date: 2001-02-17 05:05:46 UTC
From: Kevin Nathan
Topic: 125 Message: 125

Hello All,

I really need your help. Up until now, when I brought up the log fields, there have been fields for name, qth, notes and so on along with the normal ones for time, date, call and the like. At the bottom there were a couple of boxes one to check for awards info and another for address info. Now, for some reason, the show address info box has disappeared and so have my fields for name, qth and notes. They have been replaced with four or five address fields.

Can someone please tell me what I need to do to get it back the way I want it so all the names and so on I entered in my log will come back? I will be so grateful if you can help me get it back.

Thanks much in advance for your help.
Kevin, K7RX

126. Re: [XMLog] Help Please

Yahoo group: XMLog
Date: 2001-02-17 06:41:50 UTC
From: John Smith
Topic: 125 Message: 126

Kevin,
Check the box on the bottom left corner of the display next to the
SELECT button.

73
John

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Saturday, February 17, 2001 12:05 AM
Subject: [XMLog] Help Please

> Hello All,
>
> I really need your help. Up until now, when I brought up the log fields,
> there have been fields for name, qth, notes and so on along with the
normal
> ones for time, date, call and the like. At the bottom there were a couple
> of boxes one to check for awards info and another for address info. Now,
> for some reason, the show address info box has disappeared and so have my
> fields for name, qth and notes. They have been replaced with four or five
> address fields.
>
> Can someone please tell me what I need to do to get it back the way I want
> it so all the names and so on I entered in my log will come back? I will
be
> so grateful if you can help me get it back.
>
> Thanks much in advance for your help.
> Kevin, K7RX
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
>

127. Re: [XMLog] Internet DX Clusters

Yahoo group: XMLog
Date: 2001-02-17 06:44:13 UTC
From: John Smith
Topic: 115 Message: 127

Kevin,
It won't let me connect either so I suspect that is some kind of
propietary connection of some sort.

73
John

----- Original Message -----
From: "Kevin Nathan" <KNathan@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, February 15, 2001 10:14 AM
Subject: Re: [XMLog] Internet DX Clusters

> Hi John,
>
> I will definitely give them a try. If you don't mind, I want to ask a
question about something strange that is happening at home. I was playing
with DX Telnet for a while and had checked in a few times to the KA7R
cluster in Portland/Vancouver. In fact I logged onto it last night using
DXtelnet. However, when I try that same address with xmlog, it just says
disconnected from the address which is 24.6.217.21. Any idea why this is
occurring? I tried with telnet itself to that same address and can't
connect either.
>
> Thanks and I look forward to hearing back from you on this one. 73
> Kevin, K7RX
>
> Kevin Nathan, Adaptive Technologist
> Idaho Commission for the Blind & Visually Impaired
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
>

128. Losing Connectivity

Yahoo group: XMLog
Date: 2001-02-18 18:37:48 UTC
From: Kevin Nathan
Topic: 128 Message: 128

Hello all,

I have set Xmlog to automatically get frequency and mode from the radio on an add command. I am using an Icom IC-746 and once in a while, I'll give the add command and Xmlog reports it can't get the mode and freq from the rig. Any idea what causes this and how I might cure it?

Thank you very much.
Kevin, K7RX

129. Beta 4.06 anomalies

Yahoo group: XMLog
Date: 2001-03-17 17:02:58 UTC
From: wb4mle@mindspring.com
Topic: 129 Message: 129

Played with beta 4.06 this morning- found it wouldn't use the 4.04
.ini file. Let it make new .ini and found that it will not read either
the old or new labels.ini file. Also will not stop showing the
"AWARDS" sections in the log display. 73 de Eddie, wb4mle
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

130. Info, award, address choice

Yahoo group: XMLog
Date: 2001-03-17 18:03:01 UTC
From: wb4mle@mindspring.com
Topic: 130 Message: 130

I finally figured out that I have to unselect the 3 groups in config
menu and THEN select one from log screen. Amazing how we read
something and it still does not stick.... 73 de Eddie
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

131. Beta 4.11 Available

Yahoo group: XMLog
Date: 2001-04-06 22:25:14 UTC
From: m.mcamis@valley.net
Topic: 131 Message: 131

A beta version of XMLog, 4.11, is available at www.xmlog.com/beta

Lots of minor changes including improvements to the new PacketCluster Spot Display. There have been lots of internal changes as part of "modernizing" the code (some of this legacy code dates back to the DOS version), so let me know if you find any glitches...

Coming soon - The next version will support multi-QSO QSL card labels.

Stay tuned - Mike, W1ECT

132. Re: [XMLog] Beta 4.11 Available

Yahoo group: XMLog
Date: 2001-04-08 19:53:46 UTC
From: Barrie Boden
Topic: 131 Message: 132

Mike
Greetings - all went well with the upgrade - all the features (except packet related) work fine.
I've imported 85 qsls from mmtty, following my limited efforts in the weekend contest.
No problems and the adi fields all behaved ok.
Thanks for the enhancements, very 'smooth' programme, nearly intuitive (hi), excellent GUI.

Regards

Barrie

----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, April 06, 2001 11:25 PM
Subject: [XMLog] Beta 4.11 Available

> A beta version of XMLog, 4.11, is available at www.xmlog.com/beta
>
> Lots of minor changes including improvements to the new PacketCluster
> Spot Display. There have been lots of internal changes as part of
> "modernizing" the code (some of this legacy code dates back to the
> DOS version), so let me know if you find any glitches...
>
> Coming soon - The next version will support multi-QSO QSL card labels.
>
> Stay tuned - Mike, W1ECT
>
>
>
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

133. RE: [XMLog] Beta 4.11 Available

Yahoo group: XMLog
Date: 2001-04-09 04:37:17 UTC
From: John Smith
Topic: 131 Message: 133

Mike,

I'm still having the problem with the "system files
being out of date". Cannot for the life of me figure out what that is all
about.

73

John

----- Original Message -----

From:

To: XMLog@yahoogroups.com

Sent: 4/6/2001 6:25:20 PM

Subject: [XMLog] Beta 4.11 Available

A beta version of XMLog, 4.11, is available at www.xmlog.com/beta

Lots of minor changes including improvements to the new PacketCluster

Spot Display. There have been lots of internal changes as part
of

"modernizing" the code (some of this legacy code dates back to the

DOS version), so let me know if you find any glitches...

Coming soon - The next version will support multi-QSO QSL card
labels.

Stay tuned - Mike, W1ECT

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

--- John - KI4RO

--- johnki4ro@...

--- EarthLink: It's your Internet.

134. Re: Beta 4.11 Available

Yahoo group: XMLog
Date: 2001-04-16 19:09:59 UTC
From: m.mcamis@valley.net
Topic: 131 Message: 134

During the XMLog install John was getting the message:

"Setup cannot continue because some system files are out of date on your system. Click OK if you would like setup to update these files now. You will need to restart Windows before you can run setup again. Click Cancel to exit setup without updating system files."

I found some information at the Microsoft Tech Support page that allowed him to fix this problem. First, here's a description of when you are supposed to see this message:

http://support.microsoft.com/support/kb/articles/Q174/1/35.ASP

And here's a description of why you sometimes can't get past this message and what to do about it:

http://support.microsoft.com/support/kb/articles/Q191/0/96.ASP

Mike - W1ECT

135. Packet message #cr ignored in split screen mode

Yahoo group: XMLog
Date: 2001-04-22 08:10:20 UTC
From: ka2x@arrl.net
Topic: 135 Message: 135

I just updated from 2.16 to (32 bit) 4.00 and all is working nicely
except for one difference.
In 4.00, with split screen on, when I send canned packet messages
(Shift+ Fkey) that ends in a #cr (or #^m) the text loads into the
bottom screen but the cr / ^m does not trigger a carriage return to
my TNC to initiate a transmit of the message text. In 2.16 the cr
was recognizd and did trigger the TNC to transmit.
I found two workarounds: either manually hit the Return key to insert
the cr or turn split screen off.
Has anyone else experienced this and can you offer a fix?
Thanks,
Tom - KA2X

136. Beta 4.13 Available

Yahoo group: XMLog
Date: 2001-04-24 15:48:41 UTC
From: m.mcamis@valley.net
Topic: 136 Message: 136

Version 4.13 of XMLog is now available at www.xmlog.com/beta

This version includes fixes for two recently reported bugs:

- Any #cr as a part of a user-defined packet message was being ignored in split screen mode.

- Setting the "Use Callbook for Locations" option when using a QRZ or Buckmaster CD could result in XMLog getting stalled when entering a callsign into a log entry.

Version 4.13 also includes support for the two "most-requested" new features:

- A right-click on the callsign field will show a popup menu that includes QSO info for the last 10 QSO's with that station. Many other fields also support right-clicks to set their values.

- Support for multi-QSO QSL card labels. Check the new demo layouts "Demo QSL-5" (for large labels) and "Demo QSL-4" (for small labels like Avery 5160/8160).

Mike - W1ECT

137. Display format of dates

Yahoo group: XMLog
Date: 2001-04-28 14:04:04 UTC
From: wb4mle@mindspring.com
Topic: 137 Message: 137

Have several logging programs in use at the same time- "playing with
toys". I find the date format of dd mmm yy or dd mmm yyyy much less
confusing than trying to switch mentally between mm/dd/yy and
dd/mm/yy. Is there any way to have XMlog use the dd mmm yyyy display?
Thanks!
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

138. Will This Work With AOL??

Yahoo group: XMLog
Date: 2001-04-29 09:20:33 UTC
From: dan911radio@aol.com
Topic: 138 Message: 138

I have AOL 6.0. I downloaded the program earlier today. When I try to open it from the desktop, it attempts to start AOL 5.0, NOT 6.0, then says that the file may not be supported by AOL...then that it's too big for AOL>

I closed AOL & opened Microsoft Internet Explorer, then again clicked on the icon from the desktop. The program aagain tried opening AOL5.0.

HELP!! THX!!

Dan in Los Angeles

139. Selectable columns in Sort?

Yahoo group: XMLog
Date: 2001-04-29 23:48:06 UTC
From: Michael Shaw
Topic: 139 Message: 139

Michael/group:

I use XMLog for both HF/VHF and MW logging, and like to print out my log of MW stations sorted by frequency.

Is there any way to choose which columns that print? I don't need RSL out and a few others.

Michael N1XTV
http://freepages.hobbies.rootsweb.com/~shawpage/index.htm

140. Re: Will This Work With AOL??

Yahoo group: XMLog
Date: 2001-04-30 15:44:41 UTC
From: m.mcamis@valley.net
Topic: 138 Message: 140

Hi Dan - Haven't ever used AOL so I hope some other folk out there
may know what's going on. Did you get the xmlog.zip file downloaded
to your system OK? When you say "open it from desktop" is this the
.zip file or have you successfully unzipped the .zip file and
run the XMLog setup? Not sure why AOL would be wanting to get
involved on the unzip or the install...

Mike - W1ECT

--- In XMLog@y..., dan911radio@a... wrote:
> I have AOL 6.0. I downloaded the program earlier today.
> When I try to open it from the desktop, it attempts to
> start AOL 5.0, NOT 6.0, then says that the file may not
> be supported by AOL...then that it's too big for AOL
>
> I closed AOL & opened Microsoft Internet Explorer, then
> again clicked on the icon from the desktop. The program
> aagain tried opening AOL5.0.
>
> HELP!! THX!!
>
> Dan in Los Angeles

141. Re: Selectable columns in Sort?

Yahoo group: XMLog
Date: 2001-04-30 15:52:34 UTC
From: m.mcamis@valley.net
Topic: 139 Message: 141

Hi Michael,

The sorting can be affected using the Display/Sort By menu item.
Setting this option affects subsequenct Select/Searches, not the
currently selected log entries.

There's no fine-tuning for the columns shown in the Display/Short,
Medium, Long. Many folk have just created custom reports using
Microsoft Excel or other report writers - XMLog log files are in
MicroSoft Access format so they can be manipulated from Excel, etc.
To be safe it's best to make a backup of your log before you start
debugging any external reports.

Mike - W1ECT

--- In XMLog@y..., "Michael Shaw" <n1xtv@y...> wrote:
> Michael/group:
>
> I use XMLog for both HF/VHF and MW logging, and like to print
> out my log of MW stations sorted by frequency.
>
> Is there any way to choose which columns that print? I don't
> need RSL out and a few others.
>
> Michael N1XTV
> http://freepages.hobbies.rootsweb.com/~shawpage/index.htm

142. Beta 4.14 available

Yahoo group: XMLog
Date: 2001-05-03 14:34:24 UTC
From: m.mcamis@valley.net
Topic: 142 Message: 142

Beta version 4.14 of XMLog is now available at:

www.xmlog.com/beta

This version has a couple of fixes for custom mailing/qsl labels.
I'll make this version available on the main if there are no
significant problems reported.

Do any of you have a set of .wav files you've recorded for your
PacketCluster spots? Or perhaps you've created some custom
reports using an Excel .xls file? If you'd like to make these files
available to others you can send them to me as e-mail attachments at
m.mcamis@... and I can post them on the XMLog web page.

Mike - W1ECT

143. Re: [XMLog] Beta 4.14 available

Yahoo group: XMLog
Date: 2001-05-03 22:20:19 UTC
From: Dianna Killeen, KB6NAN
Topic: 142 Message: 143
Attachments: 1 described; binary payloads are missing from this source WARC

well here is my favorite wave
i use it to notify me of people i like to talk to that make me happy and
laugh

Like good friends and family

--
KB6NAN Dianna R. Killeen
http://www.southcoast.net/dx/dxmain.html

144. Resize Packet SPot window

Yahoo group: XMLog
Date: 2001-05-07 18:52:35 UTC
From: Thomas M. Schaefer
Topic: 144 Message: 144

I tried to resize the packet spot window and it would not let me. This was on Windows 2000. Is this by design?

Tom

145. Re: Resize Packet SPot window

Yahoo group: XMLog
Date: 2001-05-08 14:11:30 UTC
From: m.mcamis@valley.net
Topic: 144 Message: 145

Yes, there is a minimum (just to keep the code from blowing up). I could bring it down some if you think it would be useful - say by half? By the way the minimum size depends on how may bands you're displaying.

Mike - W1ECT

--- In XMLog@y..., "Thomas M. Schaefer" <ny4i@a...> wrote:
> I tried to resize the packet spot window and it would not let me.
> This was on Windows 2000. Is this by design?
>
> Tom

146. Re: [XMLog] Re: Resize Packet SPot window

Yahoo group: XMLog
Date: 2001-05-08 19:05:42 UTC
From: Thomas M. Schaefer
Topic: 144 Message: 146

That would help.

Thanks,

Tom
----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, May 08, 2001 8:11 AM
Subject: [XMLog] Re: Resize Packet SPot window

> Yes, there is a minimum (just to keep the code from blowing up). I
> could bring it down some if you think it would be useful - say by
> half? By the way the minimum size depends on how may bands you're
> displaying.
>
> Mike - W1ECT
>
> --- In XMLog@y..., "Thomas M. Schaefer" <ny4i@a...> wrote:
> > I tried to resize the packet spot window and it would not let me.
> > This was on Windows 2000. Is this by design?
> >
> > Tom
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

147. Re: Selectable columns in Sort?

Yahoo group: XMLog
Date: 2001-05-09 23:26:10 UTC
From: Michael Shaw
Topic: 139 Message: 147

Michael:

I opened my log in Access and generated a QSL log with only the
columns I wanted by "hiding" columns, as Access wouldn't let
me "edit" the XMLog. The log has been posted to:
http://freepages.hobbies.rootsweb.com/~shawpage/XMLog1.htm

Thanks for your help!

73 de Michael N1XTV

--- In XMLog@y..., m.mcamis@v... wrote:
>
> Hi Michael,
>
> The sorting can be affected using the Display/Sort By menu item.
> Setting this option affects subsequenct Select/Searches, not the
> currently selected log entries.
>
> There's no fine-tuning for the columns shown in the Display/Short,
> Medium, Long. Many folk have just created custom reports using
> Microsoft Excel or other report writers - XMLog log files are in
> MicroSoft Access format so they can be manipulated from Excel, etc.
> To be safe it's best to make a backup of your log before you start
> debugging any external reports.
>
> Mike - W1ECT
>

148. Spot WIndow Question

Yahoo group: XMLog
Date: 2001-05-12 01:18:38 UTC
From: Tom Schaefer
Topic: 148 Message: 148

Any chance to start a new log entry by clicking somewhere on the spot. I know I can set the rig, but the scenario is that I double-click on the spot window entry to set the rig, then when I work him, I want to use the spot window to start the log entry.

Also, if I start a log entry by clicking on a spot, but I do not actually make any changes, would it be possible that if I start another log entry (ie, I did not work the one I just started), it could start the new log entry without asking?

Thanks for a great program...

Tom NY4I

149. Feature - Auto-tune

Yahoo group: XMLog
Date: 2001-05-12 23:33:10 UTC
From: Tom Schaefer
Topic: 149 Message: 149

I know I keep sending feature things in, but I figured if there is a list...why not.

How about a feature for auto-tuning a spot (like the new Kenwood TS2000 has). If you select an option, the spots for bands that you have not excluded (basically a spot that would be announced) is automatically tuned on the radio.

It would be good if you are just monitoring.

If the spots come in rapidly, a timer could be used so you always wait maybe 10 seconds before tuning the next spot. If another has come in in that 10 seconds, always go to the last one.

Tom NY4I

150. DLL for QRZ lookups

Yahoo group: XMLog
Date: 2001-05-12 23:35:14 UTC
From: Tom Schaefer
Topic: 150 Message: 150

Michael,

Would you be interested in a DLL I have to send a callsign to QRZ and get information back about it. It sends back all the information and the QSL manager if DX. It is a C++ DLL and can be called from VB. I would supply a VB test program. I figure this would be good for those connected to the internet to have another callbook option (Internet).

Let me know if you are interested and it is yours to use in XMLog gratis.

Tom NY4I

151. Re: Spot WIndow Question

Yahoo group: XMLog
Date: 2001-05-13 18:57:45 UTC
From: m.mcamis@valley.net
Topic: 148 Message: 151

For the next version (4.15) I've added a right-click popup for the spots display window. This popup allows you to do a callbook lookup, start a new log entry, set your rig freq/mode, or set your rotor.

Mike - W1ECT

--- In XMLog@y..., "Tom Schaefer" <toms@i...> wrote:
> Any chance to start a new log entry by clicking somewhere on the spot. I know I can set the rig, but the scenario is that I double-click on the spot window entry to set the rig, then when I work him, I want to use the spot window to start the log entry.
>
> Also, if I start a log entry by clicking on a spot, but I do not actually make any changes, would it be possible that if I start another log entry (ie, I did not work the one I just started), it could start the new log entry without asking?
>
> Thanks for a great program...
>
> Tom NY4I

152. New Band Set

Yahoo group: XMLog
Date: 2001-05-17 06:38:58 UTC
From: John Smith
Topic: 152 Message: 152

I don't seem able to create my own band set on the new Log Spots window and I was wondering if anyone else is having this problem.

73
John

153. Re: New Band Set

Yahoo group: XMLog
Date: 2001-05-18 13:47:57 UTC
From: m.mcamis@valley.net
Topic: 152 Message: 153

Hi John, Sorry this slipped through the cracks somehow. I've fixed
the problem and I'll have version 4.15 available in a few days.

Mike - W1ECT

--- In XMLog@y..., "John Smith" <johnki4ro@e...> wrote:
> I don't seem able to create my own band set on the new Log Spots
> window and I was wondering if anyone else is having this problem.
>
> 73
> John

154. Re: [XMLog] Re: New Band Set

Yahoo group: XMLog
Date: 2001-05-18 17:05:54 UTC
From: John Smith
Topic: 152 Message: 154

Thanks Mike...I'll look forward to downloading the 4.15 version.

73
John

----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, May 18, 2001 9:47 AM
Subject: [XMLog] Re: New Band Set

> Hi John, Sorry this slipped through the cracks somehow. I've fixed
> the problem and I'll have version 4.15 available in a few days.
>
> Mike - W1ECT
>
> --- In XMLog@y..., "John Smith" <johnki4ro@e...> wrote:
> > I don't seem able to create my own band set on the new Log Spots
> > window and I was wondering if anyone else is having this problem.
> >
> > 73
> > John
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

155. XMLog 4.15 available

Yahoo group: XMLog
Date: 2001-05-23 14:03:01 UTC
From: m.mcamis@valley.net
Topic: 155 Message: 155

XMLog version 4.15 is available as a beta test version at:

www.xmlog.com/beta

Here's what's new...

- Added right-click support for the packet spots window allowing you to set the rig frequency, do callbook lookups, start a log entry, and set the rotor position.

- Bug Fix: Couldn't define new bandsets for the packet spots window.

- Bug Fix: Fixed the problem that caused a "Can't assign spot site" message when displaying long callsigns in the packet spot window.

- Bug Fix: Fixed the problem that caused random ghostly outlines when printing QSL labels.

Mike - W1ECT

156. Thanks for the feature

Yahoo group: XMLog
Date: 2001-05-24 22:23:35 UTC
From: Tom Schaefer
Topic: 156 Message: 156

Michael,

I have been using the new feature to allow clicking on the call and starting a log entry from the SPOT window. I have especially like the feature where it will take the frequency from the Spot (if you are not interfaced -too). One thought, I had a problem with my interface so it could not get the freq/mode from the rig. but it did from the spot. It however, did not get the mode from the spot. That would make it complete.

Also, has anyone ever mentioned QSX information from a spot to set up the righ VFOs? I know that is a big pain, but I was curious if it is supported on any rigs.

Thanks again...This is one HELL of a program at any price!

73,

Tom NY4I

157. My only wish....

Yahoo group: XMLog
Date: 2001-05-27 16:47:59 UTC
From: kdiehl@xmission.com
Topic: 157 Message: 157

I think XMLog is great and truely appreciate the author's work. I use it for all of my logging and QSL printing.

The only thing I would wish for is a modification to the call search so that everything after a / is ignored. Right clicking in the call sign box would, for example, return wa7cc, wa7cc/7, wa7cc/portable UT, etc.

Now I suppose this would still cause problems with calls like ve3/wa7cc. Perhaps there would be an even better way. A special "ignore after" charactor like wa7cc\7 ?

Does anyone else wish for such a feature?

Thanks again.

WA7CC

158. Re: My only wish....

Yahoo group: XMLog
Date: 2001-05-29 16:42:51 UTC
From: m.mcamis@valley.net
Topic: 157 Message: 158

This change will be in teh next version...

Mike - W1ECT

--- In XMLog@y..., kdiehl@x wrote:
> I think XMLog is great and truely appreciate the author's work. I
use
> it for all of my logging and QSL printing.
>
> The only thing I would wish for is a modification to the call search
> so that everything after a / is ignored. Right clicking in the call
> sign box would, for example, return wa7cc, wa7cc/7, wa7cc/portable
> UT, etc.
>
> Now I suppose this would still cause problems with calls like
> ve3/wa7cc. Perhaps there would be an even better way. A
> special "ignore after" charactor like wa7cc\7 ?
>
> Does anyone else wish for such a feature?
>
> Thanks again.
>
> WA7CC

159. (no subject)

Yahoo group: XMLog
Date: 2001-06-10 18:25:10 UTC
From: Mark Taylor
Topic: 159 Message: 159

[Body unavailable in the source archive]

160. Re: My only wish....

Yahoo group: XMLog
Date: 2001-06-10 19:05:11 UTC
From: kdiehl@xmission.com
Topic: 157 Message: 160

I just downloaded the beta of 4.16 and tried the new lookup function with a "/" in the call. What I found was that the slash must be followed by a number, wa7cc/7, for the callbook lookup to work. Something like wa7cc/portable UT confuses it.

I also found the right click DISPLAY ALL ENTRIES does exact callsign matches, including the / information. I wish that it would return all contacts with a station, regardless of / mobile, portable, or fixed.

Any chance of a 4.17 ????

I feel guilty using a XMLog for free. It's just too nice a program! Would you accept donations from happy users? (I'm happy in spite of my complaining <smile>)

Thanks

WA7CC

--- In XMLog@y..., m.mcamis@v... wrote:
> This change will be in teh next version...
>
> Mike - W1ECT
>
> --- In XMLog@y..., kdiehl@x wrote:
> > I think XMLog is great and truely appreciate the author's work. I
> use
> > it for all of my logging and QSL printing.
> >
> > The only thing I would wish for is a modification to the call
search
> > so that everything after a / is ignored. Right clicking in the
call
> > sign box would, for example, return wa7cc, wa7cc/7,
wa7cc/portable
> > UT, etc.
> >
> > Now I suppose this would still cause problems with calls like
> > ve3/wa7cc. Perhaps there would be an even better way. A
> > special "ignore after" charactor like wa7cc\7 ?
> >
> > Does anyone else wish for such a feature?
> >
> > Thanks again.
> >
> > WA7CC

161. Re: My only wish....

Yahoo group: XMLog
Date: 2001-06-13 15:01:01 UTC
From: XMLog
Topic: 157 Message: 161

Hi Keith,

I've made some more changes to the callbook lookup functions for the next version that should do the job.

Any donations for support of the XMLog project are appreciated. They help pay for the cost of maintaining the web site, etc. You can send a check to:

Michael McAmis
433 Hanover Center Road
Etna, NH - 03750

Or you can use www.paypay.com with my email address:
m.mcamis@...

Thanks, Mike - W1ECT

--- In XMLog@y..., kdiehl@x wrote:
> I just downloaded the beta of 4.16 and tried the new lookup function
> with a "/" in the call. What I found was that the slash must be
> followed by a number, wa7cc/7, for the callbook lookup to work.
> Something like wa7cc/portable UT confuses it.
>
> I also found the right click DISPLAY ALL ENTRIES does exact callsign
> matches, including the / information. I wish that it would return
all
> contacts with a station, regardless of / mobile, portable, or
fixed.
>
> Any chance of a 4.17 ????
>
> I feel guilty using a XMLog for free. It's just too nice a program!

> Would you accept donations from happy users? (I'm happy in spite of
> my complaining <smile>)
>
> Thanks
>
> WA7CC
>
> --- In XMLog@y..., m.mcamis@v... wrote:
> > This change will be in teh next version...
> >
> > Mike - W1ECT
> >
> > --- In XMLog@y..., kdiehl@x wrote:

> > > I think XMLog is great and truely appreciate the author's work.
I
> > use
> > > it for all of my logging and QSL printing.
> > >
> > > The only thing I would wish for is a modification to the call
> search
> > > so that everything after a / is ignored. Right clicking in the
> call
> > > sign box would, for example, return wa7cc, wa7cc/7,
> wa7cc/portable
> > > UT, etc.
> > >
> > > Now I suppose this would still cause problems with calls like
> > > ve3/wa7cc. Perhaps there would be an even better way. A
> > > special "ignore after" charactor like wa7cc\7 ?
> > >
> > > Does anyone else wish for such a feature?
> > >
> > > Thanks again.
> > >
> > > WA7CC

162. Re: [XMLog] Re: My only wish....

Yahoo group: XMLog
Date: 2001-06-13 22:22:22 UTC
From: donw5djw
Topic: 157 Message: 162

I can't find. www.paypay.com , do you mean www.paypal.com ?

----- Original Message -----
From: XMLog <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, June 13, 2001 10:01 AM
Subject: [XMLog] Re: My only wish....

> Hi Keith,
>
> I've made some more changes to the callbook lookup functions for the
> next version that should do the job.
>
> Any donations for support of the XMLog project are appreciated. They
> help pay for the cost of maintaining the web site, etc. You can send
> a check to:
>
> Michael McAmis
> 433 Hanover Center Road
> Etna, NH - 03750
>
> Or you can use www.paypay.com with my email address:
> m.mcamis@...
>
> Thanks, Mike - W1ECT
>
> --- In XMLog@y..., kdiehl@x wrote:
> > I just downloaded the beta of 4.16 and tried the new lookup function
> > with a "/" in the call. What I found was that the slash must be
> > followed by a number, wa7cc/7, for the callbook lookup to work.
> > Something like wa7cc/portable UT confuses it.
> >
> > I also found the right click DISPLAY ALL ENTRIES does exact callsign
> > matches, including the / information. I wish that it would return
> all
> > contacts with a station, regardless of / mobile, portable, or
> fixed.
> >
> > Any chance of a 4.17 ????
> >
> > I feel guilty using a XMLog for free. It's just too nice a program!
>
> > Would you accept donations from happy users? (I'm happy in spite of
> > my complaining <smile>)
> >

> > Thanks
> >
> > WA7CC
> >
> > --- In XMLog@y..., m.mcamis@v... wrote:
> > > This change will be in teh next version...
> > >
> > > Mike - W1ECT
> > >
> > > --- In XMLog@y..., kdiehl@x wrote:
> > > > I think XMLog is great and truely appreciate the author's work.
> I
> > > use
> > > > it for all of my logging and QSL printing.
> > > >
> > > > The only thing I would wish for is a modification to the call
> > search
> > > > so that everything after a / is ignored. Right clicking in the
> > call
> > > > sign box would, for example, return wa7cc, wa7cc/7,
> > wa7cc/portable
> > > > UT, etc.
> > > >
> > > > Now I suppose this would still cause problems with calls like
> > > > ve3/wa7cc. Perhaps there would be an even better way. A
> > > > special "ignore after" charactor like wa7cc\7 ?
> > > >
> > > > Does anyone else wish for such a feature?
> > > >
> > > > Thanks again.
> > > >
> > > > WA7CC
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

163. Re: My only wish....

Yahoo group: XMLog
Date: 2001-06-14 12:22:29 UTC
From: XMLog
Topic: 157 Message: 163

Sorry for the typo, the address is www.paypal.com

Mike - W1ECT

--- "donw5djw" <donw5djw@b...> wrote:

> I can't find. www.paypay.com , do you mean www.paypal.com ?

Hi Keith,

I've made some more changes to the callbook lookup functions for the
next version that should do the job.

Any donations for support of the XMLog project are appreciated. They
help pay for the cost of maintaining the web site, etc. You can send
a check to:

Michael McAmis
433 Hanover Center Road
Etna, NH - 03750

Or you can use www.paypay.com with my email address:
m.mcamis@...

Thanks, Mike - W1ECT

164. XMlog with IC-756(not PRO)

Yahoo group: XMLog
Date: 2001-06-14 12:37:00 UTC
From: Richard
Topic: 164 Message: 164

Hi

Can you use the Icom IC-756 with XMlog so that it will enter the frequency and mode automatically??

Is there any information web pages where I can get information about making a cable to go from the rig to PC??

Is an interface needed i.e a small circuit or is it just a simple cable??

Thanks

Richard, 2E0AVF

166. Re: XMlog with IC-756(not PRO)

Yahoo group: XMLog
Date: 2001-06-15 14:36:52 UTC
From: XMLog
Topic: 164 Message: 166

Hi Richard,

XMLog does support the IC-756. Like Yaesu and Kenwood, Icom sells a 'level converter' and cables but is expensive. You can buy equivalent converters from: http://www.hosenose.com/w1gee.htm and I'm sure there must be other sources.

Some newer rigs can interface directly with computer COM ports and only require the appropriate cables. I don't know if the 756 is in this catagory - check your manual.

Once you get set up the interface will be good for any logger, etc. not just XMLog.

Mike - W1ECT

--- In XMLog@y..., "Richard" <2e0avf@t...> wrote:
> Hi
>
> Can you use the Icom IC-756 with XMlog so that it will enter the
> frequency and mode automatically??
>
> Is there any information web pages where I can get information about
> making a cable to go from the rig to PC??
>
> Is an interface needed i.e a small circuit or is it just a simple
> cable??
>
> Thanks
>
> Richard, 2E0AVF

167. Callbook Lookup with Buckmaster

Yahoo group: XMLog
Date: 2001-06-17 16:00:14 UTC
From: Jim Stockwell
Topic: 167 Message: 167

When I access my Buckmaster CD (July 23, 2000 edition) from XMLog (Ver 4.16) it does not return the city line from the callbook. Everything seems to work fine, but all that is returned from the lookup is the Name, Street Address, State and ZIP. It just skips the address line that includes the city. Any suggestions? Thanks for a great program that I am still learning!

73,

Jim, W6KC

168. Re: Callbook Lookup with Buckmaster

Yahoo group: XMLog
Date: 2001-06-21 23:03:43 UTC
From: Mike McAmis
Topic: 167 Message: 168

Hi Jim,

I found the problem and it turns out that this bug has been there for years.

I'm using a Buckmaster disk from 1995 for testing, does anyone have a more recent CD they'd like to donate?

Mike - W1ECT

--- In XMLog@y..., "Jim Stockwell" <jim@v...> wrote:
> When I access my Buckmaster CD (July 23, 2000 edition) from XMLog
> (Ver 4.16) it does not return the city line from the callbook.
> Everything seems to work fine, but all that is returned from the
> lookup is the Name, Street Address, State and ZIP. It just skips
the
> address line that includes the city. Any suggestions? Thanks for a
> great program that I am still learning!
>
> 73,
>
> Jim, W6KC

170. Mlog observations and suggestions.

Yahoo group: XMLog
Date: 2001-06-29 18:10:35 UTC
From: jagius@sybase.com
Topic: 170 Message: 170

Version 4.16

With the counter at the top of the window gone,it is not possible to know
th number of counties one has worked/confirmed.
Version 3 used to have the counter for all reports. Now it is gone. - even
though it was only a line count it could be used for this purpose.
The summary report also does not include counties.

Version 4.16

There was mention of multi qso qsl labels. I can't find it anywhere on the
web site.

Joe
w1tw

171. Re: Mlog observations and suggestions.

Yahoo group: XMLog
Date: 2001-06-30 13:01:19 UTC
From: Mike McAmis
Topic: 170 Message: 171

Hi Joe,

I took the counter out of the report window because it was pointed out that it was misleading since it was displaying the line number in the report which could include blank lines, headings, etc. I'll look into restoring this feature and have it only count appropriate lines.

To see an example of a multi-qso label choose Options/QSL Labels Layout, select the Custom button, pick Demo QSL-4 Small from the list, select the Modify button, and finally, select the Preview button.

Mike - W1ECT

> ----------
>
> Version 4.16
>
> With the counter at the top of the window gone,it is not possible to know
> th number of counties one has worked/confirmed.
> Version 3 used to have the counter for all reports. Now it is gone. - even
> though it was only a line count it could be used for this purpose.
> The summary report also does not include counties.
> ----------
> Version 4.16
>
> There was mention of multi qso qsl labels. I can't find it anywhere on the
> web site.
>
> ----------
>
> Joe
> w1tw

172. Re: [XMLog] Re: Mlog observations and suggestions.

Yahoo group: XMLog
Date: 2001-06-30 16:15:29 UTC
From: cliffhazen@aol.com
Topic: 170 Message: 172

Hi Mike,
the multi qso label feature works great, even better than what I imagined when it was first suggested in the xmlog list and more richly featured than one of the major commercial logging software packages. the picture import feature is exotic.
thanks,
gl es 73 de Cliff N7HIY

173. run-time error '11' bug report

Yahoo group: XMLog
Date: 2001-07-05 23:21:26 UTC
From: jjbryant54@yahoo.com
Topic: 173 Message: 173

First of all let me say thanks for making your program available as freeware. I am just starting to use it and have imported most of my log entries from my manual log.

During this process, I discovered a bug in your code that results in the following error message:

Run-time error '11': Division by zero

when you click on ok the xmlog immediately shuts down.

This error occurs in both v.4.16 and v.4.17 whenever you enter a call for someone who resides close to my home station (same zip code). I am using RAC and have xmlog set up to pull the call name and address from there.

Please let me know if I can be of any further assistance. 73s Jim, KC5HAV

174. Re: run-time error '11' bug report

Yahoo group: XMLog
Date: 2001-07-08 13:31:28 UTC
From: Mike McAmis
Topic: 173 Message: 174

OK Jim, I've found the problem and I'll include the fix in the next version. For now you can avoid the problem by turning off the "Use Callbook for Locations" option in the "Options/Callbook Setup" menu.

Mike - W1ECT

--- In XMLog@y..., jjbryant54@y... wrote:
> First of all let me say thanks for making your program available as
> freeware. I am just starting to use it and have imported most of my
> log entries from my manual log.
>
> During this process, I discovered a bug in your code that results in
> the following error message:
>
> Run-time error '11': Division by zero
>
> when you click on ok the xmlog immediately shuts down.
>
> This error occurs in both v.4.16 and v.4.17 whenever you enter a
call
> for someone who resides close to my home station (same zip code). I
> am using RAC and have xmlog set up to pull the call name and address
> from there.
>
> Please let me know if I can be of any further assistance. 73s Jim,
> KC5HAV

176. VHF Stuff, boring, IOTA types please ignore

Yahoo group: XMLog
Date: 2001-07-12 04:56:12 UTC
From: Craig - N7OR
Topic: 176 Message: 176

If I can enter a grid in a logging field, how can I get a report of grids worked? I see DXCC, WAS, WAZ and even IOTA. Any chance of a VUCC under the "awards" soon.

177. Re: VHF Stuff, boring, IOTA types please ignore

Yahoo group: XMLog
Date: 2001-07-12 18:12:34 UTC
From: Mike McAmis
Topic: 176 Message: 177

Hi Craig,

I just added a new report "Display Excel" in version 4.18 which is currently a beta test version available at www.xmlog.com/beta

This report lets you customize which fields are displayed. I'll add the grid summary feature to the "to do" list.

Mike

--- In XMLog@y..., "Craig - N7OR" <n7or@y...> wrote:
> If I can enter a grid in a logging field, how can I get a report of
> grids worked? I see DXCC, WAS, WAZ and even IOTA. Any chance of a
> VUCC under the "awards" soon.

178. Beta version 4.18 available

Yahoo group: XMLog
Date: 2001-07-12 18:19:46 UTC
From: Mike McAmis
Topic: 178 Message: 178

Version 4.18 of XMLog is available at www.xmlog.com/beta

This version includes a new report that displays log entries using Microsoft Excel and allows you to select which log entry fields are displayed. To invoke the report use "Display/Display Excel". You must have Microsoft Office installed - I've tried Office 97 and Office 2000 and they both seem to work OK.

Mike W1ECT

179. Re: VHF Stuff, boring, IOTA types please ignore

Yahoo group: XMLog
Date: 2001-07-12 19:22:13 UTC
From: Craig - N7OR
Topic: 176 Message: 179

--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Craig,
>
> I just added a new report "Display Excel" in version 4.18 which is
> currently a beta test version available at www.xmlog.com/beta
>
> This report lets you customize which fields are displayed.

Excellent.

>I'll add the grid summary feature to the "to do" list.

Double excellent, thank you.

I have just recently started using your program and it is very good
so far. Does what it is supposed to do without too many redundant
fancy "features" and seems very stable. A little different in the
look and feel, takes a bit of getting used to.

180. Re: [XMLog] Beta version 4.18 available

Yahoo group: XMLog
Date: 2001-07-12 19:48:42 UTC
From: jagius@sybase.com
Topic: 178 Message: 180

Mike,
You are doing great work with this program.
I love it.
I have been using it for some time and I feel it is time to send
something along to help support the programming and the Web site.

I may start bugging you about some nice features I would like to see,
but I figure that you are busy enough with the upkeep but ...

Thanks again

Joe
W1TW

"Mike McAmis" <m.mcamis@...> on 07/12/2001 02:19:46 PM

Please respond to XMLog@yahoogroups.com

To: XMLog@yahoogroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] Beta version 4.18 available

Version 4.18 of XMLog is available at www.xmlog.com/beta

This version includes a new report that displays log entries using
Microsoft Excel and allows you to select which log entry fields are
displayed. To invoke the report use "Display/Display Excel". You must
have Microsoft Office installed - I've tried Office 97 and Office 2000
and they both seem to work OK.

Mike W1ECT

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

181. QRZ Poll

Yahoo group: XMLog
Date: 2001-07-15 19:11:56 UTC
From: kdiehl@xmission.com
Topic: 181 Message: 181

I was supprised to see that my comment on QRZ's log program poll (http://www.qrz.com/) was the only one to mention xmlog. Is xmlog one of the best kept secrets in ham radio?

182. 6 meters

Yahoo group: XMLog
Date: 2001-07-16 00:47:13 UTC
From: Craig - N7OR
Topic: 182 Message: 182

Can I add 6 meters to my spots window? I tried it both in the existing HF and in creating a new bands list. It keeps saying that the low freq. must be between .100 and 99.999 Mhz. The low is 50.000 so it should work?

183. Re: 6 meters

Yahoo group: XMLog
Date: 2001-07-16 14:26:42 UTC
From: Mike McAmis
Topic: 182 Message: 183

Hi Craig,

XMLog only has limited support for VHF. You can log VHF QSOs but VHF isn't supported by the awards reports or Packetcluster alert features.

This will change someday but not in the immediate future. The 160-10 mentality is deeply wired into the program (dating back to the original DOS version).

Mike - W1ECT

--- In XMLog@y..., "Craig - N7OR" <n7or@y...> wrote:
> Can I add 6 meters to my spots window? I tried it both in the
> existing HF and in creating a new bands list. It keeps saying that
> the low freq. must be between .100 and 99.999 Mhz. The low is 50.000
> so it should work?

184. Re: [XMLog] QRZ Poll

Yahoo group: XMLog
Date: 2001-07-16 17:48:15 UTC
From: Thomas M. Schaefer
Topic: 181 Message: 184

Maybe the poll on QRZ is the better kept secret. Hi Hi

Tom NY4I

185. Re: [XMLog] QRZ Poll

Yahoo group: XMLog
Date: 2001-07-16 20:19:18 UTC
From: g4cdz@aol.com
Topic: 181 Message: 185

XmLog certainly is the most friendly and best program around, but don't tell everyone or they'll all want some !

Barrie G4CDZ

186. Call signs to upper case option

Yahoo group: XMLog
Date: 2001-07-16 21:20:47 UTC
From: Dennis Babcock
Topic: 186 Message: 186

XMLog version is 4.14.

Even though "Call signs to upper case" is checked in options, the call sign of the contact is always lower case. What have I missed doing other than what I is mentioned to make this feature work?

Dennis K4NF

187. Re: Call signs to upper case option

Yahoo group: XMLog
Date: 2001-07-19 15:13:41 UTC
From: Mike McAmis
Topic: 186 Message: 187

Hi Dennis,

The "Upper Case" option only affects new log entries, not entries already in the log. I've changed this option to display all calls in upper case and this change will be available in the next version.

Mike - W1ECT

> Even though "Call signs to upper case" is checked in options, the
> call sign of the contact is always lower case. What have I missed
> doing other than what I is mentioned to make this feature work?
>
> Dennis K4NF

188. Re: [XMLog] Re: Call signs to upper case option

Yahoo group: XMLog
Date: 2001-07-19 15:53:23 UTC
From: Dennis Babcock
Topic: 186 Message: 188

This feature does not work on new entries either in this version. Is there something other than in the options to "check" that needs to be changed for this feature to work on new calls?

K4NF Dennis

At 11:13 AM 7/19/01, you wrote:

Hi Dennis,

The "Upper Case" option only affects new log entries, not entries
already in the log. I've changed this option to display all calls in
upper case and this change will be available in the next version.

Mike - W1ECT

>
> Even though "Call signs to upper case" is checked in options, the
> call sign of the contact is always lower case. What have I missed
> doing other than what I is mentioned to make this feature work?
>
> Dennis K4NF

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

189. Nix on mailing label custom layouts

Yahoo group: XMLog
Date: 2001-07-20 02:05:29 UTC
From: Gerry Cechony
Topic: 189 Message: 189

Hi all--

I'm using version 4.16.

On the MAILING LABELS LAYOUT menu, my selection to USE CUSTOM MAILING LAYOUT is ignored. The standard layout always comes barreling through.

Any ideas?

BTW, I routinely use custom QSL labels with no problem.

73 de Gerry, W2GER

190. ADIF Conversion

Yahoo group: XMLog
Date: 2001-07-21 15:01:28 UTC
From: archer@aepnet.com
Topic: 190 Message: 190

I am very well pleased with XM Log. Great program. I am also a user of eQSL amd wish to upload my log to their site. I have tried to convert the log to ADIF with KA5WSS' Log Converter, but to no avail. when I try to convert, I get the following message: "Error opening input file c:\mlog\k7jwd.log". Has anyone else experienced this? Tnx for the help.

Warren
K7JWD

191. Re: ADIF Conversion

Yahoo group: XMLog
Date: 2001-07-21 18:32:40 UTC
From: kdiehl@xmission.com
Topic: 190 Message: 191

I have sent my log to eQSL by selecting EXPORT ADIF FILE from the
IMPORT menu (well, that could be a bit confusing <smile>), following
the prompts, and sending the resulting file to eQSL.

Hope that helps.

--- In XMLog@y..., archer@a... wrote:
<SNIP>
>I am also a user
> of eQSL amd wish to upload my log to their site.
<SNIP>

192. Re: Nix on mailing label custom layouts

Yahoo group: XMLog
Date: 2001-07-22 16:32:28 UTC
From: Mike McAmis
Topic: 189 Message: 192

Hi Gerry,

Do you have "Use Custom Mailing Layout" set and a layout selected for "Selected Custom Mailing Layout"? One thing to note is that changing either of these settings does not affect any labels that you have previously added to the list of labels waiting to be printed.

Mike - W1ECT

> Hi all--
>
> I'm using version 4.16.
>
> On the MAILING LABELS LAYOUT menu, my selection to USE CUSTOM MAILING LAYOUT is ignored. The standard layout always comes barreling through.
>
> Any ideas?
>
> BTW, I routinely use custom QSL labels with no problem.
>
> 73 de Gerry, W2GER

193. Re: [XMLog] Re: Nix on mailing label custom layouts

Yahoo group: XMLog
Date: 2001-07-22 19:39:09 UTC
From: Gerry Cechony
Topic: 189 Message: 193

----- Original Message -----
From: Mike McAmis <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, July 22, 2001 12:32 PM
Subject: [XMLog] Re: Nix on mailing label custom layouts

> One thing to note is that changing
> either of these settings does not affect any labels that you have
> previously added to the list of labels waiting to be printed.

Ah! Therein lies the rub.
I was trying to "fake out" the program and get it to print self-address labels for me, from a custom layout comprising only TEXT fields and no DATA fields.
I apparently got myself in trouble trying to fake it out.
Just forget my question.

Thanks,
73 de Gerry W2GER

194. Wrong color on first fields of custom QSLs

Yahoo group: XMLog
Date: 2001-07-22 20:06:36 UTC
From: Gerry Cechony
Topic: 194 Message: 194

Hi all--

I'm using version 4.16 now, had the same problem in 4.00. Printer is a Hewlett-Packard PSC-500 (color inkjet).

I'm using custom QSL label layout to print QSL cards, four to a sheet of card stock.

The first field in the layout is a TEXT field containing my call, and is specified to print red. On the first card on each sheet it prints black. (Prints okay (red) on the 2nd, 3rd, and 4th cards on a sheet, black again on the first card of each successive sheet.) (Other fields, none of which are specified to be black, all print correctly.)

I thought I might get around the problem by adding a TEXT field ahead of my call, containing "de:" in very small letters (6-pt), since I wouldn't care what color that printed. But both "de:" and my call exhibit the problem.

TIA
73 de Gerry, W2GER

195. Re: [XMLog] ADIF Conversion

Yahoo group: XMLog
Date: 2001-07-23 12:17:18 UTC
From: jagius@sybase.com
Topic: 190 Message: 195

Xmlog writes an ADIF file.
Look under Import in the menu

Joe
W1TW

archer@... on 07/21/2001 11:01:28 AM

Please respond to XMLog@yahoogroups.com

To: XMLog@yahoogroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] ADIF Conversion

I am very well pleased with XM Log. Great program. I am also a user
of eQSL amd wish to upload my log to their site. I have tried to
convert the log to ADIF with KA5WSS' Log Converter, but to no avail.
when I try to convert, I get the following message: "Error opening
input file c:\mlog\k7jwd.log". Has anyone else experienced this? Tnx
for the help.

Warren
K7JWD

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

196. ADIF files

Yahoo group: XMLog
Date: 2001-07-23 21:46:26 UTC
From: Warren Dean
Topic: 196 Message: 196

Tnx for the input, guys. I must be extremely obtuse. :) I cannot find ANY files in XMLog that are ADIF. Did I do something wrong when I installed it? When I get to the "ADIF File Name" box, after selecting "Export ADIF File" from the "Import" menu, there are no ADIF files to select. Right clicking on a log file doesn't give me the option to "save as", either. I have been all through the help and different menus, but can't figure out how to make an ADIF file. I know I must have a problem, but I can't seem to figure it out. Any suggestions? tnx es 73

Warren
K7JWD

197. Re: [XMLog] ADIF files

Yahoo group: XMLog
Date: 2001-07-24 14:11:53 UTC
From: Gerry Cechony
Topic: 196 Message: 197

Export is from your log to an adif file of a name that YOU SPECIFY.

73 de Gerry W2GER

----- Original Message -----
From: Warren Dean <archer@...>
To: <XMLog@yahoogroups.com>
Sent: Monday, July 23, 2001 5:46 PM
Subject: [XMLog] ADIF files

> Tnx for the input, guys. I must be extremely obtuse. :) I cannot find ANY
> files in XMLog that are ADIF. Did I do something wrong when I installed
it?
> When I get to the "ADIF File Name" box, after selecting "Export ADIF
File"
> from the "Import" menu, there are no ADIF files to select. Right clicking
on
> a log file doesn't give me the option to "save as", either. I have been
all
> through the help and different menus, but can't figure out how to make an
> ADIF file. I know I must have a problem, but I can't seem to figure it
out.
> Any suggestions? tnx es 73
>
> Warren
> K7JWD
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

198. Re: [XMLog] ADIF files

Yahoo group: XMLog
Date: 2001-07-24 14:35:07 UTC
From: jagius@sybase.com
Topic: 196 Message: 198

Warren:
OPen a log file.
Select all or part of it.
Go to import and choose "export ADIF file"
Abox will come up for you to name the file after asking you to use all or
the selected entries.
Name the file and it will save it as that name.

Now you have an ADIF file of your data ,to do with as you wish .

Joe
W1TW

"Warren Dean" <archer@...> on 07/23/2001 05:46:26 PM

Please respond to XMLog@yahoogroups.com

To: XMLog@yahoogroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] ADIF files

Tnx for the input, guys. I must be extremely obtuse. :) I cannot find ANY
files in XMLog that are ADIF. Did I do something wrong when I installed it?
When I get to the "ADIF File Name" box, after selecting "Export ADIF File"
from the "Import" menu, there are no ADIF files to select. Right clicking
on
a log file doesn't give me the option to "save as", either. I have been all
through the help and different menus, but can't figure out how to make an
ADIF file. I know I must have a problem, but I can't seem to figure it out.
Any suggestions? tnx es 73

Warren
K7JWD

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

199. Re: ADIF files

Yahoo group: XMLog
Date: 2001-07-24 15:02:43 UTC
From: scottmanthe@netscape.net
Topic: 196 Message: 199

Warren,
I believe you would open whatever log file you would like to convert from the "FILE" menu, use the import menu to export that file and name it whatever you want to name it. You don't see any ADIF files in the dialog because there aren't any yet- you have to convert the log you have open into that format.

Hope this is correct and it helps...

Scott, N9AI

--- In XMLog@y..., "Warren Dean" <archer@a...> wrote:
> Tnx for the input, guys. I must be extremely obtuse. :) I cannot find ANY
> files in XMLog that are ADIF. Did I do something wrong when I installed it?
> When I get to the "ADIF File Name" box, after selecting "Export ADIF File"
> from the "Import" menu, there are no ADIF files to select. Right clicking on
> a log file doesn't give me the option to "save as", either. I have been all
> through the help and different menus, but can't figure out how to make an
> ADIF file. I know I must have a problem, but I can't seem to figure it out.
> Any suggestions? tnx es 73
>
> Warren
> K7JWD

200. XMLog callsign lookup format or spec?

Yahoo group: XMLog
Date: 2001-07-25 18:21:59 UTC
From: ekdave@earthlink.net
Topic: 200 Message: 200

I'm mulling over the notion of building my own callsign database from the files which can be downloaded from the FCC site. Of course, I'd like to be able to access this database from XMLog, just like you'd access any of the commercial callbook CDs. I figure that two approaches could be used:

1) make my database look like one of the others, so that XMLog thinks it's getting data from one of the other databases;

2) if there is a code interface expected (or implemented) by XMLog, I could write a front-end DLL to go between XMLog and my database.

Are either of these feasible? If so, is the format or interface information available? Or am I reinventing the wheel here?

Thanks,

Dave Ek

201. ADIF Conversion

Yahoo group: XMLog
Date: 2001-07-25 08:37:43 UTC
From: Warren Dean
Topic: 190 Message: 201

To all the guys that put in their 2 cents worth......THANKS! I finally figured it out and got the job done. I felt kinda silly when I realized that I had to create the ADIF file! :) Thanks again guys. Hope that I can help out sometime. 73 de K7JWD

WArren

202. ADIF export bug with digimode ?

Yahoo group: XMLog
Date: 2001-07-26 08:13:39 UTC
From: jonni@surfeu.de
Topic: 202 Message: 202

Hallo XMlog user,

If I export data in ADIF, then the mode transfer is wrong,if it concerns digimodes.
Always rtty is insert as mode.
The original data for example PSK31, MFSK, MT63, FH etc. changed to RTTY.
In the Menue- Display in XMlog everything is ok, but if you look in the ADIF file, the mode is always RTTY, except standart modes SSB, CW etc.
Installed the new XMlog version 4.16 and use the Log from 3.01, runnig under WIN98 German.

Do you have suggestions or a solution?

73 de Jonni DH2LJB

203. Re: ADIF export bug with digimode ?

Yahoo group: XMLog
Date: 2001-07-26 14:39:09 UTC
From: Mike McAmis
Topic: 202 Message: 203

Hello Jonni,

Unfortunately the current specification for ADIF does not include many of the newer data modes so these get converted to RTTY. There is a proposal for the next version of ADIF which includes these modes and I will add them to XMLog when these changes are made official.

Mike - W1ECT

> Hallo XMlog user,
>
> If I export data in ADIF, then the mode transfer is wrong,if it
> concerns digimodes.
> Always rtty is insert as mode.
> The original data for example PSK31, MFSK, MT63, FH etc. changed
> to RTTY.
> In the Menue- Display in XMlog everything is ok, but if you look
> in the ADIF file, the mode is always RTTY, except standart modes
SSB,
> CW etc.
> Installed the new XMlog version 4.16 and use the Log from 3.01,
> runnig under WIN98 German.
>
> Do you have suggestions or a solution?
>
> 73 de Jonni DH2LJB

204. Re: XMLog callsign lookup format or spec?

Yahoo group: XMLog
Date: 2001-07-26 14:43:08 UTC
From: Mike McAmis
Topic: 200 Message: 204

Hello Dave,

Yes it would be possible to access your own database by replacing one of the DLLs normally used to access one of the commercial CDs. If you decide to try it email me at m.mcamis@... and I'll send you the definitions of the interface(s).

Mike - W1ECT

> I'm mulling over the notion of building my own callsign database from
> the files which can be downloaded from the FCC site. Of course, I'd
> like to be able to access this database from XMLog, just like you'd
> access any of the commercial callbook CDs. I figure that two
> approaches could be used:
>
> 1) make my database look like one of the others, so that XMLog thinks
> it's getting data from one of the other databases;
>
> 2) if there is a code interface expected (or implemented) by XMLog, I
> could write a front-end DLL to go between XMLog and my database.
>
> Are either of these feasible? If so, is the format or
> interface information available? Or am I reinventing the wheel here?
>
> Thanks,
>
> Dave Ek

205. Re: ADIF export bug with digimode ?

Yahoo group: XMLog
Date: 2001-07-27 07:15:04 UTC
From: jonni@surfeu.de
Topic: 202 Message: 205

Hallo Mike,
Thank you very much for your promt answer and explanation.
I checked the ADIF standard and unfortunately it is thrue that
the data modes are not supportet very well.
I was surprised, because if I checked as a newcomer my eqsl cards,
all digi modes from other OM's are in.
However, I don't know which way they are using, key in manually ?
use a program in addition ?
Temporary I will edit the modes in the ADIF files, but takes time
and is not so comfortable hi.
Hope that the ADIF group introduce the new version soon.
Thank you for the XMlog 32bit version, and your support.

73 de Jonni

--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
> Hello Jonni,
>
> Unfortunately the current specification for ADIF does not include
many
> of the newer data modes so these get converted to RTTY. There is a
> proposal for the next version of ADIF which includes these modes
and
I
> will add them to XMLog when these changes are made official.
>
> Mike - W1ECT
>
> > Hallo XMlog user,
> >
> > If I export data in ADIF, then the mode transfer is wrong,if it
> > concerns digimodes.
> > Always rtty is insert as mode.
> > The original data for example PSK31, MFSK, MT63, FH etc. changed
> > to RTTY.
> > In the Menue- Display in XMlog everything is ok, but if you look
> > in the ADIF file, the mode is always RTTY, except standart modes
> SSB,
> > CW etc.
> > Installed the new XMlog version 4.16 and use the Log from 3.01,
> > runnig under WIN98 German.
> >
> > Do you have suggestions or a solution?
> >
> > 73 de Jonni DH2LJB

206. Not showing City names

Yahoo group: XMLog
Date: 2001-08-01 21:56:05 UTC
From: Larry Bratcher
Topic: 206 Message: 206

I've upgraded to XMLog version 4.16 and for some reason the city names are not being pulled from my Buckmaster call data. Everything else including the name, address, state and zip is working, just not getting the city name for some reason.

Can anybody help me with this problem?

Thanks

Larry

207. Re: [XMLog] Not showing City names

Yahoo group: XMLog
Date: 2001-08-01 23:15:51 UTC
From: Gerry Cechony
Topic: 206 Message: 207

FWIW-- I recently upgraded to 4.16, and I do not have that problem. (I use the QRZ database.)

73,
Gerry W2GER

----- Original Message -----
From: Larry Bratcher
To: xmlog@yahoogroups.com
Sent: Wednesday, August 01, 2001 5:56 PM
Subject: [XMLog] Not showing City names

I've upgraded to XMLog version 4.16 and for some reason the city names are not being pulled from my Buckmaster call data. Everything else including the name, address, state and zip is working, just not getting the city name for some reason.

Can anybody help me with this problem?

Thanks

Larry

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

208. Import info from QRZ to XMLog

Yahoo group: XMLog
Date: 2001-08-02 10:18:06 UTC
From: w2jbs@arrl.net
Topic: 208 Message: 208

I recently downloaded XMLog to my computer which is connected to the internet. I have been using it as my logbook for all contacts and find it to be very user friendly, especially for an old geezer who never thought he'd use a computer. Now I heard that there is a way to transfer info from the QRZ.com site to the logbook. Could someone tell me how to do that in very simple terms that a new user could understand? I would appreciate any help. Thanks.
Jim, W2JBS

209. Re: [XMLog] Import info from QRZ to XMLog

Yahoo group: XMLog
Date: 2001-08-02 13:17:05 UTC
From: Gerry Cechony
Topic: 208 Message: 209

Hi Jim--

When I said I import from the QRZ database into XMLog, I was not referring to the QRZ website, but to the database purchased on CD from QRZ.

I don't think there is a way to import from the QRZ website.

The automatic lookups are very convenient, especially if the database is copied from CD to hard drive (then they're practically instantaneous). I recommend it highly.

73, Gerry W2GER

----- Original Message -----
From: <w2jbs@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, August 02, 2001 6:18 AM
Subject: [XMLog] Import info from QRZ to XMLog

> I recently downloaded XMLog to my computer which is connected to the
> internet. I have been using it as my logbook for all contacts and
> find it to be very user friendly, especially for an old geezer who
> never thought he'd use a computer. Now I heard that there is a way to
> transfer info from the QRZ.com site to the logbook. Could someone
> tell me how to do that in very simple terms that a new user could
> understand? I would appreciate any help. Thanks.
> Jim, W2JBS
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

210. Re: Not showing City names

Yahoo group: XMLog
Date: 2001-08-02 13:50:29 UTC
From: Mike McAmis
Topic: 206 Message: 210

Hi Larry,

This bug that is fixed in the current beta version available
at www.xmlog.com/beta

Mike - W1ECT
--- In XMLog@y..., Larry Bratcher <lbratche@s...> wrote:
> I've upgraded to XMLog version 4.16 and for some reason the city
names are not being pulled from my Buckmaster call data. Everything
else including the name, address, state and zip is working, just not
getting the city name for some reason.
>
> Can anybody help me with this problem?
>
> Thanks
>
> Larry

211. Database import

Yahoo group: XMLog
Date: 2001-08-03 11:59:37 UTC
From: Comfort kraft
Topic: 211 Message: 211

Is there anyway to import the FCC data into XMLlog? I downloaded the database to import into another logging program,(not XMLog) but it won't work for that program .
Thank You,
George R. Griesbach
505 River Oaks Rd.
Comfort, Texas, 78013
admin@...
www.comforttexas.com
W5GRG

212. Re: [XMLog] Database import

Yahoo group: XMLog
Date: 2001-08-03 12:26:01 UTC
From: David Ek
Topic: 211 Message: 212

Gang,

I'm working on doing exactly that right now. Mike has provided me with the interface for the ham call CD access dll, and I've created a version that will read data from a database I created based on the downloadable FCC data. After I get it finished I'll release the DLL and some instructions on how to get the data for yourself. One note up front--creating the database will require MS Access 97 or newer.

So far I've created the database and I've succesfully accessed it using the DLL I created. I still need to try to handle returning counties and lat/lon data. It should be finished in a few weeks.

I'm heading off on vacation so if you email me (or the list) with questions about this I may not see them for a few days.

73 de Dave NK0E

----- Original Message -----
From: "Comfort kraft" <admin@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 03, 2001 5:59 AM
Subject: [XMLog] Database import

> Is there anyway to import the FCC data into XMLlog? I downloaded the
> database to import into another logging program,(not XMLog) but it won't
> work for that program .
> Thank You,
> George R. Griesbach
> 505 River Oaks Rd.
> Comfort, Texas, 78013
> admin@...
> www.comforttexas.com
> W5GRG
>
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

213. Re: [XMLog] Database import

Yahoo group: XMLog
Date: 2001-08-04 04:26:41 UTC
From: Raymond Hansmeier
Topic: 211 Message: 213

Let me know...I sure would be interested...K7FU
----- Original Message -----
From: David Ek
To: XMLog@yahoogroups.com
Sent: Friday, August 03, 2001 5:26 AM
Subject: Re: [XMLog] Database import

Gang,

I'm working on doing exactly that right now. Mike has provided me with the interface for the ham call CD access dll, and I've created a version that will read data from a database I created based on the downloadable FCC data. After I get it finished I'll release the DLL and some instructions on how to get the data for yourself. One note up front--creating the database will require MS Access 97 or newer.

So far I've created the database and I've succesfully accessed it using the DLL I created. I still need to try to handle returning counties and lat/lon data. It should be finished in a few weeks.

I'm heading off on vacation so if you email me (or the list) with questions about this I may not see them for a few days.

73 de Dave NK0E

----- Original Message -----
From: "Comfort kraft" <admin@comforttexas.com>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 03, 2001 5:59 AM
Subject: [XMLog] Database import

> Is there anyway to import the FCC data into XMLlog? I downloaded the
> database to import into another logging program,(not XMLog) but it won't
> work for that program .
> Thank You,
> George R. Griesbach
> 505 River Oaks Rd.
> Comfort, Texas, 78013
> admin@...
> www.comforttexas.com
> W5GRG
>
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com

>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

214. Beta 4.18 feedback?

Yahoo group: XMLog
Date: 2001-08-04 15:42:10 UTC
From: Mike McAmis
Topic: 214 Message: 214

I'm interested in feedback on the new "Display/Display Excel" feature
that was added in version 4.18 (available at www.xmlog.com/beta).
Any problems, suggestions?

Mike - W1ECT

P.S. - If you'd like to reduce the number of XMLog email's you're
receiving go to groups.yahoo.com/group/XMLog and use "Edit My
Membership" to set the "Daily Digest" option.

215. Re: [XMLog] Beta 4.18 feedback?

Yahoo group: XMLog
Date: 2001-08-04 15:52:53 UTC
From: KB6NAN Dianna Killeen
Topic: 214 Message: 215

I got my office installed again Mike I think it is GREAT 88 thanks

W I S H someday for lots 6 m support (no need to reply I have read
comments before)

--
KB6NAN Dianna R. Killeen
http://www.southcoast.net/dx/dxmain.html

Mike McAmis wrote:

> I'm interested in feedback on the new "Display/Display Excel" feature
> that was added in version 4.18 (available at www.xmlog.com/beta).
> Any problems, suggestions?
>
> Mike - W1ECT
>
> P.S. - If you'd like to reduce the number of XMLog email's you're
> receiving go to groups.yahoo.com/group/XMLog and use "Edit My
> Membership" to set the "Daily Digest" option.
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

216. Re: [XMLog] Beta 4.18 feedback?

Yahoo group: XMLog
Date: 2001-08-04 16:38:52 UTC
From: g4cdz@aol.com
Topic: 214 Message: 216

Mike
Sorry I missed the 4.18 posting.

Using Win 2K, Excel 97 - everything worked fine - default, selected fields and all.

Very useful for some manipulations.

Thanks

Barrie - G4CDZ

217. Using with the IC-746??

Yahoo group: XMLog
Date: 2001-08-05 17:08:07 UTC
From: dcorio@adelphia.net
Topic: 217 Message: 217

In trying to set up XMLog with my Icom IC-746, I keep getting the error message "Rig Address Too Large" when I select the 746 as the rig. The program automatically populates the rig address with 56, which is correct.

Do I need to change the address in the Icom, or does this need to be entered into the program in hex?

Thanks in advance & 73
Dave
N0HNJ

218. Re: Using with the IC-746??

Yahoo group: XMLog
Date: 2001-08-06 15:46:18 UTC
From: Mike McAmis
Topic: 217 Message: 218

Sorry Dave - I seem to have introduced this bug in version 4.18. I'll have a new beta available at www.xmlog.com/beta soon.

Mike - W1ECT

> In trying to set up XMLog with my Icom IC-746, I keep getting the
> error message "Rig Address Too Large" when I select the 746 as the
> rig. The program automatically populates the rig address with 56,
> which is correct.
>
> Do I need to change the address in the Icom, or does this need to
> be entered into the program in hex?
>
> Thanks in advance & 73
> Dave
> N0HNJ

219. Re: [XMLog] Re: Using with the IC-746??

Yahoo group: XMLog
Date: 2001-08-06 23:59:38 UTC
From: Dave "Doc" Corio
Topic: 217 Message: 219

No apology necessary Mike! It's understood that beta versions will have some bugs! Glad I was able to find one - and your fix worked perfectly!

Tnx & 73
Dave
N0HNJ

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, August 06, 2001 11:46 AM
Subject: [XMLog] Re: Using with the IC-746??

Sorry Dave - I seem to have introduced this bug in version 4.18. I'll have a new beta available at www.xmlog.com/beta soon.

Mike - W1ECT

> In trying to set up XMLog with my Icom IC-746, I keep getting the
> error message "Rig Address Too Large" when I select the 746 as the
> rig. The program automatically populates the rig address with 56,
> which is correct.
>
> Do I need to change the address in the Icom, or does this need to
> be entered into the program in hex?
>
> Thanks in advance & 73
> Dave
> N0HNJ

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

220. Re: Beta 4.18 feedback?

Yahoo group: XMLog
Date: 2001-08-08 03:43:06 UTC
From: John AG4CZ
Topic: 214 Message: 220

Mike,
Cant say enough about the display Excel feature. This will allow some really good manipulation without having to access the database directly, as I have been doing. Of course my custom reports are now scrap :)
Question in 4.19 about the ADIF export. I do see that on new entries it accepts the new modes without having defined them (i.e.. pcw); however, when I export they still show as RTTY. Will this be revised in the future so that the mode will reflect the individual data mode during ADIF export?
73
John AG4CZ

221. Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-08 16:28:31 UTC
From: jagius@sybase.com
Topic: 221 Message: 221

Mike:

I thought that the following features would be useful:

1. My main data base is on my home computer but I work on the Mlog file at my work computer as well.
Then I make a copy and carry it back and forth. The file is approaching the 1.4 MB limit of a floppy.
Is there an easy way to code just to select the changed or updated entries and then I could create an adif file or an Mlog text of just those that changed and import them into the other?

2. For Zones worked/confirmed - if a zone has not been worked, is it possible to list the zone number only
so that it is obvious which ones are still needed?

Feedback on 4.18 Excel report.

This is excellent and very flexible. I love it. I can move columns around and create any report I need.
The only suggestion thus far is that the date column seems to be locked up and cannot be reformatted into different date styles.
The other columns are formattable but not the date. This may be a quirk from Excel. I was going to try to save it as some other type and trying to reimport it but I haven't gotten around to it yet. Perhaps it's just some bit that gets locked up in the import.

Seemingly Observed bugs:

1. In multiprint QSL label, the sort seems to be by month only and not by year also. This results in printed QSO lines
out of sequence.

Joe W1TW

222. Re: [XMLog] Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-09 08:02:37 UTC
From: John Smith
Topic: 221 Message: 222

Joe,
Regarding your first question about taking the file back and forth work,
have you ever thought of emailing it to yourself at work?

73
John

----- Original Message -----
From: <jagius@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, August 08, 2001 12:28
Subject: [XMLog] Mlog suggestions

> Mike:
>
> I thought that the following features would be useful:
>
> 1. My main data base is on my home computer but I work on the Mlog file at
> my work computer as well.
> Then I make a copy and carry it back and forth. The file is approaching
> the 1.4 MB limit of a floppy.
> Is there an easy way to code just to select the changed or updated
> entries and then I could create an adif file or an Mlog text of just
those
> that changed and import them into the other?
>
>
> 2. For Zones worked/confirmed - if a zone has not been worked, is it
> possible to list the zone number only
> so that it is obvious which ones are still needed?
>
> Feedback on 4.18 Excel report.
>
> This is excellent and very flexible. I love it. I can move columns around
> and create any report I need.
> The only suggestion thus far is that the date column seems to be locked up
> and cannot be reformatted into different date styles.
> The other columns are formattable but not the date. This may be a quirk
> from Excel. I was going to try to save it as some other type and trying
> to reimport it but I haven't gotten around to it yet. Perhaps it's just
> some bit that gets locked up in the import.
>
>
> Seemingly Observed bugs:
>
> 1. In multiprint QSL label, the sort seems to be by month only and not by

> year also. This results in printed QSO lines
> out of sequence.
>
>
> Joe W1TW
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

223. Re: [XMLog] Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-09 11:12:38 UTC
From: jagius@sybase.com
Topic: 221 Message: 223

Hi John,
Actually I hadn't thought along those lines although it is an option.
Thanks for pointing it out.

I have been using the disks for a couple of reasons:
1. I have a continuous backup system - I save key ones for restoration
purposes.
2. BAckup is of the computer in case of a real disaster.

Thanks for the suggestion and I'll see if I can work it in.

Joe

"John Smith" <johnki4ro@...> on 08/09/2001 04:02:37 AM

Please respond to XMLog@yahoogroups.com

To: XMLog@yahoogroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: Re: [XMLog] Mlog suggestions

Joe,
Regarding your first question about taking the file back and forth
work,
have you ever thought of emailing it to yourself at work?

73
John

----- Original Message -----
From: <jagius@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, August 08, 2001 12:28
Subject: [XMLog] Mlog suggestions

> Mike:
>
> I thought that the following features would be useful:
>
> 1. My main data base is on my home computer but I work on the Mlog file
at
> my work computer as well.
> Then I make a copy and carry it back and forth. The file is approaching
> the 1.4 MB limit of a floppy.
> Is there an easy way to code just to select the changed or updated
> entries and then I could create an adif file or an Mlog text of just

those
> that changed and import them into the other?
>
>
> 2. For Zones worked/confirmed - if a zone has not been worked, is it
> possible to list the zone number only
> so that it is obvious which ones are still needed?
>
> Feedback on 4.18 Excel report.
>
> This is excellent and very flexible. I love it. I can move columns
around
> and create any report I need.
> The only suggestion thus far is that the date column seems to be locked
up
> and cannot be reformatted into different date styles.
> The other columns are formattable but not the date. This may be a quirk
> from Excel. I was going to try to save it as some other type and trying
> to reimport it but I haven't gotten around to it yet. Perhaps it's just
> some bit that gets locked up in the import.
>
>
> Seemingly Observed bugs:
>
> 1. In multiprint QSL label, the sort seems to be by month only and not
by
> year also. This results in printed QSO lines
> out of sequence.
>
>
> Joe W1TW
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

224. Yaesu FT-980

Yahoo group: XMLog
Date: 2001-08-04 21:29:16 UTC
From: Warren Dean
Topic: 224 Message: 224

Has anyone used XMLog with the Yaesu FT-980? I did not see it listed and do not know which, if any, other xcvrs look the same to XMLog. tnx es 73

Warren
K7JWD

225. Re: Beta 4.18 feedback?

Yahoo group: XMLog
Date: 2001-08-09 13:47:44 UTC
From: Mike McAmis
Topic: 214 Message: 225

Hi John,

You're right, only some of the new modes were going out for ADIF
without being mapped to RTTY. I'll fix this in the next beta.

Mike - W1ECT

> Mike,
> Cant say enough about the display Excel feature. This will allow
some
> really good manipulation without having to access the database
> directly, as I have been doing. Of course my custom reports are now
> scrap :)
> Question in 4.19 about the ADIF export. I do see that on new entries
> it accepts the new modes without having defined them (i.e.. pcw);
> however, when I export they still show as RTTY. Will this be revised
> in the future so that the mode will reflect the individual data mode
> during ADIF export?
> 73
> John AG4CZ

226. Re: Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-09 13:55:33 UTC
From: Mike McAmis
Topic: 221 Message: 226

Hi Joe,

1) For moving big logs, try some utility that can do a compression. The plain old Microsoft Backup provided with Windows should do the trick and can handle multiple floppies.

2) The best way to see your zone-by-zone status is to use "Awards/WAZ Checklist".

3) The latest beta at www.xmlog.com/beta has a change to the generated Excel report that allows date and times to be reformatted within Excel.

4) I'll check out the label sorting...

Mike - W1ECT

> I thought that the following features would be useful:
>
> 1. My main data base is on my home computer but I work on the Mlog file at
> my work computer as well.
> Then I make a copy and carry it back and forth. The file is approaching
> the 1.4 MB limit of a floppy.
> Is there an easy way to code just to select the changed or updated
> entries and then I could create an adif file or an Mlog text of just those
> that changed and import them into the other?
>
>
> 2. For Zones worked/confirmed - if a zone has not been worked, is it
> possible to list the zone number only
> so that it is obvious which ones are still needed?
>
> Feedback on 4.18 Excel report.
>
> This is excellent and very flexible. I love it. I can move columns around
> and create any report I need.
> The only suggestion thus far is that the date column seems to be locked up
> and cannot be reformatted into different date styles.
> The other columns are formattable but not the date. This may be a quirk

> from Excel. I was going to try to save it as some other type and
trying
> to reimport it but I haven't gotten around to it yet. Perhaps it's
just
> some bit that gets locked up in the import.
>
>
> Seemingly Observed bugs:
>
> 1. In multiprint QSL label, the sort seems to be by month only and
not by
> year also. This results in printed QSO lines
> out of sequence.
>
>
> Joe W1TW

227. Re: Yaesu FT-980

Yahoo group: XMLog
Date: 2001-08-09 13:59:29 UTC
From: Mike McAmis
Topic: 224 Message: 227

Hi Warren,

Yaesu has a nasty habit of changing the CAT commands for each rig so this makes supporting each new rig a bit of a pain. If you can send me a copy of the pages in your manual that describe the CAT command set I can add the 980 to the list with your help.

Thanks,

Michael McAmis
433 Hanover Center Road
Etna, NH - 03750

--- In XMLog@y..., "Warren Dean" <archer@a...> wrote:
> Has anyone used XMLog with the Yaesu FT-980? I did not see it listed and do not know which, if any, other xcvrs look the same to XMLog. tnx es 73
>
> Warren
> K7JWD

228. Re: Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-09 14:13:39 UTC
From: Mike McAmis
Topic: 221 Message: 228

Hi again Joe,

5) Labels get sorted by Prefix first then Call, Date, and Time to make it easier to sort cards to be submitted to the outgoing QSL bureau.

Mike - W1ECT

> Mike:
>
> I thought that the following features would be useful:
>
> 1. My main data base is on my home computer but I work on the Mlog file at
> my work computer as well.
> Then I make a copy and carry it back and forth. The file is approaching
> the 1.4 MB limit of a floppy.
> Is there an easy way to code just to select the changed or updated
> entries and then I could create an adif file or an Mlog text of just those
> that changed and import them into the other?
>
>
> 2. For Zones worked/confirmed - if a zone has not been worked, is it
> possible to list the zone number only
> so that it is obvious which ones are still needed?
>
> Feedback on 4.18 Excel report.
>
> This is excellent and very flexible. I love it. I can move columns around
> and create any report I need.
> The only suggestion thus far is that the date column seems to be locked up
> and cannot be reformatted into different date styles.
> The other columns are formattable but not the date. This may be a quirk
> from Excel. I was going to try to save it as some other type and trying
> to reimport it but I haven't gotten around to it yet. Perhaps it's just
> some bit that gets locked up in the import.
>
>
> Seemingly Observed bugs:
>

> 1. In multiprint QSL label, the sort seems to be by month only and
not by
> year also. This results in printed QSO lines
> out of sequence.
>
>
> Joe W1TW

229. Re: [XMLog] Re: Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-09 14:59:21 UTC
From: jagius@sybase.com
Topic: 221 Message: 229
Attachments: 1 described; binary payloads are missing from this source WARC

Hi Mike,

I understand that labels get sorted by Prefix first then Call, Date, and Time to make
it easier to sort cards to be submitted to the outgoing QSL bureau.

My point is that within thar scenario, if there is a multi line label, the sort of the qso lines within the label
get sortede only by month and not by year. I am sending you an adif file of one of my labels for M6T.
If you load it into a log file and then print it using the multifile label, you can see all the Februarys first regardless of year,
then May of the previous year followed by July of a later year and finally October from 2 years back.

It won't do much good just to look at the adif file, since that order is irrelevant.

If that doesn't show the problem, I will print my label file then scan it and send it to you.
Don't know of any other way to do it since there is no option to print labels to a file.
The labels.out file is too early in the process to demonstrate anything along these lines.

Joe

(See attached file: mike418.adi)

"Mike McAmis" <m.mcamis@...> on 08/09/2001 10:13:39 AM

Please respond to XMLog@yahoogroups.com

To: XMLog@yahoogroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] Re: Mlog suggestions

Hi again Joe,

5) Labels get sorted by Prefix first then Call, Date, and Time to make it easier to sort cards to be submitted to the outgoing QSL bureau.

Mike - W1ECT

> Mike:
>

> I thought that the following features would be useful:
>
> 1. My main data base is on my home computer but I work on the Mlog
file at
> my work computer as well.
> Then I make a copy and carry it back and forth. The file is
approaching
> the 1.4 MB limit of a floppy.
> Is there an easy way to code just to select the changed or updated
> entries and then I could create an adif file or an Mlog text of
just those
> that changed and import them into the other?
>
>
> 2. For Zones worked/confirmed - if a zone has not been worked, is it
> possible to list the zone number only
> so that it is obvious which ones are still needed?
>
> Feedback on 4.18 Excel report.
>
> This is excellent and very flexible. I love it. I can move columns
around
> and create any report I need.
> The only suggestion thus far is that the date column seems to be
locked up
> and cannot be reformatted into different date styles.
> The other columns are formattable but not the date. This may be a
quirk
> from Excel. I was going to try to save it as some other type and
trying
> to reimport it but I haven't gotten around to it yet. Perhaps it's
just
> some bit that gets locked up in the import.
>
>
> Seemingly Observed bugs:
>
> 1. In multiprint QSL label, the sort seems to be by month only and
not by
> year also. This results in printed QSO lines
> out of sequence.
>
>
> Joe W1TW

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

230. Re: [XMLog] Digest Number 128

Yahoo group: XMLog
Date: 2001-08-05 08:11:00 UTC
From: Warren Dean
Topic: 230 Message: 230

Mike,

Thanks for the note. I am in the process of buying a FT-980 and will scan and send the necessary pages as soon as I make the deal. Thanks for your interest in helping out. 73

Warren
K7JWD

231. Re: Mlog suggestions

Yahoo group: XMLog
Date: 2001-08-10 15:19:14 UTC
From: Mike McAmis
Topic: 221 Message: 231

OK Joe - The sort was broken. It was sorting as a string in MM/DD/YY format which was causing the effect you saw. I've fixed it for the next version.

Mike - W1ECT

> Hi Mike,
>
> I understand that labels get sorted by Prefix first then Call, Date, and
> Time to make
> it easier to sort cards to be submitted to the outgoing QSL bureau.
>
> My point is that within thar scenario, if there is a multi line label, the
> sort of the qso lines within the label
> get sortede only by month and not by year. I am sending you an adif file
> of one of my labels for M6T.
> If you load it into a log file and then print it using the multifile label,
> you can see all the Februarys first regardless of year,
> then May of the previous year followed by July of a later year and finally
> October from 2 years back.
>
> It won't do much good just to look at the adif file, since that order is
> irrelevant.
>
> If that doesn't show the problem, I will print my label file then scan it
> and send it to you.
> Don't know of any other way to do it since there is no option to print
> labels to a file.
> The labels.out file is too early in the process to demonstrate anything
> along these lines.
>
> Joe
>
>
> (See attached file: mike418.adi)

>
>
>
>
>
>
>
>
> "Mike McAmis" <m.mcamis@v...> on 08/09/2001 10:13:39 AM
>
> Please respond to XMLog@y...
>

>

>

>
>
>
>
>
> To: XMLog@y...
>
> cc: (bcc: Joseph Agius/SYBASE)
>
>
>
> Subject: [XMLog] Re: Mlog suggestions
>
>
>
>
>
>
>
>
>
>
> Hi again Joe,
>
> 5) Labels get sorted by Prefix first then Call, Date, and Time to
make
> it easier to sort cards to be submitted to the outgoing QSL bureau.
>
> Mike - W1ECT
>
> > Mike:
> >
> > I thought that the following features would be useful:
> >
> > 1. My main data base is on my home computer but I work on the Mlog

> file at
> > my work computer as well.
> > Then I make a copy and carry it back and forth. The file is
> approaching
> > the 1.4 MB limit of a floppy.
> > Is there an easy way to code just to select the changed or
updated
> > entries and then I could create an adif file or an Mlog text of
> just those
> > that changed and import them into the other?
> >
> >
> > 2. For Zones worked/confirmed - if a zone has not been worked, is
it
> > possible to list the zone number only
> > so that it is obvious which ones are still needed?
> >
> > Feedback on 4.18 Excel report.
> >
> > This is excellent and very flexible. I love it. I can move
columns
> around
> > and create any report I need.
> > The only suggestion thus far is that the date column seems to be
> locked up
> > and cannot be reformatted into different date styles.
> > The other columns are formattable but not the date. This may be a
> quirk
> > from Excel. I was going to try to save it as some other type and
> trying
> > to reimport it but I haven't gotten around to it yet. Perhaps
it's
> just
> > some bit that gets locked up in the import.
> >
> >
> > Seemingly Observed bugs:
> >
> > 1. In multiprint QSL label, the sort seems to be by month only
and
> not by
> > year also. This results in printed QSO lines
> > out of sequence.
> >
> >
> > Joe W1TW
>
>
>
> To unsubscribe from this group, send an email to:

> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

232. .NOD file syntax question

Yahoo group: XMLog
Date: 2001-08-11 12:58:36 UTC
From: marty_kx@yahoo.com
Topic: 232 Message: 232

Is there any way to set up a "match" line so that it will recognize either of two words and trigger the same "send" response?

A station I connect with might respond to my password with either of two different lines, each having a different ending, depending on the station's current status. I would like to send the same command when either ending is received.

TIA for any suggetions.

Marty K1FHR

233. .Nod file syntax question (addendum)

Yahoo group: XMLog
Date: 2001-08-13 15:49:06 UTC
From: marty_kx@yahoo.com
Topic: 233 Message: 233

I thought my question might be better illustrated with an example.

This is the form of a file I am using to get into a chat node:

```
connect xxxxx.ampr.org
match login:
send k1fhr
match Password:
send mypassword
match Z>
send conf
match in
send /n k1fhr
match users. **
send /ch 88
```

** "users" may be replaced by another word, and I would like send
the same response (/ch 88) regardless of which of the two is used.

I did go over the pertinent info in the help files (version 4.00) but
couldn't work it out.

234. Re: .Nod file syntax question (addendum)

Yahoo group: XMLog
Date: 2001-08-14 12:55:38 UTC
From: Mike McAmis
Topic: 233 Message: 234

Hi Marty,

There's no "match a or b" feature for node files. If you're lucky perhaps there's some character sequence that's contained in both responses. I'll look into the problem, perhaps adding a "pause xxx" command would be good enough.

Mike - W1ECT

> I thought my question might be better illustrated with an example.
>
> This is the form of a file I am using to get into a chat node:
>
> connect xxxxx.ampr.org
> match login:
> send k1fhr
> match Password:
> send mypassword
> match Z>
> send conf
> match in
> send /n k1fhr
> match users. **
> send /ch 88
>
> ** "users" may be replaced by another word, and I would like send
> the same response (/ch 88) regardless of which of the two is used.
>
> I did go over the pertinent info in the help files (version 4.00) but
> couldn't work it out.

235. Re: .Nod file syntax question (addendum)

Yahoo group: XMLog
Date: 2001-08-14 21:54:15 UTC
From: marty_kx@yahoo.com
Topic: 233 Message: 235

Thanks Mike. Your suggestion was the key to solving the problem.

First, the common character was a period at the end of the words
being used. So I eliminated the words and left the periods. That
worked.

Then I wondered if the periods were actually being recognized as
characters (are they?), so I eliminated them, and it still worked.

Next, I realized that there was only one response that actually
required a specific command to be sent, the login, so I eliminated
all the other match lines and put all of the subsequent commands,
separated by commas, on one send line. That worked too, and is
really fast. Just 3 lines:

```
connect <internet address>
match server.
# following are the login and channel specifiers.
send /n K1FHR,/ch 152,/le 3694
```

```
--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Marty,
>
> There's no "match a or b" feature for node files. If you're lucky
> perhaps there's some character sequence that's contained in both
> responses. I'll look into the problem, perhaps adding a "pause
xxx"
> command would be good enough.
>
> Mike - W1ECT
> >
> > I thought my question might be better illustrated with an example.
> >
> > This is the form of a file I am using to get into a chat node:
> >
> > connect xxxxx.ampr.org
> > match login:
> > send k1fhr
> > match Password:
> > send mypassword
> > match Z>
> > send conf
> > match in
> > send /n k1fhr
> > match users. **
> > send /ch 88
```

> >
> > ** "users" may be replaced by another word, and I would like
send
> > the same response (/ch 88) regardless of which of the two is used.
> >
> > I did go over the pertinent info in the help files (version 4.00)
> but
> > couldn't work it out.

236. Mode compatibility XMlog-ADIF.

Yahoo group: XMLog
Date: 2001-08-16 12:08:58 UTC
From: jonni@surfeu.de
Topic: 236 Message: 236

Hi Mike,

I checked the new version XMlog 4.19 beta whether the new modes will transfer correctly into adif file now.

You added new data modes which are now officially supported for ADIF import/export.

But there are still modes which are not include.

It is difficult to make a correct ADIF export, if between XMlog modes input possibilities and ADIF mode export support, are differences.

If I make an ADIF file upload to eQSL I am never reliably whether the modes correctly in the ADIF file.

I always have to check the identic of modes inside of ADIF file and edit if necessary, before upload .

Is it possible to tolerate that all modes, include define custom mode,from XMlog are later in the ADIF export file ?

Or a selection possibility official ADIF, ADIF plus include define custom mode ?

Otherwise never or very late new operating modes are supported in the ADIF file.
Also I think that was the reason that you enhanced the include define custom mode.
E-OSL accept all modes as well.

Please understand this as suggestion.

73 de Jonni DH2LJB

237. Excel Display

Yahoo group: XMLog
Date: 2001-08-19 00:34:05 UTC
From: Charles Stampf
Topic: 237 Message: 237

The new EXCEL display feature is great. I'm contemplating generating my QSL cards using the data from EXCEL. Initial tests have provided good results; with one exception.

It seems that when porting the data from XMLOG to EXCEL, the RST fields are being interpreted as date data. A 5-9 signal report becomes 9-May. Have I forgotten something in my set-up, or is this a bug?

Thanks Mike.....

238. Lost my copy of version 4.0

Yahoo group: XMLog
Date: 2001-08-19 14:35:16 UTC
From: Joe Burnham
Topic: 238 Message: 238

Hello all...

I need to locate another copy of version 4.00 of XMLog, as the latest release is making my P200 Windows 98 machine unhappy (version 4.0 runs fine).

If someone can point me to a web address, or perhaps send version 4.0 as a ZIP file attached to an e-mail to me, I'd appreciate it!

73...Joe
wd4kav@...

239. How to make your own callbook database for XMLog

Yahoo group: XMLog
Date: 2001-08-19 18:43:35 UTC
From: David Ek
Topic: 239 Message: 239

All,

I've created a MS Access 97 database and a utility DLL which you can use to create your own callbook database for use with XMLog. I've placed the necessary files into a zip file and put it on my web site so you can grab it and make your own callbook if you want. It's at:

http://home.earthlink.net/~ekdave/callbook.zip

The zip file is a little over a MB in size and contains three files:

README.PDF - a PDF file containing instructions on how to build the callbook
THEDATA.MDB - a "seed" database which you'll populate with FCC data
RACCD32A.DLL - the callbook DLL for use with XMLog

What you'll need to do is download the 50 MB FCC callsign database from the ULS web site, import three of its text files into Access as tables (a very easy but time-consuming process), and then set up XMLog to use the resulting database.

The instructions should be pretty clear, but drop me an email if you run into problems. If you do it, let me know how it goes.

73 de Dave NK0E

240. Re: How to make your own callbook database for XMLog

Yahoo group: XMLog
Date: 2001-08-19 18:45:29 UTC
From: David Ek
Topic: 239 Message: 240

One other thing--you need the MS Access 97 software in order to build the database--I should've mentioned this in the original message.

Dave

----- Original Message -----
From: "David Ek" <ekdave@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, August 19, 2001 12:43 PM
Subject: [XMLog] How to make your own callbook database for XMLog

> All,
>
> I've created a MS Access 97 database and a utility DLL which you can use to
> create your own callbook database for use with XMLog. I've placed the
> necessary files into a zip file and put it on my web site so you can grab it
> and make your own callbook if you want. It's at:
>
> http://home.earthlink.net/~ekdave/callbook.zip
>
> The zip file is a little over a MB in size and contains three files:
>
> README.PDF - a PDF file containing instructions on how to build the callbook
> THEDATA.MDB - a "seed" database which you'll populate with FCC data
> RACCD32A.DLL - the callbook DLL for use with XMLog
>
> What you'll need to do is download the 50 MB FCC callsign database from the
> ULS web site, import three of its text files into Access as tables (a very
> easy but time-consuming process), and then set up XMLog to use the resulting
> database.
>
> The instructions should be pretty clear, but drop me an email if you run
> into problems. If you do it, let me know how it goes.
>
> 73 de Dave NK0E
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>

>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

241. Re: [XMLog] How to make your own callbook database for XMLog

Yahoo group: XMLog
Date: 2001-08-20 02:44:01 UTC
From: David Ek
Topic: 239 Message: 241

Gang,

I needed to update the rest of my web site, so while I was at it I added a page for the callbook thing I posted earlier. The other URL will still work, but now you an also use http://home.earthlink.net/~ekdave/callbook.html as well.

73 de Dave NK0E

----- Original Message -----
From: "David Ek" <ekdave@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, August 19, 2001 12:43 PM
Subject: [XMLog] How to make your own callbook database for XMLog

> All,
>
> I've created a MS Access 97 database and a utility DLL which you can use to
> create your own callbook database for use with XMLog. I've placed the
> necessary files into a zip file and put it on my web site so you can grab it
> and make your own callbook if you want. It's at:
>
> http://home.earthlink.net/~ekdave/callbook.zip
>
> The zip file is a little over a MB in size and contains three files:
>
> README.PDF - a PDF file containing instructions on how to build the callbook
> THEDATA.MDB - a "seed" database which you'll populate with FCC data
> RACCD32A.DLL - the callbook DLL for use with XMLog
>
> What you'll need to do is download the 50 MB FCC callsign database from the
> ULS web site, import three of its text files into Access as tables (a very
> easy but time-consuming process), and then set up XMLog to use the resulting
> database.
>
> The instructions should be pretty clear, but drop me an email if you run
> into problems. If you do it, let me know how it goes.
>
> 73 de Dave NK0E
>
>

>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

242. Re: [XMLog] How to make your own callbook database for XMLog

Yahoo group: XMLog
Date: 2001-08-20 12:01:26 UTC
From: jagius@sybase.com
Topic: 239 Message: 242

Hi Dave,

I'm interested in setting up your callbook database for Mlog.
Before I start the process, will Access 2000 work or will I have to go back
to Access 97?

If you haven't tested it, I may give it a shot and let yhou know if it
works.

Joe
W1TW

243. Re: [XMLog] How to make your own callbook database for XMLog

Yahoo group: XMLog
Date: 2001-08-20 12:08:02 UTC
From: David Ek
Topic: 239 Message: 243

Joe,

I'm pretty sure Access 2000 can be used, but I don't have it so I can't test it. I imagine that the step-by-step procedure I concocted might need a little modification for Access 2000, but I would think that it should be pretty close. If you try it and make it work, please write down the procedure and I'll add it to my instructions for the benefit of other folks, okay?

Good luck -

Dave NK0E

----- Original Message -----
From: <jagius@...>
To: <XMLog@yahoogroups.com>
Sent: Monday, August 20, 2001 6:01 AM
Subject: Re: [XMLog] How to make your own callbook database for XMLog

> Hi Dave,
>
> I'm interested in setting up your callbook database for Mlog.
> Before I start the process, will Access 2000 work or will I have to go back
> to Access 97?
>
> If you haven't tested it, I may give it a shot and let yhou know if it
> works.
>
> Joe
> W1TW
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

244. Re: Excel Display

Yahoo group: XMLog
Date: 2001-08-20 13:56:50 UTC
From: Mike McAmis
Topic: 237 Message: 244

Hello Charles,

The format for columns like rst is currently set to "General" and
thats seems to be causing the problem. Excel sees the 5-9 and assumes
it's a date. I'll change the format for the appropriate columns to
"Text" in the next version.

Mike - W1ECT

--- In XMLog@y..., "Charles Stampf" <cestampf@w...> wrote:
> The new EXCEL display feature is great. I'm contemplating
generating my QSL
> cards using the data from EXCEL. Initial tests have provided good
results;
> with one exception.
>
> It seems that when porting the data from XMLOG to EXCEL, the RST
fields are
> being interpreted as date data. A 5-9 signal report becomes 9-May.
Have I
> forgotten something in my set-up, or is this a bug?
>
> Thanks Mike.......

245. I've got version 4.0 now...

Yahoo group: XMLog
Date: 2001-08-20 22:29:42 UTC
From: Joe Burnham
Topic: 245 Message: 245

THANKS to the 2 folks who attached version 4.0 of XMLog to a e-mail
and sent it to me. I REALLY appreciate your fast response, and am
now using 4.0 (as well as trying out 4.16). In any case, I've got
the tried and true 4.0 to fall back on.

73
Joe WD4KAV

246. PSK in ADIF Export

Yahoo group: XMLog
Date: 2001-08-21 03:16:23 UTC
From: John AG4CZ
Topic: 246 Message: 246

Mike,
Thanks for the PSK31 in the ADIF export!!!!! It is greatly
appreciated.
John AG4CZ

248. Beta version 4.21 available

Yahoo group: XMLog
Date: 2001-09-13 16:29:13 UTC
From: Mike McAmis
Topic: 248 Message: 248

Beta test version 4.21 of XMLog is now available, check out
www.xmlog.com/beta for downloads and a description of the
changes.

Mike - W1ECT

249. Re: [XMLog] Beta version 4.21 available

Yahoo group: XMLog
Date: 2001-09-14 20:51:30 UTC
From: g4cdz@aol.com
Topic: 248 Message: 249

Mike
Thanks for the new update, went straight in no problem.

Barrie - G4CDZ

250. New message

Yahoo group: XMLog
Date: 2001-09-15 18:12:31 UTC
From: Ron Anderson
Topic: 248 Message: 250

I'm new to this user group thing. How do I post a message?

I'm wondering if there is a way to add the slash mark to the ZERO in my call?
Thanks for your help.

251. Re: [XMLog] New message

Yahoo group: XMLog
Date: 2001-09-15 21:24:02 UTC
From: CyberGeezer
Topic: 248 Message: 251

----- Original Message -----
From: Ron Anderson
To: XMLog@yahoogroups.com
Sent: Saturday, September 15, 2001 2:12 PM
Subject: [XMLog] New message

I'm new to this user group thing. How do I post a message?
Just like that!

I'm wondering if there is a way to add the slash mark to the ZERO in my call?
I presume you mean on a QSL card printed by the QSL Label function? It would take some trial and error, but could you construct it with the LINE function?

73 de W2GERry

252. Re: Slashed Zeroes

Yahoo group: XMLog
Date: 2001-09-16 15:26:59 UTC
From: m.mcamis@valley.net
Topic: 248 Message: 252

Hi Ron,

There are a couple of fonts you can choose that show a zero
differently than the letter O. Use Options/Log Options and use Log
Font to select either Terminal/9/Regular (has a slashed zero) or
FixedSys/9/Regular (has a squiggle in the zero).

Mike - W1ECT

Ron Anderson <Ron_Anderson@W...> wrote:
> I'm new to this user group thing. How do I post a message?
>
> I'm wondering if there is a way to add the slash mark to the ZERO in
my call?
> Thanks for your help.

253. Re: [XMLog] Re: Slashed Zeroes

Yahoo group: XMLog
Date: 2001-09-16 16:28:54 UTC
From: k3gv@arrl.net
Topic: 248 Message: 253

While typing if you use ALT 0216 it results in a slashed zero Ø.

73,
George K3GV

DX: Long may it live !
If it isn't LOGic it isn't LOGging !

254. Slash Zero(Ø)

Yahoo group: XMLog
Date: 2001-09-16 19:38:54 UTC
From: Irvin Feldman
Topic: 254 Message: 254

To aid slash zero (?) as needed:

Use the NUMERIC keypad.
At the the locacation you desire a ?
Press and HOLD ALT Key and hit 0(zero), 2, 1 and 6 on Numeric keypad, then release the ALT key.

73 Irv N?NOB

255. Re: [XMLog] Re: Slashed Zeroes

Yahoo group: XMLog
Date: 2001-09-17 03:17:49 UTC
From: Ron Anderson
Topic: 248 Message: 255

Thanks a bunch...I'll try it.

256. Re: [XMLog] Posting messages

Yahoo group: XMLog
Date: 2001-09-17 09:43:49 UTC
From: Hylton Conacher (ZR1HPC)
Topic: 256 Message: 256

Ron,

You should have received a message from the XMLog moderator telling you
how. If not contact me off list and I will send you a copy.

Ron Anderson wrote:
>
> I'm new to this user group thing. How do I post a message?
>
> I'm wondering if there is a way to add the slash mark to the ZERO in my call?
> Thanks for your help.
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

257. Re: Slash Zero(Ø)

Yahoo group: XMLog
Date: 2001-09-17 13:55:16 UTC
From: m.mcamis@valley.net
Topic: 254 Message: 257

If you use Alt/0216 as a substitute for a zero remember that it can cause some side effects. The resulting character will not be treated as a number. This means that searches with numeric wildcards will not match this character. Also, it can cause problems when exporting these entries into other programs that don't appreciate what they consider to be a "non-ascii" character. Also some programs recognize a call by its form and whine when they get a callsign that does not contain a number. Anyway I'm not saying don't do it, it's just that switching fonts is safer (not to mention makes typing zeroes simpler).

Mike - W1ECT

> To aid slash zero (Ø) as needed:
>
> Use the NUMERIC keypad.
> At the the locacation you desire a Ø
> Press and HOLD ALT Key and hit 0(zero), 2, 1 and 6 on Numeric keypad, then
> release the ALT key.
>
> 73 Irv NØNOB

259. IOTA list

Yahoo group: XMLog
Date: 2001-09-18 15:47:22 UTC
From: G4TGK@aol.com
Topic: 259 Message: 259

Hi Mike,
I have suddenly developed a problem trying to access the IOTA list.
I saved and printed out a list of PSK IOTA contacts recently and now
when I try to access the full any mode IOTA list a box comes up with
Bad IOTA Values and a list that it says it wont recognise. It will
only recognise the PSK list and that has 4 or 5 callsigns in some
lines instead of only #1 and #2. Have I corrupted something??
All the other functions of the program seem to be working normally.
John.

260. Re: IOTA list

Yahoo group: XMLog
Date: 2001-09-18 18:50:57 UTC
From: G4TGK@aol.com
Topic: 259 Message: 260

--- In XMLog@y..., G4TGK@a... wrote:
> Hi Mike,
> I have suddenly developed a problem trying to access the IOTA
list.
> I saved and printed out a list of PSK IOTA contacts recently and
now
> when I try to access the full any mode IOTA list a box comes up
with
> Bad IOTA Values and a list that it says it wont recognise. It will
> only recognise the PSK list and that has 4 or 5 callsigns in some
> lines instead of only #1 and #2. Have I corrupted something??
> All the other functions of the program seem to be working normally.
> John.

Panic over. Found the original IOTA.lst in my backup files - put it
in to over-ride the incorrect one and everything seems to be working
OK again. Silly old duffer!
John.

261. Re: Slash Zero(Ø)

Yahoo group: XMLog
Date: 2001-09-19 14:26:06 UTC
From: Mike McAmis
Topic: 254 Message: 261

It turns out that there was a long-standing bug that caused any font changes to the log window to be ignored on subsequent XMLog sessions.

The current beta test version (4.23) available at www.xmlog.com/beta includes a fix for this problem.

Mike - W1ECT

--- In XMLog@y..., m.mcamis@v... wrote:
>
> If you use Alt/0216 as a substitute for a zero remember that it can
> cause some side effects. The resulting character will not be
treated
> as a number. This means that searches with numeric wildcards will
not
> match this character. Also, it can cause problems when exporting
> these entries into other programs that don't appreciate what they
> consider to be a "non-ascii" character. Also some programs
recognize
> a call by its form and whine when they get a callsign that does not
> contain a number. Anyway I'm not saying don't do it, it's just that
> switching fonts is safer (not to mention makes typing zeroes
simpler).
>
> Mike - W1ECT
>
> > To aid slash zero (Ø) as needed:
> >
> > Use the NUMERIC keypad.
> > At the the locacation you desire a Ø
> > Press and HOLD ALT Key and hit 0(zero), 2, 1 and 6 on Numeric
> keypad, then
> > release the ALT key.
> >
> > 73 Irv NØNOB

262. Frequency and Mode from rig

Yahoo group: XMLog
Date: 2001-09-19 23:03:47 UTC
From: Howie Wilson
Topic: 262 Message: 262

When attempting to get frequency and mode from rig, the error "bad format in rig (length/mode)" occurs. Using either the ICOM Ic-746 or the TEN-TEC 735. What am I doing wrong?
Howie WA2NCF

GET INTERNET ACCESS FROM JUNO!
Juno offers FREE or PREMIUM Internet access for less!
Join Juno today! For your FREE software, visit:
http://dl.www.juno.com/get/tagj.

263. Re: [XMLog] Frequency and Mode from rig

Yahoo group: XMLog
Date: 2001-09-21 03:52:05 UTC
From: Kevin Nathan
Topic: 262 Message: 263

I look forward to the reply to this because I have the same problem on occasion. It isn't consistent but I do get it occasionally. The cure seems to be to exit xmlog, turn off the rig, turn on the rig again and then restart xmlog.

73
Kevin, K7RX

264. Re: Problems getting frequency/mode from rig

Yahoo group: XMLog
Date: 2001-09-21 14:30:19 UTC
From: Mike McAmis
Topic: 262 Message: 264

Hi Howie,

Here's how to get some debugging info so we can see what's going on. Use the "Options/Log Options" menu to temporarily set your callsign to RIGDEBUG. Then try to get the frequency from the rig (just answer OK to the prompts). Make sure to note the rigs mode/frequency. Reset your call and exit XMLog. There should be a file named rigtest.out in your XMLog folder (usually c:\mlog). Send me an email with that file as an attachment to m.mcamis@... and let me know the mode/frequency. If you go through this again - delete the rigtest.out file before you start XMLog (it just keeps appending new info to the end of the file).

Mike

--- In XMLog@y..., Howie Wilson <listinfo1@j...> wrote:
> When attempting to get frequency and mode from rig, the error "bad format
> in rig (length/mode)" occurs. Using either the ICOM Ic-746 or the TEN-TEC
> 735. What am I doing wrong?
> Howie WA2NCF

265. Re: [XMLog] Re: Problems getting frequency/mode from rig

Yahoo group: XMLog
Date: 2001-09-21 14:58:05 UTC
From: Kevin Nathan
Topic: 262 Message: 265

Hi Mike,

I had this happen to me again last night. Problem is that it is not consistent. The next log entry I made it worked fine. However, if I see it occur more frequently, I'll do as you suggested to Howie. I also use a 746.

Thanks and I look forward to your solution on this one. 73
Kevin, K7RX

268. Spam

Yahoo group: XMLog
Date: 2001-09-23 14:30:14 UTC
From: Mike McAmis
Topic: 268 Message: 268

Sorry about the spam. I guess it's inevitable that someone would get the idea that newsgroups provide another way to distribute junk mail. If happens again I guess I'll have to start filtering all posted messages (what a pain...).

Mike - W1ECT

269. Re: [XMLog] Spam

Yahoo group: XMLog
Date: 2001-09-23 14:56:10 UTC
From: John Hill
Topic: 268 Message: 269

Yes,

I belong to a group for Criterion telescope users, and they had the same problem a couple months ago. I don't know how they solved it.

John Hill

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, September 23, 2001 8:30 AM
Subject: [XMLog] Spam

Sorry about the spam. I guess it's inevitable that someone would get
the idea that newsgroups provide another way to distribute junk mail.
If happens again I guess I'll have to start filtering all posted
messages (what a pain...).

Mike - W1ECT

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

270. Problem with Internet Cluster Connects

Yahoo group: XMLog
Date: 2001-10-03 05:45:46 UTC
From: Kevin Nathan
Topic: 270 Message: 270

Hi Michael and All,

I am experiencing trouble with version 4.23 and internet dx cluster connects. I can log onto a cluster with no trouble but, if I am on the connection for any length of time and then send a command, I get a message something like "network error, connection reset by remote host". I do not get any errors of this nature when connected by TNC. I am running Windows 98 second edition. Can anyone tell me why this might be occurring and what the cure is?

Thanks much and 73.
Kevin, K7RX

271. Re: Problem with Internet Cluster Connects

Yahoo group: XMLog
Date: 2001-10-03 13:22:55 UTC
From: Mike McAmis
Topic: 270 Message: 271

Hi Kevin,

This message is displayed when the connection to the cluster is lost. I've seen this problem when connecting to certain cluster nodes on the Internet (and I see the same thing if I connnect to the node with Telnet or a browser). Best to try other nodes until you find one that's more reliable. You can check

http://www.cestro.com/pcluster/telnet.html

for a list of nodes - however you'll find that many are offline, closed, or unreliable. He's got the page set up so that if you click on an entry it will try to connect to the node. If you just want to see the address for the node just move the mouse pointer over an entry and your browser should display the address at the bottom of it's window. Sorry but I don't have any specific suggestions but I haven't been using Internet connections lately, perhaps other folks can help here.

Mike - W1ECT

--- In XMLog@y..., "Kevin Nathan" <k7rx@e...> wrote:
> Hi Michael and All,
>
> I am experiencing trouble with version 4.23 and internet dx cluster
> connects. I can log onto a cluster with no trouble but, if I am on
the
> connection for any length of time and then send a command, I get a
message
> something like "network error, connection reset by remote host". I
do not
> get any errors of this nature when connected by TNC. I am running
Windows
> 98 second edition. Can anyone tell me why this might be occurring
and what
> the cure is?
>
> Thanks much and 73.
> Kevin, K7RX

272. Re: Problems getting frequency/mode from rig

Yahoo group: XMLog
Date: 2001-11-06 13:34:32 UTC
From: engelp2001@yahoo.com
Topic: 262 Message: 272

This might not be the correct thread, but here goes...
I cannot get any info from my FT817. I though of using the FT100,
but that clears the memory and reset some of the settings on the
FT817.

73's

273. Re: Problems getting frequency/mode from rig

Yahoo group: XMLog
Date: 2001-11-06 14:49:53 UTC
From: Mike McAmis
Topic: 262 Message: 273

Hi,

Typically each Yaesu rig has it's own unique CAT command set. I'll search the web and see if I can find the documentation online but I'd appreciate it if you could send me a copy of the CAT command documentation from your manual to:

Michael McAmis
433 Hanover Center Road
Etna, NH - 03750

> This might not be the correct thread, but here goes...
> I cannot get any info from my FT817. I though of using the FT100,
> but that clears the memory and reset some of the settings on the
> FT817.
>
> 73's

274. Re: Problems getting frequency/mode from rig

Yahoo group: XMLog
Date: 2001-11-07 13:17:32 UTC
From: engelp2001@yahoo.com
Topic: 262 Message: 274

I do not make out heads or tails on this codes, so I will scan them
and then attach them fot you.

Thanks.

--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi,
>
> Typically each Yaesu rig has it's own unique CAT command set.
I'll
> search the web and see if I can find the documentation online but
I'd
> appreciate it if you could send me a copy of the CAT command
> documentation from your manual to:
>
> Michael McAmis
> 433 Hanover Center Road
> Etna, NH - 03750
>
> > This might not be the correct thread, but here goes...
> > I cannot get any info from my FT817. I though of using the
FT100,
> > but that clears the memory and reset some of the settings on the
> > FT817.
> >
> > 73's

275. Re: Problems getting frequency/mode from rig

Yahoo group: XMLog
Date: 2001-11-07 17:30:58 UTC
From: engelp2001@yahoo.com
Topic: 262 Message: 275

I have added a JPG in the Photos section with the CAT data sheet as
you have requested. I hope this helps.

Thanks again

73's

--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi,
>
> Typically each Yaesu rig has it's own unique CAT command set. I'll
> search the web and see if I can find the documentation online but
I'd
> appreciate it if you could send me a copy of the CAT command
> documentation from your manual to:
>
> Michael McAmis
> 433 Hanover Center Road
> Etna, NH - 03750
>
> > This might not be the correct thread, but here goes...
> > I cannot get any info from my FT817. I though of using the FT100,
> > but that clears the memory and reset some of the settings on the
> > FT817.
> >
> > 73's

276. Ducie Island

Yahoo group: XMLog
Date: 2001-11-09 17:21:28 UTC
From: Mike McAmis
Topic: 276 Message: 276

As you may know there's a new country that's likely to be added to the DXCC country list - Ducie Island. This island is near Pitcairn Island and a DXpedition is on the way and plans to be operational November 16th.

I've added this new country to the prefix file for the next release but if you'd like to add it to your current version here's what you need to do:

1) Go to your XMLog install folder (usually c:\mlog) and open the prefixes file with a simple text editor like Notepad or Wordpad.

2) Find the Pitcairn entry and add the description for Ducie immediately afterward. The results should look like this...

```
VP6,Pitcairn I.,OC,32,[-25.1/130.1],ADIF=172,OldPrefix=VR6,
VP6,!,
VP6/D,Ducie I.,OC,32,[-24.5/125.0],
!,
VP8/F,Falkland Is.,SA,13,[-51.75/59],ADIF=141,
!,
```

If you don't feel comfortable making changes like this, make a copy of the prefixes file before you edit it so you can restore it if something goes wrong.

When it becomes obvious what call the DXPedition is using choose the "DX/Show Callsign List" menu item and add an entry that defines that callsign as Ducie I.

Good Hunting, Mike - W1ECT

277. Latest Beta 4.27

Yahoo group: XMLog
Date: 2001-11-20 16:41:32 UTC
From: Craig - N7OR
Topic: 277 Message: 277

Hi Mike and all. I have not payed attention to releases since I was asking about 6 meters back in July. I now have latest beta and I am happy to see 6 meters added in some places. What would make it complete for my use would be VUCC tracking, on 6 only, but that is my personal want. Maybe add it to the bottom of the to do list? Thank You. I mean on the main log window, under awards. Down there below IOTA, maybe? That would really be cool. Meanwhile, having the ability to track the other awards on that band, and have six available in the 2 packet windows, is fantastic.

One question on the Excel feature, also new to me. I am assuming that I can manipulate the log in Excel. Things such as fixing the missing fields from various imports, adding states where known, and any other touch-ups. And then, re-import the fixed up log? I am studying the help, but I am really poor at Excel, I just never use it that much. So, after I do some fixing, do I save it as a text file of some sort? Or, just how is that done. I hope this can happen, that would be awesome. Thanks for your hard work. I finally found something to use to keep what I call my "master log", contests, everyday, 6 mtr., etc..
73, Craig Cook - N7OR

278. Re: Latest Beta 4.27

Yahoo group: XMLog
Date: 2001-11-20 17:12:27 UTC
From: Mike McAmis
Topic: 277 Message: 278

Hi Craig,

Thanks for the feedback on the 6 meter support. I do have the VUCC report on my to-do list...

The idea of the Excel report was to allow you to customize which fields get displayed and also allow you to customize how they are displayed. I don't have any plans on allowing you to import the results back into your log - all the fields may not have been exported and dealing with format errors, etc. would be a bit of a pain.

Mike - W1ECT

--- In XMLog@y..., "Craig - N7OR" <n7or@y...> wrote:
> Hi Mike and all. I have not payed attention to releases since I was
> asking about 6 meters back in July. I now have latest beta and I am
> happy to see 6 meters added in some places. What would make it
> complete for my use would be VUCC tracking, on 6 only, but that is
my
> personal want. Maybe add it to the bottom of the to do list? Thank
> You. I mean on the main log window, under awards. Down there below
> IOTA, maybe? That would really be cool. Meanwhile, having the
ability
> to track the other awards on that band, and have six available in
the
> 2 packet windows, is fantastic.
>
> One question on the Excel feature, also new to me. I am assuming
that
> I can manipulate the log in Excel. Things such as fixing the missing
> fields from various imports, adding states where known, and any
other
> touch-ups. And then, re-import the fixed up log? I am studying the
> help, but I am really poor at Excel, I just never use it that much.
> So, after I do some fixing, do I save it as a text file of some
sort?
> Or, just how is that done. I hope this can happen, that would be
> awesome. Thanks for your hard work. I finally found something to use
> to keep what I call my "master log", contests, everyday, 6 mtr.,
> etc..
> 73, Craig Cook - N7OR

279. New User, a few questions.

Yahoo group: XMLog
Date: 2001-11-20 23:20:42 UTC
From: Richard
Topic: 279 Message: 279

Hello

I have downloaded version 4.23 and am experiencing a few problems.

I am using a Kenwood TS-570DG and when getting the frequency from the radio I am on 28.406.80 but on the program it displays 28.407. Is there anyway of changing this so it will display the exact frequency or is this standard with CAT control??

When trying to connect to a dx cluster via the internet a message box opens and asks for an address, what needs to be put in here, I tried a few IP addresses that I use with telnet to connect up but they never connect, any ideas??

Thanks

Richard

280. Re: Latest Beta 4.27

Yahoo group: XMLog
Date: 2001-11-20 23:34:55 UTC
From: Craig - N7OR
Topic: 277 Message: 280

Ok, I was dreaming of a pristine log.

On the 6 meter stuff, I can add to the XMLog spots window or create a whole new set that includes six, but it never stays. What do I do besides press "SAVE". I think it mostly happens upon restart, but maybe when moving, sizing or otherwise playing with the spots window? When I go in and look, the title and freq. limits are just gone.

And I have not found this yet in manual, is there a way to save the window sizes and positions? They always default to something I have not chosen.

Thank You very much for your hard work and answering dumb questions.

Craig - N7OR

--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi Craig,
>
> Thanks for the feedback on the 6 meter support. I do have the VUCC
> report on my to-do list...
>
> The idea of the Excel report was to allow you to customize which
> fields get displayed and also allow you to customize how they
> are displayed. I don't have any plans on allowing you to import
the
> results back into your log - all the fields may not have been
exported
> and dealing with format errors, etc. would be a bit of a pain.
>
> Mike - W1ECT
>
> --- In XMLog@y..., "Craig - N7OR" <n7or@y...> wrote:
> > Hi Mike and all. I have not payed attention to releases since I
was
> > asking about 6 meters back in July. I now have latest beta and I
am
> > happy to see 6 meters added in some places. What would make it
> > complete for my use would be VUCC tracking, on 6 only, but that
is
> my
> > personal want. Maybe add it to the bottom of the to do list?
Thank
> > You. I mean on the main log window, under awards. Down there
below

> > IOTA, maybe? That would really be cool. Meanwhile, having the
> ability
> > to track the other awards on that band, and have six available in
> the
> > 2 packet windows, is fantastic.
> >
> > One question on the Excel feature, also new to me. I am assuming
> that
> > I can manipulate the log in Excel. Things such as fixing the
missing
> > fields from various imports, adding states where known, and any
> other
> > touch-ups. And then, re-import the fixed up log? I am studying
the
> > help, but I am really poor at Excel, I just never use it that
much.
> > So, after I do some fixing, do I save it as a text file of some
> sort?
> > Or, just how is that done. I hope this can happen, that would be
> > awesome. Thanks for your hard work. I finally found something to
use
> > to keep what I call my "master log", contests, everyday, 6 mtr.,
> > etc..
> > 73, Craig Cook - N7OR

281. Re: New User, a few questions.

Yahoo group: XMLog
Date: 2001-11-20 23:35:52 UTC
From: Mike McAmis
Topic: 279 Message: 281

Hi Richard,

XMLog doesn't record the frequency down to Hz, only to kHz.

What's an example of an Internet address you're having problems with?
You can email me direct at m.mcamis@... if you don't want to
post the address here.

Mike - W1ECT

> Hello
>
> I have downloaded version 4.23 and am experiencing a few problems.
>
> I am using a Kenwood TS-570DG and when getting the frequency from
the
> radio I am on 28.406.80 but on the program it displays 28.407. Is
> there anyway of changing this so it will display the exact frequency
> or is this standard with CAT control??
>
> When trying to connect to a dx cluster via the internet a message
box
> opens and asks for an address, what needs to be put in here, I tried
> a few IP addresses that I use with telnet to connect up but they
> never connect, any ideas??
>
> Thanks
>
> Richard

282. Newest Version

Yahoo group: XMLog
Date: 2001-11-22 03:26:04 UTC
From: Kevin Nathan
Topic: 282 Message: 282

Hello All,

I thought I saw some postings about a version 4.27 on the list the other night but, when I went to the web site, I can't find it. Am I missing something or did I just think I saw an updated version?

Thanks to all and have a great Thanksgiving. 73
Kevin, K7RX

283. Re: [XMLog] Newest Version

Yahoo group: XMLog
Date: 2001-11-22 04:21:58 UTC
From: John Smith
Topic: 282 Message: 283

Kevin,
Try http://www.xmlog.com/beta

73
John

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Wednesday, November 21, 2001 10:26
Subject: [XMLog] Newest Version

> Hello All,
>
> I thought I saw some postings about a version 4.27 on the list the other
> night but, when I went to the web site, I can't find it. Am I missing
> something or did I just think I saw an updated version?
>
> Thanks to all and have a great Thanksgiving. 73
> Kevin, K7RX
>
>
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

284. Re: [XMLog] Newest Version

Yahoo group: XMLog
Date: 2001-11-22 06:06:27 UTC
From: Kevin Nathan
Topic: 282 Message: 284

Got it. Thanks. 73
Kevin, K7RX
----- Original Message -----
From: "John Smith" <johnki4ro@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, November 21, 2001 20:21
Subject: Re: [XMLog] Newest Version

> Kevin,
> Try http://www.xmlog.com/beta
>
> 73
> John
>
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <xmlog@yahoogroups.com>
> Sent: Wednesday, November 21, 2001 10:26
> Subject: [XMLog] Newest Version
>
>
> > Hello All,
> >
> > I thought I saw some postings about a version 4.27 on the list the other
> > night but, when I went to the web site, I can't find it. Am I missing
> > something or did I just think I saw an updated version?
> >
> > Thanks to all and have a great Thanksgiving. 73
> > Kevin, K7RX
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@onelist.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
>
>
>
> To unsubscribe from this group, send an email to:

> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

285. New Version Question

Yahoo group: XMLog
Date: 2001-11-30 21:56:29 UTC
From: Chuck Degard
Topic: 285 Message: 285

I just downloaded and install version 4.28 and when checking it out I get this message when trying to see my DXCC Needed Countries. Any help is appreciated.

Best regards,
Chuck Degard-K7PT

k7pt@...
k7pt@...

[Non-text portions of this message have been removed]

286. Help?

Yahoo group: XMLog
Date: 2001-11-30 23:47:01 UTC
From: Chuck Degard
Topic: 286 Message: 286

I just downloaded and install version 4.28 and when checking it out I get some message indicating an apparent error message when trying to see my DXCC Needed Countries. Any help is appreciated.

Best regards,
Chuck Degard-K7PT

k7pt@...
k7pt@...

[Non-text portions of this message have been removed]

287. Problem with Packet Screen

Yahoo group: XMLog
Date: 2001-12-01 22:59:42 UTC
From: Kevin Nathan
Topic: 287 Message: 287

Hi Michael and All,

I am running version 4.27 of Xmlog. I have the problem that when I bring up the packet window when set to comport in the options, I get nothing but garbage. My speech output screen reader reads just random numbers and the like. This problem doesn't seem to occur when I am using it on internet dx clusters. Any idea what might be occurring here?

Thanks much. 73
Kevin, K7RX

288. Re: [XMLog] Problem with Packet Screen

Yahoo group: XMLog
Date: 2001-12-01 23:10:01 UTC
From: N7MAL
Topic: 287 Message: 288

It sounds like your TNC parameters don't match the parameters you have set
in XMLOG.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Saturday, December 01, 2001 22:59
Subject: [XMLog] Problem with Packet Screen

> Hi Michael and All,
>
> I am running version 4.27 of Xmlog. I have the problem that when I bring
up
> the packet window when set to comport in the options, I get nothing but
> garbage. My speech output screen reader reads just random numbers and the
> like. This problem doesn't seem to occur when I am using it on internet
dx
> clusters. Any idea what might be occurring here?
>
> Thanks much. 73
> Kevin, K7RX
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

289. Re: [XMLog] Problem with Packet Screen

Yahoo group: XMLog
Date: 2001-12-01 23:32:31 UTC
From: Kevin Nathan
Topic: 287 Message: 289

Actually, after further study, it seems that either my Kam or the cable between it and the computer may be bad.

Thanks and 73.
Kevin, K7RX

290. Re: [XMLog] Problem with Packet Screen

Yahoo group: XMLog
Date: 2001-12-02 03:56:23 UTC
From: Steve Forst
Topic: 287 Message: 290

Be sure you have a good 12 volt supply to the KAM. Had the same problem a
few years ago. The wall txformer I was using was mistakenly set to 9v and
just garbage on the screen.

73 Steve KW3A

kw3a@...
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, December 01, 2001 6:32 PM
Subject: Re: [XMLog] Problem with Packet Screen

> Actually, after further study, it seems that either my Kam or the cable
> between it and the computer may be bad.
>
> Thanks and 73.
> Kevin, K7RX
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

291. 2 Questions 4 Mike and/or group

Yahoo group: XMLog
Date: 2001-12-04 19:09:03 UTC
From: Craig - N7OR
Topic: 291 Message: 291

1. When I set the background color on the Spots window, it reverts back to bright green. Is this broken?

2. What would be the best way to change a field in every log entry? Lets say I want to make make the qsl in field equal "?" on every q? Is there a way to do this in the log window? Is there a good solid way to do it to the text export file? Excel maybe? Has anyone done this with a field?
TIA - Craig N7OR

Oh, 4.28 Beta is working great, 6 meter support and ability to view grids worked is just enough. I'm not grid crazy, I just like keeping track. Thanks, Mike.

292. Re: [XMLog] 2 Questions 4 Mike and/or group

Yahoo group: XMLog
Date: 2001-12-04 19:47:08 UTC
From: jagius@sybase.com
Topic: 291 Message: 292

Question 2.

I have successfully exported all records that I wanted to update as an ADIF
file, editted them and reimported them.

Joe
W1TW

"Craig - N7OR" <n7or@...> on 12/04/2001 02:09:03 PM

Please respond to XMLog@yahoogroups.com

To: XMLog@yahoogroups.com

cc: (bcc: Joseph Agius/SYBASE)

Subject: [XMLog] 2 Questions 4 Mike and/or group

1. When I set the background color on the Spots window, it reverts
back to bright green. Is this broken?

2. What would be the best way to change a field in every log entry?
Lets say I want to make make the qsl in field equal "?" on every q?
Is there a way to do this in the log window? Is there a good solid
way to do it to the text export file? Excel maybe? Has anyone done
this with a field?
TIA - Craig N7OR

Oh, 4.28 Beta is working great, 6 meter support and ability to view
grids worked is just enough. I'm not grid crazy, I just like keeping
track. Thanks, Mike.

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

293. Re: 2 Questions 4 Mike and/or group

Yahoo group: XMLog
Date: 2001-12-05 16:35:09 UTC
From: w1ect
Topic: 291 Message: 293

Hi Craig,

1. I've tried diddling the spot window colors here and it seems to work ok. This info is saved in a file named "spotinfo.ini" in your xmlog install directory (ususally c:\mlog). After you make a change and hit the Save button you should see changes to tags like SpotColorBack, etc.

2. There's no way to make bulk changes to fields within XMLog. It is possible to do this using Microsoft Access if you're adept with this product. The main limitation here is with the version of Access you have verses the version of the database (log file). Access may say that "you can't make changes" but this is often an overstatement and it means that you can't change the database layout or saved queries but you can change field values within the database. One thing you don't want to do is answer Yes to any "Do you want to update/convert the database" messages.

It's also possible to change values using ADIF exporting, doing edits to the ADIF file, and then importinging the results.

Perhaps in the future I will allow the results of a Display/Excel to be reimported back into the log but this actually would be a pretty tricky process.

In any case, before attempting large-scale changes like these be sure to back up your log file in a safe place.

Mike - W1ECT

--- In XMLog@y..., "Craig - N7OR" <n7or@y...> wrote:
> 1. When I set the background color on the Spots window, it reverts
> back to bright green. Is this broken?
>
> 2. What would be the best way to change a field in every log entry?
> Lets say I want to make make the qsl in field equal "?" on every q?
> Is there a way to do this in the log window? Is there a good solid
> way to do it to the text export file? Excel maybe? Has anyone done
> this with a field?
> TIA - Craig N7OR
>
> Oh, 4.28 Beta is working great, 6 meter support and ability to view
> grids worked is just enough. I'm not grid crazy, I just like keeping
> track. Thanks, Mike.

294. Re: 2 Questions 4 Mike and/or group

Yahoo group: XMLog
Date: 2001-12-05 17:18:37 UTC
From: n7or
Topic: 291 Message: 294

I'll look at it again, and see abt that .ini file. It was changing
for me ok, but would revert to bright green (background) on a restart
of the entire program. Thank You, Mike.

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> Hi Craig,
>
> 1. I've tried diddling the spot window colors here and it seems to
> work ok. This info is saved in a file named "spotinfo.ini" in your
> xmlog install directory (ususally c:\mlog). After you make a
change
> and hit the Save button you should see changes to tags
> like SpotColorBack, etc.

295. Re: 2 Questions 4 Mike and/or group

Yahoo group: XMLog
Date: 2001-12-06 15:48:19 UTC
From: n7or
Topic: 291 Message: 295

Well, it does not "save" the spotcolorback for me. I went in to
that .ini and just added the line I wanted for a black background,
now all is well.

--- In XMLog@y..., "n7or" <n7or@y...> wrote:
> I'll look at it again, and see abt that .ini file. It was changing
> for me ok, but would revert to bright green (background) on a
restart
> of the entire program. Thank You, Mike.
>
> --- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
> >
> > Hi Craig,
> >
> > 1. I've tried diddling the spot window colors here and it seems
to
> > work ok. This info is saved in a file named "spotinfo.ini" in
your
> > xmlog install directory (ususally c:\mlog). After you make a
> change
> > and hit the Save button you should see changes to tags
> > like SpotColorBack, etc.

296. QSL label problems

Yahoo group: XMLog
Date: 2001-12-07 09:43:13 UTC
From: Mark Marsden
Topic: 296 Message: 296

Hi Mike & group

I'm using XMLog 4.22 and am having problems with laying out QSL labels.

I have been successfully editing a QSL layout and using Ctrl B to
handle batches of cards. I have successfully 'developed' a label
a few times, but now I get this error message when I try and save it.

Can't save layout record in recordset.
(3315) Field 'Layouts Source' can't be a zero-length string'

There seems nothing wrong with the label I'm trying to save, so I tried
editing some of the example QSL labels - can't save those either.

On another subject: The Help recommends looking at
"Demo QSL-5" and "Demo QSL-4 Small" for examples
of handling multiple QSOs, where are they?

Thanks, 73 Mark G4AXX

297. Re: QSL label problems

Yahoo group: XMLog
Date: 2001-12-07 22:10:38 UTC
From: w1ect
Topic: 296 Message: 297

Hi Mark,

Could you send me your layouts.mdb file as an email attachment to m.mcamis@... You should find this file in your install folder (usually c:\mlog).

Why not c:\xmlog? Well, the program was originally called MLog until someone pointed out an ad in QST for another logger called MLog, at that point it was rechristened XMLog.

Mike - W1ECT

--- In XMLog@y..., "Mark Marsden" <MM@p...> wrote:
> Hi Mike & group
>
> I'm using XMLog 4.22 and am having problems with laying out QSL labels.
>
> I have been successfully editing a QSL layout and using Ctrl B to
> handle batches of cards. I have successfully 'developed' a label
> a few times, but now I get this error message when I try and save it.
>
> Can't save layout record in recordset.
> (3315) Field 'Layouts Source' can't be a zero-length string'
>
> There seems nothing wrong with the label I'm trying to save, so I tried
> editing some of the example QSL labels - can't save those either.
>
> On another subject: The Help recommends looking at
> "Demo QSL-5" and "Demo QSL-4 Small" for examples
> of handling multiple QSOs, where are they?
>
> Thanks, 73 Mark G4AXX

298. Needed List error

Yahoo group: XMLog
Date: 2001-12-10 17:46:45 UTC
From: n6ng
Topic: 298 Message: 298

Hello all..

Anyone else run into a problem creating the "Needed List"

When I try to make a needed list, it gets about 1/2 way
through and gives the error message:

Can't create Need List
(5) Invalid procedure Call or Argument

I've done this in the past and not had a problem.
I should mention that it does print about the 1st half of the list
after I close the error msgbox.

I don't know if it is a current version problem or a log
size problem. I'm using a log with 8000 log entries. Could
that be part of the problem?

Any suggestions?

Thanks
Dennis N6NG
n6ng@...

299. Re: Needed List error

Yahoo group: XMLog
Date: 2001-12-10 18:05:05 UTC
From: w1ect
Topic: 298 Message: 299

Hi Dennis,

This bug was introduced in one of the beta versions and has been fixed
in the current beta at www.xmlog.com/beta

Mike - W1ECT

> Hello all..
>
> Anyone else run into a problem creating the "Needed List"
>
> When I try to make a needed list, it gets about 1/2 way
> through and gives the error message:
>
>
> Can't create Need List
> (5) Invalid procedure Call or Argument
>
> I've done this in the past and not had a problem.
> I should mention that it does print about the 1st half of the list
> after I close the error msgbox.
>
> I don't know if it is a current version problem or a log
> size problem. I'm using a log with 8000 log entries. Could
> that be part of the problem?
>
> Any suggestions?
>
> Thanks
> Dennis N6NG
> n6ng@a...

300. Re: Needed List error

Yahoo group: XMLog
Date: 2001-12-10 18:09:40 UTC
From: n6ng
Topic: 298 Message: 300

Hello again..

Just wanted anyone who has the needed list error that I mentioned in
my last posting, has apparently been fixed in the lastest version...
It doesn't mention it in the fixes but when I put in the new version
it worked as it should.

Don't know what changed but if your having the problem, try the new
version.

Dennis N6NG
n6ng@...

303. new beta bugs

Yahoo group: XMLog
Date: 2001-12-11 18:37:31 UTC
From: N7MAL
Topic: 303 Message: 303

I like the newest version but have some problems:
1. It won't import 12 meter contacts from an AD1F file. The 12 meter contacts are there and the fields do not appear to be corrupt. I imported approx. 900 contacts and only the 12 meter contacts got lost.
2. I have MLOG set to start with the packet window open. If I'm connected to the i'net the packet window won't start, it locks up. If I disconnect from the i'net and close the DUN, MLOG starts up perfectly displaying the packet window. I can then bring up the DUN and make my connection.

MLOG has been working perfectly for me until I installed the new beta. I made no changes.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

304. Re: [XMLog] new beta bugs

Yahoo group: XMLog
Date: 2001-12-11 21:22:51 UTC
From: Chuck Degard
Topic: 303 Message: 304

Mal,
I'm running version 4.29 and just did an ADIF import of about 1350 Qs with approx. 160 on 12 meters with no problem. Just thought I'd let you know.
Best regards,
Chuck Degard-K7PT in Tempe, AZ

k7pt@...
k7pt@...
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, December 11, 2001 11:37
Subject: [XMLog] new beta bugs

> I like the newest version but have some problems:
> 1. It won't import 12 meter contacts from an AD1F file. The 12 meter
> contacts are there and the fields do not appear to be corrupt. I imported
> approx. 900 contacts and only the 12 meter contacts got lost.
> 2. I have MLOG set to start with the packet window open. If I'm connected
to
> the i'net the packet window won't start, it locks up. If I disconnect from
> the i'net and close the DUN, MLOG starts up perfectly displaying the
packet
> window. I can then bring up the DUN and make my connection.
>
> MLOG has been working perfectly for me until I installed the new beta. I
> made no changes.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

305. Re: [XMLog] new beta bugs

Yahoo group: XMLog
Date: 2001-12-11 21:35:17 UTC
From: Chuck Degard
Topic: 303 Message: 305

Mal,
I just exported my log and reimported it back into another log and it
worked just fine with 12 meter Qs imported properly. Again I'm using V4.29.
Best regards,
Chuck Degard-K7PT

k7pt@...
k7pt@...
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, December 11, 2001 11:37
Subject: [XMLog] new beta bugs

> I like the newest version but have some problems:
> 1. It won't import 12 meter contacts from an AD1F file. The 12 meter
> contacts are there and the fields do not appear to be corrupt. I imported
> approx. 900 contacts and only the 12 meter contacts got lost.
> 2. I have MLOG set to start with the packet window open. If I'm connected
to
> the i'net the packet window won't start, it locks up. If I disconnect from
> the i'net and close the DUN, MLOG starts up perfectly displaying the
packet
> window. I can then bring up the DUN and make my connection.
>
> MLOG has been working perfectly for me until I installed the new beta. I
> made no changes.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

306. Re: new beta bugs

Yahoo group: XMLog
Date: 2001-12-12 19:56:55 UTC
From: w1ect
Topic: 303 Message: 306

Hi Mal,

Could you email your mlog.ini file when it's in the screwed up state
(for internet startups). Also send me the ADIF file you're having
problems with to m.mcamis@...

Mike - W1ECT

> I like the newest version but have some problems:
> 1. It won't import 12 meter contacts from an AD1F file. The 12 meter
> contacts are there and the fields do not appear to be corrupt. I
imported
> approx. 900 contacts and only the 12 meter contacts got lost.
> 2. I have MLOG set to start with the packet window open. If I'm
connected to
> the i'net the packet window won't start, it locks up. If I
disconnect from
> the i'net and close the DUN, MLOG starts up perfectly displaying the
packet
> window. I can then bring up the DUN and make my connection.
>
> MLOG has been working perfectly for me until I installed the new
beta. I
> made no changes.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm

307. Re: new beta bugs

Yahoo group: XMLog
Date: 2001-12-14 14:49:24 UTC
From: w1ect
Topic: 303 Message: 307

Hi Mal,

Well I found the problem with the ADIF imports. It turns out this bug has been there since ADIF imports were implemented back in version 2.06! The file you sent only has "BAND" fields and no "FREQ" fields - this normally shouldn't be a problem since XMLog will fake a frequency in this case. However it wasn't doing this when BAND was 12m. I'll fix the problem but you can get around it for the moment by editing your ADIF file. Just do a global change of

<BAND:3>12M to

<BAND:3>12M <FREQ:6>24.890

By the way - the :3 and :6 define the number of characters in the field.

The other problem will take some more research. It's caused by the fact that XMLog is starting up with the packet window minimized and when it prompts for the Internet address this prompt 'belongs' to the packet window. Somehow this is causing the prompt to lose focus and clicking on the prompt doesn't help. Clicking on another applications window and then back to the prompt seems to get things going though. I'll try to see what's going on but I suspect that this is some kind of Visual Basic runtime bug. Like I said it only happens when you end your last session with the packet window minimized and when restarting it trys to prompt you for the Internet address in this state.

Mike - W1ECT

> I like the newest version but have some problems:
> 1. It won't import 12 meter contacts from an AD1F file. The 12 meter
> contacts are there and the fields do not appear to be corrupt. I
imported
> approx. 900 contacts and only the 12 meter contacts got lost.
> 2. I have MLOG set to start with the packet window open. If I'm
connected to
> the i'net the packet window won't start, it locks up. If I
disconnect from
> the i'net and close the DUN, MLOG starts up perfectly displaying the
packet
> window. I can then bring up the DUN and make my connection.
>
> MLOG has been working perfectly for me until I installed the new
beta. I
> made no changes.
>

> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm

308. Help!!!

Yahoo group: XMLog
Date: 2001-12-22 05:40:30 UTC
From: irbflying
Topic: 308 Message: 308

I just had to reformat the drives in my computer and, of course, had to reload all programs. I have reloaded XMLog but it will not read my old logs (Backups). It tells me I am not the owner and do not have permission to access them. What do I do now?

Terry - AF7W

309. RE: HELP!

Yahoo group: XMLog
Date: 2001-12-22 05:46:32 UTC
From: irbflying
Topic: 309 Message: 309

I forgot to mention in my previous post I am using V4.23. I could not locate a newer version. Where is it located? Is it available for general use?

Terry - AF7W

310. Re: Help!!!

Yahoo group: XMLog
Date: 2001-12-22 15:36:43 UTC
From: w1ect
Topic: 308 Message: 310

Hello Terry,

Could you let me know the exact text of the message? Send it to
m.mcamis@...

Mike - W1ECT

--- In XMLog@y..., "irbflying" <af7w@a...> wrote:
> I just had to reformat the drives in my computer and, of course, had
> to reload all programs. I have reloaded XMLog but it will not read
> my old logs (Backups). It tells me I am not the owner and do not
> have permission to access them. What do I do now?
>
> Terry - AF7W

311. Re: [XMLog] RE: HELP!

Yahoo group: XMLog
Date: 2001-12-22 15:36:58 UTC
From: Chuck Degard
Topic: 309 Message: 311

Terry,
The newest version 4.33 is located at http://www.xmlog.com/beta/.
Best regards,
Chuck Degard

k7pt@...
k7pt@...
----- Original Message -----
From: "irbflying" <af7w@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 21, 2001 22:46
Subject: [XMLog] RE: HELP!

> I forgot to mention in my previous post I am using V4.23. I could
> not locate a newer version. Where is it located? Is it available
> for general use?
>
> Terry - AF7W
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

312. Re: Help!!!

Yahoo group: XMLog
Date: 2001-12-22 16:47:00 UTC
From: w1ect
Topic: 308 Message: 312

Hello Group,

Terry had backed up his log to a write-once CD and when he restored it
to his hard drive the "read-only" attribute from the CD was copied.
So, once the problem was diagnosed all he had to do was clear the
read-only flag from the Windows file explorer (via "Properties").

Nice to see that he did have a backup of the log available. Don't
ever assume that your drive won't die or get trashed somehow...
regardless of what logger you use.

Mike - W1ECT

> I just had to reformat the drives in my computer and, of course, had
> to reload all programs. I have reloaded XMLog but it will not read
> my old logs (Backups). It tells me I am not the owner and do not
> have permission to access them. What do I do now?
>
> Terry - AF7W

313. I'm a new and happy user

Yahoo group: XMLog
Date: 2001-12-26 01:41:23 UTC
From: zamba0321
Topic: 313 Message: 313

Congrats to the author for putting this together.
I'm getting frequency data from the transceiver and
dx spots via telnet DX cluster.
Having a ball.

73's de KD6ZUC

315. First message

Yahoo group: XMLog
Date: 2002-01-04 00:23:50 UTC
From: K5LN@aol.com
Topic: 315 Message: 315

Hi All,

Thanks for the invite and I am just getting started with the program. Have not had a chance to do anything other than import my old log ADI file.

Hope to hear more about what is going on and features of the program. Sorry I am not a Software person and cant help with additions. But look forward to using the program.

Tnx,
Bill K5LN

316. now member of the group

Yahoo group: XMLog
Date: 2001-12-26 02:03:55 UTC
From: joe secund
Topic: 316 Message: 316

Hi this is KD6ZUC,

I am now member of the group.

congrats with the great log package

- Wim

Do You Yahoo!?
Send your FREE holiday greetings online!
http://greetings.yahoo.com

317. DXCC Checklist

Yahoo group: XMLog
Date: 2002-01-07 14:30:04 UTC
From: n3dd
Topic: 317 Message: 317

Hi Mike

I've been using the program for a couple of months now and it is absolutley great!

However, since this is the only log program I've ever really used and have no previous files, is there any way to "back into" the DXCC worked/confirmed count or do I have to add log entries for each and every country, band and mode. Since I have over 200 countries confirmed, I'm really only interested in detail on a go forward basis.

Thanks and 73,

Dom N3DD

318. Re: DXCC Checklist

Yahoo group: XMLog
Date: 2002-01-07 14:52:57 UTC
From: w1ect
Topic: 317 Message: 318

Hello Dom,

Sorry but there's no way to affect the DXCC statistics without adding log entries. If you don't have your log on paper for your DXCC QSOs probably the best way to get started would be to enter QSOs based on QSL cards you have. I suppose that in the worst case where you don't have QSL cards for band or countries that you have confirmed for DXCC you could add bogus log entries (using a callsign that would make it obvious that the entry didn't represent a real QSO). It's best to bite the bullet and enter any paper logs and import any contest logs you have - this doesn't lock you into XMLog since almost all loggers suport ADIF exports and imports.

Mike

> Hi Mike
>
> I've been using the program for a couple of months now and it is
> absolutley great!
>
> However, since this is the only log program I've ever really used
and
> have no previous files, is there any way to "back into" the DXCC
> worked/confirmed count or do I have to add log entries for each and
> every country, band and mode. Since I have over 200 countries
> confirmed, I'm really only interested in detail on a go forward
basis.
>
> Thanks and 73,
>
> Dom N3DD

319. Re: DXCC Checklist

Yahoo group: XMLog
Date: 2002-01-07 20:59:13 UTC
From: n7or
Topic: 317 Message: 319

This probably seems obvious, but: Just sort your cards out by band/mode and no duplicates. That would be easier. Why enter Japan on 15 meter ssb 4000 times. Know what I mean? 73 - Craig

--- In XMLog@y..., "n3dd" <dfdiclementi@e...> wrote:
> Hi Mike
>
> I've been using the program for a couple of months now and it is
> absolutley great!
>
> However, since this is the only log program I've ever really used and
> have no previous files, is there any way to "back into" the DXCC
> worked/confirmed count or do I have to add log entries for each and
> every country, band and mode. Since I have over 200 countries
> confirmed, I'm really only interested in detail on a go forward basis.
>
> Thanks and 73,
>
> Dom N3DD

320. automatic login to the DX cluster

Yahoo group: XMLog
Date: 2002-01-13 00:51:07 UTC
From: zamba0321
Topic: 320 Message: 320

This is a new feature request:
can the packet terminal automatically login to the
dx cluster. Just send callsign and password upon connect

Here's what w6rfu telnet DX cluster at 128.111.56.240 asks

Your callsign:
Password:

perhaps by having a programmable prompt string and response
this would work for most systems ..

just my 2 cents ...

73 de KD6ZUC

321. RE:[XMLog] automatic login to the DX cluster

Yahoo group: XMLog
Date: 2002-01-13 05:22:17 UTC
From: N7MAL
Topic: 320 Message: 321

Here is my login file for W6FRU. You need to create a, text, file named W6RFU.NOD and add your own password in place of ....

```
rem
rem Internet PacketCluster at W6RFU
rem
connect 128.111.56.240
send #me
send ..............
```

I have attached the file but it will probably get stripped off. The help files provide a good guideline for creating these files.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

322. Re: RE:[XMLog] automatic login to the DX cluster

Yahoo group: XMLog
Date: 2002-01-14 04:06:56 UTC
From: zamba0321
Topic: 320 Message: 322

great, thanks for the info, it works like a charm

de KD6ZUC

--- In XMLog@y..., "N7MAL" <n7mal@c...> wrote:
> Here is my login file for W6FRU. You need to create a, text, file
named
> W6RFU.NOD and add your own password in place of ....
>
> rem
> rem Internet PacketCluster at W6RFU
> rem
> connect 128.111.56.240
> send #me
> send ....
>
> I have attached the file but it will probably get stripped off. The
help
> files provide a good guideline for creating these files.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
>
>
> [Non-text portions of this message have been removed]

323. update spots window using history of spots

Yahoo group: XMLog
Date: 2002-01-16 02:32:18 UTC
From: zamba0321
Topic: 323 Message: 323

Since I was helped so fast
with my previous question, here's another one.

When I connect to the DX cluster, only new sport show up
in the spots window.

It would be nice to somehow do a sh/dx/30
and then update the spots window with these 30 last DX spots.

It is usefull since xmlog shows heading, country info
and if the spot is needed on that band etc.

thanks
KD6ZUC

324. Re: update spots window using history of spots

Yahoo group: XMLog
Date: 2002-01-16 02:43:38 UTC
From: zamba0321
Topic: 323 Message: 324

another option would be that if I right click on a call in the
dx spots history I could see the info (country, heding, worked or
not). Just like I can right click on a frequency from the packet
window and set the rig to that frequency.

--- In XMLog@y..., "zamba0321" <zamba0321@y...> wrote:
> Since I was helped so fast
> with my previous question, here's another one.
>
> When I connect to the DX cluster, only new sport show up
> in the spots window.
>
> It would be nice to somehow do a sh/dx/30
> and then update the spots window with these 30 last DX spots.
>
> It is usefull since xmlog shows heading, country info
> and if the spot is needed on that band etc.
>
>
> thanks
> KD6ZUC

325. Re: [XMLog] update spots window using history of spots

Yahoo group: XMLog
Date: 2002-01-16 02:48:27 UTC
From: Kevin Nathan
Topic: 323 Message: 325

You could write that sh/dx 30 into your script for logging onto the cluster and that will bring them up for you. I've found however, that these older spots are often really cold and not very useful.

Good luck and 73.
Kevin, K7RX

326. Re: update spots window using history of spots

Yahoo group: XMLog
Date: 2002-01-16 17:38:22 UTC
From: w1ect
Topic: 323 Message: 326

Some packet cluster nodes support another form of the sh/dx command
that formats the information so that it looks like a spot (which
XMLog will pick up and show in the spots window). Try it out and see
if your node supports this feature:

sh/fdx/30

Mike - W1ECT

--- In XMLog@y..., "zamba0321" <zamba0321@y...> wrote:
> Since I was helped so fast
> with my previous question, here's another one.
>
> When I connect to the DX cluster, only new sport show up
> in the spots window.
>
> It would be nice to somehow do a sh/dx/30
> and then update the spots window with these 30 last DX spots.
>
> It is usefull since xmlog shows heading, country info
> and if the spot is needed on that band etc.
>
>
> thanks
> KD6ZUC

327. Re: update spots window using history of spots

Yahoo group: XMLog
Date: 2002-01-16 17:44:07 UTC
From: w1ect
Topic: 323 Message: 327

You should be able to move your mouse over calls displayed in the spot window and the info should be displayed in the status line at the bottom of the window. You can also right-click or double-click on calls in the spot window to set the rig frequency. These features are included in the current version at www.xmlog.com (version 4.23).

Mike - W1ECT

--- In XMLog@y..., "zamba0321" <zamba0321@y...> wrote:
> another option would be that if I right click on a call in the
> dx spots history I could see the info (country, heding, worked or
> not). Just like I can right click on a frequency from the packet
> window and set the rig to that frequency.
>
>
> --- In XMLog@y..., "zamba0321" <zamba0321@y...> wrote:
> > Since I was helped so fast
> > with my previous question, here's another one.
> >
> > When I connect to the DX cluster, only new sport show up
> > in the spots window.
> >
> > It would be nice to somehow do a sh/dx/30
> > and then update the spots window with these 30 last DX spots.
> >
> > It is usefull since xmlog shows heading, country info
> > and if the spot is needed on that band etc.
> >
> >
> > thanks
> > KD6ZUC

328. Re: update spots window using history of spots

Yahoo group: XMLog
Date: 2002-01-17 02:54:13 UTC
From: zamba0321
Topic: 323 Message: 328

Hi Mike,

it works indeed great in the spot window, and I do get the info
and can set my transceiver (TS570D). However I was wondering if
it could do the same in the packet window when I right click
on a call. It shows the call in the pop-up menu, but not the other
info.

This is only usefull when the spot has gone (timed out) and I'm
clicking on an older spot on the packet window.

I tried the sh/fdx, but the CLX version at W6RFU does not support it
unfortunately. Perhaps I can find another telnet dx cluster on the
west coast ...

73's
de KD6ZUC

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> You should be able to move your mouse over calls displayed in the
spot
> window and the info should be displayed in the status line at the
> bottom of the window. You can also right-click or double-click
> on calls in the spot window to set the rig frequency. These
features
> are included in the current version at www.xmlog.com (version 4.23).
>
> Mike - W1ECT
>
> --- In XMLog@y..., "zamba0321" <zamba0321@y...> wrote:
> > another option would be that if I right click on a call in the
> > dx spots history I could see the info (country, heding, worked or
> > not). Just like I can right click on a frequency from the packet
> > window and set the rig to that frequency.
> >
> >
> > --- In XMLog@y..., "zamba0321" <zamba0321@y...> wrote:
> > > Since I was helped so fast
> > > with my previous question, here's another one.
> > >
> > > When I connect to the DX cluster, only new sport show up
> > > in the spots window.
> > >
> > > It would be nice to somehow do a sh/dx/30
> > > and then update the spots window with these 30 last DX spots.

> > >
> > > It is usefull since xmlog shows heading, country info
> > > and if the spot is needed on that band etc.
> > >
> > >
> > > thanks
> > > KD6ZUC

329. CAT defaults

Yahoo group: XMLog
Date: 2002-01-18 13:03:10 UTC
From: g4cdz@aol.com
Topic: 329 Message: 329

Hi Mike

Am using the CAT interface successfully with both the FT847 and IC746 via a switch box from a common PC serial port.

Changing the HF Rig select option is clearly no real problem, but is there any way I can set (and save) the default baud rate to 9600 for both rigs. Currently the IC746 revert back to 1200 bauds even when I save. Strangely the FT847 is retained at 9600.
I looked in the editable files but haven't found the lookup table.
Thanks and regards

Barrie - G4CDZ

[Non-text portions of this message have been removed]

330. Re: CAT defaults

Yahoo group: XMLog
Date: 2002-01-18 21:01:20 UTC
From: w1ect
Topic: 329 Message: 330

Hello Barrie,

No, there isn't a way to set the default baud rate that is selected when you pick a new rig type (the values are hard-coded). I tried to pick default values that apply to the rig when it's shipped (this used to be a good strategy when rigs didn't allow you to select the baud rate). However I can change the hard-coded default if it's not correct - what is the right "new out-of-the-box" baud rate for a IC-746?

Mike

--- In XMLog@y..., g4cdz@a... wrote:
> Hi Mike
>
> Am using the CAT interface successfully with both the FT847 and IC746 via a
> switch box from a common PC serial port.
>
> Changing the HF Rig select option is clearly no real problem, but is there
> any way I can set (and save) the default baud rate to 9600 for both rigs.
> Currently the IC746 revert back to 1200 bauds even when I save. Strangely the
> FT847 is retained at 9600.
> I looked in the editable files but haven't found the lookup table.
> Thanks and regards
>
> Barrie - G4CDZ
>
>
> [Non-text portions of this message have been removed]

331. Re: [XMLog] Re: CAT defaults

Yahoo group: XMLog
Date: 2002-01-19 08:25:36 UTC
From: g4cdz@aol.com
Topic: 329 Message: 331

Mike

Thanks your usual prompt response. Obviously nothing wrong with your default strategy.
The out-of-box rate for the IC-746 is in fact Auto, but I couldn't get this to work at your default 1200, it does of course work at rig setting 1200.
The only reason for pushing it up to 9600 (on the rig(s)) was to achieve compatibility with another CAT interfacing programme I use,

Its no real problem, just my tidy mind and laziness I suppose.

Thanks and regards

Barrie - G4CDZ

[Non-text portions of this message have been removed]

332. Importing Log files

Yahoo group: XMLog
Date: 2002-01-22 19:23:14 UTC
From: wa2aeh
Topic: 332 Message: 332

I exported my LOGIC5 log to a stand alone file and then imported it to xmlog.

When opening the file, xmlog will access the file correctly but I cannot access the individual entries. I can access the stats part of the program however therefore, I know the log is there. In other words, when I have loaded the file/log, it wants me to select a call letter but I cannot because I cannot see the log. The scroll bar at the bottom is subdued and not accessible.

All the fields are blank yet I know the log is there because I can run all the stats such as WAS, DXCC etc. So, how do I access the individual log entries immediately upon loading the log.

333. Re: Importing Log files

Yahoo group: XMLog
Date: 2002-01-23 16:11:45 UTC
From: w1ect
Topic: 332 Message: 333

Hi Bill,

When XMLog starts up and a log file is opened no log entries are "currently selected". To select entries for a specific call click the "Select" button, fill in a callsign in the Call field, and click the "Search" button. You can then use the scroll bar to move through the entries (if there was more than one match). To select all entries in the log click the "Select" button, don't fill in any fields, and click the "Search" button.

For more info on selecting entries from your log see the "Searching the log" section in the help file. Let me know if you have any problems.

Mike - W1ECT

--- In XMLog@y..., "wa2aeh" <billg@w...> wrote:
> I exported my LOGIC5 log to a stand alone file and then imported it
> to xmlog.
>
> When opening the file, xmlog will access the file correctly but I
> cannot access the individual entries. I can access the stats part
of
> the program however therefore, I know the log is there. In other
> words, when I have loaded the file/log, it wants me to select a call
> letter but I cannot because I cannot see the log. The scroll bar at
> the bottom is subdued and not accessible.
>
> All the fields are blank yet I know the log is there because I can
> run all the stats such as WAS, DXCC etc. So, how do I access the
> individual log entries immediately upon loading the log.

334. best way to setup for new callsign

Yahoo group: XMLog
Date: 2002-02-13 04:02:23 UTC
From: zamba0321
Topic: 334 Message: 334

Hi,

I just upgraded my license and have a new callsign, what is the best
way to set it up in XMlog ?
Should I close the logbook for my old call and start a new one with
the new call ?

Then perhaps I should import my older log in there to see my old
contacts ...

any ideas ?

thanks
de AE6BV

335. Re: best way to setup for new callsign

Yahoo group: XMLog
Date: 2002-02-13 14:50:05 UTC
From: w1ect
Topic: 334 Message: 335

No problem - just use the "Options/Log Options" menu item to change
the callsign. Log entries do not have a callsign associated with
them. Currently the only way to keep entries for a different call
would be to maintain them in a seperate log file.

Mike - W1ECT

> Hi,
>
> I just upgraded my license and have a new callsign, what is the best
> way to set it up in XMlog ?
> Should I close the logbook for my old call and start a new one with
> the new call ?
>
> Then perhaps I should import my older log in there to see my old
> contacts ...
>
> any ideas ?
>
> thanks
> de AE6BV

336. interface XmLog to DxView

Yahoo group: XMLog
Date: 2002-02-16 04:50:38 UTC
From: zamba0321
Topic: 336 Message: 336

Hi Mike et al,

I love using Xmlog together with the DxSpots and packet/telnet
cluster and radio interface.

I recently tested some applications from dxlabs
http://www.qsl.net/dxlab/

and found the DXView application quite nice. It shows the DXspot
or any entered callsign on a worldmap, and even has individual
maps for each country.

The author says that the DDE interfaces to the application are public
so I wonder what you think about interfacing to DXView application.

It would be a nice addition to XMlog

73's
de AE6BV

337. addy change

Yahoo group: XMLog
Date: 2002-02-16 14:21:50 UTC
From: AKAGentleSunset@wmconnect.com
Topic: 337 Message: 337

Please change my email address to XYLHam@... and stop sending it
here to akaGentleSunset..

Thanks, Jeanne N1NUY

[Non-text portions of this message have been removed]

338. new subscriber

Yahoo group: XMLog
Date: 2002-02-25 20:00:27 UTC
From: gary metzler
Topic: 338 Message: 338

Hello,

I am starting to use xmlog. I am a blind ham and may need some help in
using the program.
Regards,Gary KN4OX
E-MAIL: gmetzler@...

339. How to get DX Cluster spot callsign into the logbook entry?

Yahoo group: XMLog
Date: 2002-03-15 21:32:42 UTC
From: dquick_k1200lti
Topic: 339 Message: 339

Greetings;

I'm just in the process trying out XMLog. I'm looking for a replacement for the old DOS-based log book that I've been using for many years.

I really like the graphical representation of cluster spots. The band-map concept is great!

Is there a way to have have the DX station's callsign automatically inserted into the callsign field of the log window when I double click on a DX spot?

Thanks;

Dave Quick
K0EKL

340. Re: How to get DX Cluster spot callsign into the logbook entry?

Yahoo group: XMLog
Date: 2002-03-15 22:29:20 UTC
From: w1ect
Topic: 339 Message: 340

Hi Dave,

If you have a recent copy of XMLog you can do a right-click on the
callsign and pick "Start Net Log Entry for ..."

Mike - W1ECT

> Greetings;
>
> I'm just in the process trying out XMLog. I'm looking for a
> replacement for the old DOS-based log book that I've been using for
> many years.
>
> I really like the graphical representation of cluster spots. The
band-
> map concept is great!
>
> Is there a way to have have the DX station's callsign automatically
> inserted into the callsign field of the log window when I double
> click on a DX spot?
>
> Thanks;
>
> Dave Quick
> K0EKL

341. ADIF File Dupes

Yahoo group: XMLog
Date: 2002-03-18 07:20:17 UTC
From: john_ki4ro
Topic: 341 Message: 341

Mike et al,
I use Digipan for my PSK work. It has a nice little logging program built right in so I use it. It creates correctly formatted ADIF files and they import nicely into XMLOG. The problem is that I get duplicate entries which I don't want. Any way to tell XMLOG not to import the exact duplicates?

73
John

342. Re: ADIF File Dupes

Yahoo group: XMLog
Date: 2002-03-18 16:20:05 UTC
From: w1ect
Topic: 341 Message: 342

Hi John,

During an import XMLog only does a dupe check on the first entry in the file being imported. This check is there to keep you from importing the same file twice. I'll add a "ignore all dupes" option to my list of things to do but this feature won't be added in the near future. If you are exporting a file over and over again that just has some new entries at the end perhaps a quick fix would be to just edit the file and delete the dupes at the start. ADIF files are just simple text files that can be edited with WordPad, etc.

Mike - W1ECT

> Mike et al,
> I use Digipan for my PSK work. It has a nice little logging
> program built right in so I use it. It creates correctly formatted
> ADIF files and they import nicely into XMLOG. The problem is that I
> get duplicate entries which I don't want. Any way to tell XMLOG not
> to import the exact duplicates?
>
> 73
> John

343. Re: How to get DX Cluster spot callsign into the logbook entry?

Yahoo group: XMLog
Date: 2002-03-19 04:14:24 UTC
From: k0ekl
Topic: 339 Message: 343

Mike;

Thanks for the quick response. Yes, i see that option when I right-
click on the spot, and it does work.

I still think it would be nice to simply double-click on a spot and
have the program enter the current time, frequency, mode, and the
callsign of the DX station.

I also think the time should continue to advance until the contact is
finalized. I may jump to a new spot, but not actually work it for
quite a while, depending on the size of the pileup. I'd like it if
the software continuously read the frequency, etc from the rig,
rather than just once at the beginning of the new entry.

Juat suggestions, of course.

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> Hi Dave,
>
> If you have a recent copy of XMLog you can do a right-click on the
> callsign and pick "Start Net Log Entry for ..."
>
> Mike - W1ECT
>
> > Greetings;
> >
> > I'm just in the process trying out XMLog. I'm looking for a
> > replacement for the old DOS-based log book that I've been using
for
> > many years.
> >
> > I really like the graphical representation of cluster spots. The
> band-
> > map concept is great!
> >
> > Is there a way to have have the DX station's callsign
automatically
> > inserted into the callsign field of the log window when I double
> > click on a DX spot?
> >
> > Thanks;
> >
> > Dave Quick
> > K0EKL

344. Re: [XMLog] Re: ADIF File Dupes

Yahoo group: XMLog
Date: 2002-03-19 15:27:23 UTC
From: John P Smith
Topic: 341 Message: 344

Hi Mike,
Sounds like a plan...take care.

John

--- w1ect <m.mcamis@...> wrote:
>
> Hi John,
>
> During an import XMLog only does a dupe check on the
> first entry in
> the file being imported. This check is there to
> keep you from
> importing the same file twice. I'll add a "ignore
> all dupes" option
> to my list of things to do but this feature won't be
> added in the near
> future. If you are exporting a file over and over
> again that just has
> some new entries at the end perhaps a quick fix
> would be to just edit
> the file and delete the dupes at the start. ADIF
> files are just
> simple text files that can be edited with WordPad,
> etc.
>
> Mike - W1ECT
>
> > Mike et al,
> > I use Digipan for my PSK work. It has a nice
> little logging
> > program built right in so I use it. It creates
> correctly formatted
> > ADIF files and they import nicely into XMLOG. The
> problem is that I
> > get duplicate entries which I don't want. Any way
> to tell XMLOG not
> > to import the exact duplicates?
> >
> > 73
> > John
>
>

=====
73

John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
Yahoo! Sports - live college hoops coverage
http://sports.yahoo.com/

345. Re: How to get DX Cluster spot callsign into the logbook entry?

Yahoo group: XMLog
Date: 2002-03-19 23:46:39 UTC
From: w1ect
Topic: 339 Message: 345

When you do a right-click on a callsign in the packet window and choose "Start a new log entry for..." any log entry defaults you have defined will be applied to this new entry. These defaults can include setting the current time, frequency, mode, and info from the callbook (the call always gets set). See the help for "Edit/Define Defaults for New Entries" for more info.

You can double-click on any date or time field at a later point to update it to the current time or date. You can also double-click on the mode or frequency fields at a later point to update them.

I don't currently have any plans to poll the radio at intervals in order to implement automatic updating of the frequency/mode fields.

Mike - W1ECT

> Mike;
>
> Thanks for the quick response. Yes, i see that option when I right-
> click on the spot, and it does work.
>
> I still think it would be nice to simply double-click on a spot and
> have the program enter the current time, frequency, mode, and the
> callsign of the DX station.
>
> I also think the time should continue to advance until the contact
is
> finalized. I may jump to a new spot, but not actually work it for
> quite a while, depending on the size of the pileup. I'd like it if
> the software continuously read the frequency, etc from the rig,
> rather than just once at the beginning of the new entry.
>
> Just suggestions, of course.

346. Importing and new to group

Yahoo group: XMLog
Date: 2002-03-19 18:26:09 UTC
From: lhlousek
Topic: 346 Message: 346

Hi,

I'm a paper logger but have put my logs into an Excel spread sheet with seperate columns for date, time, call, mode, etc. How easy (or difficult) would it be to import his data into XMLog?

Lou W7DZN

347. Re: Importing and new to group

Yahoo group: XMLog
Date: 2002-03-21 01:47:56 UTC
From: w1ect
Topic: 346 Message: 347

Hi Lou,

Excel has a feature that lets you dump a spreadsheet to a text file
that uses tab characters to delimit the fields. From there you could
hack one of my conversion programs distributed with XMLog. One of
these programs (import1.bas) currently reads a comma-delimited file
and writes an "XMLog format" file that can be imported into XMLog. So
if you've had a little experience with Basic programming this is one
way to go. The advantage here is that once you have imported this
file into XMLog you can export the resulting log file as an ADIF file
and at that point you can move the log entries back and forth between
just about any logging program.

The only limitation of an "XMLog format" file is that it doesn't
handle the address fields (it does handle a single-line QTH field).

Che the documentation in import.bas and import1.bas and the help info
for "Import/Import XMLog Text File".

Mike - W1ECT

> Hi,
>
> I'm a paper logger but have put my logs into an Excel spread sheet
> with seperate columns for date, time, call, mode, etc. How easy (or
> difficult) would it be to import his data into XMLog?
>
> Lou W7DZN

348. Adding to country list?

Yahoo group: XMLog
Date: 2002-03-21 02:29:54 UTC
From: scott_n9ai
Topic: 348 Message: 348

Can anyone tell me how to add a country to the XMLog country list? I worked Ducie Island and, of course, since it's a new one, it's not included in the country list of my version.

Thanks in advance,
Scott, N9AI

349. Re: [XMLog] Adding to country list?

Yahoo group: XMLog
Date: 2002-03-21 03:45:13 UTC
From: Bill
Topic: 348 Message: 349

Download version 4.35. It includes Ducie Isl.

Bill NG6Z
----- Original Message -----
From: "scott_n9ai" <scottmanthe@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, March 20, 2002 6:29 PM
Subject: [XMLog] Adding to country list?

> Can anyone tell me how to add a country to the XMLog country list? I
> worked Ducie Island and, of course, since it's a new one, it's not
> included in the country list of my version.
>
> Thanks in advance,
> Scott, N9AI
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

350. Re: Adding to country list?

Yahoo group: XMLog
Date: 2002-03-21 17:49:25 UTC
From: w1ect
Topic: 348 Message: 350

I've added this Ducie Island to the prefix fileinr the current version
of XMLog (4.35) but if you'd like to add it to a previous version
here's what you need to do:

1) Go to your XMLog install folder (usually c:\mlog) and open the
prefixes file with a simple text editor like Notepad or Wordpad.

2) Find the Pitcairn entry and add the description for Ducie
immediately afterward. The results should look like this...

VP6,Pitcairn I.,OC,32,[-25.1/130.1],ADIF=172,OldPrefix=VR6,
VP6,!,
VP6/D,Ducie I.,OC,32,[-24.5/125.0],
!,
VP8/F,Falkland Is.,SA,13,[-51.75/59],ADIF=141,
!,

If you've got the version 4.35 or you've updated the prefixes file
manually the next step is to choose the "DX/Show Callsign List" menu
item and add an entry that defines VP6DI as Ducie I.

Mike - W1ECT

> Can anyone tell me how to add a country to the XMLog country list? I
> worked Ducie Island and, of course, since it's a new one, it's not
> included in the country list of my version.
>
> Thanks in advance,
> Scott, N9AI

351. Importing

Yahoo group: XMLog
Date: 2002-03-22 05:33:07 UTC
From: lhlousek@nvbell.net
Topic: 351 Message: 351

Hi Mike,

Thanks for the info. I can certainly move the feilds around and get the data out of Excel into a tab (or otherwise) delimited text file but the last time I did any basic programming was about 32 years ago! I don't have basic on my computer either. I haven't down loaded XMLog yet so maybe I should do that and look at what is involved. Are there other logging programs that will import a delimited text file?

Lou W7DZN

_____
The simple way to read all your emails at thatweb
http://www.thatweb.com

352. XMLog and Idiom Press Rotor-EZ

Yahoo group: XMLog
Date: 2002-03-27 03:00:31 UTC
From: Robert C Jones
Topic: 352 Message: 352

I just wanted to publicly thank Mike for taking the time to modify XMLog to work with the Rotor-EZ by Idiom Press. I added this board to my HyGain Ham II rotor control back in June, but only recently tried it out with XMLog. There was a minor issue with the XMLog software, but Mike was kind enough to research the issue and establish compatibility. Thanks, Mike! Mike says that the change should be in release 4.37. For anyone interested in modifying their HyGain rotor, I highly recommend the Rotor-EZ board. (http://www.idiompress.com/rotor-ez.html)

73 to all,

Bob, W5TU

[Non-text portions of this message have been removed]

353. Re: ADIF File Dupes

Yahoo group: XMLog
Date: 2002-03-27 23:54:58 UTC
From: davidspoelstra
Topic: 341 Message: 353

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
> I'll add a "ignore all dupes" option
> to my list of things to do but this feature
> won't be added in the near
> future.
> Mike - W1ECT

Mike-

That would be a wonderful feature to an already fantastic program. I use XMLog as my "consolidated" logging program. I am always importing contacts from DigiPan, WinWarbler, MMSSTV and other digital programs. Each time I do an import, it takes a lot of time to edit the files before I import them to make sure I don't get dupes. An "ignore all dupes" option would sure make life simpler!

Thanks!
-David

354. Re: Importing

Yahoo group: XMLog
Date: 2002-03-28 00:27:23 UTC
From: davidspoelstra
Topic: 351 Message: 354

> Thanks for the info. I can certainly move the feilds around and get the data out of Excel into a tab (or otherwise) delimited text file but the last time I did any basic programming was about 32 years ago! I don't have basic on my computer either. I haven't down loaded XMLog yet so maybe I should do that and look at what is involved. Are there other logging programs that will import a delimited text file?

Here's what I did:
1. Use Cabrillo Converter (http://www.wt4i.com/) to convert from an ASCII log to Cabrillo format.
2. Use CBR2ADIF (http://www.storm.ca/~ve3iay/cbr2adif.html) to convert from Cabrillo to ADIF.

-David/N9KT

355. 2 requests

Yahoo group: XMLog
Date: 2002-03-28 02:47:05 UTC
From: zamba0321
Topic: 355 Message: 355

Hi Mike,

here are 2 possible enhancements:

1) I find it usefull to keep the "DX Show Country List" window
open. This allows me to see what country/heading is for someone
I hear on the band. Right now I need to exit that window
to use other xmlog functions. Also It would be nice for the Show
country list to update the guess as I type it, similar to
when I add a log entry, it guesses as I type.

2) On the packet cluster window, I sometimes do a sh/dx when I log
into the cluster and then try to do a callbook lookup on some
of the calls. When there is no callbook match, it would be nice
to at leats show the country/heading info.

thanks and keep up the good work, I like the program a lot !

- AE6BV

356. Re: [XMLog] 2 requests

Yahoo group: XMLog
Date: 2002-03-28 12:56:19 UTC
From: jagius@sybase.com
Topic: 355 Message: 356

When you type in a call into the call sign field in edit mode, you will see
the country and the heading in the window bar
at the top.

You van also run a DXCC checklist report and keep it open having contact
and country information but not the heading.

I find this very useful

Joe
W1TW

"zamba0321"
<zamba0321@yah To: XMLog@yahoogroups.com
oo.com> cc:
Subject: [XMLog] 2 requests
03/27/2002
09:47 PM
Please respond
to XMLog

Hi Mike,

here are 2 possible enhancements:

1) I find it usefull to keep the "DX Show Country List" window
open. This allows me to see what country/heading is for someone
I hear on the band. Right now I need to exit that window
to use other xmlog functions. Also It would be nice for the Show
country list to update the guess as I type it, similar to
when I add a log entry, it guesses as I type.

2) On the packet cluster window, I sometimes do a sh/dx when I log
into the cluster and then try to do a callbook lookup on some
of the calls. When there is no callbook match, it would be nice
to at leats show the country/heading info.

thanks and keep up the good work, I like the program a lot !

- AE6BV

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

357. Lost posting about alerts?

Yahoo group: XMLog
Date: 2002-03-29 00:43:14 UTC
From: w1ect
Topic: 357 Message: 357

Someone posted a message about alerts that had stopped working but it seems to have gotton lost. Please repost it if you're still having problems.

Mike - W1ECT

358. Re: 2 requests

Yahoo group: XMLog
Date: 2002-03-29 00:54:02 UTC
From: w1ect
Topic: 355 Message: 358

Hi,

1) One thing you should try is using the "DX/Check Callsign/Prefix" menu item from the packet window (or use the F4 shortcut). This will give you your country/bearing info. You inspired me to show the country/info in this dialog box caption as you type the call in (just as in the log window). I'll add the same feature to the country list as well. These changes will be available in www.xmlog.com/beta in a week or so as version 4.38.

2) This bug is fixed in the current beta, 4.37

Mike - W1ECT

> Hi Mike,
>
> here are 2 possible enhancements:
>
> 1) I find it usefull to keep the "DX Show Country List" window
> open. This allows me to see what country/heading is for someone
> I hear on the band. Right now I need to exit that window
> to use other xmlog functions. Also It would be nice for the Show
> country list to update the guess as I type it, similar to
> when I add a log entry, it guesses as I type.
>
> 2) On the packet cluster window, I sometimes do a sh/dx when I log
> into the cluster and then try to do a callbook lookup on some
> of the calls. When there is no callbook match, it would be nice
> to at leats show the country/heading info.
>
> thanks and keep up the good work, I like the program a lot !
>
> - AE6BV

359. Re: [XMLog] Lost posting about alerts?

Yahoo group: XMLog
Date: 2002-03-29 02:18:49 UTC
From: Steve Litwins
Topic: 357 Message: 359

I did Mike...tnx fer asking. Found problem...XMLog is ok...computer sound card is sick (intermittantly)...73/dx
steve, k8wk
****
-----Original Message-----
From: w1ect <m.mcamis@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Thursday, March 28, 2002 6:52 PM
Subject: [XMLog] Lost posting about alerts?

>
>Someone posted a message about alerts that had stopped working but it
>seems to have gotton lost. Please repost it if you're still having
>problems.
>
>Mike - W1ECT
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

360. problem

Yahoo group: XMLog
Date: 2002-03-25 21:43:30 UTC
From: Steve Litwins
Topic: 360 Message: 360

Hi all;
I've been a well-satisfied user of Xmlog for several years now. Just up-dated to v.435 and, up to now, it's been running flawlessly. I have cw alerts enabled. Last night, when I went to bed, cw alerts were alive and well. This morning, having changed absolutely nothing at all, the cw alerts are not working. Checked all the options and all are as they were b4...no change. Anybody else notice this? The PC sound is ok...checked that out...any ideas? 73/dx
steve, k8wk
****

361. Network Error Message

Yahoo group: XMLog
Date: 2002-03-31 14:13:30 UTC
From: n3dd
Topic: 361 Message: 361

Hi All

Been using Ver.4.35 now for some time and it has worked fine. I have the program configured to log on to a local internet packet cluster upon start up. However when starting up the program this morning I received the following error message "Network Error 10061 Network Error connecting to ..... Connection is forcefully rejected"

I tried the usual things such as rebooting, and the internet connection through AOL seems ok. I also tried connecting to another cluster but got the same message.

Any ideas?

73, Dom N3DD

362. Re: [XMLog] Network Error Message

Yahoo group: XMLog
Date: 2002-03-31 14:51:37 UTC
From: Steve Litwins
Topic: 361 Message: 362

GM Dom;
I had exactly the same problem abt a year back. Somewhere I have the emails Mike and I exchanged over the errors. I think it's on a different computer, so will have to go boot that one up and look at the files which I'm sure I still have. So hang in there. In the meantime Dom, if memory serves me correctly, the term 'forcefully rejected' refers to the owner of the IN spot program. So I think I remember that the problem was eventually with the IN node. Look for another email from me after I read the file about the incident here a year or so back. In the meantime, be sure ur IN connection numerical address has not become corrupted. 73/dx
steve, k8wk
****
-----Original Message-----
From: n3dd <dfdiclementi@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Sunday, March 31, 2002 8:21 AM
Subject: [XMLog] Network Error Message

>Hi All
>
>Been using Ver.4.35 now for some time and it has worked fine. I have
>the program configured to log on to a local internet packet cluster
>upon start up. However when starting up the program this morning I
>received the following error message "Network Error 10061 Network
>Error connecting to ..... Connection is forcefully rejected"
>
>I tried the usual things such as rebooting, and the internet
>connection through AOL seems ok. I also tried connecting to another
>cluster but got the same message.
>
>Any ideas?
>
>73, Dom N3DD
>
>
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

>
>

363. Re: [XMLog] Network Error Message

Yahoo group: XMLog
Date: 2002-03-31 15:18:28 UTC
From: Steve Litwins
Topic: 361 Message: 363

Hi Dom;
I found that my problem was that I had the IP 'accidentally' (never found out how) changed. This happend during a contest weekend if I remember correctly. So...check the IP carefully and contact the node owner if the problem persists. I also run 435 here and it seems to be working just fine...gl...73/dx
steve, k8wk
****
-----Original Message-----
From: n3dd <dfdiclementi@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Sunday, March 31, 2002 8:21 AM
Subject: [XMLog] Network Error Message

>Hi All
>
>Been using Ver.4.35 now for some time and it has worked fine. I have
>the program configured to log on to a local internet packet cluster
>upon start up. However when starting up the program this morning I
>received the following error message "Network Error 10061 Network
>Error connecting to ..... Connection is forcefully rejected"
>
>I tried the usual things such as rebooting, and the internet
>connection through AOL seems ok. I also tried connecting to another
>cluster but got the same message.
>
>Any ideas?
>
>73, Dom N3DD
>
>
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

364. Re: Network Error Message

Yahoo group: XMLog
Date: 2002-03-31 17:23:37 UTC
From: n3dd
Topic: 361 Message: 364

Hi Steve

Thanks for the info. I think you are right about the node change. i
retyped it in and now it semms to be working fine again.

Thanks alot for your help

Vy 73, Dom

--- In XMLog@y..., "Steve Litwins" <litwins@b...> wrote:
> Hi Dom;
> I found that my problem was that I had the IP 'accidentally' (never
found
> out how) changed. This happend during a contest weekend if I
remember
> correctly. So...check the IP carefully and contact the node owner
if the
> problem persists. I also run 435 here and it seems to be working
just
> fine...gl...73/dx
> steve, k8wk
> **********
> -----Original Message-----
> From: n3dd <dfdiclementi@e...>
> To: XMLog@y... <XMLog@y...>
> Date: Sunday, March 31, 2002 8:21 AM
> Subject: [XMLog] Network Error Message
>
>
> >Hi All
> >
> >Been using Ver.4.35 now for some time and it has worked fine. I
have
> >the program configured to log on to a local internet packet cluster
> >upon start up. However when starting up the program this morning
I
> >received the following error message "Network Error 10061 Network
> >Error connecting to ..... Connection is forcefully rejected"
> >
> >I tried the usual things such as rebooting, and the internet
> >connection through AOL seems ok. I also tried connecting to
another
> >cluster but got the same message.
> >
> >Any ideas?
> >

> >73, Dom N3DD
> >
> >
> >
> >
> >
> >To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> >Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >

365. Re: [XMLog] Re: Network Error Message

Yahoo group: XMLog
Date: 2002-03-31 17:27:20 UTC
From: Steve Litwins
Topic: 361 Message: 365

You're welcome Dom...dern thing drove me nuts at the time...one little number...no! I remember now. It had been several weeks since I used the node...was out of town. When I did reconnect, the IP was changed but I didn't hear abt it. Glad u have it running. Wud be tough without it...hi. I do band/modes...73/dx
steve, k8wk
****
-----Original Message-----
From: n3dd <dfdiclementi@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Sunday, March 31, 2002 11:31 AM
Subject: [XMLog] Re: Network Error Message

>Hi Steve
>
>Thanks for the info. I think you are right about the node change. i
>retyped it in and now it semms to be working fine again.
>
>Thanks alot for your help
>
>Vy 73, Dom
>
>
>
>
>
>--- In XMLog@y..., "Steve Litwins" <litwins@b...> wrote:
>> Hi Dom;
>> I found that my problem was that I had the IP 'accidentally' (never
>found
>> out how) changed. This happend during a contest weekend if I
>remember
>> correctly. So...check the IP carefully and contact the node owner
>if the
>> problem persists. I also run 435 here and it seems to be working
>just
>> fine...gl...73/dx
>> steve, k8wk
>> **********
>> -----Original Message-----
>> From: n3dd <dfdiclementi@e...>
>> To: XMLog@y... <XMLog@y...>
>> Date: Sunday, March 31, 2002 8:21 AM
>> Subject: [XMLog] Network Error Message
>>

>>
>> >Hi All
>> >
>> >Been using Ver.4.35 now for some time and it has worked fine. I
>have
>> >the program configured to log on to a local internet packet cluster
>> >upon start up. However when starting up the program this morning
>I
>> >received the following error message "Network Error 10061 Network
>> >Error connecting to ..... Connection is forcefully rejected"
>> >
>> >I tried the usual things such as rebooting, and the internet
>> >connection through AOL seems ok. I also tried connecting to
>another
>> >cluster but got the same message.
>> >
>> >Any ideas?
>> >
>> >73, Dom N3DD
>> >
>> >
>> >
>> >
>> >
>> >To unsubscribe from this group, send an email to:
>> >
>> > XMLog-unsubscribe@o...
>> >
>> >
>> >
>> >Your use of Yahoo! Groups is subject to
>http://docs.yahoo.com/info/terms/
>> >
>> >
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

366. Re: ADIF File Dupes

Yahoo group: XMLog
Date: 2002-04-15 03:17:01 UTC
From: homeiswhereiwearmyhat
Topic: 341 Message: 366

What would be nice is a way to synchronize two systems.

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:

> During an import XMLog only does a dupe check on the first entry in
> the file being imported. This check is there to keep you from
> importing the same file twice. I'll add a "ignore all dupes" option
> to my list of things to do but this feature won't be added in the near
> future. If you are exporting a file over and over again that just has
> some new entries at the end perhaps a quick fix would be to just edit
> the file and delete the dupes at the start. ADIF files are just
> simple text files that can be edited with WordPad, etc.
>
> Mike - W1ECT
>
> > Mike et al,
> > I use Digipan for my PSK work. It has a nice little logging
> > program built right in so I use it. It creates correctly formatted
> > ADIF files and they import nicely into XMLOG. The problem is that I
> > get duplicate entries which I don't want. Any way to tell XMLOG not
> > to import the exact duplicates?
> >
> > 73
> > John

367. Re: ADIF File Dupes

Yahoo group: XMLog
Date: 2002-04-15 14:58:20 UTC
From: w1ect
Topic: 341 Message: 367

Hi John,

I've posted beta version 4.39 of XMLog at www.xmlog.com/beta that implements an "Ignore Duplicate Entries" option. As usual it's a good idea to back up your log before doing imports (esp. when testing this new feature).

Mike - W1ECT

> Hi John,
>
> During an import XMLog only does a dupe check on the first entry in
> the file being imported. This check is there to keep you from
> importing the same file twice. I'll add a "ignore all dupes" option
> to my list of things to do but this feature won't be added in the near
> future. If you are exporting a file over and over again that just has
> some new entries at the end perhaps a quick fix would be to just edit
> the file and delete the dupes at the start. ADIF files are just
> simple text files that can be edited with WordPad, etc.
>
> Mike - W1ECT
>
> > Mike et al,
> > I use Digipan for my PSK work. It has a nice little logging
> > program built right in so I use it. It creates correctly formatted
> > ADIF files and they import nicely into XMLOG. The problem is that I
> > get duplicate entries which I don't want. Any way to tell XMLOG not
> > to import the exact duplicates?
> >
> > 73
> > John

368. Older DXCC Entities

Yahoo group: XMLog
Date: 2002-04-16 02:29:48 UTC
From: Kevin Nathan
Topic: 368 Message: 368

Hi All,

I have a question regarding DXCC entities which no longer exist. I recently received a big box of older cards which have been hanging around the bureau for some time. These include cards from places such as the German Democratic Republic, Czechoslovakia, the Soviet Union and so on. How do I note these countries in the appropriate area in xmlog? Especially, where the OK prefix was valid for the old entity as well as the Czech Republic.

Thanks and I look forward to the answer to this one. 73
Kevin, K7RX :)

369. Split operation

Yahoo group: XMLog
Date: 2002-04-16 19:04:40 UTC
From: Thomas M. Schaefer
Topic: 369 Message: 369

Does XMLog look at a spot to see if there is SPILT info like up or some other indication and set the split on the rig?

Thanks,

Tom Ny4I

370. Re: Split operation

Yahoo group: XMLog
Date: 2002-04-16 22:17:07 UTC
From: w1ect
Topic: 369 Message: 370

Hi Tom,

The answer is no... but it is an interesting idea.

Mike - W1ECT

> Does XMLog look at a spot to see if there is SPILT info like up or
some
> other indication and set the split on the rig?
>
> Thanks,
>
> Tom Ny4I

371. Re: Older DXCC Entities

Yahoo group: XMLog
Date: 2002-04-16 15:03:41 UTC
From: w1ect
Topic: 368 Message: 371

Hello Kevin,

At the end of the help file section on "Importing and Exporting Log Entries" there's some info on how to handle imports of QSOs for deleted countries. The strategy is to select the 'mis-guessed' QSOs using a date range and prefix and then using the "Edit/Change Prefix" menu item (be sure to change "Selected Entries" rather than "All Log Entries!). When hacking like this it's probably a good idea to make a backup of your log file first.

Mike - W1ECT

> Hi All,
>
> I have a question regarding DXCC entities which no longer exist. I recently
> received a big box of older cards which have been hanging around the bureau
> for some time. These include cards from places such as the German
> Democratic Republic, Czechoslovakia, the Soviet Union and so on. How do I
> note these countries in the appropriate area in xmlog? Especially, where
> the OK prefix was valid for the old entity as well as the Czech Republic.
>
> Thanks and I look forward to the answer to this one. 73
> Kevin, K7RX :)

372. Re: [XMLog] Re: Older DXCC Entities

Yahoo group: XMLog
Date: 2002-04-18 03:19:39 UTC
From: Kevin Nathan
Topic: 368 Message: 372

thanks much. I'll experiment. 73
Kevin, K7RX :)

373. Re: Older DXCC Entities

Yahoo group: XMLog
Date: 2002-04-17 13:54:35 UTC
From: w1ect
Topic: 368 Message: 373

Hi Kevin,

For a bit of info on importing old logs that contain QSOs for deleted countries check the end of the of the help file section "Importing and Exporting Log Entries. The basic strategy is to select QSOs from your log using search keys for the date and prefix and then using the "Edit/Change Prefix" menu item. When using Change Prefix be sure to pick "Selected Entries" rather than "All Log Entries"! When doing this kind of hacking it's a good idea to make a copy of your log file first.

Mike - W1ECT

> Hi All,
>
> I have a question regarding DXCC entities which no longer exist. I recently
> received a big box of older cards which have been hanging around the bureau
> for some time. These include cards from places such as the German
> Democratic Republic, Czechoslovakia, the Soviet Union and so on. How do I
> note these countries in the appropriate area in xmlog? Especially, where
> the OK prefix was valid for the old entity as well as the Czech Republic.
>
> Thanks and I look forward to the answer to this one. 73
> Kevin, K7RX :)

374. Beta version 4.39/4.40 bug

Yahoo group: XMLog
Date: 2002-04-30 17:06:55 UTC
From: w1ect
Topic: 374 Message: 374

Beta test versions 4.39 and 4.40 give a "Can't set property" error
when using "File/Create New Log". This bug has been fixed in version
4.41 available at www.xmlog.com/beta

Mike - W1ECT

375. Update fields from Callbook

Yahoo group: XMLog
Date: 2002-05-04 23:21:24 UTC
From: Tom Schaefer
Topic: 375 Message: 375

Is there a way to apply the callbook fields to the whole log. I had imported some entries via ADIF, and I want to update the callbook fields like address, state, etc.

Thanks,

Tom NY4I

[Non-text portions of this message have been removed]

376. Setting #HIM

Yahoo group: XMLog
Date: 2002-05-05 00:58:52 UTC
From: Tom Schaefer
Topic: 376 Message: 376

I know that single clicking on a call int he packet sets HIM, but if I right click and select "Start a log entry", it does not set HIM to that call. Would it make good for a better process flow if starting a log entry and expecially saving a log entry automatically set HIM? I know this is used for CW and packet and maybe it would be a problem for CW. If so, perhaps another macro of packetHIM or something like that.

Also, imagine the following flow. I see a spot in the cluster, I right click the call and start a log. I then log the contact. Before I can click on another spot, I need to press STOP editing in the log or it says another log entry is in progress. Would it make sense for the second right click in the packet window to not ask about clearing the log entry especialy since nothing has changed but the edit defaults.

Thanks,

Tom NY4I

[Non-text portions of this message have been removed]

377. Re: Update fields from Callbook

Yahoo group: XMLog
Date: 2002-05-05 15:14:47 UTC
From: w1ect
Topic: 375 Message: 377

Hi Tom,

Sorry, there's no way to update multiple entries. However the current beta version at www.xmlog.com/beta has a feature that allows you to set default field values used during imports and this includes setting fields from the callbook. Perhaps you have a backup of your log before the import or you can select/delete the new entries and re-do the import.

Mike - W1ECT

> Is there a way to apply the callbook fields to the whole log. I had imported some entries via ADIF, and I want to update the callbook fields like address, state, etc.
>
> Thanks,
>
> Tom NY4I

378. Re: Setting #HIM

Yahoo group: XMLog
Date: 2002-05-05 15:34:57 UTC
From: w1ect
Topic: 376 Message: 378

Hi Tom,

> I know that single clicking on a call int he packet sets HIM,
> but if I right click and select "Start a log entry", it does
> not set HIM to that call.

This would be an simple change but I'm not sure why you're interested - where are you referencing #HIM after doing the "Start Log Entry for..."? By the way you can also set #HIM with a single left-click, this was the original way it was set if you didn't want to go through the menu selection.

> Also, imagine the following flow. I see a spot in the cluster,
> I right click the call and start a log. I then log the contact.
> Before I can click on another spot, I need to press STOP editing
> in the log or it says another log entry is in progress. Would it
> make sense for the second right click in the packet window to
> not ask about clearing the log entry especialy since nothing
> has changed but the edit defaults.

Not sure what you mean here - If you right-click and choose "Start Log Entry for..." you can't start another until you've added the newly created entry. Even if you set most fields using default values you might want to add IOTA, QSL Via info, etc. Perhaps I could add a "Create Log Entry for..." entry to the pop-up but that seems a bit subtle (and would die for most users since they don't have enough defaults set to create a valid log entry).

Mike - W1ECT

379. Re: [XMLog] Re: Setting #HIM

Yahoo group: XMLog
Date: 2002-05-05 16:41:03 UTC
From: Tom Schaefer
Topic: 376 Message: 379

Thanks for the replly.

When I run across a station and add him to the log, I then want to send a spot. Him does not get set automatically as a function of logging the station. Is there another way to do it that I am missing.

Thanks,

Tom
----- Original Message -----
From: "w1ect" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, May 05, 2002 9:34 AM
Subject: [XMLog] Re: Setting #HIM

>
> Hi Tom,
>
> > I know that single clicking on a call int he packet sets HIM,
> > but if I right click and select "Start a log entry", it does
> > not set HIM to that call.
>
> This would be an simple change but I'm not sure why you're interested
> - where are you referencing #HIM after doing the "Start Log Entry
> for..."? By the way you can also set #HIM with a single left-click,
> this was the original way it was set if you didn't want to go through
> the menu selection.
>
> > Also, imagine the following flow. I see a spot in the cluster,
> > I right click the call and start a log. I then log the contact.
> > Before I can click on another spot, I need to press STOP editing
> > in the log or it says another log entry is in progress. Would it
> > make sense for the second right click in the packet window to
> > not ask about clearing the log entry especialy since nothing
> > has changed but the edit defaults.
>
> Not sure what you mean here - If you right-click and choose "Start Log
> Entry for..." you can't start another until you've added the newly
> created entry. Even if you set most fields using default values you
> might want to add IOTA, QSL Via info, etc. Perhaps I could add a
> "Create Log Entry for..." entry to the pop-up but that seems a bit
> subtle (and would die for most users since they don't have enough
> defaults set to create a valid log entry).
>
> Mike - W1ECT
>

>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

380. Re: [XMLog] Re: Update fields from Callbook

Yahoo group: XMLog
Date: 2002-05-05 16:42:56 UTC
From: Tom Schaefer
Topic: 375 Message: 380

Could I just export the log, then reimport it to a new log and rename it
back to my original (after I saved off the original)?

Tom
----- Original Message -----
From: "w1ect" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, May 05, 2002 9:14 AM
Subject: [XMLog] Re: Update fields from Callbook

>
> Hi Tom,
>
> Sorry, there's no way to update multiple entries. However the current
> beta version at www.xmlog.com/beta has a feature that allows you to
> set default field values used during imports and this includes setting
> fields from the callbook. Perhaps you have a backup of your log
> before the import or you can select/delete the new entries and re-do
> the import.
>
> Mike - W1ECT
>
> > Is there a way to apply the callbook fields to the whole log. I had
> imported some entries via ADIF, and I want to update the callbook
> fields like address, state, etc.
> >
> > Thanks,
> >
> > Tom NY4I
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

381. Rig Support

Yahoo group: XMLog
Date: 2002-05-05 17:23:46 UTC
From: Kevin Nathan
Topic: 381 Message: 381

Hello Michael,

I am running Xmlog Version 4.35. I just bought a Kenwood TS-2000. This rig isn't in the list of rigs under rig port select. Do I just use Kenwood or is there a newer version that supports it directly?

thanks much and 73.
Kevin, K7RX :)

382. Beta Bug?

Yahoo group: XMLog
Date: 2002-05-07 06:19:44 UTC
From: Tom Schaefer
Topic: 382 Message: 382

In version 4.41, I right clicked on the packet spot (in the packet window) for K1B to start a new log entry. In the log entry, I right clicked on the country field and select KH1 from the list. After I saved it, I right clicked on the call in the packet window and displayed all calls for the entry, and it showed the country as a W. If I then go back and change it by double clicking on the country field in the log, I select KH1 and it changes. Incidentally, I do have Verify Country guesses checked, but I do nto get the dialog to confirm.

Tom NY4I

[Non-text portions of this message have been removed]

383. Re: Rig Support

Yahoo group: XMLog
Date: 2002-05-07 15:18:39 UTC
From: w1ect
Topic: 381 Message: 383

Hi Kevin,

The TS-2000 should work ok with the generic Kenwood setting. Just be sure you match the baud rate selection with the rig's setting.

Mike - W1ECT

> Hello Michael,
>
> I am running Xmlog Version 4.35. I just bought a Kenwood TS-2000. This rig
> isn't in the list of rigs under rig port select. Do I just use Kenwood or
> is there a newer version that supports it directly?
>
> thanks much and 73.
> Kevin, K7RX :)

384. Re: Setting #HIM

Yahoo group: XMLog
Date: 2002-05-07 15:20:17 UTC
From: w1ect
Topic: 376 Message: 384

OK Tom,

I'll go ahead and make the change in the next version so that creating new log entries from the Packet or Packet Spots window will set #him as well.

Mike - W1ECT

> Thanks for the reply.
>
> When I run across a station and add him to the log, I then want to send a
> spot. Him does not get set automatically as a function of logging the
> station. Is there another way to do it that I am missing.
>
> Thanks,
>
> Tom
> ----- Original Message -----
> From: "w1ect" <m.mcamis@v...>
> To: <XMLog@y...>
> Sent: Sunday, May 05, 2002 9:34 AM
> Subject: [XMLog] Re: Setting #HIM
>
>
>
> >
> > Hi Tom,
> >
> > > I know that single clicking on a call int he packet sets HIM,
> > > but if I right click and select "Start a log entry", it does
> > > not set HIM to that call.
> >
> > This would be an simple change but I'm not sure why you're interested
> > - where are you referencing #HIM after doing the "Start Log Entry
> > for..."? By the way you can also set #HIM with a single left-click,
> > this was the original way it was set if you didn't want to go through
> > the menu selection.
> >
> > > Also, imagine the following flow. I see a spot in the cluster,
> > > I right click the call and start a log. I then log the contact.
> > > Before I can click on another spot, I need to press STOP editing
> > > in the log or it says another log entry is in progress. Would it

> > > make sense for the second right click in the packet window to
> > > not ask about clearing the log entry especialy since nothing
> > > has changed but the edit defaults.
> >
> > Not sure what you mean here - If you right-click and choose "Start
Log
> > Entry for..." you can't start another until you've added the newly
> > created entry. Even if you set most fields using default values
you
> > might want to add IOTA, QSL Via info, etc. Perhaps I could add a
> > "Create Log Entry for..." entry to the pop-up but that seems a bit
> > subtle (and would die for most users since they don't have enough
> > defaults set to create a valid log entry).
> >
> > Mike - W1ECT
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >

385. Re: Update fields from Callbook

Yahoo group: XMLog
Date: 2002-05-07 15:22:04 UTC
From: w1ect
Topic: 375 Message: 385

Hi Tom,

This should work. Be sure to keep the original backup around until
you're sure that you're satisfied with the results.

Mike - W1ECT

> Could I just export the log, then reimport it to a new log and
rename it
> back to my original (after I saved off the original)?
>
> Tom
> ----- Original Message -----
> From: "w1ect" <m.mcamis@v...>
> To: <XMLog@y...>
> Sent: Sunday, May 05, 2002 9:14 AM
> Subject: [XMLog] Re: Update fields from Callbook
>
>
> >
> > Hi Tom,
> >
> > Sorry, there's no way to update multiple entries. However the
current
> > beta version at www.xmlog.com/beta has a feature that allows you
to
> > set default field values used during imports and this includes
setting
> > fields from the callbook. Perhaps you have a backup of your log
> > before the import or you can select/delete the new entries and
re-do
> > the import.
> >
> > Mike - W1ECT
> >
> > > Is there a way to apply the callbook fields to the whole log. I
had
> > imported some entries via ADIF, and I want to update the callbook
> > fields like address, state, etc.
> > >
> > > Thanks,
> > >
> > > Tom NY4I
> >
> >
> >

> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >

386. Re: Beta Bug?

Yahoo group: XMLog
Date: 2002-05-07 15:38:09 UTC
From: w1ect
Topic: 382 Message: 386

Hi Tom,

I was't able to reproduce this problem...

The reason you didn't get the "Verify Guesses" dialog was that since you had explicitly set the prefix/country this didn't count as a "Guess".

You should also take advantage of the "DX/Show Callsign List" to associate calls like K1B to the appropriate country. Whenever I browse a DX newsletter and see a listing for a 3D2, ZK1, JD1, FO0, VP8, antarctic or any call that can't be reliably guessed I add it to this list.

Mike - W1ECT

> In version 4.41, I right clicked on the packet spot (in the packet window) for K1B to start a new log entry. In the log entry, I right clicked on the country field and select KH1 from the list. After I saved it, I right clicked on the call in the packet window and displayed all calls for the entry, and it showed the country as a W. If I then go back and change it by double clicking on the country field in the log, I select KH1 and it changes. Incidentally, I do have Verify Country guesses checked, but I didn't get the dialog to confirm.
>
> Tom NY4I

387. Re: [XMLog] Re: Beta Bug?

Yahoo group: XMLog
Date: 2002-05-07 15:50:05 UTC
From: Tom Schaefer
Topic: 382 Message: 387

IF I have verify guesses turned on and I do not select a prefix, is there any way it would not show. Perhaps the option to fill fields from the callbook prevents guesses. I have the option selected and it has not asked to verify any item. I thought it used to ask to verify everything.

Thanks for the tip on the callsign list.

73,

Tom
----- Original Message -----
From: "w1ect" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, May 07, 2002 9:38 AM
Subject: [XMLog] Re: Beta Bug?

>
> Hi Tom,
>
> I was't able to reproduce this problem...
>
> The reason you didn't get the "Verify Guesses" dialog was that since
> you had explicitly set the prefix/country this didn't count as a
> "Guess".
>
> You should also take advantage of the "DX/Show Callsign List" to
> associate calls like K1B to the appropriate country. Whenever I
> browse a DX newsletter and see a listing for a 3D2, ZK1, JD1, FO0,
> VP8, antarctic or any call that can't be reliably guessed I add it to
> this list.
>
> Mike - W1ECT
>
> > In version 4.41, I right clicked on the packet spot (in the packet
> window) for K1B to start a new log entry. In the log entry, I right
> clicked on the country field and select KH1 from the list. After I
> saved it, I right clicked on the call in the packet window and
> displayed all calls for the entry, and it showed the country as a W.
> If I then go back and change it by double clicking on the country
> field in the log, I select KH1 and it changes. Incidentally, I do have
> Verify Country guesses checked, but I didn't get the dialog to
> confirm.
> >
> > Tom NY4I
>
>

>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

388. (no subject)

Yahoo group: XMLog
Date: 2002-05-07 17:50:49 UTC
From: Bob Parker
Topic: 388 Message: 388

Is there a way to integrate the Pegasus with xmlog?thanks

Robert Parker
W5VWD
rdparker@...

389. (no subject)

Yahoo group: XMLog
Date: 2002-05-07 20:44:51 UTC
From: w1ect
Topic: 388 Message: 389

Hi Robert,

I think the problem is that if you are running the Pegasus front panel software from your PC the COM port has been opened by this software so this means no one else (like XMLog) can access the port to send commands.

Mike - W1ECT

> Is there a way to integrate the Pegasus with xmlog?thanks
>
> Robert Parker
> W5VWD
> rdparker@v...

390. Re: Beta Bug?

Yahoo group: XMLog
Date: 2002-05-07 20:49:06 UTC
From: w1ect
Topic: 382 Message: 390

Hi Tom,

You're right - somehow enabling the defaults is causing the Verify Guesses option to be ignored. I'll fix this in the next beta version.

Mike - W1ECT

> IF I have verify guesses turned on and I do not select a prefix, is there
> any way it would not show. Perhaps the option to fill fields from the
> callbook prevents guesses. I have the option selected and it has not asked
> to verify any item. I thought it used to ask to verify everything.
>
> Thanks for the tip on the callsign list.
>
> 73,
>
> Tom
> ----- Original Message -----
> From: "w1ect" <m.mcamis@v...>
> To: <XMLog@y...>
> Sent: Tuesday, May 07, 2002 9:38 AM
> Subject: [XMLog] Re: Beta Bug?
>
>
> >
> > Hi Tom,
> >
> > I was't able to reproduce this problem...
> >
> > The reason you didn't get the "Verify Guesses" dialog was that since
> > you had explicitly set the prefix/country this didn't count as a
> > "Guess".
> >
> > You should also take advantage of the "DX/Show Callsign List" to
> > associate calls like K1B to the appropriate country. Whenever I
> > browse a DX newsletter and see a listing for a 3D2, ZK1, JD1, FO0,
> > VP8, antarctic or any call that can't be reliably guessed I add it to
> > this list.
> >
> > Mike - W1ECT
> >

> > > In version 4.41, I right clicked on the packet spot (in the
packet
> > window) for K1B to start a new log entry. In the log entry, I
right
> > clicked on the country field and select KH1 from the list. After I
> > saved it, I right clicked on the call in the packet window and
> > displayed all calls for the entry, and it showed the country as a
W.
> > If I then go back and change it by double clicking on the country
> > field in the log, I select KH1 and it changes. Incidentally, I do
have
> > Verify Country guesses checked, but I didn't get the dialog to
> > confirm.
> > >
> > > Tom NY4I
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >

391. Re: [XMLog] Re: Rig Support

Yahoo group: XMLog
Date: 2002-05-08 01:34:03 UTC
From: Kevin Nathan
Topic: 381 Message: 391

I did and it works great. Thanks much. 73
Kevin, K7RX :)

----- Original Message -----
From: "w1ect" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, May 07, 2002 08:18
Subject: [XMLog] Re: Rig Support

>
> Hi Kevin,
>
> The TS-2000 should work ok with the generic Kenwood setting. Just be
> sure you match the baud rate selection with the rig's setting.
>
> Mike - W1ECT
>
> > Hello Michael,
> >
> > I am running Xmlog Version 4.35. I just bought a Kenwood TS-2000.
> This rig
> > isn't in the list of rigs under rig port select. Do I just use
> Kenwood or
> > is there a newer version that supports it directly?
> >
> > thanks much and 73.
> > Kevin, K7RX :)
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

392. Internet call server?

Yahoo group: XMLog
Date: 2002-05-08 23:11:55 UTC
From: Tom Schaefer
Topic: 392 Message: 392

Mike,

What are your thoughts on using Internet call servers versus the CD? I know you have expresses some reservations about QRZ in the past, but I would be more than happy to write a DLL for any server you like. The DLL would be yours to use as you will. I presume a DLL would be good for you to call. It would be a nice feature to do callsign lookups from an Internet server. You could even add QSL manager to it. I would imagine on the edit defaults there would be an option to fill fields from either the CD or the Internet.

Thanks,

Tom NY4I

[Non-text portions of this message have been removed]

393. Problem with Getting Frequency and Mode from TS-2000

Yahoo group: XMLog
Date: 2002-05-09 04:49:15 UTC
From: Kevin Nathan
Topic: 393 Message: 393

Hi,

Tonight I was trying to log a station and when I press control-a, I get a message as follows:

Can't get frequency/mode from rig
bad format in rig response length
OK

Any idea what may be causing this and the possible cure for it? Thanks much and 73.
Kevin, K7RX :)

394. Re: [XMLog] Problem with Getting Frequency and Mode from TS-2000

Yahoo group: XMLog
Date: 2002-05-09 05:01:32 UTC
From: Tom Schaefer
Topic: 393 Message: 394

What kind of rig?

Does it happen all the time?

Can you click on a frequency in the spot window and set the rig?

Are you using VFO A or B?

Tom NY4I
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Wednesday, May 08, 2002 10:49 PM
Subject: [XMLog] Problem with Getting Frequency and Mode from TS-2000

> Hi,
>
> Tonight I was trying to log a station and when I press control-a, I get a
> message as follows:
>
> Can't get frequency/mode from rig
> bad format in rig response length
> OK
>
> Any idea what may be causing this and the possible cure for it? Thanks
much
> and 73.
> Kevin, K7RX :)
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

395. Re: [XMLog] Problem with Getting Frequency and Mode from TS-2000

Yahoo group: XMLog
Date: 2002-05-09 05:29:29 UTC
From: Kevin Nathan
Topic: 393 Message: 395

Hi Tom,

It is the Kenwood TS-2000. I'm using vfo A and it seemed to work very well the other evening both on moving to the freq from spots and just picking up the readout off the radio when logging a station. However, tonight it will do neither one.

Thanks much and 73.
Kevin, K7RX :)

396. Found Problem with Rig Not Getting Frequency

Yahoo group: XMLog
Date: 2002-05-09 06:02:20 UTC
From: Kevin Nathan
Topic: 396 Message: 396

It was a setting in one of the TS-2000 menus.

Thanks everyone. 73
Kevin, K7RX :)

397. Re: [XMLog] Found Problem with Rig Not Getting Frequency

Yahoo group: XMLog
Date: 2002-05-09 06:09:09 UTC
From: John P Smith
Topic: 396 Message: 397

--- Kevin Nathan <k7rx@...> wrote:
> It was a setting in one of the TS-2000 menus.
>
> Thanks everyone. 73
> Kevin, K7RX :)
>
>
>
> Kevin,

In the interest of saving someone else the same
aggravation that you went through could you be more
specific about how you corrected the problem.

Thanks!
John

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

_____
Do You Yahoo!?
Yahoo! Shopping - Mother's Day is May 12th!
http://shopping.yahoo.com

398. Re: [XMLog] Found Problem with Rig Not Getting Frequency

Yahoo group: XMLog
Date: 2002-05-09 06:14:55 UTC
From: Kevin Nathan
Topic: 396 Message: 398

Yes, it is menu number 47 which is the communications speed for the internal TNC. I had it set for 1200 for talking to the packet node and needed to set it to 9600 to speak to the radio. I will look to see if I can reset some things to get them to match. Take care and 73.
Kevin, K7RX :)

399. Still Having Problems with Xmlog and TS-2000

Yahoo group: XMLog
Date: 2002-05-10 04:25:52 UTC
From: Kevin Nathan
Topic: 399 Message: 399

Hi All,

My problem seems to be back. I have all parameters set to 9600 anywhere I can see them and am still getting the response:

can't get frequency/mode from rig
bad format in rig response length

Help please. Thanks much and 73.
Kevin, K7RX :)

400. keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-12 16:55:26 UTC
From: Steve Litwins
Topic: 400 Message: 400

GM all;
I wonder if anybody knows of a way that NILs may be kept in the log, but kept also from being listed as a statistic? This recently came up in this weird situation. I rcvd a qsl card showing that I was NIL for a Q way back a few years ago. I sent an email to the group saying that I was pretty sure that it was a good Q...wud they pse look some more. They did (look) and I was still NIL...oh well. After a while I removed the Q from my XMLog data to avoid it being kept as a live statistic. Then here comes Murphy...I get a nice letter in the mail with a qsl card for the NIL Q with an explanation of what happened...so now I am in the log, but my orig. Q is not! So...I am wondering if there is a way to list the Q in the log but not do a stat search on it so it is not included as a worked but not qsl-ed...any ideas?...73/dx
steve, k8wk
****

401. Re: keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-13 14:06:32 UTC
From: w1ect
Topic: 400 Message: 401

Hi Steve,

Since it's not a NIL anymore it seems like you should just go ahead
and re-enter the QSO from scratch. If you don't know the original QSL
Sent date you can use ? for this field.

Mike - W1ECT

> GM all;
> I wonder if anybody knows of a way that NILs may be kept in the log,
but
> kept also from being listed as a statistic? This recently came up
in this
> weird situation. I rcvd a qsl card showing that I was NIL for a Q
way back
> a few years ago. I sent an email to the group saying that I was
pretty sure
> that it was a good Q...wud they pse look some more. They did (look)
and I
> was still NIL...oh well. After a while I removed the Q from my
XMLog data
> to avoid it being kept as a live statistic. Then here comes
Murphy...I get
> a nice letter in the mail with a qsl card for the NIL Q with an
explanation
> of what happened...so now I am in the log, but my orig. Q is not!
So...I am
> wondering if there is a way to list the Q in the log but not do a
stat
> search on it so it is not included as a worked but not qsl-ed...any
> ideas?...73/dx
> steve, k8wk
> **********

402. Re: [XMLog] Re: keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-13 15:15:25 UTC
From: Steve Litwins
Topic: 400 Message: 402

Hi Mike;
Guess with all the words, I confused u. That was not my point...I can do the qso info agn for the example given. What I was really after was a suggestion to u as to a button (if u can do it) that wud, if checked, keep the Q from becoming a log statistic, but wud still keep the qso in the log for whatever reason one wud need. Not a real pressing issue...73/dx
steve, k8wk
****
-----Original Message-----
From: w1ect <m.mcamis@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Monday, May 13, 2002 9:28 AM
Subject: [XMLog] Re: keeping NILs in log

>Hi Steve,
>
>Since it's not a NIL anymore it seems like you should just go ahead
>and re-enter the QSO from scratch. If you don't know the original QSL
>Sent date you can use ? for this field.
>
>Mike - W1ECT
>
>> GM all;
>> I wonder if anybody knows of a way that NILs may be kept in the log,
>but
>> kept also from being listed as a statistic? This recently came up
>in this
>> weird situation. I rcvd a qsl card showing that I was NIL for a Q
>way back
>> a few years ago. I sent an email to the group saying that I was
>pretty sure
>> that it was a good Q...wud they pse look some more. They did (look)
>and I
>> was still NIL...oh well. After a while I removed the Q from my
>XMLog data
>> to avoid it being kept as a live statistic. Then here comes
>Murphy...I get
>> a nice letter in the mail with a qsl card for the NIL Q with an
>explanation
>> of what happened...so now I am in the log, but my orig. Q is not!
>So...I am
>> wondering if there is a way to list the Q in the log but not do a
>stat
>> search on it so it is not included as a worked but not qsl-ed...any
>> ideas?...73/dx

>> steve, k8wk
>> **********
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

403. Re: [XMLog] keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-13 15:22:04 UTC
From: jagius@sybase.com
Topic: 400 Message: 403

I had this same need and what I do for NIL, I put a W/ in front of the call sign.
Thus if the call were f5rty I would change it to w/f5rty and put NIL in the QSL via field

There are few of them and then they do not show up in any of the DXCC stats.
They do not affect the W stats because they are easily recognizable and don't have any state
info, etc.

If it is a W NIL, I get rid of all of the county and state info and put NIL in the QSL via field.
Without any info It does not show up anywhere except in W qso worked but it is
irrelevant at that point . If a card comes in later, fill in the data but the
basic date and time and mode are already there.

I have 3 thus far and seem to be doing OK..
It's not perfect but it works.

Joe
W1TW

"Steve
Litwins" To: <XMLog@yahoogroups.com>
<litwins@badse cc:
ctor.com> Subject: [XMLog] keeping NILs in log

05/12/2002
12:55 PM
Please respond
to XMLog

GM all;
I wonder if anybody knows of a way that NILs may be kept in the log, but kept also from being listed as a statistic? This recently came up in this weird situation. I rcvd a qsl card showing that I was NIL for a Q way back a few years ago. I sent an email to the group saying that I was pretty sure
that it was a good Q...wud they pse look some more. They did (look) and I was still NIL...oh well. After a while I removed the Q from my XMLog data to avoid it being kept as a live statistic. Then here comes Murphy...I get a nice letter in the mail with a qsl card for the NIL Q with an explanation of what happened...so now I am in the log, but my orig. Q is not! So...I am

wondering if there is a way to list the Q in the log but not do a stat search on it so it is not included as a worked but not qsl-ed...any ideas?...73/dx
steve, k8wk
****

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

404. Re: [XMLog] keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-13 16:05:59 UTC
From: Steve Litwins
Topic: 400 Message: 404

Well Joe...that's a dern fb idea! Don't know why I cldn't think of
that...so simple and yet nice idea. W Qs are not important in this log
anyway...just dx so it is ideal...tnx mucho...73/dx
steve, k8wk
****
-----Original Message-----
From: jagius@... <jagius@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Cc: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Monday, May 13, 2002 10:24 AM
Subject: Re: [XMLog] keeping NILs in log

>
>I had this same need and what I do for NIL, I put a W/ in front of the call
>sign.
>Thus if the call were f5rty I would change it to w/f5rty and put NIL in the
>QSL via field
>
>There are few of them and then they do not show up in any of the DXCC
>stats.
>They do not affect the W stats because they are easily recognizable and
>don't have any state
>info, etc.
>
>If it is a W NIL, I get rid of all of the county and state info and put NIL
>in the QSL via field.
>Without any info It does not show up anywhere except in W qso worked but it
>is
>irrelevant at that point . If a card comes in later, fill in the data but
>the
>basic date and time and mode are already there.
>
>I have 3 thus far and seem to be doing OK..
>It's not perfect but it works.
>
>
>Joe
>W1TW
>
>
>
>
>
>
>
> "Steve

> Litwins" To: <XMLog@yahoogroups.com>
> <litwins@badse cc:
> ctor.com> Subject: [XMLog] keeping NILs
in log
>
> 05/12/2002
> 12:55 PM
> Please respond
> to XMLog
>
>
>
>
>
>GM all;
>I wonder if anybody knows of a way that NILs may be kept in the log, but
>kept also from being listed as a statistic? This recently came up in this
>weird situation. I rcvd a qsl card showing that I was NIL for a Q way back
>a few years ago. I sent an email to the group saying that I was pretty
>sure
>that it was a good Q...wud they pse look some more. They did (look) and I
>was still NIL...oh well. After a while I removed the Q from my XMLog data
>to avoid it being kept as a live statistic. Then here comes Murphy...I get
>a nice letter in the mail with a qsl card for the NIL Q with an explanation
>of what happened...so now I am in the log, but my orig. Q is not! So...I
>am
>wondering if there is a way to list the Q in the log but not do a stat
>search on it so it is not included as a worked but not qsl-ed...any
>ideas?...73/dx
>steve, k8wk
>**********
>
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>
>
>
>
>
>

>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

405. QRZDLL.HLP

Yahoo group: XMLog
Date: 2002-05-13 17:51:38 UTC
From: Tom Schaefer
Topic: 405 Message: 405

If anyone has the QRZ DLL, please email me. I have a few questions about the file QRZDLL.HLP (namley, if it is on the CD).

Thanks,

Tom NY4I

[Non-text portions of this message have been removed]

406. Re: keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-14 16:07:24 UTC
From: w1ect
Topic: 400 Message: 406

OK Steve,

Theres a couple of ways you can keep the QSO out of the stats. For DXCC you can set the Prefix to ? (or set the State to ? for WAS or Zone to ? for WAZ). You can also set the appropriate submission tracking Rejected date to ?.

Mike

> Hi Mike;
> Guess with all the words, I confused u. That was not my point...I can do
> the qso info agn for the example given. What I was really after was a
> suggestion to u as to a button (if u can do it) that wud, if checked, keep
> the Q from becoming a log statistic, but wud still keep the qso in the log
> for whatever reason one wud need. Not a real pressing issue...73/dx
> steve, k8wk
> **********
> -----Original Message-----
> From: w1ect <m.mcamis@v...>
> To: XMLog@y... <XMLog@y...>
> Date: Monday, May 13, 2002 9:28 AM
> Subject: [XMLog] Re: keeping NILs in log
>
>
> >Hi Steve,
> >
> >Since it's not a NIL anymore it seems like you should just go ahead
> >and re-enter the QSO from scratch. If you don't know the original QSL
> >Sent date you can use ? for this field.
> >
> >Mike - W1ECT
> >
> >> GM all;
> >> I wonder if anybody knows of a way that NILs may be kept in the log,
> >but
> >> kept also from being listed as a statistic? This recently came up
> >in this
> >> weird situation. I rcvd a qsl card showing that I was NIL for a Q

> >way back
> >> a few years ago. I sent an email to the group saying that I was
> >pretty sure
> >> that it was a good Q...wud they pse look some more. They did
(look)
> >and I
> >> was still NIL...oh well. After a while I removed the Q from my
> >XMLog data
> >> to avoid it being kept as a live statistic. Then here comes
> >Murphy...I get
> >> a nice letter in the mail with a qsl card for the NIL Q with an
> >explanation
> >> of what happened...so now I am in the log, but my orig. Q is not!
> >So...I am
> >> wondering if there is a way to list the Q in the log but not do a
> >stat
> >> search on it so it is not included as a worked but not
qsl-ed...any
> >> ideas?...73/dx
> >> steve, k8wk
> >> **********
> >
> >
> >
> >To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> >Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
> >

407. Re: Still Having Problems with Xmlog and TS-2000

Yahoo group: XMLog
Date: 2002-05-14 17:06:42 UTC
From: kd6na
Topic: 399 Message: 407

--- In XMLog@y..., "Kevin Nathan" <k7rx@a...> wrote:
> Hi All,
>
> My problem seems to be back. I have all parameters set to 9600
anywhere I
> can see them and am still getting the response:
>
> can't get frequency/mode from rig
> bad format in rig response length
>
> Help please. Thanks much and 73.
> Kevin, K7RX :)

Kevin,
I have been having this problem intermittently for a long time. I
hit Ctl-A and get the error mesaage you get. My work-around is to hit
stop after getting the error message, then hit Ctl-A again. It then
works for the rest of the session. I assumed it was someithing not
quite getting initialized.

73's,
Jim KD6NA

408. Re: [XMLog] Re: keeping NILs in log

Yahoo group: XMLog
Date: 2002-05-14 18:58:13 UTC
From: Steve Litwins
Topic: 400 Message: 408

Tnx Mike...exactly what I was looking for...off to make the changes
now...73/dx
steve, k8wk
****
-----Original Message-----
From: w1ect <m.mcamis@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Tuesday, May 14, 2002 11:16 AM
Subject: [XMLog] Re: keeping NILs in log

>
>OK Steve,
>
>Theres a couple of ways you can keep the QSO out of the stats. For
>DXCC you can set the Prefix to ? (or set the State to ? for WAS or
>Zone to ? for WAZ). You can also set the appropriate submission
>tracking Rejected date to ?.
>
>Mike
>
>> Hi Mike;
>> Guess with all the words, I confused u. That was not my point...I
>can do
>> the qso info agn for the example given. What I was really after was
>a
>> suggestion to u as to a button (if u can do it) that wud, if
>checked, keep
>> the Q from becoming a log statistic, but wud still keep the qso in
>the log
>> for whatever reason one wud need. Not a real pressing issue...73/dx
>> steve, k8wk
>> **********
>> -----Original Message-----
>> From: w1ect <m.mcamis@v...>
>> To: XMLog@y... <XMLog@y...>
>> Date: Monday, May 13, 2002 9:28 AM
>> Subject: [XMLog] Re: keeping NILs in log
>>
>>
>> >Hi Steve,
>> >
>> >Since it's not a NIL anymore it seems like you should just go ahead
>> >and re-enter the QSO from scratch. If you don't know the original
>QSL
>> >Sent date you can use ? for this field.

>> >
>> >Mike - W1ECT
>> >
>> >> GM all;
>> >> I wonder if anybody knows of a way that NILs may be kept in the
>log,
>> >but
>> >> kept also from being listed as a statistic? This recently came
>up
>> >in this
>> >> weird situation. I rcvd a qsl card showing that I was NIL for a
>Q
>> >way back
>> >> a few years ago. I sent an email to the group saying that I was
>> >pretty sure
>> >> that it was a good Q...wud they pse look some more. They did
>(look)
>> >and I
>> >> was still NIL...oh well. After a while I removed the Q from my
>> >XMLog data
>> >> to avoid it being kept as a live statistic. Then here comes
>> >Murphy...I get
>> >> a nice letter in the mail with a qsl card for the NIL Q with an
>> >explanation
>> >> of what happened...so now I am in the log, but my orig. Q is not!
>> >So...I am
>> >> wondering if there is a way to list the Q in the log but not do a
>> >stat
>> >> search on it so it is not included as a worked but not
>qsl-ed...any
>> >> ideas?...73/dx
>> >> steve, k8wk
>> >> **********
>> >
>> >
>> >
>> >To unsubscribe from this group, send an email to:
>> >
>> > XMLog-unsubscribe@o...
>> >
>> >
>> >
>> >Your use of Yahoo! Groups is subject to
>http://docs.yahoo.com/info/terms/
>> >
>> >
>> >
>> >
>
>

>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

409. New file uploaded to XMLog

Yahoo group: XMLog
Date: 2002-05-18 19:51:38 UTC
From: XMLog@yahoogroups.com
Topic: 409 Message: 409

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the XMLog
group.

File : /qrznet32.dll
Uploaded by : thomasmschaefer <ny4i@...>
Description : Callbook Interface to QRZ Website

You can access this file at the URL

http://groups.yahoo.com/group/XMLog/files/qrznet32.dll

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

thomasmschaefer <ny4i@...>

410. New file uploaded to XMLog

Yahoo group: XMLog
Date: 2002-05-18 20:11:52 UTC
From: XMLog@yahoogroups.com
Topic: 409 Message: 410

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the XMLog
group.

File : /qrz32net.dll
Uploaded by : thomasmschaefer <ny4i@...>
Description : Callbook Interface to QRZ Website

You can access this file at the URL

http://groups.yahoo.com/group/XMLog/files/qrz32net.dll

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

thomasmschaefer <ny4i@...>

411. Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-18 20:16:51 UTC
From: Tom Schaefer
Topic: 411 Message: 411

If anyone is interested (and has a full-time Internet connection), I need a few more beta testers of an interface I wrote to QRZ's online callbook server. Basically, the way XMLog accesses the QRZ CDrom is via a DLL called QRZ32.DLL. What I have done, it to write a new DLL called qrz32net.dll that can be copied over the QRZ32.DLL. Instead of looking for calls on the CD, it will go to the QRZ callbook server at www.qrz.com. I have done extensive testing on this including importing a 700 log ADIF file and it seems to work great.

If you do not mind testing beta software and want to test this out, please follow this procedure EXACTLY.

1. Close down XMLog
2. Most important, now; right now, go into your XMLog directory (normally c:\mlog) and copy qrz32.dll as qrz32sav.dll
3. Download the new DLL (http://groups.yahoo.com/group/XMLog/files/qrznet32.dll) to your XMLog directory.
4. Copy the DLL (see the previous email for a link to it) as qrz32.dll (COPY qrz32net.dll as qrz32.dll). If the copy asks to confirm the overwriting of the existing file, tell it yes (You did back it up, right?)
5. Start up XMLog
6. In the Log window, go to the Options Menu and select Callbook Setup.
7. Under Callbook Location, just type C: (The actual letter does not matter but you need the colon).
8. Under Callbook Type, select QRZ II.
9. Optionally, check Use Callbook for Locations (I run this way but you may not want to).
10. Click Save
11. Just to be safe, shutdown and restart XMLog

Now, whenever the program tries to use the callbook, it will go to the Internet connection. If you are using a dial-up, it will be a bit slower, but still usable (I'm guess there because I do not have dialup. Let me know if it is usable if you have dialup).

Please send reports of its use to me directly at ny4i@.... I do not want to tie up the XMLog list with this type of information. If you have questions on setting up XMLog for the QRZ xallbook, by all means use the XMLog list.

Thanks and good luck,

Tom Schaefer, NY4I

PS If anyone you know, or even you also use another logging program, this may not work. It only supports the mailing label format from the DLL right

now. Yoou are welcome to try it in another loggin progra,. I would be interested in how it works there as well.

412. Re: [XMLog] Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-18 20:32:02 UTC
From: John P Smith
Topic: 411 Message: 412

Tom,
I have a 56k dialup and it works just fine; not
greased lightning by any stretch, but very usable.

73 and thanks!
John

--- Tom Schaefer <ny4i@...> wrote:
> If anyone is interested (and has a full-time
> Internet connection), I need a
> few more beta testers of an interface I wrote to
> QRZ's online callbook
> server. Basically, the way XMLog accesses the QRZ
> CDrom is via a DLL called
> QRZ32.DLL. What I have done, it to write a new DLL
> called qrz32net.dll that
> can be copied over the QRZ32.DLL. Instead of looking
> for calls on the CD, it
> will go to the QRZ callbook server at www.qrz.com. I
> have done extensive
> testing on this including importing a 700 log ADIF
> file and it seems to work
> great.
>
> If you do not mind testing beta software and want to
> test this out, please
> follow this procedure EXACTLY.
>
> 1. Close down XMLog
> 2. Most important, now; right now, go into your
> XMLog directory (normally
> c:\mlog) and copy qrz32.dll as qrz32sav.dll
> 3. Download the new DLL
>
(http://groups.yahoo.com/group/XMLog/files/qrznet32.dll)
> to your XMLog
> directory.
> 4. Copy the DLL (see the previous email for a link
> to it) as qrz32.dll (COPY
> qrz32net.dll as qrz32.dll). If the copy asks to
> confirm the overwriting of
> the existing file, tell it yes (You did back it up,
> right?)
> 5. Start up XMLog
> 6. In the Log window, go to the Options Menu and

> select Callbook Setup.
> 7. Under Callbook Location, just type C: (The actual
> letter does not matter
> but you need the colon).
> 8. Under Callbook Type, select QRZ II.
> 9. Optionally, check Use Callbook for Locations (I
> run this way but you may
> not want to).
> 10. Click Save
> 11. Just to be safe, shutdown and restart XMLog
>
> Now, whenever the program tries to use the callbook,
> it will go to the
> Internet connection. If you are using a dial-up, it
> will be a bit slower,
> but still usable (I'm guess there because I do not
> have dialup. Let me know
> if it is usable if you have dialup).
>
> Please send reports of its use to me directly at
> ny4i@.... I do not
> want to tie up the XMLog list with this type of
> information. If you have
> questions on setting up XMLog for the QRZ xallbook,
> by all means use the
> XMLog list.
>
> Thanks and good luck,
>
> Tom Schaefer, NY4I
>
> PS If anyone you know, or even you also use another
> logging program, this
> may not work. It only supports the mailing label
> format from the DLL right
> now. Yoou are welcome to try it in another loggin
> progra,. I would be
> interested in how it works there as well.
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

413. Re: [XMLog] Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-19 02:16:31 UTC
From: Kevin Nathan
Topic: 411 Message: 413

Hi Tom,

For some reason, I am having a heck of a time logging into yahoogroups through the web since I signed up via the listserv. Would you please send me a copy of your file privately.

thanks much and 73.
Kevin, K7RX :)

----- Original Message -----
From: "Tom Schaefer" <ny4i@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, May 18, 2002 13:16
Subject: [XMLog] Testing of QRZ callsign server interface

> If anyone is interested (and has a full-time Internet connection), I need a
> few more beta testers of an interface I wrote to QRZ's online callbook
> server. Basically, the way XMLog accesses the QRZ CDrom is via a DLL called
> QRZ32.DLL. What I have done, it to write a new DLL called qrz32net.dll that
> can be copied over the QRZ32.DLL. Instead of looking for calls on the CD, it
> will go to the QRZ callbook server at www.qrz.com. I have done extensive
> testing on this including importing a 700 log ADIF file and it seems to work
> great.
>
> If you do not mind testing beta software and want to test this out, please
> follow this procedure EXACTLY.
>
> 1. Close down XMLog
> 2. Most important, now; right now, go into your XMLog directory (normally
> c:\mlog) and copy qrz32.dll as qrz32sav.dll
> 3. Download the new DLL
> (http://groups.yahoo.com/group/XMLog/files/qrznet32.dll) to your XMLog
> directory.
> 4. Copy the DLL (see the previous email for a link to it) as qrz32.dll (COPY
> qrz32net.dll as qrz32.dll). If the copy asks to confirm the overwriting of
> the existing file, tell it yes (You did back it up, right?)
> 5. Start up XMLog
> 6. In the Log window, go to the Options Menu and select Callbook Setup.
> 7. Under Callbook Location, just type C: (The actual letter does not matter

> but you need the colon).
> 8. Under Callbook Type, select QRZ II.
> 9. Optionally, check Use Callbook for Locations (I run this way but you
may
> not want to).
> 10. Click Save
> 11. Just to be safe, shutdown and restart XMLog
>
> Now, whenever the program tries to use the callbook, it will go to the
> Internet connection. If you are using a dial-up, it will be a bit slower,
> but still usable (I'm guess there because I do not have dialup. Let me
know
> if it is usable if you have dialup).
>
> Please send reports of its use to me directly at ny4i@.... I do not
> want to tie up the XMLog list with this type of information. If you have
> questions on setting up XMLog for the QRZ xallbook, by all means use the
> XMLog list.
>
> Thanks and good luck,
>
> Tom Schaefer, NY4I
>
> PS If anyone you know, or even you also use another logging program, this
> may not work. It only supports the mailing label format from the DLL right
> now. Yoou are welcome to try it in another loggin progra,. I would be
> interested in how it works there as well.
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

414. The 'notes' field gets saved in ADIF file

Yahoo group: XMLog
Date: 2002-05-19 18:34:51 UTC
From: zamba0321
Topic: 414 Message: 414

Hi Mike,

I noticed that the 'Notes' field gets stored in the ADIF file.
So when I upload it to eQSL.cc it gets printed on the QSL card.

I often use the notes field to note the antenna or rig that the other
station is using. So I don't like this printed on the eQSL.

Is there any way not to include it. Or should there
be an 'internal note' field and and 'external note' field that
gets stored in the ADIF or printed on the QSL label ...

thanks

de K6TE

415. Re: The 'notes' field gets saved in ADIF file

Yahoo group: XMLog
Date: 2002-05-20 14:13:41 UTC
From: w1ect
Topic: 414 Message: 415

Hi - You have to remember the primary purpose of the ADIF file is not to provide data for eQSL but to allow exchange of data between log programs. This means that no data should be exempted from the file or it would get lost in the transfer. Since an ADIF file is just a simple text file it can be edited with NotePad, WordPad, etc. and you can manually remove the notes fields before you send it.

Mike - W1ECT

> Hi Mike,
>
> I noticed that the 'Notes' field gets stored in the ADIF file.
> So when I upload it to eQSL.cc it gets printed on the QSL card.
>
> I often use the notes field to note the antenna or rig that the
other
> station is using. So I don't like this printed on the eQSL.
>
> Is there any way not to include it. Or should there
> be an 'internal note' field and and 'external note' field that
> gets stored in the ADIF or printed on the QSL label ...
>
> thanks
>
> de K6TE

416. QSL Labels

Yahoo group: XMLog
Date: 2002-05-19 19:09:40 UTC
From: k9nx
Topic: 416 Message: 416

When I try to change fonts or the size of the fonts I always have to clear all the lables selected to be printed before I can see any changes is there a way around this?

K9NX
Jonesy

417. would be helpfull to have sequence number

Yahoo group: XMLog
Date: 2002-05-22 02:50:42 UTC
From: zamba0321
Topic: 417 Message: 417

Howdy Mike et al,

It seems it would be helpfull to have a sequence number for
each log entry. This way when I do a search on a specific field,
I would be able to browse the log back and forward
from that entry based on the sequence (i.e based on time and date)
relative to that entry.
It seems right now I can only browse through all the search results.

Perhaps theres anoter way to do it ...

- de K6TE

418. Re: [XMLog] would be helpfull to have sequence number

Yahoo group: XMLog
Date: 2002-05-22 03:35:23 UTC
From: John P Smith
Topic: 417 Message: 418

I'm not exactly sure what you want, but I went looking
in my log for 3Y0PI just for fun. I discovered it was
1994 when they were on the air which was pretty
amazing; seems like only yesterday. Anyway I had that
QSO on Feb 3 1994. If I wanted to see all my QSOs in
that time frame...not necessarily just 3Y0PI I could
go to the search screen and enter:

>=02/03/94,<=02/28/94

and discover that I had 74 QSOs during that time
frame, a number of which were with 3Y0PI.

Is that kind of what you're trying to do, or did I
miss the mark?

--- zamba0321 <zamba0321@...> wrote:
> Howdy Mike et al,
>
> It seems it would be helpfull to have a sequence
> number for
> each log entry. This way when I do a search on a
> specific field,
> I would be able to browse the log back and forward
> from that entry based on the sequence (i.e based on
> time and date)
> relative to that entry.
> It seems right now I can only browse through all the
> search results.
>
> Perhaps theres anoter way to do it ...
>
> - de K6TE
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

419. Re: would be helpfull to have sequence number

Yahoo group: XMLog
Date: 2002-05-22 04:42:56 UTC
From: zamba0321
Topic: 417 Message: 419

Hi John,

indeed that is what I'm trying to do.
Just wondering if I could go to the QSO before the one
I searched without having to enter a new search string.

When I just browse the log, I do see 'entry x of y' displayed.
So if I get the log entry number for the item I searched, I could
perhaps just go to that specific entry number and then hit the
'previous' or 'next' buttons ...

--- In XMLog@y..., John P Smith <john_ki4ro@y...> wrote:
> I'm not exactly sure what you want, but I went looking
> in my log for 3Y0PI just for fun. I discovered it was
> 1994 when they were on the air which was pretty
> amazing; seems like only yesterday. Anyway I had that
> QSO on Feb 3 1994. If I wanted to see all my QSOs in
> that time frame...not necessarily just 3Y0PI I could
> go to the search screen and enter:
>
> >=02/03/94,<=02/28/94
>
> and discover that I had 74 QSOs during that time
> frame, a number of which were with 3Y0PI.
>
> Is that kind of what you're trying to do, or did I
> miss the mark?
>
>
> --- zamba0321 <zamba0321@y...> wrote:
> > Howdy Mike et al,
> >
> > It seems it would be helpfull to have a sequence
> > number for
> > each log entry. This way when I do a search on a
> > specific field,
> > I would be able to browse the log back and forward
> > from that entry based on the sequence (i.e based on
> > time and date)
> > relative to that entry.
> > It seems right now I can only browse through all the
> > search results.
> >
> > Perhaps theres anoter way to do it ...
> >
> > - de K6TE

> >
> >
>
>
> =====
> 73
> John - KI4RO
> http:\\www.qsl.net\ki4ro
> We're not in America.......America is in us!
>
> ---
> Do You Yahoo!?
> LAUNCH - Your Yahoo! Music Experience
> http://launch.yahoo.com

420. Re: [XMLog] Re: would be helpfull to have sequence number

Yahoo group: XMLog
Date: 2002-05-22 08:07:09 UTC
From: John P Smith
Topic: 417 Message: 420

Well I'm glad I understood your question.
Unfortunately I don't know of any way to go back one
before the QSO I asked for easily.

Good Luck. Let us know if you find a way because
you're probably not the only one with that question.

73
John

--- zamba0321 <zamba0321@...> wrote:
> Hi John,
>
> indeed that is what I'm trying to do.
> Just wondering if I could go to the QSO before the
> one
> I searched without having to enter a new search
> string.
>
> When I just browse the log, I do see 'entry x of y'
> displayed.
> So if I get the log entry number for the item I
> searched, I could
> perhaps just go to that specific entry number and
> then hit the
> 'previous' or 'next' buttons ...
>
>
> --- In XMLog@y..., John P Smith <john_ki4ro@y...>
> wrote:
> > I'm not exactly sure what you want, but I went
> looking
> > in my log for 3Y0PI just for fun. I discovered it
> was
> > 1994 when they were on the air which was pretty
> > amazing; seems like only yesterday. Anyway I had
> that
> > QSO on Feb 3 1994. If I wanted to see all my QSOs
> in
> > that time frame...not necessarily just 3Y0PI I
> could
> > go to the search screen and enter:
> >
> > >=02/03/94,<=02/28/94
> >
> > and discover that I had 74 QSOs during that time

> > frame, a number of which were with 3Y0PI.
> >
> > Is that kind of what you're trying to do, or did I
> > miss the mark?
> >
> >
> > --- zamba0321 <zamba0321@y...> wrote:
> > > Howdy Mike et al,
> > >
> > > It seems it would be helpfull to have a sequence
> > > number for
> > > each log entry. This way when I do a search on a
> > > specific field,
> > > I would be able to browse the log back and
> forward
> > > from that entry based on the sequence (i.e based
> on
> > > time and date)
> > > relative to that entry.
> > > It seems right now I can only browse through all
> the
> > > search results.
> > >
> > > Perhaps theres anoter way to do it ...
> > >
> > > - de K6TE
> > >
> > >
> >
> >
> > =====
> > 73
> > John - KI4RO
> > http:\\www.qsl.net\ki4ro
> > We're not in America.......America is in us!
> >
> > _____
> > Do You Yahoo!?
> > LAUNCH - Your Yahoo! Music Experience
> > http://launch.yahoo.com
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

_____
Do You Yahoo!?

LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

421. Re: [XMLog] Re: would be helpfull to have sequence number

Yahoo group: XMLog
Date: 2002-05-22 11:00:34 UTC
From: jagius@sybase.com
Topic: 417 Message: 421

I keep my log in date time order - which of course can be changed -
but I find it easy enough if I know the date, to find the QSO using the
slider at the bottom of the screen
after selecting all.

Then you can browse either way quickly, either with the mouse or with the
arrows.
My log is about 8000 entries.

This will work with any other order and then the next or previous will be
in the order of the sorted file.

Joe
W1TW

"zamba0321"
<zamba0321@yah To: XMLog@yahoogroups.com
oo.com> cc:
Subject: [XMLog] Re: would be helpfull to have sequence number
05/22/2002
12:42 AM
Please respond
to XMLog

Hi John,

indeed that is what I'm trying to do.
Just wondering if I could go to the QSO before the one
I searched without having to enter a new search string.

When I just browse the log, I do see 'entry x of y' displayed.
So if I get the log entry number for the item I searched, I could
perhaps just go to that specific entry number and then hit the
'previous' or 'next' buttons ...

--- In XMLog@y..., John P Smith <john_ki4ro@y...> wrote:
> I'm not exactly sure what you want, but I went looking
> in my log for 3Y0PI just for fun. I discovered it was
> 1994 when they were on the air which was pretty
> amazing; seems like only yesterday. Anyway I had that
> QSO on Feb 3 1994. If I wanted to see all my QSOs in
> that time frame...not necessarily just 3Y0PI I could
> go to the search screen and enter:
>
> >=02/03/94,<=02/28/94
>
> and discover that I had 74 QSOs during that time

> frame, a number of which were with 3Y0PI.
>
> Is that kind of what you're trying to do, or did I
> miss the mark?
>
>
> --- zamba0321 <zamba0321@y...> wrote:
> > Howdy Mike et al,
> >
> > It seems it would be helpfull to have a sequence
> > number for
> > each log entry. This way when I do a search on a
> > specific field,
> > I would be able to browse the log back and forward
> > from that entry based on the sequence (i.e based on
> > time and date)
> > relative to that entry.
> > It seems right now I can only browse through all the
> > search results.
> >
> > Perhaps theres anoter way to do it ...
> >
> > - de K6TE
> >
> >
>
>
> =====
> 73
> John - KI4RO
> http:\\www.qsl.net\ki4ro
> We're not in America.......America is in us!
>
> _____
> Do You Yahoo!?
> LAUNCH - Your Yahoo! Music Experience
> http://launch.yahoo.com

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

422. Contest Mode?

Yahoo group: XMLog
Date: 2002-05-22 14:36:08 UTC
From: bustadweeb
Topic: 422 Message: 422

Is XMLLog suitable for contest logging? Would it be good for field day? I am interested in dupe checking and basic stats (states/countries, regions, goals) on a contest-basis (sometimes).

If not, can anyone recommend free software that would meet my needs (contest AND regular logging) ?

tnx es 73

423. Re: Contest Mode?

Yahoo group: XMLog
Date: 2002-05-22 15:24:38 UTC
From: w1ect
Topic: 422 Message: 423

Hi,

XMLog wasn't designed with contesting in mind. A few folk use it when they are in a contest for a few contacts but most (myself included) use a logger like WriteLog or CT and then import the QSOs into XMLog after the contest is over. Some programs try to be both a contest logger and a day-to-day logger but really don't do both very well. Best to invest in something like WriteLog ($75) and then you can have the best of both.

Mike - W1ECT

> Is XMLLog suitable for contest logging? Would it be good for field
> day? I am interested in dupe checking and basic stats
> (states/countries, regions, goals) on a contest-basis (sometimes).
>
> If not, can anyone recommend free software that would meet my needs
> (contest AND regular logging) ?
>
> tnx es 73

424. Re: would be helpfull to have sequence number

Yahoo group: XMLog
Date: 2002-05-22 15:28:03 UTC
From: w1ect
Topic: 417 Message: 424

Hi,

There's no way to move outside the results of a search without doing
another search. The sequence numbers displayed after a search are
just relative numbers for the records returned for the last search.

Mike - W1ECT

> Howdy Mike et al,
>
> It seems it would be helpfull to have a sequence number for
> each log entry. This way when I do a search on a specific field,
> I would be able to browse the log back and forward
> from that entry based on the sequence (i.e based on time and date)
> relative to that entry.
> It seems right now I can only browse through all the search results.
>
> Perhaps theres anoter way to do it ...
>
> - de K6TE

425. Re: [XMLog] Contest Mode?

Yahoo group: XMLog
Date: 2002-05-22 16:30:26 UTC
From: John P Smith
Topic: 422 Message: 425

I haven't found XMLOG to be very suitable for
contesting. For Field Day software I've used WR9R's
product many times very successfully:

http://www.prllc.com/~locull/wr9r/

73
John

--- bustadweeb <bustadweeb@...> wrote:
> Is XMLLog suitable for contest logging? Would it be
> good for field
> day? I am interested in dupe checking and basic
> stats
> (states/countries, regions, goals) on a
> contest-basis (sometimes).
>
> If not, can anyone recommend free software that
> would meet my needs
> (contest AND regular logging) ?
>
> tnx es 73
>
>
>
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

426. Re: [XMLog] Contest Mode?

Yahoo group: XMLog
Date: 2002-05-22 19:33:04 UTC
From: t t
Topic: 422 Message: 426

Here is a very good program from N1MM that is Freeware
http://pages.cthome.net/n1mm/
Jonesy
K9NX
>
> --- bustadweeb <bustadweeb@...> wrote:
> > Is XMLLog suitable for contest logging? Would it
> be
> > good for field
> > day? I am interested in dupe checking and basic
> > stats
> > (states/countries, regions, goals) on a
> > contest-basis (sometimes).
> >
> > If not, can anyone recommend free software that
> > would meet my needs
> > (contest AND regular logging) ?
> >
> > tnx es 73
> >
> >
> >
> >
> >
>
>
> =====
> 73
> John - KI4RO
> http:\\www.qsl.net\ki4ro
> We're not in America.......America is in us!
>
> ____
> Do You Yahoo!?
> LAUNCH - Your Yahoo! Music Experience
> http://launch.yahoo.com
>

____
Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

427. Re: [XMLog] Contest Mode?

Yahoo group: XMLog
Date: 2002-05-23 01:18:11 UTC
From: Edward S Sherlock
Topic: 422 Message: 427

Our club, the Catalina Radio Club, has used WR9R's program for the last 3
field days and it works very simply and easily...easy to get the old guys
to use it!

Ed N6KIV
Tucson, AZ

On Wed, 22 May 2002 09:30:26 -0700 (PDT) John P Smith
<john_ki4ro@...> writes:
> I haven't found XMLOG to be very suitable for
> contesting. For Field Day software I've used WR9R's
> product many times very successfully:
>
> http://www.prllc.com/~locull/wr9r/
>
> 73
> John
>
>
> --- bustadweeb <bustadweeb@...> wrote:
> > Is XMLLog suitable for contest logging? Would it be
> > good for field
> > day? I am interested in dupe checking and basic
> > stats
> > (states/countries, regions, goals) on a
> > contest-basis (sometimes).
> >
> > If not, can anyone recommend free software that
> > would meet my needs
> > (contest AND regular logging) ?
> >
> > tnx es 73
> >
> >
> >
> >
> >
>
>
> =====
> 73
> John - KI4RO
> http:\\www.qsl.net\ki4ro
> We're not in America.......America is in us!
>

> _____
> Do You Yahoo!?
> LAUNCH - Your Yahoo! Music Experience
> http://launch.yahoo.com
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>
>

428. Re: Contest Mode?

Yahoo group: XMLog
Date: 2002-05-23 05:40:39 UTC
From: bustadweeb
Topic: 422 Message: 428

Thanks for replys.

--- In XMLog@y..., Edward S Sherlock <N6KIV@a...> wrote:
> Our club, the Catalina Radio Club, has used WR9R's program for the
last 3
> field days and it works very simply and easily...easy to get the
old guys
> to use it!
>
> Ed N6KIV
> Tucson, AZ
>
> On Wed, 22 May 2002 09:30:26 -0700 (PDT) John P Smith
> <john_ki4ro@y...> writes:
> > I haven't found XMLOG to be very suitable for
> > contesting. For Field Day software I've used WR9R's
> > product many times very successfully:
> >
> > http://www.prllc.com/~locull/wr9r/
> >
> > 73
> > John
> >
> >
> > --- bustadweeb <bustadweeb@y...> wrote:
> > > Is XMLLog suitable for contest logging? Would it be
> > > good for field
> > > day? I am interested in dupe checking and basic
> > > stats
> > > (states/countries, regions, goals) on a
> > > contest-basis (sometimes).
> > >
> > > If not, can anyone recommend free software that
> > > would meet my needs
> > > (contest AND regular logging) ?
> > >
> > > tnx es 73
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> > =====

> > 73
> > John - KI4RO
> > http:\\www.qsl.net\ki4ro
> > We're not in America.......America is in us!
> >
> > _____
> > Do You Yahoo!?
> > LAUNCH - Your Yahoo! Music Experience
> > http://launch.yahoo.com
> >
> > ---------- Yahoo! Groups Sponsor
> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> > http://docs.yahoo.com/info/terms/
> >
> >
> >

429. Re: [XMLog] Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-24 19:02:24 UTC
From: Raymond Rowe
Topic: 411 Message: 429

Hi Tom,

I downloaded the DLL file and using a dial-up connection have not had a problem. It is a little slow but not enough to worry about.

The problem I have noticed is:

1) I am entering a lot of calls manually (191).
2) When I enter a callsign there is a delay between each character before it shows in the box.
3) During this time the dial-up icon on the task bar is indicating it is doing something on the Internet.
4) From the time I type the first character of a 4 character callsign it take 36 seconds for the cursor to return to my control.
5) If I do a Ctl-F the address info appears instantly.

Is it looking up each character of the callsign as it is put in the box?

Not related I don't think, but when I put 100 in for the power an error message flashes telling me "Power must be 1-1500, use ? for unknown".

Have you considered the following:

1) For the purpose of mailing labels. For those QSO that say "QSL via another callsign", Being able to enter the callsign in the window that you already have for that purpose and a switch that if you want would put that callsign address in the address section.

2) A button for split operation that would bring up another window for the frequency.

3) Having the frequency window continuously polling the radio. It appears now that it looks once per callsign.

I don't know if I have something set wrong or not, but everytime I run XMLog I have go to the Options-Log Options,QTH and press SAVE for it to hide the awards part and it load my selected log. The path for the log is entered and the awards box is not checked.

Last but not least, I still think it would be great that whatever method you are using, when you enter the callsign all info should be entered automatically. If some people don't want it, install a button or check box to turn that function off.

Thanks for your help and a fine program.

Ray...
K5OOM

[Non-text portions of this message have been removed]

430. Re: [XMLog] Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-24 19:40:37 UTC
From: Thomas M. Schaefer
Topic: 411 Message: 430

I noticed the delay as well.

Mike - Is the program trying to lookup the call as each letter is entered?

Thanks,

Tom NY4I
----- Original Message -----
From: "Raymond Rowe" <rwrowe@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, May 24, 2002 1:02 PM
Subject: Re: [XMLog] Testing of QRZ callsign server interface

> Hi Tom,
>
> I downloaded the DLL file and using a dial-up connection have not had a problem. It is a little slow but not enough to worry about.
>
> The problem I have noticed is:
>
> 1) I am entering a lot of calls manually (191).
> 2) When I enter a callsign there is a delay between each character before it shows in the box.
> 3) During this time the dial-up icon on the task bar is indicating it is doing something on the Internet.
> 4) From the time I type the first character of a 4 character callsign it take 36 seconds for the cursor to return to my control.
> 5) If I do a Ctl-F the address info appears instantly.
>
> Is it looking up each character of the callsign as it is put in the box?
>
> Not related I don't think, but when I put 100 in for the power an error message flashes telling me "Power must be 1-1500, use ? for unknown".
>
> Have you considered the following:
>
> 1) For the purpose of mailing labels. For those QSO that say "QSL via another callsign", Being able to enter the callsign in the window that you already have for that purpose and a switch that if you want would put that callsign address in the address section.
>
> 2) A button for split operation that would bring up another window for the frequency.
>
> 3) Having the frequency window continuously polling the radio. It appears now that it looks once per callsign.

>
> I don't know if I have something set wrong or not, but everytime I run XMLog I have go to the Options-Log Options,QTH and press SAVE for it to hide the awards part and it load my selected log. The path for the log is entered and the awards box is not checked.
>
> Last but not least, I still think it would be great that whatever method you are using, when you enter the callsign all info should be entered automatically. If some people don't want it, install a button or check box to turn that function off.
>
> Thanks for your help and a fine program.
>
> Ray...
> K5OOM
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

431. Re: [XMLog] Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-25 05:22:07 UTC
From: Raymond Rowe
Topic: 411 Message: 431

Sorry Tom my email was supposed to be addressed to Mike. Wasn't thinking.

Ray
K5OOM

[Non-text portions of this message have been removed]

432. Re: Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-05-25 13:59:03 UTC
From: w1ect
Topic: 411 Message: 432

Hi Ray,

> Is it looking up each character of the callsign as it is put in the box?

Yes, it's recalculating the bearing. Go to the callbook setup options and disable "Use callbook for locations". This option should only be set if you have your callbook installed on your hard disk.

> Not related I don't think, but when I put 100 in for the power an error message flashes telling me "Power must be 1-1500, use ? for unknown".

Couldn't duplicate this problem.

> For the purpose of mailing labels. For those QSOs that say "QSL via another callsign", Being able to enter the callsign in the window that you already have for that purpose and a switch that if you want would put that callsign address in the address section.

Double-click on the callsign in the QSL-Via field and then use the "Copy address to log" button.

> I don't know if I have something set wrong or not, but everytime I run XMLog I have go to the Options-Log Options,QTH and press SAVE for it to hide the awards part and it load my selected log. The path for the log is entered and the awards box is not checked.

The checkbox never actually gets set with the checkmark - just click on it until you get the info displayed that you want.

> Last but not least, I still think it would be great that whatever method you are using, when you enter the callsign all info should be entered automatically. If some people don't want it, install a button or check box to turn that function off.

Use "Edit/Edit defaults for new entries" and enable "Get info from callbook" then use "Edit/Use defaults for new entries".

Mike - W1ECT

433. QRZ Callsign Server Interface (Great)

Yahoo group: XMLog
Date: 2002-05-27 04:13:57 UTC
From: n6ng
Topic: 433 Message: 433

Seven days, 25 lookups/day and not one problem.
Been working without a hitch here. Nice job.
Thanks
Dennis N6NG

434. Internet Callsign Server DLL

Yahoo group: XMLog
Date: 2002-05-28 08:34:32 UTC
From: Thomas M. Schaefer
Topic: 434 Message: 434

I have updated my DLL that is a drop-in replacement for the QRZ, Buckmaster, and Flying Horse DLLs that instead of looking up calls on a CD-ROM, it goes to the Internet. The DLL basically is copied as whichever DLL you want to replace, and your logging program would call it instead of its normal DLL. WHere the normal DLL expects to access a callbook CD-ROM, mine goes to the Internet to get the Information. If your program supports the Buckmaster interface, I suggest using that one as it best supports Grid. Note that the online callbook servers are not as through for non-US calls, so if you use Flying Horse, you might want to stay with that.

A future version will access the CD first, then if that is not present, go to the Internet, so you get the best of both worlds. Instructions are included in the ZIP file. If you do not feel comfortable moving a DLL around in Windows, I would suggest careful consideration before using this.

This DLL is freeware and you are responsible for its use.

I have tested this with DXKeeper and XMLog. It will not work with Logger as it is still calls the old interfaces. I have not tested this with other programs so if you have friends that use other ones, I would be interested in how it works.

Access the DLL here... http://www.xmission.com/~toms/software/qrz32net.zip

Please send questions to Tom Schaefer, NY4I at ny4i@...

[Non-text portions of this message have been removed]

435. Ignore spot options

Yahoo group: XMLog
Date: 2002-05-28 11:39:25 UTC
From: jagius@sybase.com
Topic: 435 Message: 435

Help with spots

I can't seem to get the ignore spot options to work whether I use bands, frequencies, vhf.

The following examples do not work for me to ignore spots:

to ignore spots on 2 and 6 .....2 6
to ignore all above 10M.....vhf or VHF
to ignore 15 and 20 M 15 20

I have experimented extensively with using packet connecting through the internet
and have also tried it via tnc and regular 2 meter packet cluster.

Can anyone determine if I am doing something wrong or has anyone got this to work.

Of course, it works if you use the filter option on the packet cluster server (SET/FILTER) but I don't think that it is the
intent of the XMlog ignore option. - It would then be useless.

I am using xmlog 4.42

Joe
W1TW

436. Re: [XMLog] Internet Callsign Server DLL

Yahoo group: XMLog
Date: 2002-05-28 19:33:38 UTC
From: John P Smith
Topic: 434 Message: 436

The new one works well Tom, thanks!

73
John

--- "Thomas M. Schaefer" <ny4i@...> wrote:
> I have updated my DLL that is a drop-in replacement
> for the QRZ, Buckmaster, and Flying Horse DLLs that
> instead of looking up calls on a CD-ROM, it goes to
> the Internet. The DLL basically is copied as
> whichever DLL you want to replace, and your logging
> program would call it instead of its normal DLL.
> WHere the normal DLL expects to access a callbook
> CD-ROM, mine goes to the Internet to get the
> Information. If your program supports the Buckmaster
> interface, I suggest using that one as it best
> supports Grid. Note that the online callbook servers
> are not as through for non-US calls, so if you use
> Flying Horse, you might want to stay with that.
>
> A future version will access the CD first, then if
> that is not present, go to the Internet, so you get
> the best of both worlds. Instructions are included
> in the ZIP file. If you do not feel comfortable
> moving a DLL around in Windows, I would suggest
> careful consideration before using this.
>
> This DLL is freeware and you are responsible for its
> use.
>
> I have tested this with DXKeeper and XMLog. It will
> not work with Logger as it is still calls the old
> interfaces. I have not tested this with other
> programs so if you have friends that use other ones,
> I would be interested in how it works.
>
> Access the DLL here...
> http://www.xmission.com/~toms/software/qrz32net.zip
>
> Please send questions to Tom Schaefer, NY4I at
> ny4i@...
>
>
> [Non-text portions of this message have been
> removed]

>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
Yahoo! - Official partner of 2002 FIFA World Cup
http://fifaworldcup.yahoo.com

437. Re: Ignore spot options

Yahoo group: XMLog
Date: 2002-05-29 16:38:37 UTC
From: w1ect
Topic: 435 Message: 437

Hi Joe,

The spots themselves don't get ignored - they are still displayed in
the Packet window. Setting the various 'ignore' options only disables
the cw/voice alerts that would be given.

Mike - W1ECT

> Help with spots
>
> I can't seem to get the ignore spot options to work whether I use
bands,
> frequencies, vhf.
>
> The following examples do not work for me to ignore spots:
>
> to ignore spots on 2 and 6 2
6
> to ignore all above
10M.....vhf or
> VHF
> to ignore 15 and 20 M
.....15 20
>
>
> I have experimented extensively with using packet connecting through
the
> internet
> and have also tried it via tnc and regular 2 meter packet cluster.
>
> Can anyone determine if I am doing something wrong or has anyone got
this
> to work.
>
> Of course, it works if you use the filter option on the packet
cluster
> server (SET/FILTER) but I don't think that it is the
> intent of the XMlog ignore option. - It would then be useless.
>
> I am using xmlog 4.42
>
> Joe
> W1TW

438. Hello

Yahoo group: XMLog
Date: 2002-06-04 13:18:12 UTC
From: dave.g0dja3
Topic: 438 Message: 438

Hi there,

My name's Dave and my Amateur callsign is G0DJA.

Just downloading XMLog and looking to join the group.

Cheers de Dave (G0DJA)
Bolsover, UK

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.361 / Virus Database: 199 - Release Date: 07/05/02

439. Re: [XMLog] Hello

Yahoo group: XMLog
Date: 2002-06-04 18:09:18 UTC
From: jagius@sybase.com
Topic: 438 Message: 439

Hi Dave,

I guess that you've joined.
Welcome to the group.

You'll like the program.

Joe
W1TW

"dave.g0dja3"
<dave.g0dja3@p To: <XMLog@yahoogroups.com>
gen.net> cc:
Subject: [XMLog] Hello
06/04/2002
09:18 AM
Please respond
to XMLog

Hi there,

My name's Dave and my Amateur callsign is G0DJA.

Just downloading XMLog and looking to join the group.

Cheers de Dave (G0DJA)
Bolsover, UK

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.361 / Virus Database: 199 - Release Date: 07/05/02

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

440. Re: [XMLog] Hello

Yahoo group: XMLog
Date: 2002-06-04 22:25:56 UTC
From: dave.g0dja3
Topic: 438 Message: 440

----- Original Message -----
>
> Hi Dave,
>
> I guess that you've joined.
> Welcome to the group.

Thanks Joe,

Yes, just joined the group and started to try out the program. The welcome message said I should send an intitial message to notify the moderator of my presence. ;-)

Only two entries in XMLog as yet, and still coming to terms with some of the features.

de Dave (G0DJA)

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.361 / Virus Database: 199 - Release Date: 07/05/02

441. XM Log and WriteLog

Yahoo group: XMLog
Date: 2002-06-05 16:15:12 UTC
From: k6rix
Topic: 441 Message: 441

I see the program imports CT. Is there any provision to import from WriteLog? What about county tracking? Thanks for any and all responses!

Dino...K6RIX

442. Re: XM Log and WriteLog

Yahoo group: XMLog
Date: 2002-06-05 20:38:15 UTC
From: w1ect
Topic: 441 Message: 442

Hi Dino,

XMLog supports imporing ADIF files so just use WriteLog to export
the data as an ADIF file.

Mike - W1ECT

> I see the program imports CT. Is there any provision to import from
> WriteLog? What about county tracking? Thanks for any and all
> responses!
>
> Dino...K6RIX

443. Re: [XMLog] Re: XM Log and WriteLog

Yahoo group: XMLog
Date: 2002-06-05 21:31:11 UTC
From: Dino Darling
Topic: 441 Message: 443

Thank You! I also noticed (once I installed the program) under "Awards"
there is a spot for
Counties. Maybe now I'll actually print and read the manual! Thanks for
the heads up!

At 20:38 06/05/2002 +0000, you wrote:

>Hi Dino,
>
>XMLog supports imporing ADIF files so just use WriteLog to export
>the data as an ADIF file.
>
>Mike - W1ECT
>
> > I see the program imports CT. Is there any provision to import from
> > WriteLog? What about county tracking? Thanks for any and all
> > responses!
> >
> > Dino...K6RIX
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

Dino...k6rix@...

[Non-text portions of this message have been removed]

444. Re: [XMLog] Testing of QRZ callsign server interface

Yahoo group: XMLog
Date: 2002-06-09 17:05:55 UTC
From: CyberGeezer
Topic: 411 Message: 444

Hi Tom!

Well, I've been using your callsign server (and no other) for several weeks now and have had no problems.
Let me know if you need any particulars.

73 de W2GERry

----- Original Message -----
From: Tom Schaefer
To: XMLog@yahoogroups.com
Sent: Saturday, May 18, 2002 4:16 PM
Subject: [XMLog] Testing of QRZ callsign server interface

If anyone is interested (and has a full-time Internet connection), I need a few more beta testers of an interface I wrote to QRZ's online callbook server. Basically, the way XMLog accesses the QRZ CDrom is via a DLL called QRZ32.DLL. What I have done, it to write a new DLL called qrz32net.dll that can be copied over the QRZ32.DLL. Instead of looking for calls on the CD, it will go to the QRZ callbook server at www.qrz.com. I have done extensive testing on this including importing a 700 log ADIF file and it seems to work great.

If you do not mind testing beta software and want to test this out, please follow this procedure EXACTLY.

1. Close down XMLog
2. Most important, now; right now, go into your XMLog directory (normally c:\mlog) and copy qrz32.dll as qrz32sav.dll
3. Download the new DLL (http://groups.yahoo.com/group/XMLog/files/qrznet32.dll) to your XMLog directory.
4. Copy the DLL (see the previous email for a link to it) as qrz32.dll (COPY qrz32net.dll as qrz32.dll). If the copy asks to confirm the overwriting of the existing file, tell it yes (You did back it up, right?)
5. Start up XMLog
6. In the Log window, go to the Options Menu and select Callbook Setup.
7. Under Callbook Location, just type C: (The actual letter does not matter but you need the colon).
8. Under Callbook Type, select QRZ II.
9. Optionally, check Use Callbook for Locations (I run this way but you may not want to).
10. Click Save
11. Just to be safe, shutdown and restart XMLog

Now, whenever the program tries to use the callbook, it will go to the Internet connection. If you are using a dial-up, it will be a bit slower,

but still usable (I'm guess there because I do not have dialup. Let me know if it is usable if you have dialup).

Please send reports of its use to me directly at ny4i@.... I do not want to tie up the XMLog list with this type of information. If you have questions on setting up XMLog for the QRZ xallbook, by all means use the XMLog list.

Thanks and good luck,

Tom Schaefer, NY4I

PS If anyone you know, or even you also use another logging program, this may not work. It only supports the mailing label format from the DLL right now. Yoou are welcome to try it in another loggin progra,. I would be interested in how it works there as well.

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

445. Internet Lookup

Yahoo group: XMLog
Date: 2002-06-13 01:59:36 UTC
From: Thomas M. Schaefer
Topic: 445 Message: 445

Just a note...

If you install a new version of XMLog, get the latest DLL set for the Internet lookup if you are using it.

it is available at http://www.xmission.com/~toms/software.html

73,

Tom NY4I

[Non-text portions of this message have been removed]

446. RE: [XMLog] Internet Lookup

Yahoo group: XMLog
Date: 2002-06-13 05:04:47 UTC
From: Kevin Nathan
Topic: 445 Message: 446

Hi Tom,

I get an error saying it can't find your page. Any idea why?

Thanks much and 73.

Kevin, K7RX :)

447. Re: Internet Lookup

Yahoo group: XMLog
Date: 2002-06-13 05:34:12 UTC
From: davidspoelstra
Topic: 445 Message: 447

--- In XMLog@y..., "Kevin Nathan" <k7rx@a...> wrote:
> Hi Tom,
>
> I get an error saying it can't find your page. Any idea why?
>
> Thanks much and 73.
>
> Kevin, K7RX :)

It looks like the link should be:
http://www.xmission.com/~toms/software/

-David / N9KT

448. RE: [XMLog] Re: Internet Lookup

Yahoo group: XMLog
Date: 2002-06-13 12:51:51 UTC
From: Kevin Nathan
Topic: 445 Message: 448

Thanks. I'll try that one. 73

Kevin, K7RX :)

449. CW from LPT port.....PTT?

Yahoo group: XMLog
Date: 2002-06-16 21:06:55 UTC
From: n7or
Topic: 449 Message: 449

It looks like right now, there is no ptt signal available from the cw interface? I think this is true for both com and lpt types? I have a cw/ptt interface that I use for TRLog, N1MM Logger, and MixW software. I would love to have it be also compatible with XMLog. The way I have the shack wired and the way the FT920 works in the current config. causes this to be needed. I use the rear port for computer CW/PTT and the front port for the paddles. As of now, the only automatic way to get the rig to go into TX is by using full qsk. Vox does not work with the rear CW/PTT port. I personally do not like full qsk, while some do, I am sure.

Bottom line, for Mike: Can you add this feature? It would use pin 16 of an LPT port, pin 7 of a 9 pin COM, and pin 4 of a 25 pin COM.

I hope many others would find this useful, I know for me it would help to simplify and standardize the shack.

73, and Thank You, Mike, for considering. Craig - N7OR

450. Re: [XMLog] CW from LPT port.....PTT?

Yahoo group: XMLog
Date: 2002-06-16 21:18:51 UTC
From: N7MAL
Topic: 449 Message: 450

I've used the same com port configuration I use with CT, since 1986. It
works just fine with MLOG.
Please Mike don't mess it up.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: "n7or" <n7or@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, June 16, 2002 21:06
Subject: [XMLog] CW from LPT port.....PTT?

> It looks like right now, there is no ptt signal available from the cw
> interface? I think this is true for both com and lpt types? I have a
> cw/ptt interface that I use for TRLog, N1MM Logger, and MixW
> software. I would love to have it be also compatible with XMLog. The
> way I have the shack wired and the way the FT920 works in the current
> config. causes this to be needed. I use the rear port for computer
> CW/PTT and the front port for the paddles. As of now, the only
> automatic way to get the rig to go into TX is by using full qsk. Vox
> does not work with the rear CW/PTT port. I personally do not like
> full qsk, while some do, I am sure.
>
> Bottom line, for Mike: Can you add this feature? It would use pin 16
> of an LPT port, pin 7 of a 9 pin COM, and pin 4 of a 25 pin COM.
>
> I hope many others would find this useful, I know for me it would
> help to simplify and standardize the shack.
>
> 73, and Thank You, Mike, for considering. Craig - N7OR
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

451. Re: CW from LPT port.....PTT?

Yahoo group: XMLog
Date: 2002-06-17 03:04:27 UTC
From: n7or
Topic: 449 Message: 451

I did not ask him to "mess it up". I asked for an addition. If you have nothing attached to those pins, it will not bother your ct. I can't imagine that ct does not have ptt at least available. Maybe it does, and you are just not using it. Don't assume that I asked for the entire pinout and interface to change, as I did not.

Mike, I can clarify, TO YOU, if you are interested and will consider.

Craig - N7OR

--- In XMLog@y..., "N7MAL" <n7mal@c...> wrote:
> I've used the same com port configuration I use with CT, since 1986. It
> works just fine with MLOG.
> Please Mike don't mess it up.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
>
> ----- Original Message -----
> From: "n7or" <n7or@y...>
> To: <XMLog@y...>
> Sent: Sunday, June 16, 2002 21:06
> Subject: [XMLog] CW from LPT port.....PTT?
>
>
> > It looks like right now, there is no ptt signal available from the cw
> > interface? I think this is true for both com and lpt types? I have a
> > cw/ptt interface that I use for TRLog, N1MM Logger, and MixW
> > software. I would love to have it be also compatible with XMLog. The
> > way I have the shack wired and the way the FT920 works in the current
> > config. causes this to be needed. I use the rear port for computer
> > CW/PTT and the front port for the paddles. As of now, the only
> > automatic way to get the rig to go into TX is by using full qsk. Vox
> > does not work with the rear CW/PTT port. I personally do not like
> > full qsk, while some do, I am sure.
> >
> > Bottom line, for Mike: Can you add this feature? It would use pin 16
> > of an LPT port, pin 7 of a 9 pin COM, and pin 4 of a 25 pin COM.

> >
> > I hope many others would find this useful, I know for me it would
> > help to simplify and standardize the shack.
> >
> > 73, and Thank You, Mike, for considering. Craig - N7OR
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
> >

452. Re: CW from LPT port.....PTT?

Yahoo group: XMLog
Date: 2002-06-18 15:20:53 UTC
From: w1ect
Topic: 449 Message: 452

Hi Craig,

I had started to add this feature earlier so I went ahead and finished the job. You can try it at www.xmlog.com/beta

Mike - W1ECT

> It looks like right now, there is no ptt signal available from the cw
> interface? I think this is true for both com and lpt types? I have a
> cw/ptt interface that I use for TRLog, N1MM Logger, and MixW
> software. I would love to have it be also compatible with XMLog. The
> way I have the shack wired and the way the FT920 works in the current
> config. causes this to be needed. I use the rear port for computer
> CW/PTT and the front port for the paddles. As of now, the only
> automatic way to get the rig to go into TX is by using full qsk. Vox
> does not work with the rear CW/PTT port. I personally do not like
> full qsk, while some do, I am sure.
>
> Bottom line, for Mike: Can you add this feature? It would use pin 16
> of an LPT port, pin 7 of a 9 pin COM, and pin 4 of a 25 pin COM.
>
> I hope many others would find this useful, I know for me it would
> help to simplify and standardize the shack.
>
> 73, and Thank You, Mike, for considering. Craig - N7OR

453. Re: CW from LPT port.....PTT?

Yahoo group: XMLog
Date: 2002-06-18 19:27:10 UTC
From: n7or
Topic: 449 Message: 453

Well, that is just fantastic. I do, however, notice that changes.txt
mentions COM but not LPT. I will install and test this weekend and
let you know, thank you.

73, Craig - N7OR
==========

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> Hi Craig,
>
> I had started to add this feature earlier so I went ahead and
finished
> the job. You can try it at www.xmlog.com/beta
>
> Mike - W1ECT
>
> > It looks like right now, there is no ptt signal available from
the
> cw
> > interface? I think this is true for both com and lpt types? I
have a
> > cw/ptt interface that I use for TRLog, N1MM Logger, and MixW
> > software. I would love to have it be also compatible with XMLog.
The
> > way I have the shack wired and the way the FT920 works in the
> current
> > config. causes this to be needed. I use the rear port for
computer
> > CW/PTT and the front port for the paddles. As of now, the only
> > automatic way to get the rig to go into TX is by using full qsk.
Vox
> > does not work with the rear CW/PTT port. I personally do not like
> > full qsk, while some do, I am sure.
> >
> > Bottom line, for Mike: Can you add this feature? It would use pin
16
> > of an LPT port, pin 7 of a 9 pin COM, and pin 4 of a 25 pin COM.
> >
> > I hope many others would find this useful, I know for me it would
> > help to simplify and standardize the shack.
> >
> > 73, and Thank You, Mike, for considering. Craig - N7OR

454. Help!! Unwanted boxes

Yahoo group: XMLog
Date: 2002-06-19 04:08:16 UTC
From: CyberGeezer
Topic: 454 Message: 454

Some boxes have now appeared at the bottom of my XMLog window (DXCC, WAS, and WAZ, each with ACCEPT, REJECT, and SUBMIT fields).

I don't know what I did to invite them there.

I don't know how to tell them to go away.

I can't operate XMLog with them there because they force needed buttons off the bottom the screen.

73 de W2GERry

[Non-text portions of this message have been removed]

455. Re: [XMLog] Help!! Unwanted boxes

Yahoo group: XMLog
Date: 2002-06-19 11:47:29 UTC
From: jagius@sybase.com
Topic: 454 Message: 455

First of all look under "Options > Log options" and uncheck the

always show awards tracking - this will remove the fields.
if addresses lines are showing, uncheck that box also and
if you uncheck show all qso fields also
you will be back to normal.

On the normal screen, there is a button on bottom left which will navigate
you
through all of the fields.

Joe
W1TW

"CyberGeezer"
<CyberGeezer74@ho To: <XMLog@yahoogroups.com>
tmail.com> cc:
Subject: [XMLog] Help!! Unwanted boxes
06/19/2002 12:08
AM
Please respond to
XMLog

Some boxes have now appeared at the bottom of my XMLog window (DXCC, WAS,
and WAZ, each with ACCEPT, REJECT, and SUBMIT fields).

I don't know what I did to invite them there.

I don't know how to tell them to go away.

I can't operate XMLog with them there because they force needed buttons off
the bottom the screen.

73 de W2GERry

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

456. Re: xmlog

Yahoo group: XMLog
Date: 2002-06-19 12:11:06 UTC
From: CyberGeezer
Topic: 456 Message: 456

Thanks, but that's one of the boxes that was forced off the bottom of the screen.

It was acting as if I had checked all three of the "Always Show" buttons in LOG OPTIONS (I had not).

Finally cleared it by going into LOG OPTIONS and clicking SAVE without changing anything. Weird.

73 de W2GERry

Using v. 4.19, by the way
----- Original Message -----
From: CliffHazen@...
To: CyberGeezer74@...
Sent: Wednesday, June 19, 2002 1:01 AM
Subject: xmlog

there is a small box to the left of the large Select box at the center bottom.
click it and it steps u thru different lower displays

Award Info
Address Info
Qso Info

gl es 73
Cliff N7HIY

[Non-text portions of this message have been removed]

457. Re: [XMLog] Re: xmlog

Yahoo group: XMLog
Date: 2002-06-19 14:49:49 UTC
From: jagius@sybase.com
Topic: 456 Message: 457

That box only shows up if all three "always show"s are NOT checked.
You may have inadvertently saved all three and when you saved with them
blank, it cleared it up.

Joe
W1TW

"CyberGeezer"

<CyberGeezer74@ho To: <CliffHazen@...>,
<XMLog@yahoogroups.com>
tmail.com> cc:

Subject: [XMLog] Re: xmlog

06/19/2002 08:11

AM

Please respond to

XMLog

Thanks, but that's one of the boxes that was forced off the bottom of the
screen.

It was acting as if I had checked all three of the "Always Show" buttons in
LOG OPTIONS (I had not).

Finally cleared it by going into LOG OPTIONS and clicking SAVE without
changing anything. Weird.

73 de W2GERry

Using v. 4.19, by the way
----- Original Message -----
From: CliffHazen@...
To: CyberGeezer74@...
Sent: Wednesday, June 19, 2002 1:01 AM
Subject: xmlog

there is a small box to the left of the large Select box at the center
bottom.
click it and it steps u thru different lower displays

Award Info
Address Info
Qso Info

gl es 73
Cliff N7HIY

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

458. Re: [XMLog] Help!! Unwanted boxes

Yahoo group: XMLog
Date: 2002-06-19 18:36:08 UTC
From: John P Smith
Topic: 454 Message: 458

Click on the button at the very bottom left that says
Show

73
John

--- CyberGeezer <CyberGeezer74@...> wrote:
> Some boxes have now appeared at the bottom of my
> XMLog window (DXCC, WAS, and WAZ, each with ACCEPT,
> REJECT, and SUBMIT fields).
>
> I don't know what I did to invite them there.
>
> I don't know how to tell them to go away.
>
> I can't operate XMLog with them there because they
> force needed buttons off the bottom the screen.
>
>
> 73 de W2GERry
>
>
>
>
> [Non-text portions of this message have been
> removed]
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
Yahoo! - Official partner of 2002 FIFA World Cup
http://fifaworldcup.yahoo.com

459. Install from floppies

Yahoo group: XMLog
Date: 2002-06-19 18:38:11 UTC
From: CyberGeezer
Topic: 459 Message: 459

In anticipation of Field Day I'm trying to put copies of XMLog onto two laptops that don't have modems. On my main machine I ran floppies.bat and produced the five distribution floppies.

Tried to install on a Windows 95 machine-- it reports that a:setup.exe is in the wrong format.

Tried to install on a Windows 98 machine-- it reports that it can't find a file named something like stunt6 in c:\windows\temp\

(Running v. 4.19)

Any ideas?

73 de W2GERry

[Non-text portions of this message have been removed]

460. Re: [XMLog] Install from floppies

Yahoo group: XMLog
Date: 2002-06-19 18:59:46 UTC
From: John P Smith
Topic: 459 Message: 460

I wouldn't use XMLOG for Field Day...its not designed
for that per the author.

I would instead find a copy of WR9R's Field Day
software.

73
John

--- CyberGeezer <CyberGeezer74@...> wrote:
> In anticipation of Field Day I'm trying to put
> copies of XMLog onto two laptops that don't have
> modems. On my main machine I ran floppies.bat and
> produced the five distribution floppies.
>
> Tried to install on a Windows 95 machine-- it
> reports that a:setup.exe is in the wrong format.
>
> Tried to install on a Windows 98 machine-- it
> reports that it can't find a file named something
> like stunt6 in c:\windows\temp\
>
> (Running v. 4.19)
>
> Any ideas?
>
> 73 de W2GERry
>
>
>
> [Non-text portions of this message have been
> removed]
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
Yahoo! - Official partner of 2002 FIFA World Cup
http://fifaworldcup.yahoo.com

461. WR9R Field Day Logging...

Yahoo group: XMLog
Date: 2002-06-19 19:12:13 UTC
From: Dino Darling
Topic: 459 Message: 461

While we will be using CT, I have used WR9R and it works fantastic!

http://www.prllc.com/~locull/wr9r/

Enjoy!

At 11:59 06/19/2002 -0700, you wrote:
>I wouldn't use XMLOG for Field Day...its not designed
>for that per the author.
>
>I would instead find a copy of WR9R's Field Day
>software.
>
>73
>John
>
>--- CyberGeezer <CyberGeezer74@...> wrote:
> > In anticipation of Field Day I'm trying to put
> > copies of XMLog onto two laptops that don't have
> > modems. On my main machine I ran floppies.bat and
> > produced the five distribution floppies.
> >
> > Tried to install on a Windows 95 machine-- it
> > reports that a:setup.exe is in the wrong format.
> >
> > Tried to install on a Windows 98 machine-- it
> > reports that it can't find a file named something
> > like stunt6 in c:\windows\temp\
> >
> > (Running v. 4.19)
> >
> > Any ideas?
> >
> > 73 de W2GERry
> >
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
>
>
>=====
>73
>John - KI4RO

>http:\\www.qsl.net\ki4ro
>We're not in America.......America is in us!
>
>_____
>Do You Yahoo!?
>Yahoo! - Official partner of 2002 FIFA World Cup
><http://fifaworldcup.yahoo.com>http://fifaworldcup.yahoo.com
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

Dino...k6rix@...

[Non-text portions of this message have been removed]

462. XMLog question

Yahoo group: XMLog
Date: 2002-06-19 20:28:29 UTC
From: Judy & Darrel
Topic: 462 Message: 462

Have had XMLog for about a month now and like it very well. After cleaning up about 6000 contacts from another logging program that I imported and added the '?' in the country field for any contact that I do not want to track everything is working very well. One of the best features that I like is the QSL Card printing and it has printed every card that needs printed so far.

Now my question. I change display to sort by QSO date/time. Put !=? in Country field and = in QSL Sent field to get the contacts that I need to send cards too (oldest to newest). The results are fine except no USA contacts are listed. Does XMLog exclude USA contacts in its search unless a W is put in the country field?

Also while I am at it, I like to track US Islands and prefixes. Is there any future versions with these awards in report form like DXCC, Counties, or IOTA's?

Thanks for a very fine windows based logger.

Darrel Baxter
WD8ANZ

[Non-text portions of this message have been removed]

463. Re: Install from floppies

Yahoo group: XMLog
Date: 2002-06-20 04:18:03 UTC
From: n7or
Topic: 459 Message: 463

Or, N6TR just released the CURRENT fully functioning version of
TRLog, free, for Field Day and a few others. Very good SW. It is
completely functional, just the contest types are limited in the free
version.
Craig - N7OR
--- In XMLog@y..., John P Smith <john_ki4ro@y...> wrote:
> I wouldn't use XMLOG for Field Day...its not designed
> for that per the author.
>
> I would instead find a copy of WR9R's Field Day
> software.
>
> 73
> John
>
> --- CyberGeezer <CyberGeezer74@h...> wrote:
> > In anticipation of Field Day I'm trying to put
> > copies of XMLog onto two laptops that don't have
> > modems. On my main machine I ran floppies.bat and
> > produced the five distribution floppies.
> >
> > Tried to install on a Windows 95 machine-- it
> > reports that a:setup.exe is in the wrong format.
> >
> > Tried to install on a Windows 98 machine-- it
> > reports that it can't find a file named something
> > like stunt6 in c:\windows\temp\
> >
> > (Running v. 4.19)
> >
> > Any ideas?
> >
> > 73 de W2GERry
> >
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
>
>
> =====
> 73
> John - KI4RO

> http:\\www.qsl.net\ki4ro
> We're not in America.......America is in us!
>
> _____
> Do You Yahoo!?
> Yahoo! - Official partner of 2002 FIFA World Cup
> http://fifaworldcup.yahoo.com

464. Re: [XMLog] XMLog question

Yahoo group: XMLog
Date: 2002-06-20 12:00:18 UTC
From: jagius@sybase.com
Topic: 462 Message: 464

just = in the qsl field will give you what you want for the most part.
just ? in the country field gives all W
!=? in the country field gives all but W with a couple exceptions.

The sortsand selections are quite complicating in this program and Mike
does his best to keep up with the
fixes but some work arounds are useful to document for additional use.

Joe
W1TW

"Judy &
Darrel" To: <XMLog@yahoogroups.com>
<wd8anz@arrl.n cc:
et> Subject: [XMLog] XMLog question

06/19/2002
04:28 PM
Please respond
to XMLog

Have had XMLog for about a month now and like it very well. After cleaning
up about 6000 contacts from another logging program that I imported and
added the '?' in the country field for any contact that I do not want to
track everything is working very well. One of the best features that I like
is the QSL Card printing and it has printed every card that needs printed
so far.

Now my question. I change display to sort by QSO date/time. Put !=? in
Country field and = in QSL Sent field to get the contacts that I need to
send cards too (oldest to newest). The results are fine except no USA
contacts are listed. Does XMLog exclude USA contacts in its search unless a
W is put in the country field?

Also while I am at it, I like to track US Islands and prefixes. Is there
any future versions with these awards in report form like DXCC, Counties,
or IOTA's?

Thanks for a very fine windows based logger.

Darrel Baxter
WD8ANZ

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

465. Re: XMLog question

Yahoo group: XMLog
Date: 2002-06-20 14:38:46 UTC
From: w1ect
Topic: 462 Message: 465

Hi Darrel,

I just fixed several bugs related to searchs, especially those using the = and !=. You can get the latest beta version that has these fixes at www.xmlog.com/beta

Email me directly at m.mcamis@... if this doesn't fix the problem.

Mike - W1ECT

> Have had XMLog for about a month now and like it very well. After cleaning up about 6000 contacts from another logging program that I imported and added the '?' in the country field for any contact that I do not want to track everything is working very well. One of the best features that I like is the QSL Card printing and it has printed every card that needs printed so far.
>
> Now my question. I change display to sort by QSO date/time. Put !=? in Country field and = in QSL Sent field to get the contacts that I need to send cards too (oldest to newest). The results are fine except no USA contacts are listed. Does XMLog exclude USA contacts in its search unless a W is put in the country field?
>
> Also while I am at it, I like to track US Islands and prefixes. Is there any future versions with these awards in report form like DXCC, Counties, or IOTA's?
>
> Thanks for a very fine windows based logger.
>
> Darrel Baxter
> WD8ANZ
>
>
> [Non-text portions of this message have been removed]

466. Re: Install from floppies

Yahoo group: XMLog
Date: 2002-06-20 14:45:31 UTC
From: w1ect
Topic: 459 Message: 466

Hi - I've found that if you copy the contents of all the floppies
created with floppies.bat to a temporary folder and then run setup.exe
from there this seems to solve problems like this.

As several folk have noted, XMLog isn't much of a contest program.
Our club uses WriteLog which works very well and we have previously
used TRLog and CT which didn't seem to be as friendly to
our computer-phobic members.

Mike - W1ECT

> In anticipation of Field Day I'm trying to put copies of XMLog onto
two laptops that don't have modems. On my main machine I ran
floppies.bat and produced the five distribution floppies.
>
> Tried to install on a Windows 95 machine-- it reports that
a:setup.exe is in the wrong format.
>
> Tried to install on a Windows 98 machine-- it reports that it can't
find a file named something like stunt6 in c:\windows\temp\
>
> (Running v. 4.19)
>
> Any ideas?
>
> 73 de W2GERry
>
>
>
> [Non-text portions of this message have been removed]

467. working same station again

Yahoo group: XMLog
Date: 2002-06-22 02:27:16 UTC
From: zamba0321
Topic: 467 Message: 467

Howdy

I noticed that when I work a station again, the
log program does not automatically tell me that.

It would be usefull to get a new window, or see on the
bottom of the log window that I worked that station again...

keep up the good work, it's a great logging program

73's

468. Re: CW from LPT port.....PTT?

Yahoo group: XMLog
Date: 2002-06-22 03:08:21 UTC
From: n7or
Topic: 449 Message: 468

No, sorry to say that on LPT1 I still get no PTT. Oh well, those that use a COM port should try this feature, it is nice to have. Thanks anyway :-(for trying.

-- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> Hi Craig,
>
> I had started to add this feature earlier so I went ahead and finished
> the job. You can try it at www.xmlog.com/beta
>
> Mike - W1ECT
>
> > It looks like right now, there is no ptt signal available from the
> cw
> > interface? I think this is true for both com and lpt types? I have a
> > cw/ptt interface that I use for TRLog, N1MM Logger, and MixW
> > software. I would love to have it be also compatible with XMLog. The
> > way I have the shack wired and the way the FT920 works in the
> current
> > config. causes this to be needed. I use the rear port for computer
> > CW/PTT and the front port for the paddles. As of now, the only
> > automatic way to get the rig to go into TX is by using full qsk. Vox
> > does not work with the rear CW/PTT port. I personally do not like
> > full qsk, while some do, I am sure.
> >
> > Bottom line, for Mike: Can you add this feature? It would use pin 16
> > of an LPT port, pin 7 of a 9 pin COM, and pin 4 of a 25 pin COM.
> >
> > I hope many others would find this useful, I know for me it would
> > help to simplify and standardize the shack.
> >
> > 73, and Thank You, Mike, for considering. Craig - N7OR

469. Re: working same station again

Yahoo group: XMLog
Date: 2002-06-24 13:51:11 UTC
From: w1ect
Topic: 467 Message: 469

Currently there is no explicit window to show previous QSOs but there are a couple of ways to see them without doing a log search.

- Pick "Display/Display All Entries for Call" (Alt-D,C) to get a window with all the entries that match the current value of the Call field. You can double-click on entries in this window to move to that log entry.

- Right-click on the call field. The last 10 entries will show in a popup menu. You can click on entries in this list to move to that log entry.

- If you have a callbook installed do a callbook lookup (Ctrl-L). A list of QSOs for this call will be displayed. Double-click on entries in this list to move to that log entry.

Note that clicking to move to the log entries doesn't work when you are currently editing or adding a log entry.

Mike - W1ECT

> Howdy
>
> I noticed that when I work a station again, the
> log program does not automatically tell me that.
>
> It would be usefull to get a new window, or see on the
> bottom of the log window that I worked that station again...
>
> keep up the good work, it's a great logging program
>
> 73's

470. Last post re: LPT Port.

Yahoo group: XMLog
Date: 2002-06-24 19:02:15 UTC
From: n7or
Topic: 470 Message: 470

Oh, okay. Now I see it in the new help file with 4.44 beta. It says that PTT is NOT available with a LPT port. Sorry, that was the subject of my original post, LPT not COM. I am thinking about swapping my single serial card for a double to get me to 3 ports anyhow. Thanks.

Craig - N7OR

471. RE: [XMLog] Re: working same station again

Yahoo group: XMLog
Date: 2002-06-25 01:28:56 UTC
From: Kevin Nathan
Topic: 467 Message: 471

Hi Michael,

I, for one, would like it if there was some method of telling me I had worked a station before. How difficult would it be to have Xmlog get his old information like name and the like and filling those blanks leaving blank things which might change such as date, time, freq, rst, etc?

thanks much and 73.

Kevin, K7RX :)

-----Original Message-----
From: w1ect [mailto:m.mcamis@...]
Sent: Monday, June 24, 2002 06:51
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: working same station again

Currently there is no explicit window to show previous QSOs but there are a couple of ways to see them without doing a log search.

- Pick "Display/Display All Entries for Call" (Alt-D,C) to get a window with all the entries that match the current value of the Call field. You can double-click on entries in this window to move to that log entry.

- Right-click on the call field. The last 10 entries will show in a popup menu. You can click on entries in this list to move to that log entry.

- If you have a callbook installed do a callbook lookup (Ctrl-L). A list of QSOs for this call will be displayed. Double-click on entries in this list to move to that log entry.

Note that clicking to move to the log entries doesn't work when you are currently editing or adding a log entry.

Mike - W1ECT

> Howdy
>
> I noticed that when I work a station again, the
> log program does not automatically tell me that.
>
> It would be usefull to get a new window, or see on the
> bottom of the log window that I worked that station again...
>
> keep up the good work, it's a great logging program
>

> 73's

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

472. double click on call does not show country anymore

Yahoo group: XMLog
Date: 2002-06-29 18:29:37 UTC
From: zamba0321
Topic: 472 Message: 472

Hi,

I noticed that with version 4.44 it does not show
the country anymore when I double click
on a callsign either in the log or packet window.
I think it used to show that where it shows the heading and distance.
That was usefull when the call did not result in a match in the
Callbook. At least we could see which country or DXCC entity
the call belonged too ...

thanks
de K6TE Wim.

473. TRX-manager

Yahoo group: XMLog
Date: 2002-06-30 16:18:15 UTC
From: joejkirk
Topic: 473 Message: 473

Hi,
I've recently installed TRX-Manager with my FT920 and would like to use XMlog with it. Are there any plans to provide the necessary ole links?
73s TNX
Joe G3ZDF

474. Re: TRX-manager

Yahoo group: XMLog
Date: 2002-07-01 14:46:49 UTC
From: w1ect
Topic: 473 Message: 474

Hi Joe,

I currently don't have any plans to support any third party software.

Mike - W1ECT

> Hi,
> I've recently installed TRX-Manager with my FT920 and would like to
> use XMlog with it. Are there any plans to provide the necessary ole
> links?
> 73s TNX
> Joe G3ZDF

475. Re: double click on call does not show country anymore

Yahoo group: XMLog
Date: 2002-07-01 14:51:17 UTC
From: w1ect
Topic: 472 Message: 475

I tried it here and the Callbook Lookup window still has the country info in the window's caption. Does the info still show up in caption for the Log window when entering a new call (and in the Packet window's DX/Check Call+Prefix window)?

Mike - W1ECT

> Hi,
>
> I noticed that with version 4.44 it does not show
> the country anymore when I double click
> on a callsign either in the log or packet window.
> I think it used to show that where it shows the heading and distance.
> That was usefull when the call did not result in a match in the
> Callbook. At least we could see which country or DXCC entity
> the call belonged too ...
>
>
> thanks
> de K6TE Wim.

476. Re: double click on call does not show country anymore

Yahoo group: XMLog
Date: 2002-07-01 19:41:37 UTC
From: zamba0321
Topic: 472 Message: 476

Hi Mike,

The lookup function (F4) does have it correctly.

But when I double click on a call in the packet window
it does not show the country. Example I double click
on CY9DH, it shows in the window caption:
"CY9DH - Heading 57, distance 3157 miles"

When I enter the call in the logbook, I do get the country
"CY9DH (St. Pail I. - 57/3157 miles)"
same for F4 callbook lookup
I do have the radio amateur callbook cd installed on the harddisk.

73's
de K6TE Wim

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> I tried it here and the Callbook Lookup window still has the
country
> info in the window's caption. Does the info still show up in
caption
> for the Log window when entering a new call (and in the Packet
> window's DX/Check Call+Prefix window)?
>
> Mike - W1ECT
>
> > Hi,
> >
> > I noticed that with version 4.44 it does not show
> > the country anymore when I double click
> > on a callsign either in the log or packet window.
> > I think it used to show that where it shows the heading and
> distance.
> > That was usefull when the call did not result in a match in the
> > Callbook. At least we could see which country or DXCC entity
> > the call belonged too ...
> >
> >
> > thanks
> > de K6TE Wim.

477. Re: double click on call does not show country anymore

Yahoo group: XMLog
Date: 2002-07-05 22:53:31 UTC
From: w1ect
Topic: 472 Message: 477

Hi Wim, I found the bug and I'll include the fix in the next version.

Mike - W1ECT

> Hi,
>
> I noticed that with version 4.44 it does not show
> the country anymore when I double click
> on a callsign either in the log or packet window.
> I think it used to show that where it shows the heading and
> distance.
> That was useful when the call did not result in a match in the
> Callbook. At least we could see which country or DXCC entity
> the call belonged too ...
>
>
> thanks
> de K6TE Wim.

478. Restore?

Yahoo group: XMLog
Date: 2002-07-09 03:30:49 UTC
From: john_ki4ro
Topic: 478 Message: 478

Hi Mike et al,
I just discovered the automatic backup feature and it seems to work
well. How can I use the file to perform a restore?

73
John

479. Re: Restore?

Yahoo group: XMLog
Date: 2002-07-09 17:20:38 UTC
From: w1ect
Topic: 478 Message: 479

Hi John,

The backups are just straight copies of the log so you can actually open them directly from XMLog or copy them to your normal XMlog install directory (possibly renaming it to replace an existing log file).

Mike - W1ECT

> Hi Mike et al,
> I just discovered the automatic backup feature and it seems to work
> well. How can I use the file to perform a restore?
>
> 73
> John

480. Re: [XMLog] Re: Restore?

Yahoo group: XMLog
Date: 2002-07-09 23:17:16 UTC
From: John P Smith
Topic: 478 Message: 480

Thanks Mike...worked like a champ...as usual :-)

73
John

--- w1ect <m.mcamis@...> wrote:
>
> Hi John,
>
> The backups are just straight copies of the log so
> you can actually
> open them directly from XMLog or copy them to your
> normal XMlog
> install directory (possibly renaming it to replace
> an existing log
> file).
>
> Mike - W1ECT
>
> > Hi Mike et al,
> > I just discovered the automatic backup feature
> and it seems to
> work
> > well. How can I use the file to perform a
> restore?
> >
> > 73
> > John
>
>

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

Do You Yahoo!?
Sign up for SBC Yahoo! Dial - First Month Free
http://sbc.yahoo.com

483. Call book look up ?

Yahoo group: XMLog
Date: 2002-07-15 16:56:21 UTC
From: Bob Montgomery K3BM/AAR3ID/AAM3TPA
Topic: 483 Message: 483

I noticed with the "DXMON" software they have a feature that allows you
to hit the online qrz.com look up by clicking the DX callsign.
Has there been any thought of perhaps adding that feature to XM Log ?

73, Bob K3BM

484. Re: Call book look up ?

Yahoo group: XMLog
Date: 2002-07-16 00:18:14 UTC
From: w1ect
Topic: 483 Message: 484

Hi Bob,

Check out the "Files" page at the XMLog news group:

groups.yahoo.com/group/XMLog/files

For best results you should install the latest beta version of XMLog
available at:

www.xmlog.com/beta

Mike - W1ECT

> I noticed with the "DXMON" software they have a feature that allows
you
> to hit the online qrz.com look up by clicking the DX callsign.
> Has there been any thought of perhaps adding that feature to XM Log
?
>
> 73, Bob K3BM

485. Problem getting frequency and mode from Pegasus

Yahoo group: XMLog
Date: 2002-07-30 04:19:08 UTC
From: dle60057
Topic: 485 Message: 485

I get the message "Comm Port already open" whenever I try to get Freq or Mode from rig into XMLog. Pegasus is not in the rig list but I've tried all the Ten Tec rigs listed. Has anyone experienced a problem like this and what is the fix?

486. Re: Problem getting frequency and mode from Pegasus

Yahoo group: XMLog
Date: 2002-07-31 03:13:24 UTC
From: w1ect
Topic: 485 Message: 486

Another Pegasus owner sent me a copy of the Programmers Reference Guide. I think we decided the problem here is that the normal Pegasus PC interface program opens the serial port to control the radio and at that point any other program (like XMLog) isn't be able to access this port to send commands as well.

Mike - W1ECT

> I get the message "Comm Port already open" whenever I try to get Freq
> or Mode from rig into XMLog. Pegasus is not in the rig list but I've
> tried all the Ten Tec rigs listed. Has anyone experienced a problem
> like this and what is the fix?

487. Re: Call book look up ?

Yahoo group: XMLog
Date: 2002-07-31 04:47:36 UTC
From: n7or
Topic: 483 Message: 487

I forgot who did the volunteer coding on this DLL, but it works very
good here at N7OR. Thank You very much!
==========
--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> Hi Bob,
>
> Check out the "Files" page at the XMLog news group:
>
> groups.yahoo.com/group/XMLog/files
>
> For best results you should install the latest beta version of
XMLog
> available at:
>
> www.xmlog.com/beta
>
> Mike - W1ECT
>
> > I noticed with the "DXMON" software they have a feature that
allows
> you
> > to hit the online qrz.com look up by clicking the DX callsign.
> > Has there been any thought of perhaps adding that feature to XM
Log
> ?
> >
> > 73, Bob K3BM

488. Re: [XMLog] Re: Call book look up ?

Yahoo group: XMLog
Date: 2002-07-31 16:17:21 UTC
From: Thomas M. Schaefer
Topic: 483 Message: 488

Glad it is working for you. Which callbook format are you using?

Tom NY4I
----- Original Message -----
From: "n7or" <n7or@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, July 30, 2002 10:47 PM
Subject: [XMLog] Re: Call book look up ?

> I forgot who did the volunteer coding on this DLL, but it works very
> good here at N7OR. Thank You very much!
> ==
> --- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
> >
> > Hi Bob,
> >
> > Check out the "Files" page at the XMLog news group:
> >
> > groups.yahoo.com/group/XMLog/files
> >
> > For best results you should install the latest beta version of
> XMLog
> > available at:
> >
> > www.xmlog.com/beta
> >
> > Mike - W1ECT
> >
> > > I noticed with the "DXMON" software they have a feature that
> allows
> > you
> > > to hit the online qrz.com look up by clicking the DX callsign.
> > > Has there been any thought of perhaps adding that feature to XM
> Log
> > ?
> > >
> > > 73, Bob K3BM
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>

>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

489. Re: Call book look up ?

Yahoo group: XMLog
Date: 2002-08-02 03:56:21 UTC
From: n7or
Topic: 483 Message: 489

The QRZ online. I assumed that was the only one? As far as online,
that is. Not talking about CD Rom.
73, Craig - N7OR

--- In XMLog@y..., "Thomas M. Schaefer" <ny4i@a...> wrote:
> Glad it is working for you. Which callbook format are you using?
>
> Tom NY4I
> ----- Original Message -----
> From: "n7or" <n7or@y...>
> To: <XMLog@y...>
> Sent: Tuesday, July 30, 2002 10:47 PM
> Subject: [XMLog] Re: Call book look up ?
>
>
> > I forgot who did the volunteer coding on this DLL, but it works
very
> > good here at N7OR. Thank You very much!
> >
==========
> > --- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
> > >
> > > Hi Bob,
> > >
> > > Check out the "Files" page at the XMLog news group:
> > >
> > > groups.yahoo.com/group/XMLog/files
> > >
> > > For best results you should install the latest beta version of
> > XMLog
> > > available at:
> > >
> > > www.xmlog.com/beta
> > >
> > > Mike - W1ECT
> > >
> > > > I noticed with the "DXMON" software they have a feature that
> > allows
> > > you
> > > > to hit the online qrz.com look up by clicking the DX callsign.
> > > > Has there been any thought of perhaps adding that feature to
XM
> > Log
> > > ?
> > > >

> > > > 73, Bob K3BM
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@o...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >

490. Error in the Prefixes file

Yahoo group: XMLog
Date: 2002-08-19 15:59:23 UTC
From: w1ect
Topic: 490 Message: 490

SM6FFG has discovered a typo in the prefixes file. Madagascar's location is set to [-18.5,-7] but it should be [-18.5,-47]. If you want to update the file yourself you can just use a simple text editor like WordPad. I'll apply this change to version 4.47...

Mike - W1ECT

491. FT-747/SB-1400 Support

Yahoo group: XMLog
Date: 2002-08-20 18:22:07 UTC
From: rdusza01
Topic: 491 Message: 491

Hi,

I am having a problem with using the CAT interface for my Heath SB-1400 HF txcvr. I am able to use the CAT via other programs but not able to get a response from the rig. I get an error" Rig not responding". There is not a choice on the list for the FT-747 even though it is listed in changes in a previous version. Settings are correct based on documentation from the manual. The setting for either rig are identical.

Thanks for your help.

Bob, KA1HVF

492. Re: FT-747/SB-1400 Support

Yahoo group: XMLog
Date: 2002-08-21 22:13:17 UTC
From: w1ect
Topic: 491 Message: 492

Hi Bob,

Very strange - I see in the changes.txt file that I supposedly added support for the FT-747 way back in version 3.00 but looking into my archives I don't see any code there... I still have the FT-747GX CAT documentation that was sent to me by KI8EE so I'll go back and see how much of a job adding it (again?) is.

Mike - W1ECT

> Hi,
>
> I am having a problem with using the CAT interface for my Heath SB-
> 1400 HF txcvr. I am able to use the CAT via other programs but not
> able to get a response from the rig. I get an error" Rig not
> responding". There is not a choice on the list for the FT-747 even
> though it is listed in changes in a previous version. Settings are
> correct based on documentation from the manual. The setting for
> either rig are identical.
>
> Thanks for your help.
>
> Bob, KA1HVF

493. new feature request

Yahoo group: XMLog
Date: 2002-08-22 01:28:12 UTC
From: zamba0321
Topic: 493 Message: 493

Hi Mike,

is it possible to add a star (*) sign or so
to a spot on the spotwindow when the station has been worked before ?

Just that now a spot might show up in RED for a new country, but
that specific station was worked like a couple of days before ...

thanks

73's de K6TE Wim.

494. Re: new feature request

Yahoo group: XMLog
Date: 2002-08-24 16:58:38 UTC
From: w1ect
Topic: 493 Message: 494

Hi Wim,

First, are you familiar with how the normal packet window flags
things? The QSL status (+ for worked and * for outstanding) is
displayed for each band/mode in a seperate line after the spot. This
status is not updated automatically as you update your log - you have
to periodically use the "DX/Update Packet DXCC Status" menu item now
and then after you've made changes.

Now, this worked/outstanding info doesn't show up as part of the
callsign in the packet spots window but if you move your mouse over
any callsign you'll see the QSL status info displayed at the bottom
with the frequency, spotting station, etc.

Hope this is what you need...

Mike - W1ECT

> Hi Mike,
>
> is it possible to add a star (*) sign or so
> to a spot on the spotwindow when the station has been worked before
?
>
> Just that now a spot might show up in RED for a new country, but
> that specific station was worked like a couple of days before ...
>
> thanks
>
> 73's de K6TE Wim.

495. Re: new feature request

Yahoo group: XMLog
Date: 2002-08-25 18:46:37 UTC
From: zamba0321
Topic: 493 Message: 495

Hello Mike,

yes indeed the status line helps a lot.
I guess I'm struggling a bit to detect if I worked that very same
station before, when I enter a new QSO for the same call
it doesn't tell me I worked that station before, nor does the status
line show me that. It only shows if I worked that DXCC entity before.
It would be nice to show if that very same station has been
worked before. Perhaps another symbol like the + or *
could show that that station has been worked before, perhaps
a pound sign #.

Also some indication when I enter a new log entry that shows that the
station has been worked before would help

just my 2c, it's a great program !

- Wim

--- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
>
> Hi Wim,
>
> First, are you familiar with how the normal packet window flags
> things? The QSL status (+ for worked and * for outstanding) is
> displayed for each band/mode in a seperate line after the spot.
This
> status is not updated automatically as you update your log - you
have
> to periodically use the "DX/Update Packet DXCC Status" menu item
now
> and then after you've made changes.
>
> Now, this worked/outstanding info doesn't show up as part of the
> callsign in the packet spots window but if you move your mouse over
> any callsign you'll see the QSL status info displayed at the bottom
> with the frequency, spotting station, etc.
>
> Hope this is what you need...
>
> Mike - W1ECT
>
> > Hi Mike,
> >
> > is it possible to add a star (*) sign or so
> > to a spot on the spotwindow when the station has been worked

before
> ?
> >
> > Just that now a spot might show up in RED for a new country, but
> > that specific station was worked like a couple of days before ...
> >
> > thanks
> >
> > 73's de K6TE Wim.

496. Re: new feature request

Yahoo group: XMLog
Date: 2002-08-26 14:32:00 UTC
From: w1ect
Topic: 493 Message: 496

Hi Kim,

Yes I see... I've had another request that I somehow add a "Display All Entries for Call" feature for the spot window. It's now on the "todo" list.

Mike - W1ECT

> Hello Mike,
>
> yes indeed the status line helps a lot.
> I guess I'm struggling a bit to detect if I worked that very same
> station before, when I enter a new QSO for the same call
> it doesn't tell me I worked that station before, nor does the status
> line show me that. It only shows if I worked that DXCC entity before.
> It would be nice to show if that very same station has been
> worked before. Perhaps another symbol like the + or *
> could show that that station has been worked before, perhaps
> a pound sign #.
>
> Also some indication when I enter a new log entry that shows that the
> station has been worked before would help
>
> just my 2c, it's a great program !
>
> - Wim
>
>
> --- In XMLog@y..., "w1ect" <m.mcamis@v...> wrote:
> >
> > Hi Wim,
> >
> > First, are you familiar with how the normal packet window flags
> > things? The QSL status (+ for worked and * for outstanding) is
> > displayed for each band/mode in a seperate line after the spot.
> This
> > status is not updated automatically as you update your log - you
> have
> > to periodically use the "DX/Update Packet DXCC Status" menu item
> now
> > and then after you've made changes.
> >
> > Now, this worked/outstanding info doesn't show up as part of the
> > callsign in the packet spots window but if you move your mouse

```
over
> > any callsign you'll see the QSL status info displayed at the
bottom
> > with the frequency, spotting station, etc.
> >
> > Hope this is what you need...
> >
> > Mike - W1ECT
> >
> > > Hi Mike,
> > >
> > > is it possible to add a star (*) sign or so
> > > to a spot on the spotwindow when the station has been worked
> before
> > ?
> > >
> > > Just that now a spot might show up in RED for a new country, but
> > > that specific station was worked like a couple of days before
...
> > >
> > > thanks
> > >
> > > 73's de K6TE Wim.
```

497. Cannot Find Country

Yahoo group: XMLog
Date: 2002-08-28 04:01:19 UTC
From: Kevin Nathan
Topic: 497 Message: 497

Hello,

Tonight I worked RW1AI/ANT at the Vostok base in Antarctica. However, when I go to log him for some reason his call written rw1ai/ant comes up as Spain. When I try to select the right country, there is nothing that corresponds to Antarctica for Russian calls.

Help please.

Kevin, K7RX :)

498. Re: [XMLog] Cannot Find Country

Yahoo group: XMLog
Date: 2002-08-28 05:24:55 UTC
From: N7MAL
Topic: 497 Message: 498

The reason there is no separate country is because it's not a separate
country. It counts for Antarctica.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Wednesday, August 28, 2002 04:01
Subject: [XMLog] Cannot Find Country

> Hello,
>
> Tonight I worked RW1AI/ANT at the Vostok base in Antarctica. However,
when
> I go to log him for some reason his call written rw1ai/ant comes up as
> Spain. When I try to select the right country, there is nothing that
> corresponds to Antarctica for Russian calls.
>
> Help please.
>
> Kevin, K7RX :)
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

499. RE: [Xmlog] Cannot Find Country

Yahoo group: XMLog
Date: 2002-08-28 12:53:46 UTC
From: Kevin Nathan
Topic: 497 Message: 499

I kind of came to that conclusion myself but where do I find something in the list to which to attach it or do I just write in Antarctica in the country box at the end of my log entry?

Thanks much for the assistance. 73

Kevin, K7RX :)

500. RE: [Xmlog] Cannot Find Country

Yahoo group: XMLog
Date: 2002-08-28 16:31:34 UTC
From: Joseph Agius
Topic: 497 Message: 500

KC4 is antarctica

Joe
w1tw
--- Kevin Nathan <k7rx@...> wrote:
> I kind of came to that conclusion myself but where
> do I find something in
> the list to which to attach it or do I just write in
> Antarctica in the
> country box at the end of my log entry?
>
> Thanks much for the assistance. 73
>
> Kevin, K7RX :)
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do You Yahoo!?
Yahoo! Finance - Get real-time stock quotes
http://finance.yahoo.com

501. Re: Cannot Find Country

Yahoo group: XMLog
Date: 2002-08-28 19:37:54 UTC
From: w1ect
Topic: 497 Message: 501

Hi Kevin,

XMLog is guessing Spain from /ANT since Spain has the prefixes AM...AO. To set the QSO to Antarctica change the call to RW1AI/KC4 or leave it as RW1AI/ANT and explicitly set the prefix field to KC4.

Mike - W1ECT

> Hello,
>
> Tonight I worked RW1AI/ANT at the Vostok base in Antarctica. However, when
> I go to log him for some reason his call written rw1ai/ant comes up as
> Spain. When I try to select the right country, there is nothing that
> corresponds to Antarctica for Russian calls.
>
> Help please.
>
> Kevin, K7RX :)

502. RE: [XMLog] Re: Cannot Find Country

Yahoo group: XMLog
Date: 2002-08-29 01:45:02 UTC
From: Kevin Nathan
Topic: 497 Message: 502

Shall do. Thanks much to all for the suggestion. 73

Kevin, K7RX :)

503. No mailing label

Yahoo group: XMLog
Date: 2002-08-31 19:51:59 UTC
From: witstock7
Topic: 503 Message: 503

I just installed the QRZ callbook function and it works fine to get the address and to put it into my log entry but it does nothing when I try to get it to print a mailing label. What do I need to do to get the label to print?

Thanks,
Nelson, K8DJC

504. Adding Countries

Yahoo group: XMLog
Date: 2002-09-02 19:42:02 UTC
From: Kevin Nathan
Topic: 504 Message: 504

Hello All,

This morning I worked the International Space Station on packet. I have two questions resulting from logging this contact. first, is it possible to add a country and prefix to the countries list? Something like:

RS0: International space Station

Second, in mode, what does one put for packet, just FM or FM Packet?

I really appreciate feedback on both of these. Thanks to all in advance.
73

Kevin, K7RX :)

505. Re: No mailing label

Yahoo group: XMLog
Date: 2002-09-02 23:45:37 UTC
From: w1ect
Topic: 503 Message: 505

Hi Nelson,

The address info for labels comes from the Address fields in the log entry not from a callbook lookup. There are several ways to move the address info from your callbook to a log entry. The easiest way is to use the "Edit/Set Fields from Callbook" menu item (shortcut Ctrl-f). Or you can right-click on one of the Address fields and pick "Set Address from Callbook". Or you can use the "Edit/Set+Use Defaults for New Entries" menu items to set defaults so that the callbook info is always automatically added to each new log entry (see help file for more info on this feature).

Mike - W1ECT

> I just installed the QRZ callbook function and it works fine to get
> the address and to put it into my log entry but it does nothing when
> I try to get it to print a mailing label. What do I need to do to
> get the label to print?
>
> Thanks,
> Nelson, K8DJC

506. Re: Adding Countries

Yahoo group: XMLog
Date: 2002-09-02 23:50:32 UTC
From: w1ect
Topic: 504 Message: 506

Hi Kevin,

XMLog's country list is used for the DXCC award tracking so it's kept up to date with the ARRL's list and shouldn't be diddled. Since the ISS isn't a legal country for DXCC you should set the prefix to ?.

I'd go ahead and set the mode to Packet (you can add a comment in the Notes field that you were using FM).

Mike - W1ECT

> Hello All,
>
> This morning I worked the International Space Station on packet. I have two
> questions resulting from logging this contact. first, is it possible to add
> a country and prefix to the countries list? Something like:
>
> RS0: International space Station
>
> Second, in mode, what does one put for packet, just FM or FM Packet?
>
> I really appreciate feedback on both of these. Thanks to all in advance.
> 73
>
> Kevin, K7RX :)

507. RE: [XMLog] Re: Adding Countries

Yahoo group: XMLog
Date: 2002-09-03 00:14:51 UTC
From: Kevin Nathan
Topic: 504 Message: 507

Thanks much Mike. 73

Kevin, K7RX :)

-----Original Message-----
From: w1ect [mailto:m.mcamis@...]
Sent: Monday, September 02, 2002 16:51
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Adding Countries

Hi Kevin,

XMLog's country list is used for the DXCC award tracking so it's kept
up to date with the ARRL's list and shouldn't be diddled. Since the
ISS isn't a legal country for DXCC you should set the prefix to ?.

I'd go ahead and set the mode to Packet (you can add a comment in the
Notes field that you were using FM).

Mike - W1ECT

> Hello All,
>
> This morning I worked the International Space Station on packet. I
have two
> questions resulting from logging this contact. first, is it
possible to add
> a country and prefix to the countries list? Something like:
>
> RS0: International space Station
>
> Second, in mode, what does one put for packet, just FM or FM Packet?
>
> I really appreciate feedback on both of these. Thanks to all in
advance.
> 73
>
> Kevin, K7RX :)

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

508. Re: No mailing label

Yahoo group: XMLog
Date: 2002-09-03 14:53:41 UTC
From: witstock7
Topic: 503 Message: 508

Mike,

Thanks for your suggestions. The address labels print out very nicely now.

Nelson, K8DJC

509. Field for 10-10#s

Yahoo group: XMLog
Date: 2002-09-19 20:02:27 UTC
From: Jim Rhodes
Topic: 509 Message: 509

Is there a way to add a 10-10# field or any other user customized fields to XMLog?

Thank you,

Jim
KF4GL/m

Jim Rhodes
Email 1: Jim@...
Email 2: KF4GL@...
Email 3: KF4GL@...
Web Site: http://www.JimRhodes.Net

[Non-text portions of this message have been removed]

510. Re: Field for 10-10#s

Yahoo group: XMLog
Date: 2002-09-19 22:22:52 UTC
From: Mike McAmis
Topic: 509 Message: 510

Hi Jim,

There currently is no way to add custom fields. The best way to record your 10-10 info would be to add it to the Notes field in the form "10-10: 1234" or with some other unique prefix so that you can search for records with 10-10 info with a search key of "=*10-10:*".

Mike - W1ECT

> Is there a way to add a 10-10# field or any other user customized fields to XMLog?
>
> Thank you,
>
> Jim
> KF4GL/m

511. No Activity?

Yahoo group: XMLog
Date: 2002-11-08 23:56:52 UTC
From: w2jbs
Topic: 511 Message: 511

Hey!
Where is everyone? There has been no activity on this ng since Sept.
Can it be possible you moved and didn't tell me? I feel paranoid.
I hope nothing is wrong.
73,
Jim

512. Re: [XMLog] No Activity?

Yahoo group: XMLog
Date: 2002-11-09 00:09:54 UTC
From: Ken Kreis
Topic: 511 Message: 512

Jim,

you are Q5 here.

Ken, KA0W

----- Original Message -----
From: "w2jbs" <w2jbs@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, November 08, 2002 5:56
Subject: [XMLog] No Activity?

> Hey!
> Where is everyone? There has been no activity on this ng since Sept.
> Can it be possible you moved and didn't tell me? I feel paranoid.
> I hope nothing is wrong.
> 73,
> Jim
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

513. Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-11-09 15:44:29 UTC
From: Mike McAmis
Topic: 513 Message: 513

Hi,

I've had two users who have encountered problems when installing the current beta version 4.49 on a Windows XP system. Has anyone successfully installed this version on XP?

Thanks - Mike, W1ECT

514. Re: [XMLog] Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-11-09 19:02:54 UTC
From: Howard G. Baker
Topic: 513 Message: 514

While reading about the above problem, I ask my son (soon to be a ham) about this. He is a network administrator for a local large school system and he said: Windows NT permissions in XP are locked down by default drastically as compared the 2000, 98, etc. They must be manually unlocked for the program to work. He has had this problem with a lot of software. He also suggested try to run it under Compatibility Mode. Check this info out on the Microsoft website. I hope this might give someone a clue as to what is going on. I know I don't have a clue.
Computer Protected by Smith & Wesson
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur E-mail k8nhr@...
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, November 09, 2002 10:44 AM
Subject: [XMLog] Beta 4.49 vs. Windows XP

Hi,

I've had two users who have encountered problems when installing the
current beta version 4.49 on a Windows XP system. Has anyone
successfully installed this version on XP?

Thanks - Mike, W1ECT

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

515. Re: [XMLog] Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-11-09 20:32:09 UTC
From: jim peirce
Topic: 513 Message: 515

All, I just downloaded xmlog 449 and installed it on
my HP 751n running windows xp with the service pack
installed. I had no problem. I don't use the
password feature to get into xp. I don't know what I
did correctly, but everything ok. JIM Peirce KN6QG
GOOD DX HUNTING.

--- "Howard G. Baker" <hgbaker@...> wrote:
> While reading about the above problem, I ask my son
> (soon to be a ham) about this. He is a network
> administrator for a local large school system and he
> said: Windows NT permissions in XP are locked down
> by default drastically as compared the 2000, 98,
> etc. They must be manually unlocked for the program
> to work. He has had this problem with a lot of
> software. He also suggested try to run it under
> Compatibility Mode. Check this info out on the
> Microsoft website. I hope this might give someone a
> clue as to what is going on. I know I don't have a
> clue.
> Computer Protected by Smith & Wesson
> Missile Coordinates 41.398 N 82.218 W
> Grid Square EN81vj
> Amateur E-mail k8nhr@...
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Saturday, November 09, 2002 10:44 AM
> Subject: [XMLog] Beta 4.49 vs. Windows XP
>
>
>
> Hi,
>
> I've had two users who have encountered problems
> when installing the
> current beta version 4.49 on a Windows XP system.
> Has anyone
> successfully installed this version on XP?
>
> Thanks - Mike, W1ECT
>
>
> To unsubscribe from this group, send an email to:
>

> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo!
> Terms of Service.
>
>
> [Non-text portions of this message have been
> removed]
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
U2 on LAUNCH - Exclusive greatest hits videos
http://launch.yahoo.com/u2

516. Re: Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-11-09 23:29:26 UTC
From: Mike McAmis
Topic: 513 Message: 516

Thanks for the feedback. I'm glad to hear that it does install OK on some XP systems. Strangely enough they haven't had problems installing previous versions like 4.35 on the same system. I've scrutinized the changes between the two versions but there's nothing I can find that should affect the install process (setup.exe and setup1.exe are unchanged). For the time being I don't have access to any XP system so this makes debugging the problem difficult.

Mike - W1ECT

517. Re: [XMLog] Re: Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-11-10 10:53:08 UTC
From: g4cdz@aol.com
Topic: 513 Message: 517

Hi Mike
Have not been reading all the mail but I have problems installing 449 in the XP Pro environment. My rotten memory says I've had this before.

Error message as below. Is it a Visual Basic Setup error I wonder ?

Best regards Barrie - G4CDZ
[Unable to display image]

[Non-text portions of this message have been removed]

518. Re: Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-11-10 11:24:53 UTC
From: g1smd_amsat_org
Topic: 513 Message: 518

--- In XMLog "Mike McAmis" wrote on 2002-11-10 :

> Thanks for the feedback. I'm glad to hear that it does install OK on
> some XP systems. Strangely enough they haven't had problems
> installing previous versions like 4.35 on the same system. I've
> scrutinized the changes between the two versions but there's nothing I
> can find that should affect the install process (setup.exe and
> setup1.exe are unchanged). For the time being I don't have access to
> any XP system so this makes debugging the problem difficult.

Maybe it isn't your program that has changed. Maybe it is something in
XP that has changed, like the Service Pack, or some other update?

cheers,

ian.

519. CY0

Yahoo group: XMLog
Date: 2002-11-20 05:16:04 UTC
From: Craig - N7OR
Topic: 519 Message: 519

Whenever someone spots the current CY0, I show it as only a band/mode need. I thought I had never worked it. A quick search shows that I have worked VX9DX in a CW contest, and it is counting as CY0. Not sure why. I looked in DX|CALLSIGN LIST, and there is no VX there. These kind of errors are a bit troubling, as I imported 1200 last 10 meter contest, and I sure didn't stop to verify every country. :-) Different if you are just entering a single dx q by hand, you can verify it easier. Is VE9 (vx9) ambiguous, or is there a bug?

Thanks, Craig - N7OR

520. Re: [XMLog] CY0

Yahoo group: XMLog
Date: 2002-11-20 05:22:05 UTC
From: Jim Boyer
Topic: 519 Message: 520

Hi Craig, I worked a station on a island in James Bay
in Canada. His call was W2NTJ/VY0 and the log came up
CY0 also. I am new to the logging system and this is
my first post.

Jim, N7VLM

--- Craig - N7OR <n7or@...> wrote:
> Whenever someone spots the current CY0, I show it as
> only a band/mode
> need. I thought I had never worked it. A quick
> search shows that I
> have worked VX9DX in a CW contest, and it is
> counting as CY0. Not
> sure why. I looked in DX|CALLSIGN LIST, and there is
> no VX there.
> These kind of errors are a bit troubling, as I
> imported 1200 last 10
> meter contest, and I sure didn't stop to verify
> every country. :-)
> Different if you are just entering a single dx q by
> hand, you can
> verify it easier. Is VE9 (vx9) ambiguous, or is
> there a bug?
>
> Thanks, Craig - N7OR
>
>
>

Do you Yahoo!?
Yahoo! Web Hosting - Let the expert host your site
http://webhosting.yahoo.com

521. Re: [XMLog] CY0

Yahoo group: XMLog
Date: 2002-11-20 06:41:22 UTC
From: N7MAL
Topic: 519 Message: 521

Here, I think, is the answer; At one time, VX9 was used on Sable Island.

http://hamgallery.com/qsl/country/Sable_Island/vx9a.htm

I think, at least for me, since I had a similar problem, the simplest way to correct the log is go to the log and search for the call VX9DX and manually correct the country to VE. After that click on update packet DXCC status. Then close mlog and use any simple text editor, i.e. notepad, and delete VX9 which is found on the line with the CY0 information in the prefix file, in the mlog directory.
GOOD LUCK

P.S. I did some checking and mlog is not the only logging program to show VX9 on Sable Island.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://www.geocities.com/n7mal/

----- Original Message -----
From: "Craig - N7OR" <n7or@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, November 20, 2002 05:16
Subject: [XMLog] CY0

> Whenever someone spots the current CY0, I show it as only a band/mode
> need. I thought I had never worked it. A quick search shows that I
> have worked VX9DX in a CW contest, and it is counting as CY0. Not
> sure why. I looked in DX|CALLSIGN LIST, and there is no VX there.
> These kind of errors are a bit troubling, as I imported 1200 last 10
> meter contest, and I sure didn't stop to verify every country. :-)
> Different if you are just entering a single dx q by hand, you can
> verify it easier. Is VE9 (vx9) ambiguous, or is there a bug?
>
> Thanks, Craig - N7OR
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

>
>
>
>

522. Re: CY0

Yahoo group: XMLog
Date: 2002-11-20 15:05:13 UTC
From: Mike McAmis
Topic: 519 Message: 522

Hi Craig,

It seems that at some point I associated VX9 with Sable I. and VY0
with St. Paul I. Not sure where I got this info, probably from an old
CTY.DAT file. I'll remove these associations from the next version
but in the meantime you can remove them yourself if you're willing to
edit the Prefixes file directly, here's how:

- Exit XMLog
- Go the the XMLog install folder (usually c:\mlog)
- Open the Prefixes file with an editor like NotePad or WordPad
- Change the line for Sable I. from:

CY0,VX9,!,
to:
CY0,!,

- Change the line for St. Paul I. from:
CY9,VY0,!,
to:
CY9,!,

Mike - W1ECT

> Whenever someone spots the current CY0, I show it as only a
band/mode
> need. I thought I had never worked it. A quick search shows that I
> have worked VX9DX in a CW contest, and it is counting as CY0. Not
> sure why. I looked in DX|CALLSIGN LIST, and there is no VX there.
> These kind of errors are a bit troubling, as I imported 1200 last 10
> meter contest, and I sure didn't stop to verify every country. :-)
> Different if you are just entering a single dx q by hand, you can
> verify it easier. Is VE9 (vx9) ambiguous, or is there a bug?
>
> Thanks, Craig - N7OR

523. Re: CY0

Yahoo group: XMLog
Date: 2002-11-20 15:33:26 UTC
From: Craig - N7OR
Topic: 519 Message: 523

Great, Thank You!

--- In XMLog@y..., "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi Craig,
>
> It seems that at some point I associated VX9 with Sable I. and VY0
> with St. Paul I. Not sure where I got this info, probably from an
old
> CTY.DAT file. I'll remove these associations from the next version
> but in the meantime you can remove them yourself if you're willing
to
> edit the Prefixes file directly, here's how:
>
> - Exit XMLog
> - Go the the XMLog install folder (usually c:\mlog)
> - Open the Prefixes file with an editor like NotePad or WordPad
> - Change the line for Sable I. from:
>
> CY0,VX9,!,
> to:
> CY0,!,
>
> - Change the line for St. Paul I. from:
> CY9,VY0,!,
> to:
> CY9,!,
>
>
> Mike - W1ECT

524. Printing log segments

Yahoo group: XMLog
Date: 2002-11-22 05:52:23 UTC
From: witstock7
Topic: 524 Message: 524

I sometimes would like to print out portions of my log for particular periods of time either hours or days but I can't figure a way to display time segments. As I see it, the search function will allow only one date or time and will not show me any other time period. Is there a way to do this?

Nelson Wittstock, K8DJC

525. using search

Yahoo group: XMLog
Date: 2002-11-22 10:46:26 UTC
From: n5pht
Topic: 525 Message: 525

Hi,

The search feature will work for this. For example, if I search and
have the following entered

in the date: 3/10/02
in the time: >=1800,<=1900

The search will look for any log entries on 10 March 2002 between
(inclusive) the utc hours of 1800 and 1900.

You could also search for a date range and a time range:

in the date: >03/10/02,<04/01/02
in the time: >0200,<0600

NOTE: Do not leave a space after the comma.

This would search for dates after 10 Mar 02 but before 1 Apr 02 and
between the utc hours of 0200 and 0600.

Hope the above helps - it works that way on my machine.

73 de N5PHT, Gary

>I sometimes would like to print out portions of my log for
>particular
>
>periods of time either hours or days but I can't figure a way to >>>
>
>display time segments. As I see it, the search function will allow >

only one date or time and will not show me any other time period. Is

there a way to do this?

Nelson Wittstock, K8DJC

526. Re: Printing log segments

Yahoo group: XMLog
Date: 2002-11-22 10:47:48 UTC
From: n5pht
Topic: 524 Message: 526

Hi,

The search feature will work for this. For example, if I search and
have the following entered

in the date: 3/10/02
in the time: >=1800,<=1900

The search will look for any log entries on 10 March 2002 between
(inclusive) the utc hours of 1800 and 1900.

You could also search for a date range and a time range:

in the date: >03/10/02,<04/01/02
in the time: >0200,<0600

NOTE: Do not leave a space after the comma.

This would search for dates after 10 Mar 02 but before 1 Apr 02 and
between the utc hours of 0200 and 0600.

Hope the above helps - it works that way on my machine.

73 de N5PHT, Gary

--- In XMLog@y..., "witstock7" <witstock@m...> wrote:
> I sometimes would like to print out portions of my log for
particular
> periods of time either hours or days but I can't figure a way to
> display time segments. As I see it, the search function will allow
> only one date or time and will not show me any other time period.
Is
> there a way to do this?
>
> Nelson Wittstock, K8DJC

527. Re: Printing log segments

Yahoo group: XMLog
Date: 2002-11-22 18:03:24 UTC
From: witstock7
Topic: 524 Message: 527

Thanks, Gary

Your technique works very well. It's not unusual for me to put off qsl'ing until I get a batch to do and it is easier to check my log on paper rather than to keep switching screens for the info.

Thanks agn,
Nelson, K8DJC

528. Run-time error '6'

Yahoo group: XMLog
Date: 2002-11-23 06:29:03 UTC
From: witstock7
Topic: 528 Message: 528

In trying to keep up with activity in the CQ contest I am monitoring the packet cluster. After a few hours of operation I have gotten the error message <Run-time error '6' Overflow>. This caused me to get the "fatal error" message and told me I had to shut down the program. I then went into the history set-up and doubled the number of lines to be saved. Shortly after this the same error messages appeared. Next I opted to not have any history saved but I still got the same messages a short while later. Does anyone have any thoughts on what I must change in order to regain use of this great program??

TIA
Nelson, K8DJC

529. New to group + question

Yahoo group: XMLog
Date: 2002-11-30 21:37:55 UTC
From: Seli TF3AO
Topic: 529 Message: 529

Hi guys,

Recently read about this program on the MixW reflector and decided to give it a try.
Have already set up a QSL label to print with a laser printer directly to card. This took some time, but when I found how do it the rest was easy.
When replying to Bureau cards, I most of the time include confirmation to the same station to other QSO's that we have had. Find it too many keystrokes to get to the next QSO. Is there any simple way to have less keystrokes. I have used DX4WIN for several years, but needed support for the new data modes hasn't been at its best there so I´m looking for a new looging program, and think this could be a winner. To go between different QSO's with the same station DX4WIN use up/down key.

Tnx agn nd cu
de TF3AO
Seli

530. Re: New to group + question

Yahoo group: XMLog
Date: 2002-12-01 14:25:44 UTC
From: Mike McAmis
Topic: 529 Message: 530

Hi Seli,

You can use the Ctrl+left/right arrow keys to move through the selected entries (Alt+left/right arrow works as well). The current beta version in www.xmlog.com/beta also supports using the mouse wheel for moving through the currently selected entries.

To narrow down the selected entries to QSOs with one station that haven't been confirmed do a select with:

Call: whatever
QSL Sent: !=
QSL Rcvd: =

This will match log entries that have the Sent field filled in but have nothing in the Received field. See the "Searching the log" section of the help file for more info.

Mike - W1ECT

> Hi guys,
>
> Recently read about this program on the MixW reflector and decided to
> give it a try.
> Have already set up a QSL label to print with a laser printer
> directly to card. This took some time, but when I found how do it the
> rest was easy.
> When replying to Bureau cards, I most of the time include
> confirmation to the same station to other QSO's that we have had.
> Find it too many keystrokes to get to the next QSO. Is there any
> simple way to have less keystrokes. I have used DX4WIN for several
> years, but needed support for the new data modes hasn't been at its
> best there so I´m looking for a new looging program, and think this
> could be a winner. To go between different QSO's with the same
> station DX4WIN use up/down key.
>
> Tnx agn nd cu
> de TF3AO
> Seli

531. Printing labels - A subtle (?) problem

Yahoo group: XMLog
Date: 2002-12-02 22:31:43 UTC
From: Mike McAmis
Topic: 531 Message: 531

I just recently switched to Windows XP and when I tried to print my first bunch of QSL labels I had a problem that took me a while to figure out...

I have a old HP printer that when left to it's own devices will stack the printed pages in reverse order. On XP the print spooler tries to be clever and prints the pages in reverse order so that the first page is on the top of the stack. Nice feature, eh?

But when I print my labels I use the feature that allows me to specify the starting column/row so I can use a partially used sheet as my first page. Unfortunately since the last page was getting printed first this scheme wasn't working.

To fix this problem I had to go to the printer properties page and disable spooling by setting the "print directly to printer" option.

Mike - W1ECT

532. Re: [XMLog] Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-12-02 23:24:50 UTC
From: litwins
Topic: 513 Message: 532

Hi all;
Mike...this is one for u. It is not a biggie, but am posting to let u know it exists if u don't already know or...probably...it is supposed to work this-a-way.
I am using the internet packet spotting screen. I have noticed that sometimes, if a spot is known as needed and shows that way on a previous up-scrolled screen (extended bar...highlight), it will not show as needed the next time it spots. Like right now...9v1yc, who I need on 40, is spotted on 40m cw, but I was not there when the spot occurred so it is way up the screen in the past history. Now...he is spotted again, but the extended bar does not show this time as it did b4 so unless I really looked closely, I wud not know it was one I needed. Is xmlog supposed to do this? Oh...sometimes it does this and sometimes it does not...ie...works like I wud like it to work and always show the extended highlight...73/dx
steve, k8wk
****

533. Re: Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-12-03 15:46:21 UTC
From: Mike McAmis
Topic: 513 Message: 533

Hi Steve, XMLog is highlighting the calls that cause alerts. It also makes an attempt to not give alerts for duplicate spots. If the call has been spotted recently and the frequency is the same (or close) no alert is given. I should still highlight these "recent" spots in the packet window - I'll add this to the to-do list.

Mike - W1ECT

> Hi all;
> Mike...this is one for u. It is not a biggie, but am posting to let u know
> it exists if u don't already know or...probably...it is supposed to work
> this-a-way.
> I am using the internet packet spotting screen. I have noticed that
> sometimes, if a spot is known as needed and shows that way on a previous
> up-scrolled screen (extended bar...highlight), it will not show as needed
> the next time it spots. Like right now...9v1yc, who I need on 40, is
> spotted on 40m cw, but I was not there when the spot occurred so it is way
> up the screen in the past history. Now...he is spotted again, but the
> extended bar does not show this time as it did b4 so unless I really looked
> closely, I wud not know it was one I needed. Is xmlog supposed to do this?
> Oh...sometimes it does this and sometimes it does not...ie...works like I
> wud like it to work and always show the extended highlight...73/dx
> steve, k8wk
> **********

534. Re: [XMLog] Re: Beta 4.49 vs. Windows XP

Yahoo group: XMLog
Date: 2002-12-03 19:10:16 UTC
From: litwins
Topic: 513 Message: 534

Tnx Mike, and tnx agn fer the development and support of XMLog as well!
Happy Holidays...73/dx
steve, k8wk
****
-----Original Message-----
From: Mike McAmis <m.mcamis@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Tuesday, December 03, 2002 9:47 AM
Subject: [XMLog] Re: Beta 4.49 vs. Windows XP

>
>Hi Steve, XMLog is highlighting the calls that cause alerts. It also
>makes an attempt to not give alerts for duplicate spots. If the call
>has been spotted recently and the frequency is the same (or close) no
>alert is given. I should still highlight these "recent" spots in the
>packet window - I'll add this to the to-do list.
>
>Mike - W1ECT
>
>> Hi all;
>> Mike...this is one for u. It is not a biggie, but am posting to
>let u know
>> it exists if u don't already know or...probably...it is supposed to
>work
>> this-a-way.
>> I am using the internet packet spotting screen. I have noticed that
>> sometimes, if a spot is known as needed and shows that way on a
>previous
>> up-scrolled screen (extended bar...highlight), it will not show as
>needed
>> the next time it spots. Like right now...9v1yc, who I need on 40,
>is
>> spotted on 40m cw, but I was not there when the spot occurred so it
>is way
>> up the screen in the past history. Now...he is spotted again, but
>the
>> extended bar does not show this time as it did b4 so unless I
>really looked
>> closely, I wud not know it was one I needed. Is xmlog supposed to
>do this?
>> Oh...sometimes it does this and sometimes it does not...ie...works
>like I
>> wud like it to work and always show the extended highlight...73/dx
>> steve, k8wk
>> **********

>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

535. WinKey CW generating device

Yahoo group: XMLog
Date: 2002-12-04 18:30:36 UTC
From: nfivein
Topic: 535 Message: 535

This looks like a possible device to generate CW using W2K or Win-XP. The advantage is that you will not be at the mercy of the multi-tasking nature of these programs, where Windows decides to give it's attention to something else in the middle of a CW transmission. Since it uses standard serial port I/O it should even work with USB to serial adapters (but don't quote me on this!).

It appears to be a very low cost alternative to the W5XD MultiKeyer at $215, which, although that product is a great CW generator, is really designed for Single Op 2 Radio (SO2R) and thus far more advanced than most hams need.

K1EL is offering the 'WinKey' for $30.00 as a kit, but I contacted him and he says he is working on providing an assembled and tested unit as a somewhat higher price of course.

The 'WinKey' would require an enhancement to be made to the logging program, so there would have to be sufficient demand for this to occur.

Here is the link: http://k1el.tripod.com/ and click on "Winkey is HOT".

Ron N5IN

536. spot window shows call wrong

Yahoo group: XMLog
Date: 2002-12-07 20:18:35 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 536 Message: 536

Hi Mike,

I got a DX-spot for CO/XE1CT, it shows fine on the
packetwindow (cuba)
But when I mouse-over on the spot window it
shows Mexico on the bottom status line.

Using version 4.49

keep up the good work

Merry X-mas to all

de K6TE

537. Re: spot window shows call wrong

Yahoo group: XMLog
Date: 2002-12-07 20:45:07 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 536 Message: 537

The funny thing is that when I restarted xmlog and did a sh/fdx
on the cluster, then when I mouse-over the CO/XE1CT call
the status line DID show the right info ...

So I'm not sure in which circomstance the behavior is reproducable ..

--- In XMLog@yahoogroups.com, "zamba0321 <zamba0321@y...>"
<zamba0321@y...> wrote:
> Hi Mike,
>
> I got a DX-spot for CO/XE1CT, it shows fine on the
> packetwindow (cuba)
> But when I mouse-over on the spot window it
> shows Mexico on the bottom status line.
>
> Using version 4.49
>
> keep up the good work
>
> Merry X-mas to all
>
> de K6TE

538. Downloading information off of CD

Yahoo group: XMLog
Date: 2002-12-07 21:36:36 UTC
From: Jim <n7vlm1@yahoo.com>
Topic: 538 Message: 538

I am new to this group and think it is a great way to find out more about this software.

I am using QRZ CD and not sure if it is working right. When I tell it do put the informatin on my log it drops all of it in the address field instead of spliting it up in the appropiate spots. Is this normal?

Also I have notice that I can't get my system to get the call sign in "caps", I have gone it to the section where it gives you that option and checked it.

Many Thanks,

Jim N7VLM 73's

539. Re: [XMLog] spot window shows call wrong

Yahoo group: XMLog
Date: 2002-12-08 03:00:00 UTC
From: Howard G. Baker
Topic: 536 Message: 539

XE1CT is Mexico

Computer Protected by Smith & Wesson
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur E-mail k8nhr@...
----- Original Message -----
From: zamba0321 <zamba0321@...>
To: XMLog@yahoogroups.com
Sent: Saturday, December 07, 2002 3:18 PM
Subject: [XMLog] spot window shows call wrong

Hi Mike,

I got a DX-spot for CO/XE1CT, it shows fine on the
packetwindow (cuba)
But when I mouse-over on the spot window it
shows Mexico on the bottom status line.

Using version 4.49

keep up the good work

Merry X-mas to all

de K6TE

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

540. Re: spot window shows call wrong

Yahoo group: XMLog
Date: 2002-12-08 21:22:38 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 536 Message: 540

Hi - I tried to duplicate the problem here but to no avail. Very strange that it didn't happen again when you did the sh/fdx

Mike - W1ECT

> Hi Mike,
>
> I got a DX-spot for CO/XE1CT, it shows fine on the
> packetwindow (cuba)
> But when I mouse-over on the spot window it
> shows Mexico on the bottom status line.
>
> Using version 4.49
>
> keep up the good work
>
> Merry X-mas to all
>
> de K6TE

541. Re: Downloading information off of CD

Yahoo group: XMLog
Date: 2002-12-08 21:32:41 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 538 Message: 541

Hi Jim,

The QRZ CD only returns entries as a collection of address lines.
XMLog doesn't currently try to figure out if the first line is
actually a name (or just a PO box number or whatever). In general,
if you use the "Edit/Set fields from callbook" (Ctl-F) menu item any
fields that can be discerned from the callbook entry will get set
(but doesn't overwrite any fields you have already set).

The "Callsign to upper case" option doesn't have any effect while the
call is being typed but the log entry should be being saved with the
call in upper case. I'll take a look at changing this.

Mike - W1ECT

> I am new to this group and think it is a great way to find out more
> about this software.
>
> I am using QRZ CD and not sure if it is working right. When I tell
it
> do put the informatin on my log it drops all of it in the address
> field instead of spliting it up in the appropiate spots. Is this
> normal?
>
> Also I have notice that I can't get my system to get the call sign
> in "caps", I have gone it to the section where it gives you that
> option and checked it.
>
> Many Thanks,
>
> Jim N7VLM 73's

542. Save entry?

Yahoo group: XMLog
Date: 2002-12-09 06:15:52 UTC
From: Tom Dixon
Topic: 542 Message: 542

Greetings All
Simple question...How do I save the entry after I have finished filling the box's?? I have looked in the help file, cant see the trees for the forest.
Cheers
Tom

[Non-text portions of this message have been removed]

543. New PacketCluster spot display

Yahoo group: XMLog
Date: 2002-12-09 17:28:07 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 543 Message: 543

Hi - The latest XMLog version available at www.xmlog.com/beta
provides a new way to display PacketCluster spots. This new "Spots
History" window shows the spots in spreadsheet style - all the info
is arranged in a grid. The display supports all the usual features:
rig control, rotor control, callbook lookups, etc.

The old "Spots Display" window that displays the spots graphically is
still available but has been renamed the "Spots Band Map".

Try it out and let me know what you think.

Mike - W1ECT

544. www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-12 05:14:56 UTC
From: John P Smith <john_ki4ro@yahoo.com>
Topic: 544 Message: 544

I don't seem able to access the site over the last couple of days?

Any ideas?

73
John

545. Re: [XMLog] www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-12 06:20:34 UTC
From: N7MAL
Topic: 544 Message: 545

On 12 Dec at 0520Z it's working perfectly for me....
GOOD LUCK

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://www.geocities.com/n7mal/

----- Original Message -----
From: <john_ki4ro@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, December 12, 2002 05:14
Subject: [XMLog] www.xmlog.com???

> I don't seem able to access the site over the last couple of days?
>
> Any ideas?
>
> 73
> John
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

546. Re: [XMLog] www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-12 06:30:35 UTC
From: N7MAL
Topic: 544 Message: 546

On 12 Dec at 0520Z it's working perfectly for me....
GOOD LUCK

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://www.geocities.com/n7mal/

----- Original Message -----
From: <john_ki4ro@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, December 12, 2002 05:14
Subject: [XMLog] www.xmlog.com???

> I don't seem able to access the site over the last couple of days?
>
> Any ideas?
>
> 73
> John
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

547. Re: [XMLog] www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-12 11:35:23 UTC
From: Jim Sullivan
Topic: 544 Message: 547

It's working for me. I just accessed with no problem. Try again.
73, Jim
----- Original Message -----
From: John P Smith <john_ki4ro@...>
To: XMLog@yahoogroups.com
Sent: Thursday, December 12, 2002 12:14 AM
Subject: [XMLog] www.xmlog.com???

I don't seem able to access the site over the last couple of days?

Any ideas?

73
John

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

548. Re: www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-13 16:46:26 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 544 Message: 548

Hi John,

I'm having problems here myself - I'll contact my ISP and try to see
what's going on.

Mike - W1ECT

<john_ki4ro@y...> wrote:
> I don't seem able to access the site over the last couple of days?
>
> Any ideas?
>
> 73
> John

549. Re: [XMLog] Re: www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-13 17:10:01 UTC
From: ng6z
Topic: 544 Message: 549

Hi Mike,

I have had no problems accessing the web site in the San Diego area via the local cable ISP.

Bill NG6Z

----- Original Message -----
From: <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 13, 2002 8:46 AM
Subject: [XMLog] Re: www.xmlog.com???

>
> Hi John,
>
> I'm having problems here myself - I'll contact my ISP and try to see
> what's going on.
>
> Mike - W1ECT
>
> <john_ki4ro@y...> wrote:
> > I don't seem able to access the site over the last couple of days?
> >
> > Any ideas?
> >
> > 73
> > John
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

550. Re: www.xmlog.com???

Yahoo group: XMLog
Date: 2002-12-13 19:07:00 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 544 Message: 550

OK - I contacted my ISP and they say they're aware of some
intermittent problems and that they're 'working on it'.

Mike - W1ECT

551. showing previous QSO's for call

Yahoo group: XMLog
Date: 2002-12-14 19:32:00 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 551 Message: 551

Hi Mike,

is it somehow possible to automatically show all entries for call
in the main log window or so ?

Right now when working a station again, it is not very obvious that
he was worked before, unless I specifically ask 'show all entries for
call' each time I add a QSO.Or perhaps a little check box after
the 'Call' field that automatically gets checked and marked 'dupe'
or so...

It would be nice to know right away that a station has been worked
before

thanks
- de K6TE

552. add country column to spots history window

Yahoo group: XMLog
Date: 2002-12-14 21:03:15 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 552 Message: 552

Hi Mike,

the spots history window works very well, I'm trying it
out during this weekends ARRL 10m contest
lots of spots are rolling in.
The country column would be nice to have next to the heading column

thnaks
de K6TE

553. Anyone else seeing this at www.xmlog.com?

Yahoo group: XMLog
Date: 2002-12-15 03:24:00 UTC
From: John P Smith
Topic: 553 Message: 553

Hey, it worked !
The SSL/TLS-aware Apache webserver was
successfully installed on this website.
If you can see this page, then the people who own this
website have just installed the Apache Web server
software and the Apache Interface to OpenSSL (mod_ssl)
successfully. They now have to add content to this
directory and replace this placeholder page, or else
point the server at their real content.

ATTENTION!
If you are seeing this page instead of the site you
expected, please contact the administrator of the site
involved. (Try sending mail to <webmaster@domain>.)
Although this site is running the Apache software it
almost certainly has no other connection to the Apache
Group, so please do not send mail about this site or
its contents to the Apache authors. If you do, your
message will be ignored.
The Apache online documentation has been included with
this distribution.
Especially also read the mod_ssl User Manual
carefully.

Your are allowed to use the images below on your
SSL-aware Apache Web server.
Thanks for using Apache, mod_ssl and OpenSSL!

=====
73
John - KI4RO
http:\\www.qsl.net\ki4ro
We're not in America.......America is in us!

_____
Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

554. Re: [XMLog] Anyone else seeing this at www.xmlog.com?

Yahoo group: XMLog
Date: 2002-12-15 07:01:37 UTC
From: N7MAL
Topic: 553 Message: 554

At 0645Z on 15 Dec xmlog.com is working perfectly for me.
GOOD LUCK

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://www.geocities.com/n7mal/

----- Original Message -----
From: "John P Smith" <john_ki4ro@...>
To: <xmlog@yahoogroups.com>
Sent: Sunday, December 15, 2002 03:24
Subject: [XMLog] Anyone else seeing this at www.xmlog.com?

> Hey, it worked !
> The SSL/TLS-aware Apache webserver was
> successfully installed on this website.
> If you can see this page, then the people who own this
> website have just installed the Apache Web server
> software and the Apache Interface to OpenSSL (mod_ssl)
> successfully. They now have to add content to this
> directory and replace this placeholder page, or else
> point the server at their real content.
>
> ATTENTION!
> If you are seeing this page instead of the site you
> expected, please contact the administrator of the site
> involved. (Try sending mail to <webmaster@domain>.)
> Although this site is running the Apache software it
> almost certainly has no other connection to the Apache
> Group, so please do not send mail about this site or
> its contents to the Apache authors. If you do, your
> message will be ignored.
> The Apache online documentation has been included with
> this distribution.
> Especially also read the mod_ssl User Manual
> carefully.
>
> Your are allowed to use the images below on your
> SSL-aware Apache Web server.
> Thanks for using Apache, mod_ssl and OpenSSL!
>
>
>
> =====
> 73

> John - KI4RO
> http:\\www.qsl.net\ki4ro
> We're not in America.......America is in us!
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
> http://mailplus.yahoo.com
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

555. RE: Linear Power Amplifier

Yahoo group: XMLog
Date: 2002-12-17 18:01:57 UTC
From: Tom Dixon
Topic: 555 Message: 555

Hi everyone
I realise that this is off topic. I have a question or 2 concerning linear Amp's. If someone could point me in the right direction for a amp mailing list, would be good
Cheers
Tom Dixon
ZL2HGR
tomd@...

[Non-text portions of this message have been removed]

556. Re: [XMLog] RE: Linear Power Amplifier

Yahoo group: XMLog
Date: 2002-12-17 19:51:27 UTC
From: Dino Darling
Topic: 555 Message: 556

http://lists.contesting.com/_amps/

>Hi everyone
>I realise that this is off topic. I have a question or 2 concerning linear
>Amp's. If someone could point me in the right direction for a amp mailing
>list, would be good
>Cheers
>Tom Dixon
>ZL2HGR
>tomd@...

Dino...k6rix@...

557. XMLog

Yahoo group: XMLog
Date: 2002-12-20 16:54:30 UTC
From: Judy & Darrel
Topic: 557 Message: 557

I am running version 4.52 and I am not able to copy the log to a floppy disk from the file menu. If I copy it from windows explorer the program has no problem loading the data.

Anyone else having the same problem?

Darrel - WD8ANZ

[Non-text portions of this message have been removed]

558. Re: XMLog

Yahoo group: XMLog
Date: 2002-12-22 17:02:06 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 557 Message: 558

Hi Darrel - I re-wrote File/Copy so that it re-builds the database rather than just doing a straight copy. I don't know why this should work differently on a floppy, but I'll check it out.

Mike - W1ECT

> I am running version 4.52 and I am not able to copy the log to a floppy disk from the file menu. If I copy it from windows explorer the program has no problem loading the data.
>
> Anyone else having the same problem?
>
> Darrel - WD8ANZ
>
> [Non-text portions of this message have been removed]

559. Re: [XMLog] Re: XMLog

Yahoo group: XMLog
Date: 2002-12-22 19:53:20 UTC
From: Judy & Darrel
Topic: 557 Message: 559

Thanks Mike for the reply about my problem about coping to floppy.

Great program and have made several of my friends use it also.

Will be looking for the next beta update.

Darrel - WD8ANZ

560. Re: [XMLog] showing previous QSO's for call

Yahoo group: XMLog
Date: 2002-12-31 17:42:34 UTC
From: Jim Rhodes, KF4GL
Topic: 551 Message: 560

That would be a nice to have feature for me too. Maybe a bullet or
asterisk next to the call as a notification that the call is in the log already
then can be looked up or a separate window. Again a nice to have vs a
"must" have for me.

Also would like a 10-10 number field sometime in the future.

XMLog is a very, very nice program for my needs. Thank you very much Mike!

Jim, KF4GL

At 07:32 PM 12/14/2002 +0000, you wrote:
>Hi Mike,
>
>is it somehow possible to automatically show all entries for call
>in the main log window or so ?
>
>Right now when working a station again, it is not very obvious that
>he was worked before, unless I specifically ask 'show all entries for
>call' each time I add a QSO.Or perhaps a little check box after
>the 'Call' field that automatically gets checked and marked 'dupe'
>or so...
>
>It would be nice to know right away that a station has been worked
>before
>
>
>thanks
>- de K6TE
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

- -
- - - - - - - - - - - - - - - - - - -
- Jim Rhodes
- Email 1: Jim@... (Primary)
- Email 2: KF4GL@...
- Web Site: http://www.JimRhodes.Net

- Amateur Radio Operator KF4GL
-
- There is a very fine line between "hobby" and "mental illness"
- Noah's Ark was built by amateurs. The Titanic was built by professionals.
- -
- - - - - - - - - - - - - - - - - - - -

[Non-text portions of this message have been removed]

561. Menu shortcuts on XP (and NT/2K)?

Yahoo group: XMLog
Date: 2003-01-01 15:41:38 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 561 Message: 561

I've noticed that on my Windows XP system that the underlined letters for menu item shortcuts don't show until you hit the Alt key. For example in the XMLog File menu the F isn't underlined but you can still exit by doing an Alt-F Alt-X. Is this something unique to my system, some kind of XP bug, or?

Mike

562. Re: [XMLog] Menu shortcuts on XP (and NT/2K)?

Yahoo group: XMLog
Date: 2003-01-04 05:45:47 UTC
From: Mohan Mathew
Topic: 561 Message: 562

hi, I am also using XP, i think this feature is unique for all XP OS..thats it..!!
"Mike McAmis <m.mcamis@...>" <m.mcamis@...> wrote:
I've noticed that on my Windows XP system that the underlined letters
for menu item shortcuts don't show until you hit the Alt key. For
example in the XMLog File menu the F isn't underlined but you can
still exit by doing an Alt-F Alt-X. Is this something unique to my
system, some kind of XP bug, or?

Mike

Yahoo! Groups SponsorADVERTISEMENT

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Catch all the cricket action. Download Yahoo! Score tracker

[Non-text portions of this message have been removed]

563. Underline keyboard shortcut in XP

Yahoo group: XMLog
Date: 2003-01-11 20:27:39 UTC
From: wb4mle@mindspring.com
Topic: 563 Message: 563

Didn't see any response to this but it is one of MrBill's
enhancements.

Go to desktop screen > right click empty area > Properties >
Appearance > Effects.
Last line is the gremlin.
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

564. Re: Underline keyboard shortcut in XP

Yahoo group: XMLog
Date: 2003-01-12 15:35:29 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 563 Message: 564

Hi Eddie,

Thanks for the guidance - Kind of strange that they would make
this "Hide underlined letters for keyboard navigation until I press
the Alt key" feature be the default setting.

Mike - W1ECT

> Didn't see any response to this but it is one of MrBill's
> enhancements.
>
> Go to desktop screen > right click empty area > Properties >
> Appearance > Effects.
> Last line is the gremlin.
> --
> Eddie Seymour, WB4MLE
> E-Mail wb4mle@m...

565. Hello

Yahoo group: XMLog
Date: 2003-01-15 01:36:54 UTC
From: John Poindexter
Topic: 438 Message: 565

Hello, just downloaded the log and plan on installing it. Thanks Mike for the program, seems from what I have read on the list people really enjoy.

John
KA4HWX

[Non-text portions of this message have been removed]

566. Beginner's questions

Yahoo group: XMLog
Date: 2003-01-19 23:54:48 UTC
From: n4tn <n4tn@chartertn.net>
Topic: 566 Message: 566

Hello -

I just installed XMLOG today and so far I really like what I see. I have a couple of questions that probably have already been answered somewhere:

- Is it possible to connect to Telnet DX clusters from XMLOG? If so, how do I go about it?

- Is there a means to merge logs or to update one XMLOG log file with the contents of another? F'instance, I would like to keep separate logs for various contests, FISTS contacts, QCWA, etc., etc. and eventually merge each of them into my main daily log file. Can this be done, if so, how?

Any advice will be greatly appreciated.

My compliments to the designer/programmer!

73 - Don N4TN

567. Re: [XMLog] Beginner's questions

Yahoo group: XMLog
Date: 2003-01-20 16:26:07 UTC
From: CyberGeezer
Topic: 566 Message: 567

----- Original Message -----
From: <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, January 19, 2003 6:54 PM
Subject: [XMLog] Beginner's questions

> - Is there a means to merge logs or to update one XMLOG log file with
> the contents of another? F'instance, I would like to keep separate
> logs for various contests, FISTS contacts, QCWA, etc., etc. and
> eventually merge each of them into my main daily log file. Can this
> be done, if so, how?

I think this will work-- dummy up some small log files and check it.

--While LogA is open, open the IMPORT menu and export it to an ADIF file (LOGA.ADF).
--While LogB is open, open the IMPORT menu and import LOGA.ADF.
--LogB will then be a composite of its original contents and LogA.

73 de W2GERry

568. Re: [XMLog] Beginner's questions

Yahoo group: XMLog
Date: 2003-01-20 16:33:54 UTC
From: litwins
Topic: 566 Message: 568

Hi Don;
I've been using XMLog for almost 10 years now...and still feel like a beginner. I use the DX Telnet feature and it's east to set up. Just go to 'options...packet options and port select' and set up what u want in the dialog pages. Then when u open XMLog, just go to 'options...show packet window' and log on to your favorite spotting group (I use 66.84.210.68...n9bms). U can try that one for a start...there are lots and lots of others. I think n9bms has a lost of all active telnet addresses. This one I use is fairly consistent and up most of the time.
The other question is a good one also. Cuppla hints which u are probably already aware of. Back up your logs to other places. CD-W is the best option for me. I also back up on other computers here at home. It is easy for your log file to get pretty big in a short time if u contest and dx-hunt , as I do...so back up carefully and often. I speak from experience...
For the life of me Don, I can't remember how to merge log files although I have done it early-on. Now, I don't do it any more, just keep separate logs for each event as well as my everyday dx-ing log. Mike, w1ect, is very good about answering all your questions in a timely manner. He has never failed to set me straight, and I have some pretty weird questions. He maintains a chat kinda reflector, avail from the web page which is in itself a wealth of information. I am thinking about how to do the merge you want and if I remember, I will email you. Otherwise Mike will have answered you before I think of it,...hi. He fast! He's also a very nice guy and has never belittled me for any of my stupid problems...hi. GL...73/dx
steve, k8wk
****
-----Original Message-----
From: n4tn <n4tn@...> <n4tn@...>
To: XMLog@yahoogroups.com <XMLog@yahoogroups.com>
Date: Monday, January 20, 2003 9:48 AM
Subject: [XMLog] Beginner's questions

>Hello -
>
>I just installed XMLOG today and so far I really like what I see. I
>have a couple of questions that probably have already been answered
>somewhere:
>
>- Is it possible to connect to Telnet DX clusters from XMLOG? If so,
>how do I go about it?
>
>- Is there a means to merge logs or to update one XMLOG log file with
>the contents of another? F'instance, I would like to keep separate
>logs for various contests, FISTS contacts, QCWA, etc., etc. and
>eventually merge each of them into my main daily log file. Can this

>be done, if so, how?
>
>Any advice will be greatly appreciated.
>
>My compliments to the designer/programmer!
>
>73 - Don N4TN
>
>
>
>To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

569. Re: Beginner's questions

Yahoo group: XMLog
Date: 2003-01-20 16:35:15 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 566 Message: 569

Hi Don,

> - Is it possible to connect to Telnet DX clusters from XMLOG? If
so, how do I go about it?

Use the "Options/Packet Options and Port Select" and set the port
type to "Internet". If you want an auto-connect when the packet
window opens you can also fill in the cluster address - otherwise use
the "Connect/Internet Connect" menu item. Check the help file info
for more details.

> - Is there a means to merge logs or to update one XMLOG log file
with the contents of another?

You can use ADIF imports and exports to split up or merge log files.
Be prudent and keep backups of your main log file when doing
operations like this (no matter what log program you're using). See
the help file info for details on exporting and importing.

Mike - W1ECT

570. RE: [XMLog] Beginner's questions

Yahoo group: XMLog
Date: 2003-01-20 16:20:36 UTC
From: Kevin Nathan
Topic: 566 Message: 570

Hi Don,

I can't really speak to the merge issue but I'm logged into a cluster via telnet as I write this. Look at the samples of .nod files Mike includes with this program. they pretty much show how to do it and it's very simple. Mostly, you need to look at the prompts your cluster gives you and put those in as "match statements" and then have the file "send" the required information. The files will make it come clear along with the manual.

Good luck and very 73.

Kevin, K7RX :)

571. Re: [XMLog] Beginner's questions

Yahoo group: XMLog
Date: 2003-01-20 17:38:02 UTC
From: Donald Jones
Topic: 566 Message: 571

My sincere thanks to all for the prompt and helpful replies. I am up and running on the K8SMC cluster as we speak/type! And I think the merge of logs is straight forward - much like the free logger that I have been using previously.

Again, many thanks to all for your assistance and encouragement. 73

- Don N4TN

572. AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-01-30 02:32:40 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 572 Message: 572

Just FYI, I worked AH3D in Johnston island
active since today but it appears wrong in the log, just as
east coast.
The funny thing is that AH3 IS recognized correctly
aswell as ah3abc, just the 1 letter suffix confuses
the country match ...

73's de K6TE

573. Re: [XMLog] AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-01-30 03:04:32 UTC
From: N7MAL
Topic: 572 Message: 573

That's easy to fix just click on DX then click on callsign list and add
ah3d. It will show up perfectly then.
Good Luck

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm

----- Original Message -----
From: <zamba0321@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, January 30, 2003 2:32 AM
Subject: [XMLog] AH3D appears wrong in log

> Just FYI, I worked AH3D in Johnston island
> active since today but it appears wrong in the log, just as
> east coast.
> The funny thing is that AH3 IS recognized correctly
> aswell as ah3abc, just the 1 letter suffix confuses
> the country match ...
>
> 73's de K6TE
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

574. Re: AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-01-30 17:27:52 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 572 Message: 574

This is a strange case, normally this call would be "guessed" as Johnston I. but if you do a callbook lookup on the call you'll see that it has a U.S. address! This means that if you have the "get location from callbook" option enabled it gets treated as a U.S. callsign. You'll have to use the "DX/Show Callsign List" menu item and add AH3D as correct country to fix this problem.

Mike - W1ECT

> Just FYI, I worked AH3D in Johnston island
> active since today but it appears wrong in the log, just as
> east coast.
> The funny thing is that AH3 IS recognized correctly
> aswell as ah3abc, just the 1 letter suffix confuses
> the country match ...
>
> 73's de K6TE

575. Re: AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-01-31 02:46:32 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 572 Message: 575

Hi Mike

I do indeed have the callbook lookup enabled, I added AH3D to the
callsign list, but then I worked them on 20meter and it still
showed up again as USA ...

- K6TE Wim

--- In XMLog@yahoogroups.com, "Mike McAmis <m.mcamis@v...>"
<m.mcamis@v...> wrote:
>
> This is a strange case, normally this call would be "guessed" as
> Johnston I. but if you do a callbook lookup on the call you'll see
> that it has a U.S. address! This means that if you have the "get
> location from callbook" option enabled it gets treated as a U.S.
> callsign. You'll have to use the "DX/Show Callsign List" menu item
> and add AH3D as correct country to fix this problem.
>
> Mike - W1ECT
>
> > Just FYI, I worked AH3D in Johnston island
> > active since today but it appears wrong in the log, just as
> > east coast.
> > The funny thing is that AH3 IS recognized correctly
> > aswell as ah3abc, just the 1 letter suffix confuses
> > the country match ...
> >
> > 73's de K6TE

576. Re: AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-01-31 23:45:31 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 572 Message: 576

I gave it a try here and it seems to work ok. If you do a "DX/Show Callsign List" does AH3D now show up there as Johnston Island? What version of XMLog are you using?

Mike - W1ECT

577. Thanks for the program ...

Yahoo group: XMLog
Date: 2003-02-02 01:59:49 UTC
From: Jurisdictionary
Topic: 577 Message: 577

I'd like to send you something for your logging program, however I know so little about these programs I cannot decide if yours is the one I need to do the automatic logging I'd like to do ... and, in particular, whether I can connect same to my IC-756 ProII without buying something expensive to do it.

Can you give me any idea what it takes and what features I might find in other logging programs, etc.

I just don't know enough about these things.

Thanks.

W4MTS
WinLawsuit.com
Home of Jurisdictionary ® ... Defining American Justice
www.WinLawsuit.com

[Non-text portions of this message have been removed]

578. Re: AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-02-04 04:51:17 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 572 Message: 578

hmm strange, I do see it correctly in the DX/Show callsign list,
but when I add a new QSO with AH3D it still shows USA.
my version is 4.52

I am using the Callbook, Inc (Horse) and I did set the 'Use locations
from callbook' option. I just tested and this is the cause of the
misbehavior. So I unchecked this option and tried again and
now it's correct, even without entering the call
in the DX/Show callsign list.

I guess I'll just continue with the unchecked box for that then.

thanks for the great program and advise

de K6TE Wim.

--- In XMLog@yahoogroups.com, "Mike McAmis <m.mcamis@v...>"
<m.mcamis@v...> wrote:
>
> I gave it a try here and it seems to work ok. If you do a "DX/Show
> Callsign List" does AH3D now show up there as Johnston Island?
What
> version of XMLog are you using?
>
> Mike - W1ECT

579. Re: AH3D appears wrong in log

Yahoo group: XMLog
Date: 2003-02-04 20:49:03 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 572 Message: 579

OK - Couldn't duplicate the problem here but I guess it's now moot since today's DX Bulletin says that the AH3D operation is shutting down today.

Mike - W1ECT

> hmm strange, I do see it correctly in the DX/Show callsign list,
> but when I add a new QSO with AH3D it still shows USA.
> my version is 4.52
>
> I am using the Callbook, Inc (Horse) and I did set the 'Use locations
> from callbook' option. I just tested and this is the cause of the
> misbehavior. So I unchecked this option and tried again and
> now it's correct, even without entering the call
> in the DX/Show callsign list.
>
> I guess I'll just continue with the unchecked box for that then.
>
> thanks for the great program and advise
>
> de K6TE Wim.

580. Saving Log Entries

Yahoo group: XMLog
Date: 2003-02-10 12:44:16 UTC
From: paladin_94501 <jhnstnb@cs.com>
Topic: 580 Message: 580

How do I save new log entries?

581. Re: Saving Log Entries

Yahoo group: XMLog
Date: 2003-02-10 16:12:45 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 580 Message: 581

Hi -

To add an entry use "File/Add" or control-A, fill in the data, click
the "Add" button, fill in the next entry, hit "Add", etc. When
you've filled in the last entry and clicked "Add", click the "Stop"
button.

Check the help file section "Adding New Log Entries" for more info.

Mike - W1ECT

> How do I save new log entries?

582. Custom QSL Labels

Yahoo group: XMLog
Date: 2003-02-13 18:35:54 UTC
From: Donald Jones
Topic: 582 Message: 582

HELP! I worked like a dog creating a custom QSL label as I wanted it. I saved it, and OPTIONS>QSL LABELS LAYOUT shows that it should be in use. But when I print a QSL Label list, it comes out in the default format/font, etc.

What am I doing wrong??

73 & TNX - Don Jones N4TN

583. Custom QSL Labels - Whoops!

Yahoo group: XMLog
Date: 2003-02-13 18:58:44 UTC
From: Donald Jones
Topic: 583 Message: 583

Maybe I have answered my own question - it appears that the label formatting is applied when the label list is created (maybe). I erased my test QSL label list and created a new one and it picked up my custom format. It looks like I will need to create a new list for each change until I get it right. This is not bad - generally a one QSO list is enough for testing.

Sorry for whining before I had experimented sufficiently!

73 - Don N4TN

584. possible to make packet window 'editable'

Yahoo group: XMLog
Date: 2003-02-14 02:53:53 UTC
From: zamba0321 <zamba0321@yahoo.com>
Topic: 584 Message: 584

Howdy Mike,

I noticed that I cannot use my mouse
to select a piece of text in the packet window
to copy and paste. Is it possible to change the window
properties to make it so I can select a piece of text
so it gets copied in the clipboard or text buffer

thanks
- de K6TE Wim.

585. Re: [XMLog] Custom QSL Labels

Yahoo group: XMLog
Date: 2003-02-14 04:22:54 UTC
From: Joseph Agius
Topic: 582 Message: 585

Did you create a new label file after you set the new
label as the label to use.
I think that if an existing label file exists already,
it exists in whatever format you created it.

Set the new label as the default and go back to the
QSO contacts and redo the "qsl label option for them"
ctr-Q.

Joe
W1TW
--- Donald Jones <n4tn@...> wrote:
> HELP! I worked like a dog creating a custom QSL
> label as I wanted it. I
> saved it, and OPTIONS>QSL LABELS LAYOUT shows that
> it should be in use.
> But when I print a QSL Label list, it comes out in
> the default
> format/font, etc.
>
> What am I doing wrong??
>
> 73 & TNX - Don Jones N4TN
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
Yahoo! Shopping - Send Flowers for Valentine's Day
http://shopping.yahoo.com

586. Re: Custom QSL Labels

Yahoo group: XMLog
Date: 2003-02-14 16:03:37 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 582 Message: 586

Hi Don,

The layout gets associated with the label when it's added to the list. You can see the results by looking at the labels.out file, it's a simple text file. One thing to note though, if you add a label to the list and then you edit the layout before printing those changes will show up when the label gets printed.

Mike - W1ECT

> HELP! I worked like a dog creating a custom QSL label as I wanted it. I
> saved it, and OPTIONS>QSL LABELS LAYOUT shows that it should be in use.
> But when I print a QSL Label list, it comes out in the default
> format/font, etc.
>
> What am I doing wrong??
>
> 73 & TNX - Don Jones N4TN

587. Re: possible to make packet window 'editable'

Yahoo group: XMLog
Date: 2003-02-14 16:08:36 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 584 Message: 587

Hi, The packet output area doesn't support any edit keys due to the way I've implemented it to get fast scrolling. I've occasionally looked into alternatives but haven't been satisfied with the look or speed. I did make the input area support cut/paste though...

Mike - W1ECT

> Howdy Mike,
>
> I noticed that I cannot use my mouse
> to select a piece of text in the packet window
> to copy and paste. Is it possible to change the window
> properties to make it so I can select a piece of text
> so it gets copied in the clipboard or text buffer
>
> thanks
> - de K6TE Wim.

588. Importng ADIF with web look-up.

Yahoo group: XMLog
Date: 2003-02-16 04:41:48 UTC
From: Craig - N7OR <n7or@yahoo.com>
Topic: 588 Message: 588

I am using the web-based qrz, using that special dll from the Yahoo files section. I was importing my WPX RTTY log, and since the States are not contained in the exchange, I activated the callbook look-up during ADIF import. I was disappointed, the STATE box did not get filled in for the US guys I worked. If I look in the ADDRESS fields, they were filled in there. I assumed the STATE/PROV box would get filled in, for WAS purposes.

73, Craig - N7OR

589. Re: Importng ADIF with web look-up.

Yahoo group: XMLog
Date: 2003-02-17 20:10:10 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 588 Message: 589

Hi Craig,

Not sure what's going on - no doubt it's dependent on which ADIF
fields are actually set in the file. Could you send me the adif file
as an e-mail attachment to:

m.mcamis@...

Mike - W1ECT

> I am using the web-based qrz, using that special dll from the Yahoo
> files section. I was importing my WPX RTTY log, and since the
States
> are not contained in the exchange, I activated the callbook look-up
> during ADIF import. I was disappointed, the STATE box did not get
> filled in for the US guys I worked. If I look in the ADDRESS
fields,
> they were filled in there. I assumed the STATE/PROV box would get
> filled in, for WAS purposes.
>
> 73, Craig - N7OR

590. Re: Importng ADIF with web look-up.

Yahoo group: XMLog
Date: 2003-02-18 20:14:18 UTC
From: Craig - N7OR <n7or@yahoo.com>
Topic: 588 Message: 590

When I get home tonight, I will. I said that the ADIF did not contain
State info, that is why I hoped the lookup would fill it in from the
qrz records based on callsign. You know 200% more than I do, so I
will send it anyway!
Thank You, Craig.
==========
--- In XMLog@yahoogroups.com, "Mike McAmis <m.mcamis@v...>"
<m.mcamis@v...> wrote:
>
> Hi Craig,
>
> Not sure what's going on - no doubt it's dependent on which ADIF
> fields are actually set in the file. Could you send me the adif
file
> as an e-mail attachment to:
>
> m.mcamis@v...
>
> Mike - W1ECT
>
> > I am using the web-based qrz, using that special dll from the
Yahoo
> > files section. I was importing my WPX RTTY log, and since the
> States
> > are not contained in the exchange, I activated the callbook look-
up
> > during ADIF import. I was disappointed, the STATE box did not get
> > filled in for the US guys I worked. If I look in the ADDRESS
> fields,
> > they were filled in there. I assumed the STATE/PROV box would get
> > filled in, for WAS purposes.
> >
> > 73, Craig - N7OR

591. Re: Importng ADIF with web look-up.

Yahoo group: XMLog
Date: 2003-02-21 22:17:05 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 588 Message: 591

Hi Craig - I've made the changes such that QRZ.COM lookups will set
the State field and the new version is available at www.xmlog.com/beta

I hope to make this version the next "official" version in a few
weeks...

Mike - W1ECT

> When I get home tonight, I will. I said that the ADIF did not
contain
> State info, that is why I hoped the lookup would fill it in from
the
> qrz records based on callsign. You know 200% more than I do, so I
> will send it anyway!
> Thank You, Craig.
> ==
> --- In XMLog@yahoogroups.com, "Mike McAmis <m.mcamis@v...>"
> <m.mcamis@v...> wrote:
> >
> > Hi Craig,
> >
> > Not sure what's going on - no doubt it's dependent on which ADIF
> > fields are actually set in the file. Could you send me the adif
> file
> > as an e-mail attachment to:
> >
> > m.mcamis@v...
> >
> > Mike - W1ECT
> >
> > > I am using the web-based qrz, using that special dll from the
> Yahoo
> > > files section. I was importing my WPX RTTY log, and since the
> > States
> > > are not contained in the exchange, I activated the callbook
look-
> up
> > > during ADIF import. I was disappointed, the STATE box did not
get
> > > filled in for the US guys I worked. If I look in the ADDRESS
> > fields,
> > > they were filled in there. I assumed the STATE/PROV box would
get
> > > filled in, for WAS purposes.
> > >
> > > 73, Craig - N7OR

592. D/M/Y option

Yahoo group: XMLog
Date: 2003-02-22 09:40:56 UTC
From: Dave Sergeant
Topic: 592 Message: 592

I have noticed that occasionally when I open XMLog (v4.46) it opens with the date field set to the default M/D/Y instead of D/M/Y I have in my options. It has to be reset via the options menu. All other options are correctly interpreted and MLog.ini still shows the correct date option. This appears to occur completely at random, though I have a feeling it does it more often just after I have done an ADIF import. By the way I use Windows 98SE.

Perhaps this has been discussed before, but I have only just joined this reflector. And I see there are no archives of mails available on Yahoo.

You will appreciate of course that here in the UK displaying dates in the US format makes the program virtually unusable!

73 Dave G3YMC

dsergeant@...
dsergeant@...
http://www.dsergeant.btinternet.co.uk

593. Re: [XMLog] Re: Importng ADIF with web look-up.

Yahoo group: XMLog
Date: 2003-02-22 09:40:55 UTC
From: Dave Sergeant
Topic: 588 Message: 593

On 21 Feb 2003 at 22:17, Mike McAmis m.mcamis@... wrote:

> Hi Craig - I've made the changes such that QRZ.COM lookups will set
> the State field and the new version is available at www.xmlog.com/beta
>
> I hope to make this version the next "official" version in a few
> weeks...
>
> Mike - W1ECT

On a related topic, EI5DIs Super Duper which I use for contests did
not include the State field in its ADIF output due to a bug. This has
now been corrected and v9.99 is now available from Paul's web site.

73 Dave G3YMC

dsergeant@...
dsergeant@...
http://www.dsergeant.btinternet.co.uk

594. Re: D/M/Y option

Yahoo group: XMLog
Date: 2003-02-22 15:59:38 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 592 Message: 594

Hi Dave,

I recently fixed a bug where an ADIF import would cause this
problem. If you have been doing any ADIF imports this is probably
what's happening. The latest beta version at www.xmlog.com/beta has
a fix.

Mike - W1ECT

> I have noticed that occasionally when I open XMLog (v4.46) it opens
> with the date field set to the default M/D/Y instead of D/M/Y I
have
> in my options. It has to be reset via the options menu. All other
> options are correctly interpreted and MLog.ini still shows the
> correct date option. This appears to occur completely at random,
> though I have a feeling it does it more often just after I have
done
> an ADIF import. By the way I use Windows 98SE.
>
> Perhaps this has been discussed before, but I have only just joined
> this reflector. And I see there are no archives of mails available
on
> Yahoo.
>
> You will appreciate of course that here in the UK displaying dates
in
> the US format makes the program virtually unusable!
>
> 73 Dave G3YMC
>
> dsergeant@i...
> dsergeant@b...
> http://www.dsergeant.btinternet.co.uk

595. Re: [XMLog] Re: D/M/Y option

Yahoo group: XMLog
Date: 2003-02-23 13:56:09 UTC
From: Dave Sergeant
Topic: 592 Message: 595

On 22 Feb 2003 at 15:59, Mike McAmis m.mcamis@... wrote:

> Hi Dave,
>
> I recently fixed a bug where an ADIF import would cause this
> problem. If you have been doing any ADIF imports this is probably
> what's happening. The latest beta version at www.xmlog.com/beta has a
> fix.
>
> Mike - W1ECT

Many thanks Mike, now downloaded. Hopefully it will not occur again.

My browser threw a wobbly during the download, I ended up in having
to download it twice.....

73 Dave G3YMC

dsergeant@...
dsergeant@...
http://www.dsergeant.btinternet.co.uk

596. XMLOG and DXSpider

Yahoo group: XMLog
Date: 2003-02-23 23:45:25 UTC
From: Dennis Jacobson <n6ng@arrl.net>
Topic: 596 Message: 596

Hi all..
I've been using XMLOG for many yearss and have used the W6RFU
node in Santa Barbara with out a problem.
This weekend, it appears they have moved to the DX Spider
format and now I can't get back into the node using XMLOG.

I still can get into other East Coast nodes without a problem.

Is there a reason that XMLOG does not support the DX Spider
format or is there some other simple problem I'm not seeing.

When I try to use the old node address with or without the
7300 port number, I get rejected...

Thanks for any ideas..

Dennis N6NG

598. Re: [XMLog] XMLOG and DXSpider

Yahoo group: XMLog
Date: 2003-02-24 03:09:19 UTC
From: Joseph Agius
Topic: 596 Message: 598

I am using xmlog with dxspider.
It works OKwhen the node is up!!

Joe
W1TW
--- "Dennis Jacobson <n6ng@...>" <n6ng@...>
wrote:
> Hi all..
> I've been using XMLOG for many yearss and have used
> the W6RFU
> node in Santa Barbara with out a problem.
> This weekend, it appears they have moved to the DX
> Spider
> format and now I can't get back into the node using
> XMLOG.
>
> I still can get into other East Coast nodes without
> a problem.
>
> Is there a reason that XMLOG does not support the DX
> Spider
> format or is there some other simple problem I'm not
> seeing.
>
> When I try to use the old node address with or
> without the
> 7300 port number, I get rejected...
>
> Thanks for any ideas..
>
> Dennis N6NG
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
Yahoo! Tax Center - forms, calculators, tips, more
http://taxes.yahoo.com/

599. Re: [XMLog] XMLOG and DXSpider

Yahoo group: XMLog
Date: 2003-02-24 03:24:43 UTC
From: N7MAL
Topic: 596 Message: 599

I forwarded your question to the sysop. At this minute the node appears to be down. I usually have no problem connecting and I have no special settings.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: <n6ng@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, February 23, 2003 11:45 PM
Subject: [XMLog] XMLOG and DXSpider

> Hi all..
> I've been using XMLOG for many yearss and have used the W6RFU
> node in Santa Barbara with out a problem.
> This weekend, it appears they have moved to the DX Spider
> format and now I can't get back into the node using XMLOG.
>
> I still can get into other East Coast nodes without a problem.
>
> Is there a reason that XMLOG does not support the DX Spider
> format or is there some other simple problem I'm not seeing.
>
> When I try to use the old node address with or without the
> 7300 port number, I get rejected...
>
> Thanks for any ideas..
>
> Dennis N6NG
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

>

600. Fw: [XMLog] XMLOG and DXSpider

Yahoo group: XMLog
Date: 2003-02-24 03:47:48 UTC
From: N7MAL
Topic: 600 Message: 600

Here, already, is the answer from the sysop.

Sent: Monday, February 24, 2003 3:43 AM
Subject: RE: [XMLog] XMLOG and DXSpider

> Mal,
>
> I sent Dennis a message to understand if his problem started on 30 Jan
when
> we switched to DXSpider, or on Feb 21 when we turned off port 23.
>
> Thanks,
> Bill
>
>
> > Subject: [XMLog] XMLOG and DXSpider
> >
> >
> > > Hi all..
> > > I've been using XMLOG for many yearss and have used the W6RFU
> > > node in Santa Barbara with out a problem.
> > > This weekend, it appears they have moved to the DX Spider
> > > format and now I can't get back into the node using XMLOG.
> > >
> > > I still can get into other East Coast nodes without a problem.
> > >
> > > Is there a reason that XMLOG does not support the DX Spider
> > > format or is there some other simple problem I'm not seeing.
> > >
> > > When I try to use the old node address with or without the
> > > 7300 port number, I get rejected...
> > >
> > > Thanks for any ideas..
> > >
> > > Dennis N6NG
> > >
> > >
> > >
> > > To unsubscribe from this group, send an email to:
> > >
> > > XMLog-unsubscribe@onelist.com
> > >
> > >
> > >
> > > Your use of Yahoo! Groups is subject to

> http://docs.yahoo.com/info/terms/
> > >
> > >
> > >
> > >
> >
>
>
>

601. Re: XMLOG and DXSpider

Yahoo group: XMLog
Date: 2003-02-24 06:09:01 UTC
From: Dennis Jacobson <n6ng@arrl.net>
Topic: 596 Message: 601

Thanks to all for the quick fix...
For any others that might have a simular problem
I thought I would post the results as simple as
it was...
XMLOG uses the convention of using a space between
the IP address and the port number..
So I was trying to connect with
128.111.56.240:7300
which didn't work... when I tried
128.111.56.240 7300 everything worked
just fine..

Thanks again to N7MAL and N6WS for the
quick help.

73...
Dennis N6NG

--- In XMLog@yahoogroups.com, "Dennis Jacobson <n6ng@a...>"
<n6ng@a...> wrote:
> Hi all..
> I've been using XMLOG for many yearss and have used the W6RFU
> node in Santa Barbara with out a problem.
> This weekend, it appears they have moved to the DX Spider
> format and now I can't get back into the node using XMLOG.
>
> I still can get into other East Coast nodes without a problem.
>
> Is there a reason that XMLOG does not support the DX Spider
> format or is there some other simple problem I'm not seeing.
>
> When I try to use the old node address with or without the
> 7300 port number, I get rejected...
>
> Thanks for any ideas..
>
> Dennis N6NG

602. backup

Yahoo group: XMLog
Date: 2003-02-23 23:02:23 UTC
From: Graham Saville (G1RNZ)
Topic: 602 Message: 602

hi all I seem to get an error come up with the backup option on the latest version it will not make backups saying that ativex could not find the directory backups or create it then it crashes???
73's From Graham G1RNZ/M3RNZ
graham.saville@...

QTHR
http://www.QRZ.COM

[Non-text portions of this message have been removed]

603. Re: XMLOG and DXSpider

Yahoo group: XMLog
Date: 2003-02-24 17:05:05 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 596 Message: 603

I'll add supporting the "address:port" syntax to the to-do list.

Mike - W1ECT

> Hi all..
> I've been using XMLOG for many yearss and have used the W6RFU
> node in Santa Barbara with out a problem.
> This weekend, it appears they have moved to the DX Spider
> format and now I can't get back into the node using XMLOG.
>
> I still can get into other East Coast nodes without a problem.
>
> Is there a reason that XMLOG does not support the DX Spider
> format or is there some other simple problem I'm not seeing.
>
> When I try to use the old node address with or without the
> 7300 port number, I get rejected...
>
> Thanks for any ideas..
>
> Dennis N6NG

604. Re: backup

Yahoo group: XMLog
Date: 2003-02-24 17:11:37 UTC
From: Mike McAmis <m.mcamis@valley.net>
Topic: 602 Message: 604

Hi Graham, Could you give me the exact text from the error messages?
I suspect that the "mbbrowse.ocx" file wasn't installed correctly -
you should find a file with this name in \windows\system32

Mike - W1ECT

> hi all I seem to get an error come up with the backup option on the
latest
> version it will not make backups saying that ativex could not find
the
> directory backups or create it then it crashes???
> 73's From Graham G1RNZ/M3RNZ
> graham.saville@b...
>
> QTHR
> http://www.QRZ.COM
>
>
>
> [Non-text portions of this message have been removed]

605. RE: [XMLog] Re: backup

Yahoo group: XMLog
Date: 2003-02-25 10:21:38 UTC
From: Graham Saville (G1RNZ)
Topic: 602 Message: 605

Hi the following error occurred:
"Can't make Backup log
problem occurred while creating backup directory
"c:\mlog\backups\"
[429]Axtivex component can't create object"
73's From Graham G1RNZ/M3RNZ
graham.saville@...

QTHR
http://www.QRZ.COM

-----Original Message-----
From: Mike McAmis <m.mcamis@...> [mailto:m.mcamis@...]
Sent: 24 February 2003 17:12
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: backup

Hi Graham, Could you give me the exact text from the error messages?
I suspect that the "mbbrowse.ocx" file wasn't installed correctly -
you should find a file with this name in \windows\system32

Mike - W1ECT

> hi all I seem to get an error come up with the backup option on the
latest
> version it will not make backups saying that ativex could not find
the
> directory backups or create it then it crashes???
> 73's From Graham G1RNZ/M3RNZ
> graham.saville@b...
>
> QTHR
> http://www.QRZ.COM
>
>
>
> [Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

606. Preview label list

Yahoo group: XMLog
Date: 2003-03-06 22:30:10 UTC
From: witstock7
Topic: 606 Message: 606

When a want to print a batch of qsl labels it would be useful to see a preview list of the calls that are in the batch to avoid duplications and omissions. Is this possible and if so how do I do it?

Nelson Wittstock, K8DJC

607. Re: [XMLog] Preview label list

Yahoo group: XMLog
Date: 2003-03-07 02:56:14 UTC
From: Donald Jones
Topic: 606 Message: 607

I agree with Nelson. The QSL label feature is great, but this would really be a useful addition. I have been printing the batch on regular paper for review - this is better than nothing, but the order in which they print seems confusing.

On the other hand, if you do find a duplication there isn't much that you can do about it except to clear the list and re-construct it. I guess it just pays to be careful.

XMLOG is a great program and I really enjoy using it. Many thanks for all your hard work!

- Don Jones N4TN

witstock7 wrote:

> When a want to print a batch of qsl labels it would be useful to see
> a preview list of the calls that are in the batch to avoid
> duplications and omissions. Is this possible and if so how do I do
> it?
>
> Nelson Wittstock, K8DJC

608. Re: [XMLog] Preview label list

Yahoo group: XMLog
Date: 2003-03-07 04:12:39 UTC
From: Joseph Agius
Topic: 606 Message: 608

After you create your labels --
You can look at the labels.out file. It is a text
file and once you understand its contents, you can
edit it and customize it accordingly.

The labels are printed in alphabetical order by call.
Joe
W1TW
--- Donald Jones <n4tn@...> wrote:
> I agree with Nelson. The QSL label feature is great,
> but this would
> really be a useful addition. I have been printing
> the batch on regular
> paper for review - this is better than nothing, but
> the order in which
> they print seems confusing.
>
> On the other hand, if you do find a duplication
> there isn't much that
> you can do about it except to clear the list and
> re-construct it. I
> guess it just pays to be careful.
>
> XMLOG is a great program and I really enjoy using
> it. Many thanks for
> all your hard work!
>
> - Don Jones N4TN
>
>
>
>
> witstock7 wrote:
>
> > When a want to print a batch of qsl labels it
> would be useful to see
> > a preview list of the calls that are in the batch
> to avoid
> > duplications and omissions. Is this possible and
> if so how do I do
> > it?
> >
> > Nelson Wittstock, K8DJC
>
>

>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
Yahoo! Tax Center - forms, calculators, tips, more
http://taxes.yahoo.com/

609. Re: [XMLog] Digest Number 294

Yahoo group: XMLog
Date: 2003-03-07 17:45:05 UTC
From: Nelson Wittstock
Topic: 609 Message: 609

Thanks for the suggestion, Joe. I didn't know that there was such a file available.

Nelson, K8DJC

610. Label Printing Problem

Yahoo group: XMLog
Date: 2003-03-07 19:50:01 UTC
From: wb4mle@surfbest.net
Topic: 610 Message: 610

XMLOG v. 4.56 while trying to print 6 labels with "Custom" label layout that has worked fine in earlier revisions, getting the following error:

Can't create label record
(3163) The field is too small to accept the amount of data you attempted to add. Try inserting or pasting less data.

Preview and print test on the layout both are fine so I have no idea where to begin to locate the problem. Thanks!
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

611. Re: [XMLog] Label Printing Problem

Yahoo group: XMLog
Date: 2003-03-07 21:02:06 UTC
From: wb4mle@surfbest.net
Topic: 610 Message: 611

On Fri, 07 Mar 2003 14:50:01 -0500, you wrote:

>XMLOG v. 4.56 while trying to print 6 labels with "Custom" label
>layout that has worked fine in earlier revisions, getting the
>following error:
>
>Can't create label record
>(3163) The field is too small to accept the amount of data you
>attempted to add. Try inserting or pasting less data.
>
>Preview and print test on the layout both are fine so I have no idea
>where to begin to locate the problem. Thanks!

FOUND IT !!!
One log entry was somehow corrupt. I tried printing each qso and found
corrupt one. Didn't see problem, but deleted each field and re-entered
data and it printed fine....
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

612. Re: Label Printing Problem

Yahoo group: XMLog
Date: 2003-03-08 00:13:41 UTC
From: Mike McAmis
Topic: 610 Message: 612

Hi Eddie, Do you know which field was causing the problem and what
that bad value was?

Mike - W1ECT

> >XMLOG v. 4.56 while trying to print 6 labels with "Custom" label
> >layout that has worked fine in earlier revisions, getting the
> >following error:
> >
> >Can't create label record
> >(3163) The field is too small to accept the amount of data you
> >attempted to add. Try inserting or pasting less data.
> >
> >Preview and print test on the layout both are fine so I have no
idea
> >where to begin to locate the problem. Thanks!
>
>
> FOUND IT !!!
> One log entry was somehow corrupt. I tried printing each qso and
found
> corrupt one. Didn't see problem, but deleted each field and re-
entered
> data and it printed fine....
> --
> Eddie Seymour, WB4MLE
> E-Mail wb4mle@s...

613. Re: [XMLog] Re: Label Printing Problem

Yahoo group: XMLog
Date: 2003-03-08 00:34:03 UTC
From: wb4mle@surfbest.net
Topic: 610 Message: 613

On Sat, 08 Mar 2003 00:13:41 -0000, you wrote:

>
>Hi Eddie, Do you know which field was causing the problem and what
>that bad value was?
>
Hi Mike- No idea which one. They all looked ok. I held the delete key
in each field till it was clear and re-entered the data. I probably
fat-fingered a space or other unprintable on the end of one of them.
--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

614. Label question

Yahoo group: XMLog
Date: 2003-03-15 21:42:06 UTC
From: Judy & Darrel
Topic: 614 Message: 614

I am trying to print a label with five contacts. I am using a copy of Demo QSL-5.

The problem I am having is when the prefix changes in the call the program wants to print a different label. I can understand why this might happen but I am trying to send to the same person that is moving around a country and the prefix changes when he moves.

Any way to get around this problem?

The call I am trying to print is HP2/F5PAC, HP4/F5PAC, HP9/F5PAC.

Darrel - WD8ANZ

615. Re: [XMLog] Label question

Yahoo group: XMLog
Date: 2003-03-15 21:51:02 UTC
From: Judy & Darrel
Topic: 614 Message: 615

After reading my question I need to add an additional comment.

I have modified the Demo QSL-5 label to print the call sign at the beginning of each contact instead of on top like the Demo has it.

Thanks

Darrel- WD8ANZ

616. Re: Label question

Yahoo group: XMLog
Date: 2003-03-16 14:24:02 UTC
From: Mike McAmis
Topic: 614 Message: 616

Hi Darrel, Sorry but there's no way to tweak things so that multi-qso labels include entries with different callsigns.

Mike - W1ECT

> I am trying to print a label with five contacts. I am using a copy of Demo
> QSL-5.
>
> The problem I am having is when the prefix changes in the call the program
> wants to print a different label. I can understand why this might happen but
> I am trying to send to the same person that is moving around a country and
> the prefix changes when he moves.
>
> Any way to get around this problem?
>
> The call I am trying to print is HP2/F5PAC, HP4/F5PAC, HP9/F5PAC.
>
> Darrel - WD8ANZ

617. Re: [XMLog] Re: Label question

Yahoo group: XMLog
Date: 2003-03-16 15:43:31 UTC
From: Judy & Darrel
Topic: 614 Message: 617

Mike, thanks for the reply to my question. I have played around with the labels some more and if I remove the number from the prefix and put in a couple of spaces I can print what I want and then write in the number afterwards since the number is the only thing that is different in the call sign.

Thanks again for a great program.

Darrel - WD8ANZ

618. Re: [XMLog] Re: Label question

Yahoo group: XMLog
Date: 2003-03-17 14:51:56 UTC
From: Joseph Agius
Topic: 614 Message: 618

It seems to me that you can print the QSL for HP2/F5PAC the regular way and then design a new QSL card from MLOG to print text field s in the proper place.
You could place the HP4/F5PAC and the HP7/F5PAC in the address 4 and 5 field and pick them up from there and place them anywhere on the card you want according to your design. Right under the info for the other contacts. Then place the qso info next to them.
In this case you can print a multi qso card and since you know how many qso lines it will print, you can pick up the HP4/ or whatever and place it just before the print area for the qso. Or add a first field in the qso info section and place the locator there.
But you need a different template for whatever you want to do. I have about 12 different templates that I use from SWL not in my log to cards sent to previous owner of my call to regular SWL etc.
I use via manager in the same way and get his call on that way.
I have all kinds of info on my cards using this method.

Joe
W1TW

Mike McAmis <m.mcamis@...> wrote:
Hi Darrel, Sorry but there's no way to tweak things so that multi-qso
labels include entries with different callsigns.

Mike - W1ECT

> I am trying to print a label with five contacts. I am using a copy
of Demo
> QSL-5.
>
> The problem I am having is when the prefix changes in the call the
program
> wants to print a different label. I can understand why this might
happen but
> I am trying to send to the same person that is moving around a
country and
> the prefix changes when he moves.
>
> Any way to get around this problem?
>
> The call I am trying to print is HP2/F5PAC, HP4/F5PAC, HP9/F5PAC.
>
> Darrel - WD8ANZ

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! Web Hosting - establish your business online

[Non-text portions of this message have been removed]

619. XMLog Updates

Yahoo group: XMLog
Date: 2003-03-24 14:57:11 UTC
From: Jimmy D. Roller
Topic: 619 Message: 619

As a relatively new user, I have a very basic question. In order to update from one version to a newer version, what is required? Is it just a matter of running the install execute and replacing updated files or is there more to it? Thanks in advance for any help.

73/CUL,

Jim, N4IR

620. Re: XMLog Updates

Yahoo group: XMLog
Date: 2003-03-24 15:10:09 UTC
From: Mike McAmis
Topic: 619 Message: 620

Hi Jim - Yes, just install the new version in the same location.

Mike - W1ECT

> As a relatively new user, I have a very basic question. In order to
> update from one version to a newer version, what is required? Is it
just
> a matter of running the install execute and replacing updated files
or
> is there more to it? Thanks in advance for any help.
>
> 73/CUL,
>
> Jim, N4IR

621. XMLog and K2?

Yahoo group: XMLog
Date: 2003-03-26 21:20:32 UTC
From: wbfnar
Topic: 621 Message: 621

Hi XMLoggers,

Does XML support the KIO2 interface from Elecraft's K2? If not, will it in the near future? I didn't see explicit mention of it in the manual. Thanks!

- Casey, KS7J

622. Re: XMLog and K2?

Yahoo group: XMLog
Date: 2003-03-27 00:56:31 UTC
From: Mike McAmis
Topic: 621 Message: 622

Hi Casey, Here's a coincidence, I just got an email from an XMLog user who wrote: "XMLog works very well with my Elecraft K2 using the Kenwood setting".

Mike - W1ECT

> Hi XMLoggers,
>
> Does XML support the KIO2 interface from Elecraft's K2? If not, will
> it in the near future? I didn't see explicit mention of it in the
> manual. Thanks!
>
> - Casey, KS7J

623. Re: XMLog and K2?

Yahoo group: XMLog
Date: 2003-03-27 03:11:43 UTC
From: wbfnar
Topic: 621 Message: 623

Cool! Thanks for sharing. The KIO2 is on its way. - Casey

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Casey, Here's a coincidence, I just got an email from an XMLog
> user who wrote: "XMLog works very well with my Elecraft K2 using
the
> Kenwood setting".
>
> Mike - W1ECT
>
> > Hi XMLoggers,
> >
> > Does XML support the KIO2 interface from Elecraft's K2? If not,
> will
> > it in the near future? I didn't see explicit mention of it in
the
> > manual. Thanks!
> >
> > - Casey, KS7J

624. non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-16 01:31:56 UTC
From: zamba0321
Topic: 624 Message: 624

Howdy Mike,

my node file for W6RFU does not seem to work.
I get connected but the script does not send my callsign
as the login name.
The issue seems to be with the non standard telnet port.
Using xmlog version 4.56

here's the node file

```
rem
rem Internet PacketCluster at W6RFU
rem
connect 128.111.56.240 7300
pause 1
send #me
pause 2
send sh/dx/20
```

625. Re: non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-16 13:54:53 UTC
From: Mike McAmis
Topic: 624 Message: 625

I was able to duplicate the problem here. At first I thought perhaps
the 'pause' command might have problems but I changed the
first 'pause 1' to a 'match login:' and it still hangs. It's not
just the non-standard port, a connect to K1XX's DXSpider cluster node
on port 7300 works fine. Time for a bit of digging.

Mike

> Howdy Mike,
>
> my node file for W6RFU does not seem to work.
> I get connected but the script does not send my callsign
> as the login name.
> The issue seems to be with the non standard telnet port.
> Using xmlog version 4.56
>
> here's the node file
>
> rem
> rem Internet PacketCluster at W6RFU
> rem
> connect 128.111.56.240 7300
> pause 1
> send #me
> pause 2
> send sh/dx/20

626. Re: [XMLog] Re: non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-17 05:40:09 UTC
From: N7MAL
Topic: 624 Message: 626

When all else fails contact the sysop, which I just did. I'm waiting for a reply. I have tried every iteration possible, as suggested in the help files, and none of them work.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, April 16, 2003 1:54 PM
Subject: [XMLog] Re: non standard telnet port problem

I was able to duplicate the problem here. At first I thought perhaps the 'pause' command might have problems but I changed the first 'pause 1' to a 'match login:' and it still hangs. It's not just the non-standard port, a connect to K1XX's DXSpider cluster node on port 7300 works fine. Time for a bit of digging.

Mike

> Howdy Mike,
>
> my node file for W6RFU does not seem to work.
> I get connected but the script does not send my callsign
> as the login name.
> The issue seems to be with the non standard telnet port.
> Using xmlog version 4.56
>
> here's the node file
>
> rem
> rem Internet PacketCluster at W6RFU
> rem
> connect 128.111.56.240 7300
> pause 1
> send #me
> pause 2
> send sh/dx/20

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

627. Re: [XMLog] Re: non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-18 03:24:51 UTC
From: N7MAL
Topic: 624 Message: 627

Well boys and girls here's the answer.....

Hi Mal,

The automatic script can still only be setup by the sysop on DXSpider. Let me know what you want to run on login and which nodes you want them on, and I'll add them on the node(s).

73, Bill

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, April 17, 2003 5:40 AM
Subject: Re: [XMLog] Re: non standard telnet port problem

When all else fails contact the sysop, which I just did. I'm waiting for a reply. I have tried every iteration possible, as suggested in the help files, and none of them work.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, April 16, 2003 1:54 PM
Subject: [XMLog] Re: non standard telnet port problem

I was able to duplicate the problem here. At first I thought perhaps the 'pause' command might have problems but I changed the first 'pause 1' to a 'match login:' and it still hangs. It's not just the non-standard port, a connect to K1XX's DXSpider cluster node on port 7300 works fine. Time for a bit of digging.

Mike

> Howdy Mike,
>
> my node file for W6RFU does not seem to work.

> I get connected but the script does not send my callsign
> as the login name.
> The issue seems to be with the non standard telnet port.
> Using xmlog version 4.56
>
> here's the node file
>
> rem
> rem Internet PacketCluster at W6RFU
> rem
> connect 128.111.56.240 7300
> pause 1
> send #me
> pause 2
> send sh/dx/20

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

628. Re: non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-18 15:22:48 UTC
From: Mike McAmis
Topic: 624 Message: 628

Ok, I've found the problem and it was a timing problem that was causing the node file to bail out after doing the 'connect' command. (You can see that there's no node file related message in the status bar when it's sitting there after the connect). I'll post the fixed version in www.xmlog.com/beta in a few days.

Mike - W1ECT

> Howdy Mike,
>
> my node file for W6RFU does not seem to work.
> I get connected but the script does not send my callsign
> as the login name.
> The issue seems to be with the non standard telnet port.
> Using xmlog version 4.56
>
> here's the node file
>
> rem
> rem Internet PacketCluster at W6RFU
> rem
> connect 128.111.56.240 7300
> pause 1
> send #me
> pause 2
> send sh/dx/20

629. Formatting of Frequency on Labels

Yahoo group: XMLog
Date: 2003-04-18 17:37:46 UTC
From: n4tn
Topic: 629 Message: 629

Perhaps I have not researched this well enough, and am questioning something that is already there. It would be nice to be able to format the frequency to only one decimal place to save space on QSO labels. The mhz.khz option is not required for most DX QSLing. The Mhz-only option is OK except for 80 and 160 meters where it prints simply 3 or 1 mhz.It would be nice to show them as 3.5 or 1.8 mhz on the labels (and in the log as far as that goes). Is this something that might be changed in the future?

Thanks and 73 - Don N4TN

630. Re: [XMLog] Re: non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-18 19:03:31 UTC
From: N7MAL
Topic: 624 Message: 630

F.Y.I. only. Since the time I sent the first reply from the N6WS sysop we have exchanged a bunch of emails. The bottom line appears to agree with your comments. Once you manually login then the script files continue. FURTHER F.Y.I. your software is really popular based on the comments from N6WS.
Thanks Mike.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, April 18, 2003 3:22 PM
Subject: [XMLog] Re: non standard telnet port problem

Ok, I've found the problem and it was a timing problem that was causing the node file to bail out after doing the 'connect' command. (You can see that there's no node file related message in the status bar when it's sitting there after the connect). I'll post the fixed version in www.xmlog.com/beta in a few days.

Mike - W1ECT

> Howdy Mike,
>
> my node file for W6RFU does not seem to work.
> I get connected but the script does not send my callsign
> as the login name.
> The issue seems to be with the non standard telnet port.
> Using xmlog version 4.56
>
> here's the node file
>
> rem
> rem Internet PacketCluster at W6RFU
> rem
> connect 128.111.56.240 7300
> pause 1
> send #me
> pause 2
> send sh/dx/20

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

631. Re: non standard telnet port problem

Yahoo group: XMLog
Date: 2003-04-18 20:49:45 UTC
From: zamba0321
Topic: 624 Message: 631

thanks, you da man !

de K6TE

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Ok, I've found the problem and it was a timing problem that was
> causing the node file to bail out after doing the 'connect' command.
> (You can see that there's no node file related message in the status
> bar when it's sitting there after the connect). I'll post the fixed
> version in www.xmlog.com/beta in a few days.
>
> Mike - W1ECT
>
> > Howdy Mike,
> >
> > my node file for W6RFU does not seem to work.
> > I get connected but the script does not send my callsign
> > as the login name.
> > The issue seems to be with the non standard telnet port.
> > Using xmlog version 4.56
> >
> > here's the node file
> >
> > rem
> > rem Internet PacketCluster at W6RFU
> > rem
> > connect 128.111.56.240 7300
> > pause 1
> > send #me
> > pause 2
> > send sh/dx/20

632. Re: Formatting of Frequency on Labels

Yahoo group: XMLog
Date: 2003-04-19 15:25:00 UTC
From: Mike McAmis
Topic: 629 Message: 632

Hi Don - I'll add this feature to the to-do list. Perhaps the way to handle it would be to allow custom formats for numbers (#.#, or #.###, etc.). Not something that will happen soon though...

Mike - W1ECT

> Perhaps I have not researched this well enough, and am questioning
> something that is already there. It would be nice to be able to
> format the frequency to only one decimal place to save space on QSO
> labels. The mhz.khz option is not required for most DX QSLing. The
> Mhz-only option is OK except for 80 and 160 meters where it prints
> simply 3 or 1 mhz.It would be nice to show them as 3.5 or 1.8 mhz
on
> the labels (and in the log as far as that goes). Is this something
> that might be changed in the future?
>
> Thanks and 73 - Don N4TN

633. what are you favorite colors ?

Yahoo group: XMLog
Date: 2003-04-20 18:57:50 UTC
From: zamba0321
Topic: 633 Message: 633

Just checking if anyone has a good color setting for
each of the windows, something relaxing for the eyes
yet better than the standard black on white

here are my settings from mlog.ini file

ColorLogFore=&H80000008
ColorLogBack=&H80FF00
ColorLogFields=&HFFFFFF
ColorPktFore=&H0
ColorPktBack=&HFFFFFF
ColorPktFields=&HFFFFFF
ColorOtherFore=&H80000008
ColorOtherBack=&H80FF00
ColorOtherFields=&H80000005

634. Re: Formatting of Frequency on Labels

Yahoo group: XMLog
Date: 2003-04-23 14:45:15 UTC
From: Mike McAmis
Topic: 629 Message: 634

Hi Don, After further thought I changed the "frequency (mhz)" format to show 3.5 and 1.8 for 80 and 160 meters. Didn't seem as though the current action was very useful. The change is available in www.xmlog.com/beta

Mike - W1ECT

> Perhaps I have not researched this well enough, and am questioning
> something that is already there. It would be nice to be able to
> format the frequency to only one decimal place to save space on QSO
> labels. The mhz.khz option is not required for most DX QSLing. The
> Mhz-only option is OK except for 80 and 160 meters where it prints
> simply 3 or 1 mhz.It would be nice to show them as 3.5 or 1.8 mhz
on
> the labels (and in the log as far as that goes). Is this something
> that might be changed in the future?
>
> Thanks and 73 - Don N4TN

635. Re: [XMLog] Re: Formatting of Frequency on Labels

Yahoo group: XMLog
Date: 2003-04-23 14:57:45 UTC
From: Donald Jones
Topic: 629 Message: 635

Mike -

Your responsiveness and the degree of support that you give this software absolutely amaze me! Thank very much for looking into this and for the quick fix.

73 - Don N4TN

636. Mass changes in one field?

Yahoo group: XMLog
Date: 2003-05-03 02:58:10 UTC
From: David Jones
Topic: 636 Message: 636

Sorry if this has been covered. I'm new to this great program!
Say I develop a list of needed countries with ~1000 entries. Is there a way to change (all at once) the QSL SENT field for example, to the current date. It's easy to send all the selected entries to print Qsl labels with one keystroke, but would be nice to change each Qsl sent field in that same way? Or, is it a 'one at a time' job?

David VE3OJ/VE3STT
ve3stt@...

637. Re: Mass changes in one field?

Yahoo group: XMLog
Date: 2003-05-03 12:32:39 UTC
From: Mike McAmis
Topic: 636 Message: 637

Hi David. XMLog doesn't have any built-in support for making global changes like those you describe. Probably the best way to do this would be to use Microsoft Access. If you don't have Access installed on your home system perhaps you can do it at work? Since XMLog log files are just MS Access databases you can build queries to select/change records in the log. If you're interested in taking this further let me know and we can work out some examples.

Mike - W1ECT

> Sorry if this has been covered. I'm new to this great program!
> Say I develop a list of needed countries with ~1000 entries. Is there a way
> to change (all at once) the QSL SENT field for example, to the current date.
> It's easy to send all the selected entries to print Qsl labels with one
> keystroke, but would be nice to change each Qsl sent field in that same way?
> Or, is it a 'one at a time' job?
>
> David VE3OJ/VE3STT
> ve3stt@r...

638. Re: [XMLog] Re: Mass changes in one field?

Yahoo group: XMLog
Date: 2003-05-03 13:49:07 UTC
From: Joseph Agius
Topic: 636 Message: 638

In a pinch, you can export selected records or the
entire file to an ADIF or an Xmlog test file, make the
changes with an editor - be careful how you save,
delete the old records and reimport.

Always save the olf file just in case.

Joe
W1TW
--- Mike McAmis <m.mcamis@...> wrote:
> Hi David. XMLog doesn't have any built-in support
> for making global
> changes like those you describe. Probably the best
> way to do this
> would be to use Microsoft Access. If you don't have
> Access installed
> on your home system perhaps you can do it at work?
> Since XMLog log
> files are just MS Access databases you can build
> queries to
> select/change records in the log. If you're
> interested in taking
> this further let me know and we can work out some
> examples.
>
> Mike - W1ECT
>
> > Sorry if this has been covered. I'm new to this
> great program!
> > Say I develop a list of needed countries with
> ~1000 entries. Is
> there a way
> > to change (all at once) the QSL SENT field for
> example, to the
> current date.
> > It's easy to send all the selected entries to
> print Qsl labels with
> one
> > keystroke, but would be nice to change each Qsl
> sent field in that
> same way?
> > Or, is it a 'one at a time' job?
> >
> > David VE3OJ/VE3STT
> > ve3stt@r...

>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

639. RE: [XMLog] Re: Mass changes in one field?

Yahoo group: XMLog
Date: 2003-05-03 17:01:52 UTC
From: Dave Bernstein
Topic: 636 Message: 639

DXKeeper has the ability to modify specific fields of multiple QSOs. You can import an ADIF file, make your changes, and then export an ADIF file for import back into XMLog. DXKeeper is free, and available via www.qsl.net/dxlab .

73,

Dave, AA6YQ

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Saturday, May 03, 2003 8:33 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Mass changes in one field?

Hi David. XMLog doesn't have any built-in support for making global changes like those you describe. Probably the best way to do this would be to use Microsoft Access. If you don't have Access installed on your home system perhaps you can do it at work? Since XMLog log files are just MS Access databases you can build queries to select/change records in the log. If you're interested in taking this further let me know and we can work out some examples.

Mike - W1ECT

> Sorry if this has been covered. I'm new to this great program!
> Say I develop a list of needed countries with ~1000 entries. Is there a way
> to change (all at once) the QSL SENT field for example, to the current date.
> It's easy to send all the selected entries to print Qsl labels with one
> keystroke, but would be nice to change each Qsl sent field in that same way?
> Or, is it a 'one at a time' job?
>
> David VE3OJ/VE3STT
> ve3stt@r...

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=231971.3069703.4522067.1261774/D=egroupweb/S=1705063108:HM/A=1554463/R=4/id=noscript/*http://shop.store.yahoo.com/cgi-bin/clink?proflowers2+shopping:dmad/M=231971.3069703.4522067.1261774/D=egroupweb/S=1705063108:HM/A=1554463/R=5/1051965174+http://us.rmi.yahoo.com/r

mi/http://www.proflowers.com/rmi-unframed-url/http://www.proflowers.com/freevase/index.cfm%3FREF=FGVYahooEgroupsLRECgif>

<http://us.adserver.yahoo.com/l?M=231971.3069703.4522067.1261774/D=egroupmail/S=:HM/A=1554463/rand=871626532>

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to the Yahoo! <http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

640. 20 meter freq from Mark V issue

Yahoo group: XMLog
Date: 2003-05-09 15:50:47 UTC
From: Joseph Agius
Topic: 640 Message: 640

Mike,
I am having a problem getting the frequency from 20 M
on my Mark V.

Clicking on a packet screen freq tunes the rig OK.
Starting a new entry from the packet frew is also OK.

However, in edit mode "add new entry" the freq from 20
M is strange.

Examples if the rig is on 14.2000 the freq brought
back to Mlog is 950.846, 14.250 yields 963.647, 14.300
gives 976.445.

I can overtype the frequency to correct it but opening
the edit mode or clicking the field will give the
above results.
I have tried thid in MLOG 4.52 and 4.57 (hoping it
went away)

Any ideas.

Other bands seem OK.

Joe
W1TW

_____
Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

641. XMLOG with a TT Jupiter?

Yahoo group: XMLog
Date: 2003-05-09 17:05:40 UTC
From: Donald Jones
Topic: 641 Message: 641

Are there any XMLOG users out there who are also using a Ten-Tec Jupiter? I don't understand what is available via the Jupiter serial interface, and I am interested in whether it is possible to obtain frequency and mode information for XMLOG's use. Any information would be appreciated.

73 - Don N4TN

642. Re: 20 meter freq from Mark V issue

Yahoo group: XMLog
Date: 2003-05-11 16:34:11 UTC
From: Mike McAmis
Topic: 640 Message: 642

Hi Joe, I'm currently working on adding support for the TenTec Orion
and while I'm in the midst of this project I'll look into this
problem.

Mike - W1ECT

> Mike,
> I am having a problem getting the frequency from 20 M
> on my Mark V.
>
> Clicking on a packet screen freq tunes the rig OK.
> Starting a new entry from the packet frew is also OK.
>
> However, in edit mode "add new entry" the freq from 20
> M is strange.
>
> Examples if the rig is on 14.2000 the freq brought
> back to Mlog is 950.846, 14.250 yields 963.647, 14.300
> gives 976.445.
>
> I can overtype the frequency to correct it but opening
> the edit mode or clicking the field will give the
> above results.
> I have tried thid in MLOG 4.52 and 4.57 (hoping it
> went away)
>
> Any ideas.
>
> Other bands seem OK.
>
> Joe
> W1TW
>
> _____
> Do you Yahoo!?
> The New Yahoo! Search - Faster. Easier. Bingo.
> http://search.yahoo.com

643. Re: XMLOG with a TT Jupiter?

Yahoo group: XMLog
Date: 2003-05-11 16:35:08 UTC
From: Mike McAmis
Topic: 641 Message: 643

Hi Don, I'm currently working on adding support for the TenTec Orion
and while I'm in the midst of this project I'll look into adding
support for the Jupiter as well.

Mike - W1ECT
> Are there any XMLOG users out there who are also using a Ten-Tec
> Jupiter? I don't understand what is available via the Jupiter serial
> interface, and I am interested in whether it is possible to obtain
> frequency and mode information for XMLOG's use. Any information
would be
> appreciated.
>
> 73 - Don N4TN

644. Mode search

Yahoo group: XMLog
Date: 2003-05-12 13:30:53 UTC
From: g4tgk
Topic: 644 Message: 644

Hi,
Is is possible to search for two modes, i.e. PSK31 & RTTY, as one search? I run version 4.00.
Thanks,
John, G4TGK.

645. Re: [XMLog] Mode search

Yahoo group: XMLog
Date: 2003-05-12 17:06:49 UTC
From: Joseph Agius
Topic: 644 Message: 645

I think only if they have something in common.
=*s* will find all modes that are ssb and psk31 for
example.

Joe
W1TW
--- g4tgk <G4TGK@...> wrote:
> Hi,
> Is is possible to search for two modes, i.e. PSK31 &
> RTTY, as one
> search? I run version 4.00.
> Thanks,
> John, G4TGK.
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

646. Re: Mode search

Yahoo group: XMLog
Date: 2003-05-13 14:01:59 UTC
From: Mike McAmis
Topic: 644 Message: 646

Hi John - Only date fields or numeric fields let you include and's or or's (, or ;) in a search. Perhaps I should add a generic search for 'DATA' for the mode field although that would get in the way of searching for entries that have the mode explicitly set to 'DATA'. Some more thought here is required, I'll add it to the 'to-do' list.

Mike - W1ECT

> Hi,
> Is is possible to search for two modes, i.e. PSK31 & RTTY, as one
> search? I run version 4.00.
> Thanks,
> John, G4TGK.

647. Mode Search

Yahoo group: XMLog
Date: 2003-05-13 19:18:32 UTC
From: g4tgk
Topic: 647 Message: 647

Hi Mike and Joe,
Many thanks for your help. I run PSK31 and MFSK and wanted totals
etc. for the combined digital modes. I enter AFSK in the Mode field
as I don't think it accepts MFSK. However, after reading Joe's email
I can search =*SK* and get the results that I want.
Many thanks once again.
John.

648. Re: [XMLog] Mode Search

Yahoo group: XMLog
Date: 2003-05-13 20:15:33 UTC
From: Joseph Agius
Topic: 647 Message: 648

Ok John,
By the way, I am not sure which version Mike put it
into but there is an option to define a new mode in
the edit drop down window.
You can get the latest version at xmlog.com

Good luck
Joe
W1TW
--- g4tgk <G4TGK@...> wrote:
> Hi Mike and Joe,
> Many thanks for your help. I run PSK31 and MFSK and
> wanted totals
> etc. for the combined digital modes. I enter AFSK
> in the Mode field
> as I don't think it accepts MFSK. However, after
> reading Joe's email
> I can search =*SK* and get the results that I
> want.
> Many thanks once again.
> John.
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

_____
Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

649. Re: [XMLog] Mode Search

Yahoo group: XMLog
Date: 2003-05-13 20:21:54 UTC
From: Joseph Agius
Topic: 647 Message: 649

Ok John,
By the way, I am not sure which version Mike put it
into but there is an option to define a new mode in
the edit drop down window.
You can add MFSK.
You can get the latest version at xmlog.com

Good luck
Joe
W1TW
--- g4tgk <G4TGK@...> wrote:
> Hi Mike and Joe,
> Many thanks for your help. I run PSK31 and MFSK and
> wanted totals
> etc. for the combined digital modes. I enter AFSK
> in the Mode field
> as I don't think it accepts MFSK. However, after
> reading Joe's email
> I can search =*SK* and get the results that I
> want.
> Many thanks once again.
> John.
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

650. XMLOG and LOTW

Yahoo group: XMLog
Date: 2003-05-16 17:43:19 UTC
From: customcompsys
Topic: 650 Message: 650

I tried out the ARRL's beta LOTW last night. You have to convert
your log to AIDF and then use their utility to prepare the file
(compress it?) for upload. Anyway, their utility refuses to do this,
because the BAND field is missing in the XMLOG adi file.
Email to ARRL and return is that the BAND field must be
included; perhaps a later version will be smart enough to infer
the band from the frequency, but not currently.....

Help?

651. XMLOG and LOTW

Yahoo group: XMLog
Date: 2003-05-16 17:47:09 UTC
From: customcompsys
Topic: 650 Message: 651

I tried out the ARRL's beta LOTW last night. You have to convert
your log to AIDF and then use their utility to prepare the file
(compress it?) for upload. Anyway, their utility refuses to do this,
because the BAND field is missing in the XMLOG adi file.
Email to ARRL and return is that the BAND field must be
included; perhaps a later version will be smart enough to infer
the band from the frequency, but not currently.....

Help?

652. Re: [XMLog] XMLOG and LOTW

Yahoo group: XMLog
Date: 2003-05-16 21:37:16 UTC
From: N7MAL
Topic: 650 Message: 652

I made a quickie test of the ADI and here's what I found. If I enter a
frequency 14025 MLOG won't add the band. However if I move the decimal point
3 places and make the frequency 14.025 MLOG will add the band.
Here's a copy of my ADI file:

ADIF Export from XMLog Version 4.57
File: C:\mlog\mytest.log - 5/16/03
http://www.xmlog.com
m.mcamis@...
<EOH>

<QSO_DATE:8:D>20030516 <TIME_ON:4>2117 <CALL:4>ZD8Z <FREQ:6>14.175
<BAND:3>20M <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:3>ssb <CQZ:2>36
<DXCC:3>205 <EOR>

<QSO_DATE:8:D>20030516 <TIME_ON:4>2118 <CALL:4>ZD8A <FREQ:9>14025.000
<RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>cw <CQZ:2>36 <DXCC:3>205 <EOR>

<QSO_DATE:8:D>20030516 <TIME_ON:4>2127 <CALL:4>ZD8R <FREQ:6>14.030
<BAND:3>20M <RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>cw <CQZ:2>36
<DXCC:3>205 <EOR>

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "customcompsys" <PRH@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, May 16, 2003 5:47 PM
Subject: [XMLog] XMLOG and LOTW

I tried out the ARRL's beta LOTW last night. You have to convert
your log to AIDF and then use their utility to prepare the file
(compress it?) for upload. Anyway, their utility refuses to do this,
because the BAND field is missing in the XMLOG adi file.
Email to ARRL and return is that the BAND field must be
included; perhaps a later version will be smart enough to infer
the band from the frequency, but not currently.....

Help?

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

653. Re: [XMLog] XMLOG and LOTW

Yahoo group: XMLog
Date: 2003-05-16 23:00:55 UTC
From: PRH@aol.com
Topic: 650 Message: 653

In a message dated 5/16/2003 5:41:10 PM Eastern Daylight Time,
n7mal@... writes:

> I made a quickie test of the ADI and here's what I found. If I enter a
> frequency 14025 MLOG won't add the band. However if I move the decimal
> point
> 3 places and make the frequency 14.025 MLOG will add the band.
> Here's a copy of my ADI file:
>

Interesting.... I'll look at that in my files, however I'm not really eager
to go back and add 3 decimal places to a few thousand QSOs I made before I
had a radio that could send them to my computer for me. The LOTW software has
an editor that allows you to edit the .adi file too: is seems to default to a
band of 160m however for any record it finds without the band (and just a
frequency) rather than figuring out that 14 in the frequency is really 20
meters......

Paul K2PH

[Non-text portions of this message have been removed]

654. Re: XMLOG and LOTW

Yahoo group: XMLog
Date: 2003-05-17 13:14:53 UTC
From: customcompsys
Topic: 650 Message: 654

--- In XMLog@yahoogroups.com, PRH@a... wrote:
> In a message dated 5/16/2003 5:41:10 PM Eastern Daylight Time,
> n7mal@c... writes:
>
> > I made a quickie test of the ADI and here's what I found. If I
enter a
> > frequency 14025 MLOG won't add the band. However if I move the
decimal
> > point
> > 3 places and make the frequency 14.025 MLOG will add the band.
> > Here's a copy of my ADI file:
> >
>
I am happy to report that a new beta release of LOTW posted yesterday
now accurately infers and creates the "BAND" field from
the "FREQUENCY" field if necessary and therefore the files can be
prepared and uploaded to LOTW. I tried it last nite with 3K+ QSOs and
it seemed to work fine.

Paul K2PH*at*ARRL.NET

655. LOTW Support

Yahoo group: XMLog
Date: 2003-05-17 15:25:37 UTC
From: Mike McAmis
Topic: 655 Message: 655

The "Band" fields for ADIF exports were added in XMLog version 4.53 so the version available at xmlog.com and xmlog.com/beta both support this feature. XMLog has always interpreted the frequency in log entries as mHz.kHz - if you enter your frequencies as kHz this not only affects the ADIF output but also means that none of the XMLog awards tracking reports will work properly.

Mike - W1ECT

656. Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-17 23:55:46 UTC
From: Jim Sullivan
Topic: 656 Message: 656

Last year at about this time of year someone posted a file to test callbook interface to the QRZ website. Has this been successful? If so, has it been incorporated in later versions of XMLog? I'm using V. 4.23 Info would be appreciated.
73,
Jim, W2JBS

657. Re: [XMLog] Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-18 01:42:59 UTC
From: Tom Schaefer
Topic: 656 Message: 657

Look at www.xmission.com/~toms/software
----- Original Message -----
From: "Jim Sullivan" <w2jbs@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, May 17, 2003 5:55 PM
Subject: [XMLog] Callbook interface to QRZ website

> Last year at about this time of year someone posted a file to test
> callbook interface to the QRZ website. Has this been successful? If
> so, has it been incorporated in later versions of XMLog? I'm using V.
> 4.23 Info would be appreciated.
> 73,
> Jim, W2JBS
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

658. Re: [XMLog] Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-18 03:25:28 UTC
From: CyberGeezer
Topic: 656 Message: 658

----- Original Message -----
From: "Jim Sullivan" <w2jbs@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, May 17, 2003 7:55 PM
Subject: [XMLog] Callbook interface to QRZ website

> Last year at about this time of year someone posted a
file to test
> callbook interface to the QRZ website. Has this been
successful? If
> so, has it been incorporated in later versions of XMLog?
I'm using V.
> 4.23 Info would be appreciated.

I used to use v4.23 and the separate DLL that someone
provided to do callbook lookups on QRZ.COM. Now I use
v4.56, which has that capability built in. It works fine.
(I have a DSL connection.)

73 de W2GERry

659. Re: Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-18 14:15:24 UTC
From: Mike McAmis
Topic: 656 Message: 659

Hi Jim, The current version of XMLog at www.xmlog.com has QRZ.COM
support built in. Older versions can use the DLL available in
the "Files" area of the XMLog news group: groups.yahoo.com/group/XMLog

Mike - W1ECT

> Last year at about this time of year someone posted a file to test
> callbook interface to the QRZ website. Has this been successful? If
> so, has it been incorporated in later versions of XMLog? I'm using
V.
> 4.23 Info would be appreciated.
> 73,
> Jim, W2JBS

660. Re: [XMLog] Re: Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-18 16:11:38 UTC
From: Tom Schaefer
Topic: 656 Message: 660

I forgot that Mike added that in!

Thanks,

Tom NY4I
----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, May 18, 2003 8:15 AM
Subject: [XMLog] Re: Callbook interface to QRZ website

> Hi Jim, The current version of XMLog at www.xmlog.com has QRZ.COM
> support built in. Older versions can use the DLL available in
> the "Files" area of the XMLog news group: groups.yahoo.com/group/XMLog
>
> Mike - W1ECT
>
> > Last year at about this time of year someone posted a file to test
> > callbook interface to the QRZ website. Has this been successful? If
> > so, has it been incorporated in later versions of XMLog? I'm using
> V.
> > 4.23 Info would be appreciated.
> > 73,
> > Jim, W2JBS
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

661. Error message on 4.57 beta

Yahoo group: XMLog
Date: 2003-05-18 16:28:43 UTC
From: Donald Jones
Topic: 661 Message: 661

I just installed the beta version (4.57) and when I start MLOG I receive an error message:

```
-----------------------
Can't read node file
(52) Bad file name or number
-----------------------
```

I can reply OK and everything seems to run just fine, so this is not an urgent problem. I just wondered if I have messed something up on the install?

Thanks - Don N4TN

662. Re: [XMLog] Error message on 4.57 beta

Yahoo group: XMLog
Date: 2003-05-18 16:47:12 UTC
From: Donald Jones
Topic: 661 Message: 662

I forgot to mention that I do not use node files - I have the Port Type set to "Internet" and the Internet Auto-Connect frame set to the IP of the K8SMC DX Cluster (198.109.212.235) for automatic connection on MLOG startup.

Don N4TN

664. Re: [XMLog] Re: Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-18 19:14:16 UTC
From: Jim Sullivan
Topic: 656 Message: 664

Thank you all for your responses.
Mike, if I download the newest version, how do I move my log over? I hate to sound like an idiot, but I am one step up from being computer illiterate and need someone to hold my hand and talk me through the procedure.
Thanks for your help.
73, Jim

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, May 18, 2003 10:15 AM
Subject: [XMLog] Re: Callbook interface to QRZ website

> Hi Jim, The current version of XMLog at www.xmlog.com has QRZ.COM
> support built in. Older versions can use the DLL available in
> the "Files" area of the XMLog news group: groups.yahoo.com/group/XMLog
>
> Mike - W1ECT
>
> > Last year at about this time of year someone posted a file to test
> > callbook interface to the QRZ website. Has this been successful? If
> > so, has it been incorporated in later versions of XMLog? I'm using
> V.
> > 4.23 Info would be appreciated.
> > 73,
> > Jim, W2JBS
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

665. Re: Callbook interface to QRZ website

Yahoo group: XMLog
Date: 2003-05-19 10:44:29 UTC
From: Jim Sullivan
Topic: 656 Message: 665

```
>
> ----- Original Message -----
> From: "Mike McAmis" <m.mcamis@v...>
> To: <XMLog@yahoogroups.com>
> Sent: Sunday, May 18, 2003 10:15 AM
> Subject: [XMLog] Re: Callbook interface to QRZ website
>
>
> > Hi Jim, The current version of XMLog at www.xmlog.com has QRZ.COM
> > support built in. Older versions can use the DLL available in
> > the "Files" area of the XMLog news group:
groups.yahoo.com/group/XMLog

Thanks Mike.
W2GER gave me instructions and it works
My appreciation to all for their patience.
73,
Jim, W2JBS
```

666. Re: Error message on 4.57 beta

Yahoo group: XMLog
Date: 2003-05-19 15:13:43 UTC
From: Mike McAmis
Topic: 661 Message: 666

Hi Don, You're right - it only happens using an internet connection without a node file. I'll post the fix in the next version soon.

Mike - W1ECT

> I just installed the beta version (4.57) and when I start MLOG I receive
> an error message:
> ----------
> Can't read node file
> (52) Bad file name or number
> ----------
> I can reply OK and everything seems to run just fine, so this is not an
> urgent problem. I just wondered if I have messed something up on the
> install?
>
> Thanks - Don N4TN

667. Re: Error message on 4.57 beta

Yahoo group: XMLog
Date: 2003-05-21 01:56:48 UTC
From: n3dd
Topic: 661 Message: 667

Hi Mike

I had the same problem with 4.57 but I do have a node file entered.
I just installed 4.58 and I am receiving the error message. Any
ideas?

Thanks, Dom N3DD

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Don, You're right - it only happens using an internet connection
> without a node file. I'll post the fix in the next version soon.
>
> Mike - W1ECT
> > I just installed the beta version (4.57) and when I start MLOG I
> receive
> > an error message:
> > ----------
> > Can't read node file
> > (52) Bad file name or number
> > ----------
> > I can reply OK and everything seems to run just fine, so this is
> not an
> > urgent problem. I just wondered if I have messed something up on
the
> > install?
> >
> > Thanks - Don N4TN

668. Re: QRZ32NET

Yahoo group: XMLog
Date: 2003-05-23 02:18:02 UTC
From: Thomas M. Schaefer
Topic: 668 Message: 668

Fred,

Thanks for your message. I do not believe I have done anything wrong in this process and this is an easy thing for you to prevent. You made an accusation about reverse engineering software that is unfounded and I would expect someone in your position to have a slightly better understanding of the difference between HTML and coded software. But nonetheless, I must respectfully decline to cease distribution of my software. I will move the source code into the public domain and let the amateur radio community at large maintain it if they so desire on Sourceforge. Additionally, I put terms in my disclaimer that the use is up to the user, not me. I only write software. It is up to you to get your users to comply with a license.

Tom NY4I
----- Original Message -----
From: "Fred Lloyd, AA7BQ" <flloyd@...>
To: <ny4i@...>
Sent: Thursday, May 22, 2003 2:52 PM
Subject: QRZ32NET

> Tom,
>
> Without going into a long commentary, I'd like you to stop distributing
> your QRZ32NET DLL.
>
> Its patently unfair for someone to access QRZ without downloading
> the advertising that pays for the site. You are knowingly providing
> a tool that allows people to steal from me, and, you have apparently
> reverse-engineered my copyrighted software.
>
> Thanks for your consideration,
>
> -fred
>
>
> PLEASE send any questions to Tom Schaefer, NY4I (ny4i@...)
> Also, this software is using interfaces from both public commercial
Internet callbook servers.
> Its use may be outside the license of the commercial website.
> Your use is governed by YOU.
>
> As always, this software is supplied as-is without warranty of any kind.
> All right reserved by Thomas M. Schaefer (NY4I), 11678 Littler Rd, Sandy,
UT 84092
>

669. searching by band

Yahoo group: XMLog
Date: 2003-05-23 04:32:50 UTC
From: wbfnar
Topic: 669 Message: 669

Hi All,

Bit new to XMLog, but I do try to read the help files before coming here, honest. Puzzled by how to do searching, in particular by band, doesn't seem to work as described in the manual.

From what I understand if I want to search by freq, then I hit the Select button in the log window, fill in one of the fields above, in this case Freq (good so far?) with an exact match or one of the special strings (such as MHz or band name), then hit Search.

However, trying either MHz or one of the band names (e.g. 20m) brings up nothing. Yes, I have entries corresponding to the bands I'm searching for! :)

I use a KHz format for my frequencies, could that be what is screwing me up? For instance, I use 7055.2 instead of 7.0552.

TIA,
Casey, KS7J

670. Re: [XMLog] searching by band

Yahoo group: XMLog
Date: 2003-05-23 13:25:12 UTC
From: Joseph Agius
Topic: 669 Message: 670

Try >7054,<7999 in freq field.
this will give you all in between

GL
Joe
W1TW
--- wbfnar <wbfnar@...> wrote:
> Hi All,
>
> Bit new to XMLog, but I do try to read the help
> files before coming
> here, honest. Puzzled by how to do searching, in
> particular by band,
> doesn't seem to work as described in the manual.
>
> From what I understand if I want to search by freq,
> then I hit the
> Select button in the log window, fill in one of the
> fields above, in
> this case Freq (good so far?) with an exact match or
> one of the
> special strings (such as MHz or band name), then hit
> Search.
>
> However, trying either MHz or one of the band names
> (e.g. 20m)
> brings up nothing. Yes, I have entries corresponding
> to the bands
> I'm searching for! :)
>
> I use a KHz format for my frequencies, could that be
> what is
> screwing me up? For instance, I use 7055.2 instead
> of 7.0552.
>
> TIA,
> Casey, KS7J
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>

>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

671. Fwd: Re: QRZ32NET

Yahoo group: XMLog
Date: 2003-05-23 14:13:36 UTC
From: ny4i@arrl.net
Topic: 671 Message: 671

----- Forwarded message from "Fred Lloyd, AA7BQ" <flloyd@...> -----
Date: Thu, 22 May 2003 19:52:49 -0700
From: "Fred Lloyd, AA7BQ" <flloyd@...>
Reply-To: "Fred Lloyd, AA7BQ" <flloyd@...>
Subject: Re: QRZ32NET
To: "Thomas M. Schaefer" <toms@...>

Tom,

I see that you're a champion of the people.

Let me see, hmmm, because I don't put roadblocks in my code
to prevent screen-scrapers from picking bits of data out of
it and screwing me over on my income, then I deserve to be
humiliated by a hero who believes that all dumb things in the
world should be free and that those of us who work hard to
earn a living should work harder to be as smart as you are.

Oh, and just to make sure, it's not your fault that people
use this code to screw me, because they themselves should be
responsible.

Sorry, but that's a cop-out. You simply don't care if I get
screwed. You're just making it easy for the everyday DX'ers
who don't know jack about software to grab free data
from my website.

Thanks for giving me yet another coding assignment. I could
have used this time for something a lot more productive.

-fred

--On Thursday, May 22, 2003 8:18 PM -0600 "Thomas M. Schaefer"
<toms@...> wrote:

> Fred,
>
> Thanks for your message. I do not believe I have done anything wrong in this
> process and this is an easy thing for you to prevent. You made an accusation
> about reverse engineering software that is unfounded and I would expect
> someone in your position to have a slightly better understanding of the
> difference between HTML and coded software. But nonetheless, I must
> respectfully decline to cease distribution of my software. I will move the
> source code into the public domain and let the amateur radio community at
> large maintain it if they so desire on Sourceforge. Additionally, I put
> terms in my disclaimer that the use is up to the user, not me. I only write
> software. It is up to you to get your users to comply with a license.

>
> Tom NY4I
> ----- Original Message -----
> From: "Fred Lloyd, AA7BQ" <flloyd@...>
> To: <ny4i@...>
> Sent: Thursday, May 22, 2003 2:52 PM
> Subject: QRZ32NET
>
>
>> Tom,
>>
>> Without going into a long commentary, I'd like you to stop distributing
>> your QRZ32NET DLL.
>>
>> Its patently unfair for someone to access QRZ without downloading
>> the advertising that pays for the site. You are knowingly providing
>> a tool that allows people to steal from me, and, you have apparently
>> reverse-engineered my copyrighted software.
>>
>> Thanks for your consideration,
>>
>> -fred
>>
>>
>> PLEASE send any questions to Tom Schaefer, NY4I (ny4i@...)
>> Also, this software is using interfaces from both public commercial
> Internet callbook servers.
>> Its use may be outside the license of the commercial website.
>> Your use is governed by YOU.
>>
>> As always, this software is supplied as-is without warranty of any kind.
>> All right reserved by Thomas M. Schaefer (NY4I), 11678 Littler Rd, Sandy,
> UT 84092
>>
>

----- End forwarded message -----

672. Re: Error message on 4.57 beta

Yahoo group: XMLog
Date: 2003-05-23 14:45:31 UTC
From: Mike McAmis
Topic: 661 Message: 672

I had mistakenly posted an incomplete version of 4.58 in
www.xmlog.com/beta that didn't include all the updates. Dom has
downloaded the file currently posted and the problem has been fixed.
The date for the correct xmlog458.zip file is 5/21/03.

Mike - W1ECT

> Hi Mike
>
> I had the same problem with 4.57 but I do have a node file
entered.
> I just installed 4.58 and I am receiving the error message. Any
> ideas?
>
> Thanks, Dom N3DD
>
>
>
>
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > Hi Don, You're right - it only happens using an internet
connection
> > without a node file. I'll post the fix in the next version soon.
> >
> > Mike - W1ECT
> > > I just installed the beta version (4.57) and when I start MLOG
I
> > receive
> > > an error message:
> > > ----------------------
> > > Can't read node file
> > > (52) Bad file name or number
> > > ----------------------
> > > I can reply OK and everything seems to run just fine, so this
is
> > not an
> > > urgent problem. I just wondered if I have messed something up
on
> the
> > > install?
> > >
> > > Thanks - Don N4TN

673. QRZ DLL

Yahoo group: XMLog
Date: 2003-05-23 15:59:56 UTC
From: Thomas M. Schaefer
Topic: 673 Message: 673

All,

At the end of the day today (Friday), I am going to remove the link to the QRZ32DLL on my website. After coming to an understanding with Fred of QRZ.COM, I want to support what he is doing and respect his wishes. So, I am going to change the code to use the UALR database which will give some basic information (but not nearly as much as the QRZ database). When I have finished this, I will repost the file.

Fred is working on some things to get online access back, but he can announce that later. Thanks to all that used the DLL in its current form. It will be back operational soon.

Regards,

Tom Schaefer, NY4I

674. Re: [XMLog] Fwd: Re: QRZ32NET

Yahoo group: XMLog
Date: 2003-05-23 18:59:28 UTC
From: Donald Jones
Topic: 671 Message: 674

Can someone tell me what the heck this extremely silly exchange has to do with the extremely pleasant subject of the XMLOG program? Why can't these pathetic ego cases deal with each other, one on one, without polluting every discussion group on the web? XMLOG is a terrific program, supplied and maintained by a cooperative and agreeable author and enjoyed by sensible people. In my humble opinion there is absolutely no call for such petty trash being directed to the XMLOG group.

Freedom of speech on the web is a wonderful thing. Unfortunately there are always a few who do not have the maturity to handle it.

- Don Jones N4TN

675. Re: [XMLog] Fwd: Re: QRZ32NET

Yahoo group: XMLog
Date: 2003-05-23 19:05:26 UTC
From: Tom Schaefer
Topic: 671 Message: 675

Very simple. There are/were many users of XMLog making use of this DLL and I thought it relevent to users of XMLog. Perhaps you were not aware of this fact and I can understand your confusion as I did not preface my remarks with "This email is only for users of XMLog that used the QRZ32 DLL. Additionally, Mike currently has code in his program to directly access the QRZ website. As Fred has expressed, he desires that people do not do this so Mike has to make a decision. So, now you know what this silly exchange has to do with XMLog.

Tom NY4I
----- Original Message -----
From: "Donald Jones" <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, May 23, 2003 12:59 PM
Subject: Re: [XMLog] Fwd: Re: QRZ32NET

> Can someone tell me what the heck this extremely silly exchange has to
> do with the extremely pleasant subject of the XMLOG program? Why can't
> these pathetic ego cases deal with each other, one on one, without
> polluting every discussion group on the web? XMLOG is a terrific
> program, supplied and maintained by a cooperative and agreeable author
> and enjoyed by sensible people. In my humble opinion there is absolutely
> no call for such petty trash being directed to the XMLOG group.
>
> Freedom of speech on the web is a wonderful thing. Unfortunately there
> are always a few who do not have the maturity to handle it.
>
> - Don Jones N4TN
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

676. Re: [XMLog] Fwd: Re: QRZ32NET

Yahoo group: XMLog
Date: 2003-05-23 19:08:57 UTC
From: g5649c@aol.com
Topic: 671 Message: 676

I AGREE WITH YOU!!!!!!!!
GARY,AB0IQ

[Non-text portions of this message have been removed]

677. Re: searching by band

Yahoo group: XMLog
Date: 2003-05-23 20:18:31 UTC
From: wbfnar
Topic: 669 Message: 677

Thanks for the suggestion Joe. I tried shortly after to convert
frequencies to the format MM.KKK and that did the trick also.
Fortunately I only had 36 entries to edit.

Would be nice if there were an option to use a standard freq format
of one's choice. I'd also like just a general search field instead
of having to mouse around to the relevant data field each time. Not
complaining, just suggesting! :)

73,

Casey, KS7J

--- In XMLog@yahoogroups.com, Joseph Agius <jpagius@y...> wrote:
> Try >7054,<7999 in freq field.
> this will give you all in between
>
> GL
> Joe
> W1TW
> --- wbfnar <wbfnar@y...> wrote:
> > Hi All,
> >
> > Bit new to XMLog, but I do try to read the help
> > files before coming
> > here, honest. Puzzled by how to do searching, in
> > particular by band,
> > doesn't seem to work as described in the manual.
> >
> > From what I understand if I want to search by freq,
> > then I hit the
> > Select button in the log window, fill in one of the
> > fields above, in
> > this case Freq (good so far?) with an exact match or
> > one of the
> > special strings (such as MHz or band name), then hit
> > Search.
> >
> > However, trying either MHz or one of the band names
> > (e.g. 20m)
> > brings up nothing. Yes, I have entries corresponding
> > to the bands
> > I'm searching for! :)
> >
> > I use a KHz format for my frequencies, could that be
> > what is

> > screwing me up? For instance, I use 7055.2 instead
> > of 7.0552.
> >
> > TIA,
> > Casey, KS7J
> >
> >
> > ------------------------ Yahoo! Groups Sponsor
> >
> > To unsubscribe from this group, send an email to:
> >
> > XMLog-unsubscribe@onelist.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> > http://docs.yahoo.com/info/terms/
> >
> >
>
>
> _____________________________________
> Do you Yahoo!?
> The New Yahoo! Search - Faster. Easier. Bingo.
> http://search.yahoo.com

678. RE: [XMLog] QRZ DLL

Yahoo group: XMLog
Date: 2003-05-24 02:32:47 UTC
From: Mike
Topic: 673 Message: 678

This will probably sound silly, but I'll suggest it anyway. The actual meat of the complaint was that folks were retrieving the info without seeing the ads. Perhaps if it were possible to use the DLL to conveniently import the data, while at the same time displaying the ads in a window somewhere. That way everyone wins... QRZ's advertising gets seen, and XMLog users get the data.

-----Original Message-----
From: Thomas M. Schaefer [mailto:ny4i@...]
Sent: Friday, May 23, 2003 9:00 AM
To: XMLog@yahoogroups.com; dxlab@yahoogroups.com
Cc: Fred Lloyd, AA7BQ
Subject: [XMLog] QRZ DLL

All,

At the end of the day today (Friday), I am going to remove the link to the QRZ32DLL on my website. After coming to an understanding with Fred of QRZ.COM, I want to support what he is doing and respect his wishes. So, I am going to change the code to use the UALR database which will give some basic information (but not nearly as much as the QRZ database). When I have finished this, I will repost the file.

Fred is working on some things to get online access back, but he can announce that later. Thanks to all that used the DLL in its current form. It will be back operational soon.

Regards,

Tom Schaefer, NY4I

To unsubscribe from this group, send an email to:

XMLog-unsubscribe@onelist.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

679. LoTW submission

Yahoo group: XMLog
Date: 2003-06-05 16:32:26 UTC
From: witstock7
Topic: 679 Message: 679

I'm trying to participate in the LoTW beta testing program but I have a question about the adif log submission. The instructions from the ARRL call for the log to have the suffix as adi but the log I was preparing to submit gets saved by XMLog with adf as the suffix. Can I simply rename it to adi or is there some computer wizardry involved?

Nelson, K8DJC

680. Re: [XMLog] LoTW submission

Yahoo group: XMLog
Date: 2003-06-05 17:42:54 UTC
From: Bruce Ferry
Topic: 679 Message: 680

Yes. If you can remember next time you export it you can add the .adi to
the file name you use and avoid the renaming process.

witstock7 wrote:
> I'm trying to participate in the LoTW beta testing program but I have
> a question about the adif log submission. The instructions from the
> ARRL call for the log to have the suffix as adi but the log I was
> preparing to submit gets saved by XMLog with adf as the suffix. Can
> I simply rename it to adi or is there some computer wizardry involved?
>
> Nelson, K8DJC
>
>
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

--
Bruce Ferry, AK8B

681. Leading zero(s) in time field...

Yahoo group: XMLog
Date: 2003-06-12 14:06:39 UTC
From: Mark
Topic: 681 Message: 681

Hello to all,

I am attempting to use the log file as the data source for a QSL card mail merge. Importing the log file into Access 2000 works fine except there are no leading zeros in the time field. I've tried adding an "hhnn" format to the field property but it doesn't add the zeroes. Any ideas on how this can be done?

73', Mark NB1U

682. Re: [XMLog] Leading zero(s) in time field...

Yahoo group: XMLog
Date: 2003-06-12 14:52:33 UTC
From: CyberGeezer
Topic: 681 Message: 682

----- Original Message -----
From: "Mark" <golfradio@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, June 12, 2003 10:06 AM
Subject: [XMLog] Leading zero(s) in time field...

> Hello to all,
>
> I am attempting to use the log file as the data source for a
QSL card
> mail merge. ....

Have you considered using XMLog's internal QSL Label and
Mailing Label features?

I print all my QSL cards with the QSL Label feature, and I
address the ones I'm sending direct with the Mailing Label
feature, and I'm pleased with the results.

73 de W2GERry

683. Re: Leading zero(s) in time field...

Yahoo group: XMLog
Date: 2003-06-13 14:27:21 UTC
From: Mike McAmis
Topic: 681 Message: 683

Hi - I'm not familiar with column formatting in Access but you can do the formatting from Excel either by using the XMLog menu item "Display/Excel" or directly importing the log info into Excel using the queries available in the log file.

Mike - W1ECT

> Hello to all,
>
> I am attempting to use the log file as the data source for a QSL card
> mail merge. Importing the log file into Access 2000 works fine
> except there are no leading zeros in the time field. I've tried
> adding an "hhnn" format to the field property but it doesn't add the
> zeroes. Any ideas on how this can be done?
>
> 73', Mark NB1U

684. Re: Leading zero(s) in time field...

Yahoo group: XMLog
Date: 2003-06-13 15:23:47 UTC
From: Mark
Topic: 681 Message: 684

Tnx for the info., Mike. I'll give that a try...

Mark, NB1U

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi - I'm not familiar with column formatting in Access but you can
do
> the formatting from Excel either by using the XMLog menu
> item "Display/Excel" or directly importing the log info into Excel
> using the queries available in the log file.
>
> Mike - W1ECT
>
> > Hello to all,
> >
> > I am attempting to use the log file as the data source for a QSL
> card
> > mail merge. Importing the log file into Access 2000 works fine
> > except there are no leading zeros in the time field. I've tried
> > adding an "hhnn" format to the field property but it doesn't add
> the
> > zeroes. Any ideas on how this can be done?
> >
> > 73', Mark NB1U

685. Searching

Yahoo group: XMLog
Date: 2003-06-13 16:42:28 UTC
From: kb1jct
Topic: 685 Message: 685

How do I do a search using a wildcard.... for instance searching any callsign beginning kb9? I tried using an asterik but that didn't work and I know the callsign existed because I had just input it.

Thanks
Jay (KB1JCT)

686. Re: [XMLog] Searching

Yahoo group: XMLog
Date: 2003-06-13 17:19:41 UTC
From: Donald Jones
Topic: 685 Message: 686

Jay -

To search for any (all) KB9 calls, the argument would be "=kb9*" (don't include the quotes)

Hope this helps.

73 - Don N4TN

687. Re: [XMLog] Searching

Yahoo group: XMLog
Date: 2003-06-13 17:19:31 UTC
From: Joseph Agius
Topic: 685 Message: 687

```
=KB9* (YOU NEED THE EQUAL SIGN)
Joe
W1TW
--- kb1jct <kb1jct@...> wrote:
> How do I do a search using a wildcard.... for
> instance searching any
> callsign beginning kb9? I tried using an asterik
> but that didn't
> work and I know the callsign existed because I had
> just input it.
>
> Thanks
> Jay (KB1JCT)
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> XMLog-unsubscribe@onelist.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

---------------------------------
Do you Yahoo!?
Yahoo! Calendar - Free online calendar with sync to Outlook(TM).
http://calendar.yahoo.com
```

688. Thanks

Yahoo group: XMLog
Date: 2003-06-13 17:49:11 UTC
From: kb1jct
Topic: 688 Message: 688

Thanks for the info... I'll give that a try this evening. Useful on nets and tracking mobile stations and where I've worked them already.

Thanks,
Jay (KB1JCT)

689. Memories for HF Rig control?

Yahoo group: XMLog
Date: 2003-06-13 21:10:53 UTC
From: Donald Jones
Topic: 689 Message: 689

Mike -

This is probably a ridiculous idea but I thought I would see what you think about it.

Being able to set my HF rig frequency and mode by clicking the frequency of a
packet cluster spot is really nice. Would it be practical to extend this to having a
displayable, user-built list of his/her commonly used frequencies which could be
"clicked on" to set the HF rig frequency/mode? Something like a simple memory bank.
(Don't tell my Cluster Sys Admin but I sometimes (not often) just type in a frequency
and then hit Enter. The packet cluster gives an error but I can still click on the
frequency that is displayed in the 'command error' message and go immediately to the
frequncy/mode.)

Does this make any sense at all? Just a thought....

TNX and 73 - Don N4TN

690. Re: Memories for HF Rig control?

Yahoo group: XMLog
Date: 2003-06-14 14:30:36 UTC
From: Craig - N7OR
Topic: 689 Message: 690

Not that ridiculous, to me. Commander, by AA6YQ, does just this. It provides 100 memories, in 10 banks of 10. It only sets freq. and mode, at least on my FT920. Other rigs may be capable of filter, antenna, etc.. Not sure. It is pretty cool though. Do a search for "DXLAB" if you want a look at it.
73, Craig R. Cook - N7OR Sandy, Oregon.
==========
--- In XMLog@yahoogroups.com, Donald Jones <n4tn@c...> wrote:
> Mike -
>
> This is probably a ridiculous idea but I thought I would see what you
> think about it.
>
> Being able to set my HF rig frequency and mode by clicking the frequency
> of a
> packet cluster spot is really nice. Would it be practical to extend this
> to having a
> displayable, user-built list of his/her commonly used frequencies which
> could be
> "clicked on" to set the HF rig frequency/mode? Something like a simple
> memory bank.
> (Don't tell my Cluster Sys Admin but I sometimes (not often) just type
> in a frequency
> and then hit Enter. The packet cluster gives an error but I can still
> click on the
> frequency that is displayed in the 'command error' message and go
> immediately to the
> frequncy/mode.)
>
> Does this make any sense at all? Just a thought....
>
> TNX and 73 - Don N4TN

691. Re: Memories for HF Rig control?

Yahoo group: XMLog
Date: 2003-06-14 14:38:43 UTC
From: Mike McAmis
Topic: 689 Message: 691

Hi Don - Not a bad idea, it would be useful for those of us who have these ancient rigs without programmable memories. I'll add it to the 'to-do' list.

Mike - W1ECT

> Mike -
>
> This is probably a ridiculous idea but I thought I would see what you
> think about it.
>
> Being able to set my HF rig frequency and mode by clicking the frequency
> of a
> packet cluster spot is really nice. Would it be practical to extend this
> to having a
> displayable, user-built list of his/her commonly used frequencies which
> could be
> "clicked on" to set the HF rig frequency/mode? Something like a simple
> memory bank.
> (Don't tell my Cluster Sys Admin but I sometimes (not often) just type
> in a frequency
> and then hit Enter. The packet cluster gives an error but I can still
> click on the
> frequency that is displayed in the 'command error' message and go
> immediately to the
> frequncy/mode.)
>
> Does this make any sense at all? Just a thought....
>
> TNX and 73 - Don N4TN

692. Re: [XMLog] Re: Memories for HF Rig control?

Yahoo group: XMLog
Date: 2003-06-14 15:14:29 UTC
From: Donald Jones
Topic: 689 Message: 692

Mike thanks for your consideration on this. The "modern" Ten Tec Jupiter, which advertises 100 memories as a features, clears every blooming one of them each time you install a firmware upgrade and do the mandatory full reset. After two iterations of that I decided that, for all practical purposes, I have no memories! So I have some selfish motivation in wanting it :-)

Thanks again - Don N4TN

693. Re: Leading zero(s) in time field...

Yahoo group: XMLog
Date: 2003-06-15 01:27:38 UTC
From: Mark
Topic: 681 Message: 693

Mike,

I used the "Display/Excel" function as you suggested and it works fine. It fixed a few other minor problems with date and freq. presentation I was experiencing so all is well. I was using an old version (4.16?) that did not have the above function.

Tnx agn,
Mark NB1U
--- In XMLog@yahoogroups.com, "Mark" <golfradio@y...> wrote:
> Tnx for the info., Mike. I'll give that a try...
>
> Mark, NB1U
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> >
> > Hi - I'm not familiar with column formatting in Access but you can
> do
> > the formatting from Excel either by using the XMLog menu
> > item "Display/Excel" or directly importing the log info into Excel
> > using the queries available in the log file.
> >
> > Mike - W1ECT
> >
> > > Hello to all,
> > >
> > > I am attempting to use the log file as the data source for a QSL
> > card
> > > mail merge. Importing the log file into Access 2000 works fine
> > > except there are no leading zeros in the time field. I've tried
> > > adding an "hhnn" format to the field property but it doesn't add
> > the
> > > zeroes. Any ideas on how this can be done?
> > >
> > > 73', Mark NB1U

694. Lost log entries.

Yahoo group: XMLog
Date: 2003-06-15 16:57:51 UTC
From: Donald Jones
Topic: 694 Message: 694

Its me again. I am turning into a real trouble maker in my older days. I really am not sitting around trying to think of things for Mike to do, but....

I have noticed from time to time that I am losing a log entry. I finally figured out what I was doing wrong (I am a real Keyboard Klutz): I am getting distracted during the heat of DXing and sometimes hitting STOP without having completed the log entry process. That is, even though I may have entered all the required data, I have not hit Enter or ADD before I select STOP (for whatever reason).

I wonder if it would be possible, when the STOP button is selected, to check if anything has been entered into the CALL input field and, if so, to display a "Are you sure?" type dialog box before exiting log entry ADD mode?

Thanks and 73 - Don Jones N4TN

695. Put correct time on spots in Spot Map and History?

Yahoo group: XMLog
Date: 2003-06-16 08:31:12 UTC
From: David Spoelstra
Topic: 695 Message: 695

First off, I *love* XMLog. I tell *everyone* about it, and I write about it on my web site:
http://www.qsl.net/n9kt/logging.html

Second, when I first fire up XMLog, I connect to my cluster and do a "sh/fdx/100" to populate the Spots Map and Spots History. Even though the spots have the correct time listed in the Packet window, I noticed that in both the Map and History window, they get listed with the current time - *not* the time they were spotted that's listed in the Packet window. Can you fix that?

Thanks!
-David/N9KT

696. Re: Put correct time on spots in Spot Map and History?

Yahoo group: XMLog
Date: 2003-06-19 14:19:23 UTC
From: Mike McAmis
Topic: 695 Message: 696

Hi Dave, I'll take a look.

Mike - W1ECT

> First off, I *love* XMLog. I tell *everyone* about it, and I write
> about it on my web site:
> http://www.qsl.net/n9kt/logging.html
>
> Second, when I first fire up XMLog, I connect to my cluster and do
> a "sh/fdx/100" to populate the Spots Map and Spots History. Even
> though the spots have the correct time listed in the Packet window,
I
> noticed that in both the Map and History window, they get listed
with
> the current time - *not* the time they were spotted that's listed
in
> the Packet window. Can you fix that?
>
> Thanks!
> -David/N9KT

697. Re: [XMLog] Re: Put correct time on spots in Spot Map and History?

Yahoo group: XMLog
Date: 2003-06-19 15:11:50 UTC
From: Joseph Agius
Topic: 695 Message: 697

Hi Mike,
While you're doing that, I am having trouble getting
all of the posts to the band spot window aalthough
they show up in the history ok
especially 160M spots are not there and I read all of
the parameters and am pretty sue they are correct -
freq range, colors, etc.
If I bring up the spot window and do a sh/dx, the
spots do not populate the window. New spots populate
it randomly.
Any ideas.

#2

Next time you are in the worked/confirmed report,
check the spelling of "Submitted" The first occurence
is spelled Sbumitted"

Joe
W1TW
--- Mike McAmis <m.mcamis@...> wrote:
> Hi Dave, I'll take a look.
>
> Mike - W1ECT
>
> > First off, I *love* XMLog. I tell *everyone*
> about it, and I write
> > about it on my web site:
> > http://www.qsl.net/n9kt/logging.html
> >
> > Second, when I first fire up XMLog, I connect to
> my cluster and do
> > a "sh/fdx/100" to populate the Spots Map and Spots
> History. Even
> > though the spots have the correct time listed in
> the Packet window,
> I
> > noticed that in both the Map and History window,
> they get listed
> with
> > the current time - *not* the time they were
> spotted that's listed
> in
> > the Packet window. Can you fix that?
> >
> > Thanks!

> > -David/N9KT
>
>
> ------------------------ Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do you Yahoo!?
SBC Yahoo! DSL - Now only $29.95 per month!
http://sbc.yahoo.com

698. Fixes/Features in 4.60

Yahoo group: XMLog
Date: 2003-06-23 03:51:51 UTC
From: Mike McAmis
Topic: 698 Message: 698

A new beta version 4.60 is available at www.xmlog.com/beta - Here's the info:

*** 4.60 ***

- The packet window menu item "DX/Check Call" now displays more info.

- PacketCluster alert times for the Spot History and Spot Map windows now extract the time from the alert itself rather than using the current time.

- The packet window now features Rig/Rotor memory buttons. These buttons are enabled using the "Edit/Memory Buttons" menu item. For details see the help section "Memory Buttons" within "Using the Packet Window".

- Added LSB and USB to the modes list.

- Added a "Edit/Clear Spot History" menu item to the Spots History window.

- Bug fix: Frequencies were not being extracted properly from PacketCluster spots when the spotting station had a long callsign.

- Bug fix: The date/times displayed in the Spot History window did not take daylight savings time into account when "Use UTC" was not set.

Mike - W1ECT

699. Question

Yahoo group: XMLog
Date: 2003-06-27 15:29:33 UTC
From: QSL
Topic: 699 Message: 699

Greetings,
I am currently 'playing around' with various logging programs, and have decided to go for XM - nice !

I have tried importing an ADIF file from AClog as a test, and find that XM doesn't seem to pick up the band data.

Is this a buguette in XM, AC or what, does anyone know. Opening the adif with notepad shows everything to be there, but as yet I am not over familiar with adif's.

73

Graham

--
"I am often asked how radio works. Well, you see, wire telegraphy is like a very long cat. You yank his tail in New York and he meows in Los Angeles. Do you understand this? Now, radio is exactly the same, except that there is no cat." __Attributed to Albert Einstein
http://www.users.zetnet.co.uk/m5aav

700. Question

Yahoo group: XMLog
Date: 2003-06-27 18:13:37 UTC
From: QSL
Topic: 699 Message: 700

Greetings,
[Again]

I may have answered my own question re adifs.....It would appear that in the original log [AClog] the frequency must be stated in Metres [20/40/etc]. Having altered the test file to show 20m rather than 14Mhz the imported adif file now displays 14Mhz in XM. which seems a bit weird as in the UK logging is done in Mhz.
Never mind, I'll get there.

73

Graham

--
"I am often asked how radio works. Well, you see, wire telegraphy is like a very long cat. You yank his tail in New York and he meows in Los Angeles. Do you understand this? Now, radio is exactly the same, except that there is no cat." __Attributed to Albert Einstein
http://www.users.zetnet.co.uk/m5aav

701. Re: [XMLog] Question

Yahoo group: XMLog
Date: 2003-06-28 14:01:13 UTC
From: Donald Jones
Topic: 699 Message: 701

Graham -

Perhaps you have already figured it out, but ADIF supports both a BAND field and a FREQ field. Scott N3FJP chose to use BAND (meters) and that is all that shows up in his exported ADIF files. However, XMLOG obligingly looks at the BAND field and correctly creates (and displays) the FREQ information. (If you subsequently export the log from XMLOG to an ADIF file, it will contain a filled-in FREQ field.

Forgive me if this information was already obvious (or is not really relevant to your observations).

XMLOG RULES !! :-O

73 - Don N4TN

702. Re: [XMLog] Question

Yahoo group: XMLog
Date: 2003-06-28 14:27:40 UTC
From: Graham Ridgeway
Topic: 699 Message: 702

The message <3EFD9FA9.BBB3190D@...>
from Donald Jones <n4tn@...> contains these words:

> Graham -

> Perhaps you have already figured it out, but ADIF supports both a BAND
> field and a FREQ field. Scott N3FJP chose to use BAND (meters) and that
> is all that shows up in his exported ADIF files. However, XMLOG
> obligingly looks at the BAND field and correctly creates (and displays)
> the FREQ information. (If you subsequently export the log from XMLOG to
> an ADIF file, it will contain a filled-in FREQ field.

> Forgive me if this information was already obvious (or is not really
> relevant to your observations).

> XMLOG RULES !! :-O

> 73 - Don N4TN

Thanks Don,

Yes I've now got a selection of 'adif' files and am slowly starting to
sort out what is what - and which software uses which fields.
Must say I'm very impressed with XM so far. {now to cure this darm
pooter noise to use it effectively - Hi !}

73

Graham

--
Graham R Ridgeway B.Sc.(Hons) M5AAV
RSGB QSL Sub Manager M5 series
http://www.users.zetnet.co.uk/m5aav

703. 60 meters

Yahoo group: XMLog
Date: 2003-07-03 15:31:43 UTC
From: Larry R. Fravel
Topic: 703 Message: 703

Mike -

Are you planning to add 60 meters to the awards tracking in the future?

Larry N4SEA
I've gone to look for myself. If I return before I get back -- keep me
here.

[Non-text portions of this message have been removed]

704. Re: 60 meters

Yahoo group: XMLog
Date: 2003-07-04 14:08:35 UTC
From: Mike McAmis
Topic: 703 Message: 704

Hi Larry, I'll add 60m awards tracking if DXCC, WAS, etc. add 60m. Currently you can enter 60m frequencies for log entries but I'll have to add "60m" as a new search key for the frequency field (currently you can use 5 as a search key to select all 60m QSOs).

MIke - W1ECT

> Mike -
>
> Are you planning to add 60 meters to the awards tracking in the future?
>
> Larry N4SEA

705. Re: [XMLog] Re: 60 meters

Yahoo group: XMLog
Date: 2003-07-04 14:55:31 UTC
From: Graham Ridgeway
Topic: 703 Message: 705

The message <be41p3+n9lh@...>
from "Mike McAmis" <m.mcamis@...> contains these words:

> Hi Larry, I'll add 60m awards tracking if DXCC, WAS, etc. add 60m.
> Currently you can enter 60m frequencies for log entries but I'll have
> to add "60m" as a new search key for the frequency field (currently
> you can use 5 as a search key to select all 60m QSOs).

Hi

Don't know the 5Mhz regs in the States, but in the UK, reports have to be given as 'SINPO' rather than RST, as this allocation is only available on NoV [Notice of Variation] to the UK Licence, and everything is tied in with the Military Requirements. The allocation is 'supposed' to be used for NVIS propogation studies on, I think, a Five Year basis, so in strict terms it is NOT an Amateur Band, logs are made available to the 'powers that be' for correlating/investigating.

73

Graham [not a 5Mhz Nov Holder]

--
Graham R Ridgeway B.Sc.(Hons) M5AAV
RSGB QSL Sub Manager M5 series
http://www.users.zetnet.co.uk/m5aav

706. RE: [XMLog] Re: 60 meters

Yahoo group: XMLog
Date: 2003-07-04 16:42:26 UTC
From: Larry R. Fravel
Topic: 703 Message: 706

I do know that we are only allowed domestic contacts on 60 meters right now so the only awards would County Hunting and WAS for us. We use the ol' RST reports here. 50 watts ERP and a dipole for the band is considered to have no gain. Other antennas require that you maintain records to prove you aren't using over 50 watts ERP.

Larry N4SEA

[Non-text portions of this message have been removed]

707. Re: [XMLog] Re: 60 meters

Yahoo group: XMLog
Date: 2003-07-04 17:42:19 UTC
From: N7MAL
Topic: 703 Message: 707

I'm curious where I can find, in writing, where it says domestic contacts only. Dave K1ZZ wants to publish, in QST, the calls involved in the first trans-Atlantic QSO's.

"""Who will be the first to log a transatlantic QSO with the UK or a DX QSO with Hawaii or one of the US Pacific territories on 60 meters? """ Copied from ARRL web-site.

What the FCC Rules Say: ?97.303(s)

An amateur station having an operator holding a General, Advanced or Amateur Extra Class license may only transmit single sideband, suppressed-carrier (emission type 2K8J3E) upper sideband on the channels 5332 kHz, 5348 kHz, 5368 kHz, 5373 kHz and 5405 kHz. Amateur operators shall ensure that their transmission occupies only the 2.8 kHz centered around each of these frequencies. Transmissions shall not exceed an effective radiated power (ERP) of 50 W PEP. For the purpose of computing ERP, the transmitter PEP will be multiplied with the antenna gain relative to a dipole or the equivalent calculation in decibels. A half-wave dipole antenna will be presumed to have a gain of 0 dBd. Licensees using other antennas must maintain in their station records either manufacturer data on the antenna gain or calculations of the antenna gain. No amateur station shall cause harmful interference to stations authorized in the mobile and fixed services; nor is any amateur station protected from interference due to the operation of any such station.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Larry R. Fravel" <lfravel@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, July 04, 2003 4:42 PM
Subject: RE: [XMLog] Re: 60 meters

I do know that we are only allowed domestic contacts on 60 meters right now so the only awards would County Hunting and WAS for us. We use the ol' RST reports here. 50 watts ERP and a dipole for the band is considered to have no gain. Other antennas require that you maintain records to prove you aren't using over 50 watts ERP.

Larry N4SEA

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

708. Error with cluster

Yahoo group: XMLog
Date: 2003-07-29 20:38:04 UTC
From: F8CIL
Topic: 708 Message: 708

Hello to the group,
We are two french station and have the same problem !
When connected on the internet cluster, and a spot came whe have this error message :

Can't get data from internet port (13) type incompatible.

Anyone can help us ?

Many thanks for help.

73 from F8CIL Pascal

[Non-text portions of this message have been removed]

709. Newbie Question

Yahoo group: XMLog
Date: 2003-07-31 01:07:06 UTC
From: Dan Romanchik
Topic: 709 Message: 709

I've just started using XMLog, and I have a newbie question.

Why doesn't XMLog have a field for the time at which a QSO ends?

73!

Dan KB6NU

710. Re: [XMLog] Newbie Question

Yahoo group: XMLog
Date: 2003-07-31 13:01:46 UTC
From: Joseph Agius
Topic: 709 Message: 710

I would also find this useful since I am a stickler for informarion.
Currently if the QSO is more than a DX pedition exchange of RST and name
I log the end QSO data in the notes field but usually I have a lof of other into there as well. Edit checks in other fields usually prevent their use for this purpose plus they also contain useful info.

Joe
W1TW

Dan Romanchik <kb6nu@...> wrote:
I've just started using XMLog, and I have a newbie question.

Why doesn't XMLog have a field for the time at which a QSO ends?

73!

Dan KB6NU

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software

[Non-text portions of this message have been removed]

711. LOTW

Yahoo group: XMLog
Date: 2003-08-11 14:34:00 UTC
From: Bill Hawkins
Topic: 711 Message: 711

I wonder if the ARRL will have any standards for header names on submitted ADIF logs. For instance, should the contacted station column be titled STATION or CALL, should the frequency be BAND , FREQ, or MHz, should time be TIME_ON, UTC, TIME, etc. I would hate to send in a big log and have it rejected for one wrong heading.
Is there any info printed on this? I can't find it.
Thanks
Bill

712. Re: [XMLog] LOTW

Yahoo group: XMLog
Date: 2003-08-12 13:23:43 UTC
From: N7MAL
Topic: 711 Message: 712

Logs are not submitted in ADI format. LOTW uses a file converter you download. It appears to be a very smart tool because I've used it convert MLOG, Logger, CT, and AE6Y ADIF files and it worked just fine. The file converter turns ADI files into TQ files and the TQ files are the files you upload to LOTW.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: "Bill Hawkins" <w5ec@...>
To: <xmlog@yahoogroups.com>
Sent: Monday, August 11, 2003 2:34 PM
Subject: [XMLog] LOTW

I wonder if the ARRL will have any standards for header names on submitted ADIF logs. For instance, should the contacted station column be titled STATION or CALL, should the frequency be BAND , FREQ, or MHz, should time be TIME_ON, UTC, TIME, etc. I would hate to send in a big log and have it rejected for one wrong heading.
Is there any info printed on this? I can't find it.
Thanks
Bill

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

713. Re: [XMLog] LOTW

Yahoo group: XMLog
Date: 2003-08-12 14:17:50 UTC
From: Bill Hawkins
Topic: 711 Message: 713

OOOOOK, I remember now reading about downloading software from ARRL.
In that case, I suppose that during the conversion the titles are converted and we get to, or it puts them into the correct order. All of my logging in FREQ_MHz instead of BAND and I wonder if the converter can make the required changes? I know that BAND is required in DXCC submissions.
Thanks
Bill W5EC

Logs are not submitted in ADI format. LOTW uses a file converter you
download. It appears to be a very smart tool because I've used it convert
MLOG, Logger, CT, and AE6Y ADIF files and it worked just fine. The file
converter turns ADI files into TQ files and the TQ files are the files you
upload to LOTW.

MAL N7MAL

[Non-text portions of this message have been removed]

714. Importing ADIF files into XMLog (error message)

Yahoo group: XMLog
Date: 2003-08-19 21:14:38 UTC
From: Jim
Topic: 714 Message: 714

I am trying to import ADIF files from a program called Net-Logger
that I use for my OMISS contacts. I have all bands except 20
transfered ok.

In transfereing my 20M I keep coming up with a error that reads:

Can't read data from file 20Momiss.adif

(5) invalid procedure or argument.

It did import 2 of about 180 records. I have gone int Net-Logger and
looked my records over and nothing seems out of place....

Any help please!

73's to all

Jim N7VLM

715. can't run XCW under XP

Yahoo group: XMLog
Date: 2003-08-19 22:17:43 UTC
From: Tom Sessions
Topic: 715 Message: 715

When trying to load XCW using WinXP, I get a message saying that XCW has encountered a problem. Then XCW won't load. The same computer ran XCW beautifully under WinME.
Anybody got a solution?

Thanks
Tom K4RV

716. Re: Importing ADIF files into XMLog (error message)

Yahoo group: XMLog
Date: 2003-08-20 14:51:01 UTC
From: Mike McAmis
Topic: 714 Message: 716

Hi Jim,

Send me a copy of your ADIF file as an email attachment to
m.mcamis@...

Mike - W1ECT

> I am trying to import ADIF files from a program called Net-Logger
> that I use for my OMISS contacts. I have all bands except 20
> transfered ok.
>
> In transfereing my 20M I keep coming up with a error that reads:
>
> Can't read data from file 20Momiss.adif
>
> (5) invalid procedure or argument.
>
> It did import 2 of about 180 records. I have gone int Net-Logger
and
> looked my records over and nothing seems out of place....
>
> Any help please!
>
> 73's to all
>
> Jim N7VLM

717. Re: can't run XCW under XP

Yahoo group: XMLog
Date: 2003-08-20 14:54:41 UTC
From: Mike McAmis
Topic: 715 Message: 717

Hi Tom,

I've tried XCW on my XP system here and it seems to run ok. What version of XCW are you running? Are you using an LPT port for keying? XMLog/XCW don't currently support LPT keying on Windows NT/2K/XP.

Mike - W1ECT

> When trying to load XCW using WinXP, I get a message saying that XCW
> has encountered a problem. Then XCW won't load. The same computer
> ran XCW beautifully under WinME.
> Anybody got a solution?
>
> Thanks
> Tom K4RV

718. Re: [XMLog] Re: Importing ADIF files into XMLog (error message)

Yahoo group: XMLog
Date: 2003-08-20 15:04:49 UTC
From: Jim Boyer
Topic: 714 Message: 718

Many thanks Mike... I will send you both my 40M and my
20M files for compareson. Jim
--- Mike McAmis <m.mcamis@...> wrote:
> Hi Jim,
>
> Send me a copy of your ADIF file as an email
> attachment to
> m.mcamis@...
>
> Mike - W1ECT
>
> > I am trying to import ADIF files from a program
> called Net-Logger
> > that I use for my OMISS contacts. I have all bands
> except 20
> > transfered ok.
> >
> > In transfereing my 20M I keep coming up with a
> error that reads:
> >
> > Can't read data from file 20Momiss.adif
> >
> > (5) invalid procedure or argument.
> >
> > It did import 2 of about 180 records. I have gone
> int Net-Logger
> and
> > looked my records over and nothing seems out of
> place....
> >
> > Any help please!
> >
> > 73's to all
> >
> > Jim N7VLM
>
>

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software
http://sitebuilder.yahoo.com

Net Logger 1.4.5, Copyright(c) 2001-2002 N1HWQ, All Rights Reserved.

<eoh>
<qso_date:8>20030807<time_on:6>184611<call:5>N5VTP<name:5>HARRY<rst_sent:2>33<rst_rcvd:2>33<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>AR<cnty:6>SALINE<gridsquare:4>EM34<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>HARRY

, AR<net:17>OMISS 20m SSB Net<comment:6>#2869#<operator:5>N7VLM<eor>
<qso_date:8>20030730<time_on:6>183955<call:5>K7ORI<name:7>CHARLIE<rst_sent:2>57<rst_rcvd:2>57<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>MARANA<state:2>AZ<cnty:4>PIMA<gridsquare:0><qsl_sent:1>Y<qsl_rcvd:0><qsl_via:5>K1MFP<qsl_message:0><address:17>CHARLIE

, AZ<net:17>OMISS 20m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030729<time_on:6>184907<call:4>K9FA<name:7>RICHARD<rst_sent:2>52<rst_rcvd:2>33<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:7>OSHKOSH<state:2>WI<cnty:9>WINNEBAGO<gridsquare:4>EN54<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>RICHARD

, WI<net:17>OMISS 20m SSB Net<comment:6>#3648#<operator:5>N7VLM<eor>
<qso_date:8>20030729<time_on:6>184647<call:6>WA9KJE<name:5>SONNY<rst_sent:2>33<rst_rcvd:2>33<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>IL<cnty:4>COOK<gridsquare:4>EN61<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>SONNY

, IL<net:17>OMISS 20m SSB Net<comment:6>#4736#<operator:5>N7VLM<eor>
<qso_date:8>20030728<time_on:6>193848<call:6>KB0VNJ<name:6>ARNOLD<rst_sent:2>33<rst_rcvd:2>59<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>MN<cnty:0><gridsquare:0><qsl_sent:0><qsl_rcvd:0><qsl_via:0><qsl_message:0><address:16>ARNOLD

, MN<net:17>OMISS 20m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030728<time_on:6>185921<call:5>XL7FU<name:23>DENNIS (SPECIAL EVENT)<rst_sent:2>56<rst_rcvd:2>57<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>BC<cnty:0><gridsquare:4>CN89<qsl_sent:0><qsl_rcvd:1>Y<qsl_via:5>xl7fu<qsl_message:0><address:16>DENNIS

, BC<net:17>OMISS 20m SSB Net<comment:6>#3715#<operator:5>N7VLM<eor>
<qso_date:8>20030721<time_on:6>193008<call:6>KC0NLQ<name:5>BRUCE<rst_sent:2>58<rst_rcvd:2>55<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>KS<cnty:7>JOHNSON<gridsquare:4>EM29<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>BRUCE

, KS<net:17>OMISS 20m SSB Net<comment:6>#4732#<operator:5>N7VLM<eor>
<qso_date:8>20030721<time_on:6>191523<call:5>AB8HY<name:4>EGON<rst_sent:2>22<rst_rcvd:2>22<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>OH<cnty:8>CUYAHOGA<gridsquare:4>EN91<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>EGON

, OH<net:17>OMISS 20m SSB Net<comment:6>#1960#<operator:5>N7VLM<eor>
<qso_date:8>20030721<time_on:6>184300<call:5>K4REB<name:3>JOE<rst_sent:2>22<rst_rcvd:2>22<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>HAVELOCK<state:2>NC<cnty:6>CRAVEN<gridsquare:4>FM14<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>JOE

, NC<net:17>OMISS 20m SSB Net<comment:6>#4390#<operator:5>N7VLM<eor>
<qso_date:8>20030721<time_on:6>184120<call:4>WL7K<name:4>NICK<rst_sent:2>22<rst_rcvd:2>22<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>OR<cnty:4>LINN<gridsquare:4>CN84<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>NICK

, OR<net:17>OMISS 20m SSB Net<comment:6>#3619#<operator:5>N7VLM<eor>
<qso_date:8>20030718<time_on:6>191430<call:5>WD8RC<name:3>BOB<rst_sent:2>55<rst_rcvd:2>52<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:7>MORRICE<state:2>MI<cnty:10>SHIAWASSEE<gr

idsquare:4>EN72<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>BOB

, MI<net:17>OMISS 20m SSB Net<comment:6>#4581#<operator:5>N7VLM<eor>
<qso_date:8>20030718<time_on:6>184126<call:5>WL7EM<name:5>CHUCK<rst_sent:2>33<rst_rcvd:2>3
3<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>AK<cnty:13>KODIAK ISLAND<grid
square:4>BO37<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>CHUCK

, AK<net:17>OMISS 20m SSB Net<comment:6>#3166#<operator:5>N7VLM<eor>
<qso_date:8>20030714<time_on:6>184838<call:6>KB8ESY<name:3>REX<rst_sent:2>22<rst_rcvd:2>22
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:10>CLEARWATER<state:2>FL<cnty:8>PINELLAS<
gridsquare:4>EL87<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>REX

, FL<net:17>OMISS 20m SSB Net<comment:6>#4703#<operator:5>N7VLM<eor>
<qso_date:8>20030623<time_on:6>184807<call:5>KC9NN<name:4>FRED<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>WI<cnty:10>EAU CLAIRE<gridsqua
re:4>EN44<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>FRED

, WI<net:17>OMISS 20m SSB Net<comment:5>#324#<operator:5>N7VLM<eor>
<qso_date:8>20030617<time_on:6>183806<call:5>AB8IT<name:3>TOM<rst_sent:2>33<rst_rcvd:2>33<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>MI<cnty:10>LIVINGSTON<gridsquar
e:4>EN82<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>TOM

, MI<net:17>OMISS 20m SSB Net<comment:6>#4501#<operator:5>N7VLM<eor>
<qso_date:8>20030613<time_on:6>190323<call:5>W8OLI<name:3>BOB<rst_sent:2>56<rst_rcvd:2>57<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>NEWARK<state:2>OH<cnty:7>LICKING<gridsqu
are:4>EN80<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>BOB

, OH<net:17>OMISS 20m SSB Net<comment:6>#4061#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>192048<call:5>W9AVM<name:5>JAMES<rst_sent:2>22<rst_rcvd:2>2
2<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:10>EAU CLAIRE<state:2>WI<cnty:10>EAU CLA
IRE<gridsquare:4>EN44<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>JAMES

, WI<net:17>OMISS 20m SSB Net<comment:5>#619#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>191547<call:6>WA3KYY<name:4>MIKE<rst_sent:2>22<rst_rcvd:2>3
3<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:9>ROCKVILLE<state:2>MD<cnty:10>MONTGOMER
Y<gridsquare:4>FM19<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>MIKE

, MD<net:17>OMISS 20m SSB Net<comment:6>#4527#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>191216<call:6>KC7JLS<name:4>BILL<rst_sent:2>59<rst_rcvd:2>5
9<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:9>LAS VEGAS<state:2>NV<cnty:5>CLARK<grid
square:4>DM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BILL

, NV<net:17>OMISS 20m SSB Net<comment:6>#4275#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>191016<call:5>AG4PP<name:4>DALE<rst_sent:2>22<rst_rcvd:2>22
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>EASTVIEW<state:2>KY<cnty:6>HARDEN<grids
quare:4>EM67<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>DALE

, KY<net:17>OMISS 20m SSB Net<comment:6>#4452#<operator:5>N7VLM<eor>
<qso_date:8>20030522<time_on:6>190842<call:5>WB7OR<name:7>ANTHONY<rst_sent:2>44<rst_rcvd:2
>55<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:7>GRESHAM<state:2>OR<cnty:0><gridsquar
e:4>CN85<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:0><net:17>OMISS 20m
SSB Net<comment:6>#4707#<operator:5>N7VLM<eor>
<qso_date:8>20030522<time_on:6>185106<call:5>KK5ZB<name:7>MICHAEL<rst_sent:2>55<rst_rcvd:2
>48<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:13>WICHITA FALLS<state:2>TX<cnty:4>CLA

Y<gridsquare:4>EM03<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>MICHAE
L

, TX<net:17>OMISS 20m SSB Net<comment:6>#3417#<operator:5>N7VLM<eor>
<qso_date:8>20030516<time_on:6>183929<call:5>AI3CD<name:5>CLIFF<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:10>New Castle<state:2>PA<cnty:8>LAWRENCE
<gridsquare:4>EN91<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>CLIFF

, PA<net:17>OMISS 20m SSB Net<comment:6>#3625#<operator:5>N7VLM<eor>
<qso_date:8>20030516<time_on:6>183912<call:5>N7DUN<name:5>LARRY<rst_sent:2>33<rst_rcvd:2>5
9<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>OR<cnty:9>MULTNOMAH<gridsquar
e:4>CN85<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>LARRY

, OR<net:17>OMISS 20m SSB Net<comment:6>#3750#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>190751<call:5>N5USH<name:5>DAVID<rst_sent:2>33<rst_rcvd:2>5
6<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>KINGSTON<state:2>OK<cnty:8>MARSHELL<gr
idsquare:4>EM13<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>DAVID

, OK<net:17>OMISS 20m SSB Net<comment:6>#4654#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>190118<call:5>W6VFA<name:3>WEB<rst_sent:2>33<rst_rcvd:2>56<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:4>GALT<state:2>CA<cnty:10>SACRAMENTO<grids
quare:4>CM98<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>WEB

, CA<net:17>OMISS 20m SSB Net<comment:6>#4398#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>184826<call:5>W7ART<name:3>ART<rst_sent:2>57<rst_rcvd:2>55<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>AZ<cnty:8>MARICOPA<gridsquare:4
>DM43<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>ART

, AZ<net:17>OMISS 20m SSB Net<comment:6>#4688#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>184020<call:6>KD7THB<name:4>JOHN<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>TUCSON<state:2>AZ<cnty:4>PIMA<gridsqua
re:4>DM42<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>JOHN

, AZ<net:17>OMISS 20m SSB Net<comment:6>#4606#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>183501<call:5>N5HEK<name:6>DENNIS<rst_sent:2>33<rst_rcvd:2>
59<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>TX<cnty:5>SMITH<gridsquare:4
>EM22<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>DENNIS

, TX<net:17>OMISS 20m SSB Net<comment:6>#3320#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>183341<call:6>WA0VZH<name:7>DOROTHY<rst_sent:2>54<rst_rcvd:
2>58<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>IA<cnty:7>WEBSTER<gridsqua
re:4>EN22<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:17>DOROTHY

, IA<net:17>OMISS 20m SSB Net<comment:6>#3649#<operator:5>N7VLM<eor>
<qso_date:8>20030509<time_on:6>184349<call:4>W7CO<name:16>MICHAEL LA
COMBE<rst_sent:2>57<rst_rcvd:2>59<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:12>PORT
ORCHARD<state:2>WA<cnty:6>KITSAP<gridsquare:4>CN87<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qs
l_message:0><address:66>MICHAEL LA COMBE
1336 SW OLD CLIFTON RD
PORT ORCHARD, WA 98367<net:17>OMISS 20m SSB Net<comment:6>#4665#<operator:5>N7VLM<eor>
<qso_date:8>20030509<time_on:6>184300<call:5>N2ETJ<name:7>RICHARD<rst_sent:2>55<rst_rcvd:2
>57<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>PA<cnty:12>WESTMORELAND<gri
dsquare:4>FN00<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>RICHARD

, PA<net:17>OMISS 20m SSB Net<comment:6>#1559#<operator:5>N7VLM<eor>
<qso_date:8>20030425<time_on:6>185342<call:5>W5NMX<name:17>CHARLIE CARPENTER<rst_sent:2>33
<rst_rcvd:2>58<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:10>ALAMOGORDO<state:2>NM<cn
ty:5>OTERO<gridsquare:4>DM72<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:5
8>CHARLIE CARPENTER
1423 JUNIPER DR
ALAMOGORDO, NM 88310<net:17>OMISS 20m SSB Net<comment:6>#4691#<operator:5>N7VLM<eor>
<qso_date:8>20030425<time_on:6>184518<call:5>AA9TN<name:4>PAUL<rst_sent:2>55<rst_rcvd:2>57
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>FLANAGAN<state:2>IL<cnty:10>LIVINGSTON<
gridsquare:4>EN50<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>PAUL

, IL<net:17>OMISS 20m SSB Net<comment:6>#3564#<operator:5>N7VLM<eor>
<qso_date:8>20030424<time_on:6>190333<call:5>W5IOK<name:2>ED<rst_sent:2>59<rst_rcvd:2>59<m
ode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>TX<cnty:6>DENTON<gridsquare:4>EM
13<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:12>ED

, TX<net:17>OMISS 20m SSB Net<comment:6>#4621#<operator:5>N7VLM<eor>
<qso_date:8>20030424<time_on:6>184923<call:6>WA0BOF<name:4>THOM<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>MO<cnty:11>SAINT LOUIS<gridsq
uare:4>EM48<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:16>THOM

hi, MO<net:17>OMISS 20m SSB Net<comment:6>#3636#<operator:5>N7VLM<eor>
<qso_date:8>20030402<time_on:6>183419<call:6>VE7IPU<name:6>DENNIS<rst_sent:2>58<rst_rcvd:2
>59<mode:3>SSB<band:3>20M<dxcc:0><freq:6>14.290<qth:6>SURREY<state:2>BC<cnty:0><gridsquare
:4>CN89<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>DENNIS

, BC<net:17>OMISS 20m SSB Net<comment:6>#3715#<operator:5>N7VLM<eor>
<qso_date:8>20030402<time_on:6>183251<call:5>N7DBA<name:5>FRANK<rst_sent:2>57<rst_rcvd:2>5
5<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:9>LAS VEGAS<state:2>NV<cnty:5>CLARK<grid
square:4>DM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>FRANK

, NV<net:17>OMISS 20m SSB Net<comment:6>#3041#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>190505<call:7>N5VTP/M<name:5>HARRY<rst_sent:2>55<rst_rcvd:2
>55<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:18>HOT SPRING VILLAGE<state:2>AR<cnty:
6>SALINE<gridsquare:4>EM34<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:15
>HARRY

, AR<net:17>OMISS 20m SSB Net<comment:6>#2869#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>185612<call:5>AB7GW<name:4>MIKE<rst_sent:2>56<rst_rcvd:2>59
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>LAPINE<state:2>OR<cnty:9>DESCHUTES<grid
square:4>CN93<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:44>MIKE
16087 PINE DROP LN
LAPINE, OR 97739<net:17>OMISS 20m SSB Net<comment:6>#4664#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>184609<call:5>W8ZCK<name:4>BILL<rst_sent:2>22<rst_rcvd:2>22
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>COLUMBUS<state:2>OH<cnty:8>FRANKLIN<gri
dsquare:4>EM89<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BILL

, OH<net:17>OMISS 20m SSB Net<comment:6>#4336#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>184156<call:6>WB6QVI<name:4>FRED<rst_sent:2>58<rst_rcvd:2>5
9<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>ARNOLD<state:2>CA<cnty:9>CALAVERAS<gri
dsquare:4>CM98<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>FRED

, CA<net:17>OMISS 20m SSB Net<comment:6>#2215#<operator:5>N7VLM<eor>
<qso_date:8>20030325<time_on:6>184935<call:6>KG4OTS<name:6>GEORGE<rst_sent:2>58<rst_rcvd:2
>57<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:10>REIDSVILLE<state:2>NC<cnty:10>ROCKI
NGHAM<gridsquare:4>FM06<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>GEO
RGE

, NC<net:17>OMISS 20m SSB Net<comment:6>#4482#<operator:5>N7VLM<eor>
<qso_date:8>20030325<time_on:6>184807<call:6>KB5QJK<name:7>CHARLES<rst_sent:2>58<rst_rcvd:
2>59<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>EDMOND<state:2>AZ<cnty:0><gridsquar
e:0><qsl_sent:1>R<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:52>CHARLES VANDERGRIFF
3721 S BLVD
EDMOND, AZ 73013<net:17>OMISS 20m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030325<time_on:6>184802<call:6>W4FP/M<name:6>GEORGE<rst_sent:2>58<rst_rcvd:2
>57<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>AR<cnty:11>MISSISSIPPI<grid
square:0><qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:16>GEORGE

, MS<net:17>OMISS 20m SSB Net<comment:6>#4086#<operator:5>N7VLM<eor>
<qso_date:8>20030322<time_on:6>185658<call:5>N7CAR<name:4>CARL<rst_sent:2>55<rst_rcvd:2>55
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:15>PRESCOTT VALLEY<state:2>AZ<cnty:7>YAVA
PAI<gridsquare:0><qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>CARL

, AZ<net:17>OMISS 20m SSB Net<comment:7>NO CLUB<operator:5>N7VLM<eor>
<qso_date:8>20030322<time_on:6>183610<call:6>KL7IHK<name:4>DICK<rst_sent:2>58<rst_rcvd:2>5
9<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>WA<cnty:9>SNOHOMISH<gridsquar
e:4>CN87<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>DICK

, WA<net:17>OMISS 20m SSB Net<comment:5>#185#<operator:5>N7VLM<eor>
<qso_date:8>20030320<time_on:6>190430<call:5>KF5RD<name:5>PETER<rst_sent:2>55<rst_rcvd:2>5
9<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:5>TULSA<state:2>OK<cnty:5>TULSA<gridsqua
re:4>EM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:15>PETER

, OK<net:17>OMISS 20m SSB Net<comment:6>#2061#<operator:5>N7VLM<eor>
<qso_date:8>20030320<time_on:6>184357<call:5>K9DXR<name:4>RUSS<rst_sent:2>59<rst_rcvd:2>57
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>GLENWOOD<state:2>IL<cnty:4>COOK<gridsqu
are:4>EN61<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>RUSS

, IL<net:17>OMISS 20m SSB Net<comment:6>#4366#<operator:5>N7VLM<eor>
<qso_date:8>20030320<time_on:6>184311<call:5>N4EEK<name:4>BILL<rst_sent:2>22<rst_rcvd:2>44
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:18>WHISPERING SPRINGS<state:2>NC<cnty:5>M
OORE<gridsquare:4>FM05<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BILL

, NC<net:17>OMISS 20m SSB Net<comment:6>#4623#<operator:5>N7VLM<eor>
<qso_date:8>20030320<time_on:6>183913<call:6>KD5TMF<name:5>COLIN<rst_sent:2>33<rst_rcvd:2>
55<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:7>HOUSTON<state:2>TX<cnty:6>HARRIS<grid
square:4>EL29<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>COLIN

, TX<net:17>OMISS 20m SSB Net<comment:6>#4592#<operator:5>N7VLM<eor>
<qso_date:8>20030318<time_on:6>194306<call:5>AC7DW<name:4>PETE<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>CASPER<state:2>WY<cnty:7>NATRONA<gridsq
uare:4>DN62<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>PETE

, WY<net:17>OMISS 20m SSB Net<comment:6>#4120#<operator:5>N7VLM<eor>
<qso_date:8>20030318<time_on:6>193939<call:5>N0PUI<name:3>JAY<rst_sent:2>59<rst_rcvd:2>59<

mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>MN<cnty:8>LE
SUEUR<gridsquare:4>EN34<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>JAY

, MN<net:17>OMISS 20m SSB Net<comment:6>#4659#<operator:5>N7VLM<eor>
<qso_date:8>20030318<time_on:6>193459<call:6>WD0EDJ<name:6>DENNIS<rst_sent:2>58<rst_rcvd:2
>58<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:7>WICHITA<state:2>KS<cnty:8>SEDGWICK<g
ridsquare:4>EM17<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>DENNIS

, KS<net:17>OMISS 20m SSB Net<comment:6>#4087#<operator:5>N7VLM<eor>
<qso_date:8>20030318<time_on:6>191900<call:5>N8ITY<name:4>PHIL<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>MI<cnty:4>KENT<gridsquare:4>EN
73<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>PHIL

, MI<net:17>OMISS 20m SSB Net<comment:6>#3862#<operator:5>N7VLM<eor>
<qso_date:8>20030318<time_on:6>191806<call:5>AA0ZP<name:5>FRANK<rst_sent:2>55<rst_rcvd:2>5
9<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>BELLEVUE<state:2>NE<cnty:5>SARPY<grids
quare:4>EN21<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:15>FRANK

, NE<net:17>OMISS 20m SSB Net<comment:6>#3472#<operator:5>N7VLM<eor>
<qso_date:8>20030318<time_on:6>184919<call:6>WB4KJR<name:2>Bo<rst_sent:2>33<rst_rcvd:2>55<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:8>DANVILLE<state:2>VA<cnty:12>Pittsylvania
<gridsquare:4>EM06<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:12>Bo

, VA<net:17>OMISS 20m SSB Net<comment:6>#4107#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>191403<call:6>KA9GLX<name:6>HARLEN<rst_sent:2>57<rst_rcvd:2
>53<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>ALBION<state:2>IN<cnty:5>NOBLE<grids
quare:4>EN71<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>HARLEN

, IN<net:17>OMISS 20m SSB Net<comment:6>#4223#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>191333<call:5>AB7GW<name:4>MIKE<rst_sent:2>59<rst_rcvd:2>55
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:0><state:2>OR<cnty:9>DESCHUTES<gridsquare
:4>CN93<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>MIKE

, OR<net:17>OMISS 20m SSB Net<comment:6>#4664#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>191058<call:5>W5PVE<name:3>JOE<rst_sent:2>53<rst_rcvd:2>57<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:6>MONROE<state:2>LA<cnty:15>OUACHITA PARIS
H<gridsquare:4>EM32<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>JOE

, LA<net:17>OMISS 20m SSB Net<comment:6>#3604#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>190848<call:4>N6XY<name:4>GARY<rst_sent:2>59<rst_rcvd:2>55<
mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:10>SANTA ROSA<state:2>CA<cnty:12>SONOMA W6
IFG<gridsquare:4>CM88<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>GARY

, CA<net:17>OMISS 20m SSB Net<comment:6>#3796#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>190715<call:6>WA7NVT<name:3>TIM<rst_sent:2>58<rst_rcvd:2>57
<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:9>PHILOMATH<state:2>OR<cnty:6>BENTON<grid
square:4>CN84<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>TIM

, OR<net:17>OMISS 20m SSB Net<comment:6>#4434#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>190538<call:4>K9DG<name:3>DON<rst_sent:2>59<rst_rcvd:2>59<m
ode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:14>CHIPPEWA FALLS<state:2>WI<cnty:8>CHIPPEW
A<gridsquare:4>EN44<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>DON

, WI<net:17>OMISS 20m SSB Net<comment:6>#3658#<operator:5>N7VLM<eor>
<qso_date:8>20030313<time_on:6>190400<call:4>NJ5M<name:3>PAT<rst_sent:2>58<rst_rcvd:2>55<mode:3>SSB<band:3>20m<dxcc:0><freq:6>14.290<qth:9>BIG CABIN<state:2>OK<cnty:5>CRAIG<gridsquare:4>EM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>PAT

, OK<net:17>OMISS 20m SSB Net<comment:6>#4456#<operator:5>N7VLM<eor>

Net Logger 1.4.5, Copyright(c) 2001-2002 N1HWQ, All Rights Reserved.

<eoh>
<qso_date:8>20030817<time_on:6>012542<call:4>K9LO<name:5>ERNIE<rst_sent:2>45<rst_rcvd:2>45<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WI<cnty:9>WINNEBAGO<gridsquare:4>EN54<qsl_sent:0><qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:15>ERNIE

, WI<net:17>OMISS 40m SSB Net<comment:6>#4745#<operator:5>N7VLM<eor>
<qso_date:8>20030814<time_on:6>015540<call:5>W1SQM<name:6>GEORGE<rst_sent:2>59<rst_rcvd:2>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>RI<cnty:10>PROVIDENCE<gridsquare:4>FN42<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:3>(M)<qsl_message:0><address:16>GEORGE

, RI<net:17>OMISS 40m SSB Net<comment:6>#4382#<operator:5>N7VLM<eor>
<qso_date:8>20030814<time_on:6>014219<call:4>KA9F<name:4>JOHN<rst_sent:2>57<rst_rcvd:2>57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>IN<cnty:6>MARION<gridsquare:4>EM69<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:3>(M)<qsl_message:0><address:14>JOHN

, IN<net:17>OMISS 40m SSB Net<comment:6>#4571#<operator:5>N7VLM<eor>
<qso_date:8>20030813<time_on:6>015613<call:5>W4TZG<name:9>Ray
Burns<rst_sent:2>58<rst_rcvd:2>58<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>La Follette<state:2>TN<cnty:8>Campbell<gridsquare:4>EM76<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:43>Ray Burns
POB 103
La Follette, TN 37766<net:17>OMISS 40m SSB Net<comment:6>#1771#<operator:5>N7VLM<eor>
<qso_date:8>20030813<time_on:6>014952<call:5>N0ZJD<name:13>Steven Reiser<rst_sent:2>58<rst_rcvd:2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>Lonsdale<state:2>MN<cnty:4>Rice<gridsquare:4>EN34<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:51>Steven
Reiser
128 7th Ave NW
Lonsdale, MN 55046<net:17>OMISS 40m SSB Net<comment:6>#3569#<operator:5>N7VLM<eor>
<qso_date:8>20030810<time_on:6>014500<call:5>K4WNY<name:3>RON<rst_sent:2>59<rst_rcvd:2>44<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TN<cnty:6>TIPTON<gridsquare:4>EM55<qsl_sent:0><qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>RON

, TN<net:17>OMISS 40m SSB Net<comment:6>#4755#<operator:5>N7VLM<eor>
<qso_date:8>20030808<time_on:6>020455<call:5>N7WKT<name:3>TOM<rst_sent:2>59<rst_rcvd:2>57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MT<cnty:8>FLATHEAD<gridsquare:4>DN28<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>TOM

, MT<net:17>OMISS 40m SSB Net<comment:6>#4055#<operator:5>N7VLM<eor>
<qso_date:8>20030808<time_on:6>012344<call:4>NY0W<name:15>Donald Crampton<rst_sent:2>59<rst_rcvd:2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>Aberdeen<state:2>SD<cnty:5>Brown<gridsquare:4>EN05<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:52>Donald Crampton

1748 S 4th St
Aberdeen, SD 57401<net:17>OMISS 40m SSB Net<comment:5>#758#<operator:5>N7VLM<eor>
<qso_date:8>20030808<time_on:6>012311<call:6>KC0GDV<name:15>James Mc Carthy<rst_sent:2>57<
rst_rcvd:2>58<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:7>Ozawkie<state:2>KS<cnty:9>
Jefferson<gridsquare:4>EM29<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:44>
James Mc Carthy
POB 62
Ozawkie, KS 66070<net:17>OMISS 40m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030807<time_on:6>021730<call:5>KA1VY<name:5>ERNIE<rst_sent:2>55<rst_rcvd:2>3
3<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MA<cnty:10>BARNSTABLE<gridsqu
are:4>FN41<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:15>ERNIE

, MA<net:17>OMISS 40m SSB Net<comment:6>#4753#<operator:5>N7VLM<eor>
<qso_date:8>20030807<time_on:6>015812<call:5>K5KDA<name:5>DEVON<rst_sent:2>57<rst_rcvd:2>5
7<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TX<cnty:6>DENTON<gridsquare:4
>EM13<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>DEVON

, TX<net:17>OMISS 40m SSB Net<comment:6>#4752#<operator:5>N7VLM<eor>
<qso_date:8>20030807<time_on:6>014529<call:4>K9FZ<name:9>ALEXANDER<rst_sent:2>59<rst_rcvd:
2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WI<cnty:11>SAINT CROIX<gri
dsquare:4>EN34<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:19>ALEXANDER

, WI<net:17>OMISS 40m SSB Net<comment:6>#2313#<operator:5>N7VLM<eor>
<qso_date:8>20030806<time_on:6>012624<call:5>KM4TM<name:3>TOM<rst_sent:2>59<rst_rcvd:2>59<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TN<cnty:10>RUTHERFORD<gridsquar
e:4>EM65<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>TOM

, TN<net:17>OMISS 40m SSB Net<comment:6>#2722#<operator:5>N7VLM<eor>
<qso_date:8>20030802<time_on:6>032557<call:6>KB2ZGW<name:4>BILL<rst_sent:2>35<rst_rcvd:2>2
2<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>PLATTSBURGH<state:2>NY<cnty:7>CLINTON
<gridsquare:4>FN34<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BILL

, NY<net:17>OMISS 40m SSB Net<comment:6>#4733#<operator:5>N7VLM<eor>
<qso_date:8>20030802<time_on:6>013233<call:5>AE4ZR<name:5>DAVID<rst_sent:2>55<rst_rcvd:2>2
2<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>SC<cnty:10>CHARLESTON<gridsqu
are:4>EM93<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:15>DAVID

, SC<net:17>OMISS 40m SSB Net<comment:6>#3572#<operator:5>N7VLM<eor>
<qso_date:8>20030801<time_on:6>013454<call:6>WD5JNC<name:4>JOHN<rst_sent:2>58<rst_rcvd:2>5
8<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MS<cnty:7>JACKSON<gridsquare:
4>EM50<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>JOHN

, MS<net:17>OMISS 40m SSB Net<comment:6>#4697#<operator:5>N7VLM<eor>
<qso_date:8>20030731<time_on:6>020353<call:6>WA3KYY<name:4>MIKE<rst_sent:2>33<rst_rcvd:2>3
3<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>ROCKVILLE<state:2>MD<cnty:10>MONTGOMER
Y<gridsquare:4>FM19<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>MIKE

, MD<net:17>OMISS 40m SSB Net<comment:6>#4527#<operator:5>N7VLM<eor>
<qso_date:8>20030731<time_on:6>013543<call:4>WF1L<name:4>BILL<rst_sent:2>44<rst_rcvd:2>44<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>VA<cnty:7>FAIRFAX<gridsquare:4>
FM18<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>BILL

, VA<net:17>OMISS 40m SSB Net<comment:6>#4596#<operator:5>N7VLM<eor>
<qso_date:8>20030731<time_on:6>012839<call:5>K1FUB<name:4>BILL<rst_sent:2>55<rst_rcvd:2>22
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>NH<cnty:12>HILLSBOROUGH<gridsq
uare:4>FN42<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>BILL

, NH<net:17>OMISS 40m SSB Net<comment:6>#4637#<operator:5>N7VLM<eor>
<qso_date:8>20030728<time_on:6>013649<call:6>KD5DON<name:3>RAY<rst_sent:2>59<rst_rcvd:2>33
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:5>KEENE<state:2>TX<cnty:7>JOHNSON<gridsqu
are:4>EM12<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>RAY

, TX<net:17>OMISS 40m SSB Net<comment:6>#4228#<operator:5>N7VLM<eor>
<qso_date:8>20030728<time_on:6>012327<call:5>W5IUA<name:6>ROBERT<rst_sent:2>58<rst_rcvd:2>
55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TX<cnty:0><gridsquare:0><qsl
_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:16>ROBERT

, TX<net:17>OMISS 40m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030726<time_on:6>020850<call:4>K3MI<name:3>RON<rst_sent:2>55<rst_rcvd:2>44<m
ode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>PA<cnty:7>FAYETTE<gridsquare:4>F
N00<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>RON

x, PA<net:17>OMISS 40m SSB Net<comment:6>#3897#<operator:5>N7VLM<eor>
<qso_date:8>20030726<time_on:6>013253<call:6>KB0LSO<name:4>SLEM<rst_sent:2>55<rst_rcvd:2>5
7<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MO<cnty:8>ATCHISON<gridsquare
:4>EN20<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>SLEM

, MO<net:17>OMISS 40m SSB Net<comment:6>#4097#<operator:5>N7VLM<eor>
<qso_date:8>20030726<time_on:6>012946<call:5>KG7ZM<name:5>JAMES<rst_sent:2>44<rst_rcvd:2>2
2<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WV<cnty:7>RALEIGH<gridsquare:
4>EM97<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>JAMES

, WV<net:17>OMISS 40m SSB Net<comment:6>#3056#<operator:5>N7VLM<eor>
<qso_date:8>20030726<time_on:6>011841<call:6>KC0FRL<name:3>DAN<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>DES MOINES<state:2>IA<cnty:4>POLK<grid
square:4>EN31<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>DAN

x, IA<net:17>OMISS 40m SSB Net<comment:6>#4039#<operator:5>N7VLM<eor>
<qso_date:8>20030724<time_on:6>023212<call:5>N5BSD<name:4>JOHN<rst_sent:2>55<rst_rcvd:2>55
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>Arlington<state:2>TX<cnty:7>Tarrant<gri
dsquare:4>EM12<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:55>JOHN
2032 Marilyn Ln, Arlington
Arlington, TX 76010<net:17>OMISS 40m SSB Net<comment:6>#4742#<operator:5>N7VLM<eor>
<qso_date:8>20030724<time_on:6>014557<call:5>KT5RR<name:6>SPARKY<rst_sent:2>55<rst_rcvd:2>
59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>BLUEJACKET<state:2>OK<cnty:5>CRAIG<g
ridsquare:4>EM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>SPARKY

, OK<net:17>OMISS 40m SSB Net<comment:6>#3771#<operator:5>N7VLM<eor>
<qso_date:8>20030724<time_on:6>011812<call:4>N0SJ<name:3>JIM<rst_sent:2>22<rst_rcvd:2>55<m
ode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>ND<cnty:5>STARK<gridsquare:4>DN8
6<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>JIM

, ND<net:17>OMISS 40m SSB Net<comment:6>#4612#<operator:5>N7VLM<eor>
<qso_date:8>20030724<time_on:6>011630<call:6>KA0RKT<name:3>JIM<rst_sent:2>54<rst_rcvd:2>33
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MO<cnty:4>CASS<gridsquare:4>EM

48<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>JIM

, MO<net:17>OMISS 40m SSB Net<comment:6>#4735#<operator:5>N7VLM<eor>
<qso_date:8>20030724<time_on:6>010559<call:6>KG4KTL<name:15>Scott K Edwards<rst_sent:2>57<
rst_rcvd:2>57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>Jacks Creek<state:2>TN<cn
ty:7>Chester<gridsquare:0><qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:71>S
cott K Edwards
20 Mc Adams Loop, Jacks Creek
Jacks Creek, TN 38340<net:17>OMISS 40m SSB Net<comment:14>(no club
info)<operator:5>N7VLM<eor>
<qso_date:8>20030723<time_on:6>014727<call:4>W9HH<name:6>GORDON<rst_sent:2>55<rst_rcvd:2>2
2<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.264.0<qth:0><state:2>AR<cnty:10>WASHINGTON<gridsq
uare:4>EM26<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:16>GORDON

, AR<net:17>OMISS 40m SSB Net<comment:6>#4545#<operator:5>N7VLM<eor>
<qso_date:8>20030722<time_on:6>020555<call:5>N4PGW<name:3>BUC<rst_sent:2>58<rst_rcvd:2>22<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>GA<cnty:0><gridsquare:0><qsl_se
nt:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:13>BUC

, GA<net:17>OMISS 40m SSB Net<comment:6>#4748#<operator:5>N7VLM<eor>
<qso_date:8>20030722<time_on:6>013453<call:5>AB0JH<name:6>RODNEY<rst_sent:2>59<rst_rcvd:2>
59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>OWENSVILLE<state:2>MO<cnty:9>GASCONA
DE<gridsquare:4>EM48<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:16>RODNE
Y

, MO<net:17>OMISS 40m SSB Net<comment:6>#4739#<operator:5>N7VLM<eor>
<qso_date:8>20030721<time_on:6>011024<call:5>KM5EW<name:6>WARREN<rst_sent:2>58<rst_rcvd:2>
57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>TEMPLE<state:2>TX<cnty:4>BELL<gridsqu
are:4>EM11<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>WARREN

, TX<net:17>OMISS 40m SSB Net<comment:6>#3198#<operator:5>N7VLM<eor>
<qso_date:8>20030719<time_on:6>011517<call:6>WA5HLQ<name:7>CHARLES<rst_sent:2>58<rst_rcvd:
2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>DE VALLE<state:2>TX<cnty:6>TRAVIS<g
ridsquare:4>EM10<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>CHARLES

, TX<net:17>OMISS 40m SSB Net<comment:6>#3176#<operator:5>N7VLM<eor>
<qso_date:8>20030719<time_on:6>011436<call:5>KF5RD<name:5>PETER<rst_sent:2>55<rst_rcvd:2>2
2<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:5>TULSA<state:2>OK<cnty:5>TULSA<gridsqua
re:4>EM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:15>PETER

, OK<net:17>OMISS 40m SSB Net<comment:6>#2061#<operator:5>N7VLM<eor>
<qso_date:8>20030718<time_on:6>021853<call:6>KC0NLQ<name:5>BRUCE<rst_sent:2>59<rst_rcvd:2>
55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>KS<cnty:7>JOHNSON<gridsquare
:4>EM29<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>BRUCE

, KS<net:17>OMISS 40m SSB Net<comment:6>#4732#<operator:5>N7VLM<eor>
<qso_date:8>20030718<time_on:6>021745<call:6>KC0OZJ<name:5>LARRY<rst_sent:2>57<rst_rcvd:2>
57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:7>CLAFLIN<state:2>KS<cnty:6>BARTON<grid
square:4>EM08<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>LARRY

, KS<net:17>OMISS 40m SSB Net<comment:6>#4746#<operator:5>N7VLM<eor>
<qso_date:8>20030718<time_on:6>014814<call:6>KG4IKU<name:4>ANDY<rst_sent:2>55<rst_rcvd:2>3
3<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TN<cnty:6>HARDIN<gridsquare:4

>EM55<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>ANDY

, TN<net:17>OMISS 40m SSB Net<comment:6>#4180#<operator:5>N7VLM<eor>
<qso_date:8>20030718<time_on:6>014531<call:6>KD5QEJ<name:17>Robert Willingham<rst_sent:2>5
8<rst_rcvd:2>54<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>Archer City<state:2>TX<
cnty:6>Archer<gridsquare:4>EM03<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address
:62>Robert Willingham
1104 S Oak Box 202
Archer City, TX 76351<net:17>OMISS 40m SSB Net<comment:14>(no club
info)<operator:5>N7VLM<eor>
<qso_date:8>20030717<time_on:6>010904<call:6>KC0JCQ<name:4>PAUL<rst_sent:2>59<rst_rcvd:2>5
8<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>LEAVENWORTH<state:2>KS<cnty:11>LEAVEN
WORTH<gridsquare:4>EM29<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>PA
UL

, KS<net:17>OMISS 40m SSB Net<comment:6>#4318#<operator:5>N7VLM<eor>
<qso_date:8>20030717<time_on:6>010802<call:6>WA0LAB<name:4>LEON<rst_sent:2>33<rst_rcvd:2>2
2<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>MAYFIELD<state:2>KY<cnty:6>GRAVES<grid
square:4>EM56<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>LEON

, KY<net:17>OMISS 40m SSB Net<comment:6>#3101#<operator:5>N7VLM<eor>
<qso_date:8>20030716<time_on:6>014602<call:4>K4OP<name:4>JOHN<rst_sent:2>55<rst_rcvd:2>22<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>RADCLIFF<state:2>KY<cnty:6>HARDEN<gridsq
uare:4>EM77<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>JOHN

, KY<net:17>OMISS 40m SSB Net<comment:6>#4734#<operator:5>N7VLM<eor>
<qso_date:8>20030628<time_on:6>014352<call:6>WB7CIT<name:4>BILL<rst_sent:2>33<rst_rcvd:2>5
5<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>SNOHOMISH<state:2>WA<cnty:9>SNOHOMISH<
gridsquare:4>CN87<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>BILL

, WA<net:17>OMISS 40m SSB Net<comment:6>#4411#<operator:5>N7VLM<eor>
<qso_date:8>20030628<time_on:6>013420<call:5>N0SCC<name:4>Paul<rst_sent:2>58<rst_rcvd:2>44
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>New Douglas<state:2>IL<cnty:4>BOND<gri
dsquare:4>EM58<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:77>Paul D
Ragsdale Jr
#83 Mettlerville Ln, New Douglas
New Douglas, IL 62074<net:17>OMISS 40m SSB Net<comment:14>(no club
info)<operator:5>N7VLM<eor>
<qso_date:8>20030627<time_on:6>013735<call:5>W7HEY<name:5>GERRY<rst_sent:2>59<rst_rcvd:2>5
8<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:14>MOUNT PLEASANT<state:2>UT<cnty:7>SANP
ETE<gridsquare:4>DM49<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>GERRY

, UT<net:17>OMISS 40m SSB Net<comment:6>#3788#<operator:5>N7VLM<eor>
<qso_date:8>20030624<time_on:6>014056<call:5>K4JRK<name:7>JEFFERY<rst_sent:2>55<rst_rcvd:2
>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>SYLVANIA<state:2>GA<cnty:7>SCREVEN<g
ridsquare:4>EM92<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:17>JEFFERY

, GA<net:17>OMISS 40m SSB Net<comment:5>#962#<operator:5>N7VLM<eor>
<qso_date:8>20030623<time_on:6>014739<call:4>K5DB<name:3>DON<rst_sent:2>59<rst_rcvd:2>59<m
ode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>SPRINGDALE<state:2>AR<cnty:10>WASHINGTON
<gridsquare:4>EM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>DON

, AR<net:17>OMISS 40m SSB Net<comment:6>#3851#<operator:5>N7VLM<eor>
<qso_date:8>20030623<time_on:6>013016<call:5>WO7GI<name:4>MIKE<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>LAWTON<state:2>OK<cnty:8>COMANCHE<grids
quare:4>EM04<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>MIKE

, OK<net:17>OMISS 40m SSB Net<comment:6>#4420#<operator:5>N7VLM<eor>
<qso_date:8>20030618<time_on:6>020800<call:6>KC8KVF<name:6>SHERON<rst_sent:2>33<rst_rcvd:2
>33<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>CHARLESTON<state:2>WV<cnty:7>KANAWH
A<gridsquare:4>EM98<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>SHERON

, WV<net:17>OMISS 40m SSB Net<comment:6>#4725#<operator:5>N7VLM<eor>
<qso_date:8>20030615<time_on:6>015231<call:6>WD9DFT<name:3>RON<rst_sent:2>33<rst_rcvd:2>33
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>IN<cnty:6>MARION<gridsquare:4>
EM69<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>RON

, IN<net:17>OMISS 40m SSB Net<comment:6>#4462#<operator:5>N7VLM<eor>
<qso_date:8>20030615<time_on:6>011642<call:6>KG4OTS<name:6>GEORGE<rst_sent:2>55<rst_rcvd:2
>22<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>REIDSVILLE<state:2>NC<cnty:10>ROCKI
NGHAM<gridsquare:4>FM06<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>GEO
RGE

, NC<net:17>OMISS 40m SSB Net<comment:6>#4482#<operator:5>N7VLM<eor>
<qso_date:8>20030613<time_on:6>015542<call:6>WD0FYF<name:6>GERALD<rst_sent:2>58<rst_rcvd:2
>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>McPHERSON<state:2>KS<cnty:9>MCPHERSO
N<gridsquare:4>EM18<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>GERALD

, KS<net:17>OMISS 40m SSB Net<comment:6>#4718#<operator:5>N7VLM<eor>
<qso_date:8>20030609<time_on:6>014332<call:5>K9KRY<name:4>MATT<rst_sent:2>57<rst_rcvd:2>55
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>ROUND LAKE<state:2>IL<cnty:4>LAKE<grid
square:4>EN52<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>MATT

, IL<net:17>OMISS 40m SSB Net<comment:6>#4529#<operator:5>N7VLM<eor>
<qso_date:8>20030609<time_on:6>011244<call:5>KD9UC<name:3>BOB<rst_sent:2>55<rst_rcvd:2>33<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>BIG BEND<state:2>WI<cnty:8>WAUKESHA<grid
square:4>EN52<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>BOB

, WI<net:17>OMISS 40m SSB Net<comment:6>#4656#<operator:5>N7VLM<eor>
<qso_date:8>20030608<time_on:6>012851<call:6>KC8TLG<name:3>DON<rst_sent:2>58<rst_rcvd:2>57
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>BAY CITY<state:2>MI<cnty:3>BAY<gridsqua
re:4>EN83<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>DON

, MI<net:17>OMISS 40m SSB Net<comment:6>#4704#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>012521<call:5>N8BBS<name:4>BRAD<rst_sent:2>58<rst_rcvd:2>44
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MI<cnty:5>WAYNE<gridsquare:4>E
N82<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BRAD

, MI<net:17>OMISS 40m SSB Net<comment:6>#4702#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>011528<call:6>KB0NDU<name:3>DON<rst_sent:2>57<rst_rcvd:2>45
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>HUSTON<state:2>MO<cnty:5>TEXAS<gridsqua
re:4>EM47<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>DON

, MO<net:17>OMISS 40m SSB Net<comment:6>#4709#<operator:5>N7VLM<eor>
<qso_date:8>20030607<time_on:6>011404<call:6>KC0NPJ<name:12>Gary E
Meyer<rst_sent:2>57<rst_rcvd:2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>Blue

Earth<state:2>MN<cnty:9>Faribault<gridsquare:0><qsl_sent:0><qsl_rcvd:0><qsl_via:0><qsl_mes
sage:0><address:63>Gary E Meyer
1005 E 8th St, Blue Earth
Blue Earth, MN 56013<net:17>OMISS 40m SSB Net<comment:6>#4723#<operator:5>N7VLM<eor>
<qso_date:8>20030522<time_on:6>020411<call:5>K7TNY<name:4>TONY<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>GLADSTONE<state:2>ND<cnty:5>STARK<grids
quare:4>DN86<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>TONY

, ND<net:17>OMISS 40m SSB Net<comment:6>#4208#<operator:5>N7VLM<eor>
<qso_date:8>20030522<time_on:6>011645<call:8>KB9RPL/M<name:5>DAVID<rst_sent:2>55<rst_rcvd:
2>45<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>VT<cnty:7>ORLEANS<gridsqua
re:0><qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>DAVID

, VT<net:17>OMISS 40m SSB Net<comment:6>#4376#<operator:5>N7VLM<eor>
<qso_date:8>20030522<time_on:6>010934<call:4>N9GZ<name:7>MICHAEL<rst_sent:2>58<rst_rcvd:2>
57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>McNABB<state:2>IL<cnty:6>PUTNAM<grids
quare:4>EN51<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>MICHAEL

, IL<net:17>OMISS 40m SSB Net<comment:5>#943#<operator:5>N7VLM<eor>
<qso_date:8>20030517<time_on:6>030918<call:6>KL7IHK<name:4>Dick<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WA<cnty:9>Snohomish<gridsquar
e:4>CN87<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>Dick

, WA<net:17>OMISS 40m SSB Net<comment:5>#185#<operator:5>N7VLM<eor>
<qso_date:8>20030516<time_on:6>020338<call:4>N0QW<name:10>Val Walker<rst_sent:2>22<rst_rcv
d:2>22<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:13>Woodland Park<state:2>CO<cnty:6>
TELLER<gridsquare:4>DM78<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:54>Va
l Walker
25 Homestead Dr
Woodland Park, CO 80863<net:17>OMISS 40m SSB Net<comment:6>#4706#<operator:5>N7VLM<eor>
<qso_date:8>20030516<time_on:6>015352<call:4>AE9W<name:4>GREG<rst_sent:2>55<rst_rcvd:2>59<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WI<cnty:4>DANE<gridsquare:4>EN5
2<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>GREG

, WI<net:17>OMISS 40m SSB Net<comment:6>#3331#<operator:5>N7VLM<eor>
<qso_date:8>20030516<time_on:6>011441<call:5>W5IOK<name:2>ED<rst_sent:2>55<rst_rcvd:2>59<m
ode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>LEWISVILLE<state:2>TX<cnty:6>DENTON<grid
square:4>EM13<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:12>ED

, TX<net:17>OMISS 40m SSB Net<comment:6>#4621#<operator:5>N7VLM<eor>
<qso_date:8>20030516<time_on:6>010919<call:5>AI3CD<name:5>CLIFF<rst_sent:2>58<rst_rcvd:2>5
8<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>New Cstle<state:2>PA<cnty:8>LAWRENCE<g
ridsquare:4>EN91<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>CLIFF

, PA<net:17>OMISS 40m SSB Net<comment:6>#3625#<operator:5>N7VLM<eor>
<qso_date:8>20030513<time_on:6>022658<call:5>K4HRN<name:5>CECIL<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>NC<cnty:0><gridsquare:0><qsl_
sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:15>CECIL

, NC<net:17>OMISS 40m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030513<time_on:6>014627<call:5>AA9BO<name:4>JACK<rst_sent:2>58<rst_rcvd:2>59
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>IN<cnty:6>MARION<gridsquare:0>
<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>JACK

, IN<net:17>OMISS 40m SSB Net<comment:6>#4705#<operator:5>N7VLM<eor>
<qso_date:8>20030513<time_on:6>014515<call:4>K1IF<name:4>RICK<rst_sent:2>58<rst_rcvd:2>59<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>UT<cnty:6>TOOELE<gridsquare:4>D
N30<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>RICK

, UT<net:17>OMISS 40m SSB Net<comment:6>#3960#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>020403<call:5>K4WIL<name:3>WIL<rst_sent:2>57<rst_rcvd:2>55<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>CLEVELAND<state:2>TN<cnty:7>BRADLEY<grid
square:4>EM75<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>WIL

, TN<net:17>OMISS 40m SSB Net<comment:6>#4489#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>015951<call:5>N9MXW<name:3>TOM<rst_sent:2>59<rst_rcvd:2>59<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WI<cnty:8>COLUMBIA<gridsquare:4
>EN53<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:13>TOM

, WI<net:17>OMISS 40m SSB Net<comment:6>#4631#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>015553<call:4>K9FA<name:7>RICHARD<rst_sent:2>33<rst_rcvd:2>
57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:7>OSHKOSH<state:2>WI<cnty:9>WINNEBAGO<g
ridsquare:4>EN54<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>RICHARD

, WI<net:17>OMISS 40m SSB Net<comment:6>#3648#<operator:5>N7VLM<eor>
<qso_date:8>20030510<time_on:6>014012<call:4>N9FT<name:4>FRED<rst_sent:2>22<rst_rcvd:2>22<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:7>OSHKOSH<state:2>WI<cnty:9>WINNEBAGO<grid
square:4>EN54<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>FRED

, WI<net:17>OMISS 40m SSB Net<comment:6>#4700#<operator:5>N7VLM<eor>
<qso_date:8>20030506<time_on:6>013847<call:6>WA0VZH<name:7>DOROTHY<rst_sent:2>59<rst_rcvd:
2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>IA<cnty:7>WEBSTER<gridsqua
re:4>EN22<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:17>DOROTHY

, IA<net:17>OMISS 40m SSB Net<comment:6>#3649#<operator:5>N7VLM<eor>
<qso_date:8>20030504<time_on:6>015044<call:4>WK5F<name:4>BILL<rst_sent:2>44<rst_rcvd:2>44<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>NACOGDOCHES<state:2>TX<cnty:11>NACOGDOC
HES<gridsquare:4>EM21<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BILL

, TX<net:17>OMISS 40m SSB Net<comment:6>#4350#<operator:5>N7VLM<eor>
<qso_date:8>20030504<time_on:6>012558<call:6>WB5FNW<name:7>RICHARD<rst_sent:2>54<rst_rcvd:
2>54<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TX<cnty:0><gridsquare:0><q
sl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:17>RICHARD

, TX<net:17>OMISS 40m SSB Net<comment:7>NO CLUB<operator:5>N7VLM<eor>
<qso_date:8>20030504<time_on:6>012221<call:5>K9TPW<name:3>TIM<rst_sent:2>59<rst_rcvd:2>54<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WI<cnty:0><gridsquare:0><qsl_se
nt:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>TIM

, WI<net:17>OMISS 40m SSB Net<comment:6>#4695#<operator:5>N7VLM<eor>
<qso_date:8>20030504<time_on:6>011252<call:6>KB9SDU<name:3>RON<rst_sent:2>22<rst_rcvd:2>22
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>GOSHEN<state:2>IN<cnty:7>ELKHART<gridsq
uare:4>EN71<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>RON

, IN<net:17>OMISS 40m SSB Net<comment:6>#4549#<operator:5>N7VLM<eor>
<qso_date:8>20030503<time_on:6>013225<call:5>KM5IH<name:5>LARRY<rst_sent:2>58<rst_rcvd:2>5
9<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>TX<cnty:7>TARRANT<gridsquare:
4>EM12<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>LARRY

, TX<net:17>OMISS 40m SSB Net<comment:6>#3663#<operator:5>N7VLM<eor>
<qso_date:8>20030503<time_on:6>013127<call:5>N5VTP<name:5>HARRY<rst_sent:2>59<rst_rcvd:2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>AR<cnty:6>SALINE<gridsquare:4>EM34<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>HARRY

, AR<net:17>OMISS 40m SSB Net<comment:6>#2869#<operator:5>N7VLM<eor>
<qso_date:8>20030502<time_on:6>013308<call:4>KX2J<name:6>RONALD<rst_sent:2>55<rst_rcvd:2>22<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>FL<cnty:8>COLUMBIA<gridsquare:4>EM80<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>RONALD

, FL<net:17>OMISS 40m SSB Net<comment:5>#307#<operator:5>N7VLM<eor>
<qso_date:8>20030502<time_on:6>013025<call:6>KA9GLX<name:6>HARLEN<rst_sent:2>55<rst_rcvd:2>22<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>ALBION<state:2>IN<cnty:5>NOBLE<gridsquare:4>EN71<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:16>HARLEN

, IN<net:17>OMISS 40m SSB Net<comment:6>#4223#<operator:5>N7VLM<eor>
<qso_date:8>20030426<time_on:6>012518<call:5>W5NMX<name:7>CHARLIE<rst_sent:2>57<rst_rcvd:2>57<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>NM<cnty:5>OTERO<gridsquare:4>DM72<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>CHARLIE

, NM<net:17>OMISS 40m SSB Net<comment:6>#4691#<operator:5>N7VLM<eor>
<qso_date:8>20030425<time_on:6>010822<call:4>N9OL<name:4>JOHN<rst_sent:2>55<rst_rcvd:2>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>IN<cnty:0><gridsquare:0><qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>JOHN

, IN<net:17>OMISS 40m SSB Net<comment:6>#4689#<operator:5>N7VLM<eor>
<qso_date:8>20030413<time_on:6>013450<call:8>KA8MMI/P<name:11>Neil Dunham<rst_sent:2>33<rst_rcvd:2>33<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>SMYRNA<state:2>TN<cnty:10>RUTHERFORD<gridsquare:4>EM65<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:50>Neil Dunham
1405 S Montebello
Olathe, KS 66062<net:17>OMISS 40m SSB Net<comment:6>#4538#<operator:5>N7VLM<eor>
<qso_date:8>20030413<time_on:6>010600<call:6>KG4KTB<name:15>Perry Westberry<rst_sent:2>53<rst_rcvd:2>53<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>Mcdonough<state:2>GA<cnty:5>Henry<gridsquare:4>EM73<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:59>Perry Westberry
411 River Forest Dr
Mcdonough, GA 30252<net:17>OMISS 40m SSB Net<comment:6>#4298#<operator:5>N7VLM<eor>
<qso_date:8>20030412<time_on:6>032545<call:4>W9BQ<name:7>STEPHEN<rst_sent:2>55<rst_rcvd:2>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>LINDENHURST<state:2>IL<cnty:4>LAKE<gridsquare:4>EN52<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:17>STEPHEN

, IL<net:17>OMISS 40m SSB Net<comment:6>#2996#<operator:5>N7VLM<eor>
<qso_date:8>20030410<time_on:6>014445<call:5>W5PVE<name:3>JOE<rst_sent:2>55<rst_rcvd:2>33<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>MONROE<state:2>LA<cnty:8>OUACHITA<gridsquare:4>EM32<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:13>JOE

, LA<net:17>OMISS 40m SSB Net<comment:6>#3604#<operator:5>N7VLM<eor>
<qso_date:8>20030410<time_on:6>014139<call:6>KB5DNF<name:6>WARREN<rst_sent:2>57<rst_rcvd:2>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>GONZALES<state:2>LA<cnty:9>ASCENSION<gridsquare:4>EM40<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:16>WARREN

, LA<net:17>OMISS 40m SSB Net<comment:6>#4675#<operator:5>N7VLM<eor>
<qso_date:8>20030410<time_on:6>012714<call:6>KB0JGA<name:3>RAY<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MN<cnty:5>ANOKA<gridsquare:4>E
N35<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>RAY

, MN<net:17>OMISS 40m SSB Net<comment:6>#3189#<operator:5>N7VLM<eor>
<qso_date:8>20030409<time_on:6>022547<call:5>K7RTA<name:2>Ed<rst_sent:2>58<rst_rcvd:2>55<m
ode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>Tucson<state:2>AZ<cnty:0><gridsquare:4>DM
42<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:44>Edward Wilson
POB 18161
Tucson, AZ 85731<net:17>OMISS 40m SSB Net<comment:14>(no club info)<operator:5>N7VLM<eor>
<qso_date:8>20030409<time_on:6>012336<call:4>NZ5R<name:3>BOB<rst_sent:2>55<rst_rcvd:2>55<m
ode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>SILVER CITY<state:2>NM<cnty:5>GRANT<grid
square:4>DM52<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>BOB

, NM<net:17>OMISS 40m SSB Net<comment:4>#29#<operator:5>N7VLM<eor>
<qso_date:8>20030408<time_on:6>014509<call:6>KC5VYE<name:4>RICH<rst_sent:2>59<rst_rcvd:2>5
7<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:19>PETIT JEAN MOUNTAIN<state:2>AR<cnty:6
>CONWAY<gridsquare:4>EM35<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>R
ICH

, AR<net:17>OMISS 40m SSB Net<comment:6>#3957#<operator:5>N7VLM<eor>
<qso_date:8>20030407<time_on:6>013346<call:4>WG0Y<name:4>DAVE<rst_sent:2>55<rst_rcvd:2>55<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:11>ST. CHARLES<state:2>MO<cnty:13>SAINT CH
ARLES<gridsquare:4>EM48<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>DAV
E

, MO<net:17>OMISS 40m SSB Net<comment:6>#3873#<operator:5>N7VLM<eor>
<qso_date:8>20030406<time_on:6>012246<call:5>AB8ND<name:4>JACK<rst_sent:2>44<rst_rcvd:2>44
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:12>GRAND PAPIDS<state:2>MI<cnty:4>KENT<gr
idsquare:4>EN72<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>JACK

, MI<net:17>OMISS 40m SSB Net<comment:6>#4294#<operator:5>N7VLM<eor>
<qso_date:8>20030406<time_on:6>011952<call:6>KB9GXG<name:4>MIKE<rst_sent:2>44<rst_rcvd:2>4
4<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:5>VIOLA<state:2>WI<cnty:9>MILWAUKEE<grid
square:4>EN63<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:4>MIKE<net:17>OM
ISS 40m SSB Net<comment:7>NO CLUB<operator:5>N7VLM<eor>
<qso_date:8>20030405<time_on:6>031235<call:6>WB6QVI<name:4>FRED<rst_sent:2>59<rst_rcvd:2>5
9<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>ARNOLD<state:2>CA<cnty:9>CALAVERAS<gri
dsquare:4>CM98<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>FRED

, CA<net:17>OMISS 40m SSB Net<comment:6>#2215#<operator:5>N7VLM<eor>
<qso_date:8>20030405<time_on:6>030900<call:6>WB8CAC<name:3>BOB<rst_sent:2>53<rst_rcvd:2>57
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>HELENA<state:2>AL<cnty:9>TALLADEGA<grid
square:4>EM63<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>BOB

, AL<net:17>OMISS 40m SSB Net<comment:6>#4369#<operator:5>N7VLM<eor>
<qso_date:8>20030401<time_on:6>013508<call:5>AG4PP<name:4>DALE<rst_sent:2>59<rst_rcvd:2>58
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:8>EASTVIEW<state:2>KY<cnty:6>HARDIN<grids
quare:4>EM67<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>DALE

, KY<net:17>OMISS 40m SSB Net<comment:6>#4452#<operator:5>N7VLM<eor>
<qso_date:8>20030401<time_on:6>012808<call:5>W9AVM<name:3>JIM<rst_sent:2>55<rst_rcvd:2>57<

mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>EAU CLAIRE<state:2>WI<cnty:4>DUNN<grids
quare:4>EN44<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>JIM

, WI<net:17>OMISS 40m SSB Net<comment:5>#619#<operator:5>N7VLM<eor>
<qso_date:8>20030401<time_on:6>012110<call:5>KK5ZB<name:4>MIKE<rst_sent:2>55<rst_rcvd:2>47
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:13>WICHITA FALLS<state:2>TX<cnty:6>WICHTA
<gridsquare:4>EM03<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>MIKE

, TX<net:17>OMISS 40m SSB Net<comment:6>#3417#<operator:5>N7VLM<eor>
<qso_date:8>20030331<time_on:6>015736<call:6>KG4OTS<name:6>GEORGE<rst_sent:2>59<rst_rcvd:2
>55<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:10>REIDSVILLE<state:2>NC<cnty:10>ROCKI
NGHAM<gridsquare:4>FM06<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>GEO
RGE

, NC<net:17>OMISS 40m SSB Net<comment:6>#4482#<operator:5>N7VLM<eor>
<qso_date:8>20030331<time_on:6>015408<call:5>N1BJZ<name:3>ROD<rst_sent:2>33<rst_rcvd:2>22<
mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>BIDDEFORD<state:2>ME<cnty:4>YORK<gridsqu
are:4>FN43<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>ROD

, ME<net:17>OMISS 40m SSB Net<comment:5>#4233<operator:5>N7VLM<eor>
<qso_date:8>20030331<time_on:6>014451<call:6>KD7THB<name:4>JOHN<rst_sent:2>59<rst_rcvd:2>5
9<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>TUCSON<state:2>AZ<cnty:4>PIMA<gridsqua
re:4>DM42<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:14>JOHN

, AZ<net:17>OMISS 40m SSB Net<comment:6>#4606#<operator:5>N7VLM<eor>
<qso_date:8>20030331<time_on:6>013943<call:6>N9DZ/M<name:3>JIM<rst_sent:2>33<rst_rcvd:2>22
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>DE<cnty:0><gridsquare:0><qsl_s
ent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>JIM

, DE<net:17>OMISS 40m SSB Net<comment:6>#4371#<operator:5>N7VLM<eor>
<qso_date:8>20030331<time_on:6>010728<call:6>WB4UIC<name:3>TOM<rst_sent:2>59<rst_rcvd:2>59
<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>WY<cnty:7>LARAMIE<gridsquare:4
>DN71<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:1>M<qsl_message:0><address:13>TOM

, WY<net:17>OMISS 40m SSB Net<comment:6>#3057#<operator:5>N7VLM<eor>
<qso_date:8>20030329<time_on:6>023850<call:5>K9NAM<name:6>DENNIS<rst_sent:2>57<rst_rcvd:2>
57<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:3>RIO<state:2>WI<cnty:8>COLUMBIA<grids
quare:4>EN53<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>DENNIS

, WI<net:17>OMISS 40m SSB Net<comment:6>#3853#<operator:5>N7VLM<eor>
<qso_date:8>20030329<time_on:6>021312<call:6>KC2DFV<name:6>HERMAN<rst_sent:2>33<rst_rcvd:2
>33<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:7>BUFFALO<state:2>NY<cnty:4>ERIE<grid
square:4>FN02<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:16>HERMAN

, NY<net:17>OMISS 40m SSB Net<comment:6>#4598#<operator:5>N7VLM<eor>
<qso_date:8>20030329<time_on:6>011743<call:5>N4EEK<name:4>BILL<rst_sent:2>58<rst_rcvd:2>44
<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:15>WHISPERING PINE<state:2>NC<cnty:5>MOO
RE<gridsquare:4>FM05<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:14>BILL

, NC<net:17>OMISS 40m SSB Net<comment:6>#4623#<operator:5>N7VLM<eor>
<qso_date:8>20030329<time_on:6>011618<call:5>N5KGY<name:5>JERRY<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:7>STURGIS<state:2>MS<cnty:9>OKTIBBEHA<g
ridsquare:4>EM53<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>JERRY

, MS<net:17>OMISS 40m SSB Net<comment:6>#4406#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>013849<call:5>K9DXR<name:4>RUSS<rst_sent:2>53<rst_rcvd:2>53
<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:0><state:2>IL<cnty:4>COOK<gridsquare:4>E
N61<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>RUSS

, IL<net:17>OMISS 40m SSB Net<comment:6>#4366#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>011940<call:5>AB0TV<name:3>TOM<rst_sent:2>59<rst_rcvd:2>59<
mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:0><state:2>SD<cnty:9>MINNEHAHA<gridsquare
:4>EN13<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>TOM

, SD<net:17>OMISS 40m SSB Net<comment:6>#4487#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>010838<call:6>KA4IKS<name:3>ART<rst_sent:2>55<rst_rcvd:2>55
<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:0><state:2>VA<cnty:10>ROCKINGHAM<gridsqu
are:4>FM08<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:13>ART

, VA<net:17>OMISS 40m SSB Net<comment:6>#4578#<operator:5>N7VLM<eor>
<qso_date:8>20030328<time_on:6>010829<call:6>KB8GAE<name:4>RICH<rst_sent:2>55<rst_rcvd:2>5
5<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:8>CANFIELD<state:2>OH<cnty:8>MAHONING<g
ridsquare:4>EN91<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>RICH

, OH<net:17>OMISS 40m SSB Net<comment:6>#2610#<operator:5>N7VLM<eor>
<qso_date:8>20030327<time_on:6>020712<call:6>KD7JOR<name:4>BILL<rst_sent:2>59<rst_rcvd:2>5
9<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:11>GREAT FALLS<state:2>MT<cnty:7>CASCAD
E<gridsquare:4>DN47<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:14>BILL

, MT<net:17>OMISS 40m SSB Net<comment:6>#4189#<operator:5>N7VLM<eor>
<qso_date:8>20030327<time_on:6>020059<call:4>NY0W<name:3>DON<rst_sent:2>59<rst_rcvd:2>59<m
ode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:8>ABERDEEN<state:2>SD<cnty:5>BROWN<gridsqu
are:4>EN05<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>DON

, SD<net:17>OMISS 40m SSB Net<comment:5>#758#<operator:5>N7VLM<eor>
<qso_date:8>20030327<time_on:6>015243<call:4>NJ5M<name:3>PAT<rst_sent:2>55<rst_rcvd:2>59<m
ode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:9>BIG CABIN<state:2>OK<cnty:5>CRAIG<gridsq
uare:4>EM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:13>PAT

, OK<net:17>OMISS 40m SSB Net<comment:6>#4456#<operator:5>N7VLM<eor>
<qso_date:8>20030327<time_on:6>015145<call:4>K9DG<name:3>DON<rst_sent:2>58<rst_rcvd:2>58<m
ode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:14>CHIPPEWA FALLS<state:2>WI<cnty:8>CHIPPE
WA<gridsquare:4>EN44<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:1>M<qsl_message:0><address:13>DON

, WI<net:17>OMISS 40m SSB Net<comment:6>#3658#<operator:5>N7VLM<eor>
<qso_date:8>20030327<time_on:6>011552<call:8>KB4BML/P<name:8>CHARISSA<rst_sent:2>33<rst_rc
vd:2>33<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:0><state:2>TN<cnty:0><gridsquare:
0><qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:25>CHARISSA

PORT TN, KS<net:17>OMISS 40m SSB Net<comment:6>#4660#<operator:5>N7VLM<eor>
<qso_date:8>20030327<time_on:6>011532<call:5>W8ZCK<name:4>BILL<rst_sent:2>57<rst_rcvd:2>33
<mode:3>SSB<band:3>40m<dxcc:0><freq:7>7.263.5<qth:8>COLUMBUS<state:2>OH<cnty:8>FRANKLIN<gr
idsquare:4>EM89<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>BILL

, OH<net:17>OMISS 40m SSB Net<comment:6>#4336#<operator:5>N7VLM<eor>
<qso_date:8>20030322<time_on:6>045931<call:6>KC7JLS<name:4>Bill<rst_sent:2>59<rst_rcvd:2>5
5<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:9>LAS VEGAS<state:2>NV<cnty:5>CLARK<grid
square:4>DM26<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:14>Bill

, NV<net:17>OMISS 40m SSB Net<comment:6>#4275#<operator:5>N7VLM<eor>
<qso_date:8>20030322<time_on:6>042159<call:4>WT3F<name:2>CY<rst_sent:2>58<rst_rcvd:2>44<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:0><state:2>MD<cnty:7>Harford<gridsquare:4>FM19<qsl_sent:1>Y<qsl_rcvd:0><qsl_via:0><qsl_message:0><address:12>CY

, MD<net:17>OMISS 40m SSB Net<comment:6>#3829#<operator:5>N7VLM<eor>
<qso_date:8>20030322<time_on:6>035436<call:5>KG5RJ<name:4>Greg<rst_sent:2>59<rst_rcvd:2>59<mode:3>SSB<band:3>40m<dxcc:0><freq:6>7.2635<qth:6>DALLAS<state:2>TX<cnty:6>Collin<gridsquare:4>EM12<qsl_sent:1>Y<qsl_rcvd:1>Y<qsl_via:0><qsl_message:0><address:15>Grage

, TX<net:17>OMISS 40m SSB Net<comment:6>#4481#<operator:5>N7VLM<eor>
<qso_date:8>20030322<time_on:6>032619<call:5>AB7GW
(Message over 64 KB, truncated)

719. Re: [XMLog] Re: Importing ADIF files into XMLog (error message)

Yahoo group: XMLog
Date: 2003-08-20 18:13:03 UTC
From: CY Dygitt
Topic: 714 Message: 719

At 08:04 AM 8/20/03 -0700, you wrote:
>Many thanks Mike... I will send you both my 40M and my
>20M files for compareson. Jim
>--- Mike McAmis <m.mcamis@...> wrote:
> > Hi Jim,
> >
> > Send me a copy of your ADIF file as an email
> > attachment to
> > m.mcamis@...
> >
> > Mike - W1ECT

Jim,
Thanks for sharing that with the whole group when Mike
specifically stated to send it ONLY to him at the above address,
and as an e-mail attachment- not imbedded! What a waste of
bandwidth and system resources, for a hobby that just isn't
what it used to be only a few years ago. na5s

720. Re: Importing ADIF files into XMLog (error message)

Yahoo group: XMLog
Date: 2003-08-25 15:23:26 UTC
From: Mike McAmis
Topic: 714 Message: 720

Hi, It's seems as if Net-Logger is not handling things quite
correctly.

One thing it's doing was using strange line sequences in the Address
fields. Normally it's using CR/LF for break up lines but it seems to
be using CR/CR/LF/CR/LF within address fields. It also isn't adding
a CR/LF after the last line in the address field. The address field
should also be flagged as a "Multi" field e.g. <address:15:M> ...
when there are multiple lines.

> I am trying to import ADIF files from a program called Net-Logger
> that I use for my OMISS contacts. I have all bands except 20
> transfered ok.

721. Window is too large

Yahoo group: XMLog
Date: 2003-09-02 02:07:26 UTC
From: Scott Gordon
Topic: 721 Message: 721

Well I have done something when I open up my xmlog program I can't see the Add Selcet or Modify Buttons at the bottom of the page. I have tried minimize, mazimize, restore. But nothing seems to work.

Any Ideas?

Scott
http://www.kq8rp.com

722. Re: [XMLog] Window is too large

Yahoo group: XMLog
Date: 2003-09-02 16:00:20 UTC
From: Joseph Agius
Topic: 721 Message: 722

you can probably change your monitor settings to something smaller.
I suspect they may be set at 480 x600

Joe
W1TW

Scott Gordon <noshoes2@...> wrote:
Well I have done something when I open up my xmlog program I can't
see the Add Selcet or Modify Buttons at the bottom of the page. I
have tried minimize, mazimize, restore. But nothing seems to work.

Any Ideas?

Scott
http://www.kq8rp.com

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software

[Non-text portions of this message have been removed]

723. Re: NIL QSOs

Yahoo group: XMLog
Date: 2003-09-12 01:35:42 UTC
From: Mike McAmis
Topic: 723 Message: 723

Hi Steve,

Well here's what I do - not quite what you want. I just set
the 'Prefix' field to ? and add a NIL in the comment field as well.
Then you can do most of your normal searching but the QSO won't show
up in the awards totals.

Another way I tried for a while that I didn't like as much was to set
the DXCC (or WAZ or WAS) sent/rejected dates to ?. This keeps it out
of the awards totals as well but is a bit bogus since the QSO wasn't
really sent/rejected by the ARRL.

Mike - W1ECT

****

I need some help with XMLog v.4.35 1/7/02. Nothing wrong with the
program...great as usual. I would like to be able to do something
with my NIL Qs and if possible keep them in the main log to be able
to look them up when I wish. I would also like to have them not be a
factor in the stats...just look 'em up but not have them show as a
sent but not received in the awards section. Any suggestion?

73/dx - Steve, k8wk

724. Combining logs

Yahoo group: XMLog
Date: 2003-09-12 08:37:28 UTC
From: Mike McGlynn
Topic: 724 Message: 724

Our club is using XMLOG for the rt66 special event station here in Amarillo. We are trying to combine the logs from the different participants, but we are runnig into a snag. we are getting nothing but gibberish when we try. What are we doing wrong?

Mike
N5ZXP

725. Re: [XMLog] Combining logs

Yahoo group: XMLog
Date: 2003-09-12 16:20:16 UTC
From: Joseph Agius
Topic: 724 Message: 725

You can export to ADIF and import into one master file.

joe
W1TW

Mike McGlynn <n5zxp@...> wrote:
Our club is using XMLOG for the rt66 special event station here in
Amarillo. We are trying to combine the logs from the different
participants, but we are runnig into a snag. we are getting nothing
but gibberish when we try. What are we doing wrong?

Mike
N5ZXP

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software

[Non-text portions of this message have been removed]

726. sending log

Yahoo group: XMLog
Date: 2003-09-15 01:04:49 UTC
From: Bob Hill
Topic: 726 Message: 726

I have used the program to log contacts in the route 66 event and is there a way that I can send a copy of the log info to someone?
Bob Hill, w5fbq

[Non-text portions of this message have been removed]

727. Re: sending log

Yahoo group: XMLog
Date: 2003-09-15 11:51:48 UTC
From: Mike McAmis
Topic: 726 Message: 727

Hi Bob, Not sure what the event coordinators need - If they just want a listing you can select the appropriate entries (selecting by date perhaps?) then use the Display/Short or Medium menu item and then use File/Print from the display window.

Mike - W1ECT

> I have used the program to log contacts in the route 66 event and is there a
> way that I can send a copy of the log info to someone?
> Bob Hill, w5fbq

728. Re: NIL QSOs

Yahoo group: XMLog
Date: 2003-09-15 11:56:02 UTC
From: Mike McAmis
Topic: 723 Message: 728

Someone has pointed out that if you don't have any sentimental attachment to the entry the most direct way of handling a NIL QSO is to delete it from your log!

Mike - W1ECT

729. Re: [XMLog] Re: NIL QSOs

Yahoo group: XMLog
Date: 2003-09-15 12:27:07 UTC
From: litwins
Topic: 723 Message: 729

Tnx fer ur help Mike;
As usual, the suggestion to put the "?" in the prefix box did the trick for me. My record of what happened is complete without the Q counting for a regular statistic...AND it does not seem to bother the program either...73/dx
steve, k8wk
****
----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Monday, September 15, 2003 6:56 AM
Subject: [XMLog] Re: NIL QSOs

> Someone has pointed out that if you don't have any sentimental
> attachment to the entry the most direct way of handling a NIL QSO is
> to delete it from your log!
>
> Mike - W1ECT
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

730. Re: [XMLog] Re: sending log

Yahoo group: XMLog
Date: 2003-09-15 13:24:51 UTC
From: Joseph Agius
Topic: 726 Message: 730

You can also use the excel option on the display window and customixe the spreadsheet for the route 66 event.
However, I have done it both ways and find just filling out the form just as easy and they make less mistakes when reading it. They don't seem to be used to automation.

Joe

Mike McAmis <m.mcamis@...> wrote:
Hi Bob, Not sure what the event coordinators need - If they just want
a listing you can select the appropriate entries (selecting by date
perhaps?) then use the Display/Short or Medium menu item and then use
File/Print from the display window.

Mike - W1ECT

> I have used the program to log contacts in the route 66 event and
is there a
> way that I can send a copy of the log info to someone?
> Bob Hill, w5fbq

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software

[Non-text portions of this message have been removed]

731. RS232 powered interface?

Yahoo group: XMLog
Date: 2003-09-15 19:11:31 UTC
From: David Spoelstra
Topic: 731 Message: 731

I looked in the documentation and searched in the Yahoo group, but I couldn't find an answer to this question:

I want to build an RS232 powered rig interface. It requires either RTS or DTR to be held high for power. Does XMLog hold either of these lines high on the rig interface port?

Thanks!
-David/N9KT

732. Re: RS232 powered interface?

Yahoo group: XMLog
Date: 2003-09-16 14:14:51 UTC
From: Mike McAmis
Topic: 731 Message: 732

Hi David - XMLog enables DTR up but uses RTS for flow control (if the option is enabled in the Packet Options menu). This means RTS gets toggled as data is sent.

Mike - W1ECT

> I looked in the documentation and searched in the Yahoo group, but I
> couldn't find an answer to this question:
>
> I want to build an RS232 powered rig interface. It requires either RTS or
> DTR to be held high for power. Does XMLog hold either of these lines high
> on the rig interface port?
>
> Thanks!
> -David/N9KT

733. Re: RS232 powered interface?

Yahoo group: XMLog
Date: 2003-09-18 20:06:37 UTC
From: David Spoelstra
Topic: 731 Message: 733

```
--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi David - XMLog enables DTR up but uses RTS for flow control (if
the
> option is enabled in the Packet Options menu). This means RTS
gets
> toggled as data is sent.

What happens to RTS if you don't enable flow control?
-David/N9KT
```

735. Re: RS232 powered interface?

Yahoo group: XMLog
Date: 2003-09-19 14:20:32 UTC
From: Mike McAmis
Topic: 731 Message: 735

Hi David - I don't know if the state depends on any other system or driver settings so it's best not to count on the state. If you need both DTR and RTS to be up you could build an adapter cable that connected both to DTR.

Mike - W1ECT

> What happens to RTS if you don't enable flow control?
> -David/N9KT

736. Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-19 23:29:40 UTC
From: Kevin Nathan
Topic: 736 Message: 736

Hi Mike and All,

I want to submit some info to LOTW. However, my log contains QSO's made when I lived in Idaho and those from my present QTH here in Washington state. How can I build two different adif files to upload to show QSO's from my Idaho QTH prior to May 16, 2001 and those from here since that date?

Thanks much for your help and very 73.

Kevin, K7RX :)

737. Re: [XMLog] Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 02:51:46 UTC
From: N7MAL
Topic: 736 Message: 737

WHY??? Why do want to separate them? Contacts made from anywhere inside Conus count for any ARRL award...

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Friday, September 19, 2003 11:29 PM
Subject: [XMLog] Building Separate Adif Files

Hi Mike and All,

I want to submit some info to LOTW. However, my log contains QSO's made when I lived in Idaho and those from my present QTH here in Washington state. How can I build two different adif files to upload to show QSO's from my Idaho QTH prior to May 16, 2001 and those from here since that date?

Thanks much for your help and very 73.

Kevin, K7RX :)

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

738. RE: [XMLog] Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 03:40:39 UTC
From: n5zxp
Topic: 736 Message: 738

My understanding is that there is a 50 mile limit for awards....if you move more than 50 miles from your last QTH you must start the awards program all over again
MIKE MCGLYNN
N5ZXP

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Friday, September 19, 2003 9:52 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Building Separate Adif Files

WHY??? Why do want to separate them? Contacts made from anywhere inside Conus count for any ARRL award...

MAL N7MAL
BULLHEAD CITY, AZ

739. RE: [XMLog] Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 03:53:58 UTC
From: Kevin Nathan
Topic: 736 Message: 739

Hi,

My concern would be to provide credit for those stations who worked me as an Idaho station to give credit for that state. I figured out how to do the separate adif files now so all I have to do now is wait for my certificate process to complete through LOTW. At that point, after I upload all my files I'll worry about the awards program requirements.

Thanks and very 73 to all.

Kevin, K7RX :)

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Saturday, September 20, 2003 02:52
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Building Separate Adif Files

WHY??? Why do want to separate them? Contacts made from anywhere inside Conus count for any ARRL award...

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Friday, September 19, 2003 11:29 PM
Subject: [XMLog] Building Separate Adif Files

Hi Mike and All,

I want to submit some info to LOTW. However, my log contains QSO's made when I lived in Idaho and those from my present QTH here in Washington state. How can I build two different adif files to upload to show QSO's from my Idaho QTH prior to May 16, 2001 and those from here since that date?

Thanks much for your help and very 73.

Kevin, K7RX :)

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

740. Re: [XMLog] Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 04:02:40 UTC
From: N7MAL
Topic: 736 Message: 740

Well I stand corrected, here are the rules governing the major ARRL awards:

VUCC Rule 6: For VUCC awards on 50 through 1296 MHz and Satellite, all contacts must be made from a location or locations within the same grid locator or locations in different grid locators no more than 50 miles apart. For SHF awards,contacts must be made from a single location, defined as within a 300-meter diameter circle.

WAS Rule 3:Contacts must be made from the same location, or from locations no two of which are more than 50 miles apart which is affirmed by signature of the applicant on the application. Club station applicants, please include clearly the club name and callsign of the club station (or trustee).

DXCC Rule 9: All stations must be contacted from the same DXCC Entity. The location of any station shall be defined as the location of the transmitter. For the purposes of this award, remote operating points must be located within the same DXCC Entity as the transmitter and receiver.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: "n5zxp" <n5zxp@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, September 20, 2003 3:40 AM
Subject: RE: [XMLog] Building Separate Adif Files

My understanding is that there is a 50 mile limit for awards....if you move more than 50 miles from your last QTH you must start the awards program all over again
MIKE MCGLYNN
N5ZXP

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Friday, September 19, 2003 9:52 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Building Separate Adif Files

WHY??? Why do want to separate them? Contacts made from anywhere inside Conus count for any ARRL award...

MAL N7MAL
BULLHEAD CITY, AZ

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

741. Re: Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 04:12:57 UTC
From: Dave Bernstein
Topic: 736 Message: 741

DXKeeper can filter your log based on date and export separate ADIF files. Its free and available via www.qsl.net/dxlab. If you'd rather not install a new application for a one-time need, send me your ADIF file and the date you moved, and I'll send you back two ADIF files.

73,

Dave, AA6YQ

--- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@c...> wrote:
> Hi Mike and All,
>
> I want to submit some info to LOTW. However, my log contains QSO's made
> when I lived in Idaho and those from my present QTH here in Washington
> state. How can I build two different adif files to upload to show QSO's
> from my Idaho QTH prior to May 16, 2001 and those from here since that date?
>
> Thanks much for your help and very 73.
>
> Kevin, K7RX :)

742. RE: [XMLog] Re: Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 04:50:46 UTC
From: Kevin Nathan
Topic: 736 Message: 742

Hi Dave,

Thanks much for our very generous offer but I did figure out how to do it.
Helps if you RTFM. <GRIN>

Again, thanks and very 73.

Kevin, K7RX :)

-----Original Message-----
From: Dave Bernstein [mailto:aa6yq@...]
Sent: Saturday, September 20, 2003 04:13
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Building Separate Adif Files

DXKeeper can filter your log based on date and export separate ADIF
files. Its free and available via www.qsl.net/dxlab. If you'd rather
not install a new application for a one-time need, send me your ADIF
file and the date you moved, and I'll send you back two ADIF files.

73,

Dave, AA6YQ

--- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@c...> wrote:
> Hi Mike and All,
>
> I want to submit some info to LOTW. However, my log contains QSO's
made
> when I lived in Idaho and those from my present QTH here in
Washington
> state. How can I build two different adif files to upload to show
QSO's
> from my Idaho QTH prior to May 16, 2001 and those from here since
that date?
>
> Thanks much for your help and very 73.
>
> Kevin, K7RX :)

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

743. Re: Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 13:05:57 UTC
From: Mike McAmis
Topic: 736 Message: 743

Hi Kevin, It's easy to build seperate ADIF files based on the QSO
date and then create ADIF files that contain only the selected
QSO's. For example do a log search with the date field set to:
>=02/04/80,<=09/12/92 and then select the "Export ADIF File" menu
item and choose "Currently Selected Log Entries" when you get
the "Which Entries?" prompt. If you need to use different selection
criteria check the "Searching the log" section of the help files.

Mike - W1ECT

> Hi Mike and All,
>
> I want to submit some info to LOTW. However, my log contains QSO's
made
> when I lived in Idaho and those from my present QTH here in
Washington
> state. How can I build two different adif files to upload to show
QSO's
> from my Idaho QTH prior to May 16, 2001 and those from here since
that date?
>
> Thanks much for your help and very 73.
>
> Kevin, K7RX :)

744. RE: [XMLog] Re: Building Separate Adif Files

Yahoo group: XMLog
Date: 2003-09-20 14:56:30 UTC
From: Kevin Nathan
Topic: 736 Message: 744

Hi Mike,

Yes, I figured that out. In this case, I just did a search with <05/16/01 which was the date I moved here officially and then did the adif file with those entries. Worked like a champ.

Thanks for all the help though and your great product. Very 73.

Kevin, K7RX :)

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Saturday, September 20, 2003 13:06
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Building Separate Adif Files

Hi Kevin, It's easy to build seperate ADIF files based on the QSO date and then create ADIF files that contain only the selected QSO's. For example do a log search with the date field set to: >=02/04/80,<=09/12/92 and then select the "Export ADIF File" menu item and choose "Currently Selected Log Entries" when you get the "Which Entries?" prompt. If you need to use different selection criteria check the "Searching the log" section of the help files.

Mike - W1ECT

> Hi Mike and All,
>
> I want to submit some info to LOTW. However, my log contains QSO's made
> when I lived in Idaho and those from my present QTH here in Washington
> state. How can I build two different adif files to upload to show QSO's
> from my Idaho QTH prior to May 16, 2001 and those from here since that date?
>
> Thanks much for your help and very 73.
>
> Kevin, K7RX :)

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

745. New member with a question

Yahoo group: XMLog
Date: 2003-09-21 17:15:29 UTC
From: andy.m0ceg
Topic: 745 Message: 745

Hello All,
I am a new member to the group so please for give me if I ask some questions that you have been asked in the past.
First off my name is Andrew Shipp but please call me Andy, I've been a licensed amateur since 1994 this was the B licence, then in 1998 I did the mors code which gave me the A licence of which I am very proud of as this is the second exam I've have ever past in my life. My first question to ask do I need to use this logging program for contest only or can I tern this feature off? if so please can you tell me how to do this please.
Also is there another blind people on the group who is using this program with a screen reader? I am using Jaws 4.02 and before I get started with this log I would like to know how exessable the program is for the screen reader.

I would be very grateful for any help on these questions.
Regards Andy
Andy M 0 C E G

All messages are checked before sending by Norton anti virus

Email andy.m0ceg@...,

Home phone +44)0,1604-517007,
Mobile, 07773457805,

746. Bug - Band info not exported in ADIF if frequency is in the 60m band

Yahoo group: XMLog
Date: 2003-09-23 22:41:41 UTC
From: David Spoelstra
Topic: 746 Message: 746

First off, thanks for such a great logging program!

I noticed that if the frequency of the QSO is in the 60m band, then
the "band" information is not exported to the ADIF log like it is in
the other bands. See below for an example. I'm using V4.62.
-David/N9KT

ADIF Export from XMLog Version 4.62
File: C:\PROGRAM FILES\XMLOG\N9KT.LOG - 9/23/03
http://www.xmlog.com
m.mcamis@...
<EOH>

<QSO_DATE:8:D>20030823 <TIME_ON:4>0520 <CALL:6>WB9WKJ <FREQ:5>5.404
<RST_SENT:2>59 <RST_RCVD:2>59 <MODE:3>SSB <TX_PWR:3>100 <CQZ:2>04
<CNTY:9>WI,Racine <STATE:2>WI <DXCC:3>291 <NAME:5>Randy
<ADDRESS:53:M>RANDALL L SCHULTZ
2530 IRIS CT
RACINE, WI 53402
USA
<EOR>

747. search problem

Yahoo group: XMLog
Date: 2003-09-24 01:20:24 UTC
From: Phil
Topic: 747 Message: 747

I am using v4.56, and until the last few days it has
worked perfectly. Now, when I select "search" and
type the first letter or figure into any field I
receive the following illegal operation termination:

invalid page fault in module msvbvm60.dll at
015f:73458401

Searching with no criteria entered works fine. I
reloaded the software with the same results. It is
also working fine on my other machine, but this is the
one on the radio desk.

All help will be appreciated. Any ideas?

73,

Phil - N1KI

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software
http://sitebuilder.yahoo.com

748. Re: Bug - Band info not exported in ADIF if frequency is in the 60m band

Yahoo group: XMLog
Date: 2003-09-24 13:15:02 UTC
From: Mike McAmis
Topic: 746 Message: 748

Hi David - I'll fix this bug in the next beta. Fortunately the LoTW software doesn't require the "Band" field in submitted ADIF files. Early LoTW beta versions did require this field but during the beta they changed it such that it can determine the Band from the Frequency.

Mike - W1ECT

> First off, thanks for such a great logging program!
>
> I noticed that if the frequency of the QSO is in the 60m band, then
> the "band" information is not exported to the ADIF log like it is
in
> the other bands. See below for an example. I'm using V4.62.
> -David/N9KT
>
> ADIF Export from XMLog Version 4.62
> File: C:\PROGRAM FILES\XMLOG\N9KT.LOG - 9/23/03
> http://www.xmlog.com
> m.mcamis@v...
> <EOH>
>
> <QSO_DATE:8:D>20030823 <TIME_ON:4>0520 <CALL:6>WB9WKJ <FREQ:5>5.404
> <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:3>SSB <TX_PWR:3>100 <CQZ:2>04
> <CNTY:9>WI,Racine <STATE:2>WI <DXCC:3>291 <NAME:5>Randy
> <ADDRESS:53:M>RANDALL L SCHULTZ
> 2530 IRIS CT
> RACINE, WI 53402
> USA
> <EOR>

749. Re: Bug - Band info not exported in ADIF if frequency is in the 60m band

Yahoo group: XMLog
Date: 2003-09-24 22:22:10 UTC
From: David Spoelstra
Topic: 746 Message: 749

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi David - I'll fix this bug in the next beta.

Great! Thank you, and thanks for such a great logging program. It's
the only one I recommend on my ham website!

> Fortunately the LoTW
> software doesn't require the "Band" field in submitted ADIF files.
> Early LoTW beta versions did require this field but during the beta
> they changed it such that it can determine the Band from the
> Frequency.

LOL, well, guess what? They have a bug too! I just got an email
from them and they said the same thing except they found out that it
doesn't work for 60m!

That's how I found the bug. I just uploaded 6,000 Qs to LOTW
yesterday and the only ones rejected were the ones on 60m.

-David/N9KT

750. Re: Search problem

Yahoo group: XMLog
Date: 2003-09-25 00:43:17 UTC
From: Phil
Topic: 750 Message: 750

Tnx Mike,

Your suggestion sent me on the right path. I compared
the .dll's on each machine; and they appeared to be
identical as to size, date, properties, etc. For lack
of any better ideas, I copied the one from the working
machine over the one on the problem machine. That
seems to have cured the problem.

73,

Phil - N1KI

--- Michael McAmis <m.mcamis@...> wrote:
>
> Hi Phil,
>
> I did some searching at Microsoft and couldn't find
> any mention of this
> problem with the current Microsoft software. There
> was a bug like this
> listed for an older version but XMLog 4.56 should be
> installing the latest
> version with the fixes.
>
> One thing to do would be to check the version of
> msvbvm60.dll to see if the
> correct one is installed, here's how...
>
> 1) Hit the Start button, pick "Search", pick "For
> Files/Folders", enter
> msvbvm60.dll and do the search.
> (This technique varies on different Windows
> systems, if you can't get
> the search to work, let me know)
>
> 2) You should only find one copy in
> \Windows\System32 - Let me know if
> there are others lying about, you should probably
> delete them.
>
> 3) Right-click on the file name(s) and pick
> "Properties" and then pick the
> "Version" tab.
>
> 4) The version should be 6.0.92.37 with a data of

> May 29, 2001
>
>
> Mike - W1ECT
>

_____
Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software
http://sitebuilder.yahoo.com

751. Band set question

Yahoo group: XMLog
Date: 2003-09-25 19:19:28 UTC
From: sm0fob
Topic: 751 Message: 751

Hi all,

Just trying to learn this very handy log program. Is it possible to set Low and High frequencies higher than 99.99 MHz in Spots Map - Define Band Sets window?

73 Kjell

752. Re: Band set question

Yahoo group: XMLog
Date: 2003-09-26 14:47:26 UTC
From: Mike McAmis
Topic: 751 Message: 752

Hi Kjell - Sorry but 99.99 is the limit. I'll put this on the "to-do" list. I guess I never thought anybody would be using the band map on any band above six meters. What frequencies are you interested in?

Mike - W1ECT

> Hi all,
>
> Just trying to learn this very handy log program. Is it possible to
> set Low and High frequencies higher than 99.99 MHz in Spots Map -
> Define Band Sets window?
>
> 73 Kjell

753. Re: [XMLog] Re: Band set question

Yahoo group: XMLog
Date: 2003-09-26 19:01:33 UTC
From: Kjell Bergqvist
Topic: 751 Message: 753

Tnx fer info Mike

I think many VHF'ers (interested in DX, EME, MS etc) would like to have this possibility on your Spots Map. Some I think would like to have it for all bands above 6 m. But to have it for the the bands 144-145, 432-433 and 1296-1297 MHz would be nice.
The DX cluster features in your program is outstanding and also the feature to produce an EXCEL file for printing etc.!

73 de Kjell

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, September 26, 2003 4:47 PM
Subject: [XMLog] Re: Band set question

> Hi Kjell - Sorry but 99.99 is the limit. I'll put this on the "to-
> do" list. I guess I never thought anybody would be using the band
> map on any band above six meters. What frequencies are you
> interested in?
>
> Mike - W1ECT
>
> > Hi all,
> >
> > Just trying to learn this very handy log program. Is it possible to
> > set Low and High frequencies higher than 99.99 MHz in Spots Map -
> > Define Band Sets window?
> >
> > 73 Kjell
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

754. Fastest way to spot logged QSO?

Yahoo group: XMLog
Date: 2003-09-26 19:52:48 UTC
From: David Spoelstra
Topic: 754 Message: 754

Hi! I'm trying to figure out the fastest way to spot a QSO on the Internet packet cluster that I'm logged into after I log it. Right now I pop over to the Packet window type in the info. I tried using a macro with #freq and #him, but that was never filled in.

It would be really neat to right click on a logged callsign in the Log window and be able to automatically spot it with the info in that logged QSO.

Just trying to make a fantastic logging program even better!
-David/N9KT

755. Re: Fastest way to spot logged QSO?

Yahoo group: XMLog
Date: 2003-09-29 14:34:51 UTC
From: Mike McAmis
Topic: 754 Message: 755

Hello David, I've had a note in the "to do" list that addresses this and I guess I couldb oost the priority. It would just add some new commands like #logdate, #logtime, #logcall, etc.

Mike - W1ECT

> Hi! I'm trying to figure out the fastest way to spot a QSO on the
> Internet packet cluster that I'm logged into after I log it. Right
> now I pop over to the Packet window type in the info. I tried using
> a macro with #freq and #him, but that was never filled in.
>
> It would be really neat to right click on a logged callsign in the
> Log window and be able to automatically spot it with the info in that
> logged QSO.
>
> Just trying to make a fantastic logging program even better!
> -David/N9KT

756. XMLOG with the Ten Tec Pegasus?

Yahoo group: XMLog
Date: 2003-09-30 20:00:13 UTC
From: Donald Jones
Topic: 756 Message: 756

Mike -

I was on the TenTec forum bragging about XMLOG and how well it works with my Jupiter, and was asked if it works with the TenTec Pegasus. I don't see that listed as one of the rig selections but since the Pegasus and Jupiter are practically the same rig, I wonder if anyone has used XMLOG with the Pegasus or, if not, there is any plan to include it in the future. I promised to report back to the TenTec forum with an answer.

73 - Don N4TN

757. Re: Fastest way to spot logged QSO?

Yahoo group: XMLog
Date: 2003-09-30 20:23:12 UTC
From: David Spoelstra
Topic: 754 Message: 757

That would be great! Thanks!

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hello David, I've had a note in the "to do" list that addresses
this
> and I guess I couldb oost the priority. It would just add some
new
> commands like #logdate, #logtime, #logcall, etc.
>
> Mike - W1ECT
>
> > Hi! I'm trying to figure out the fastest way to spot a QSO on
the
> > Internet packet cluster that I'm logged into after I log it.
Right
> > now I pop over to the Packet window type in the info. I tried
> using
> > a macro with #freq and #him, but that was never filled in.
> >
> > It would be really neat to right click on a logged callsign in
the
> > Log window and be able to automatically spot it with the info in
> that
> > logged QSO.
> >
> > Just trying to make a fantastic logging program even better!
> > -David/N9KT

758. Re: XMLOG with the Ten Tec Pegasus?

Yahoo group: XMLog
Date: 2003-10-01 13:58:27 UTC
From: Mike McAmis
Topic: 756 Message: 758

Hi Don, The current beta XMLog version at www.xmlog.com/beta does include support for the Jupiter, Orion, and Argonaut-V. No support is provided for the Pegasus since the serial port to the rig is normally unavailable since it's being used by the TenTec front panel software. TenTec does provide a Pegasus command interface that uses a file to send/receive data but implementing this interface would require a lot of new code (i.e. it's just too much work).

Mike - W1ECT

> Mike -
>
> I was on the TenTec forum bragging about XMLOG and
> how well it works with my Jupiter, and was asked
> if it works with the TenTec Pegasus. I don't see
> that listed as one of the rig selections but since
> the Pegasus and Jupiter are practically the same
> rig, I wonder if anyone has used XMLOG with the
> Pegasus or, if not, there is any plan to include
> it in the future. I promised to report back to the
> TenTec forum with an answer.
>
> 73 - Don N4TN

759. Re: [XMLog] Re: Bug - Band info not exported in ADIF if frequency is in the 60m band

Yahoo group: XMLog
Date: 2003-10-01 18:13:30 UTC
From: litwins
Topic: 746 Message: 759

Hi Mike;
I have been experiencing difficulty in just getting this email msg to you...problem with span filters on my end and your end. Hopefully if this gets to you I need a question answered. I am trying to convert my XMLog operating file, called Big.log in my mlog folder to the adif format required by arrl LOTW. Is the log used in XMLog, my "Big.log" directly convertible to an adif by using the logconv utility that u describe? I tried this and logconv sez it has a problem reading my Big.log...remember, my Big.log is just my XMLog log file as used by XMLog. What am I doing wrong...this shouldn't be that difficult should it? Help...73/dx
steve, k8wk
****
----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, September 24, 2003 8:15 AM
Subject: [XMLog] Re: Bug - Band info not exported in ADIF if frequency is in the 60m band

> Hi David - I'll fix this bug in the next beta. Fortunately the LoTW
> software doesn't require the "Band" field in submitted ADIF files.
> Early LoTW beta versions did require this field but during the beta
> they changed it such that it can determine the Band from the
> Frequency.
>
> Mike - W1ECT
>
> > First off, thanks for such a great logging program!
> >
> > I noticed that if the frequency of the QSO is in the 60m band, then
> > the "band" information is not exported to the ADIF log like it is
> in
> > the other bands. See below for an example. I'm using V4.62.
> > -David/N9KT
> >
> > ADIF Export from XMLog Version 4.62
> > File: C:\PROGRAM FILES\XMLOG\N9KT.LOG - 9/23/03
> > http://www.xmlog.com
> > m.mcamis@v...
> > <EOH>
> >
> > <QSO_DATE:8:D>20030823 <TIME_ON:4>0520 <CALL:6>WB9WKJ <FREQ:5>5.404
> > <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:3>SSB <TX_PWR:3>100 <CQZ:2>04
> > <CNTY:9>WI,Racine <STATE:2>WI <DXCC:3>291 <NAME:5>Randy

> > <ADDRESS:53:M>RANDALL L SCHULTZ
> > 2530 IRIS CT
> > RACINE, WI 53402
> > USA
> > <EOR>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

760. lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 13:16:23 UTC
From: litwins
Topic: 760 Message: 760

Hi all;
Does anybody have any experience in convereting their XMLog *.log file to adif for lotw? I have had difficulty and probably need some help. I am using ver 4.35 of XMLog...73/dx
steve, k8wk
****

761. RE: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 13:24:49 UTC
From: Kevin Nathan
Topic: 760 Message: 761

Hi Steve,

I had no real trouble doing it. I just highlighted the entries I wanted to include in the .adif file, chose the export to adif menu item and named the file. Then, I was able to use the LOTW software to import it, sign it electronically and send it off. I really didn't find any hitches along the way.

I hope this helps. Very 73.

Kevin :)
Amateur Radio: K7RX

-----Original Message-----
From: litwins [mailto:litwins@...]
Sent: Thursday, October 02, 2003 13:16
To: XMLog@yahoogroups.com
Subject: [XMLog] lotw log conversion

Hi all;
Does anybody have any experience in convereting their XMLog *.log file to adif for lotw? I have had difficulty and probably need some help. I am using ver 4.35 of XMLog...73/dx
steve, k8wk
****

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

762. Re: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 14:53:48 UTC
From: litwins
Topic: 760 Message: 762

Hi Kevin...tnx fer reply. I guess maybe it's a case of me thinking too much agn. I have several thousand for the first log to go to LOTW. These are now just in the form that XMLog uses them, a *.log format. Then, my question is....did u use the ka5wss log conversion utility that is suggested by LOTW and Mike McAmis of XMLog...or did u just use the LOTW utility which arrl suggests to use for just a few log entries not several thousand like I have. Question: when u use the XMLog menu item as u suggest, does it reformat the log entries selected to another file which is then adaptable to be converted to adif via...say the ka5wss utility? When u use the XMLog menu to "export" to adif is it really putting the new file in adif? If it is, then it probably can be attached just as is to an email to LOT...right? Kevin, do u see my confusion? I guess I could try it and see what happens...any comments? Tnx fer reply...only one so far...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 8:24 AM
Subject: RE: [XMLog] lotw log conversion

> Hi Steve,
>
> I had no real trouble doing it. I just highlighted the entries I wanted
to
> include in the .adif file, chose the export to adif menu item and named
the
> file. Then, I was able to use the LOTW software to import it, sign it
> electronically and send it off. I really didn't find any hitches along
the
> way.
>
> I hope this helps. Very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
> -----Original Message-----
> From: litwins [mailto:litwins@...]
> Sent: Thursday, October 02, 2003 13:16
> To: XMLog@yahoogroups.com
> Subject: [XMLog] lotw log conversion
>
>

> Hi all;
> Does anybody have any experience in convereting their XMLog *.log file to
> adif for lotw? I have had difficulty and probably need some help. I am
> using ver 4.35 of XMLog...73/dx
> steve, k8wk
> **********
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

763. Re: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 15:56:39 UTC
From: Jim Roller
Topic: 760 Message: 763

Steve,

I am by no means particularly an expert, but this works for me. If you want to send your entire logbook, just select Import from the log screen and then select Export ADIF. It will ask for either your whole log or "selected entries". Select All log entries and it will ask where you want to save the file. Be sure to save it with the .adi file extension. This becomes the input to the ARRL program TQSL. TQSL will create a *.TQ8 file which can then be uploaded via e-mail or on line to LoTW.

If you do not want to send the entire log, you can select entries for whatever criteria you wish. I broke my 44K+ log down by year and sent 8 separate files. At the Eport ADIF box check "selected entries" instead of "all log entries".

You do not need to convert to an ADIF file with other software. Mike does it all for you with the EXPORT command.

I hope this helps.

Jim, N4IR

764. XMLOG with a USB to Serial port converter?

Yahoo group: XMLog
Date: 2003-10-02 17:14:03 UTC
From: Donald Jones
Topic: 764 Message: 764

Anyone out there running XMLOG and using a USB to serial converter between XMLOG and the radio? My desktop PC has only one COM port and I would like to use XMLOG concurrently with either a sound card PSK31/RTTY program or the N4PY software for my Jupiter.

Comments would be appreciated.

Thanks and 73 - Don Jones N4TN

765. Re: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 17:57:09 UTC
From: litwins
Topic: 760 Message: 765

Thanks a bunch Jim...all of that is not necessarily clear particularly in light of the instructions in the XMLog help section describing how u need to use ka5wss log conversion utility...tnx agn...73/dx
steve, k8wk
****

----- Original Message -----
From: "Jim Roller" <n4ir@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 10:56 AM
Subject: Re: [XMLog] lotw log conversion

> Steve,
>
> I am by no means particularly an expert, but this works for me. If you
> want to send your entire logbook, just select Import from the log screen
> and then select Export ADIF. It will ask for either your whole log or
> "selected entries". Select All log entries and it will ask where you
> want to save the file. Be sure to save it with the .adi file extension.
> This becomes the input to the ARRL program TQSL. TQSL will create a
> *.TQ8 file which can then be uploaded via e-mail or on line to LoTW.
>
> If you do not want to send the entire log, you can select entries for
> whatever criteria you wish. I broke my 44K+ log down by year and sent 8
> separate files. At the Eport ADIF box check "selected entries" instead
> of "all log entries".
>
> You do not need to convert to an ADIF file with other software. Mike
> does it all for you with the EXPORT command.
>
> I hope this helps.
>
> Jim, N4IR
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

766. Re: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 18:11:29 UTC
From: N7MAL
Topic: 760 Message: 766

Well Steve I just this minute finished uploading my LOTW. Forget any
reference to any utility to convert anything to anything. Just follow Jim
N4IR'S instructions. Simply export your log file as an ADIF file then use
your LOTW software to do the rest.
GOOD LUCK

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: "litwins" <litwins@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 5:57 PM
Subject: Re: [XMLog] lotw log conversion

Thanks a bunch Jim...all of that is not necessarily clear particularly in
light of the instructions in the XMLog help section describing how u need to
use ka5wss log conversion utility...tnx agn...73/dx
steve, k8wk
****

----- Original Message -----
From: "Jim Roller" <n4ir@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 10:56 AM
Subject: Re: [XMLog] lotw log conversion

> Steve,
>
> I am by no means particularly an expert, but this works for me. If you
> want to send your entire logbook, just select Import from the log screen
> and then select Export ADIF. It will ask for either your whole log or
> "selected entries". Select All log entries and it will ask where you
> want to save the file. Be sure to save it with the .adi file extension.
> This becomes the input to the ARRL program TQSL. TQSL will create a
> *.TQ8 file which can then be uploaded via e-mail or on line to LoTW.
>
> If you do not want to send the entire log, you can select entries for
> whatever criteria you wish. I broke my 44K+ log down by year and sent 8
> separate files. At the Eport ADIF box check "selected entries" instead
> of "all log entries".
>
> You do not need to convert to an ADIF file with other software. Mike
> does it all for you with the EXPORT command.
>

> I hope this helps.
>
> Jim, N4IR
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

767. Re: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-02 18:27:51 UTC
From: litwins
Topic: 760 Message: 767

Just did as instructed Jim and all seems to be working ok. Just a little confusion re the instructions found in the XMLog help abt ka5wss conversion utility. Wonder why Mike would put all that if the XMLog program will export a *.log file directly into adif format? Tnx fer ur help...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 1:11 PM
Subject: Re: [XMLog] lotw log conversion

> Well Steve I just this minute finished uploading my LOTW. Forget any
> reference to any utility to convert anything to anything. Just follow Jim
> N4IR'S instructions. Simply export your log file as an ADIF file then use
> your LOTW software to do the rest.
> GOOD LUCK
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Thursday, October 02, 2003 5:57 PM
> Subject: Re: [XMLog] lotw log conversion
>
>
> Thanks a bunch Jim...all of that is not necessarily clear particularly in
> light of the instructions in the XMLog help section describing how u need
to
> use ka5wss log conversion utility...tnx agn...73/dx
> steve, k8wk
> **********
>
> ----- Original Message -----
> From: "Jim Roller" <n4ir@...>
> To: <XMLog@yahoogroups.com>
> Sent: Thursday, October 02, 2003 10:56 AM
> Subject: Re: [XMLog] lotw log conversion
>
>
> > Steve,
> >

> > I am by no means particularly an expert, but this works for me. If you
> > want to send your entire logbook, just select Import from the log screen
> > and then select Export ADIF. It will ask for either your whole log or
> > "selected entries". Select All log entries and it will ask where you
> > want to save the file. Be sure to save it with the .adi file extension.
> > This becomes the input to the ARRL program TQSL. TQSL will create a
> > *.TQ8 file which can then be uploaded via e-mail or on line to LoTW.
> >
> > If you do not want to send the entire log, you can select entries for
> > whatever criteria you wish. I broke my 44K+ log down by year and sent 8
> > separate files. At the Eport ADIF box check "selected entries" instead
> > of "all log entries".
> >
> > You do not need to convert to an ADIF file with other software. Mike
> > does it all for you with the EXPORT command.
> >
> > I hope this helps.
> >
> > Jim, N4IR
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>
>
>
> To unsubscribe from this group, send an email to:

>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

768. Re: [XMLog] XMLOG with a USB to Serial port converter?

Yahoo group: XMLog
Date: 2003-10-02 22:43:49 UTC
From: Bob Doolittle
Topic: 764 Message: 768

Hi Donald,
I'm doing exactly what you're talking about. I had lots of USB ports and no available COM ports. I bought a device at the local electronics store made by KEYSPAN. It is a COM to USB interface. Actually, I bought two of them. It would have been cheaper to buy a bus board with several serial ports but they don't seem to make those any more. The KEYSPAN devices work fine.

Good luck and 73,
Bob Doolittle, AE6NS

Donald Jones wrote:
>
> Anyone out there running XMLOG and using a USB to
> serial converter between XMLOG and the radio? My
> desktop PC has only one COM port and I would like
> to use XMLOG concurrently with either a sound card
> PSK31/RTTY program or the N4PY software for my
> Jupiter.
>
> Comments would be appreciated.
>
> Thanks and 73 - Don Jones N4TN
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

769. RE: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-03 01:02:05 UTC
From: Kevin Nathan
Topic: 760 Message: 769

Hi Steve,

From reading your answers to Jim, I am assuming you got things working ok. I didn't use anything except the export to adif menu choice from XMLog and the import adif file in TQSL. Of course, I haven't been back to the LOTW site since I uploaded the file so don't know how effective it was yet. <GRIN>

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

-----Original Message-----
From: litwins [mailto:litwins@...]
Sent: Thursday, October 02, 2003 14:54
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] lotw log conversion

Hi Kevin...tnx fer reply. I guess maybe it's a case of me thinking too much agn. I have several thousand for the first log to go to LOTW. These are now just in the form that XMLog uses them, a *.log format. Then, my question is....did u use the ka5wss log conversion utility that is suggested by LOTW and Mike McAmis of XMLog...or did u just use the LOTW utility which arrl suggests to use for just a few log entries not several thousand like I have. Question: when u use the XMLog menu item as u suggest, does it reformat the log entries selected to another file which is then adaptable to be converted to adif via...say the ka5wss utility? When u use the XMLog menu to "export" to adif is it really putting the new file in adif? If it is, then it probably can be attached just as is to an email to LOT...right? Kevin, do u see my confusion? I guess I could try it and see what happens...any comments? Tnx fer reply...only one so far...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 8:24 AM
Subject: RE: [XMLog] lotw log conversion

> Hi Steve,
>
> I had no real trouble doing it. I just highlighted the entries I wanted
to
> include in the .adif file, chose the export to adif menu item and named
the

> file. Then, I was able to use the LOTW software to import it, sign it
> electronically and send it off. I really didn't find any hitches along
the
> way.
>
> I hope this helps. Very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
> -----Original Message-----
> From: litwins [mailto:litwins@...]
> Sent: Thursday, October 02, 2003 13:16
> To: XMLog@yahoogroups.com
> Subject: [XMLog] lotw log conversion
>
>
> Hi all;
> Does anybody have any experience in convereting their XMLog *.log file to
> adif for lotw? I have had difficulty and probably need some help. I am
> using ver 4.35 of XMLog...73/dx
> steve, k8wk
> **********
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

>

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

770. Re: [XMLog] lotw log conversion

Yahoo group: XMLog
Date: 2003-10-03 02:25:09 UTC
From: litwins
Topic: 760 Message: 770

Hi Kevin;
Yup...got it working ok. This, I guess was a case of too much info which
got me confused a bit. Tnx fer reply...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, October 02, 2003 8:02 PM
Subject: RE: [XMLog] lotw log conversion

> Hi Steve,
>
> From reading your answers to Jim, I am assuming you got things working ok.
> I didn't use anything except the export to adif menu choice from XMLog and
> the import adif file in TQSL. Of course, I haven't been back to the LOTW
> site since I uploaded the file so don't know how effective it was yet.
> <GRIN>
>
> Good luck and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
> -----Original Message-----
> From: litwins [mailto:litwins@...]
> Sent: Thursday, October 02, 2003 14:54
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] lotw log conversion
>
>
> Hi Kevin...tnx fer reply. I guess maybe it's a case of me thinking too
much
> agn. I have several thousand for the first log to go to LOTW. These are
> now just in the form that XMLog uses them, a *.log format. Then, my
> question is....did u use the ka5wss log conversion utility that is
suggested
> by LOTW and Mike McAmis of XMLog...or did u just use the LOTW utility
which
> arrl suggests to use for just a few log entries not several thousand like
I
> have. Question: when u use the XMLog menu item as u suggest, does it
> reformat the log entries selected to another file which is then adaptable
to

> be converted to adif via...say the ka5wss utility? When u use the XMLog
> menu to "export" to adif is it really putting the new file in adif? If it
> is, then it probably can be attached just as is to an email to
LOT...right?
> Kevin, do u see my confusion? I guess I could try it and see what
> happens...any comments? Tnx fer reply...only one so far...73/dx
> steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Thursday, October 02, 2003 8:24 AM
> Subject: RE: [XMLog] lotw log conversion
>
>
> > Hi Steve,
> >
> > I had no real trouble doing it. I just highlighted the entries I wanted
> to
> > include in the .adif file, chose the export to adif menu item and named
> the
> > file. Then, I was able to use the LOTW software to import it, sign it
> > electronically and send it off. I really didn't find any hitches along
> the
> > way.
> >
> > I hope this helps. Very 73.
> >
> > Kevin :)
> > Amateur Radio: K7RX
> >
> >
> > -----Original Message-----
> > From: litwins [mailto:litwins@...]
> > Sent: Thursday, October 02, 2003 13:16
> > To: XMLog@yahoogroups.com
> > Subject: [XMLog] lotw log conversion
> >
> >
> > Hi all;
> > Does anybody have any experience in convereting their XMLog *.log file
to
> > adif for lotw? I have had difficulty and probably need some help. I am
> > using ver 4.35 of XMLog...73/dx
> > steve, k8wk
> > **********
> >
> >
> >
> >

> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

>
>
>

771. Re: [XMLog] XMLOG with a USB to Serial port converter?

Yahoo group: XMLog
Date: 2003-10-03 19:50:43 UTC
From: cliffhazen@aol.com
Topic: 764 Message: 771

yes, keyspan 4 port usb-rs232 serial, easy to install, wrks well w all progs
I've used it with, windoze xp es xmlog 4.56
Cliff N7HIY

[Non-text portions of this message have been removed]

772. Re: [XMLog] XMLOG with a USB to Serial port converter?

Yahoo group: XMLog
Date: 2003-10-03 20:34:02 UTC
From: Donald Jones
Topic: 764 Message: 772

Cliff -

Many thanks for the info. Do you have a suggestion
for where I might find the Keyspan for sale on the
web? I have done some searching but have not found
it available.

Don N4TN

cliffhazen@... wrote:

> yes, keyspan 4 port usb-rs232 serial, easy to
> install, wrks well w all progs
> I've used it with, windoze xp es xmlog 4.56
> Cliff N7HIY
>
>
> [Non-text portions of this message have been
> removed]
>
>
> Yahoo! Groups Sponsor
ADVERTISEMENT
[Image]

>
> To unsubscribe from this group, send an email
> to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the
> Yahoo! Terms of Service.

773. Re: [XMLog] XMLOG with a USB to Serial port converter?

Yahoo group: XMLog
Date: 2003-10-03 21:34:39 UTC
From: Bob Doolittle
Topic: 764 Message: 773

Donald Jones wrote:
>
> Cliff -
>
> Many thanks for the info. Do you have a suggestion
> for where I might find the Keyspan for sale on the
> web? I have done some searching but have not found
> it available.
>
> Don N4TN
>
> cliffhazen@... wrote:
>
> > yes, keyspan 4 port usb-rs232 serial, easy to
> > install, wrks well w all progs
> > I've used it with, windoze xp es xmlog 4.56
> > Cliff N7HIY
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
> > Yahoo! Groups Sponsor
> ADVERTISEMENT
> [Image]
>
> >
> > To unsubscribe from this group, send an email
> > to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to the
> > Yahoo! Terms of Service.
>
>
Hi Donald,
This is Bob, AE6NS, again.
Go to this web site:

http://www.keyspan.com/products/homepage-Serial.spml

and order the Keyspan High Speed USB Serial Adapter.

This is the one I use.

73,
Bob

> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

774. Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-09 18:22:37 UTC
From: Donald Jones
Topic: 774 Message: 774

Mike -

This is a very low priority item for your consideration on some long winter afternoon!

Printing QSL labels (actually I am printing the entire reverse side of my QSL cards), I want to enclose my return address in a box and would like have the lines in red. I have been unable to get the lines to print in any color except a light gray. Printing text in colors works fine. I have tried this on two different printers with the same results. Perhaps I am doing something stupid. If anyone else has been successful at printing the lines on labels in colors I would like to know.

Thanks and 73 - Don

775. Re: [XMLog] Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-09 18:25:56 UTC
From: Donald Jones
Topic: 774 Message: 775

I forgot to mention that in QSL Label composition,
the lines do show up as the proper color on the
preview screen, but not when label printing takes
place.

- Don N4TN

Donald Jones wrote:

> Mike -
>
> This is a very low priority item for your
> consideration on some long winter afternoon!
>
> Printing QSL labels (actually I am printing the
> entire reverse side of my QSL cards), I want to
> enclose my return address in a box and would
> like
> have the lines in red. I have been unable to get
>
> the lines to print in any color except a light
> gray. Printing text in colors works fine. I
> have
> tried this on two different printers with the
> same
> results. Perhaps I am doing something stupid. If
>
> anyone else has been successful at printing the
> lines on labels in colors I would like to know.
>
> Thanks and 73 - Don
>
>
>
> Yahoo! Groups Sponsor
ADVERTISEMENT
[Click Here!]

>
> To unsubscribe from this group, send an email
> to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>

> Your use of Yahoo! Groups is subject to the
> Yahoo! Terms of Service.

776. Re: Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-11 14:19:07 UTC
From: Mike McAmis
Topic: 774 Message: 776

Hi Don - I suspect this is a bug in the Microsoft runtime routines. There is a bug listed in the Microsoft Knowledge Base that may be related and the bug description notes that the problem is dependent on the Windows version. Which version are you running on the two systems?

Mike - W1ECT

> Mike -
>
> This is a very low priority item for your
> consideration on some long winter afternoon!
>
> Printing QSL labels (actually I am printing the
> entire reverse side of my QSL cards), I want to
> enclose my return address in a box and would like
> have the lines in red. I have been unable to get
> the lines to print in any color except a light
> gray. Printing text in colors works fine. I have
> tried this on two different printers with the same
> results. Perhaps I am doing something stupid. If
> anyone else has been successful at printing the
> lines on labels in colors I would like to know.
>
> Thanks and 73 - Don

777. Re: [XMLog] Re: Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-11 20:12:42 UTC
From: Donald Jones
Topic: 774 Message: 777

Mike -

Sorry - I have misled you. I have tried it on 2 different printers on the same system. I run WIN98SE - which I* can not get any support for. I hope to go to XP in the future but it will not be right away. I am trying to think of another program that I could try this in. Perhaps Microsoft Access would be similar. Do not worry much with this - it is by no means a show stopper for me

73 - Don N4TN.

778. Re: [XMLog] Re: Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-11 20:46:45 UTC
From: Dave Noon
Topic: 774 Message: 778

Hello Folks: I am using WIN98SE ..... I tried this and it works fine.

Dave VA3DN

At 04:12 PM 10/11/03, you wrote:
>Mike -
>
>Sorry - I have misled you. I have tried it on 2
>different printers on the same system. I run
>WIN98SE - which I* can not get any support for. I
>hope to go to XP in the future but it will not be
>right away. I am trying to think of another
>program that I could try this in. Perhaps
>Microsoft Access would be similar. Do not worry
>much with this - it is by no means a show stopper
>for me
>
>73 - Don N4TN.
>
>
>
>
>To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

779. Re: [XMLog] Re: Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-11 23:09:04 UTC
From: Donald Jones
Topic: 774 Message: 779

Thanks for your input Dave. I am totally confused! I changed a line in a Microsoft Access report to red and it prints fine. Likewise, a random length line in Word will print as whatever color I select.

Back to my XMLOG QSL label problem - my printer driver (I use a Cannon i550) has a preview feature which allows me to see the object immediately before it is printed and it shows the lines in black, not red as I have specified in the QSL label layout.

I am reluctant to bog this fine mailing list down with too much about a problem that likely concerns few users. I'll keep experimenting and if I come up with anything of significance I'll report it.

Thanks for your concern - Don N4TN

780. Re: Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-12 13:55:48 UTC
From: Mike McAmis
Topic: 774 Message: 780

Hi Don, If the problem is actually in the Microsoft runtime package you won't see it except in Visual Basic applications... not Access, etc. It could also be a printer driver problem, you can check the web site for your printer company and see if they have update drivers available.

Mike - W1ECT

> Thanks for your input Dave. I am totally confused!
> I changed a line in a Microsoft Access report to
> red and it prints fine. Likewise, a random length
> line in Word will print as whatever color I
> select.
>
> Back to my XMLOG QSL label problem - my printer
> driver (I use a Cannon i550) has a preview feature
> which allows me to see the object immediately
> before it is printed and it shows the lines in
> black, not red as I have specified in the QSL
> label layout.
>
> I am reluctant to bog this fine mailing list down
> with too much about a problem that likely concerns
> few users. I'll keep experimenting and if I come
> up with anything of significance I'll report it.
>
> Thanks for your concern - Don N4TN

781. LOTW Import

Yahoo group: XMLog
Date: 2003-10-12 14:31:58 UTC
From: Bruce Ferry
Topic: 774 Message: 781

Now that I can download a listing of my QSL info from LOTW, how best can I integrate this into Writelog? Here are my concerns:

1. If I just import the ADIF file downloaded I suspect I will get a duplicate entry in XMLOG. Not what I want certainly. Some method of merging the LOTW confirmations would be needed.

2. If the QSO in question has already been confirmed then the need to overwrite or leave alone the existing QSL is needed. This can be a really complex issue and may be best decided by human intervention for each QSO.

3. What might work best would be a separate "LOTW CONFIRMED DATE" so that the maximum flexibility would be maintained. Number 2 above would no longer be an issue if implemented this way.

Just my thoughts and concerns ...

--
Bruce Ferry, AK8B

782. Re: [XMLog] LOTW Import (oops)

Yahoo group: XMLog
Date: 2003-10-12 14:34:02 UTC
From: Bruce Ferry
Topic: 774 Message: 782

Excuse the oops of saying Writelog when I meant XMLOG!

Bruce Ferry wrote:

> Now that I can download a listing of my QSL info from LOTW, how best can
> I integrate this into Writelog? Here are my concerns:
>
-snip-
--
Bruce Ferry, AK8B

783. Re: LOTW Import

Yahoo group: XMLog
Date: 2003-10-12 15:06:32 UTC
From: Mike McAmis
Topic: 774 Message: 783

Hi Bruce - Funny you should mention this. It's now a hot topic among the ARRL LoTW guys and logging application developers. There is no offical interface available for downloading LoTW info into a logger. It's something that should have been spec'ed out and developed before LoTW was made public but they didn't want to hold things up for this "minor detail". Until things are resolved officially I'm not going to make any changes.

You're right about the merging problem - XMLog doesn't currently provide any so records would just get duplicated. Currently LoTW doesn't provide for any explicit record tracking info and they don't plan to add any. Their point-of-view is that downloaded records can be matched by call/date/time/mode. This means that if any of these fields got edited/deleted in your log the matching record won't be found and some kind of interaction will be required.

Mike - W1ECT

> Now that I can download a listing of my QSL info from LOTW, how
> best can I integrate this into XMLog? Here are my concerns:
>
> 1. If I just import the ADIF file downloaded I suspect I will get a
> duplicate entry in XMLOG. Not what I want certainly. Some method of
> merging the LOTW confirmations would be needed.
>
> 2. If the QSO in question has already been confirmed then the need
> to overwrite or leave alone the existing QSL is needed. This can
> be a really complex issue and may be best decided by human
> intervention for each QSO.
>
> 3. What might work best would be a separate "LOTW CONFIRMED DATE"
> so that the maximum flexibility would be maintained. Number 2 above
> would no longer be an issue if implemented this way.
>
> Just my thoughts and concerns ...
>
> --
> Bruce Ferry, AK8B

784. Re: [XMLog] Re: Color for lines on labels

Yahoo group: XMLog
Date: 2003-10-12 15:30:41 UTC
From: Donald Jones
Topic: 774 Message: 784

Mike -

I can't find anything relevant at the Canon support web site. And I don't really know what comprises the Microsoft runtime package. I guess I will let it go as is. I don't think that I am supposed to use graphics on the mailing list, but I will send an image of the label preview directly to you just to verify exactly what the problem is. I appreciate your concern, but it is certainly not that serious a problem for me.

73 - Don N4TN

785. Function keys on CW menu

Yahoo group: XMLog
Date: 2003-10-12 16:20:46 UTC
From: CyberGeezer
Topic: 785 Message: 785

Hi gang--

Not having a memory keyer, I have taken to using the CW Menu on the Packet Window to send canned strings.

Sometimes all of the associated function keys work fine, and sometimes none of them work at all and I have to mouse-click in the menu. (e.g., Ctrl-F5 to send message # 5, F12 to stop sending, etc.)

I haven't determined any pattern to the contexts in which these keys work or don't work.

Anybody seen this? Any ideas?

73 de W2GERry

786. RAC Awards

Yahoo group: XMLog
Date: 2003-10-13 07:25:33 UTC
From: Yasholomew Yashinski
Topic: 786 Message: 786

Just wondering what the process is to request some features to
XMLog? Specifically from a Canadian perspective.

There are many Canadian Awards for example:
http://www.rac.ca/awards.htm

County and Provices could also be added to the "list" option of each.

Thanks in Advance,

--
73 DE VE3URL

787. Re: RAC Awards

Yahoo group: XMLog
Date: 2003-10-13 14:07:18 UTC
From: Mike McAmis
Topic: 786 Message: 787

Hi Kris - I don't have plans to add any more awards tracking features in the near future.

Mike - W1ECT

>
> Just wondering what the process is to request some features to
> XMLog? Specifically from a Canadian perspective.
>
> There are many Canadian Awards for example:
> http://www.rac.ca/awards.htm
>
> County and Provices could also be added to the "list" option of each.
>
> Thanks in Advance,
>
> --
> 73 DE VE3URL

788. lotw and satellite contacts

Yahoo group: XMLog
Date: 2003-10-13 16:23:36 UTC
From: kd6na
Topic: 788 Message: 788

Hi,
I am having troubles uploading my satellite contacts from xmlog to lotw. xmlog doesn't support sat contacts very well anyway, but I like it and have been using it for a couple of years now. I enter sat contacts by just entering the receive freq and then adding the sat name and mode just in the note field. But now I want to upload to lotw and in order for lotw to recognize the QSO, many other adif fields need to be filled in. See:
http://www.amsat.org/amsat/news/ans.html#06

In short, we need BAND, BAND_RX, PROP_MODE, SAT_NAME all to be filled in, so we would need these fields in the xmlog log window. Any chance of getting that feature added?

Or, a more genral question: how does one enter a cross band contact in xmlog?

thanks and 73's,
Jim KD6NA

789. XMLOG and LOTW - Multi QTH and Mobile Ops

Yahoo group: XMLog
Date: 2003-10-14 14:05:56 UTC
From: Rhodes, Jim
Topic: 789 Message: 789

Hi gang,

I have just set up my certificates on the production version of LOTW.

I was wondering how other users of XMLOG handled operations from different QTHs and mobile.

I have my former QTH QSOs in a separate .log file and that is not a problem for uploading to the associated location on LOTW.

All of my QSOs at my new QTH after Aug 2002 are all mobile. I have operated from a number of counties, states, and grid squares. I currently have all of those QSOs in one .log file.

Am I correct in assuming that I need to break out all 800+ QSOs into .log files by Grid, county, and state?

Thank you

Jim
KF4GL / M

****
This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the sender by email, delete and destroy this message and its attachments.

****

[Non-text portions of this message have been removed]

790. Re: XMLOG and LOTW - Multi QTH and Mobile Ops

Yahoo group: XMLog
Date: 2003-10-14 15:46:56 UTC
From: kd6na
Topic: 789 Message: 790

--- In XMLog@yahoogroups.com, "Rhodes, Jim" <KF4GL@j...> wrote:
>
> Am I correct in assuming that I need to break out all 800+ QSOs into
.log
> files by Grid, county, and state?
>
I'm afraid so, see:
https://www.arrl.org/lotw/faq#logsrovers

791. RE: [XMLog] Re: XMLOG and LOTW - Multi QTH and Mobile Ops

Yahoo group: XMLog
Date: 2003-10-14 16:49:44 UTC
From: Rhodes, Jim
Topic: 789 Message: 791

I was afraid of that. Arrgghhh...

Thank you for the reply.

-----Original Message-----
From: kd6na [mailto:kd6na@...]
Sent: Tuesday, October 14, 2003 11:47 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLOG and LOTW - Multi QTH and Mobile Ops

--- In XMLog@yahoogroups.com, "Rhodes, Jim" <KF4GL@j...> wrote:
>
> Am I correct in assuming that I need to break out all 800+ QSOs into
.log
> files by Grid, county, and state?
>
I'm afraid so, see:
https://www.arrl.org/lotw/faq#logsrovers

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

****
This email and any files transmitted with it are confidential and
intended solely for the use of the individual or entity to whom they
are addressed. If you have received this email in error please notify
the sender by email, delete and destroy this message and its
attachments.

****

[Non-text portions of this message have been removed]

792. XP glitches

Yahoo group: XMLog
Date: 2003-10-14 18:30:36 UTC
From: rcher
Topic: 792 Message: 792

I have searched the archives looking for an answer, but I can't find it. So now its time to tap the knowledge base here at the XM Log group. I have been running XMLog for about 2 years now, under Win 98b on my IBM TP-600, and love it. I recently upraded to XP and started to set up the laptop for mobile operation. When I try to get the frequency from my FT-100, it shows WAY off...like 28.040 showed 22.4XX. This feature worked just fine under 98b. Kind of strange and I hope that someone has an answer to this one.
I am an avid CW man and want to run XCW but after reading about the XP-XCW incompatability, I need a work-around so that I can operate mobile CW with the laptop instead of a key. Any and all help is greatly appreciated.

73 de NI5L
Warren Dean

793. Re: lotw and satellite contacts

Yahoo group: XMLog
Date: 2003-10-14 20:40:53 UTC
From: Mike McAmis
Topic: 788 Message: 793

Hi Jim, Sorry but I don't have any plans for handling satellite or cross-band QSOs in the near future. As you've discovered XMLog isn't the optimal logger for VHF/UHF/... fans - dunno what falls into that category though. Basically I've written XMLog to satisfy my own needs as a HF DX'er/Contester and then made the results available to the general public. Now if I was making money on this thing no doubt I'd be a bit more responsive to requests for changes from my user community!

If you want to stick with XMLog I think your only option would be to include the info within the Notes field in some consistent way and then somehow post-process XMLog's ADIF file to move that info into appropriate ADIF fields.

Mike - W1ECT

> Hi,
> I am having troubles uploading my satellite contacts from xmlog to lotw.
> xmlog doesn't support sat contacts very well anyway, but I like it and
> have been using it for a couple of years now. I enter sat contacts by
> just entering the receive freq and then adding the sat name and mode
> just in the note field. But now I want to upload to lotw and in order
> for lotw to recognize the QSO, many other adif fields need to be
> filled in. See:
> http://www.amsat.org/amsat/news/ans.html#06
>
> In short, we need BAND, BAND_RX, PROP_MODE, SAT_NAME all to be filled
> in, so we would need these fields in the xmlog log window. Any chance
> of getting that feature added?
>
> Or, a more genral question: how does one enter a cross band contact in
> xmlog?
>
> thanks and 73's,
> Jim KD6NA

794. Re: lotw and satellite contacts

Yahoo group: XMLog
Date: 2003-10-15 15:18:42 UTC
From: kd6na
Topic: 788 Message: 794

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Jim, Sorry but I don't have any plans for handling satellite or
> cross-band QSOs in the near future. As you've discovered XMLog isn't
> the optimal logger for VHF/UHF/... fans - dunno what falls into that
> category though. Basically I've written XMLog to satisfy my own
> needs as a HF DX'er/Contester and then made the results available to
> the general public. Now if I was making money on this thing no doubt
> I'd be a bit more responsive to requests for changes from my user
> community!
I fully understand! I do appreciate your program, like I said, I have
been using it for over 2 years now. But I really like the idea of lotw
and it sure is a lot easier if the logging program fully supports lotw.

>
> If you want to stick with XMLog I think your only option would be to
> include the info within the Notes field in some consistent way and
> then somehow post-process XMLog's ADIF file to move that info into
> appropriate ADIF fields.
I just did that: output an adif file from xmlog, then wrote perl
scripts to get the sat contacts into acceptable form for lotw. It is
hard to write a general program for that though.

I have been looking into dxlab since it does support sat contacts. I
am not entirely happy with the user interface in dxlab though.
Probably because I am so used to xmlog's which I like very much. So, I
am not switching yet!

Again, thanks Mike for a nice program.

--Jim KD6NA

795. error message

Yahoo group: XMLog
Date: 2003-10-18 17:26:50 UTC
From: Richard Steensels
Topic: 795 Message: 795

I'm using MLOG 4.56

When connected on the internet cluster, after 15 or 20 seconds than a spot came whe have this error message :

Can't get data from internet port (13) type mismatch
Can sumbody solve this problem??????

Thanks in advance
73 de ON4AST Richard

796. Re: error message

Yahoo group: XMLog
Date: 2003-10-20 13:21:34 UTC
From: Mike McAmis
Topic: 795 Message: 796

Hi Richard, Haven't seen this problem before, I'll take a look and see if I can find out what's going on. Is it something that happens frequently? If it happens again can you also mention the heading on the error message box.

I have a few internal changes to the packet code in the current beta version at www.xmlog.com/beta and perhaps one of them will address this problem.

Mike - W1ECT

> I'm using MLOG 4.56
>
> When connected on the internet cluster, after 15 or 20 seconds than a
> spot came whe have this error message :
>
> Can't get data from internet port (13) type mismatch
> Can sumbody solve this problem??????
>
> Thanks in advance
> 73 de ON4AST Richard

797. Re: [XMLog] Re: error message

Yahoo group: XMLog
Date: 2003-10-20 18:06:30 UTC
From: Richard Steensels
Topic: 795 Message: 797

Hi Mike,

Thanks for the quick response.
I have no trouble to log in on the packet culster by internet on MLOG 4.56. In a period of 15 or 30 seconds I can give the command like SH/DX and I get respons from the cluster. But after 15 or 30 seconds after login I get the following messagebox wiht the header NETWORK READ and the message: Can't get data from internet port (13) Type mismatch
The strange thing is I'm still connected to the packet cluster but I can give no commands annymore and get also no response from de cluster.
The cluster I'm speaking from is : on0nol.dyndns.org 9000
I' using the following PC-configuration: Gateway 700 Mhz with Windows 98 SE
When I'm logging in ouside MLOG and using te TELNET funtion I have no problem
The problem started a couples months ago by updating MLOG.
I hove this information can help you

73 de ON4AST Richard.

In the summertime every year I'm located for a couple weeks in Ware 01082 MASS. in the USA

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, October 20, 2003 3:21 PM
Subject: [XMLog] Re: error message

Hi Richard, Haven't seen this problem before, I'll take a look and
see if I can find out what's going on. Is it something that happens
frequently? If it happens again can you also mention the heading on
the error message box.

I have a few internal changes to the packet code in the current beta
version at www.xmlog.com/beta and perhaps one of them will address
this problem.

Mike - W1ECT

> I'm using MLOG 4.56
>
> When connected on the internet cluster, after 15 or 20 seconds than
a
> spot came whe have this error message :
>
> Can't get data from internet port (13) type mismatch
> Can sumbody solve this problem??????
>
> Thanks in advance
> 73 de ON4AST Richard

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

798. add country name column to spots history

Yahoo group: XMLog
Date: 2003-10-25 18:20:27 UTC
From: zamba0321
Topic: 798 Message: 798

Hi Mike et al,

on the regular packet sports it shows the country name
just before heading information. Is it possible to also
add a column with country name in the 'spots history'
window ?

thanks

de K6TE

799. Re: add country name column to spots history

Yahoo group: XMLog
Date: 2003-10-27 14:15:05 UTC
From: Mike McAmis
Topic: 798 Message: 799

Hi - Pick the "Options/Colors, Font, etc." from the Spots History
Window and set the Country option (this counts as an "etc.").

Mike - W1ECT

> Hi Mike et al,
>
> on the regular packet sports it shows the country name
> just before heading information. Is it possible to also
> add a column with country name in the 'spots history'
> window ?
>
> thanks
>
> de K6TE

800. Problem with CW Alerts

Yahoo group: XMLog
Date: 2003-11-02 02:23:17 UTC
From: Kevin Nathan
Topic: 800 Message: 800

Hi Mike and All,

I set cw alerts tonight just to see how they would work for me instead of voice. I also set band and mode on for CW alerts. But when I get a spot coming in all I hear is dit-dit-dit-dah-dit, dit-dit-dit-dah-dit, W and then the band and mode. No other identifying information. I do have xcw.exe in the mlog folder.

Could anyone on the list tell me what may be happening here? Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

801. Oops!

Yahoo group: XMLog
Date: 2003-11-02 17:13:26 UTC
From: Kevin Nathan
Topic: 801 Message: 801

My apologies,

If I would have read the manual, I would know what the cw format really meant. Mike, what is the signal that sounds like "VE" just before it sends the prefix? Also, I can't seem to turn off the packet beep. Any idea as to how to do that?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

802. Re: [XMLog] Oops!

Yahoo group: XMLog
Date: 2003-11-02 19:21:31 UTC
From: Thomas Wilm
Topic: 801 Message: 802

Hi Kevin,

VE means "verstanden" and comes from the german CW language (acknowledged).

I have also a problem.

I cannot search for a callsign if it is not exactly matched. I get no response if I put in "K5*" despite I have many K5s in the log. Any reason for that?

73, Tom, ZS2BBG

----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Sunday, November 02, 2003 7:13 PM
Subject: [XMLog] Oops!

> My apologies,
>
> If I would have read the manual, I would know what the cw format really
> meant. Mike, what is the signal that sounds like "VE" just before it sends
> the prefix? Also, I can't seem to turn off the packet beep. Any idea as to
> how to do that?
>
> Thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

803. Re: [XMLog] Oops!

Yahoo group: XMLog
Date: 2003-11-02 19:32:47 UTC
From: Donald Jones
Topic: 801 Message: 803

Tom -

Try "=k5*" - I think that will do it for you.

73 - Don N4TN

Thomas Wilm wrote:

>Hi Kevin,
>
>VE means "verstanden" and comes from the german CW language (acknowledged).
>
>I have also a problem.
>
>I cannot search for a callsign if it is not exactly matched. I get no
>response if I put in "K5*" despite I have many K5s in the log. Any reason
>for that?
>
>73, Tom, ZS2BBG
>
>
>

804. Re: [XMLog] Oops!

Yahoo group: XMLog
Date: 2003-11-02 20:06:00 UTC
From: Thomas Wilm
Topic: 801 Message: 804

Thanks Don,

Wants I know how it works I also understand the ,manual...

----- Original Message -----
From: "Donald Jones" <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, November 02, 2003 9:32 PM
Subject: Re: [XMLog] Oops!

> Tom -
>
> Try "=k5*" - I think that will do it for you.
>
> 73 - Don N4TN
>
>
> Thomas Wilm wrote:
>
> >Hi Kevin,
> >
> >VE means "verstanden" and comes from the german CW language
(acknowledged).
> >
> >I have also a problem.
> >
> >I cannot search for a callsign if it is not exactly matched. I get no
> >response if I put in "K5*" despite I have many K5s in the log. Any reason
> >for that?
> >
> >73, Tom, ZS2BBG
> >
> >
> >
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

>
>

805. Re: Oops!

Yahoo group: XMLog
Date: 2003-11-02 21:03:19 UTC
From: Mike McAmis
Topic: 801 Message: 805

Hi Kevin, That 've' is an old CW prosign that basically
means 'attention' or 'hey dude, listen up, something of great import
follows'. Don't hear it on the air much anymore...

The "Options/Packet Options" menu item lets you change the "Beep
On/Off" setting.

Check the "Searching the log" section of the help file for more
examples on matching things using wild cards like =K5*

Mike - W1ECT

> My apologies,
>
> If I would have read the manual, I would know what the cw format
really
> meant. Mike, what is the signal that sounds like "VE" just before
it sends
> the prefix? Also, I can't seem to turn off the packet beep. Any
idea as to
> how to do that?
>
> Thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX

806. RE: [XMLog] Re: Oops!

Yahoo group: XMLog
Date: 2003-11-02 21:22:21 UTC
From: Kevin Nathan
Topic: 801 Message: 806

Thanks Mike and all. Got it the way I want now. Very 73.

Kevin :)
Amateur Radio: K7RX

807. high lite

Yahoo group: XMLog
Date: 2003-11-15 23:15:15 UTC
From: N7MAL
Topic: 807 Message: 807

Am I doing something wrong because in ver 4.63 the hi-lite function quits working when I turn off display QSL status..???..
Thanks

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

[Non-text portions of this message have been removed]

808. Re: [XMLog] high lite

Yahoo group: XMLog
Date: 2003-11-16 00:32:25 UTC
From: Gary Stone
Topic: 807 Message: 808

Hi,

I can't find the hi-lite feature? Or version 4.63?

Thanks,

73 de N5PHT, Gary

> Am I doing something wrong because in ver 4.63 the hi-lite function quits working when I turn off display QSL status..???..
> Thanks
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

809. Re: [XMLog] high lite

Yahoo group: XMLog
Date: 2003-11-16 02:22:21 UTC
From: Donald Jones
Topic: 807 Message: 809

Gary -

You can download the latest version of XMLOG from http://www.xmlog.com/beta

The Highlight feature pertains to packet window spots:
>OPTIONS >PACKET OPTIONS AND PORT SELECT >OPTIONS - look at the lower
right box and
click HIGHLIGHT either ON or OFF as you wish.

73 - Don N4TN

Gary Stone wrote:

> Hi,
>
> I can't find the hi-lite feature? Or version 4.63?
>
> Thanks,
>
> 73 de N5PHT, Gary
>

810. Sweepstakes entry?

Yahoo group: XMLog
Date: 2003-11-16 15:24:31 UTC
From: Steven Boston(K2SAB)
Topic: 810 Message: 810

To All,

I must be missing something, I don't see away to set-up sweepstake entries needing sequence number and logging in dates and sections?

Any ideas?

73,

Steven
K2SAB

[Non-text portions of this message have been removed]

811. Re: Sweepstakes entry?

Yahoo group: XMLog
Date: 2003-11-16 17:52:09 UTC
From: Craig - N7OR
Topic: 810 Message: 811

Please do not take my answer the wrong way, but one idea is to use contest software?

http://www.n1mm.com for example, but it is kinda late now to get started. CT for DOS is now free. Very reasonably priced and simple contest SW is also available at http://www.n3fjp.com

After the contest, you can export from the contest SW and import to XMLog, that's what I do. I personally use N1MM SW.

--- In XMLog@yahoogroups.com, "Steven Boston\(K2SAB\)" <k2sab@a...> wrote:
> To All,
>
> I must be missing something, I don't see away to set-up sweepstake entries needing sequence number and logging in dates and sections?
>
> Any ideas?
>
> 73,
>
> Steven
> K2SAB
>
> [Non-text portions of this message have been removed]

812. RE: [XMLog] Re: Sweepstakes entry?

Yahoo group: XMLog
Date: 2003-11-16 18:10:28 UTC
From: Larry R. Fravel
Topic: 810 Message: 812

CT is now free ware for either DOS or Windows. Probably the elite of the contest loggers.

Larry N4SEA

[Non-text portions of this message have been removed]

813. Re: Sweepstakes entry?

Yahoo group: XMLog
Date: 2003-11-16 22:13:00 UTC
From: Craig - N7OR
Topic: 810 Message: 813

True. I forgot about CT-Win.

--- In XMLog@yahoogroups.com, "Larry R. Fravel" <lfravel@c...> wrote:
> CT is now free ware for either DOS or Windows. Probably the elite
of the
> contest loggers.
>
> Larry N4SEA
>
>
> [Non-text portions of this message have been removed]

814. Packet messages

Yahoo group: XMLog
Date: 2003-11-19 00:18:02 UTC
From: witstock7
Topic: 814 Message: 814

When someone puts out a spot on the packet cluster and has a message tacked onto it, my monitor shows only the first few words of the message. The rest does not appear on the screen. About one third of the screen on the right side is blank. Is there some way to extend the length of the displayed line into the blank area?

Nelson, K8DJC

815. Problem with 4.63

Yahoo group: XMLog
Date: 2003-11-19 08:40:07 UTC
From: Stan Gantz
Topic: 810 Message: 815

Hi all...

Here is Stan, W5GZ..... I am now using Beta version 4.63, and I have used XM now for about 4 years. On doing my 10m DXCC record sheet, when checking; Awards, DXCC, Totals, it shows that on 10 meters I have 195 confirmed...BUT on looking at the DXCC Record Sheet, it showed I only had 193!!! Well, after spending a hour+ checking and re-checking everything (now 1:30am).....I finally found the problem! Back a few years ago, I worked two DX stations on 29.6 mHz FM, well, evidentially XM-Log does not like the frequency of 29 mHz entered. It just ignored these two contacts when looking at the DXCC Record Sheet! I just changed the frequency to 28 mHz, and NOW I show the proper 195 confirmed on the DXCC Record Sheet on 10m. It lists CW first, then FM, then SSB. Everything now is listed OK IF I don't use 29mHz!
Has anybody else had this problem? I do think that Mike should look at this at his earliest!
And Mike, I want to take time and space to THANK YOU for this exceptional program!! It's outstanding
TNX es 73.....Stan W5GZ

816. Problem with 4.63

Yahoo group: XMLog
Date: 2003-11-19 14:08:14 UTC
From: Don Nesbitt
Topic: 810 Message: 816

Hello to all - OK - "uncle" - I recently "upgraded" from 4.60 to 4.63. When doing this I also changed directories back to the suggested default (don't ask) and moved my "voice" file, moved my log, ini's, mdb, etc. Now I can't get either the cw alert or the voice alert to work and the spots don't show up in the map or the "spot" history either no matter how many times I check and re-check the menu items. I do get a "ping" when spots come in on the packet cluster.

Woe is me!! I know I've done something dumb #$#@!
Any help would be appreciated. TIA --don n4hh

Do you Yahoo!?
Protect your identity with Yahoo! Mail AddressGuard
http://antispam.yahoo.com/whatsnewfree

817. Re: [XMLog] Problem with 4.63

Yahoo group: XMLog
Date: 2003-11-19 15:00:03 UTC
From: cliffhazen@aol.com
Topic: 810 Message: 817

no problemo here Stan, dozens of 29 MHz qsos entered into XMLog.
73
Cliff N7HIY

[Non-text portions of this message have been removed]

818. Re: Problem with 4.63

Yahoo group: XMLog
Date: 2003-11-19 17:31:07 UTC
From: Mike McAmis
Topic: 810 Message: 818

Hi Stan, Couldn't duplicate your problem here. I don't seem to have any problem with 29.6 FM QSOs being counted. Perhaps you can zip up your log and email it to me as an attachment (as long as it's under 1mb).

Mike - W1ECT

> Hi all...
>
> Here is Stan, W5GZ..... I am now using Beta version 4.63, and I have used
> XM now for about 4 years. On doing my 10m DXCC record sheet, when
> checking; Awards, DXCC, Totals, it shows that on 10 meters I have 195
> confirmed...BUT on looking at the DXCC Record Sheet, it showed I only had
> 193!!! Well, after spending a hour+ checking and re-checking everything
> (now 1:30am)......I finally found the problem! Back a few years ago, I
> worked two DX stations on 29.6 mHz FM, well, evidentially XM-Log does not
> like the frequency of 29 mHz entered. It just ignored these two contacts
> when looking at the DXCC Record Sheet! I just changed the frequency to 28
> mHz, and NOW I show the proper 195 confirmed on the DXCC Record Sheet on
> 10m. It lists CW first, then FM, then SSB. Everything now is listed OK IF
> I don't use 29mHz!
> Has anybody else had this problem? I do think that Mike should look at
> this at his earliest!
> And Mike, I want to take time and space to THANK YOU for this exceptional
> program!! It's outstanding
> TNX es 73......Stan W5GZ

819. Re: Problem with 4.63 voice alerts

Yahoo group: XMLog
Date: 2003-11-19 17:39:31 UTC
From: Mike McAmis
Topic: 810 Message: 819

Hi Don, If you've moved everything to the "default" directory c:\mlog
then your .wav files should be in the folder c:\mlog\voice

BTW - The reason that XMLog doesn't get installed in "Program Files"
by default is that it's showing it's age - it started out as a DOS
app before such things existed. And it was originally called MLog
until someone pointed out an ad in QST for someone selling something
called MLog so I just stuck an X on the begininng!

Mike - W1ECT

> Hello to all - OK - "uncle" - I recently "upgraded"
> from 4.60 to 4.63. When doing this I also changed
> directories back to the suggested default (don't ask)
> and moved my "voice" file, moved my log, ini's, mdb,
> etc. Now I can't get either the cw alert or the voice
> alert to work and the spots don't show up in the map
> or the "spot" history either no matter how many times
> I check and re-check the menu items. I do get a
> "ping" when spots come in on the packet cluster.
>
> Woe is me!! I know I've done something dumb #$#@!
> Any help would be appreciated. TIA --don n4hh
>
>
> _____
> Do you Yahoo!?
> Protect your identity with Yahoo! Mail AddressGuard
> http://antispam.yahoo.com/whatsnewfree

820. Re: Packet messages

Yahoo group: XMLog
Date: 2003-11-19 17:43:08 UTC
From: Mike McAmis
Topic: 814 Message: 820

Hi Nelson, Most cluster nodes clip the comment on spots to about 30 characters or so. If things are getting clipped more than this let me know. If you're using an Internet cluster, try a different one and see if you get the same effect.

Mike - W1ECT

> When someone puts out a spot on the packet cluster and has a message
> tacked onto it, my monitor shows only the first few words of the
> message. The rest does not appear on the screen. About one third of
> the screen on the right side is blank. Is there some way to extend
> the length of the displayed line into the blank area?
>
> Nelson, K8DJC

821. LOTW Support II

Yahoo group: XMLog
Date: 2003-11-19 22:02:41 UTC
From: Mike McAmis
Topic: 821 Message: 821

Here's a note to let you know the status of LOTW support. LOTW is the ARRL's "Logbook of the world" electronic QSLing system.

Many XMLog users out there (myself included) have gone through the process of setting themselves up for LOTW, exporting their log files to an ADIF file, and submitting this file to LOTW. You may have even downloaded a list of QSL info records to see how many LOTW QSLs you have. The question is "What now?".

I have done some experimenting with building LOTW support into XMLog. I've put together some test code that does the download of LOTW QSL records and produces a report that identifies any discrepancies between values in existing log fields and the values provided in the LOTW QSL records. The next step is adding code to update log records with the info from the LOTW QSL records.

I'm going to wait a bit till I make this available because the ARRL has not yet defined how LOTW QSLs are going to be submitted for DXCC or WAS credit. Hopefully the records will be submitted electronically somehow and the submitted/accepted/rejected status will be downloadable so that XMLog (or any logger) will be able to do this directly. Apparently the mechanism for doing these LOTW submissions for DXCC and WAS credit isn't going to be implemented in the near future so don't hold your breath.

Perhaps I'll make the download/verify features available just so other folk can play with them...

Mike - W1ECT

822. Re: [XMLog] LOTW Support II

Yahoo group: XMLog
Date: 2003-11-19 23:42:37 UTC
From: N7MAL
Topic: 821 Message: 822

Yesterday on the contesting mail list Joe K4IK posted this:
""Today it is possible to automatically upload "signed" contest
QSOs directly from the contest logging program (WriteLog) and
download confirmations directly into a day-to-day log (DXLab
- in testing). I'm sure that other authors are in the late
stages of their own beta testing of similar capabilities.
Within a few months I would fully expect contest QSLing to
be fully transparent with confirmations available as soon
after the contest as the individual station feels comfortable
uploading the log.""

Joe's observations are not limited to just the contesting community. Anyone looking to achieve DXCC or WAS(Worked All States) can and should be utilizing LOTW. I'm not advocating using LOTW to replace QSL cards but use LOTW to expedite awards.
At this point in time MLOG and many other popular logging programs can't handle the input from an LOTW file. It makes an unbelievable mess, trust me, as Mike knows I've tried and Mike easily duplicated the problems. If you feel the urge/need to try for yourself back-up, back-up, back-up, your log, I can't stress it enough, back-up your log.
Kudos', many many Kudos', to Mike for going the 'extra' mile to make MLOG, in the future, fully compatible with LOTW.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, November 19, 2003 10:02 PM
Subject: [XMLog] LOTW Support II

Here's a note to let you know the status of LOTW support. LOTW is the ARRL's "Logbook of the world" electronic QSLing system.

Many XMLog users out there (myself included) have gone through the process of setting themselves up for LOTW, exporting their log files to an ADIF file, and submitting this file to LOTW. You may have even downloaded a list of QSL info records to see how many LOTW QSLs you have. The question is "What now?".

I have done some experimenting with building LOTW support into XMLog. I've put together some test code that does the download of LOTW QSL records and produces a report that identifies any

discrepancies between values in existing log fields and the values provided in the LOTW QSL records. The next step is adding code to update log records with the info from the LOTW QSL records.

I'm going to wait a bit till I make this available because the ARRL has not yet defined how LOTW QSLs are going to be submitted for DXCC or WAS credit. Hopefully the records will be submitted electronically somehow and the submitted/accepted/rejected status will be downloadable so that XMLog (or any logger) will be able to do this directly. Apparently the mechanism for doing these LOTW submissions for DXCC and WAS credit isn't going to be implemented in the near future so don't hold your breath.

Perhaps I'll make the download/verify features available just so other folk can play with them...

Mike - W1ECT

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

823. Re: [XMLog] Re: Problem with 4.63 voice alerts

Yahoo group: XMLog
Date: 2003-11-20 01:55:45 UTC
From: Don Nesbitt
Topic: 810 Message: 823

Thanks Mike. Hummm - the voice folder is in that
directory and the .wav files are in the voice folder.
I tried the .wav files and indeed they do play the
numbers, etc when using a media player. This is very
strange. I can't get the announcements to be in cw
either and the spots history map does not work either.
I even reinstalled 4.63 and it's still the same. The
layouts for my qsl's and labels transferred fine as
did the log. Gotta be something simple. Any other
ideas? --don
--- Mike McAmis <m.mcamis@...> wrote:
> Hi Don, If you've moved everything to the "default"
> directory c:\mlog
> then your .wav files should be in the folder
> c:\mlog\voice
>
> BTW - The reason that XMLog doesn't get installed in
> "Program Files"
> by default is that it's showing it's age - it
> started out as a DOS
> app before such things existed. And it was
> originally called MLog
> until someone pointed out an ad in QST for someone
> selling something
> called MLog so I just stuck an X on the begininng!
>
> Mike - W1ECT
>
> > Hello to all - OK - "uncle" - I recently
> "upgraded"
> > from 4.60 to 4.63. When doing this I also changed
> > directories back to the suggested default (don't
> ask)
> > and moved my "voice" file, moved my log, ini's,
> mdb,
> > etc. Now I can't get either the cw alert or the
> voice
> > alert to work and the spots don't show up in the
> map
> > or the "spot" history either no matter how many
> times
> > I check and re-check the menu items. I do get a
> > "ping" when spots come in on the packet cluster.
> >
> > Woe is me!! I know I've done something dumb #$#@!

>
> > Any help would be appreciated. TIA --don n4hh
> >
> >
> > _____
> > Do you Yahoo!?
> > Protect your identity with Yahoo! Mail
> AddressGuard
> > http://antispam.yahoo.com/whatsnewfree
>
>

_____
Do you Yahoo!?
Free Pop-Up Blocker - Get it now
http://companion.yahoo.com/

824. Re: [XMLog] Re: Problem with 4.63

Yahoo group: XMLog
Date: 2003-11-20 04:18:16 UTC
From: Stan Gantz
Topic: 810 Message: 824

At 10:31 AM 11/19/2003, you wrote:
>Hi Stan, Couldn't duplicate your problem here. I don't seem to have
>any problem with 29.6 FM QSOs being counted. Perhaps you can zip up
>your log and email it to me as an attachment (as long as it's under
>1mb).
Mike,

I don't know if I properly described the circumstances of this problem. The log works proper with everything entered as 29 mHz or above, BUT, it is ONLY when later looking at the data on the "DXCC Record Sheet" that XM does not "accept" anything with 29+ mHz. The log data, "Awards. DXCC, Totals" still shows everything proper ...it is just the "DXCC RECORD SHEET" that ignores it. I even went back this evening and re-entered the frequencies as just 29 mHz, and again, the "DXCC Record Sheet"ignored the 29 mHz QSOs, while they displayed proper on the main "Awards, DXCC, Totals" page.
Mike, it is not worth everything involved to send my log with it's 6000+ "Qs", since this problem is only for a couple of DXCC "Qs" on 10 meters using the FM mode. I was just curious if there was a possible bug. I can use it fine like it by just entering 28 mHz instead of 29.....

Tnx, es 73.....Stan W5GZ

>Mike - W1ECT
>
> > Hi all...
> >
> > Here is Stan, W5GZ..... I am now using Beta version 4.63, and I
>have used
> > XM now for about 4 years. On doing my 10m DXCC record sheet, when
> > checking; Awards, DXCC, Totals, it shows that on 10 meters I have
>195
> > confirmed...BUT on looking at the DXCC Record Sheet, it showed I
>only had
> > 193!!! Well, after spending a hour+ checking and re-checking
>everything
> > (now 1:30am).....I finally found the problem! Back a few years
>ago, I
> > worked two DX stations on 29.6 mHz FM, well, evidentially XM-Log
>does not
> > like the frequency of 29 mHz entered. It just ignored these two
>contacts
> > when looking at the DXCC Record Sheet! I just changed the
>frequency to 28
> > mHz, and NOW I show the proper 195 confirmed on the DXCC Record
>Sheet on

> > 10m. It lists CW first, then FM, then SSB. Everything now is
>listed OK IF
> > I don't use 29mHz!
> > Has anybody else had this problem? I do think that Mike should
>look at
> > this at his earliest!
> > And Mike, I want to take time and space to THANK YOU for this
>exceptional
> > program!! It's outstanding
> > TNX es 73......Stan W5GZ
>
>
>
>To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

825. Re: [XMLog] LOTW Support II

Yahoo group: XMLog
Date: 2003-11-20 16:26:31 UTC
From: Mark Johnsen
Topic: 821 Message: 825

Mike,

I'm using LOTW and have found it pretty good so far.
The extra tools would certainly make it easier to wade
through all the info. I appreciate the effort you
extend to make XMLog a fine program.

73, Mark NB1U

--- Mike McAmis <m.mcamis@...> wrote:
> Here's a note to let you know the status of LOTW
> support. LOTW is the
> ARRL's "Logbook of the world" electronic QSLing
> system.
>
> Many XMLog users out there (myself included) have
> gone through the
> process of setting themselves up for LOTW, exporting
> their log files
> to an ADIF file, and submitting this file to LOTW.
> You may have even
> downloaded a list of QSL info records to see how
> many LOTW QSLs you
> have. The question is "What now?".
>
> I have done some experimenting with building LOTW
> support into
> XMLog. I've put together some test code that does
> the download of
> LOTW QSL records and produces a report that
> identifies any
> discrepancies between values in existing log fields
> and the values
> provided in the LOTW QSL records. The next step is
> adding code to
> update log records with the info from the LOTW QSL
> records.
>
> I'm going to wait a bit till I make this available
> because the ARRL
> has not yet defined how LOTW QSLs are going to be
> submitted for DXCC
> or WAS credit. Hopefully the records will be
> submitted
> electronically somehow and the
> submitted/accepted/rejected status

> will be downloadable so that XMLog (or any logger)
> will be able to do
> this directly. Apparently the mechanism for doing
> these LOTW
> submissions for DXCC and WAS credit isn't going to
> be implemented in
> the near future so don't hold your breath.
>
> Perhaps I'll make the download/verify features
> available just so
> other folk can play with them...
>
> Mike - W1ECT
>
>

Do you Yahoo!?
Free Pop-Up Blocker - Get it now
http://companion.yahoo.com/

826. Re: Problem with 4.63

Yahoo group: XMLog
Date: 2003-11-20 18:48:13 UTC
From: Mike McAmis
Topic: 810 Message: 826

OK, I see that the problem occurs with the "Awards/DXCC Create Submissions Forms" menu item - but only if you use the 10m (or 6m) filters, the entries should be included if you don't set a band filter. I'll have a fix in the next version.

Mike - W1ECT

> I don't know if I properly described the circumstances of this
> problem. The log works proper with everything entered as 29 mHz or above,
> BUT, it is ONLY when later looking at the data on the "DXCC Record Sheet"
> that XM does not "accept" anything with 29+ mHz. The log data, "Awards.
> DXCC, Totals" still shows everything proper ...it is just the "DXCC RECORD
> SHEET" that ignores it.

827. Re: Problem with 4.63 voice alerts

Yahoo group: XMLog
Date: 2003-11-21 16:54:13 UTC
From: Mike McAmis
Topic: 810 Message: 827

Hi Don, Another thing to check. Do you run XMLog from a desktop icon? If so make sure the location and start-up folder are set correctly - right click on the icon and pick "Properties". The same is true if you are using an entry from the Start button, you can right-click on an entry and pick "Properties".

Mike - W1ECT

> Thanks Mike. Hummm - the voice folder is in that
> directory and the .wav files are in the voice folder.
> I tried the .wav files and indeed they do play the
> numbers, etc when using a media player. This is very
> strange. I can't get the announcements to be in cw
> either and the spots history map does not work either.
> I even reinstalled 4.63 and it's still the same. The
> layouts for my qsl's and labels transferred fine as
> did the log. Gotta be something simple. Any other
> ideas? --don

828. Re: [XMLog] Re: Problem with 4.63 voice alerts

Yahoo group: XMLog
Date: 2003-11-21 22:37:36 UTC
From: Don Nesbitt
Topic: 810 Message: 828

Thanks Mike - yes I did check that and sure enough it was going to the "old" folder so I changed the target to the default folder. Still the same problem. Started 4.63 from the exe file in the mlog folder and it did start with 4.63 but still lots of problems of the same nature including a new one - when I select to have the spots tnc window, the spots map and the spots history to start with the program, they don't - I have to go back and select them again. Something is not happening in the ini file for 4.63.

So - I dumped everything from C:\mlog, downloaded the zip file again, installed it again, downloaded voice.zip again, installed it again after the initial run of 4.63 and did get the voice announcements to work - but - only if I leave the "qsl status" on (unchecked) - if I check it to turn off the status, the voice announcements don't work. Also, I'm getting double citations in the spots history window but only one (as it should be) in the "tnc" window. All very strange as 4.60 seems to work perfectly!

I'm going to clear 4.63 again, look through the registry and delete all references to it and go through the install again. In the meantime, 4.60 works fine just like always. Let me play with it some more and I'll report back. Tnx es 73 --don
--- Mike McAmis <m.mcamis@...> wrote:
> Hi Don, Another thing to check. Do you run XMLog
> from a desktop
> icon? If so make sure the location and start-up
> folder are set
> correctly - right click on the icon and pick
> "Properties". The same
> is true if you are using an entry from the Start
> button, you can
> right-click on an entry and pick "Properties".
>
> Mike - W1ECT
>
> > Thanks Mike. Hummm - the voice folder is in that
> > directory and the .wav files are in the voice
> folder.
> > I tried the .wav files and indeed they do play the
> > numbers, etc when using a media player. This is

> very
> > strange. I can't get the announcements to be in
> cw
> > either and the spots history map does not work
> either.
> > I even reinstalled 4.63 and it's still the same.
> The
> > layouts for my qsl's and labels transferred fine
> as
> > did the log. Gotta be something simple. Any other
> > ideas? --don
>
>

Do you Yahoo!?
Free Pop-Up Blocker - Get it now
http://companion.yahoo.com/

829. Re: [XMLog] Re: Problem with 4.63 voice alerts

Yahoo group: XMLog
Date: 2003-11-21 22:47:29 UTC
From: N7MAL
Topic: 810 Message: 829

DITTO here on the voice problem in 4.63 and not 4.60. Also in 4.63 with the QSL status turned of it also turns off the 'high-lite' function.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Don Nesbitt" <nesbittdr@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, November 21, 2003 10:37 PM
Subject: Re: [XMLog] Re: Problem with 4.63 voice alerts

Thanks Mike - yes I did check that and sure enough it
was going to the "old" folder so I changed the target
to the default folder. Still the same problem.
Started 4.63 from the exe file in the mlog folder and
it did start with 4.63 but still lots of problems of
the same nature including a new one - when I select to
have the spots tnc window, the spots map and the spots
history to start with the program, they don't - I have
to go back and select them again. Something is not
happening in the ini file for 4.63.

So - I dumped everything from C:\mlog, downloaded the
zip file again, installed it again, downloaded
voice.zip again, installed it again after the initial
run of 4.63 and did get the voice announcements to
work - but - only if I leave the "qsl status" on
(unchecked) - if I check it to turn off the status,
the voice announcements don't work. Also, I'm getting
double citations in the spots history window but only
one (as it should be) in the "tnc" window. All very
strange as 4.60 seems to work perfectly!

I'm going to clear 4.63 again, look through the
registry and delete all references to it and go
through the install again. In the meantime, 4.60
works fine just like always. Let me play with it some
more and I'll report back. Tnx es 73 --don
--- Mike McAmis <m.mcamis@...> wrote:
> Hi Don, Another thing to check. Do you run XMLog
> from a desktop
> icon? If so make sure the location and start-up
> folder are set

> correctly - right click on the icon and pick
> "Properties". The same
> is true if you are using an entry from the Start
> button, you can
> right-click on an entry and pick "Properties".
>
> Mike - W1ECT
>
> > Thanks Mike. Hummm - the voice folder is in that
> > directory and the .wav files are in the voice
> folder.
> > I tried the .wav files and indeed they do play the
> > numbers, etc when using a media player. This is
> very
> > strange. I can't get the announcements to be in
> cw
> > either and the spots history map does not work
> either.
> > I even reinstalled 4.63 and it's still the same.
> The
> > layouts for my qsl's and labels transferred fine
> as
> > did the log. Gotta be something simple. Any other
> > ideas? --don
>
>

Do you Yahoo!?
Free Pop-Up Blocker - Get it now
http://companion.yahoo.com/

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

830. AGWPE

Yahoo group: XMLog
Date: 2003-11-22 14:30:57 UTC
From: John P Smith
Topic: 830 Message: 830

Anyone ever used this package and connected to it with XMLOG? Any pointers would be greatly appreciated.

73
John

831. Re: Problem with 4.63 voice alerts

Yahoo group: XMLog
Date: 2003-11-22 15:36:26 UTC
From: Mike McAmis
Topic: 810 Message: 831

OK Don, I'll check it out here...

Mike - W1ECT

> Thanks Mike - yes I did check that and sure enough it
> was going to the "old" folder so I changed the target
> to the default folder. Still the same problem.
> Started 4.63 from the exe file in the mlog folder and
> it did start with 4.63 but still lots of problems of
> the same nature including a new one - when I select to
> have the spots tnc window, the spots map and the spots
> history to start with the program, they don't - I have
> to go back and select them again. Something is not
> happening in the ini file for 4.63.

832. question on 4.63

Yahoo group: XMLog
Date: 2003-11-22 17:13:13 UTC
From: Gary Stone
Topic: 832 Message: 832

Hi,

I have noticed a problem and wonder if others see this. I will use just one band as an example. When the log shows the frequency as 18.000 and then I do a search for that particular country and enter 17m in the freq box it shows none worked. For example I just tried a search for any Norfolk Island on 17 meters. I put VK9N in the country and 17m in the freq box and the search yielded no hits. However, I have VK9NS in the log and the freq is listed as 18.000. I must have put in 18 for the frequency instead of the whole freq.

Anyone duplicate this?

73 de N5PHT, Gary

833. Re: question on 4.63

Yahoo group: XMLog
Date: 2003-11-23 15:23:12 UTC
From: Mike McAmis
Topic: 832 Message: 833

Hi Gary, When you enter a band name like 17m as a frequency search key XMLog does a search using the actual band edges so 18.000 won't match. However you can use mHz values as frequency search keys so using 18 will match 18.000-18.999

Mike - W1ECT

> Hi,
>
> I have noticed a problem and wonder if others see this. I will use
> just one band as an example. When the log shows the frequency as
> 18.000 and then I do a search for that particular country and enter
17m
> in the freq box it shows none worked. For example I just tried a
> search for any Norfolk Island on 17 meters. I put VK9N in the
country
> and 17m in the freq box and the search yielded no hits. However, I
> have VK9NS in the log and the freq is listed as 18.000. I must
have
> put in 18 for the frequency instead of the whole freq.
>
> Anyone duplicate this?
>
> 73 de N5PHT, Gary

834. Speech on Spots

Yahoo group: XMLog
Date: 2003-11-23 18:52:37 UTC
From: Kevin Nathan
Topic: 834 Message: 834

Hi Mike and All,

I have a mystery here I would like help solving. I have my dx spots set to speak and I get very good response except on spots coming from Canadian stations. If a spot comes in from a VE station I only hear a beep but on any U.S. originator I get the full speech. Can anyone explain what I might do to get speech on Canadian spots or might this be a function of my cluster? Your help will be very much appreciated.

Thanks a lot and very 73.

Kevin :)
Amateur Radio: K7RX

835. Import shacklog files

Yahoo group: XMLog
Date: 2003-11-24 21:44:47 UTC
From: g0zec
Topic: 835 Message: 835

Hi My name is Eric - G0ZEC and am looking at various window logging programs and have just joined this group.
I have been running shacklog for some years, but as it has not changed to windows (still dos) would like to import the .PMR files rather than copy the whole lot in manually.
Any help?

73 Eric-G0ZEC

836. qsl cards

Yahoo group: XMLog
Date: 2003-12-04 20:49:20 UTC
From: jimab0zh
Topic: 836 Message: 836

How does one print multiple qsl cards on one page? When I use the
default settings, two cards overlap. Any ideas?

73s,

AB0ZH
JIM

837. Re: qsl cards

Yahoo group: XMLog
Date: 2003-12-05 15:42:48 UTC
From: Mike McAmis
Topic: 836 Message: 837

Hi Jim, You should be able to set up your page as you like using
the "Options/QSL (or Mailing) Labels Layout" menu items.

Mike - W1ECT

> How does one print multiple qsl cards on one page? When I use the
> default settings, two cards overlap. Any ideas?
>
> 73s,
>
> AB0ZH
> JIM

838. Duplicate QSOs

Yahoo group: XMLog
Date: 2003-12-08 22:07:23 UTC
From: g4tgk
Topic: 838 Message: 838

Hi,
A friend of mine (G4TZX) has had Xmlog for about two years. He inputted his QSOs from 1991 to 2001 manually and as he mainly works PSK31 now, he imports the rest from the logs in MixW or Digipan. I was showing him the other day the various facilities re bringing up lists of contacts in various modes/bands/countries etc. He's suddenly found that about a quarter of his QSOs have been duplicated and he is having to go through his entire log and deleting the dupes. Even some of his old SSB QSOs have been duplicated. Any idea why this might have happened?
He's running version 4, same as me, and I have not had the problem. It seems that he must have done something wrong?
Thanks,
John, G4TGK.

839. Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-12 16:23:53 UTC
From: Mike McAmis
Topic: 839 Message: 839

After doing some research into the recent reports of problems with packetcluster alerts I didn't find anything obvious. Before going further I (reluctantly) decided that the time had come to do a internal reorganization of this code. The results are available at www.xmlog.com/beta. I believe I've addressed the problems that were dependent on the setting of the "Don't display QSO status lines" option but the problem with missing voice alerts may need furthur investigation.

Mike - W1ECT

840. Re: [XMLog] Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-12 18:03:25 UTC
From: N7MAL
Topic: 839 Message: 840

I had a problem during the install. There was an error msg about not being able to install, something called winit.dll(something like that). There seems to be no ill effects. The problems with the packetcluster alerts have all been cleared up and from a legally blind guy I really appreciate that. Thanks Mike

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 12, 2003 4:23 PM
Subject: [XMLog] Beta test version 4.64

After doing some research into the recent reports of problems with packetcluster alerts I didn't find anything obvious. Before going further I (reluctantly) decided that the time had come to do a internal reorganization of this code. The results are available at www.xmlog.com/beta. I believe I've addressed the problems that were dependent on the setting of the "Don't display QSO status lines" option but the problem with missing voice alerts may need furthur investigation.

Mike - W1ECT

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

841. Re: [XMLog] Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-12 18:46:34 UTC
From: Howard G. Baker
Topic: 839 Message: 841

Same problem here. I just clicked "ignore" and went on. All seems to work fine.
----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: Friday, December 12, 2003 1:03 PM
Subject: Re: [XMLog] Beta test version 4.64

I had a problem during the install. There was an error msg about not being
able to install, something called winit.dll(something like that). There
seems to be no ill effects. The problems with the packetcluster alerts have
all been cleared up and from a legally blind guy I really appreciate that.
Thanks Mike

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 12, 2003 4:23 PM
Subject: [XMLog] Beta test version 4.64

After doing some research into the recent reports of problems with
packetcluster alerts I didn't find anything obvious. Before going
further I (reluctantly) decided that the time had come to do a
internal reorganization of this code. The results are available at
www.xmlog.com/beta. I believe I've addressed the problems that were
dependent on the setting of the "Don't display QSO status lines"
option but the problem with missing voice alerts may need furthur
investigation.

Mike - W1ECT

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Yahoo! Groups Sponsor

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

842. Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-16 00:55:00 UTC
From: Mike McAmis
Topic: 839 Message: 842

I've removed the reference to wininet.dll and built/posted it as
version 4.65 so it should install now without complaining.

Mike - W1ECT

843. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 03:32:22 UTC
From: litwins
Topic: 839 Message: 843

Hi Mike;
As usual, kudos to u for doing and maintaining XMLog. As u know, I have been using it for a long time. I use it with Internet web cluster via telnet most of the time. I have a request for a future version. Is it possible at 'connect' 'internet connect' menu choice for the active packet window to, at the dialog box have available a list of frequently used telnet addresses in...say a drop-down box or something like that. Here, in nw fla, the telephone lines are anything but reliable and constant. Therefore, there are a lot of drop-outs and as a result, I get disconnected quite a few times each day as I chase dx. Combine this with the drop-outs caused from my ISP and I have to type in the address to where I wish to connect, if its different from the one in the options box, a lot of times. I do that cuz some of the time the one I use a lot is not available, and I wish to switch addresses of the web packet cluster.
No big deal, just a thought if it is easy. Tnx agn for the logger, and...73/dx and Merry Xmas and a Happy new Year...
steve, k8wk
****

844. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 06:52:37 UTC
From: N7MAL
Topic: 839 Message: 844

If I understand your question correctly what you are asking for already exists. Pressing the F-5 key opens a dialogue box with a drop down list. I have 6 nodes that I connect to regularly, and I've created a .NOD file for each node.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "litwins" <litwins@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 3:32 AM
Subject: Re: [XMLog] Re: Beta test version 4.64

Hi Mike;
As usual, kudos to u for doing and maintaining XMLog. As u know, I have been using it for a long time. I use it with Internet web cluster via telnet most of the time. I have a request for a future version. Is it possible at 'connect' 'internet connect' menu choice for the active packet window to, at the dialog box have available a list of frequently used telnet addresses in...say a drop-down box or something like that. Here, in nw fla, the telephone lines are anything but reliable and constant. Therefore, there are a lot of drop-outs and as a result, I get disconnected quite a few times each day as I chase dx. Combine this with the drop-outs caused from my ISP and I have to type in the address to where I wish to connect, if its different from the one in the options box, a lot of times. I do that cuz some of the time the one I use a lot is not available, and I wish to switch addresses of the web packet cluster.
No big deal, just a thought if it is easy. Tnx agn for the logger, and...73/dx and Merry Xmas and a Happy new Year...
steve, k8wk
****

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

845. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 14:16:57 UTC
From: litwins
Topic: 839 Message: 845

Hi Mal;
Interesting. I am using ver 4.35. I did not know newer versions contain
this feature. I am loathe to fix something that works so well. Ver 4.35
has been perfect performer. Tnx...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 12:52 AM
Subject: Re: [XMLog] Re: Beta test version 4.64

> If I understand your question correctly what you are asking for already
> exists. Pressing the F-5 key opens a dialogue box with a drop down list. I
> have 6 nodes that I connect to regularly, and I've created a .NOD file
for
> each node.
>
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
>
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 3:32 AM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> Hi Mike;
> As usual, kudos to u for doing and maintaining XMLog. As u know, I have
> been using it for a long time. I use it with Internet web cluster via
> telnet most of the time. I have a request for a future version. Is it
> possible at 'connect' 'internet connect' menu choice for the active
packet
> window to, at the dialog box have available a list of frequently used
telnet
> addresses in...say a drop-down box or something like that. Here, in nw
fla,
> the telephone lines are anything but reliable and constant. Therefore,
> there are a lot of drop-outs and as a result, I get disconnected quite a
few
> times each day as I chase dx. Combine this with the drop-outs caused from

> my ISP and I have to type in the address to where I wish to connect, if
its
> different from the one in the options box, a lot of times. I do that cuz
> some of the time the one I use a lot is not available, and I wish to
switch
> addresses of the web packet cluster.
> No big deal, just a thought if it is easy. Tnx agn for the logger,
> and...73/dx and Merry Xmas and a Happy new Year...
> steve, k8wk
> **********
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:

> http://docs.yahoo.com/info/terms/
>
>
>

846. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 15:22:36 UTC
From: litwins
Topic: 839 Message: 846

Mal;
Are those 6 nodes that u connect to regularly Internet nodes or some other type of node. If I read the help issue correctly, it sez that the node files u refer to are not for Internet. I am looking for a similar drop down feature for the "CONNECT' 'INTERNET CONNECT" menu. Do u know...does it exist for the internet URLs? 73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 12:52 AM
Subject: Re: [XMLog] Re: Beta test version 4.64

> If I understand your question correctly what you are asking for already
> exists. Pressing the F-5 key opens a dialogue box with a drop down list. I
> have 6 nodes that I connect to regularly, and I've created a .NOD file for
> each node.
>
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
>
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 3:32 AM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> Hi Mike;
> As usual, kudos to u for doing and maintaining XMLog. As u know, I have
> been using it for a long time. I use it with Internet web cluster via
> telnet most of the time. I have a request for a future version. Is it
> possible at 'connect' 'internet connect' menu choice for the active packet
> window to, at the dialog box have available a list of frequently used telnet
> addresses in...say a drop-down box or something like that. Here, in nw fla,
> the telephone lines are anything but reliable and constant. Therefore,
> there are a lot of drop-outs and as a result, I get disconnected quite a

few
> times each day as I chase dx. Combine this with the drop-outs caused from
> my ISP and I have to type in the address to where I wish to connect, if
its
> different from the one in the options box, a lot of times. I do that cuz
> some of the time the one I use a lot is not available, and I wish to
switch
> addresses of the web packet cluster.
> No big deal, just a thought if it is easy. Tnx agn for the logger,
> and...73/dx and Merry Xmas and a Happy new Year...
> steve, k8wk
> **********
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com

>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

847. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 18:49:33 UTC
From: N7MAL
Topic: 839 Message: 847

Yes those are all internet nodes. I don't how long I've been using MLOG but
it has been a long time and there is no RF Packetcluster available here. The
only way I have ever connected is using the internet. Here is my .NOD file
for the N7OD node:
The connect line is the internet address of an internet node. The send line
is your callsign.

rem
rem Internet PacketCluster at N7OD
rem
connect n7od.pentux.net
send (your callsign)

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: "litwins" <litwins@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 3:22 PM
Subject: Re: [XMLog] Re: Beta test version 4.64

Mal;
Are those 6 nodes that u connect to regularly Internet nodes or some other
type of node. If I read the help issue correctly, it sez that the node
files u refer to are not for Internet. I am looking for a similar drop down
feature for the "CONNECT' 'INTERNET CONNECT" menu. Do u know...does it
exist for the internet URLs? 73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 12:52 AM
Subject: Re: [XMLog] Re: Beta test version 4.64

> If I understand your question correctly what you are asking for already
> exists. Pressing the F-5 key opens a dialogue box with a drop down list. I
> have 6 nodes that I connect to regularly, and I've created a .NOD file
for
> each node.
>
>
> MAL N7MAL
> BULLHEAD CITY, AZ

> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
>
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 3:32 AM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> Hi Mike;
> As usual, kudos to u for doing and maintaining XMLog. As u know, I have
> been using it for a long time. I use it with Internet web cluster via
> telnet most of the time. I have a request for a future version. Is it
> possible at 'connect' 'internet connect' menu choice for the active
packet
> window to, at the dialog box have available a list of frequently used
telnet
> addresses in...say a drop-down box or something like that. Here, in nw
fla,
> the telephone lines are anything but reliable and constant. Therefore,
> there are a lot of drop-outs and as a result, I get disconnected quite a
few
> times each day as I chase dx. Combine this with the drop-outs caused from
> my ISP and I have to type in the address to where I wish to connect, if
its
> different from the one in the options box, a lot of times. I do that cuz
> some of the time the one I use a lot is not available, and I wish to
switch
> addresses of the web packet cluster.
> No big deal, just a thought if it is easy. Tnx agn for the logger,
> and...73/dx and Merry Xmas and a Happy new Year...
> steve, k8wk
> ***************
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:

> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

848. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 18:56:10 UTC
From: litwins
Topic: 839 Message: 848

Yeah...u are exactly right Mal, I was having some trouble understanding the help file, but have it ok now. I just couldn't get my call to work for some reason, but at least it did try. So all I have to do is set up #my correctly somewhere and I think I will be in business with what I want. Thanks to u Mal, tnx fer being patient with me. I'll let u know if I need further help. Merry Xmas and a Happy New Year---or---Happy Hanukah and a Happy New Year whichever fits...tnx agn...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 12:49 PM
Subject: Re: [XMLog] Re: Beta test version 4.64

> Yes those are all internet nodes. I don't how long I've been using MLOG but
> it has been a long time and there is no RF Packetcluster available here. The
> only way I have ever connected is using the internet. Here is my .NOD file
> for the N7OD node:
> The connect line is the internet address of an internet node. The send line
> is your callsign.
>
> rem
> rem Internet PacketCluster at N7OD
> rem
> connect n7od.pentux.net
> send (your callsign)
>
>
>
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 3:22 PM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>

> Mal;
> Are those 6 nodes that u connect to regularly Internet nodes or some other
> type of node. If I read the help issue correctly, it sez that the node
> files u refer to are not for Internet. I am looking for a similar drop
down
> feature for the "CONNECT' 'INTERNET CONNECT" menu. Do u know...does it
> exist for the internet URLs? 73/dx
> steve, k8wk
> ***********
> ----- Original Message -----
> From: "N7MAL" <n7mal@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 12:52 AM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> > If I understand your question correctly what you are asking for already
> > exists. Pressing the F-5 key opens a dialogue box with a drop down list.
I
> > have 6 nodes that I connect to regularly, and I've created a .NOD file
> for
> > each node.
> >
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > www.citlink.net/~suzyq/N7mal.htm
> > www.geocities.com/n7mal
> >
> > ----- Original Message -----
> > From: "litwins" <litwins@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, December 19, 2003 3:32 AM
> > Subject: Re: [XMLog] Re: Beta test version 4.64
> >
> >
> > Hi Mike;
> > As usual, kudos to u for doing and maintaining XMLog. As u know, I have
> > been using it for a long time. I use it with Internet web cluster via
> > telnet most of the time. I have a request for a future version. Is it
> > possible at 'connect' 'internet connect' menu choice for the active
> packet
> > window to, at the dialog box have available a list of frequently used
> telnet
> > addresses in...say a drop-down box or something like that. Here, in nw
> fla,
> > the telephone lines are anything but reliable and constant. Therefore,
> > there are a lot of drop-outs and as a result, I get disconnected quite a
> few
> > times each day as I chase dx. Combine this with the drop-outs caused

from
> > my ISP and I have to type in the address to where I wish to connect, if
> its
> > different from the one in the options box, a lot of times. I do that
cuz
> > some of the time the one I use a lot is not available, and I wish to
> switch
> > addresses of the web packet cluster.
> > No big deal, just a thought if it is easy. Tnx agn for the logger,
> > and...73/dx and Merry Xmas and a Happy new Year...
> > steve, k8wk
> > **********
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com

> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>

>

849. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-19 23:26:55 UTC
From: N7MAL
Topic: 839 Message: 849

Back to my example in the send line just type in your call and forget the
#me:
> rem
> rem Internet PacketCluster at N7OD
> rem
> connect n7od.pentux.net
> send (your callsign)

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: "litwins" <litwins@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 6:56 PM
Subject: Re: [XMLog] Re: Beta test version 4.64

Yeah...u are exactly right Mal, I was having some trouble understanding the
help file, but have it ok now. I just couldn't get my call to work for some
reason, but at least it did try. So all I have to do is set up #my
correctly somewhere and I think I will be in business with what I want.
Thanks to u Mal, tnx fer being patient with me. I'll let u know if I need
further help. Merry Xmas and a Happy New Year---or---Happy Hanukah and a
Happy New Year whichever fits...tnx agn...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 12:49 PM
Subject: Re: [XMLog] Re: Beta test version 4.64

> Yes those are all internet nodes. I don't how long I've been using MLOG
but
> it has been a long time and there is no RF Packetcluster available here.
The
> only way I have ever connected is using the internet. Here is my .NOD file
> for the N7OD node:
> The connect line is the internet address of an internet node. The send
line
> is your callsign.
>
> rem
> rem Internet PacketCluster at N7OD
> rem

> connect n7od.pentux.net
> send (your callsign)
>
>
>
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 3:22 PM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> Mal;
> Are those 6 nodes that u connect to regularly Internet nodes or some other
> type of node. If I read the help issue correctly, it sez that the node
> files u refer to are not for Internet. I am looking for a similar drop
down
> feature for the "CONNECT' 'INTERNET CONNECT" menu. Do u know...does it
> exist for the internet URLs? 73/dx
> steve, k8wk
> ************
> ----- Original Message -----
> From: "N7MAL" <n7mal@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 12:52 AM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> > If I understand your question correctly what you are asking for already
> > exists. Pressing the F-5 key opens a dialogue box with a drop down list.
I
> > have 6 nodes that I connect to regularly, and I've created a .NOD file
> for
> > each node.
> >
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > www.citlink.net/~suzyq/N7mal.htm
> > www.geocities.com/n7mal
> >
> > ----- Original Message -----
> > From: "litwins" <litwins@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, December 19, 2003 3:32 AM

> > Subject: Re: [XMLog] Re: Beta test version 4.64
> >
> >
> > Hi Mike;
> > As usual, kudos to u for doing and maintaining XMLog. As u know, I have
> > been using it for a long time. I use it with Internet web cluster via
> > telnet most of the time. I have a request for a future version. Is it
> > possible at 'connect' 'internet connect' menu choice for the active
> packet
> > window to, at the dialog box have available a list of frequently used
> telnet
> > addresses in...say a drop-down box or something like that. Here, in nw
> fla,
> > the telephone lines are anything but reliable and constant. Therefore,
> > there are a lot of drop-outs and as a result, I get disconnected quite a
> few
> > times each day as I chase dx. Combine this with the drop-outs caused
from
> > my ISP and I have to type in the address to where I wish to connect, if
> its
> > different from the one in the options box, a lot of times. I do that
cuz
> > some of the time the one I use a lot is not available, and I wish to
> switch
> > addresses of the web packet cluster.
> > No big deal, just a thought if it is easy. Tnx agn for the logger,
> > and...73/dx and Merry Xmas and a Happy new Year...
> > steve, k8wk
> > ***************
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >

> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>

> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

To unsubscribe from this group, send an email to:

xmlog-unsubscribe@yahoogroups.com

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

850. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-20 01:52:35 UTC
From: litwins
Topic: 839 Message: 850

Yup Mal...that was the next step...later when I get a chance...first got to
get my boy to sleep...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 5:26 PM
Subject: Re: [XMLog] Re: Beta test version 4.64

> Back to my example in the send line just type in your call and forget the
> #me:
> > rem
> > rem Internet PacketCluster at N7OD
> > rem
> > connect n7od.pentux.net
> > send (your callsign)
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 6:56 PM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> Yeah...u are exactly right Mal, I was having some trouble understanding
the
> help file, but have it ok now. I just couldn't get my call to work for
some
> reason, but at least it did try. So all I have to do is set up #my
> correctly somewhere and I think I will be in business with what I want.
> Thanks to u Mal, tnx fer being patient with me. I'll let u know if I need
> further help. Merry Xmas and a Happy New Year---or---Happy Hanukah and a
> Happy New Year whichever fits...tnx agn...73/dx
> steve, k8wk
> **********
> ----- Original Message -----
> From: "N7MAL" <n7mal@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 12:49 PM
> Subject: Re: [XMLog] Re: Beta test version 4.64

>
>
> > Yes those are all internet nodes. I don't how long I've been using MLOG
> but
> > it has been a long time and there is no RF Packetcluster available here.
> The
> > only way I have ever connected is using the internet. Here is my .NOD
file
> > for the N7OD node:
> > The connect line is the internet address of an internet node. The send
> line
> > is your callsign.
> >
> > rem
> > rem Internet PacketCluster at N7OD
> > rem
> > connect n7od.pentux.net
> > send (your callsign)
> >
> >
> >
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > www.citlink.net/~suzyq/N7mal.htm
> > www.geocities.com/n7mal
> > ----- Original Message -----
> > From: "litwins" <litwins@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, December 19, 2003 3:22 PM
> > Subject: Re: [XMLog] Re: Beta test version 4.64
> >
> >
> > Mal;
> > Are those 6 nodes that u connect to regularly Internet nodes or some
other
> > type of node. If I read the help issue correctly, it sez that the node
> > files u refer to are not for Internet. I am looking for a similar drop
> down
> > feature for the "CONNECT' 'INTERNET CONNECT" menu. Do u know...does it
> > exist for the internet URLs? 73/dx
> > steve, k8wk
> > ************
> > ----- Original Message -----
> > From: "N7MAL" <n7mal@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, December 19, 2003 12:52 AM
> > Subject: Re: [XMLog] Re: Beta test version 4.64
> >
> >

> > > If I understand your question correctly what you are asking for
already
> > > exists. Pressing the F-5 key opens a dialogue box with a drop down
list.
> I
> > > have 6 nodes that I connect to regularly, and I've created a .NOD
file
> > for
> > > each node.
> > >
> > >
> > > MAL N7MAL
> > > BULLHEAD CITY, AZ
> > > www.citlink.net/~suzyq/N7mal.htm
> > > www.geocities.com/n7mal
> > >
> > > ----- Original Message -----
> > > From: "litwins" <litwins@...>
> > > To: <XMLog@yahoogroups.com>
> > > Sent: Friday, December 19, 2003 3:32 AM
> > > Subject: Re: [XMLog] Re: Beta test version 4.64
> > >
> > >
> > > Hi Mike;
> > > As usual, kudos to u for doing and maintaining XMLog. As u know, I
have
> > > been using it for a long time. I use it with Internet web cluster via
> > > telnet most of the time. I have a request for a future version. Is
it
> > > possible at 'connect' 'internet connect' menu choice for the active
> > packet
> > > window to, at the dialog box have available a list of frequently used
> > telnet
> > > addresses in...say a drop-down box or something like that. Here, in
nw
> > fla,
> > > the telephone lines are anything but reliable and constant.
Therefore,
> > > there are a lot of drop-outs and as a result, I get disconnected quite
a
> > few
> > > times each day as I chase dx. Combine this with the drop-outs caused
> from
> > > my ISP and I have to type in the address to where I wish to connect,
if
> > its
> > > different from the one in the options box, a lot of times. I do that
> cuz
> > > some of the time the one I use a lot is not available, and I wish to
> > switch

> > > addresses of the web packet cluster.
> > > No big deal, just a thought if it is easy. Tnx agn for the logger,
> > > and...73/dx and Merry Xmas and a Happy new Year...
> > > steve, k8wk
> > > **********
> > >
> > >
> > >
> > > To unsubscribe from this group, send an email to:
> > >
> > > xmlog-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > > To visit your group on the web, go to:
> > > http://groups.yahoo.com/group/XMLog/
> > >
> > > To unsubscribe from this group, send an email to:
> > > XMLog-unsubscribe@yahoogroups.com
> > >
> > > Your use of Yahoo! Groups is subject to:
> > > http://docs.yahoo.com/info/terms/
> > >
> > >
> > >
> > >
> > >
> > > To unsubscribe from this group, send an email to:
> > >
> > > xmlog-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > > To visit your group on the web, go to:
> > > http://groups.yahoo.com/group/XMLog/
> > >
> > > To unsubscribe from this group, send an email to:
> > > XMLog-unsubscribe@yahoogroups.com
> > >
> > > Your use of Yahoo! Groups is subject to:
> > > http://docs.yahoo.com/info/terms/
> > >
> > >
> > >
> >

> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
> >
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com

>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>

851. Re: [XMLog] Re: Beta test version 4.64

Yahoo group: XMLog
Date: 2003-12-20 05:58:05 UTC
From: litwins
Topic: 839 Message: 851

Hi Mal;
The node file is working just fb, as u predicted...thanks much for the
lesson...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, December 19, 2003 5:26 PM
Subject: Re: [XMLog] Re: Beta test version 4.64

> Back to my example in the send line just type in your call and forget the
> #me:
> > rem
> > rem Internet PacketCluster at N7OD
> > rem
> > connect n7od.pentux.net
> > send (your callsign)
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: "litwins" <litwins@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 6:56 PM
> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> Yeah...u are exactly right Mal, I was having some trouble understanding
the
> help file, but have it ok now. I just couldn't get my call to work for
some
> reason, but at least it did try. So all I have to do is set up #my
> correctly somewhere and I think I will be in business with what I want.
> Thanks to u Mal, tnx fer being patient with me. I'll let u know if I need
> further help. Merry Xmas and a Happy New Year---or---Happy Hanukah and a
> Happy New Year whichever fits...tnx agn...73/dx
> steve, k8wk
> **********
> ----- Original Message -----
> From: "N7MAL" <n7mal@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, December 19, 2003 12:49 PM

> Subject: Re: [XMLog] Re: Beta test version 4.64
>
>
> > Yes those are all internet nodes. I don't how long I've been using MLOG
> but
> > it has been a long time and there is no RF Packetcluster available here.
> The
> > only way I have ever connected is using the internet. Here is my .NOD
file
> > for the N7OD node:
> > The connect line is the internet address of an internet node. The send
> line
> > is your callsign.
> >
> > rem
> > rem Internet PacketCluster at N7OD
> > rem
> > connect n7od.pentux.net
> > send (your callsign)
> >
> >
> >
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > www.citlink.net/~suzyq/N7mal.htm
> > www.geocities.com/n7mal
> > ----- Original Message -----
> > From: "litwins" <litwins@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, December 19, 2003 3:22 PM
> > Subject: Re: [XMLog] Re: Beta test version 4.64
> >
> >
> > Mal;
> > Are those 6 nodes that u connect to regularly Internet nodes or some
other
> > type of node. If I read the help issue correctly, it sez that the node
> > files u refer to are not for Internet. I am looking for a similar drop
> down
> > feature for the "CONNECT' 'INTERNET CONNECT" menu. Do u know...does it
> > exist for the internet URLs? 73/dx
> > steve, k8wk
> > ************
> > ----- Original Message -----
> > From: "N7MAL" <n7mal@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, December 19, 2003 12:52 AM
> > Subject: Re: [XMLog] Re: Beta test version 4.64
> >

> >
> > > If I understand your question correctly what you are asking for
already
> > > exists. Pressing the F-5 key opens a dialogue box with a drop down
list.
> I
> > > have 6 nodes that I connect to regularly, and I've created a .NOD
file
> > for
> > > each node.
> > >
> > >
> > > MAL N7MAL
> > > BULLHEAD CITY, AZ
> > > www.citlink.net/~suzyq/N7mal.htm
> > > www.geocities.com/n7mal
> > >
> > > ----- Original Message -----
> > > From: "litwins" <litwins@...>
> > > To: <XMLog@yahoogroups.com>
> > > Sent: Friday, December 19, 2003 3:32 AM
> > > Subject: Re: [XMLog] Re: Beta test version 4.64
> > >
> > >
> > > Hi Mike;
> > > As usual, kudos to u for doing and maintaining XMLog. As u know, I
have
> > > been using it for a long time. I use it with Internet web cluster via
> > > telnet most of the time. I have a request for a future version. Is
it
> > > possible at 'connect' 'internet connect' menu choice for the active
> > packet
> > > window to, at the dialog box have available a list of frequently used
> > telnet
> > > addresses in...say a drop-down box or something like that. Here, in
nw
> > fla,
> > > the telephone lines are anything but reliable and constant.
Therefore,
> > > there are a lot of drop-outs and as a result, I get disconnected quite
a
> > few
> > > times each day as I chase dx. Combine this with the drop-outs caused
> from
> > > my ISP and I have to type in the address to where I wish to connect,
if
> > its
> > > different from the one in the options box, a lot of times. I do that
> cuz
> > > some of the time the one I use a lot is not available, and I wish to

> > switch
> > > addresses of the web packet cluster.
> > > No big deal, just a thought if it is easy. Tnx agn for the logger,
> > > and...73/dx and Merry Xmas and a Happy new Year...
> > > steve, k8wk
> > > **********
> > >
> > >
> > >
> > > To unsubscribe from this group, send an email to:
> > >
> > > xmlog-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > > To visit your group on the web, go to:
> > > http://groups.yahoo.com/group/XMLog/
> > >
> > > To unsubscribe from this group, send an email to:
> > > XMLog-unsubscribe@yahoogroups.com
> > >
> > > Your use of Yahoo! Groups is subject to:
> > > http://docs.yahoo.com/info/terms/
> > >
> > >
> > >
> > >
> > >
> > > To unsubscribe from this group, send an email to:
> > >
> > > xmlog-unsubscribe@yahoogroups.com
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > > To visit your group on the web, go to:
> > > http://groups.yahoo.com/group/XMLog/
> > >
> > > To unsubscribe from this group, send an email to:
> > > XMLog-unsubscribe@yahoogroups.com
> > >
> > > Your use of Yahoo! Groups is subject to:
> > > http://docs.yahoo.com/info/terms/
> > >
> > >
> > >

> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> >
> > xmlog-unsubscribe@yahoogroups.com
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
>
> To unsubscribe from this group, send an email to:
>

> xmlog-unsubscribe@yahoogroups.com
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>
>
> To unsubscribe from this group, send an email to:
>
> xmlog-unsubscribe@yahoogroups.com
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>

852. Xmas Greetings

Yahoo group: XMLog
Date: 2003-12-22 10:21:04 UTC
From: g4tgk
Topic: 852 Message: 852

Hi,
To get you into the Christmas spirit click on
http://web.icq.com/shockwave/0,,4845,00.swf
It's harmless fun.
Seasons Greetings & Happy Holiday to all,
John, G4TGK.

853. Can't get data from internet port (13) type mismatch

Yahoo group: XMLog
Date: 2003-12-28 00:37:39 UTC
From: ea4wc
Topic: 853 Message: 853

I have the same problem of Richard (ON4AST) see mesages below, but I find more information, the cluster was running by Internet until the last 23/nov, since this day to today probably I install a software that modify the structure of Visual Basic, but my problem is very easy, I review all my installation and I don´t find the problem,

can anybody help me??

Thank in advance from Alfonso ea4wc@...

Messages Messages Help

Reply | Forward | View Source | Unwrap Lines

Message 797 of 852 | Previous | Next [Up Thread] Message Index Msg #

From: "Richard Steensels" <richard.steensels@p...>
Date: Mon Oct 20, 2003 8:06 pm
Subject: Re: [XMLog] Re: error message

Hi Mike,

Thanks for the quick response.
I have no trouble to log in on the packet culster by internet on MLOG 4.56. In a
period of 15 or 30 seconds I can give the command like SH/DX and I get respons
from the cluster. But after 15 or 30 seconds after login I get the following
messagebox wiht the header NETWORK READ and the message: Can't get data from
internet port (13) Type mismatch
The strange thing is I'm still connected to the packet cluster but I can give no
commands annymore and get also no response from de cluster.
The cluster I'm speaking from is : on0nol.dyndns.org 9000
I' using the following PC-configuration: Gateway 700 Mhz with Windows 98 SE
When I'm logging in ouside MLOG and using te TELNET funtion I have no problem
The problem started a couples months ago by updating MLOG.
I hove this information can help you

73 de ON4AST Richard.

In the summertime every year I'm located for a couple weeks in Ware
01082 MASS.
in the USA

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, October 20, 2003 3:21 PM
Subject: [XMLog] Re: error message

Hi Richard, Haven't seen this problem before, I'll take a look and
see if I can find out what's going on. Is it something that happens
frequently? If it happens again can you also mention the heading on
the error message box.

I have a few internal changes to the packet code in the current beta
version at www.xmlog.com/beta and perhaps one of them will address
this problem.

Mike - W1ECT

> I'm using MLOG 4.56
>
> When connected on the internet cluster, after 15 or 20 seconds than
a
> spot came whe have this error message :
>
> Can't get data from internet port (13) type mismatch
> Can sumbody solve this problem??????
>
> Thanks in advance
> 73 de ON4AST Richard

Yahoo! Groups Sponsor
ADVERTISEMENT

854. Alaska counties

Yahoo group: XMLog
Date: 2003-12-28 03:10:29 UTC
From: Patrick St. Jean
Topic: 854 Message: 854

I'm a little confused on this one, so can someone help me out? I've got
a contact in the log with KL7RA and am trying to set the correct county
for it. QRZ shows "Fairbanks North Star", but there's no similar entry
in the list in XMLog. I'm thinking that one of the two is incorrect, but
don't know which one.

Thanks in advance!
Pat

--
Pat in Lewisville K0OOK '97 XLH 883 (Rocinante)
BS#140 EKIII rides with me
http://www.pat-st-jean.com/~stjeanp All things Pat
http://www.pat-st-jean.com/products.html Software for paper money collectors

855. Re: Alaska counties

Yahoo group: XMLog
Date: 2003-12-28 15:22:42 UTC
From: Mike McAmis
Topic: 854 Message: 855

Hi Pat, XMLog uses the 4 Alaska 'counties' as defined by the folk who provide the county hunter awards. Their list is available at:

www.countyhunter.com/counties.htm

Since many people use XMLog to track their county hunter status these are the values I use. However as far as the Census Bureau is concerned they think Alaska has 27 counties:

http://quickfacts.census.gov/qfd/maps/alaska_map.html

Mike - W1ECT

> I'm a little confused on this one, so can someone help me out?
> I've got a contact in the log with KL7RA and am trying to set
> the correct county for it. QRZ shows "Fairbanks North Star",
> but there's no similar entry in the list in XMLog. I'm
> thinking that one of the two is incorrect, but don't know
> which one.
>
> Thanks in advance!
> Pat

856. Re: [XMLog] Alaska counties

Yahoo group: XMLog
Date: 2003-12-30 13:50:54 UTC
From: Joseph Agius
Topic: 854 Message: 856

For awards purposes, KL7RA is in Central County.
There are only 4 award counties in Alaska

Joe
W!TW

"Patrick St. Jean" <stjeanp@...> wrote:
I'm a little confused on this one, so can someone help me out? I've got
a contact in the log with KL7RA and am trying to set the correct county
for it. QRZ shows "Fairbanks North Star", but there's no similar entry
in the list in XMLog. I'm thinking that one of the two is incorrect, but
don't know which one.

Thanks in advance!
Pat

--
Pat in Lewisville K0OOK '97 XLH 883 (Rocinante)
BS#140 EKIII rides with me
http://www.pat-st-jean.com/~stjeanp All things Pat
http://www.pat-st-jean.com/products.html Software for paper money collectors

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Find out what made the Top Yahoo! Searches of 2003

[Non-text portions of this message have been removed]

857. Re: Import shacklog files

Yahoo group: XMLog
Date: 2003-12-31 19:50:47 UTC
From: Overlane
Topic: 835 Message: 857

--- In XMLog@yahoogroups.com, "g0zec" <cooper@n...> wrote:
> Hi My name is Eric - G0ZEC and am looking at various window logging
> programs and have just joined this group.
> I have been running shacklog for some years, but as it has not
> changed to windows (still dos) would like to import the .PMR files
> rather than copy the whole lot in manually.
> Any help?
>
> 73 Eric-G0ZEC

Eric,

I too am / was a SHACKLOG user and you will need to convert your export file (from the print standard reports part of the stats F2) menu) into ADIF.

Contact me direct and I should be able to help you if you e-mail me a copy of your export (*.log) file

Vince G0ORC

858. Very small bug

Yahoo group: XMLog
Date: 2004-01-01 05:23:31 UTC
From: David Spoelstra
Topic: 858 Message: 858

It's a very small bug, but I thought I would point it out to make a fantastic program even better.

When you are looking at the "Spots History" screen, and a 60m spot is shown, the mode column is blank. It should be "SSB" since that's the only mode allowed.

-David/N9KT

859. New user....

Yahoo group: XMLog
Date: 2004-01-01 21:58:54 UTC
From: Vince Shirley
Topic: 859 Message: 859

Hi all,

As a new user of XMLOg I thought it only right and proper to say how good my first impressions of it are.

I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and imported them into XMLOg with no problem. using a registered version of PROADIKON. It took very little time to tailor XMLog to the way I like to use it and I'm very pleased with it indeed.

They'll be a donation at the end of Jan when my pay cheque arrives....

Happy New Year to one and all

Vince G0ORC
Belper,
Derbyshire

[Non-text portions of this message have been removed]

860. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-01 22:08:25 UTC
From: cliffhazen@aol.com
Topic: 859 Message: 860

Welcome to the group and a Good New Year to your family and You Vince.

You will find one of the outstanding features of XMLog when you go to search thru those 15 years of qsos looking for a particular one with only sketchy partly information. XMLog has a very powerful search function.

gl es 73 Cliff N7HIY

[Non-text portions of this message have been removed]

861. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-01 22:09:36 UTC
From: litwins
Topic: 859 Message: 861

Well Vince...first Happy New Year...next, I have been using XMLog for over 10 years now and I cannot imagine how any other log could fill my needs any better than this one. The only other logging program I use is TRLog which is specifically tailored for contesting and being dx at an out of country location. Other than that...Mike gets my nomination as great log producer!
Good luck and good dx...73/dx
steve, k8wk
****
----- Original Message -----
From: "Vince Shirley" <vince@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, January 01, 2004 3:58 PM
Subject: [XMLog] New user....

> Hi all,
>
> As a new user of XMLOg I thought it only right and proper to say how good my first impressions of it are.
>
> I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and imported them into XMLOg with no problem. using a registered version of PROADIKON. It took very little time to tailor XMLog to the way I like to use it and I'm very pleased with it indeed.
>
> They'll be a donation at the end of Jan when my pay cheque arrives....
>
> Happy New Year to one and all
>
>
> Vince G0ORC
> Belper,
> Derbyshire
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>

> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

862. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-01 22:26:12 UTC
From: Vince Shirley
Topic: 859 Message: 862

Hi everyone,

Thanks for the good wishes - in these days of only getting what you pay for I still find it astonishing that anything as good as this is freeware.

I've actaully worked some new ones (band or mode) over the last couple of days solely as a result of it.

Terrific stuff and certainly worth some money...

Good Luck, 73's

Vince

----- Original Message -----
From: litwins
To: XMLog@yahoogroups.com
Sent: Thursday, January 01, 2004 10:09 PM
Subject: Re: [XMLog] New user....

Well Vince...first Happy New Year...next, I have been using XMLog for over 10 years now and I cannot imagine how any other log could fill my needs any better than this one. The only other logging program I use is TRLog which is specifically tailored for contesting and being dx at an out of country location. Other than that...Mike gets my nomination as great log producer!
Good luck and good dx...73/dx
steve, k8wk
****
----- Original Message -----
From: "Vince Shirley" <vince@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, January 01, 2004 3:58 PM
Subject: [XMLog] New user....

> Hi all,
>
> As a new user of XMLOg I thought it only right and proper to say how good my first impressions of it are.
>
> I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and imported them into XMLOg with no problem. using a registered version of PROADIKON. It took very little time to tailor XMLog to the way I like to use it and I'm very pleased with it indeed.
>
> They'll be a donation at the end of Jan when my pay cheque arrives....
>
> Happy New Year to one and all

>
>
> Vince G0ORC
> Belper,
> Derbyshire
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

863. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-01 23:23:41 UTC
From: Tom Sessions
Topic: 859 Message: 863

Hey, guys,

I am a very satisfied XMlog user of two years. Switched from dx4win when extra optional modes were never considered for that logging program.

I do have a problem that I have presented here before. When I upgraded all 3 of my computers to XP from WinME, I could no longer get XCW to work. The error message in all its informative completeness mostly says "XCW has a problem and must shut down". This occurs when I try to open the program. Anybody got a clue on this one? Previous lack of response tells me that I am pretty much alone with this problem- but on all 3 of my computers!?!!?

Thanks / 73 / HNY
Tom K4RV
----- Original Message -----
From: litwins
To: XMLog@yahoogroups.com
Sent: 1/1/2004 22:10:18
Subject: Re: [XMLog] New user....

Well Vince...first Happy New Year...next, I have been using XMLog for over 10 years now and I cannot imagine how any other log could fill my needs any better than this one. The only other logging program I use is TRLog which is specifically tailored for contesting and being dx at an out of country location. Other than that...Mike gets my nomination as great log producer!
Good luck and good dx...73/dx
steve, k8wk
****
----- Original Message -----
From: "Vince Shirley" <vince@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, January 01, 2004 3:58 PM
Subject: [XMLog] New user....

> Hi all,
>
> As a new user of XMLOg I thought it only right and proper to say how good my first impressions of it are.
>
> I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and imported them into XMLOg with no problem. using a registered version of PROADIKON. It took very little time to tailor XMLog to the way I like to use it and I'm very pleased with it indeed.
>
> They'll be a donation at the end of Jan when my pay cheque arrives....
>
> Happy New Year to one and all

>
>
> Vince G0ORC
> Belper,
> Derbyshire
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

864. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-02 01:31:09 UTC
From: Bruce Ferry
Topic: 859 Message: 864

I'm guessing that XMLOG want's to access the port directly. XP (or NT or 2000) won't allow this. Others have solved this problem with a piece of freeware software called USERPORT. I suspect this will solve your problem also.

Tom Sessions wrote:
> Hey, guys,
>
> I am a very satisfied XMlog user of two years. Switched from dx4win when extra optional modes were never considered for that logging program.
>
> I do have a problem that I have presented here before. When I upgraded all 3 of my computers to XP from WinME, I could no longer get XCW to work. The error message in all its informative completeness mostly says "XCW has a problem and must shut down". This occurs when I try to open the program. Anybody got a clue on this one? Previous lack of response tells me that I am pretty much alone with this problem- but on all 3 of my computers!?!!?
>
> Thanks / 73 / HNY
> Tom K4RV
> ----- Original Message -----
> From: litwins
> To: XMLog@yahoogroups.com
> Sent: 1/1/2004 22:10:18
> Subject: Re: [XMLog] New user....
>
>
> Well Vince...first Happy New Year...next, I have been using XMLog for over
> 10 years now and I cannot imagine how any other log could fill my needs any
> better than this one. The only other logging program I use is TRLog which
> is specifically tailored for contesting and being dx at an out of country
> location. Other than that...Mike gets my nomination as great log producer!
> Good luck and good dx...73/dx
> steve, k8wk
> **********
> ----- Original Message -----
> From: "Vince Shirley" <vince@...>
> To: <XMLog@yahoogroups.com>
> Sent: Thursday, January 01, 2004 3:58 PM
> Subject: [XMLog] New user....
>
>
>
>
>>Hi all,
>>
>>As a new user of XMLOg I thought it only right and proper to say how good

>
> my first impressions of it are.
>
>>I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and
>
> imported them into XMLOg with no problem. using a registered version of
> PROADIKON. It took very little time to tailor XMLog to the way I like to
> use it and I'm very pleased with it indeed.
>
>>They'll be a donation at the end of Jan when my pay cheque arrives....
>>
>>Happy New Year to one and all
>>
>>
>>Vince G0ORC
>>Belper,
>>Derbyshire
>>
>>
>>
>>
>>
>>[Non-text portions of this message have been removed]
>>
>>
>>
>>
>>
>>Yahoo! Groups Links
>>
>>To visit your group on the web, go to:
>> http://groups.yahoo.com/group/XMLog/
>>
>>To unsubscribe from this group, send an email to:
>> XMLog-unsubscribe@yahoogroups.com
>>
>>Your use of Yahoo! Groups is subject to:
>> http://docs.yahoo.com/info/terms/
>>
>>
>>
>
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:

> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

--
Bruce Ferry, AK8B

865. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-02 02:00:14 UTC
From: Tom Sessions
Topic: 859 Message: 865

Bruce,

I am not user a printer port, just a com port. Is Userport for COM ports? Whatever the answer, I'll give it a try.

Thank you / 73
Tom K4RV

----- Original Message -----
From: Bruce Ferry
To: XMLog@yahoogroups.com
Sent: 1/2/2004 01:31:19
Subject: Re: [XMLog] New user....

I'm guessing that XMLOG want's to access the port directly. XP (or NT or 2000) won't allow this. Others have solved this problem with a piece of freeware software called USERPORT. I suspect this will solve your problem also.

Tom Sessions wrote:
> Hey, guys,
>
> I am a very satisfied XMlog user of two years. Switched from dx4win when extra optional modes were never considered for that logging program.
>
> I do have a problem that I have presented here before. When I upgraded all 3 of my computers to XP from WinME, I could no longer get XCW to work. The error message in all its informative completeness mostly says "XCW has a problem and must shut down". This occurs when I try to open the program. Anybody got a clue on this one? Previous lack of response tells me that I am pretty much alone with this problem- but on all 3 of my computers!?!!?
>
> Thanks / 73 / HNY
> Tom K4RV
> ----- Original Message -----
> From: litwins
> To: XMLog@yahoogroups.com
> Sent: 1/1/2004 22:10:18
> Subject: Re: [XMLog] New user....
>
>
> Well Vince...first Happy New Year...next, I have been using XMLog for over
> 10 years now and I cannot imagine how any other log could fill my needs
any
> better than this one. The only other logging program I use is TRLog which

> is specifically tailored for contesting and being dx at an out of country
> location. Other than that...Mike gets my nomination as great log
producer!
> Good luck and good dx...73/dx
> steve, k8wk
> **********
> ----- Original Message -----
> From: "Vince Shirley" <vince@...>
> To: <XMLog@yahoogroups.com>
> Sent: Thursday, January 01, 2004 3:58 PM
> Subject: [XMLog] New user....
>
>
>
>>Hi all,
>>
>>As a new user of XMLOg I thought it only right and proper to say how good
>
> my first impressions of it are.
>
>>I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and
>
> imported them into XMLOg with no problem. using a registered version of
> PROADIKON. It took very little time to tailor XMLog to the way I like to
> use it and I'm very pleased with it indeed.
>
>>They'll be a donation at the end of Jan when my pay cheque arrives....
>>
>>Happy New Year to one and all
>>
>>
>>Vince G0ORC
>>Belper,
>>Derbyshire
>>
>>
>>
>>
>>
>>[Non-text portions of this message have been removed]
>>
>>
>>
>>
>>
>>Yahoo! Groups Links
>>
>>To visit your group on the web, go to:
>> http://groups.yahoo.com/group/XMLog/
>>

>>To unsubscribe from this group, send an email to:
>> XMLog-unsubscribe@yahoogroups.com
>>
>>Your use of Yahoo! Groups is subject to:
>> http://docs.yahoo.com/info/terms/
>>
>>
>>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

--
Bruce Ferry, AK8B

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

866. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-02 02:24:19 UTC
From: Bruce Ferry
Topic: 859 Message: 866

Yes, it works for both - or any other odd port card. I don't use XP on the ham PC but on my main XP PC I have an X-10 controller with ancient software that want's to do more direct IO to the serial port. USERPORT made it work for me. USERPORT also is used commonly by anyone doing rig keying with the Writelog contest software (which is where I learned about it).

Tom Sessions wrote:
> Bruce,
>
> I am not user a printer port, just a com port. Is Userport for COM
> ports? Whatever the answer, I'll give it a try.
>
> Thank you / 73
> Tom K4RV
>
>
> ----- Original Message -----
> From: Bruce Ferry
> To: XMLog@yahoogroups.com
> Sent: 1/2/2004 01:31:19
> Subject: Re: [XMLog] New user....
>
>
> I'm guessing that XMLOG want's to access the port directly. XP (or NT or
> 2000) won't allow this. Others have solved this problem with a piece of
> freeware software called USERPORT. I suspect this will solve your
> problem also.
>
> Tom Sessions wrote:
>
>>Hey, guys,
>>
>> I am a very satisfied XMlog user of two years. Switched from dx4win
>
> when extra optional modes were never considered for that logging program.
>
>> I do have a problem that I have presented here before. When I
>
> upgraded all 3 of my computers to XP from WinME, I could no longer get XCW
> to work. The error message in all its informative completeness mostly says
> "XCW has a problem and must shut down". This occurs when I try to open the
> program. Anybody got a clue on this one? Previous lack of response tells
> me that I am pretty much alone with this problem- but on all 3 of my
> computers!?!!?

>
>>Thanks / 73 / HNY
>>Tom K4RV
>>----- Original Message -----
>>From: litwins
>>To: XMLog@yahoogroups.com
>>Sent: 1/1/2004 22:10:18
>>Subject: Re: [XMLog] New user....
>>
>>
>>Well Vince...first Happy New Year...next, I have been using XMLog for over
>>10 years now and I cannot imagine how any other log could fill my needs
>
> any
>
>>better than this one. The only other logging program I use is TRLog which
>>is specifically tailored for contesting and being dx at an out of country
>>location. Other than that...Mike gets my nomination as great log
>
> producer!
>
>>Good luck and good dx...73/dx
>>steve, k8wk
>>***************
>>----- Original Message -----
>>From: "Vince Shirley" <vince@...>
>>To: <XMLog@yahoogroups.com>
>>Sent: Thursday, January 01, 2004 3:58 PM
>>Subject: [XMLog] New user....
>>
>>
>>
>>
>>>Hi all,
>>>
>>>As a new user of XMLOg I thought it only right and proper to say how good
>>
>>my first impressions of it are.
>>
>>
>>>I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and
>>
>>imported them into XMLOg with no problem. using a registered version of
>>PROADIKON. It took very little time to tailor XMLog to the way I like to
>>use it and I'm very pleased with it indeed.
>>
>>
>>>They'll be a donation at the end of Jan when my pay cheque arrives....
>>>
>>>Happy New Year to one and all

>>>
>>>
>>>Vince G0ORC
>>>Belper,
>>>Derbyshire
>>>
>>>
>>>
>>>
>>>
>>>[Non-text portions of this message have been removed]
>>>
>>>
>>>
>>>
>>>
>>>Yahoo! Groups Links
>>>
>>>To visit your group on the web, go to:
>>>http://groups.yahoo.com/group/XMLog/
>>>
>>>To unsubscribe from this group, send an email to:
>>>XMLog-unsubscribe@yahoogroups.com
>>>
>>>Your use of Yahoo! Groups is subject to:
>>>http://docs.yahoo.com/info/terms/
>>>
>>>
>>>
>>
>>
>>
>>
>>
>>
>>Yahoo! Groups Links
>>
>>To visit your group on the web, go to:
>>http://groups.yahoo.com/group/XMLog/
>>
>>To unsubscribe from this group, send an email to:
>>XMLog-unsubscribe@yahoogroups.com
>>
>>Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>>
>>[Non-text portions of this message have been removed]
>>
>>
>>
>>

>>
>>Yahoo! Groups Links
>>
>>To visit your group on the web, go to:
>> http://groups.yahoo.com/group/XMLog/
>>
>>To unsubscribe from this group, send an email to:
>> XMLog-unsubscribe@yahoogroups.com
>>
>>Your use of Yahoo! Groups is subject to:
>> http://docs.yahoo.com/info/terms/
>>
>>
>>
>
>

--
Bruce Ferry, AK8B

867. Re: [XMLog] New user....

Yahoo group: XMLog
Date: 2004-01-02 02:29:54 UTC
From: Tom Sessions
Topic: 859 Message: 867

OK, thanks. I will give it a try. It's interesting that I do NOT have any problems under XP keying my rig while using WriteLog or MIXW, just with XCW.

Thanks again
Tom K4RV

----- Original Message -----
From: Bruce Ferry
To: XMLog@yahoogroups.com
Sent: 1/2/2004 02:24:23
Subject: Re: [XMLog] New user....

Yes, it works for both - or any other odd port card. I don't use XP on the ham PC but on my main XP PC I have an X-10 controller with ancient software that want's to do more direct IO to the serial port. USERPORT made it work for me. USERPORT also is used commonly by anyone doing rig keying with the Writelog contest software (which is where I learned about it).

Tom Sessions wrote:
> Bruce,
>
> I am not user a printer port, just a com port. Is Userport for COM
> ports? Whatever the answer, I'll give it a try.
>
> Thank you / 73
> Tom K4RV
>
>
> ----- Original Message -----
> From: Bruce Ferry
> To: XMLog@yahoogroups.com
> Sent: 1/2/2004 01:31:19
> Subject: Re: [XMLog] New user....
>
>
> I'm guessing that XMLOG want's to access the port directly. XP (or NT or
> 2000) won't allow this. Others have solved this problem with a piece of
> freeware software called USERPORT. I suspect this will solve your
> problem also.
>
> Tom Sessions wrote:
>
>>Hey, guys,
>>
>> I am a very satisfied XMlog user of two years. Switched from dx4win

>
> when extra optional modes were never considered for that logging program.
>
>> I do have a problem that I have presented here before. When I
>
> upgraded all 3 of my computers to XP from WinME, I could no longer get XCW
> to work. The error message in all its informative completeness mostly says
> "XCW has a problem and must shut down". This occurs when I try to open the
> program. Anybody got a clue on this one? Previous lack of response tells
> me that I am pretty much alone with this problem- but on all 3 of my
> computers!?!!?
>
>>Thanks / 73 / HNY
>>Tom K4RV
>>----- Original Message -----
>>From: litwins
>>To: XMLog@yahoogroups.com
>>Sent: 1/1/2004 22:10:18
>>Subject: Re: [XMLog] New user....
>>
>>
>>Well Vince...first Happy New Year...next, I have been using XMLog for over
>>10 years now and I cannot imagine how any other log could fill my needs
>
> any
>
>>better than this one. The only other logging program I use is TRLog which
>>is specifically tailored for contesting and being dx at an out of country
>>location. Other than that...Mike gets my nomination as great log
>
> producer!
>
>>Good luck and good dx...73/dx
>>steve, k8wk
>>***************
>>----- Original Message -----
>>From: "Vince Shirley" <vince@...>
>>To: <XMLog@yahoogroups.com>
>>Sent: Thursday, January 01, 2004 3:58 PM
>>Subject: [XMLog] New user....
>>
>>
>>
>>
>>>Hi all,
>>>
>>>As a new user of XMLOg I thought it only right and proper to say how good
>>
>>my first impressions of it are.
>>

>>
>>>I managed to convert 15 years worth of QSOs from SHACKLOG (DOS based) and
>>
>>imported them into XMLOg with no problem. using a registered version of
>>PROADIKON. It took very little time to tailor XMLog to the way I like to
>>use it and I'm very pleased with it indeed.
>>
>>
>>>They'll be a donation at the end of Jan when my pay cheque arrives....
>>>
>>>Happy New Year to one and all
>>>
>>>
>>>Vince G0ORC
>>>Belper,
>>>Derbyshire
>>>
>>>
>>>
>>>
>>>
>>>[Non-text portions of this message have been removed]
>>>
>>>
>>>
>>>
>>>
>>>Yahoo! Groups Links
>>>
>>>To visit your group on the web, go to:
>>>http://groups.yahoo.com/group/XMLog/
>>>
>>>To unsubscribe from this group, send an email to:
>>>XMLog-unsubscribe@yahoogroups.com
>>>
>>>Your use of Yahoo! Groups is subject to:
>>>http://docs.yahoo.com/info/terms/
>>>
>>>
>>>
>>
>>
>>
>>
>>
>>
>>Yahoo! Groups Links
>>
>>To visit your group on the web, go to:
>>http://groups.yahoo.com/group/XMLog/

>>
>>To unsubscribe from this group, send an email to:
>>XMLog-unsubscribe@yahoogroups.com
>>
>>Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>>
>>[Non-text portions of this message have been removed]
>>
>>
>>
>>
>>
>>Yahoo! Groups Links
>>
>>To visit your group on the web, go to:
>> http://groups.yahoo.com/group/XMLog/
>>
>>To unsubscribe from this group, send an email to:
>> XMLog-unsubscribe@yahoogroups.com
>>
>>Your use of Yahoo! Groups is subject to:
>> http://docs.yahoo.com/info/terms/
>>
>>
>>
>
>

--
Bruce Ferry, AK8B

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

868. Re: Very small bug

Yahoo group: XMLog
Date: 2004-01-02 16:40:26 UTC
From: Mike McAmis
Topic: 858 Message: 868

Hi Dave, I've found the problem and the fix will be in the next beta version (4.67).

Mike - W1ECT

> It's a very small bug, but I thought I would point it out to make a
> fantastic program even better.
>
> When you are looking at the "Spots History" screen, and a 60m spot is
> shown, the mode column is blank. It should be "SSB" since that's the
> only mode allowed.
>
> -David/N9KT

869. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-01-02 16:49:13 UTC
From: Mike McAmis
Topic: 838 Message: 869

Hi John, I've had one other report of this and it also seemed to be somehow related to ADIF imports. Unfortunately I don't know what caused this. I suppose that it's possible that it was a "user error" if somehow an export was done and the file was imported by mistake. This kind of thing can be controlled if you use the "Don't import duplicate entries" option.

Sorry I can't give you a better response on this one...

Mike - W1ECT

> Hi,
> A friend of mine (G4TZX) has had Xmlog for about two years. He
> inputted his QSOs from 1991 to 2001 manually and as he mainly works
> PSK31 now, he imports the rest from the logs in MixW or Digipan. I
> was showing him the other day the various facilities re bringing up
> lists of contacts in various modes/bands/countries etc. He's
> suddenly found that about a quarter of his QSOs have been
duplicated
> and he is having to go through his entire log and deleting the
> dupes. Even some of his old SSB QSOs have been duplicated. Any
idea
> why this might have happened?
> He's running version 4, same as me, and I have not had the
problem.
> It seems that he must have done something wrong?
> Thanks,
> John, G4TGK.

870. Re: Alaska counties

Yahoo group: XMLog
Date: 2004-01-02 16:58:14 UTC
From: Mike McAmis
Topic: 854 Message: 870

Joe, W1TW has pointed out a nice link that shows the correspondence between the Alaska "regions" and counties:

http://www.qsl.net/kl7j/county.htm

I'll look into adding a feature to automatically handle county-to-area mapping based on this info.

Mike - W1ECT

871. Feature request

Yahoo group: XMLog
Date: 2004-01-02 23:29:00 UTC
From: David Spoelstra
Topic: 871 Message: 871

Hi Mike!

Small feature request. When I'm searching and pouncing, I usually have the program sitting in the "Add New Entry" mode. When I hear a callsign, I type it into the call box. Then I go to "Display | Display All Entries for Call" to see if I have already worked them.

It would be really nice if I could right click the call and choose the "Display All Entries for Call" from there.

-David/N9KT

872. Re: [XMLog] Feature request

Yahoo group: XMLog
Date: 2004-01-03 00:16:41 UTC
From: Donald Jones
Topic: 871 Message: 872

David -

If I am understanding your request, it is already there I think.

I am running 4.63. If I am in "Add New Call" mode and type K4BAI in the Call box, then right click on the call, a box is displayed which not only gives me the "Display All Entries for K4BAI" option, but also already shows me the previous 5 entries (I don't know if that is the max) for K4BAI without any action being required.

Is this what you are wanting?

73 and HNY - Don Jones N4TN

David Spoelstra wrote:

> Hi Mike!
>
> Small feature request. When I'm searching and pouncing, I usually
> have the program sitting in the "Add New Entry" mode. When I hear a
> callsign, I type it into the call box. Then I go to "Display |
> Display All Entries for Call" to see if I have already worked them.
>
> It would be really nice if I could right click the call and choose
> the "Display All Entries for Call" from there.
>
> -David/N9KT
>
>
>
> --
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

873. Re: Feature request

Yahoo group: XMLog
Date: 2004-01-03 05:07:31 UTC
From: David Spoelstra
Topic: 871 Message: 873

I looked, and you are sort of right. If you have worked the station before, then you see what you saw. If you haven't worked the station before, then you don't get the "Display All Entries" option.

I can live with that now that I understand how it works.

Thanks!
-David/N9KT

--- In XMLog@yahoogroups.com, Donald Jones <n4tn@c...> wrote:
> David -
>
> If I am understanding your request, it is already there I think.
>
> I am running 4.63. If I am in "Add New Call" mode and type K4BAI in the
> Call box, then right click on the call, a box is displayed which not
> only gives me
> the "Display All Entries for K4BAI" option, but also already shows me
> the previous 5
> entries (I don't know if that is the max) for K4BAI without any action
> being required.
>
> Is this what you are wanting?
>
> 73 and HNY - Don Jones N4TN
>
>
>
> David Spoelstra wrote:
>
> > Hi Mike!
> >
> > Small feature request. When I'm searching and pouncing, I usually
> > have the program sitting in the "Add New Entry" mode. When I hear a
> > callsign, I type it into the call box. Then I go to "Display |
> > Display All Entries for Call" to see if I have already worked them.
> >
> > It would be really nice if I could right click the call and choose
> > the "Display All Entries for Call" from there.
> >

> > -David/N9KT
> >
> >
> >
> > --

> > Yahoo! Groups Links
> >
> > * To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > * To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> > <mailto:XMLog-unsubscribe@yahoogroups.com?
subject=Unsubscribe>
> >
> > * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> > Service <http://docs.yahoo.com/info/terms/>.
> >
> >

874. scrolling problem in 'spots history' window

Yahoo group: XMLog
Date: 2004-01-04 18:49:50 UTC
From: zamba0321
Topic: 874 Message: 874

Howdy Mike et al,

when I am scrolling through the spots history window, and say
I'm looking at an entry in the middle of the history (scroll bar
in the middle) then when a new spot arrives the screen either
scrolls to the end or the beginning depending on how the
'autoscroll to end' option is selected.
What I am really looking for is a way to have the screen stay at
its current position even if new spots are added at the end or
beginning of the list. This way of operation is needed say in a
contest situation where spots arrive quickly and there is no way to
scroll back to a previous page since new spots make it scroll to
beginning or ending. And even in non-contest operation it is hard to
look at the screen as it always scrolls when a new spot arrives ...

or am I using the spots history in an unusual way or so ...

thanks
de K6TE

875. Smart QSL labels.

Yahoo group: XMLog
Date: 2004-01-06 02:48:40 UTC
From: kd6na
Topic: 875 Message: 875

Hi,
I would like to print large numbers of QSL labels (from contest contacts). I can fit 5 on a label and I would like to select stations that I have many contacts with (like > 20) and then "Add QSL Labels for all Selected Entries" and skip over band/modes that are already included. For example, I have 9 contacts for AA5AU:
01/04/04 0119 AA5AU 7.091 599 599 RTTY
01/03/04 1958 AA5AU 14.090 599 599 RTTY
01/03/04 1908 AA5AU 21.090 599 599 RTTY
10/19/03 0241 AA5AU 3.586 599 599 RTTY
10/18/03 1736 AA5AU 21.085 599 599 RTTY
10/18/03 1304 AA5AU 14.089 599 599 RTTY
02/08/03 1746 AA5AU 21.081 599 599 RTTY
02/08/03 1546 AA5AU 28.078 599 599 RTTY
02/08/03 0625 AA5AU 3.587 599 599 RTTY

I would like to automatically print only the following 5:
01/04/04 0119 AA5AU 7.091 599 599 RTTY
01/03/04 1958 AA5AU 14.090 599 599 RTTY
01/03/04 1908 AA5AU 21.090 599 599 RTTY
10/19/03 0241 AA5AU 3.586 599 599 RTTY
02/08/03 1546 AA5AU 28.078 599 599 RTTY

So that I get 5 distinct bands. Is this possible in Mlog?

Thanks,
Jim KD6NA

876. ADIF

Yahoo group: XMLog
Date: 2004-01-06 02:49:07 UTC
From: Vince Shirley
Topic: 876 Message: 876

Hi everyone,

I know I'm going to bore the pants of most on this reflector but I have a query which only affects those of us working under UK license conditions.

The UK license demands that we show the class emission designator in the form A1A, J3E etc. and not simply CW or SSB.

I converted my DOS log (SHACKLOG) to ADIF using PROADIKON and noticed that it changes the class emission designator to the generic form i.e it converts A1A into CW.

OK, its a ballache, but using a text editor I manually amended all of them back to the correct emission designator, which XMLog accepts with no problem.

The question is this - I read the mode from the rig (FP1000MP - Mk V) and it appears only to read the generic form derived from the frequency. For example, if I am operating on 7005 then I get CW in the mode field and not A1A. Is there any way I can get XMLog to show the designator in the UK required form (A1A) when I read direct from the rig or do I have to enter it manually?

Alternatively, is it possible for the mode to be selected from a drop down box ?

Vince G0ORC
Belper,
Derbyshire

877. Re: [XMLog] ADIF

Yahoo group: XMLog
Date: 2004-01-06 03:04:54 UTC
From: Mike Schrody KD7TKQ
Topic: 876 Message: 877

THis probably isn't the answer you're looking for, and I hope you can find a better way, but in the meantime rather than go therough the entire log file manually editing, why not use the find/replace feature of your word processing program? That way you can automatically replace all occurances of any string with a differnt one. If you're handy with simple programming, you should be able to write a macro that will automatically massage the file to the desired format for you.

- Mike KD7TKQ

----- Original Message -----
From: "Vince Shirley" <vince@...>
To: <XMLog@yahoogroups.com>
Cc: "Eric Cooper - G0ZEC" <cooper@...>
Sent: Monday, January 05, 2004 7:49 PM
Subject: [XMLog] ADIF

> Hi everyone,
>
> I know I'm going to bore the pants of most on this reflector but I have a
> query which only affects those of us working under UK license conditions.
>
> The UK license demands that we show the class emission designator in the
> form A1A, J3E etc. and not simply CW or SSB.
>
> I converted my DOS log (SHACKLOG) to ADIF using PROADIKON and noticed that
> it changes the class emission designator to the generic form i.e it
converts
> A1A into CW.
>
> OK, its a ballache, but using a text editor I manually amended all of them
> back to the correct emission designator, which XMLog accepts with no
> problem.
>
> The question is this - I read the mode from the rig (FP1000MP - Mk V) and
it
> appears only to read the generic form derived from the frequency. For
> example, if I am operating on 7005 then I get CW in the mode field and not
> A1A. Is there any way I can get XMLog to show the designator in the UK
> required form (A1A) when I read direct from the rig or do I have to enter
it
> manually?
>
> Alternatively, is it possible for the mode to be selected from a drop down
> box ?
>

> Vince G0ORC
> Belper,
> Derbyshire
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

878. Re: scrolling problem in 'spots history' window

Yahoo group: XMLog
Date: 2004-01-06 03:52:06 UTC
From: Mike McAmis
Topic: 874 Message: 878

The "AutoScroll Off" is supposed to handle this but seems to be
broke... I'll check it out.

Mike - W1ECT

> Howdy Mike et al,
>
> when I am scrolling through the spots history window, and say
> I'm looking at an entry in the middle of the history (scroll bar
> in the middle) then when a new spot arrives the screen either
> scrolls to the end or the beginning depending on how the
> 'autoscroll to end' option is selected.
> What I am really looking for is a way to have the screen stay at
> its current position even if new spots are added at the end or
> beginning of the list. This way of operation is needed say in a
> contest situation where spots arrive quickly and there is no way to
> scroll back to a previous page since new spots make it scroll to
> beginning or ending. And even in non-contest operation it is hard to
> look at the screen as it always scrolls when a new spot arrives ...
>
> or am I using the spots history in an unusual way or so ...
>
> thanks
> de K6TE

879. Re: ADIF

Yahoo group: XMLog
Date: 2004-01-06 04:13:24 UTC
From: Mike McAmis
Topic: 876 Message: 879

Hi Vince, No there's no good way to handle this. Also you'll find that when you export your XMLog log file as and ADIF file the modes will be converted to CW etc. and you will have to edit the file to change them. I'll make a note in the "to do" list but it not something that will be changed in the near future.

Mike - W1ECT

> Hi everyone,
>
> I know I'm going to bore the pants of most on this reflector but I have a
> query which only affects those of us working under UK license conditions.
>
> The UK license demands that we show the class emission designator in the
> form A1A, J3E etc. and not simply CW or SSB.
>
> I converted my DOS log (SHACKLOG) to ADIF using PROADIKON and noticed that
> it changes the class emission designator to the generic form i.e it converts
> A1A into CW.
>
> OK, its a ballache, but using a text editor I manually amended all of them
> back to the correct emission designator, which XMLog accepts with no
> problem.
>
> The question is this - I read the mode from the rig (FP1000MP - Mk V) and it
> appears only to read the generic form derived from the frequency. For
> example, if I am operating on 7005 then I get CW in the mode field and not
> A1A. Is there any way I can get XMLog to show the designator in the UK
> required form (A1A) when I read direct from the rig or do I have to enter it
> manually?
>
> Alternatively, is it possible for the mode to be selected from a drop down
> box ?

>
> Vince G0ORC
> Belper,
> Derbyshire

880. Re: Smart QSL labels.

Yahoo group: XMLog
Date: 2004-01-06 04:32:20 UTC
From: Mike McAmis
Topic: 875 Message: 880

Hi - Sorry, there's no way to automatically "skip dupes by band" when creating labels. If you have some programming experience you could "post process" the labels file (labels.out) after you create it but before you print it deleting the duplicate band QSOs. The file is a simple text file, is pretty straightforward in form, and is sorted so that the dupe checking wouldn't be to tough.

Mike - W1ECT

> Hi,
> I would like to print large numbers of QSL labels (from contest
> contacts). I can fit 5 on a label and I would like to select
stations
> that I have many contacts with (like > 20) and then "Add QSL Labels
> for all Selected Entries" and skip over band/modes that are already
> included. For example, I have 9 contacts for AA5AU:
> 01/04/04 0119 AA5AU 7.091 599 599 RTTY
> 01/03/04 1958 AA5AU 14.090 599 599 RTTY
> 01/03/04 1908 AA5AU 21.090 599 599 RTTY
> 10/19/03 0241 AA5AU 3.586 599 599 RTTY
> 10/18/03 1736 AA5AU 21.085 599 599 RTTY
> 10/18/03 1304 AA5AU 14.089 599 599 RTTY
> 02/08/03 1746 AA5AU 21.081 599 599 RTTY
> 02/08/03 1546 AA5AU 28.078 599 599 RTTY
> 02/08/03 0625 AA5AU 3.587 599 599 RTTY
>
> I would like to automatically print only the following 5:
> 01/04/04 0119 AA5AU 7.091 599 599 RTTY
> 01/03/04 1958 AA5AU 14.090 599 599 RTTY
> 01/03/04 1908 AA5AU 21.090 599 599 RTTY
> 10/19/03 0241 AA5AU 3.586 599 599 RTTY
> 02/08/03 1546 AA5AU 28.078 599 599 RTTY
>
> So that I get 5 distinct bands. Is this possible in Mlog?
>
> Thanks,
> Jim KD6NA

881. Re: [XMLog] ADIF

Yahoo group: XMLog
Date: 2004-01-06 06:46:51 UTC
From: Vince Shirley
Topic: 876 Message: 881

Thanks Mike - I used the search and replace facility in Notepad but it was so slow it wasn't true. The log size isn't enormous (4900 or so) but it took an age, evem with a decent processor and plenty of memory.

If you note Mike McAmis's reply, its something I'm going to have to live with for the time being anyway.

Thanks for your help,

Vince G0ORC
Belper,
Derbyshire.
----- Original Message -----
From: Mike Schrody KD7TKQ
To: XMLog@yahoogroups.com
Sent: Tuesday, January 06, 2004 3:04 AM
Subject: Re: [XMLog] ADIF

THis probably isn't the answer you're looking for, and I hope you can find a better way, but in the meantime rather than go therough the entire log file manually editing, why not use the find/replace feature of your word processing program? That way you can automatically replace all occurances of any string with a differnt one. If you're handy with simple programming, you should be able to write a macro that will automatically massage the file to the desired format for you.

- Mike KD7TKQ

----- Original Message -----
From: "Vince Shirley" <vince@...>
To: <XMLog@yahoogroups.com>
Cc: "Eric Cooper - G0ZEC" <cooper@...>
Sent: Monday, January 05, 2004 7:49 PM
Subject: [XMLog] ADIF

> Hi everyone,
>
> I know I'm going to bore the pants of most on this reflector but I have a
> query which only affects those of us working under UK license conditions.
>
> The UK license demands that we show the class emission designator in the
> form A1A, J3E etc. and not simply CW or SSB.
>
> I converted my DOS log (SHACKLOG) to ADIF using PROADIKON and noticed that
> it changes the class emission designator to the generic form i.e it
converts
> A1A into CW.

>
> OK, its a ballache, but using a text editor I manually amended all of them
> back to the correct emission designator, which XMLog accepts with no
> problem.
>
> The question is this - I read the mode from the rig (FP1000MP - Mk V) and
it
> appears only to read the generic form derived from the frequency. For
> example, if I am operating on 7005 then I get CW in the mode field and not
> A1A. Is there any way I can get XMLog to show the designator in the UK
> required form (A1A) when I read direct from the rig or do I have to enter
it
> manually?
>
> Alternatively, is it possible for the mode to be selected from a drop down
> box ?
>
> Vince G0ORC
> Belper,
> Derbyshire
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

882. Re: [XMLog] Re: ADIF

Yahoo group: XMLog
Date: 2004-01-06 07:04:49 UTC
From: Vince Shirley
Topic: 876 Message: 882

Mike,

Thanks - its no big deal and its great programme anyhow - thanks for the reply.

I won't be exporting the file a great deal so its probably a one off thing to do anyway

Additionally, ADIF removed the "time off" information too from my DOS log. Its not clear to me whether our license conditions require this or not In any event I've amended the notes field to include "Time Off: " wshich reminds me to enter it in each QSO. Just for curiosity, below is what the UK license consitions say about the log...

Thanks for a great programme so well supported,

Vince G0ORC
Belper
Derbyshire

6(1) Subject to sub-clause 2(6), the Licensee shall keep a permanent record (the "Log") of all wireless telegraphy transmissions at the Main Station Address and all Temporary Locations showing:
(a) dates of transmission;
(b) the times (in Co-ordinated Universal Time (UTC)) during each day of:

(i) the first and last transmissions from the Station (except when using automatic operations involving digital communications), or
(ii) switching the Station on and off for the purpose of enabling transmissions (when using automatic operations involving digital communications), and changing the frequency band, class of emission or power;

(c) frequency band of transmission or, in an Unattended Operation, the specific frequency employed;
(d) class of emission;
(e) power (or power level in dBW);
(f) initial calls ("CQ" calls) (whether or not they are answered);
(g) except during automatic operations involving digital communications, the callsign of licensed amateurs or licensed amateur stations with which communications have been established (not including those amateurs or stations which form part of the intermediate relay of Messages);
(h) details of tests carried out in accordance with sub-clause 4(4); and

(i) location when the station is operated at a Temporary Location.

----- Original Message -----
From: Mike McAmis

To: XMLog@yahoogroups.com
Sent: Tuesday, January 06, 2004 4:13 AM
Subject: [XMLog] Re: ADIF

Hi Vince, No there's no good way to handle this. Also you'll find that when you export your XMLog log file as and ADIF file the modes will be converted to CW etc. and you will have to edit the file to change them. I'll make a note in the "to do" list but it not something that will be changed in the near future.

Mike - W1ECT

> Hi everyone,
>
> I know I'm going to bore the pants of most on this reflector but I have a
> query which only affects those of us working under UK license conditions.
>
> The UK license demands that we show the class emission designator in the
> form A1A, J3E etc. and not simply CW or SSB.
>
> I converted my DOS log (SHACKLOG) to ADIF using PROADIKON and noticed that
> it changes the class emission designator to the generic form i.e it converts
> A1A into CW.
>
> OK, its a ballache, but using a text editor I manually amended all of them
> back to the correct emission designator, which XMLog accepts with no
> problem.
>
> The question is this - I read the mode from the rig (FP1000MP - Mk V) and it
> appears only to read the generic form derived from the frequency. For
> example, if I am operating on 7005 then I get CW in the mode field and not
> A1A. Is there any way I can get XMLog to show the designator in the UK
> required form (A1A) when I read direct from the rig or do I have to enter it
> manually?
>
> Alternatively, is it possible for the mode to be selected from a drop down
> box ?
>
> Vince G0ORC

> Belper,
> Derbyshire

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

883. Re: Smart QSL labels.

Yahoo group: XMLog
Date: 2004-01-06 16:21:40 UTC
From: kd6na
Topic: 875 Message: 883

```
--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi - Sorry, there's no way to automatically "skip dupes by band" when
> creating labels. If you have some programming experience you
> could "post process" the labels file (labels.out) after you create it
> but before you print it deleting the duplicate band QSOs. The file
> is a simple text file, is pretty straightforward in form, and is
> sorted so that the dupe checking wouldn't be to tough.
>
>

Ok, Thanks Mike. Below is a perl script that does what you suggest. It
assumes you have "Display==>sort by" set to "Call" so all same call
signs are grouped together in the Labels.out file. I run it (in
cygwin) with the command:
cat Labels.out | qsl_dupes.pl > Labels_nodupes.out

Beware: I'm not a perl expert, but this does what I want.

--Jim KD6NA

#!/usr/bin/perl -- # -*-Perl-*-
# file: qsl_dupes.pl
#

$label = "";
$last_call = "";
$count = 0;
%labelArray = ();

while ( <>){

if ( /^------/) {
$label = $label . $_;
if ($count eq 0) {
$last_call = $call;
}

if ($call ne $last_call) { #end of group of calls

@ListOfKeys = keys(%labelArray);
foreach $key (@ListOfKeys){
print $labelArray{$key};
}
$count = 0;
%labelArray = ();
$last_call = $call;
}
```

```
$count +=1;
$key = $freq . $mode;
$labelArray{$key} = $label;
$label = "";

}
else {
if (/Call\=(\S+)/ ) {
$call=$1;
}
if (/Freq\=(\d+)\./ ) {
$freq=$1;
}
if (/Mode=(\S+)/ ) {
$mode=$1;
}
$label = $label . $_;
}
}
```

885. Alarm Tones

Yahoo group: XMLog
Date: 2004-01-19 20:27:53 UTC
From: Kevin Nathan
Topic: 885 Message: 885

Hi Mike and all,

I am a totally blind user of XMlog and wonder about something that would be helpful to me and others who might not be cued by colors. I think that something changes color wise when you enter a station in the log who you have already worked. However, for me, there is nothing that cues me to that fact and no way to quickly look up to get details on him or her. How difficult would it be Mike to build an audio alarm into a future release so that when you entered a station already in the log, it would give you an audio indication. Also, if that occurred, how would one quickly look up the information?

Thanks much and I really appreciate your consideration of this request.
Very 73.
Kevin :)
Amateur Radio: K7RX

[Non-text portions of this message have been removed]

886. problem controling elecraft K2

Yahoo group: XMLog
Date: 2004-01-20 05:52:50 UTC
From: zamba0321
Topic: 886 Message: 886

Hi Mike,

I am using a K2 and it mostly works fine clicking on a DX spot
and having the transceiver jump to that frequency and mode.

Every now and then however, the mode will be set wrong and when I
click on the DX spot again, the mode will then be set properly
on the K2. I did not understand this behavior until I read
following explanation regarding the sequence of
first sending the mode then the frequency to the rig:

The K2 remembers the last used mode per-band, so when it first gets
the mode sent via serial port and then the frequency it will
set the mode on the current band, then change frequency/band and use
the last used mode on that band...

I hope my explanation is clear but basically Xmlog should first send
the frequency and then the mode to the rig, can you double
check to see how it is sent now .. (using latest beta test version)

thanks de K6TE Wim.

887. Hello

Yahoo group: XMLog
Date: 2004-01-20 21:55:44 UTC
From: plprogers
Topic: 438 Message: 887

New to the group, back on the air after a long lay off, nothing fancy, Alinco DX 77 and a G5RV and XMlog

Paul
G0SNW

888. Re: problem controling elecraft K2

Yahoo group: XMLog
Date: 2004-01-20 22:05:14 UTC
From: Mike McAmis
Topic: 886 Message: 888

Yes, that's just what's happening. I'll flip the command sequence in
the next release.

Mike - W1ECT

> Hi Mike,
>
> I am using a K2 and it mostly works fine clicking on a DX spot
> and having the transceiver jump to that frequency and mode.
>
> Every now and then however, the mode will be set wrong and when I
> click on the DX spot again, the mode will then be set properly
> on the K2. I did not understand this behavior until I read
> following explanation regarding the sequence of
> first sending the mode then the frequency to the rig:
>
> The K2 remembers the last used mode per-band, so when it first gets
> the mode sent via serial port and then the frequency it will
> set the mode on the current band, then change frequency/band and
use
> the last used mode on that band...
>
> I hope my explanation is clear but basically Xmlog should first
send
> the frequency and then the mode to the rig, can you double
> check to see how it is sent now .. (using latest beta test version)
>
> thanks de K6TE Wim.

889. Daily Digests - Cut down on XMLog emails

Yahoo group: XMLog
Date: 2004-01-20 22:20:51 UTC
From: Mike McAmis
Topic: 889 Message: 889

Many XMLog group users have their account set up so they get an individual e-mail for each message posted. You can edit your account such that all the postings for each day are collected and sent as a single e-mail. If you'd like to try this feature:

1) Go to groups.yahoo.com/group/XMLog
2) Log in with your user-id and password
3) Click on "Edit my membership"
4) Change "Message Delivery" to "Daily Digest"

Mike - W1ECT

890. Re: [XMLog] Hello

Yahoo group: XMLog
Date: 2004-01-21 13:21:22 UTC
From: Dan Shepherd
Topic: 438 Message: 890

Welcome back!

Where/when on the bands can we find you?
Would like to put you in XMlog! :-)

73
Dan, N8IE

--- plprogers <g0snw@...> wrote:
> New to the group, back on the air after a long lay
> off, nothing
> fancy, Alinco DX 77 and a G5RV and XMlog
>
> Paul
> G0SNW
>
>
>

_____
Do you Yahoo!?
Yahoo! Hotjobs: Enter the "Signing Bonus" Sweepstakes
http://hotjobs.sweepstakes.yahoo.com/signingbonus

891. Combine logs

Yahoo group: XMLog
Date: 2004-01-21 00:35:14 UTC
From: arholub
Topic: 891 Message: 891

XMLog 4.56

Have created two logs, a.log and b.log.

Now want to combine these into new c.log.

How do I do this?

I also want to convert all these logs to .adi files so that I can upload them to LOTW.

How do I do this?

Thanks

DOC

[Non-text portions of this message have been removed]

892. Milestone

Yahoo group: XMLog
Date: 2004-01-22 04:13:39 UTC
From: John P Smith
Topic: 892 Message: 892

I just worked HK0VGJ on 30m for my 10000th QSO entered into XMLOG.
My first QSO with F6IGF was on 7 January 1990 on 10m ssb. I have
been an admirer and user of this program for just a little over 14
years now and wanted to take a minute to thank Mike for all his
efforts over these years and for a tremendous product.

73
John - KI4RO

893. Re: [XMLog] Combine logs

Yahoo group: XMLog
Date: 2004-01-22 13:37:57 UTC
From: Joseph Agius
Topic: 891 Message: 893

Export b.log into an adi file
Import it into a.log (a.log will now contain entries form both files)
Export a.log into an adi file and send

As an alternate:
export a.log to an adi file
export b.log to an adi file
create new c.log in Xmlog
import both into c.log
Export c.log into an adi file and send

joe
W1TW

arholub <arholub@...> wrote:
XMLog 4.56

Have created two logs, a.log and b.log.

Now want to combine these into new c.log.

How do I do this?

I also want to convert all these logs to .adi files so that I can upload them to LOTW.

How do I do this?

Thanks

DOC

[Non-text portions of this message have been removed]

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

894. Newbie question

Yahoo group: XMLog
Date: 2004-01-26 22:32:53 UTC
From: k0amznco
Topic: 894 Message: 894

I just went through all 800+ questions before I posted this question,
Is there any way of pre setting Mode to keep "SSB" or Phone without
setting it for each qso? The same for power since I mostly keep it at
one output? TNKS,

K0AMZ

895. Re: Newbie question

Yahoo group: XMLog
Date: 2004-01-27 16:47:09 UTC
From: Mike McAmis
Topic: 894 Message: 895

Hi - Use the "Edit/Edit Defaults for New Entries" menu item and set the Mode and Power fields. When you want to enable these default values set the "Edit/Use Defaults for New Entries" menu item (when it's enabled there will be a check mark next to the menu item).

Mike - W1ECT

> I just went through all 800+ questions before I posted this question,
> Is there any way of pre setting Mode to keep "SSB" or Phone without
> setting it for each qso? The same for power since I mostly keep it at
> one output? TNKS,
>
> K0AMZ

896. Re: Newbie question

Yahoo group: XMLog
Date: 2004-01-28 15:57:27 UTC
From: k0amznco
Topic: 894 Message: 896

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi - Use the "Edit/Edit Defaults for New Entries" menu item and set
> the Mode and Power fields. When you want to enable these default
> values set the "Edit/Use Defaults for New Entries" menu item (when
> it's enabled there will be a check mark next to the menu item).
>
> Mike - W1ECT
>
> > I just went through all 800+ questions before I posted this
> question,
> > Is there any way of pre setting Mode to keep "SSB" or Phone
without
> > setting it for each qso? The same for power since I mostly keep
it
> at
> > one output? TNKS,
> >
> > K0AMZ
Tnks, That did the job.

K0AMZ

897. LOTW

Yahoo group: XMLog
Date: 2004-01-29 20:13:59 UTC
From: g4tgk
Topic: 711 Message: 897

Hello,
How can I get LOTW to accept 18 and 24 MHz QSOs? All I get are error
messages for those two bands. I am running XMlog version 4.0.
Thanks,
John, G4TGK.

898. TS-140 won't key

Yahoo group: XMLog
Date: 2004-01-29 20:21:41 UTC
From: fazamy2003
Topic: 898 Message: 898

I believe i wired the 9 pin com port and my phone plug correctly as per the instructions in help section. All I am able to get is side tones, and no keying of tx. What have I done wrong? Please advise?

Logging section works fb?

73 de KB2AMY

899. Re: TS-140 won't key

Yahoo group: XMLog
Date: 2004-01-29 20:34:43 UTC
From: Mike McAmis
Topic: 898 Message: 899

Hi - I think most Kenwood rigs need to be in VOX mode, see if this
helps. If not, maybe other folk here have suggestions.

Mike - W1ECT

> I believe i wired the 9 pin com port and my phone plug correctly as
> per the instructions in help section. All I am able to get is side
> tones, and no keying of tx. What have I done wrong? Please advise?
>
> Logging section works fb?
>
> 73 de KB2AMY

900. Re: [XMLog] LOTW

Yahoo group: XMLog
Date: 2004-01-29 21:33:19 UTC
From: Bruce Ferry
Topic: 711 Message: 900

You have to send a frequency that is actually in the band. 18.000 isn't
in the 17 meter band but 18.110 is. Same for 12 meter band.

g4tgk wrote:
> Hello,
> How can I get LOTW to accept 18 and 24 MHz QSOs? All I get are error
> messages for those two bands. I am running XMlog version 4.0.
> Thanks,
> John, G4TGK.
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

--
Bruce Ferry, AK8B

901. TS-140 keying solution

Yahoo group: XMLog
Date: 2004-01-29 22:43:10 UTC
From: fazamy2003
Topic: 901 Message: 901

W1ECT your idea about the vox didn't work, but it did give me an idea about depressing a button. After a lot of trial and error, I came up with the solution. I depressed the send/receive button to get on the air, and then I hit the LSB button and the txcvr was able to key.

73,de KB2AMY

902. Feature Req

Yahoo group: XMLog
Date: 2004-02-01 16:02:40 UTC
From: joelthzedyx
Topic: 902 Message: 902

Hi Mike,
Haven't chatted with you for a while.... I just began messing around with your program, that's pretty cool!!

What is the possibility of having previous contacts automatically be displayed upon tabbing out of the call field?

Also, maybe the ability to configure call look-ups, maybe after hitting the enter key "add" addresses could be filled in per the callbook, but a subsequent enter key would actually log the contact - giving you a display of the information prior to actually saving it?

Have you experimented with the using the database downloaded from the FCC site as a local callbook so you don't need to go out on the web for look-ups?

Thanks,
Joel - WA1ZYX

903. Re: Feature Req

Yahoo group: XMLog
Date: 2004-02-01 17:23:44 UTC
From: Mike McAmis
Topic: 902 Message: 903

Hi Joel...

> What is the possibility of having previous contacts automatically
be displayed upon tabbing out of the call field?

Have you tried right-clicking on the call field? You can pick
the "Display All Entries for Call" menu item. Also, when there
are "dupes" the 10 latest QSOs are also displayed in the popup menu
and if you select one of these items that QSO will become the current
entry (assuming you aren't in the process of editing the current
entry).

> Also, maybe the ability to configure call look-ups, maybe after
hitting the enter key "add" addresses could be filled in per the
callbook, but a subsequent enter key would actually log the contact -
giving you a display of the information prior to actually saving it?

I think the "Edit/Set Fields from Callbook" (Control-F) menu item
will do what you want. If you don't like the values, pick "Cancel".

> Have you experimented with the using the database downloaded from
the FCC site as a local callbook so you don't need to go out on the
web for look-ups?

One XMLog user has provided a means to do this, check:

http://home.earthlink.net/~ekdave/callbook.html

Note that this method replaces the interface routine for the RAC
callbook (RACCD32A.DLL) so the normal RAC callbook won't be available
unless the original file is restored.

Mike - W1ECT

904. Re: [XMLog] Re: Feature Req

Yahoo group: XMLog
Date: 2004-02-01 17:46:50 UTC
From: Kevin Nathan
Topic: 902 Message: 904

Hi Mike,

I had sent you a message earlier in January about the possibility of having a tone sound when the call you are entering was already in the log. I don't know if that message got lost or something but I never heard anything back. This would be a very nice feature for those of us who are blind since it would be an instant cue that we had worked the station before. I, for example, am totally blind so no color change would alert me to this situation. Would this be possible or is it simply too difficult?

Thanks much and very 73.

Kevin
Amateur Radio: K7RX :)

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, February 01, 2004 17:23
Subject: [XMLog] Re: Feature Req

> Hi Joel...
>
> > What is the possibility of having previous contacts automatically
> be displayed upon tabbing out of the call field?
>
> Have you tried right-clicking on the call field? You can pick
> the "Display All Entries for Call" menu item. Also, when there
> are "dupes" the 10 latest QSOs are also displayed in the popup menu
> and if you select one of these items that QSO will become the current
> entry (assuming you aren't in the process of editing the current
> entry).
>
> > Also, maybe the ability to configure call look-ups, maybe after
> hitting the enter key "add" addresses could be filled in per the
> callbook, but a subsequent enter key would actually log the contact -
> giving you a display of the information prior to actually saving it?
>
> I think the "Edit/Set Fields from Callbook" (Control-F) menu item
> will do what you want. If you don't like the values, pick "Cancel".
>
> > Have you experimented with the using the database downloaded from
> the FCC site as a local callbook so you don't need to go out on the
> web for look-ups?
>
> One XMLog user has provided a means to do this, check:

>
> http://home.earthlink.net/~ekdave/callbook.html
>
> Note that this method replaces the interface routine for the RAC
> callbook (RACCD32A.DLL) so the normal RAC callbook won't be available
> unless the original file is restored.
>
> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

905. Re: Feature Req

Yahoo group: XMLog
Date: 2004-02-04 20:27:27 UTC
From: Mike McAmis
Topic: 902 Message: 905

Hi Kevin, I'll add this to the "to do" list but it's not likely to be added in the near future.

Mike - W1ECT

> I had sent you a message earlier in January about the possibility of having
> a tone sound when the call you are entering was already in the log. I don't
> know if that message got lost or something but I never heard anything back.
> This would be a very nice feature for those of us who are blind since it
> would be an instant cue that we had worked the station before. I, for
> example, am totally blind so no color change would alert me to this
> situation. Would this be possible or is it simply too difficult?
>
> Thanks much and very 73.
>
> Kevin
> Amateur Radio: K7RX :)
>
>
> ----- Original Message -----
> From: "Mike McAmis" <m.mcamis@v...>
> To: <XMLog@yahoogroups.com>
> Sent: Sunday, February 01, 2004 17:23
> Subject: [XMLog] Re: Feature Req
>
>
> > Hi Joel...
> >
> > > What is the possibility of having previous contacts automatically
> > be displayed upon tabbing out of the call field?
> >
> > Have you tried right-clicking on the call field? You can pick
> > the "Display All Entries for Call" menu item. Also, when there
> > are "dupes" the 10 latest QSOs are also displayed in the popup menu
> > and if you select one of these items that QSO will become the current
> > entry (assuming you aren't in the process of editing the current
> > entry).

> >
> > > Also, maybe the ability to configure call look-ups, maybe after
> > hitting the enter key "add" addresses could be filled in per the
> > callbook, but a subsequent enter key would actually log the
contact -
> > giving you a display of the information prior to actually saving
it?
> >
> > I think the "Edit/Set Fields from Callbook" (Control-F) menu item
> > will do what you want. If you don't like the values,
pick "Cancel".
> >
> > > Have you experimented with the using the database downloaded
from
> > the FCC site as a local callbook so you don't need to go out on
the
> > web for look-ups?
> >
> > One XMLog user has provided a means to do this, check:
> >
> > http://home.earthlink.net/~ekdave/callbook.html
> >
> > Note that this method replaces the interface routine for the RAC
> > callbook (RACCD32A.DLL) so the normal RAC callbook won't be
available
> > unless the original file is restored.
> >
> > Mike - W1ECT
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> > To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > Your use of Yahoo! Groups is subject to:
> > http://docs.yahoo.com/info/terms/
> >
> >
> >

906. Re: [XMLog] Re: Feature Req

Yahoo group: XMLog
Date: 2004-02-05 03:08:13 UTC
From: Kevin Nathan
Topic: 902 Message: 906

Thanks much and very 73.
Kevin
Amateur Radio: K7RX :)

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, February 04, 2004 20:27
Subject: [XMLog] Re: Feature Req

> Hi Kevin, I'll add this to the "to do" list but it's not likely to be
> added in the near future.
>
> Mike - W1ECT
> >
> > I had sent you a message earlier in January about the possibility
> of having
> > a tone sound when the call you are entering was already in the
> log. I don't
> > know if that message got lost or something but I never heard
> anything back.
> > This would be a very nice feature for those of us who are blind
> since it
> > would be an instant cue that we had worked the station before. I,
> for
> > example, am totally blind so no color change would alert me to this
> > situation. Would this be possible or is it simply too difficult?
> >
> > Thanks much and very 73.
> >
> > Kevin
> > Amateur Radio: K7RX :)
> >
> >
> > ----- Original Message -----
> > From: "Mike McAmis" <m.mcamis@v...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Sunday, February 01, 2004 17:23
> > Subject: [XMLog] Re: Feature Req
> >
> >
> > > Hi Joel...
> > >
> > > > What is the possibility of having previous contacts
> automatically

> > > be displayed upon tabbing out of the call field?
> > >
> > > Have you tried right-clicking on the call field? You can pick
> > > the "Display All Entries for Call" menu item. Also, when there
> > > are "dupes" the 10 latest QSOs are also displayed in the popup
> menu
> > > and if you select one of these items that QSO will become the
> current
> > > entry (assuming you aren't in the process of editing the current
> > > entry).
> > >
> > > > Also, maybe the ability to configure call look-ups, maybe after
> > > hitting the enter key "add" addresses could be filled in per the
> > > callbook, but a subsequent enter key would actually log the
> contact -
> > > giving you a display of the information prior to actually saving
> it?
> > >
> > > I think the "Edit/Set Fields from Callbook" (Control-F) menu item
> > > will do what you want. If you don't like the values,
> pick "Cancel".
> > >
> > > > Have you experimented with the using the database downloaded
> from
> > > the FCC site as a local callbook so you don't need to go out on
> the
> > > web for look-ups?
> > >
> > > One XMLog user has provided a means to do this, check:
> > >
> > > http://home.earthlink.net/~ekdave/callbook.html
> > >
> > > Note that this method replaces the interface routine for the RAC
> > > callbook (RACCD32A.DLL) so the normal RAC callbook won't be
> available
> > > unless the original file is restored.
> > >
> > > Mike - W1ECT
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > > To visit your group on the web, go to:
> > > http://groups.yahoo.com/group/XMLog/
> > >
> > > To unsubscribe from this group, send an email to:
> > > XMLog-unsubscribe@yahoogroups.com
> > >

> > > Your use of Yahoo! Groups is subject to:
> > > http://docs.yahoo.com/info/terms/
> > >
> > >
> > >
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>

907. band info on parallel port

Yahoo group: XMLog
Date: 2004-02-09 06:04:41 UTC
From: zamba0321
Topic: 907 Message: 907

Hi Mike et al

I was not sure if Xmlog puts out the band data on
the parallel port like some other programs do. I'm looking
into a way to control an automatic antenna switch this way perhaps.

The band is identified by a binary number on 4 pins of the
parallel port.

some info here:
http://www.qsl.net/ok1rr/bandsw.html

73 de K6TE Wim.

908. Still a problem

Yahoo group: XMLog
Date: 2004-02-09 15:06:08 UTC
From: fazamy2003
Topic: 908 Message: 908

I'm using v. 4.56. My previous post regarding solution to keyboard cw and keying TS-140 was bogus. (I believe.) I consulted the schematic provided. I hear sidetone, but tx does not key. (Other aspects of logging program work.) I want some specific advice on how to key TS-140 with keyboard --everything that is necessary for it to work. Be specific. I don't mind a dumbed-down explanation.

Thanks,
KB2AMY

909. Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-09 16:15:34 UTC
From: witstock7
Topic: 908 Message: 909

I don't know what your set up is but I have a TS-140 that keys up my preset messages from the Control F* and when I hit Control F11 whatever I type on the keyboard is sent out immediately. Can you transmit the preset messages with the lower F keys?

Nelson K8DJC

910. Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-09 17:02:32 UTC
From: fazamy2003
Topic: 908 Message: 910

--- In XMLog@yahoogroups.com, "witstock7" <k8djc@z...> wrote:
> I don't know what your set up is but I have a TS-140 that keys up
my
> preset messages from the Control F* and when I hit Control F11
> whatever I type on the keyboard is sent out immediately. Can you
> transmit the preset messages with the lower F keys?
>
> Nelson K8DJC

Regardless of what I do, the tx doesn't key -- prepared or actual
messages.
I wish to go over a couple of things wid u regarding your setup.
1. How did you wire up from pc to rig? I assumed on the schematic
that the plus and ground connections were for the phone plug for the
key jack. So I wired a 1/4" mono plug accordingly. Was I right?
When I use my straight key and keyer via the phone jack in the back
of the rig my meter shows output when I hold the key/paddle down. I
get no output action on the meter when I keyboard. Just sidetone.

I worked a guy a couple of years ago who told me his keyboard setup
went thru his mic connector and he transmitted keyboard cw on ssb. (I
don't recall what kind of rig he was using.) I tried a similar setup,
and the only way I got qsos was when my mic picked up the sidetone on
the pc speaker and transmitted it on ssb. I don't think this is
right.

That's why I'm confused.

KB2AMY

911. XCW XP Problem

Yahoo group: XMLog
Date: 2004-02-09 17:24:03 UTC
From: Tom Sessions
Topic: 911 Message: 911

On 2 of my computers I have XCW running under WIN ME. I previously had the same computers running WIN XP and could not make XCW work. XMLOG works fine on both machines under either XP or ME.

Using a friends computer under XP, we also could not get XP to run XCW, even though once again XMLOG worked just fine.

Anybody else having difficulty getting XCW to run under XP? Anybody found a solution?

thanks / 73
Tom K4RV

[Non-text portions of this message have been removed]

912. Re: [XMLog] XCW XP Problem

Yahoo group: XMLog
Date: 2004-02-09 22:16:33 UTC
From: N7MAL
Topic: 911 Message: 912

This issue has been addressed so many times on every ham-radio related reflector/mailing list I have lost count. I don't/won't use XP but I've read the solution so many times I've almost committed it to memory. There is a utility which must be loaded called port95nt.exe. It will allow you to directly access I/O ports from inside XP. I've never used it, I don't know how it works, but I know this has been the recommended solution.
Good Luck & Best 73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Tom Sessions" <k4rv@...>
To: <XMLog@yahoogroups.com>; <XMLog@yahoogroups.com>
Sent: Monday, February 09, 2004 5:24 PM
Subject: [XMLog] XCW XP Problem

On 2 of my computers I have XCW running under WIN ME. I previously had the same computers running WIN XP and could not make XCW work. XMLOG works fine on both machines under either XP or ME.

Using a friends computer under XP, we also could not get XP to run XCW, even though once again XMLOG worked just fine.

Anybody else having difficulty getting XCW to run under XP? Anybody found a solution?

thanks / 73
Tom K4RV

[Non-text portions of this message have been removed]

Yahoo! Groups Links

913. Re: [XMLog] XCW XP Problem

Yahoo group: XMLog
Date: 2004-02-09 22:26:05 UTC
From: Phil
Topic: 911 Message: 913

I don't know if this is your problem; but when I have
used other applications, WSJT specifically, the
transceiver keys as soon as I start XCW. I found
something of a solution accidentally. I have MMTTY
and MMSSTV installed, and opening either one of them
cures the problem. All I have to do is open them and
then close them, it is not necessary to transmit.
Hope this helps. 73, Phil - N1KI

--- Tom Sessions <k4rv@...> wrote:
> On 2 of my computers I have XCW running under WIN
> ME. I previously had the same computers running WIN
> XP and could not make XCW work. XMLOG works fine on
> both machines under either XP or ME.
>
> Using a friends computer under XP, we also could not
> get XP to run XCW, even though once again XMLOG
> worked just fine.
>
> Anybody else having difficulty getting XCW to run
> under XP? Anybody found a solution?
>
> thanks / 73
> Tom K4RV
>
> [Non-text portions of this message have been
> removed]
>
>

Do you Yahoo!?
Yahoo! Finance: Get your refund fast by filing online.
http://taxes.yahoo.com/filing.html

914. Re: [XMLog] XCW XP Problem

Yahoo group: XMLog
Date: 2004-02-09 23:16:06 UTC
From: Tom Sessions
Topic: 911 Message: 914

This "solution" has been tried on all 3 computers we have tried on both LPT and COM ports and has proved useless. Not only that, we are using the COM ports with SSTV, Writelog, etc.

73
Tom K4RV

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: 2/9/2004 22:17:19
Subject: Re: [XMLog] XCW XP Problem

This issue has been addressed so many times on every ham-radio related reflector/mailing list I have lost count. I don't/won't use XP but I've read the solution so many times I've almost committed it to memory. There is a utility which must be loaded called port95nt.exe. It will allow you to directly access I/O ports from inside XP. I've never used it, I don't know how it works, but I know this has been the recommended solution.
Good Luck & Best 73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "Tom Sessions" <k4rv@...>
To: <XMLog@yahoogroups.com>; <XMLog@yahoogroups.com>
Sent: Monday, February 09, 2004 5:24 PM
Subject: [XMLog] XCW XP Problem

On 2 of my computers I have XCW running under WIN ME. I previously had the same computers running WIN XP and could not make XCW work. XMLOG works fine on both machines under either XP or ME.

Using a friends computer under XP, we also could not get XP to run XCW, even though once again XMLOG worked just fine.

Anybody else having difficulty getting XCW to run under XP? Anybody found a solution?

thanks / 73
Tom K4RV

[Non-text portions of this message have been removed]

Yahoo! Groups Links

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

915. Re: band info on parallel port

Yahoo group: XMLog
Date: 2004-02-10 16:44:39 UTC
From: Mike McAmis
Topic: 907 Message: 915

Hi Wim, Interesting thought and thanks for the link. Unfortunately for Windows NT/2K/XP direct control of parallel ports is a pain and most programs solve the problem with a pseudo-device driver like DLPortIO, etc. I'll add the suggestion to the "to do" list.

Mike - W1ECT

> Hi Mike et al
>
> I was not sure if Xmlog puts out the band data on
> the parallel port like some other programs do. I'm looking
> into a way to control an automatic antenna switch this way perhaps.
>
> The band is identified by a binary number on 4 pins of the
> parallel port.
>
> some info here:
> http://www.qsl.net/ok1rr/bandsw.html
>
> 73 de K6TE Wim.

916. Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-10 16:49:47 UTC
From: Mike McAmis
Topic: 908 Message: 916

Hi, What I've done with my Kenwood 950 is add a little reed relay to the keying circuit to remove any positive/negative keying questions or questions about resistance to ground. I used a relay from Radio Shack and put the coil in the B+ line.

Mike - W1ECT

> I'm using v. 4.56. My previous post regarding solution to keyboard cw
> and keying TS-140 was bogus. (I believe.) I consulted the schematic
> provided. I hear sidetone, but tx does not key. (Other aspects of
> logging program work.) I want some specific advice on how to key TS-
> 140 with keyboard --everything that is necessary for it to work. Be
> specific. I don't mind a dumbed-down explanation.
>
> Thanks,
> KB2AMY

917. Re: [XMLog] Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-10 17:36:42 UTC
From: CyberGeezer
Topic: 908 Message: 917

I also used a Radio Shack reed relay. They had a 12-volt one
and a 5-volt one, and I wanted to power it with a 9-volt
transistor radio battery-- it switches the nominal 12-volt
one just fine.

73 de W2GERry

> Hi, What I've done with my Kenwood 950 is add a little reed
relay to
> the keying circuit to remove any positive/negative keying
questions
> or questions about resistance to ground. I used a relay
from Radio
> Shack and put the coil in the B+ line.
>
> Mike - W1ECT
>
> > I'm using v. 4.56. My previous post regarding solution to
keyboard
> cw
> > and keying TS-140 was bogus. (I believe.) I consulted the
> schematic
> > provided. I hear sidetone, but tx does not key. (Other
aspects of
> > logging program work.) I want some specific advice on how
to key TS-
> > 140 with keyboard --everything that is necessary for it to
work.
> Be
> > specific. I don't mind a dumbed-down explanation.
> >
> > Thanks,
> > KB2AMY
>
>

918. Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-10 19:03:36 UTC
From: witstock7
Topic: 908 Message: 918

I use the keying circuit as found in the Transmitter Keying Circuits in the Help section of XMLog. I built it into the DB-25 male connector using the LPT Port configuration. The + wire goes to the tip of a standard headphone plug and the ground is the shield of the wire and connects to the shield connection on the phone plug. This could go into the key jack of the TS-140 but I put it into a jack in my home made keyer. My keyer (from QST Sept. 79) has two inputs - the paddles being connected permanently and the cable from the computer into a jack for a second key. This gives me the option of switching instantly between hand key and computer keying.

Hope this helps,
Nelson, K8DJC

919. Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-12 15:14:54 UTC
From: fazamy2003
Topic: 908 Message: 919

--- In XMLog@yahoogroups.com, "witstock7" <k8djc@z...> wrote:
> I use the keying circuit as found in the Transmitter Keying
Circuits

There are 2 schematics in the Help section. I originally used a nine pin connector w/o success.

Then I used the 25 pin connector as you did, and at least I got the send (on air) light to come on and got meter deflection but no keying.

I've been using the first schematic -- the one with the dtr, ground and plus connections. To which schematic are you refering in your previous post? The second schematic has select, plus, and strobe connections.

Thanks & 73
Evan KB2AMY

920. Re: [XMLog] Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-12 17:01:43 UTC
From: Nelson Wittstock
Topic: 908 Message: 920

I am using the LPT port configuration which is the second schematic. It is constructed inside the male 25 pin DB-25 connector. Maybe you should replace the transistor to make sure it is still functioning. My printer now goes through a USB port. It has worked for me right from the start. Keep trying, it is certainly a nice feature.

Good luck'
Nelson, K8DJC

921. thanks

Yahoo group: XMLog
Date: 2004-02-13 00:24:55 UTC
From: Tom Sessions
Topic: 921 Message: 921

To all those why tried to help me with my problem of not getting XCW to run under XP. THANKS!

Finally it is working under XP on one of my computers. For the ?? time I cleaned XCW out of my computer, downloaded the XCW zip file, unzipped and loaded. This time it worked and I do not know why. Probably operator error, however I never had a problem with XCW under WIN ME. No, the problem had nothing to do with recognizing ports, as my computer has always acknowledged a COM port, and has been using that com port under XP with MMSSTV, Writelog, and others even when I could not get XCW to run.

Tom Sessions
k4rv@...
Why Wait? Move to EarthLink.

[Non-text portions of this message have been removed]

922. Install from floppies

Yahoo group: XMLog
Date: 2004-02-13 18:47:58 UTC
From: CyberGeezer
Topic: 459 Message: 922

Been a happy user for years on my desktop machine.

Just acquired a laptop machine with no internet connection, so I tried to install XMlog from floppies. I ran FLOPPIES.BAT on my desktop machine, and it made 5 diskettes which I carried over to the laptop machine, where I ran SETUP from disk 1.

It had me put the five floppies through several times. I am now hung up at a message box headed SETUP MESSAGE and containing
Please insert the disk labeled "Disk 1" into drive A.
I do that, click CONTINUE, and goes DING and displays the same box again.

NOTES:
1. That box is on a blue screen labeled XMLog setup
2. My desktop machine runs Windows 98.
3. My laptop machine runs Windows 98 SE.
4. This is my second try at this, with a different set of floppies for each.

Any ideas?

73 de W2GERry

923. Re: Still a problem

Yahoo group: XMLog
Date: 2004-02-13 18:07:11 UTC
From: mefazamy
Topic: 908 Message: 923

--- In XMLog@yahoogroups.com, "Nelson Wittstock" <k8djc@z...> wrote:
> I am using the LPT port configuration which is the second schematic. It is
> constructed inside the male 25 pin DB-25 connector. Maybe you should
> replace the transistor to make sure it is still functioning. My printer now
> goes through a USB port. It has worked for me right from the start. Keep
> trying, it is certainly a nice feature.
>
> Good luck'
> Nelson, K8DJC

Indeed, 3 times is a charm. Tnx to you - dr Elmer - I got the keyboard working, and had a couple of Qsos. It was an ordeal. But boy, did I get some fb info abt lpt ports, pin assignments etc.

Maybe I can qso you one day soon.

73,
Evan
KB2AMY

924. Re: [XMLog] Install from floppies

Yahoo group: XMLog
Date: 2004-02-14 07:28:14 UTC
From: Dave Sergeant
Topic: 459 Message: 924

On 13 Feb 2004 at 13:47, CyberGeezer wrote:

> Just acquired a laptop machine with no internet connection, so
> I tried to install XMlog from floppies. I ran FLOPPIES.BAT on
> my desktop machine, and it made 5 diskettes which I carried
> over to the laptop machine, where I ran SETUP from disk 1.

I suspect that your problem is trying to run setup from the multi-floppy set. Surely it would be better to copy all the disks to a single file on the laptop then run setup from the copy on the version on the laptop hard disk.

I don't know floppies.bat, but WinZip can copy large files to a multi floppy set and unzip them to the new location. If the laptop has a CD and you have a CD_R drive on your main computer then you could copy the file using a CD-R which would be a simpler way.

73 Dave G3YMC

dsergeant@...
http://www.btinternet.com/~dsergeant

925. Re: Install from floppies

Yahoo group: XMLog
Date: 2004-02-16 16:17:24 UTC
From: Mike McAmis
Topic: 459 Message: 925

Hi - Creating a temporary folder, copying the contents of of all
floppies to this folder, and then running setup.exe from this folder
should do the trick.

Mike - W1ECT

> Been a happy user for years on my desktop machine.
>
> Just acquired a laptop machine with no internet connection, so
> I tried to install XMlog from floppies. I ran FLOPPIES.BAT on
> my desktop machine, and it made 5 diskettes which I carried
> over to the laptop machine, where I ran SETUP from disk 1.
>
> It had me put the five floppies through several times. I am
> now hung up at a message box headed SETUP MESSAGE and
> containing
> Please insert the disk labeled "Disk 1" into drive A.
> I do that, click CONTINUE, and goes DING and displays the same
> box again.
>
> NOTES:
> 1. That box is on a blue screen labeled XMLog setup
> 2. My desktop machine runs Windows 98.
> 3. My laptop machine runs Windows 98 SE.
> 4. This is my second try at this, with a different set of
> floppies for each.
>
> Any ideas?
>
> 73 de W2GERry

926. Re: [XMLog] Re: Install from floppies

Yahoo group: XMLog
Date: 2004-02-16 20:01:54 UTC
From: CyberGeezer
Topic: 459 Message: 926

> Hi - Creating a temporary folder, copying the contents of of
all
> floppies to this folder, and then running setup.exe from
this folder
> should do the trick.
> Mike - W1ECT

Indeed it did! Thanks, Mike!

73 de W2GERry

927. Callbook Location

Yahoo group: XMLog
Date: 2004-02-21 14:14:13 UTC
From: Herbert Goodluck
Topic: 927 Message: 927

Hi everyone,

Sure hate to call on you guys for help, I recently purchased BuckMaster HamCall CD-ROM.
having problems with the Callbook setup location popup window, I type in C:\HAMO, but error
comes up "Callbook not found in C:\HAMO" Callbook type: I check off (BuckMaster) I also
did what Help instruction told me to do, what am I over seeing?
I have the XMLOG 4.56 version and latest version of HamCall CD-ROM February, 2004.
Herb N7HG 73's

[Non-text portions of this message have been removed]

928. Re: [XMLog] Callbook Location

Yahoo group: XMLog
Date: 2004-02-21 14:48:48 UTC
From: Howard G. Baker
Topic: 927 Message: 928

Just put in C: and it will work.

Computer Protected by Smith & Wesson
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: Herbert Goodluck
To: XMLog@yahoogroups.com
Sent: Saturday, February 21, 2004 9:14 AM
Subject: [XMLog] Callbook Location

Hi everyone,

Sure hate to call on you guys for help, I recently purchased BuckMaster
HamCall CD-ROM.
having problems with the Callbook setup location popup window, I type in
C:\HAMO, but error
comes up "Callbook not found in C:\HAMO" Callbook type: I check off
(BuckMaster) I also
did what Help instruction told me to do, what am I over seeing?
I have the XMLOG 4.56 version and latest version of HamCall CD-ROM February,
2004.
Herb N7HG 73's

[Non-text portions of this message have been removed]

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

929. RE: [XMLog] Callbook Location

Yahoo group: XMLog
Date: 2004-02-21 18:27:30 UTC
From: Herbert Goodluck
Topic: 927 Message: 929

Howard,
I have tried this one before, (C: only), still the "Callbook not found in C:|HAMO" popup.
any other ideas? Herb
-----Original Message-----
From: Howard G. Baker [mailto:hgbaker@...]
Sent: Saturday, February 21, 2004 7:49 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Callbook Location

Just put in C: and it will work.

Computer Protected by Smith & Wesson
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: Herbert Goodluck
To: XMLog@yahoogroups.com
Sent: Saturday, February 21, 2004 9:14 AM
Subject: [XMLog] Callbook Location

Hi everyone,

Sure hate to call on you guys for help, I recently purchased BuckMaster HamCall CD-ROM.
having problems with the Callbook setup location popup window, I type in C:\HAMO, but error
comes up "Callbook not found in C:\HAMO" Callbook type: I check off (BuckMaster) I also
did what Help instruction told me to do, what am I over seeing?
I have the XMLOG 4.56 version and latest version of HamCall CD-ROM February,
2004.
Herb N7HG 73's

[Non-text portions of this message have been removed]

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

930. Re: [XMLog] Callbook Location

Yahoo group: XMLog
Date: 2004-02-21 18:44:25 UTC
From: Howard G. Baker
Topic: 927 Message: 930

I assume that Hamo and Hamcall are both folders on your C drive.
Check QRZ.com and see if that works on the internet. I switch back and forth all the time.

Computer Protected by Smith & Wesson
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: Herbert Goodluck
To: XMLog@yahoogroups.com
Sent: Saturday, February 21, 2004 1:27 PM
Subject: RE: [XMLog] Callbook Location

Howard,
I have tried this one before, (C: only), still the "Callbook not found in
C:|HAMO" popup.
any other ideas? Herb
-----Original Message-----
From: Howard G. Baker [mailto:hgbaker@...]
Sent: Saturday, February 21, 2004 7:49 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Callbook Location

Just put in C: and it will work.

Computer Protected by Smith & Wesson
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: Herbert Goodluck
To: XMLog@yahoogroups.com
Sent: Saturday, February 21, 2004 9:14 AM
Subject: [XMLog] Callbook Location

Hi everyone,

Sure hate to call on you guys for help, I recently purchased BuckMaster
HamCall CD-ROM.
having problems with the Callbook setup location popup window, I type in
C:\HAMO, but error
comes up "Callbook not found in C:\HAMO" Callbook type: I check off
(BuckMaster) I also
did what Help instruction told me to do, what am I over seeing?
I have the XMLOG 4.56 version and latest version of HamCall CD-ROM
February,

2004.
Herb N7HG 73's

[Non-text portions of this message have been removed]

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

931. Is it possible to combine two logs into one log?

Yahoo group: XMLog
Date: 2004-02-21 20:47:58 UTC
From: mefazamy
Topic: 931 Message: 931

In error, I started two separate logs - one for each month of '04.
Can I take those two logs, keep them both intact, and combine them
into a new log?

Thanks,
KB2AMY

932. Re: [XMLog] Is it possible to combine two logs into one log?

Yahoo group: XMLog
Date: 2004-02-21 22:37:32 UTC
From: N7MAL
Topic: 931 Message: 932

Start a new log for this year. Then import the other 2 you created.
Good Luck

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "mefazamy" <FAZAMY@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, February 21, 2004 8:47 PM
Subject: [XMLog] Is it possible to combine two logs into one log?

In error, I started two separate logs - one for each month of '04.
Can I take those two logs, keep them both intact, and combine them
into a new log?

Thanks,
KB2AMY

Yahoo! Groups Links

933. Re: Callbook Location

Yahoo group: XMLog
Date: 2004-02-22 17:04:04 UTC
From: Mike McAmis
Topic: 927 Message: 933

Hi Herb - In the callbook setup you should pick Buckmaster and just supply C: as the location, sounds like you've done this. The folder name on the C: drive should be HAM0 (that's HAMZero, not oh). You should copy all the .idx and .dat files to this folder. If this still doesn't do the trick you can try the latest XMLog version in www.xmlog.com/beta which has a new DLL from Buckmaster that includes searching of the "monthly update" releases. Hopefully the old DLL will read the newer CDs but if the update fixes things let me know. When using the new version you should copy any "monthly update" .idx and .dat files you have to the HAM0 folder.

Mike - W1ECT

> Hi everyone,
>
> Sure hate to call on you guys for help, I recently purchased BuckMaster
> HamCall CD-ROM.
> having problems with the Callbook setup location popup window, I type in
> C:\HAMO, but error
> comes up "Callbook not found in C:\HAMO" Callbook type: I check off
> (BuckMaster) I also
> did what Help instruction told me to do, what am I over seeing?
> I have the XMLOG 4.56 version and latest version of HamCall CD-ROM February,
> 2004.
> Herb N7HG 73's
>
>
>
>
>
> [Non-text portions of this message have been removed]

934. RE: [XMLog] Re: Callbook Location

Yahoo group: XMLog
Date: 2004-02-24 13:23:19 UTC
From: Herbert Goodluck
Topic: 927 Message: 934

Hi Mike,
I should have read READ ME, or they should put read me first: HI HI I was thinking only using
the CD-ROM (getting my info off the CD) QRZ CD-ROM is setup this way, kind of think in that way.
after copying onto the C drive, everything works well. Herb 73's

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Sunday, February 22, 2004 10:04 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Callbook Location

Hi Herb - In the callbook setup you should pick Buckmaster and just supply C: as the location, sounds like you've done this. The folder name on the C: drive should be HAM0 (that's HAMZero, not oh). You should copy all the .idx and .dat files to this folder. If this still doesn't do the trick you can try the latest XMLog version in www.xmlog.com/beta which has a new DLL from Buckmaster that includes searching of the "monthly update" releases. Hopefully the old DLL will read the newer CDs but if the update fixes things let me know. When using the new version you should copy any "monthly update" .idx and .dat files you have to the HAM0 folder.

Mike - W1ECT

> Hi everyone,
>
> Sure hate to call on you guys for help, I recently purchased BuckMaster
> HamCall CD-ROM.
> having problems with the Callbook setup location popup window, I type in
> C:\HAMO, but error
> comes up "Callbook not found in C:\HAMO" Callbook type: I check off
> (BuckMaster) I also
> did what Help instruction told me to do, what am I over seeing?
> I have the XMLOG 4.56 version and latest version of HamCall CD-ROM February,
> 2004.
> Herb N7HG 73's
>
>
>
>
>

> [Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

935. splitting log

Yahoo group: XMLog
Date: 2004-02-25 17:42:05 UTC
From: k0amznco
Topic: 935 Message: 935

Is it possible to delete a range of qso's from xm log?? I need to delete a date range due to receiving my new call in December and now want to upload log to LoTW??

Tnks

K0AMZ

936. Country spelling

Yahoo group: XMLog
Date: 2004-02-25 17:40:54 UTC
From: CyberGeezer
Topic: 936 Message: 936

Hi Mike--

This is a really MINOR thing, but noticeable to curmudgeons
(such as me)--

on the next release, you might correct the spelling of country
CT3
FROM:
Maderia Island
TO:
Madeira Island

73 de W2 GERry

937. Version 1.27 on an old machine

Yahoo group: XMLog
Date: 2004-02-26 05:36:52 UTC
From: CyberGeezer
Topic: 937 Message: 937

I put v1.27 on an old laptop that runs Windows 3.1. (I
believe 1.27 is the latest version I can use under W3.1.)

It's basically "there", but it can't open or create any log
files-- shows a message box "Error loading DLL".

Any ideas?

73 de W2 GERry

938. Re: [XMLog] splitting log

Yahoo group: XMLog
Date: 2004-02-26 05:42:11 UTC
From: CyberGeezer
Topic: 935 Message: 938

> Is it possible to delete a range of qso's from xm log?? I
need to
> delete a date range due to receiving my new call in December
..

You could SELECT the entries you want to delete by, say, doing
a search with a search key of >12/01/03 in the date field.
[While they're selected, you might want to export them to an
ADIF file if you have any use for them.]
Then, on the EDIT menu, click DELETE SELECTED ENTRIES, and
they'll be deleted from your log file.

73 de W2 GERry

939. Re: [XMLog] Country spelling

Yahoo group: XMLog
Date: 2004-02-26 10:37:25 UTC
From: Dave Sergeant
Topic: 936 Message: 939

On 25 Feb 2004 at 12:40, CyberGeezer wrote:

> This is a really MINOR thing, but noticeable to curmudgeons
> (such as me)--
>
> on the next release, you might correct the spelling of country
> CT3
FROM:
> Maderia Island
> TO:
> Madeira Island
>
> 73 de W2 GERry

You can do this yourself by editing the files 'prefixes' and
'prefixes.new' with Notepad.

Dave Sergeant G3YMC

dsergeant@...
http://www.btinternet.com/~dsergeant

940. 60 Meters

Yahoo group: XMLog
Date: 2004-02-26 13:45:03 UTC
From: Scott Gordon
Topic: 940 Message: 940

Does any one know when the Awards section may be updated to include
60 meters?

Thanks
Scott

941. Re: [XMLog] Country spelling

Yahoo group: XMLog
Date: 2004-02-26 14:53:04 UTC
From: CyberGeezer
Topic: 936 Message: 941

> You can do this yourself by editing the files 'prefixes' and
> 'prefixes.new' with Notepad.
> Dave Sergeant G3YMC

So I can! Thanks Dave!73 de W2 GERry

942. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-26 12:13:46 UTC
From: lz1bb
Topic: 838 Message: 942

I had the same problem. The answer seems to be that when XMLog imports
from MixW and other loggers it receives <TIME:> as 6 digits hh.mm.ss
and as XMLog do not use seconds the time is actually changed. If you
import again from the same log to update the data base this same QSO
is not recognized as already imported.

Example: ...MixW export <TIME:6>020202 and XMLog import becomes <TIME:
6>020200
next time it is again a new QSO for XMLog.

Hope you understand and sorry for my primitive English.

73, Harry LZ1BB

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi John, I've had one other report of this and it also seemed to be
> somehow related to ADIF imports. Unfortunately I don't know what
> caused this. I suppose that it's possible that it was a "user
error"
> if somehow an export was done and the file was imported by mistake.
> This kind of thing can be controlled if you use the "Don't import
> duplicate entries" option.
>
> Sorry I can't give you a better response on this one...
>
> Mike - W1ECT
>
> > Hi,
> > A friend of mine (G4TZX) has had Xmlog for about two years. He
> > inputted his QSOs from 1991 to 2001 manually and as he mainly
works
> > PSK31 now, he imports the rest from the logs in MixW or Digipan.
I
> > was showing him the other day the various facilities re bringing
up
> > lists of contacts in various modes/bands/countries etc. He's
> > suddenly found that about a quarter of his QSOs have been
> duplicated
> > and he is having to go through his entire log and deleting the
> > dupes. Even some of his old SSB QSOs have been duplicated. Any
> idea
> > why this might have happened?
> > He's running version 4, same as me, and I have not had the
> problem.
> > It seems that he must have done something wrong?
> > Thanks,

> > John, G4TGK.

943. Zero with slashes

Yahoo group: XMLog
Date: 2004-02-26 03:35:54 UTC
From: Adhi Widodo
Topic: 943 Message: 943

Hi All,

I want to print zero with slashes in label, without changing whole font.
Any idea?

Adhi YC3MM

944. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-26 16:23:06 UTC
From: Mike McAmis
Topic: 838 Message: 944

Hi Harry - Thanks for finding the cause of this problem. I'll add a fix to the next version.

Mike - W1ECT

> I had the same problem. The answer seems to be that when XMLog imports
> from MixW and other loggers it receives <TIME:> as 6 digits hh.mm.ss
> and as XMLog do not use seconds the time is actually changed. If you
> import again from the same log to update the data base this same QSO
> is not recognized as already imported.
>
> Example: ...MixW export <TIME:6>020202 and XMLog import becomes <TIME:
> 6>020200
> next time it is again a new QSO for XMLog.
>
> Hope you understand and sorry for my primitive English.
>
> 73, Harry LZ1BB
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > Hi John, I've had one other report of this and it also seemed to be
> > somehow related to ADIF imports. Unfortunately I don't know what
> > caused this. I suppose that it's possible that it was a "user error"
> > if somehow an export was done and the file was imported by mistake.
> > This kind of thing can be controlled if you use the "Don't import
> > duplicate entries" option.
> >
> > Sorry I can't give you a better response on this one...
> >
> > Mike - W1ECT
> >
> > > Hi,
> > > A friend of mine (G4TZX) has had Xmlog for about two years. He
> > > inputted his QSOs from 1991 to 2001 manually and as he mainly works
> > > PSK31 now, he imports the rest from the logs in MixW or Digipan.
> I

> > > was showing him the other day the various facilities re
bringing
> up
> > > lists of contacts in various modes/bands/countries etc. He's
> > > suddenly found that about a quarter of his QSOs have been
> > duplicated
> > > and he is having to go through his entire log and deleting the
> > > dupes. Even some of his old SSB QSOs have been duplicated.
Any
> > idea
> > > why this might have happened?
> > > He's running version 4, same as me, and I have not had the
> > problem.
> > > It seems that he must have done something wrong?
> > > Thanks,
> > > John, G4TGK.

945. Re: Country spelling

Yahoo group: XMLog
Date: 2004-02-26 16:36:02 UTC
From: Mike McAmis
Topic: 936 Message: 945

OK - I'll make the update for the next version. This will include an auto-update of existing mis-spelled entries.

Mike - W1ECT

> Hi Mike--
>
> This is a really MINOR thing, but noticeable to curmudgeons
> (such as me)--
>
> on the next release, you might correct the spelling of country
> CT3
> FROM:
> Maderia Island
> TO:
> Madeira Island
>
> 73 de W2 GERry

946. Re: 60 Meters

Yahoo group: XMLog
Date: 2004-02-26 16:40:27 UTC
From: Mike McAmis
Topic: 940 Message: 946

Hi Scott, Currently there's no plans for the ARRL to include 60m for DXCC (and it's not likely for DXCC or WAZ given the limitations on the band). Don't know what their plans are for WAS...

Mike - W1ECT

> Does any one know when the Awards section may be updated to include
> 60 meters?
>
> Thanks
> Scott

947. Re: Zero with slashes

Yahoo group: XMLog
Date: 2004-02-26 16:43:55 UTC
From: Mike McAmis
Topic: 943 Message: 947

Hi Adhi - I think you're stuck with experimenting with different fonts. A couple of fonts supplied with Windows are Terminal/9/Regular (has a slashed zero) or FixedSys/9/Regular (has a squiggle in the zero).

Mike - W1ECT

> Hi All,
>
> I want to print zero with slashes in label, without changing whole font.
> Any idea?
>
> Adhi YC3MM

948. Re: Version 1.27 on an old machine

Yahoo group: XMLog
Date: 2004-02-26 16:45:41 UTC
From: Mike McAmis
Topic: 937 Message: 948

Hi Gerry - Does it say which DLL it can't load?

Mike - W1ECT

> I put v1.27 on an old laptop that runs Windows 3.1. (I
> believe 1.27 is the latest version I can use under W3.1.)
>
> It's basically "there", but it can't open or create any log
> files-- shows a message box "Error loading DLL".
>
> Any ideas?
>
> 73 de W2 GERry

949. Re: [XMLog] Re: Zero with slashes

Yahoo group: XMLog
Date: 2004-02-26 17:08:53 UTC
From: Don Jones
Topic: 943 Message: 949

Try this web site for some downloadable fonts with slashed zeroes:

http://www.qsl.net/wa6axe/fonts.html

73 - Don N4TN

950. Re: Country spelling

Yahoo group: XMLog
Date: 2004-02-26 17:32:26 UTC
From: Mike McAmis
Topic: 936 Message: 950

Hi Again - I thought this sounded familiar. I made this change along with about a dozen other spelling and name changes in version 4.58. This change is available in the current beta version at www.xmlog.com/beta

Mike - W1ECT

> OK - I'll make the update for the next version. This will include an
> auto-update of existing mis-spelled entries.
>
> Mike - W1ECT
>
> > Hi Mike--
> >
> > This is a really MINOR thing, but noticeable to curmudgeons
> > (such as me)--
> >
> > on the next release, you might correct the spelling of country
> > CT3
> > FROM:
> > Maderia Island
> > TO:
> > Madeira Island
> >
> > 73 de W2 GERry

951. Re: [XMLog] Re: Version 1.27 on an old machine

Yahoo group: XMLog
Date: 2004-02-26 17:37:38 UTC
From: CyberGeezer
Topic: 937 Message: 951

> Hi Gerry - Does it say which DLL it can't load?
> Mike - W1ECT

No Mike--

--if I try to open an old log I get a box headed
OPEN OLD LOG
and containing
Error in loading DLL

--if I try to creat a new log I get a box headed
CREATE NEW LOG
and containing
Can't create new log file
Error in loading DLL

73 de W2 GERry

952. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-26 17:57:49 UTC
From: Mike McAmis
Topic: 838 Message: 952

OK, I've done some testing here and XMLog already ignores any seconds provided in the ADIF TIME_ON field when checking for duplicates. I tried creating a MixW ADIF file and importing it twice and the duplicate was detected correctly.

Mike - W1ECT

>
> > I had the same problem. The answer seems to be that when XMLog
> imports
> > from MixW and other loggers it receives <TIME:> as 6 digits
hh.mm.ss
> > and as XMLog do not use seconds the time is actually changed. If
> you
> > import again from the same log to update the data base this same
> QSO
> > is not recognized as already imported.
> >
> > Example: ...MixW export <TIME:6>020202 and XMLog import becomes
> <TIME:
> > 6>020200
> > next time it is again a new QSO for XMLog.
> >
> > Hope you understand and sorry for my primitive English.
> >
> > 73, Harry LZ1BB
> >
> > --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > > Hi John, I've had one other report of this and it also seemed
to
> be
> > > somehow related to ADIF imports. Unfortunately I don't know
what
> > > caused this. I suppose that it's possible that it was a "user
> > error"
> > > if somehow an export was done and the file was imported by
> mistake.
> > > This kind of thing can be controlled if you use the "Don't
import
> > > duplicate entries" option.
> > >
> > > Sorry I can't give you a better response on this one...
> > >
> > > Mike - W1ECT
> > >
> > > > Hi,

> > > > A friend of mine (G4TZX) has had Xmlog for about two years.
He
> > > > inputted his QSOs from 1991 to 2001 manually and as he mainly
> > works
> > > > PSK31 now, he imports the rest from the logs in MixW or
> Digipan.
> > I
> > > > was showing him the other day the various facilities re
> bringing
> > up
> > > > lists of contacts in various modes/bands/countries etc. He's
> > > > suddenly found that about a quarter of his QSOs have been
> > > duplicated
> > > > and he is having to go through his entire log and deleting
the
> > > > dupes. Even some of his old SSB QSOs have been duplicated.
> Any
> > > idea
> > > > why this might have happened?
> > > > He's running version 4, same as me, and I have not had the
> > > problem.
> > > > It seems that he must have done something wrong?
> > > > Thanks,
> > > > John, G4TGK.

953. Re: [XMLog] Re: Zero with slashes

Yahoo group: XMLog
Date: 2004-02-26 17:53:41 UTC
From: CyberGeezer
Topic: 943 Message: 953

> Try this web site for some downloadable fonts with slashed
zeroes:
> http://www.qsl.net/wa6axe/fonts.html
> 73 - Don N4TN

That's a handy URL, Don!

Do you happen to know of any fonts that just print OUTLINES of
the characters? I'd like to use such a font in a large size
for my call on QSL's.

(I instinctively want to call that an "outline font", but I
believe that's a technical term referring to the way a font
image is stored and can apply to any typeface appearance.)

73 de W2 GERry

954. Re: [XMLog] Re: Version 1.27 on an old machine

Yahoo group: XMLog
Date: 2004-02-26 18:43:34 UTC
From: CyberGeezer
Topic: 937 Message: 954

> Hi Gerry - Does it say which DLL it can't load?

First things first-- I want you to know that I do notice the high level of support you provide, and I do appreciate it.

Further to my last message on the 1.27 problem-- I tried a new download and a new install.

My only way in to the old laptop machine is via floppies, so I DL'd 1.27 to my desktop machine, ran FLOPPIES.BAT, and carried the two floppies over the the old laptop.

I tried copying all the files to the hard drive and running setup.exe from there. I got a version that got erriors trying to start.

I deleted everything from the HD directory and ran setup.exe from the floppies. I got a version with the same problem I originally reported (can't open or create any log files).

An interesting thing-- in BOTH methods of running setup, it first reported "General Copy Error" trying to copy VBRUN300.DLL to windows\system; I hit RETRY and it seemed to get by that successfully (the progress bar graph thing indicated that VBRUN300.DLL got copied). The VBRUN300.DLL in windows\system is dated 07/11/1995, same as the DL_ that came in the download.

I certainly don't expect you to spend much time looking into this old version, but I hope something might pop into your mind.

73 de W2 GERry

955. Re: [XMLog] Re: Zero with slashes

Yahoo group: XMLog
Date: 2004-02-26 19:26:18 UTC
From: Don Jones
Topic: 943 Message: 955

Gerry -

I have not been able to find a satisfactory scalable "outline" font (if that is incorrect terminology, then my apologies to the purists, but that is exactly what I call it :-o). If anyone on the list knows where such fonts can be found, I would certainly be pleased to know about it.

Here is a site where you can create a specific short text (such as a callsign) in one of many font style and color combinations, then download it as a graphic file for possible use on a QSL card:

http://www.flamingtext.com/

I love QSLs with huge "fat" callsigns and was enthusiastic about creating my own card in that way - until I found out how huge fat letters gobble up ink! Outline fonts would be a far better solution.

73 and Good Luck - Don N4TN

(Apologies for getting off the subject of XMLOG here)

956. Re: Outline Fonts

Yahoo group: XMLog
Date: 2004-02-26 21:12:00 UTC
From: CyberGeezer
Topic: 956 Message: 956

> Whoaaa! I reckon that they must be called "Hollow Fonts".
>
> Check this page (I just did a Googel search on hollow
fonts - there are other hits):
>
> http://simplythebest.net/fonts/hollow_fonts.html

Thanks!!

I looked at that hollow font ("BlueShooz") and nearly adopted
it, but decided it was just a little too "funky" for my (very
staid) tastes.

I poked around and found a hollow font called Cimier that I
will adopt.
http://freethemes.tele.net/fonts/fonts/screens/cd/cimierdl.htm

73 de W2 GERry

957. Re: [XMLog] Re: Fonts

Yahoo group: XMLog
Date: 2004-02-26 21:48:15 UTC
From: N7MAL
Topic: 957 Message: 957

I am legally blind and can only see certain fonts. The font I have been using for a couple of years is WINPACK. I discovered it years ago when it came bundled with a packet terminal program called WINPACK. It solved all my vision problems using the mlog packet terminal.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "CyberGeezer" <CyberGeezer74@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, February 26, 2004 9:12 PM
Subject: [XMLog] Re: Outline Fonts

> Whoaaa! I reckon that they must be called "Hollow Fonts".
>
> Check this page (I just did a Googel search on hollow fonts - there are other hits):
>
> http://simplythebest.net/fonts/hollow_fonts.html

Thanks!!

I looked at that hollow font ("BlueShooz") and nearly adopted it, but decided it was just a little too "funky" for my (very staid) tastes.

I poked around and found a hollow font called Cimier that I will adopt.
http://freethemes.tele.net/fonts/fonts/screens/cd/cimierdl.htm

73 de W2 GERry

Yahoo! Groups Links

958. QSL custom layouts question

Yahoo group: XMLog
Date: 2004-02-27 05:10:49 UTC
From: CyberGeezer
Topic: 958 Message: 958

If I don't intend to print a field's border, is there ANY
reason to define a height and width for that field?

73 de W2 GERry

959. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-27 13:17:33 UTC
From: lz1bb
Topic: 838 Message: 959

Hi Mike,

Think I did not explain it properly due to my English. Will try again.

Actually the problem is not in XMLog but other logging softwares. If you only use XMLog for master data base and main logger who collects data from other softwares via ADIF export/import there is no problem at all. Thats why your test was succesfull. The problem is mostly vissible in the following example:

Today I use MixW and after each QSO export ADIF from MixW and do import with XMLog. No dupes, XMLog recognising previous QSOs each time. Later I change to other PSK31 software with built in logger and do the same. Again no problem.

If a few days later decide to use MixW again I sure will want to have the most compleat QSO database in it. For this purpoce I EXPORT ADIF from XMLog and do import with MixW.

Here the problem appears. A QSO exported from MixW with time <TIME_ON:6>020202 was converted from XMLog to <TIME_ON:6>020200 and when turned back to MixW it is not recognized by MixW, and all others, and it is duped. In next export from MixW to XMLog this dupe is transfered in XMLog.

As many others like me uses and experiment with different softwares and use XMLog as master QSO Logger and QSO Data base this problem is common.

I think the simplest sollution is XMLog to keep exactly the time as it was imported, and if XMLog export that QSO back again to send the UNCHANGED time.

If imports <TIME_ON6>020202 XMLog should keep it and if ever exported back again in ADIF XMLogs's ADIF should be <TIME-ON:6>020202. NOW it is always changed to <TIME_ON:6>020200

MixW to XMLog, no problem.
MixW to XMLog to MixW - problem.
MixW to XMLog to MixW to XMLog - problem because XMLog actually change the data, the time in particular. (MixW is only an example it is the same with all other loggers that care SECONDS in <TIME_ON>

XMLog just needs to be compatible in this aspect with other loggers and it is just to care and not to change THE SECONDS of <TIME_ON>.

I do apology for my English. Hope I explained this time in a proper way.

73, Harry LZ1BB G QRP Club #4210

>>>
--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> OK, I've done some testing here and XMLog already ignores any
seconds
> provided in the ADIF TIME_ON field when checking for duplicates. I
> tried creating a MixW ADIF file and importing it twice and the
> duplicate was detected correctly.
>
> Mike - W1ECT
> >
> > > I had the same problem. The answer seems to be that when XMLog
> > imports
> > > from MixW and other loggers it receives <TIME:> as 6 digits
> hh.mm.ss
> > > and as XMLog do not use seconds the time is actually changed. If
> > you
> > > import again from the same log to update the data base this same
> > QSO
> > > is not recognized as already imported.
> > >
> > > Example: ...MixW export <TIME:6>020202 and XMLog import becomes
> > <TIME:
> > > 6>020200
> > > next time it is again a new QSO for XMLog.
> > >
> > > Hope you understand and sorry for my primitive English.
> > >
> > > 73, Harry LZ1BB
> > >
> > > --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...>
wrote:
> > > > Hi John, I've had one other report of this and it also seemed
> to
> > be
> > > > somehow related to ADIF imports. Unfortunately I don't know
> what
> > > > caused this. I suppose that it's possible that it was a "user
> > > error"
> > > > if somehow an export was done and the file was imported by
> > mistake.
> > > > This kind of thing can be controlled if you use the "Don't
> import
> > > > duplicate entries" option.
> > > >
> > > > Sorry I can't give you a better response on this one...
> > > >
> > > > Mike - W1ECT
> > > >
> > > > > Hi,

> > > > > A friend of mine (G4TZX) has had Xmlog for about two years.
> He
> > > > > inputted his QSOs from 1991 to 2001 manually and as he
mainly
> > > works
> > > > > PSK31 now, he imports the rest from the logs in MixW or
> > Digipan.
> > > I
> > > > > was showing him the other day the various facilities re
> > bringing
> > > up
> > > > > lists of contacts in various modes/bands/countries etc.
He's
> > > > > suddenly found that about a quarter of his QSOs have been
> > > > duplicated
> > > > > and he is having to go through his entire log and deleting
> the
> > > > > dupes. Even some of his old SSB QSOs have been duplicated.
> > Any
> > > > idea
> > > > > why this might have happened?
> > > > > He's running version 4, same as me, and I have not had the
> > > > problem.
> > > > > It seems that he must have done something wrong?
> > > > > Thanks,
> > > > > John, G4TGK.

960. RE: [XMLog] Re: Outline Fonts

Yahoo group: XMLog
Date: 2004-02-27 13:29:31 UTC
From: Tom Sessions
Topic: 956 Message: 960

Is there any way to choose a font, and then modify it permanently so that every time it is used it a slashed zero is provided automatically when zero is typed?

Thanks
Tom K4RV

[Non-text portions of this message have been removed]

961. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-27 13:43:37 UTC
From: lz1bb
Topic: 838 Message: 961

Mike,

I studied several Loggers and it seems that they only compare
<TIME_ON> before decide whether it is dupe QSO or not. Perhaps that is
the reason the seconds are so important for them. Logger by K4CY for
example do not accept two QSOs with exact the same time when make not
a real time data enter. You have to change the time at least with ONE
SECOND for the second QSO to be accepted.

73, Harry LZ1BB

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> OK, I've done some testing here and XMLog already ignores any
seconds
> provided in the ADIF TIME_ON field when checking for duplicates. I
> tried creating a MixW ADIF file and importing it twice and the
> duplicate was detected correctly.
>
> Mike - W1ECT
> >
> > > I had the same problem. The answer seems to be that when XMLog
> > imports
> > > from MixW and other loggers it receives <TIME:> as 6 digits
> hh.mm.ss
> > > and as XMLog do not use seconds the time is actually changed. If
> > you
> > > import again from the same log to update the data base this same
> > QSO
> > > is not recognized as already imported.
> > >
> > > Example: ...MixW export <TIME:6>020202 and XMLog import becomes
> > <TIME:
> > > 6>020200
> > > next time it is again a new QSO for XMLog.
> > >
> > > Hope you understand and sorry for my primitive English.
> > >
> > > 73, Harry LZ1BB
> > >
> > > --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...>
wrote:
> > > > Hi John, I've had one other report of this and it also seemed
> to
> > be
> > > > somehow related to ADIF imports. Unfortunately I don't know
> what

> > > > caused this. I suppose that it's possible that it was a "user
> > > error"
> > > > if somehow an export was done and the file was imported by
> > mistake.
> > > > This kind of thing can be controlled if you use the "Don't
> import
> > > > duplicate entries" option.
> > > >
> > > > Sorry I can't give you a better response on this one...
> > > >
> > > > Mike - W1ECT
> > > >
> > > > > Hi,
> > > > > A friend of mine (G4TZX) has had Xmlog for about two years.
> He
> > > > > inputted his QSOs from 1991 to 2001 manually and as he
mainly
> > > works
> > > > > PSK31 now, he imports the rest from the logs in MixW or
> > Digipan.
> > > I
> > > > > was showing him the other day the various facilities re
> > bringing
> > > up
> > > > > lists of contacts in various modes/bands/countries etc.
He's
> > > > > suddenly found that about a quarter of his QSOs have been
> > > > duplicated
> > > > > and he is having to go through his entire log and deleting
> the
> > > > > dupes. Even some of his old SSB QSOs have been duplicated.
> > Any
> > > > idea
> > > > > why this might have happened?
> > > > > He's running version 4, same as me, and I have not had the
> > > > problem.
> > > > > It seems that he must have done something wrong?
> > > > > Thanks,
> > > > > John, G4TGK.

962. Re: [XMLog] Re: Outline Fonts

Yahoo group: XMLog
Date: 2004-02-27 13:53:31 UTC
From: Mike Schrody KD7TKQ
Topic: 956 Message: 962

If you mean you'd like to change just the "0" of an existing font to be slashed? I'm sure this could be done, tho I don't know how difficult. Try googling "font editor" - I once saw something like that, but it was so long ago I don't remember the name of it.

--- visit http://www.afterburnaudio.com - quality CD duplication - only a buck a disc!

----- Original Message -----
From: "Tom Sessions" <k4rv@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, February 27, 2004 6:29 AM
Subject: RE: [XMLog] Re: Outline Fonts

> Is there any way to choose a font, and then modify it permanently so that every time it is used it a slashed zero is provided automatically when zero is typed?
>
> Thanks
> Tom K4RV
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.593 / Virus Database: 376 - Release Date: 2/20/2004

963. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-27 17:54:19 UTC
From: Mike McAmis
Topic: 838 Message: 963

Hi Harry, I tried exporting the QSO back to MixW and I did see the two QSOs there because the seconds had been lost. Then I exported from MixW and got a file with two QSOs (one with seconds and one without). I then imported this file back to XMLog and since it ignores the seconds it considered them both to be dupes so it seems to be working correctly.

There must be something else happening here... perhaps it's due to a change since the last standard version (4.56). You can try the most current version at www.xmlog.com\beta.

Mike - W1ECT

> Hi Mike,
>
> Think I did not explain it properly due to my English. Will try again.
>
> Actually the problem is not in XMLog but other logging softwares. If
> you only use XMLog for master data base and main logger who collects
> data from other softwares via ADIF export/import there is no problem
> at all. Thats why your test was succesfull. The problem is mostly
> vissible in the following example:
>
> Today I use MixW and after each QSO export ADIF from MixW and do
> import with XMLog. No dupes, XMLog recognising previous QSOs each
> time. Later I change to other PSK31 software with built in logger and
> do the same. Again no problem.
>
> If a few days later decide to use MixW again I sure will want to have
> the most compleat QSO database in it. For this purpoce I EXPORT ADIF
> from XMLog and do import with MixW.
>
> Here the problem appears. A QSO exported from MixW with time <TIME_ON:
> 6>020202 was converted from XMLog to <TIME_ON:6>020200 and when turned
> back to MixW it is not recognized by MixW, and all others, and it is
> duped. In next export from MixW to XMLog this dupe is transfered in

> XMLog.
>
> As many others like me uses and experiment with different softwares
> and use XMLog as master QSO Logger and QSO Data base this problem
is
> common.
>
> I think the simplest sollution is XMLog to keep exactly the time as
it
> was imported, and if XMLog export that QSO back again to send the
> UNCHANGED time.
>
> If imports <TIME_ON6>020202 XMLog should keep it and if ever
exported
> back again in ADIF XMLogs's ADIF should be <TIME-ON:6>020202. NOW
it
> is always changed to <TIME_ON:6>020200
>
> MixW to XMLog, no problem.
> MixW to XMLog to MixW - problem.
> MixW to XMLog to MixW to XMLog - problem because XMLog actually
change
> the data, the time in particular. (MixW is only an example it is
the
> same with all other loggers that care SECONDS in <TIME_ON>
>
> XMLog just needs to be compatible in this aspect with other loggers
> and it is just to care and not to change THE SECONDS of <TIME_ON>.
>
> I do apology for my English. Hope I explained this time in a proper
> way.
>
> 73, Harry LZ1BB G QRP Club #4210

964. Version 4.69 to become "standard" version

Yahoo group: XMLog
Date: 2004-02-27 17:58:10 UTC
From: Mike McAmis
Topic: 964 Message: 964

Hi, I hope to make the current version in www.xmlog.com/beta the standard version next week. If you would like to try it or you would like to see a list of changes check www.xmlog.com/beta

Mike - W1ECT

965. Re: Duplicate QSOs

Yahoo group: XMLog
Date: 2004-02-28 11:19:13 UTC
From: lz1bb
Topic: 838 Message: 965

Mike,

The same results like yours with v4.69. That is fine.

Before make version 4.69 official could you impliment seconds checking/using in <TIME_ON> of XMLog? Anoing to double the MixW log when updating its data base. Every time before importing from XMLog I have to delete all QSO of the MixW's logger.

I think this change will help others like me and QSL managers with both parties using different logs. Though XMLog is excelent.

If it is difficult from programer's point of vew please ignore.

73, Harry LZ1BB

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Harry, I tried exporting the QSO back to MixW and I did see the
> two QSOs there because the seconds had been lost. Then I exported
> from MixW and got a file with two QSOs (one with seconds and one
> without). I then imported this file back to XMLog and since it
> ignores the seconds it considered them both to be dupes so it seems
> to be working correctly.
>
> There must be something else happening here... perhaps it's due to a
> change since the last standard version (4.56). You can try the most
> current version at www.xmlog.com\beta.
>
> Mike - W1ECT

966. Wish feature

Yahoo group: XMLog
Date: 2004-02-28 11:32:27 UTC
From: lz1bb
Topic: 966 Message: 966

Hi Mike,

When entering a callsign while adding new entry XMLog shows emediately the country of that call and distance. Is it possible to show additional information like: New DXCC, New DXCC on 40m, New DXCC on SSB, etc. I mean at real time. I know I can use search now.

Keep up the good work and do not forget us "slow CPU" funs. For the moment XMlog is wonderful from this point of vew. Going like a train on an old IBM TP760XL 133MMX 32RAM !!

73, Harry LZ1BB

967. Power field

Yahoo group: XMLog
Date: 2004-02-29 11:26:32 UTC
From: lz1bb
Topic: 967 Message: 967

Hi Mike,

My final decision is to switch on XMLog. That was the reason I spent a lot of time the last few days in transfering QSOs from different software and paper logs.

Traying to enter my QRP QSOs I discovered that Power accepted by XMLog is between 1 and 1500 Watts.(Even the Help sayes that.:)).

I was unable to enter my 500mW QSOs. I do have a lot of them down to 10mW. As the log will be of interest to other QRP funs too, could you change that. Perhaps any Power>0 will be OK so we could log:
0.1 for 100mW
0.01 for 10mW and even
0.00001 for10nW.

I checked several other logging softwares. They all accept 0.xx Watts, so XMLog will be compatible with them too.

I know at least several people experimenting with milliwatts. And FT817 can go down to 500mW.

Thanks for understanding!

73! Harry LZ1BB G QRP Club #4210

968. Cabrillo format

Yahoo group: XMLog
Date: 2004-02-29 16:50:47 UTC
From: CyberGeezer
Topic: 968 Message: 968

Anyone have any thoughts on outputting a Cabrillo-format log
from XMLog?

TIA
73 de W2 GERry

969. Re: Wish feature

Yahoo group: XMLog
Date: 2004-02-29 17:26:00 UTC
From: Mike McAmis
Topic: 966 Message: 969

Hi Harry, Sorry but it's not possible to display this info as you enter a call - the stats are only computed when you create reports, etc. and it takes quite a bit of time (that's the "Creating QSO Summary" message).

Mike - W1ECT

> When entering a callsign while adding new entry XMLog shows emediately
> the country of that call and distance. Is it possible to show
> additional information like: New DXCC, New DXCC on 40m, New DXCC on
> SSB, etc. I mean at real time. I know I can use search now.
>
> Keep up the good work and do not forget us "slow CPU" funs. For the
> moment XMlog is wonderful from this point of vew. Going like a train
> on an old IBM TP760XL 133MMX 32RAM !!
>
> 73, Harry LZ1BB

970. Re: Power field

Yahoo group: XMLog
Date: 2004-02-29 17:27:55 UTC
From: Mike McAmis
Topic: 967 Message: 970

Hi Harry, The QSO power field is saved in an integer field in the log database and would require a large change to switch to a non-integer field. It is on the to-do list but this change won't happen any time soon.

Mike - W1ECT

> Hi Mike,
>
> My final decision is to switch on XMLog. That was the reason I spent a
> lot of time the last few days in transfering QSOs from different
> software and paper logs.
>
> Traying to enter my QRP QSOs I discovered that Power accepted by XMLog
> is between 1 and 1500 Watts.(Even the Help sayes that.:)).
>
> I was unable to enter my 500mW QSOs. I do have a lot of them down to
> 10mW. As the log will be of interest to other QRP funs too, could you
> change that. Perhaps any Power>0 will be OK so we could log:
> 0.1 for 100mW
> 0.01 for 10mW and even
> 0.00001 for10nW.
>
> I checked several other logging softwares. They all accept 0.xx Watts,
> so XMLog will be compatible with them too.
>
> I know at least several people experimenting with milliwatts. And
> FT817 can go down to 500mW.
>
> Thanks for understanding!
>
> 73! Harry LZ1BB G QRP Club #4210

971. Re: Cabrillo format

Yahoo group: XMLog
Date: 2004-02-29 17:31:14 UTC
From: Mike McAmis
Topic: 968 Message: 971

Hi Gerry,

I have looked into supporting Cabrillo format but since not many folk use XMLog for contesting there hasn't been much interest. Most people (myself included) use a contesting program like CT or WriteLog and then import those logs into XMLog when the contest is over.

The reason that most day-to-day loggers like XMLog don't do well as contest loggers is that they don't support the unique fields required for the exchanges (section, serial numbers, etc). This means these fields can't be identified when exporting them in Cabrillo or ADIF format. This doesn't mean it's impossible, one ham that didn't want to pay for a contest logger took this route - he puts the contest exchange in the Notes field and when the contest is over he exports the log as ADIF. He then wrote a little program to hack the ADIF file to extract the exchange info from the Notes fields and add the appropriate ADIF fields. Finally, he converted the ADIF file to Cabrillo using LogConv.

LogConv is a nice utility from KA5WSS which can convert ADIF files to Cabrillo format. It also does many other logger/ADIF/Cabrillo conversions. You can get LogConv at:

http://www.qsl.net/ka5wss/logconv/

> Anyone have any thoughts on outputting a Cabrillo-format log
> from XMLog?
>
> TIA
> 73 de W2 GERry

972. Source of freeware/shareware of ADIF file

Yahoo group: XMLog
Date: 2004-02-29 20:00:11 UTC
From: mefazamy
Topic: 972 Message: 972

Recently, I read in this group of a solution to a problem I have in combining xlogs. I need to locate a source of freeware/shareware of ADIF. Is there a source?

Thanks,
KB2AMY

973. Thanks!!!

Yahoo group: XMLog
Date: 2004-02-29 20:32:12 UTC
From: lz1bb
Topic: 973 Message: 973

Mike,

Thanks for prompt answers and support. This is one of the reasons XMLog is my official shack QSO keeper now!

Every one of us could see the features and performance of XMLog.

I just want every one knows that Vlad LZ1OT, very good friend of mine, uses XMLog since the very first Win 3.11 versions. Upgraded within the years to v4.69. He keeps more than 30,000 QSOs database on his XMLog, he uses it every day and HE STILL DOES NOT HAVE ANY DATA DAMAGE!!!!

BTW LZ1OT is a QSL manager for several well active DX statios.

Thank you Mike for all. Regards to your family too. We all know they helped in some way also!

73, Harry LZ1BB G QRP Club #4210

974. QSL layout-- margins changed in v4.69

Yahoo group: XMLog
Date: 2004-03-01 04:10:03 UTC
From: CyberGeezer
Topic: 974 Message: 974

I use the QSL label feature to print my QSL cards, four to an 8.5x11 sheet of card stock.

The first ones I printed from 4.69 were registered a bit differently on the card stock, using the same layout that I had been using in several versions up through 4.56.

I'm not looking for a "fix" on this, as I have adjusted my layout accordingly. Rather, I intend this as a heads-up to other users-- the first time you print QSL labels from 4.69, don't do a big batch of 'em; do one or a few and check 'em.

73 de W2 GERry

975. Font color problem on QSL labels

Yahoo group: XMLog
Date: 2004-03-01 05:10:25 UTC
From: CyberGeezer
Topic: 975 Message: 975

Hi Mike--

On my QSL cards I have some text fields that I used to print
in maroon.

I recently changed them to a different font, and I changed the
font color to black.

The font change "took", but all that text still prints maroon.
(Not a major problem.)

Incidentally, this problem occurred under 4.56, and I still
have it under 4.69.

73 de W2GERry

976. Re: Source of freeware/shareware of ADIF file

Yahoo group: XMLog
Date: 2004-03-01 15:20:57 UTC
From: mefazamy
Topic: 972 Message: 976

No need to respond. I have reached my objective and have now combined several XMLogs. I looked back thru several old posts and found answers.

KB2AMY

977. Re: [XMLog] Font color problem on QSL labels

Yahoo group: XMLog
Date: 2004-03-02 01:22:04 UTC
From: CyberGeezer
Topic: 975 Message: 977

Previously, I wrote:
> The font change "took", but all that text still prints
maroon.

I'm at my wits' end with this problem. I got two of the
fields to print black (I don't think I did anything different
to those fields than I did to any others). ALL of these
fields SAY they're black when I view them in Modify mode, but
most of them continue to print maroon regardless of that.
They're DETERMINED!

Any ideas appreciated.

In the meanwhile, I'll take the two fields that actually
turned black back to maroon, just for consistency. Groan!!

73 de W2 GERry

978. Re: [XMLog] Font color problem on QSL labels

Yahoo group: XMLog
Date: 2004-03-02 01:47:26 UTC
From: CyberGeezer
Topic: 975 Message: 978

> In the meanwhile, I'll take the two fields that actually
> turned black back to maroon, just for consistency.

Guess what?-- that wouldn't work either-- those fields
stayed black though I "changed" them to maroon.

I've now changed all those fields to blue, and that worked.
Now I've got a card that's consistent with itself and I'm not
in dire need of a solution.

73 de W2 GERry

979. Changed my call

Yahoo group: XMLog
Date: 2004-03-02 15:01:58 UTC
From: CyberGeezer
Topic: 979 Message: 979

Just to let you know that after moving from 2-land to 3-land,
I've changed my call from W2GER to W3GER.

73 de W3 GERry

980. XMlog Problem Loading on Win95

Yahoo group: XMLog
Date: 2004-03-04 19:01:59 UTC
From: br_griffin
Topic: 980 Message: 980

I cannot load disketts created on my computer running Win98 to a computer running Win95. I get a cannot find file error (c:\windows\temp\msftqws.pdwl\STUNST.EXE) when I insert disk 2. I don't have internet access on the win95 machine. Do I need to upgrade to Win98?

Burton

981. Re: XMlog Problem Loading on Win95

Yahoo group: XMLog
Date: 2004-03-04 20:37:51 UTC
From: Mike McAmis
Topic: 980 Message: 981

Hi Burton, There seems to be some problem with the diskettes created using the floppies.bat file. Try this - create a temporary folder and copy all the diskettes to that folder and then run setup.exe from there. You can delete the temporary folder after the install is complete.

Mike - W1ECT

> I cannot load disketts created on my computer running Win98 to a
> computer running Win95. I get a cannot find file error
> (c:\windows\temp\msftqws.pdwl\STUNST.EXE) when I insert disk 2. I
> don't have internet access on the win95 machine. Do I need to upgrade
> to Win98?
>
> Burton

982. Fw: Rename F-11

Yahoo group: XMLog
Date: 2004-03-04 23:32:30 UTC
From: N7MAL
Topic: 982 Message: 982

Subject: Rename F-11

This morning I was using mlog in a configuration I don't normally use. I turned on voice announcements and then laid down. The XF4 was spotted on 40m. I don't need XF4 on any band but because I live in a new state, since the last XF4, I decided to work him. Should be a slam-dunk on 40 from Arizona. I sat in front of the radio and pushed the F-11 key to put mlog in the pileup mode. Well it turns out the F-11 key should be renamed 'THE MASS CONFUSION MODE'. It seems voice announcements take priority over CW sending. When a voice announcement starts CW sending stops immediately and the resumes immediately after the voice announcement finishes. In a massive pileup, like this morning, if you don't have total control you are just wasting time. Needless to say my charming, warm, wonderful personality took over. After an appropriate number of epitaphs I turned off the radio and computer and went back to bed. I'm going to do some testing tonite to see if there is a work around other than turning off voice announcements. If anyone has suggestions I would like to hear them.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

[Non-text portions of this message have been removed]

983. Re: Rename F-11 Follow-up

Yahoo group: XMLog
Date: 2004-03-05 06:11:08 UTC
From: N7MAL
Topic: 983 Message: 983

The work around, in my environment, was to use XCW. The CW keeps sending and the voice announcements keep talking without interfering with each other. It might be my imagination but the CW weighting is better with XCW.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, March 04, 2004 11:32 PM
Subject: [XMLog] Fw: Rename F-11

Subject: Rename F-11

This morning I was using mlog in a configuration I don't normally use. I turned on voice announcements and then laid down. The XF4 was spotted on 40m. I don't need XF4 on any band but because I live in a new state, since the last XF4, I decided to work him. Should be a slam-dunk on 40 from Arizona. I sat in front of the radio and pushed the F-11 key to put mlog in the pileup mode. Well it turns out the F-11 key should be renamed 'THE MASS CONFUSION MODE'. It seems voice announcements take priority over CW sending. When a voice announcement starts CW sending stops immediately and the resumes immediately after the voice announcement finishes. In a massive pileup, like this morning, if you don't have total control you are just wasting time. Needless to say my charming, warm, wonderful personality took over. After an appropriate number of epitaphs I turned off the radio and computer and went back to bed. I'm going to do some testing tonite to see if there is a work around other than turning off voice announcements. If anyone has suggestions I would like to hear them.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

[Non-text portions of this message have been removed]

Yahoo! Groups Links

984. Re: QSL custom layouts question

Yahoo group: XMLog
Date: 2004-03-05 19:18:57 UTC
From: CyberGeezer
Topic: 958 Message: 984

> If I don't intend to print a field's border, is there ANY
> reason to define a height and width for that field?

That was my own question.

In case anyone's interested--
--yes there is, if you're going to use center- or
right-justification.

73 de W3 GERry
(fmly W2GER)

985. Re: [XMLog] Re: Rename F-11 Follow-up

Yahoo group: XMLog
Date: 2004-03-05 19:31:27 UTC
From: Nelson Wittstock
Topic: 983 Message: 985

What is XCW? If it is part of XMLog where is it located?

Nelson, K8DJC

986. Re: Voice announcements vs CW

Yahoo group: XMLog
Date: 2004-03-05 19:52:14 UTC
From: Mike McAmis
Topic: 982 Message: 986

Hi Mal, Unfortunately the Windows API I use to play the voice announcement wave files it asychronous - it doesn't return until the file is done. This means XMLog can't do anything else while the file is being played.

Mike

>
>
> Subject: Rename F-11
>
>
> This morning I was using mlog in a configuration I don't normally use. I turned on voice announcements and then laid down. The XF4 was spotted on 40m. I don't need XF4 on any band but because I live in a new state, since the last XF4, I decided to work him. Should be a slam-dunk on 40 from Arizona. I sat in front of the radio and pushed the F-11 key to put mlog in the pileup mode. Well it turns out the F-11 key should be renamed 'THE MASS CONFUSION MODE'. It seems voice announcements take priority over CW sending. When a voice announcement starts CW sending stops immediately and the resumes immediately after the voice announcement finishes. In a massive pileup, like this morning, if you don't have total control you are just wasting time. Needless to say my charming, warm, wonderful personality took over. After an appropriate number of epitaphs I turned off the radio and computer and went back to bed. I'm going to do some testing tonite to see if there is a work around other than turning off voice announcements. If anyone has suggestions I would like to hear them.
> 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
>
> [Non-text portions of this message have been removed]

987. Re: Rename F-11 Follow-up

Yahoo group: XMLog
Date: 2004-03-05 19:55:02 UTC
From: Mike McAmis
Topic: 983 Message: 987

Hi Nelson, XCW is a little CW keyboard program that acts much like
the XMLog packet window's CW keyboard mode. It can be downloaded
from www.xmlog.com

Mike - W1ECT

> What is XCW? If it is part of XMLog where is it located?
>
> Nelson, K8DJC

988. Can't find all my contacts

Yahoo group: XMLog
Date: 2004-03-05 21:26:00 UTC
From: Scott Gordon
Topic: 988 Message: 988

I have been working 160 meters since January. If I do a search on the band it pulls up all my contacts. I then go to Awards WAS then WORKED/CONFIRMED and the list that comes up doesn't show some others I know that I have worked and have confirmed on the band.

Is there a way that I can bring up all stations worked on a band and it show me confirmed or not confirmed I guess that is really what I am looking for?

Thanks
Scott
http://www.kq8rp.com

989. Both Sig Reports on QSL Labels

Yahoo group: XMLog
Date: 2004-03-06 01:24:24 UTC
From: Scott Gordon
Topic: 989 Message: 989

Does anyone know how I can put both sent and recieved signal reports
on my QSL labels that I print?

Scott

990. Re: [XMLog] Both Sig Reports on QSL Labels

Yahoo group: XMLog
Date: 2004-03-06 01:42:03 UTC
From: Don Jones
Topic: 989 Message: 990

Scott -

Both RST IN and RST OUT are available as data-type fields on QSL Label layouts.

73 - Don Jones N4TN

Scott Gordon wrote:

> Does anyone know how I can put both sent and recieved signal reports
> on my QSL labels that I print?
>
> Scott

991. Re: [XMLog] Both Sig Reports on QSL Labels

Yahoo group: XMLog
Date: 2004-03-06 18:32:48 UTC
From: CyberGeezer
Topic: 989 Message: 991

> Does anyone know how I can put both sent and recieved signal
reports
> on my QSL labels that I print?

Are you perchance using standard labels? You can easily do
that with CUSTOM labels.

73 de W3 GERry
(fmly W2GER)

992. Re: [XMLog] Both Sig Reports on QSL Labels

Yahoo group: XMLog
Date: 2004-03-06 19:07:45 UTC
From: KQ8RP
Topic: 989 Message: 992

Thanks, I was able to use customize and make it work. I took off the PSE QSL but that is fine..

Thanks
Scott

----- Original Message -----
From: CyberGeezer
To: XMLog@yahoogroups.com
Sent: Saturday, March 06, 2004 1:32 PM
Subject: Re: [XMLog] Both Sig Reports on QSL Labels

> Does anyone know how I can put both sent and recieved signal
reports
> on my QSL labels that I print?

Are you perchance using standard labels? You can easily do
that with CUSTOM labels.

73 de W3 GERry
(fmly W2GER)

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

993. Re: Can't find all my contacts

Yahoo group: XMLog
Date: 2004-03-06 21:36:53 UTC
From: Mike McAmis
Topic: 988 Message: 993

Hi Scott, To search for all 160 meter confirmed QSOs do a log search with 160m as the frequency field and != as the QSL Received field. To get the unconfirmed QSOs use = for the QSL Received field. If you want to limit it to just U.S. QSOs also include W as the Prefix field. See the "Searching the Log" section of the help file for more info.

Mike - W1ECT

> I have been working 160 meters since January. If I do a search on
> the band it pulls up all my contacts. I then go to Awards WAS
> then WORKED/CONFIRMED and the list that comes up doesn't show some
> others I know that I have worked and have confirmed on the band.
>
> Is there a way that I can bring up all stations worked on a band
and
> it show me confirmed or not confirmed I guess that is really what I
> am looking for?
>
> Thanks
> Scott
> http://www.kq8rp.com

994. Change default path in installer?

Yahoo group: XMLog
Date: 2004-03-08 06:43:09 UTC
From: David Spoelstra
Topic: 994 Message: 994

Every time I run the installer, I think to mention this. I finally remembered!

I was thinking that the installer should default to putting the files in C:\Program Files\XMLog rather than in C:\ since C:\Program Files is the default place to put applications in Windows.

-David/N9KT

996. Custom layouts tip

Yahoo group: XMLog
Date: 2004-03-08 16:57:42 UTC
From: CyberGeezer
Topic: 996 Message: 996

A tip: (Based on bitter experience.....):

If you've changed the color of an item in a custom layout, and
if you then find that it still prints in a former color--

--don't try to "fix" it
--you'll just be wasting your time.
Delete it, and re-enter it from scratch in the desired color.

73 de W3 GERry
(fmly W2GER)

997. What file should I backup?

Yahoo group: XMLog
Date: 2004-03-08 17:38:04 UTC
From: Scott Gordon
Topic: 997 Message: 997

My log is begining to get quite large and I want to back it up to another computer weekly in the case of a crash.

What is the best way to do that> Is the only file that should be backed up a .log file?

Thanks
Scott

998. Re: [XMLog] What file should I backup?

Yahoo group: XMLog
Date: 2004-03-08 18:22:44 UTC
From: CyberGeezer
Topic: 997 Message: 998

> My log is begining to get quite large and I want to back it
up to
> another computer weekly in the case of a crash.
>
> What is the best way to do that> Is the only file that
should be
> backed up a .log file?

On the HELP menu there's an item about backups.

Also, compacting your log (on the file menu) may reduce its
size quite a bit/

73 de W3 GERry
(fmly W2GER)

999. Re: Custom layouts tip

Yahoo group: XMLog
Date: 2004-03-08 20:33:00 UTC
From: Mike McAmis
Topic: 996 Message: 999

Hi Gerry, There's a long standing bug in the Visual Basic runtime that causes these color problems - unfortunately it doesn't look like it's going to be fixed any time soon. From the bug reports it seems to depend of the Windows version and the printer driver being used. It also depends on which kind of items (and colors) are being drawn before the one which isn't being drawn in the correct color. By deleting an item and adding it again you're changing the order in which the various items are drawn and thereby affecting this bug.

Mike - W1ECT

> A tip: (Based on bitter experience.....):
>
> If you've changed the color of an item in a custom layout, and
> if you then find that it still prints in a former color--
>
> --don't try to "fix" it
> --you'll just be wasting your time.
> Delete it, and re-enter it from scratch in the desired color.
>
> 73 de W3 GERry
> (fmly W2GER)

1000. Re: Change default path in installer?

Yahoo group: XMLog
Date: 2004-03-08 20:36:29 UTC
From: Mike McAmis
Topic: 994 Message: 1000

Hi David - I wrote the installer long before the "Program Files" folder was the default place to install things. I think it's best to keep the old location rather than to try to heuristically to figure out which location to use based on any previous XMLog installs.

Mike - W1ECT

> Every time I run the installer, I think to mention this. I finally
> remembered!
>
> I was thinking that the installer should default to putting the
> files in C:\Program Files\XMLog rather than in C:\ since C:\Program
> Files is the default place to put applications in Windows.
>
> -David/N9KT

1001. Re: What file should I backup?

Yahoo group: XMLog
Date: 2004-03-08 20:41:58 UTC
From: Mike McAmis
Topic: 997 Message: 1001

Hi Scott - If you want to back up your log files by hand (rather than using the backup feature provided by "Options/Log Backup Options) you only need to save the approprate .log files. The other files that may be useful to backup are mlog.ini (your options settings), and layouts.mdb (if you've defined any custom labels).

Mike - W1ECT

> My log is begining to get quite large and I want to back it up to
> another computer weekly in the case of a crash.
>
> What is the best way to do that> Is the only file that should be
> backed up a .log file?
>
> Thanks
> Scott

1002. Re: [XMLog] Re: Custom layouts tip

Yahoo group: XMLog
Date: 2004-03-08 21:23:09 UTC
From: CyberGeezer
Topic: 996 Message: 1002

> .. By
> deleting an item and adding it again you're changing the
order in
> which the various items are drawn and thereby affecting this
bug.

Interesting!

Just out of curiousity--
--I notice that if I SAVE a layout and then come back into it,
the items list as being sorted on TOP value. I take it that
only affects the order in which they're listed, and not the
order in which they're drawn?

73 de W3 GERry
(fmly W2GER)

1003. Combining XMLog Files

Yahoo group: XMLog
Date: 2004-03-09 01:22:03 UTC
From: br_griffin
Topic: 1003 Message: 1003

Mike is there an easy to combine a temp.log file with your main DXCC log file after you check it? I would have liked to put all my contacts on this last contest in a separate file and then combine it with my permanent file.

Also I tried to make a sub-set of my file by including a range of dates so that I could select all for QSL labels. No matter what I tried with wild card characters it wouldn't work. Example: 03/06-07/04

Burton

1004. Re: [XMLog] Combining XMLog Files

Yahoo group: XMLog
Date: 2004-03-09 01:48:26 UTC
From: CyberGeezer
Topic: 1003 Message: 1004

> Mike is there an easy to combine a temp.log file with your
main DXCC
> log file after you check it? I would have liked to put all
my
> contacts on this last contest in a separate file and then
combine it
> with my permanent file.

You could export the temp file to an ADIF file and then import
that to your permanent file.

> Also I tried to make a sub-set of my file by including a
range of
> dates so that I could select all for QSL labels. No matter
what I
> tried with wild card characters it wouldn't work. Example:
03/06-07/04

This example search key is in the HELP documentation:
>=1/1/88,<=1/31/88 Match dates in Jan 1988

73 de W3 GERry
(fmly W2GER)

1005. Re: [XMLog] Re: Change default path in installer?

Yahoo group: XMLog
Date: 2004-03-09 09:40:25 UTC
From: Dave Sergeant
Topic: 994 Message: 1005

On 8 Mar 2004 at 20:36, Mike McAmis wrote:

> Hi David - I wrote the installer long before the "Program Files"
> folder was the default place to install things. I think it's best to
> keep the old location rather than to try to heuristically to figure
> out which location to use based on any previous XMLog installs.

I am one of those who detest the default for everything to be put into C:/ProgramFiles and usually change it to where I want to put the program. Thankyou Mike for not following the herd.

The same Microsoft mentality causes everybody to put all their documents in MyDocuments where all the viruses and trojans can easily find them....

73 Dave G3YMC

dsergeant@...
http://www.btinternet.com/~dsergeant

1006. Re: [XMLog] Re: What file should I backup?

Yahoo group: XMLog
Date: 2004-03-09 09:40:25 UTC
From: Dave Sergeant
Topic: 997 Message: 1006

On 8 Mar 2004 at 20:41, Mike McAmis wrote:

> Hi Scott - If you want to back up your log files by hand (rather than
> using the backup feature provided by "Options/Log Backup Options) you
> only need to save the approprate .log files. The other files that may
> be useful to backup are mlog.ini (your options settings), and
> layouts.mdb (if you've defined any custom labels).

Note that the .log files although fairly large themselves compress
significantly if you put them into a WinZip .zip file. You can
comfortably keep those on floppy.

73 Dave G3YMC

dsergeant@...
http://www.btinternet.com/~dsergeant

1007. Re: XMlog Problem Loading on Win95

Yahoo group: XMLog
Date: 2004-03-09 12:53:21 UTC
From: br_griffin
Topic: 980 Message: 1007

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Burton, There seems to be some problem with the diskettes created
> using the floppies.bat file. Try this - create a temporary folder
> and copy all the diskettes to that folder and then run setup.exe from
> there. You can delete the temporary folder after the install is
> complete.
>
> Mike - W1ECT
>
> > I cannot load disketts created on my computer running Win98 to a
> > computer running Win95. I get a cannot find file error
> > (c:\windows\temp\msftqws.pdwl\STUNST.EXE) when I insert disk 2. I
> > don't have internet access on the win95 machine. Do I need to
> upgrade
> > to Win98?
> >
> > Burton

Thanks for the quick reply Mike. The problem was a faulty disk #1. I made another copy of the diskettes and it loaded fine. You have created a great program.

Burton - wb6cyk

1008. Re: Combining XMLog Files

Yahoo group: XMLog
Date: 2004-03-09 15:45:45 UTC
From: Mike McAmis
Topic: 1003 Message: 1008

Hi Burton - The best way to combine log files is to export one file as ADIF and then import it into the other file using the appropriate "Import" menu items.

The correct syntax for searching for a range of dates is:

>=03/06/04,<=03/07/04

Check the "Searching the log" section of the help file for more details.

Mike - W1ECT

> Mike is there an easy to combine a temp.log file with your main DXCC
> log file after you check it? I would have liked to put all my
> contacts on this last contest in a separate file and then combine it
> with my permanent file.
>
> Also I tried to make a sub-set of my file by including a range of
> dates so that I could select all for QSL labels. No matter what I
> tried with wild card characters it wouldn't work. Example: 03/06-
07/04
>
> Burton

1010. Re: [XMLog] Notify about your e-mail account utilization.

Yahoo group: XMLog
Date: 2004-03-09 18:20:29 UTC
From: Don Jones
Topic: 1010 Message: 1010

Sounds like a virus in the attachment to me! I hope that no one clicked
on it!

73 - Don N4TN

1011. Re: Combining XMLog Files

Yahoo group: XMLog
Date: 2004-03-09 19:30:08 UTC
From: br_griffin
Topic: 1003 Message: 1011

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Burton - The best way to combine log files is to export one file
> as ADIF and then import it into the other file using the
> appropriate "Import" menu items.
>
> The correct syntax for searching for a range of dates is:
>
> >=03/06/04,<=03/07/04
>
> Check the "Searching the log" section of the help file for more
> details.
>
> Mike - W1ECT
>
> > Mike is there an easy to combine a temp.log file with your main DXCC
> > log file after you check it? I would have liked to put all my
> > contacts on this last contest in a separate file and then combine it
> > with my permanent file.
> >
> > Also I tried to make a sub-set of my file by including a range of
> > dates so that I could select all for QSL labels. No matter what I
> > tried with wild card characters it wouldn't work. Example: 03/06-
> 07/04
> >
> > Burton

Thanks Mike. It worked just like you said. I built some temp files
and practiced. I worked with logical operators in the early 80s
within dBase II and III+, but I guess my senior moments are getting in
the way of logic.

Thanks,

Burton - wb6cyk

1012. Re: Notify about your e-mail account utilization.

Yahoo group: XMLog
Date: 2004-03-09 22:02:44 UTC
From: Mike McAmis
Topic: 1010 Message: 1012

Hi Don, Someone who had my email address in their address book must have been infected with a virus. For the last couple of weeks I've been getting emails from servers letting me know they've blocked my infected emails (which I never sent). I'm sure you noticed we got a couple of bogus messages from w1ect posted here as well. Various virus checkers give my own machine a clean bill of health so I assume some other infected systems have been spoofing my email address.

Mike - W1ECT

> Sounds like a virus in the attachment to me! I hope that no one clicked
> on it!
>
> 73 - Don N4TN

1013. XP and XCW....again :)

Yahoo group: XMLog
Date: 2004-03-24 00:16:07 UTC
From: rcher
Topic: 1013 Message: 1013

I know this issue has been discussed quite alot, but I have an odd situation that I need an answer to. I have been using XMLOG for a couple of years now and love it. My new laptop runs XP Home and has no serial port. I use a Belkin USB/Serial adapter and the log portion works fine with the virtual COM port. I am uanble to get XCW to even load. I get the "usual" error message when I try to start XCW.

All I want to know is if anyone can tell if I can, or how to, get XCW to operate properly with this configuration. I have an interface cable for the LPT port that worked with WIN 98, but XCW won't even load so I cannot say whether the cable will work or not. I'm pretty sure it will work if I can get XCW running.

Am I butting my head up against a wall? I have tried loading XCW without either cable, serial or LPT, connected to the laptop and XCW still won't load. I could sure use some help here. Thanks in advance.

73 de NI5L
Warren Dean
Thatcher, AZ

1014. RE: [XMLog] XP and XCW....again :)

Yahoo group: XMLog
Date: 2004-03-24 00:52:32 UTC
From: Tom Sessions
Topic: 1013 Message: 1014

I struggled with a similar problem for months with XP. Previously I had been using WinME with great results on both XMLog and XCW. But with WinXP I just could not get XCW to work. No one seemed to know the reason why.

One day when I was trying various folder placements of the xcw zip file and the unzipped file thereof- all of a sudden it at last worked! Problem is, I can't remember the details of the success.

So for me, experimenting with various XCW unzipped locations in the mlog folder and subfolders finally got it going. Wish I had kept records of my procedures! However, there are only a few subfolders in mlog.

73/Good Luck
Tom K4RV

----- Original Message -----
From: rcher
To: XMLog@yahoogroups.com
Sent: 3/24/2004 00:20:55
Subject: [XMLog] XP and XCW....again :)

I know this issue has been discussed quite alot, but I have an odd situation that I need an answer to. I have been using XMLOG for a couple of years now and love it. My new laptop runs XP Home and has no serial port. I use a Belkin USB/Serial adapter and the log portion works fine with the virtual COM port. I am uanble to get XCW to even load. I get the "usual" error message when I try to start XCW.

All I want to know is if anyone can tell if I can, or how to, get XCW to operate properly with this configuration. I have an interface cable for the LPT port that worked with WIN 98, but XCW won't even load so I cannot say whether the cable will work or not. I'm pretty sure it will work if I can get XCW running.

Am I butting my head up against a wall? I have tried loading XCW without either cable, serial or LPT, connected to the laptop and XCW still won't load. I could sure use some help here. Thanks in advance.

73 de NI5L
Warren Dean
Thatcher, AZ

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1015. Re: [XMLog] XP and XCW....again :)

Yahoo group: XMLog
Date: 2004-03-24 06:10:29 UTC
From: Warren Dean
Topic: 1013 Message: 1015

Tom,

Thanks for the reply, but I tried and no luck. Maybe you could tell me which folder you put XCW in ... I tried all 2 of them and no luck.

NI5L

[Non-text portions of this message have been removed]

1016. Re: [XMLog] XP and XCW....again :)

Yahoo group: XMLog
Date: 2004-03-24 12:09:01 UTC
From: Tom Sessions
Topic: 1013 Message: 1016

C:\Documents and Settings\Owner\Desktop is where the application file MLOGXCW is located on my C: drive. (MLOGXCW is the application file that runs XCW)Please note that that is the application file itself, not a short cut to it. It somehow got unzipped, or moved, into that directory. I probably was frustrated at the time and wasn't really paying attention to where the zipped file was going!!!

Maybe the key was to NOT zip the original download inot the mlog folder? Maybe?

Hope this helps. Ask again if you want. I remember thre frustration!!! Good luck. Please let mre know what happens.

Tom K4RV

----- Original Message -----
From: Warren Dean
To: XMLog@yahoogroups.com
Sent: 3/24/2004 06:10:43
Subject: Re: [XMLog] XP and XCW....again :)

Tom,

Thanks for the reply, but I tried and no luck. Maybe you could tell me which folder you put XCW in ... I tried all 2 of them and no luck.

NI5L

[Non-text portions of this message have been removed]

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1017. Wheel mouse support?

Yahoo group: XMLog
Date: 2004-03-26 06:19:54 UTC
From: David Spoelstra
Topic: 1017 Message: 1017

First off, thanks for the excellent logging program. 8,000 Qs and still going strong!

Second, I keep wanting to use the wheel on my mouse to scroll up and down through the Spots History page. Is there any possibility that you can put in the support for the wheel on the mouse?

Thanks!
-David/N9KT

1018. Re: [XMLog] Wheel mouse support?

Yahoo group: XMLog
Date: 2004-03-26 07:04:31 UTC
From: N7MAL
Topic: 1017 Message: 1018

My wheel mouse works perfectly. I use Logitech drivers.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: "David Spoelstra" <davids@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, March 26, 2004 6:19 AM
Subject: [XMLog] Wheel mouse support?

First off, thanks for the excellent logging program. 8,000 Qs and
still going strong!

Second, I keep wanting to use the wheel on my mouse to scroll up and
down through the Spots History page. Is there any possibility that
you can put in the support for the wheel on the mouse?

Thanks!
-David/N9KT

Yahoo! Groups Links

1019. Re: Wheel mouse support?

Yahoo group: XMLog
Date: 2004-03-26 22:15:03 UTC
From: David Spoelstra
Topic: 1017 Message: 1019

Mine works fine in the Packet Window, but does nothing in the Spots
History Window. I'm using Logitech also.
-David/N9KT

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@c...> wrote:
> My wheel mouse works perfectly. I use Logitech drivers.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
>
> ----- Original Message -----
> From: "David Spoelstra" <davids@m...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, March 26, 2004 6:19 AM
> Subject: [XMLog] Wheel mouse support?
>
>
> First off, thanks for the excellent logging program. 8,000 Qs and
> still going strong!
>
> Second, I keep wanting to use the wheel on my mouse to scroll up
and
> down through the Spots History page. Is there any possibility
that
> you can put in the support for the wheel on the mouse?
>
> Thanks!
> -David/N9KT
>
>
>
>
>
>
> Yahoo! Groups Links

1020. Re: Wheel mouse support?

Yahoo group: XMLog
Date: 2004-03-28 17:53:38 UTC
From: Mike McAmis
Topic: 1017 Message: 1020

Hi David, Sounds like a good idea - I'll take a look.

Mike - W1ECT

> Mine works fine in the Packet Window, but does nothing in the Spots
> History Window. I'm using Logitech also.
> -David/N9KT

1021. Re: Alaska counties

Yahoo group: XMLog
Date: 2004-03-29 22:10:41 UTC
From: Mike McAmis
Topic: 854 Message: 1021

Hello County Hunters - I've just posted the latest beta version of XMLog (version 4.72) at www.xmlog.com/beta which now recognizes either county names or region names for the county field for Alaskan QSOs. For purposes of County Tracking reports counties automatically get mapped to the appropriate region.

Mike - W1ECT

1022. Re: Wheel mouse support?

Yahoo group: XMLog
Date: 2004-03-30 05:18:45 UTC
From: David Spoelstra
Topic: 1017 Message: 1022

Works great in the new version! Thanks!
-David/N9KT

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi David, Sounds like a good idea - I'll take a look.
>
> Mike - W1ECT
>
> > Mine works fine in the Packet Window, but does nothing in the
Spots
> > History Window. I'm using Logitech also.
> > -David/N9KT

1023. Worked All Rhode Island Award

Yahoo group: XMLog
Date: 2004-03-30 21:23:21 UTC
From: kb1jct
Topic: 1023 Message: 1023

Just wanted to let you guys know about a new award sponsored by my
local radio club. It's the Worked All Rhode Island award. You can
find info on it at http://www.wa1rr.org

Jay
AJ1M

1024. Feature request

Yahoo group: XMLog
Date: 2004-03-31 21:21:24 UTC
From: David Spoelstra
Topic: 871 Message: 1024

Since my last request got granted, I'm asking for more! ;-)

1. Can you put wheel mouse support in the help files?
2. I'm constantly looking up how to do wildcard searches in the help files. It seems to me that this feature warrants its own help menu item or at least a tab in the Shortcuts Guide?

-David/N9KT

1025. Feature request

Yahoo group: XMLog
Date: 2004-03-31 20:14:31 UTC
From: David Spoelstra
Topic: 871 Message: 1025

Since my last request worked, I'm asking for more! ;-)

1. Can you put wheel mouse support in the help files?
2. I'm always going to the help to figure out how to do a
sophisticated wildcard search. It seems to me that this information
is important enough to warrant it's own menu item in the help menu or
at least it's own tab in the Shortcut Guide.

-David/N9KT

1026. CW @ character

Yahoo group: XMLog
Date: 2004-04-02 05:23:42 UTC
From: David Spoelstra
Topic: 1026 Message: 1026

It was bound to happen. A guy asked for my email address in CW and I happen to be using the keyboard mode in XMLog. Trying to be cool, I used the new @ character in my email address. To my dismay, it sent SK!

Well, the @ character is really new, and I should have guessed it wasn't implemented yet.

If we want to use the new @ character, we will have to redefine the current @ character which sends SK. I looked through all the CW charts, and it looks like * is not defined in CW and is not used for something else in XMLog.

I propose that we make @ be the new @ character (.--.-.) and redefine SK to be *. (BTW, an easy way to remember the @ character is AC - it looks like an A inside a C.)

Of course, this is just a request. I fully understand if you don't want to go to all the work to implement the @ character.

Thanks again for an awesome logging program. I use it everyday!
-David/N9KT

1027. Re: CW @ character

Yahoo group: XMLog
Date: 2004-04-02 15:35:19 UTC
From: Craig - N7OR
Topic: 1026 Message: 1027

On the rare occasion that I have wanted to send my email address in CW, I think I just sent AT (.- -) Shorter, and I know the other guy knew what I meant. I'm not saying Mike should not support the new character, but how many people you send it to would even know what it is? Just some random thoughts :-)

73, N7OR

--- In XMLog@yahoogroups.com, "David Spoelstra" <davids@m...> wrote:
> It was bound to happen. A guy asked for my email address in CW and I
> happen to be using the keyboard mode in XMLog. Trying to be cool, I
> used the new @ character in my email address. To my dismay, it sent
> SK!
>
> Well, the @ character is really new, and I should have guessed it
> wasn't implemented yet.
>
> If we want to use the new @ character, we will have to redefine the
> current @ character which sends SK. I looked through all the CW
> charts, and it looks like * is not defined in CW and is not used for
> something else in XMLog.
>
> I propose that we make @ be the new @ character (.--.-.) and redefine
> SK to be *. (BTW, an easy way to remember the @ character is AC - it
> looks like an A inside a C.)
>
> Of course, this is just a request. I fully understand if you don't
> want to go to all the work to implement the @ character.
>
> Thanks again for an awesome logging program. I use it everyday!
> -David/N9KT

1028. Re: CW @ character

Yahoo group: XMLog
Date: 2004-04-02 15:37:09 UTC
From: Mike McAmis
Topic: 1026 Message: 1028

Hi David - There wasn't a defined CW sequence for @ when I was
picking chararaters to represent CW prosigns. I guess I'll have to
pick something else for SK and add the new defintion for @. Always a
bit reluctant to make an incompatible change.

Mike - W1ECT

> It was bound to happen. A guy asked for my email address in CW and
I
> happen to be using the keyboard mode in XMLog. Trying to be cool,
I
> used the new @ character in my email address. To my dismay, it
sent
> SK!
>
> Well, the @ character is really new, and I should have guessed it
> wasn't implemented yet.
>
> If we want to use the new @ character, we will have to redefine the
> current @ character which sends SK. I looked through all the CW
> charts, and it looks like * is not defined in CW and is not used
for
> something else in XMLog.
>
> I propose that we make @ be the new @ character (.--.-.) and
redefine
> SK to be *. (BTW, an easy way to remember the @ character is AC -
it
> looks like an A inside a C.)
>
> Of course, this is just a request. I fully understand if you don't
> want to go to all the work to implement the @ character.
>
> Thanks again for an awesome logging program. I use it everyday!
> -David/N9KT

1029. Re: Feature request

Yahoo group: XMLog
Date: 2004-04-02 14:57:34 UTC
From: Mike McAmis
Topic: 871 Message: 1029

Hi David - I don't have any control of whether the mouse wheel scrolls the help info, the app that displays the help comes with Windows (and the wheel works on my system)

Mike - W1ECT

> 1. Can you put wheel mouse support in the help files?
> 2. I'm always going to the help to figure out how to do a
> sophisticated wildcard search. It seems to me that this information
> is important enough to warrant it's own menu item in the help menu or
> at least it's own tab in the Shortcut Guide.
>
> -David/N9KT

1030. Re: CW @ character

Yahoo group: XMLog
Date: 2004-04-02 21:45:09 UTC
From: David Spoelstra
Topic: 1026 Message: 1030

Hey Mike!
Yea, I know @ is new. As far as picking something else for SK, like I said in my email, I seached all the CW tables, and it looks like * would be the best for SK.
-David/N9KT

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi David - There wasn't a defined CW sequence for @ when I was
> picking chararaters to represent CW prosigns. I guess I'll have to
> pick something else for SK and add the new defintion for @. Always a
> bit reluctant to make an incompatible change.
>
> Mike - W1ECT
>
> > It was bound to happen. A guy asked for my email address in CW and
> I
> > happen to be using the keyboard mode in XMLog. Trying to be cool,
> I
> > used the new @ character in my email address. To my dismay, it
> sent
> > SK!
> >
> > Well, the @ character is really new, and I should have guessed it
> > wasn't implemented yet.
> >
> > If we want to use the new @ character, we will have to redefine the
> > current @ character which sends SK. I looked through all the CW
> > charts, and it looks like * is not defined in CW and is not used
> for
> > something else in XMLog.
> >
> > I propose that we make @ be the new @ character (.--.-.) and
> redefine
> > SK to be *. (BTW, an easy way to remember the @ character is AC -
> it
> > looks like an A inside a C.)
> >
> > Of course, this is just a request. I fully understand if you

don't
> > want to go to all the work to implement the @ character.
> >
> > Thanks again for an awesome logging program. I use it everyday!
> > -David/N9KT

1031. Fw: hacker

Yahoo group: XMLog
Date: 2004-04-04 06:31:56 UTC
From: N7MAL
Topic: 1031 Message: 1031

I received an alert from yahoo that some bozo/moron had hacked into my account and turned off everything, including my lists and sports. You might want to check your yahoo settings. Good Luck

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

[Non-text portions of this message have been removed]

1032. alerts

Yahoo group: XMLog
Date: 2004-04-03 23:58:14 UTC
From: Darrel Baxter
Topic: 1032 Message: 1032

While in the packet window is there some way to get an
alert for a specify callsign even though I may have
worked the country on the band of the alert?

I collect prefixes and expeditions also use special
calls at times.

Thanks

Darrel - WD8ANZ

Do you Yahoo!?
Yahoo! Small Business $15K Web Design Giveaway
http://promotions.yahoo.com/design_giveaway/

1033. CW in Windows XP

Yahoo group: XMLog
Date: 2004-04-04 16:23:01 UTC
From: Kevin Nathan
Topic: 1033 Message: 1033

Hi All,

I recently upgraded my computer system and am now running Windows XP Home edition. When I set up XMlog on it I got a shock when I tried to run my CW port as lpt1. Apparently Windows XP won't allow such use of the parallel port. I am already tying up com1 with my TNC and I am using a USB to serial conversion cable to run the radio from XMlog and this identified itself as com4 on installation. Can anyone suggest a solution here. If I run another USB to serial cable will I have IRQ problems or are those a thing of the past?

Thanks much for any suggestions and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1034. Re: alerts

Yahoo group: XMLog
Date: 2004-04-04 16:10:50 UTC
From: Mike McAmis
Topic: 1032 Message: 1034

Hi Darrel - Sorry, the alerts are strictly based on the DXCC need status.

Mike - W1ECT

> While in the packet window is there some way to get an
> alert for a specify callsign even though I may have
> worked the country on the band of the alert?
>
> I collect prefixes and expeditions also use special
> calls at times.
>
> Thanks
>
> Darrel - WD8ANZ

1035. Re: CW in Windows XP - Adding serial ports

Yahoo group: XMLog
Date: 2004-04-04 17:11:58 UTC
From: Mike McAmis
Topic: 1033 Message: 1035

Hi Kevin - I actually had no problems installing a 2-port PCI serial card under XP. I used a:

http://www.lavalink.com/products/serial/prod_dserial_pci.html

and I think these guys make a 4-port version as well. Other folk have used multi-port usb->serial adapters and may be able to give you some advice there.

Mike - W1ECT

> Hi All,
>
> I recently upgraded my computer system and am now running Windows XP Home
> edition. When I set up XMlog on it I got a shock when I tried to run my CW
> port as lpt1. Apparently Windows XP won't allow such use of the parallel
> port. I am already tying up com1 with my TNC and I am using a USB to serial
> conversion cable to run the radio from XMlog and this identified itself as
> com4 on installation. Can anyone suggest a solution here. If I run another
> USB to serial cable will I have IRQ problems or are those a thing of the
> past?
>
> Thanks much for any suggestions and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
>
> [Non-text portions of this message have been removed]

1036. RE: [XMLog] Re: CW in Windows XP - Adding serial ports

Yahoo group: XMLog
Date: 2004-04-04 17:18:13 UTC
From: Kevin Nathan
Topic: 1033 Message: 1036

Thanks a bunch Mike. I appreciate it. Very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

1037. CW @ character

Yahoo group: XMLog
Date: 2004-04-06 01:18:45 UTC
From: David Spoelstra
Topic: 1026 Message: 1037

Mike-

Just tested the new version, and it works like a champ! Thanks!

As a reminder, you may want to upgrade xcw (if you are keeping it current) to match XMLog.

Thanks again! You're the greatest!

-David/N9KT

1038. Selecting /narrowing entries for uploading to LotW

Yahoo group: XMLog
Date: 2004-04-10 03:48:28 UTC
From: k0amznco
Topic: 1038 Message: 1038

Is there a way to select a range of dates to convert to adif for
uploading to either e-qsl or LotW without uploading the whole log??
Thank you.

1039. Re: Selecting /narrowing entries for uploading to LotW

Yahoo group: XMLog
Date: 2004-04-10 07:03:05 UTC
From: David Spoelstra
Topic: 1038 Message: 1039

In the Search mode, put something like:

>=1/1/88,<=1/31/88

in the Date field. This string means greater than or equal to 1/1/88
and less than or equal to 1/31/88. In other words, it matches the
month of January 1988. You can find further search info in the help
menu. Now click the Search button.

XMLog will now show the matches to your search. Now
choose "Import/Export" in the menu bar, then "Export ADIF File" and
select "Currently selected log entries" in the popup dialog.

-David/N9KT

--- In XMLog@yahoogroups.com, "k0amznco" <K0AMZ@j...> wrote:
> Is there a way to select a range of dates to convert to adif for
> uploading to either e-qsl or LotW without uploading the whole log??
> Thank you.

1040. Rig response.... too short

Yahoo group: XMLog
Date: 2004-04-18 00:27:30 UTC
From: Bill - K2UFC
Topic: 1040 Message: 1040

Tell me I missed something simple....
Have XMLog at 4.69 and TenTec Argo 516 at 1.07 and can't get them to talk to each other on any function I try.

Configured XMLog default for TenTec 516 and my com3 serial port for 8bits,none and one and consistently get, even for setting frequency from rig, "Rig response for GetMode too short, received 3, expected 4"

Tried Master reset on 516 with no success...

Any thoughts??

73, Bill K2UFC

1041. Re: Rig response.... too short

Yahoo group: XMLog
Date: 2004-04-18 22:10:04 UTC
From: Mike McAmis
Topic: 1040 Message: 1041

Hi Bill, The Argonaut-II is supposed to use the ICOM rig control commands so I'm not sure what the problem is. Perhaps it doesn't follow the specs 100%? Try this, go to the "Options/Log Options" menu and temporarily change your callsign to RIGDEBUG then do something simple like right-click on the Frequency field of a new log entry and pick the "Get Frequency from Rig" menu item. Let me know what commands/responses get displayed.

Mike - W1ECT

> Tell me I missed something simple....
> Have XMLog at 4.69 and TenTec Argo 516 at 1.07 and can't get them to
> talk to each other on any function I try.
>
> Configured XMLog default for TenTec 516 and my com3 serial port for
> 8bits,none and one and consistently get, even for setting frequency
> from rig, "Rig response for GetMode too short, received 3, expected 4"
>
> Tried Master reset on 516 with no success...
>
> Any thoughts??
>
> 73, Bill K2UFC

1042. Re: [XMLog] Re: Rig response.... too short

Yahoo group: XMLog
Date: 2004-04-20 03:46:07 UTC
From: k2ufc@earthlink.net
Topic: 1040 Message: 1042

Thanks Mike:
(this is an Argonaut V)
Changed my call to RIGDEBUG
did ctrl-a
right key on frequency 'get freq from rig' which returned
hex: 3F 4D 0D
string: ?M
(click OK)
000: 3F 4D 0D
000: 063 077 013
(click OK)
"RIG GET MODE
RIG RESPONSE FOR GET MODE TOO SHORT,...
RECEIVED 3, EXPECTED 4"

back to you Mike..

tnx Bill, k2ufc
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, April 18, 2004 15:10
Subject: [XMLog] Re: Rig response.... too short

Hi Bill, The Argonaut-II is supposed to use the ICOM rig control commands so I'm not sure what the problem is. Perhaps it doesn't follow the specs 100%? Try this, go to the "Options/Log Options" menu and temporarily change your callsign to RIGDEBUG then do something simple like right-click on the Frequency field of a new log entry and pick the "Get Frequency from Rig" menu item. Let me know what commands/responses get displayed.

Mike - W1ECT

> Tell me I missed something simple....
> Have XMLog at 4.69 and TenTec Argo 516 at 1.07 and can't get them to
> talk to each other on any function I try.
>
> Configured XMLog default for TenTec 516 and my com3 serial port for
> 8bits,none and one and consistently get, even for setting frequency
> from rig, "Rig response for GetMode too short, received 3, expected 4"
>
> Tried Master reset on 516 with no success...
>

> Any thoughts??
>
> 73, Bill K2UFC

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1043. pagian en espaniol

Yahoo group: XMLog
Date: 2004-04-19 22:52:52 UTC
From: Ricardo Paul Escobar
Topic: 1043 Message: 1043

favor indicarme si hay una pagina en espaniol

Saludos

HC7AE

http://www.latinmail.com - La forma más cómoda de enviar y recibir tus e-mails

[Non-text portions of this message have been removed]

1044. Re: Rig response.... too short

Yahoo group: XMLog
Date: 2004-04-20 15:46:12 UTC
From: Mike McAmis
Topic: 1040 Message: 1044

OK Bill - First, XMLog always gets the mode+frequency when doing a rig query so that's why you see the "Get Mode" info first after doing the "Get Freq from Rig" request. The command being sent is the correct one for the Argonaut-V and it's interesting that the command just seems to be being echoed back. Are you sure your cable is set up properly? Have you tried using some other program to control your rig?

Mike - W1ECT

> Thanks Mike:
> (this is an Argonaut V)
> Changed my call to RIGDEBUG
> did ctrl-a
> right key on frequency 'get freq from rig' which returned
> hex: 3F 4D 0D
> string: ?M
> (click OK)
> 000: 3F 4D 0D
> 000: 063 077 013
> (click OK)
> "RIG GET MODE
> RIG RESPONSE FOR GET MODE TOO SHORT,...
> RECEIVED 3, EXPECTED 4"
>
> back to you Mike..
>
> tnx Bill, k2ufc

1045. Re: [XMLog] Re: Rig response.... too short

Yahoo group: XMLog
Date: 2004-04-20 20:15:58 UTC
From: k2ufc@earthlink.net
Topic: 1040 Message: 1045

Sorry Mike...
I told you it was something simple (stupid)... trying to use the same I/O port as PCMCIA modem on com3... switched to com1 and got conflict with tnc, but resolved... thanks again !

73,
Bill
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Tuesday, April 20, 2004 08:46
Subject: [XMLog] Re: Rig response.... too short

OK Bill - First, XMLog always gets the mode+frequency when doing a rig query so that's why you see the "Get Mode" info first after doing the "Get Freq from Rig" request. The command being sent is the correct one for the Argonaut-V and it's interesting that the command just seems to be being echoed back. Are you sure your cable is set up properly? Have you tried using some other program to control your rig?

Mike - W1ECT

> Thanks Mike:
> (this is an Argonaut V)
> Changed my call to RIGDEBUG
> did ctrl-a
> right key on frequency 'get freq from rig' which returned
> hex: 3F 4D 0D
> string: ?M
> (click OK)
> 000: 3F 4D 0D
> 000: 063 077 013
> (click OK)
> "RIG GET MODE
> RIG RESPONSE FOR GET MODE TOO SHORT,...
> RECEIVED 3, EXPECTED 4"
>
> back to you Mike..
>
> tnx Bill, k2ufc

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1046. Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-21 21:49:56 UTC
From: Mike McAmis
Topic: 1046 Message: 1046

Several people have asked for a way to display a list of previous QSOs with calls that match the currently displayed call in the log window. The latest beta version available at www.xmlog.com/beta has a new menu item "Display/Show QSOs Window" that displays a new window that shows a list of all QSOs that match the currently displayed callsign. This list is automatically updated when a new log entry is displayed or the currently displayed call is edited.

You can double-click on any entry in the list to move to the corresponding log entry.

The format for the info is the same as the QSOs list displayed in the Callbook Lookup window.

Let me know what you think.

Mike - W1ECT

1047. Re: [XMLog] Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-21 22:11:58 UTC
From: litwins
Topic: 1046 Message: 1047

Hi Mike;
I must be out in left field...
I am using v.5.35. If I left click the call window in the log page it will give me a list of prev Qs for that call. Then if I click one of the list it will take me to that Q-page...what is different abt what u just said?
steve, k8wk
****
----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, April 21, 2004 4:49 PM
Subject: [XMLog] Display/Show QSOs Window

> Several people have asked for a way to display a list of previous
> QSOs with calls that match the currently displayed call in the log
> window. The latest beta version available at www.xmlog.com/beta has
> a new menu item "Display/Show QSOs Window" that displays a new window
> that shows a list of all QSOs that match the currently displayed
> callsign. This list is automatically updated when a new log entry is
> displayed or the currently displayed call is edited.
>
> You can double-click on any entry in the list to move to the
> corresponding log entry.
>
> The format for the info is the same as the QSOs list displayed in the
> Callbook Lookup window.
>
> Let me know what you think.
>
> Mike - W1ECT
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1048. Re: [XMLog] Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-21 22:21:33 UTC
From: N7MAL
Topic: 1046 Message: 1048

I'm totally confused. I thought we have had that feature all along. I left click on a call and it displays all the previous QSO's. What am I not understanding.?. I'm using a very old version 4.64.
TKS

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Wednesday, April 21, 2004 9:49 PM
Subject: [XMLog] Display/Show QSOs Window

Several people have asked for a way to display a list of previous QSOs with calls that match the currently displayed call in the log window. The latest beta version available at www.xmlog.com/beta has a new menu item "Display/Show QSOs Window" that displays a new window that shows a list of all QSOs that match the currently displayed callsign. This list is automatically updated when a new log entry is displayed or the currently displayed call is edited.

You can double-click on any entry in the list to move to the corresponding log entry.

The format for the info is the same as the QSOs list displayed in the Callbook Lookup window.

Let me know what you think.

Mike - W1ECT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1049. Re: [XMLog] Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-21 22:29:23 UTC
From: litwins
Topic: 1046 Message: 1049

Yup...just sent a msg to Mike to that effect. I have 4.35...even older than urs and it does that feature fb...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, April 21, 2004 5:21 PM
Subject: Re: [XMLog] Display/Show QSOs Window

> I'm totally confused. I thought we have had that feature all along. I left click on a call and it displays all the previous QSO's. What am I not understanding.?. I'm using a very old version 4.64.
> TKS
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Wednesday, April 21, 2004 9:49 PM
> Subject: [XMLog] Display/Show QSOs Window
>
>
> Several people have asked for a way to display a list of previous
> QSOs with calls that match the currently displayed call in the log
> window. The latest beta version available at www.xmlog.com/beta has
> a new menu item "Display/Show QSOs Window" that displays a new window
> that shows a list of all QSOs that match the currently displayed
> callsign. This list is automatically updated when a new log entry is
> displayed or the currently displayed call is edited.
>
> You can double-click on any entry in the list to move to the
> corresponding log entry.
>
> The format for the info is the same as the QSOs list displayed in the
> Callbook Lookup window.
>
> Let me know what you think.
>
> Mike - W1ECT
>
>

>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1050. Re: [XMLog] pagian en espaniol

Yahoo group: XMLog
Date: 2004-04-22 07:52:05 UTC
From: Mike Schrody KD7TKQ
Topic: 1043 Message: 1050

I didn't see any response to that... he's asking if there's a page in
Spanish (presumably for XMLog).

--- visit http://www.afterburnaudio.com - quality CD duplication from 50
cents a disc!

----- Original Message -----
From: "Ricardo Paul Escobar" <hc7ae@...>
To: <xmlog@yahoogroups.com>
Sent: Monday, April 19, 2004 3:52 PM
Subject: [XMLog] pagian en espaniol

favor indicarme si hay una pagina en espaniol

Saludos

HC7AE

http://www.latinmail.com - La forma m?s c?moda de enviar y recibir tus
e-mails

[Non-text portions of this message have been removed]

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.648 / Virus Database: 415 - Release Date: 4/1/2004

1051. Re: Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-22 13:22:43 UTC
From: Mike McAmis
Topic: 1046 Message: 1051

OK Guys here's the difference. This new window lingers around and
the entries displayed in it are automatically updated to display the
appropriate QSOs whenever the call in the main log window changes.
No clicking or menu selections, etc., are required.

Mike - W1ECT
>
> I'm totally confused. I thought we have had that feature all along.
I left
> click on a call and it displays all the previous QSO's. What am I
not
> understanding.?. I'm using a very old version 4.64.

1052. Re: [XMLog] Re: Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-22 14:33:28 UTC
From: litwins
Topic: 1046 Message: 1052

Oh...I see...kinda like a permanent pop-up or a lingering
history...interesting...73/dx
steve, k8wk
****
----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, April 22, 2004 8:22 AM
Subject: [XMLog] Re: Display/Show QSOs Window

> OK Guys here's the difference. This new window lingers around and
> the entries displayed in it are automatically updated to display the
> appropriate QSOs whenever the call in the main log window changes.
> No clicking or menu selections, etc., are required.
>
> Mike - W1ECT
> >
> > I'm totally confused. I thought we have had that feature all along.
> I left
> > click on a call and it displays all the previous QSO's. What am I
> not
> > understanding.?. I'm using a very old version 4.64.
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1053. Re: [XMLog] Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-23 13:50:35 UTC
From: CyberGeezer
Topic: 1046 Message: 1053

> Several people have asked for a way to display a list of
previous
> QSOs with calls that match the currently displayed call in
the log
> window. The latest beta version available at
www.xmlog.com/beta has
> a new menu item "Display/Show QSOs Window" that displays a
new window
> that shows a list of all QSOs that match the currently
displayed
> callsign. This list is automatically updated when a new log
entry is
> displayed or the currently displayed call is edited.

Thanks, Mike!!

A great convenience to have that window there all the time
with no need to left-click or anything!!

73 de W3GERry
ex W2GER

1054. Re: [XMLog] Display/Show QSOs Window

Yahoo group: XMLog
Date: 2004-04-23 14:24:26 UTC
From: CyberGeezer
Topic: 1046 Message: 1054

> I'm totally confused. I thought we have had that feature all
along. I left click on a call and it displays all the previous
QSO's. What am I not understanding.?.

That if you've invoked this new feature it displays that
WITHOUT your left-clicking.

73 de W3GERry

1055. Help

Yahoo group: XMLog
Date: 2004-04-23 12:25:26 UTC
From: tom.dixon
Topic: 1055 Message: 1055

Hello to all readers
This is my first posting or call for help.
I have just spent a couple of hours playing with this program. From what I can see and make of it I think it will do me just fine.
What I need help on is that I cannot figure out how to save the information in the log program. I open new logs and entered the information of my contacts etc however I can find a save button or anything that looks like a save button. Any help would be greatly appreciated.

Tom Dixon
zl2hgr@...
IRLP 6931

[Non-text portions of this message have been removed]

1056. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2004-04-23 15:10:04 UTC
From: litwins
Topic: 1055 Message: 1056

Tom;
Just hit the enter key when u are done with the Q info and that's all there
is to it...73/dx
steve, k8wk
****
----- Original Message -----
From: "tom.dixon" <tom.dixon@...>
To: "Xmlog " <xmlog@yahoogroups.com>
Sent: Friday, April 23, 2004 7:25 AM
Subject: [XMLog] Help

> Hello to all readers
> This is my first posting or call for help.
> I have just spent a couple of hours playing with this program. From what
> I can see and make of it I think it will do me just fine.
> What I need help on is that I cannot figure out how to save the
> information in the log program. I open new logs and entered the
> information of my contacts etc however I can find a save button or
> anything that looks like a save button. Any help would be greatly
> appreciated.
>
>
> Tom Dixon
> zl2hgr@...
> IRLP 6931
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1057. Re: splitting log

Yahoo group: XMLog
Date: 2004-04-23 16:23:10 UTC
From: k0amznco
Topic: 935 Message: 1057

--- In XMLog@yahoogroups.com, "CyberGeezer" <CyberGeezer74@h...>
wrote:
> > Is it possible to delete a range of qso's from xm log?? I
> need to
> > delete a date range due to receiving my new call in December
> ..
>
> You could SELECT the entries you want to delete by, say, doing
> a search with a search key of >12/01/03 in the date field.
> [While they're selected, you might want to export them to an
> ADIF file if you have any use for them.]
> Then, on the EDIT menu, click DELETE SELECTED ENTRIES, and
> they'll be deleted from your log file.
>
> 73 de W2 GERry
Thank you, that saves a lot of time.

73's de K0AMZ

1058. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2004-04-24 15:27:35 UTC
From: CyberGeezer
Topic: 1055 Message: 1058

> ... how to save the
> information in the log program. ...

It's saved automatically

> .... I open new logs ...

I can only conjecture that perhaps you misconstrue the meaning
of "old" and "new" logs-- in the command "OPEN OLD LOG" the
"old" mustn't be taken too literally, but simply means "open
existing log".

In other words--
--let's say you create a new log named MYLOG and make some
entries to it;
--those entries are automatically saved in MYLOG.LOG. You can
just exit XMLog without any overt "save" operation.
--next time you enter XMLog, open MYLOG with the OPEN OLD LOG
command, and there will be your entries!

Or did I misapprehend your question?
73 de W3 GERry

1059. Delays on this reflector

Yahoo group: XMLog
Date: 2004-04-24 15:36:05 UTC
From: CyberGeezer
Topic: 1059 Message: 1059

Several times in the past few days I've seen replies to questions, and I don't receive the original post containing the question until hours (sometimes MANY hours) later.

I'm accessing the list via email, rather than directly on the YAHOO site-- could that have something to do with these delays?

73 de W3GERry

1060. Re: Help

Yahoo group: XMLog
Date: 2004-04-25 17:54:53 UTC
From: Mike McAmis
Topic: 1055 Message: 1060

Hi Tom, As soon as log entries are entered or edited the changes are applied to the log file - no explicit "Save" is required.

Mike - W1ECT

> Hello to all readers
> This is my first posting or call for help.
> I have just spent a couple of hours playing with this program. From what
> I can see and make of it I think it will do me just fine.
> What I need help on is that I cannot figure out how to save the
> information in the log program. I open new logs and entered the
> information of my contacts etc however I can find a save button or
> anything that looks like a save button. Any help would be greatly
> appreciated.
>
>
> Tom Dixon
> zl2hgr@x...
> IRLP 6931
>
>
>
> [Non-text portions of this message have been removed]

1061. Award tracking options "stuck" in v4.75??

Yahoo group: XMLog
Date: 2004-04-28 21:56:31 UTC
From: CyberGeezer
Topic: 1061 Message: 1061

Switched recently to v4.75 and very happy with the past QSOs window!!

Whenever I enter XMlog it's displaying award tracking, though I have this deselected on the OPTIONS/LOG OPTIONS menu.

Since I have
ALWAYS SHOW QSO INFO FIELDS
and
ALWAYS SHOW ADDRESS FIELDS
selected, the unwanted award tracking fields make the window too long for my screen and I can't see the SELECT button.

To get rid of award tracking I click OPTIONS/LOG OPTIONS, and then click SAVE despite not having changed anything.

73 de W3GERry
ex W2GER

1062. Re: [XMLog] Award tracking options "stuck" in v4.75??

Yahoo group: XMLog
Date: 2004-04-28 23:24:19 UTC
From: D.W. Jones
Topic: 1061 Message: 1062

Gerry -

You can beat this rap by not checking ANY of the three "Always show..."
options under
log options. Doesn't seem logical but it works for me - that is, with
all 3 unchecked,
XMLOG comes up with only the 'QSO Info' panel displayed. (4.75)

73 - Don Jones N4TN

CyberGeezer wrote:

> Switched recently to v4.75 and very happy with the past QSOs
> window!!
>
> Whenever I enter XMlog it's displaying award tracking, though
> I have this deselected on the OPTIONS/LOG OPTIONS menu.
>
> Since I have
> ALWAYS SHOW QSO INFO FIELDS
> and
> ALWAYS SHOW ADDRESS FIELDS
> selected, the unwanted award tracking fields make the window
> too long for my screen and I can't see the SELECT button.
>
> To get rid of award tracking I click OPTIONS/LOG OPTIONS, and
> then click SAVE despite not having changed anything.
>
> 73 de W3GERry
> ex W2GER

1063. Re: Award tracking options "stuck" in v4.75??

Yahoo group: XMLog
Date: 2004-04-29 13:45:37 UTC
From: Mike McAmis
Topic: 1061 Message: 1063

Hi Gerry - I'll check this out and get back to you...

Mike - W1ECT

> Switched recently to v4.75 and very happy with the past QSOs
> window!!
>
> Whenever I enter XMlog it's displaying award tracking, though
> I have this deselected on the OPTIONS/LOG OPTIONS menu.
>
> Since I have
> ALWAYS SHOW QSO INFO FIELDS
> and
> ALWAYS SHOW ADDRESS FIELDS
> selected, the unwanted award tracking fields make the window
> too long for my screen and I can't see the SELECT button.
>
> To get rid of award tracking I click OPTIONS/LOG OPTIONS, and
> then click SAVE despite not having changed anything.
>
> 73 de W3GERry
> ex W2GER

1064. DX Alerts Announced as Data

Yahoo group: XMLog
Date: 2004-04-30 13:23:52 UTC
From: W3OA
Topic: 1064 Message: 1064

What are the criteria used to differentiate data spots from CW spots?

Is there a way for users to change the criteria, such as frequency range, etc?

73 - Dick, W3OA

1065. Re: DX Alerts Announced as Data

Yahoo group: XMLog
Date: 2004-04-30 13:57:40 UTC
From: Mike McAmis
Topic: 1064 Message: 1065

Hi Dick, XMlog checks the spot comment for a mention of the mode like RTTY, PSK, etc. The only way you might influence this action would be to define a custom data mode using "Edit/Define Custom Mode" but this would only help if new modes are being mentioned.

Mike - W1ECT

> What are the criteria used to differentiate data spots from CW spots? Is there a way for users to change the criteria, such as frequency range, etc?
>
> 73 - Dick, W3OA

1066. Logging trouble, cant find the stop button

Yahoo group: XMLog
Date: 2004-05-01 22:14:20 UTC
From: ac6wq
Topic: 1066 Message: 1066

When I enter the QSO info into the log window, I can't find the STOP button to add the QSO info into the log. Is it possible that its at the very bottom of the page and I cant see it on my screen? I got the rig control and all other features set up OK in minutes. Thanks in advance....Rob WA6RE

1067. Re: Logging trouble, cant find the stop button

Yahoo group: XMLog
Date: 2004-05-02 14:26:22 UTC
From: Mike McAmis
Topic: 1066 Message: 1067

Hi Rob - Just use the OK button to add the QSO.

Mike - W1ECT

> When I enter the QSO info into the log window, I can't find the
STOP
> button to add the QSO info into the log. Is it possible that its at
> the very bottom of the page and I cant see it on my screen? I got
the
> rig control and all other features set up OK in minutes. Thanks in
> advance....Rob WA6RE

1068. Re: Award tracking options "stuck" in v4.75??

Yahoo group: XMLog
Date: 2004-05-02 14:43:09 UTC
From: Mike McAmis
Topic: 1061 Message: 1068

Hi Gerry - Seems as though the advice to unset all the "Always Show" options is the way to deal with this problem. There are two ways you can get in the situation where all three groups of info (QSO Info, Address, and Awards) are showing resulting in a window so tall it extends past the bottom of your screen. 1) If you pick "Always Show" for two groups while the third group is showing this will result in all three being displayed. 2) If you pick "Always Show" for two groups and then select the "Show" button on the lower left of the screen this results in all three groups being displayed.

If you can't fit all three groups on your screen at once you should only pick one "Always Show" option. (Or increase your screen resolution!).

Mike - W1ECT

> Switched recently to v4.75 and very happy with the past QSOs
> window!!
>
> Whenever I enter XMlog it's displaying award tracking, though
> I have this deselected on the OPTIONS/LOG OPTIONS menu.
>
> Since I have
> ALWAYS SHOW QSO INFO FIELDS
> and
> ALWAYS SHOW ADDRESS FIELDS
> selected, the unwanted award tracking fields make the window
> too long for my screen and I can't see the SELECT button.
>
> To get rid of award tracking I click OPTIONS/LOG OPTIONS, and
> then click SAVE despite not having changed anything.
>
> 73 de W3GERry
> ex W2GER

1069. Re: [XMLog] Re: Award tracking options "stuck" in v4.75??

Yahoo group: XMLog
Date: 2004-05-04 16:10:18 UTC
From: CyberGeezer
Topic: 1061 Message: 1069

> Hi Gerry - Seems as though the advice to unset all the
"Always Show"
> options is the way to deal with this problem. There are two
ways you
> can get in the situation where all three groups of info (QSO
Info,
> Address, and Awards) are showing resulting in a window so
tall it
> extends past the bottom of your screen. 1) If you pick
"Always Show"
> for two groups while the third group is showing this will
result in
> all three being displayed. 2) If you pick "Always Show" for
two
> groups and then select the "Show" button on the lower left
of the
> screen this results in all three groups being displayed.

Yeah, but--

--I don't do either of those;

--I didn't experience the problem until I got v4.75.

73 de W3GERry

1070. [XMLog] Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-17 08:33:04 UTC
From: Mark Marsden
Topic: 529 Message: 1070

Hi Mike & group

I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.

XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)

Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.

73 Mark G4AXX

1071. Re: [XMLog] Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-17 08:43:43 UTC
From: N7MAL
Topic: 529 Message: 1071

CT Version 10 is a special monster. The CT web-site will tell you CT 10's file system is completely different than any previous versions. Your best bet is to download the new C2A file, from the CT site, and convert your CT files to ADIF and then import them as an ADIF file. I've been doing it and it works just fine.
Good Luck.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Mark Marsden
To: m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:33 AM
Subject: [XMLog] Re: New to group + question

Hi Mike & group

I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.

XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)

Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.

73 Mark G4AXX

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1072. Re: [XMLog] Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-17 08:55:27 UTC
From: Mark Marsden
Topic: 529 Message: 1072

Mal

Thanks for the advice. I've been using C2A to create ADI files successfully. C2A works on the .BIN files, unfortunately some of my CT.BIN files were inadvertantly overwritten, and all I have to work with from these logs are the RES files. (To make matters worse CT's R2B10.EXE, the RES to BIN convertor v10, does not work.

73 Mark G4AXX

>>> n7mal@... 17/05/04 09:43:43 >>>
CT Version 10 is a special monster. The CT web-site will tell you CT 10's file system is completely different than any previous versions. Your best bet is to download the new C2A file, from the CT site, and convert your CT files to ADIF and then import them as an ADIF file. I've been doing it and it works just fine.
Good Luck.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Mark Marsden
To: m.mcamis@valley.net ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:33 AM
Subject: [XMLog] Re: New to group + question

Hi Mike & group

I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.

XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)

Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.

73 Mark G4AXX

1073. Re: [XMLog] Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-17 09:18:59 UTC
From: N7MAL
Topic: 529 Message: 1073

OK if you're having problems with a CT utility contact: Jim Reisert AD1C
E-mail Address(es): jjreisert@...
He's responsible for almost all the CT utilities and has been since the very first CT version back in the late 80's.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: Mark Marsden
To: n7mal@... ; m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:55 AM
Subject: Re: [XMLog] Re: New to group + question

Mal

Thanks for the advice. I've been using C2A to create ADI files successfully. C2A works on the .BIN files, unfortunately some of my CT.BIN files were inadvertantly overwritten, and all I have to work with from these logs are the RES files. (To make matters worse CT's R2B10.EXE, the RES to BIN convertor v10, does not work.

73 Mark G4AXX

>>> n7mal@... 17/05/04 09:43:43 >>>
CT Version 10 is a special monster. The CT web-site will tell you CT 10's file system is completely different than any previous versions. Your best bet is to download the new C2A file, from the CT site, and convert your CT files to ADIF and then import them as an ADIF file. I've been doing it and it works just fine.
Good Luck.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Mark Marsden
To: m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:33 AM
Subject: [XMLog] Re: New to group + question

Hi Mike & group

I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.

XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)

Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.

73 Mark G4AXX

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1074. Re: [XMLog] Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-17 09:37:27 UTC
From: Mark Marsden
Topic: 529 Message: 1074

Mal

Yes thank you, I am in contact with Jim about CT's problems.

Back to the subject, XMlog 469, has a problem importing CT v10 RES files?

73 Mark G4AXX

>>> "N7MAL" <n7mal@...> 17/05/04 10:18:59 >>>
OK if you're having problems with a CT utility contact: Jim Reisert AD1C
E-mail Address(es): jjreisert@...
He's responsible for almost all the CT utilities and has been since the very first CT version back in the late 80's.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: Mark Marsden
To: n7mal@... ; m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:55 AM
Subject: Re: [XMLog] Re: New to group + question

Mal

Thanks for the advice. I've been using C2A to create ADI files successfully. C2A works on the .BIN files, unfortunately some of my CT.BIN files were inadvertantly overwritten, and all I have to work with from these logs are the RES files. (To make matters worse CT's R2B10.EXE, the RES to BIN convertor v10, does not work.

73 Mark G4AXX

>>> n7mal@... 17/05/04 09:43:43 >>>
CT Version 10 is a special monster. The CT web-site will tell you CT 10's file system is completely different than any previous versions. Your best bet is to download the new C2A file, from the CT site, and convert your CT files to ADIF and then import them as an ADIF file. I've been doing it and it works just fine.
Good Luck.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Mark Marsden

To: m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:33 AM
Subject: [XMLog] Re: New to group + question

Hi Mike & group

I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.

XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)

Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.

73 Mark G4AXX

1075. Re: [XMLog] Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-18 00:25:33 UTC
From: N7MAL
Topic: 529 Message: 1075

OK back to my original response. My, educated, guess would be the CT 10 RES file would be radically different also because of the additional fields, and reorganizing the old fields. I have not seen an announcement from 'Mike' that he has done anything with the new CT 10 RES file.
Good Luck
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: Mark Marsden
To: n7mal@... ; m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 9:37 AM
Subject: Re: [XMLog] Re: New to group + question

Mal

Yes thank you, I am in contact with Jim about CT's problems.

Back to the subject, XMlog 469, has a problem importing CT v10 RES files?

73 Mark G4AXX

>>> "N7MAL" <n7mal@...> 17/05/04 10:18:59 >>>
OK if you're having problems with a CT utility contact: Jim Reisert AD1C
E-mail Address(es): jjreisert@...
He's responsible for almost all the CT utilities and has been since the very first CT version back in the late 80's.

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: Mark Marsden
To: n7mal@... ; m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:55 AM
Subject: Re: [XMLog] Re: New to group + question

Mal

Thanks for the advice. I've been using C2A to create ADI files successfully. C2A works on the .BIN files, unfortunately some of my CT.BIN files were inadvertantly overwritten, and all I have to work with from these logs are the RES files. (To make matters worse CT's

R2B10.EXE, the RES to BIN convertor v10, does not work.

73 Mark G4AXX

>>> n7mal@... 17/05/04 09:43:43 >>>
CT Version 10 is a special monster. The CT web-site will tell you CT 10's file system is completely different than any previous versions. Your best bet is to download the new C2A file, from the CT site, and convert your CT files to ADIF and then import them as an ADIF file. I've been doing it and it works just fine.
Good Luck.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Mark Marsden
To: m.mcamis@... ; XMLog@yahoogroups.com
Sent: Monday, May 17, 2004 8:33 AM
Subject: [XMLog] Re: New to group + question

Hi Mike & group

I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.

XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)

Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.

73 Mark G4AXX

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1076. Re: New to group + question

Yahoo group: XMLog
Date: 2004-05-18 14:34:35 UTC
From: Mike McAmis
Topic: 529 Message: 1076

Hi Mark, The best bet is to use C2A and then do an ADIF import. But I'd like to take a look at the file as well - send it to me (m.mcamis@...) as an e-mail attacthment.

Mike - W1ECT

> Hi Mike & group
>
> I'm having problems importing CT.RES files into XMlog. The .RES files are from CTWin 10.01.003, the XMlog version is 469 & the OS is Win XP.
>
> XMlog imports the correct number of QSOs but the fields are messed up. The dates are wrong, the frequency is either ? or 144.000 and CW reports are 59 (not 599)
>
> Could it be that XMlog is expecting a CT v9 RES format? Any help would most welcome.
>
> 73 Mark G4AXX

1077. #him?

Yahoo group: XMLog
Date: 2004-05-20 06:27:10 UTC
From: John - KI4RO
Topic: 1077 Message: 1077

Okay, I just worked CT3FT on 30m so I want to share my good fortune with others on the cluster after I have him in my log. I have set the Shift F1 key for:

DX #freq #him

The command picks up the freq okay, but no callsign or something completely off the wall. What am I doing wrong?

73
John - KI4RO

[Non-text portions of this message have been removed]

1078. Re: #him?

Yahoo group: XMLog
Date: 2004-05-20 13:31:31 UTC
From: Mike McAmis
Topic: 1077 Message: 1078

Hi John, There are several ways to set #him, the easiest way is to just single-click on a call in the packet window or you can explicitly set it using "Edit/Set #him".

Mike - W1ECT

> Okay, I just worked CT3FT on 30m so I want to share my good fortune with others on the cluster after I have him in my log. I have set the Shift F1 key for:
>
> DX #freq #him
>
> The command picks up the freq okay, but no callsign or something completely off the wall. What am I doing wrong?
>
> 73
> John - KI4RO

1079. #him? & answer

Yahoo group: XMLog
Date: 2004-05-20 20:09:53 UTC
From: John P Smith
Topic: 1079 Message: 1079

I figured it out by digging a little deeper into the help file. Instead of using #him, I am now using #logcall which will pick up the entry for the dx station from my log entry and send that out....pretty cool!

73
John - KI4RO

Do you Yahoo!?
Yahoo! Domains - Claim yours for only $14.70/year

[Non-text portions of this message have been removed]

1080. Re: [XMLog] Digest Number 450

Yahoo group: XMLog
Date: 2004-05-21 18:28:14 UTC
From: John P Smith
Topic: 1080 Message: 1080

There are 2 messages in this issue.

Topics in this digest:

1. Re: #him?
From: "Mike McAmis"
2. #him? & answer
From: John P Smith

Message: 1
Date: Thu, 20 May 2004 13:31:31 -0000
From: "Mike McAmis"
Subject: Re: #him?

Hi John, There are several ways to set #him, the easiest way is to
just single-click on a call in the packet window or you can
explicitly set it using "Edit/Set #him".

Mike - W1ECT

> Okay, I just worked CT3FT on 30m so I want to share my good fortune
with others on the cluster after I have him in my log. I have set
the Shift F1 key for:
>
> DX #freq #him
>
> The command picks up the freq okay, but no callsign or something
completely off the wall. What am I doing wrong?
>
> 73
> John - KI4RO

Message: 2
Date: Thu, 20 May 2004 13:09:53 -0700 (PDT)
From: John P Smith
Subject: #him? & answer

I figured it out by digging a little deeper into the help file. Instead of using #him, I am now using #logcall which will pick up the entry for the dx station from my log entry and send that out....pretty cool!

73
John - KI4RO

Do you Yahoo!?
Yahoo! Domains - Claim yours for only $14.70/year

[Non-text portions of this message have been removed]

Yahoo! Groups Links

Hi Mike,

Actually I am the one who wants to put the spot out for the first time so I need to pick it up from the log window. I think I've figured it out...if it doesn't work, I'll be back hi hi

73

John

Do you Yahoo!?
Yahoo! Domains - Claim yours for only $14.70/year

[Non-text portions of this message have been removed]

1081. Re: Help

Yahoo group: XMLog
Date: 2004-05-26 07:06:31 UTC
From: Ed
Topic: 1055 Message: 1081

Hi Tom

Be careful not to use the [Stop]-Button instead of the [Add]-Button
to save new log entries, as the [Stop]-Button works like a "[Cancel]"-
Button and all the data you just entered is lost.

Enjoy XMLog as I do!

73, HB9MTN/5B4AGV, Ed

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Tom, As soon as log entries are entered or edited the changes
are
> applied to the log file - no explicit "Save" is required.
>
> Mike - W1ECT
>
> > Hello to all readers
> > This is my first posting or call for help.
> > I have just spent a couple of hours playing with this program.
From
> what
> > I can see and make of it I think it will do me just fine.
> > What I need help on is that I cannot figure out how to save the
> > information in the log program. I open new logs and entered the
> > information of my contacts etc however I can find a save button or
> > anything that looks like a save button. Any help would be greatly
> > appreciated.
> >
> >
> > Tom Dixon
> > zl2hgr@x
> > IRLP 6931
> >
> >
> >
> > [Non-text portions of this message have been removed]

1082. new users problem with KAM (kantronics) connections

Yahoo group: XMLog
Date: 2004-05-28 22:16:01 UTC
From: photoin_dino
Topic: 1082 Message: 1082

Hi to all I'm Italian I have download XMLOG very wonderful log I 've convert my old log(logvrr Dos) and all it' s fine .
But I don't be able to make the NOD file for connect with KAM (kantronics) and radio in vhf mode .
2 question .... it's possible with XMLOG??
and someone knows the parameters (if the first question yes)for make my NOD file .
Thank 's to all
And I'm wait all you in 6 meter .
IW9HHH Dino Lapaglia
Sicily Island
ITALY
73'

1083. Re: [XMLog] Digest Number 453

Yahoo group: XMLog
Date: 2004-05-30 01:09:09 UTC
From: John P Smith
Topic: 1083 Message: 1083

Hi Dino,
I am using an MFJ 1274 TNC. I assume it would probably operate in a similar manner as your TNC.
The thing I always forget is to put the TNC in command mode before I run my NOD file. Maybe that is what is happening to you.

Here is a copy of my file:

send c dxc-7

match help >

send sh/u

match Z >

send sh/ww

match Z >

send show/dx

match Z >

send di/o

Hope this is of some help to you.

XMLog@yahoogroups.com wrote:

There is 1 message in this issue.

Topics in this digest:

1. new users problem with KAM (kantronics) connections
From: "photoin_dino"

Message: 1
Date: Fri, 28 May 2004 22:16:01 -0000
From: "photoin_dino"
Subject: new users problem with KAM (kantronics) connections

Hi to all I'm Italian I have download XMLOG very wonderful log I 've convert my old log(logvrr Dos) and all it' s fine .
But I don't be able to make the NOD file for connect with KAM (kantronics) and radio in vhf mode .

2 question .... it's possible with XMLOG??
and someone knows the parameters (if the first question yes)for make
my NOD file .
Thank 's to all
And I'm wait all you in 6 meter .
IW9HHH Dino Lapaglia
Sicily Island
ITALY
73'

Yahoo! Groups Links

73
John - KI4RO
http:\\www.qsl.net\ki4ro
If you see a snake, just kill it. Don't appoint a committee on snakes. - H. Ross Perot

---
Do you Yahoo!?
Friends. Fun. Try the all-new Yahoo! Messenger

[Non-text portions of this message have been removed]

1084. Quick question from a relatively new user.

Yahoo group: XMLog
Date: 2004-05-31 01:46:50 UTC
From: jon_knodel
Topic: 1084 Message: 1084

Hello all,

I have been using XMLog for the past few months and have been entering all of my old contacts (from the past 13 years) into the log. I would just like to say that this is by far, the best logging program that I have found so far. It is exactly what I have been looking for in a logbook. My only question is...is there a limit to the number of log entries you can make in one file? Ideally, I would like to enter EVERY contact that I have logged on paper into one XMLog file. I'm sure this will be thousands (tens of thousands?) contacts and I would just like to know if the program can support this many entries in one file. I would greatly appreciate any help I can get on this. Thank you very much.

Jon, N7XW

1085. Re: Quick question from a relatively new user.

Yahoo group: XMLog
Date: 2004-05-31 15:41:04 UTC
From: Mike McAmis
Topic: 1084 Message: 1085

Hi Jon, XMLog use Microsoft Access databases to store log entries so there's no practical limit. I've seen logs with 85,000 entries that work fine.

Mike - W1ECT

> Hello all,
>
> I have been using XMLog for the past few months and have been
> entering all of my old contacts (from the past 13 years) into the
> log. I would just like to say that this is by far, the best
logging
> program that I have found so far. It is exactly what I have been
> looking for in a logbook. My only question is...is there a limit
to
> the number of log entries you can make in one file? Ideally, I
would
> like to enter EVERY contact that I have logged on paper into one
> XMLog file. I'm sure this will be thousands (tens of thousands?)
> contacts and I would just like to know if the program can support
> this many entries in one file. I would greatly appreciate any help
I
> can get on this. Thank you very much.
>
> Jon, N7XW

1086. Current date and time feature?

Yahoo group: XMLog
Date: 2004-06-01 00:45:23 UTC
From: David Spoelstra
Topic: 1086 Message: 1086

Once again, thanks for a great program!

I convinced my club to use XMLog this past weekend for a special event. Everyone loved it except for one thing that I wonder if you might consider adding.

We used the defaults for time, date, frequency, and mode. That way we only had to type in the callsigns.

The problem comes when you are running stations. When you are working them fast and furious, you just type in the callsign and hit enter - everything is fine. However, if five minutes goes by and you enter the callsign and *forget to update the time*, then it logs the QSO as happening five minutes previously.

What we need is a "set the time and date when you enter the QSO into the log" feature.

-David/N9KT

1087. Re: Quick question from a relatively new user.

Yahoo group: XMLog
Date: 2004-06-01 04:05:09 UTC
From: jon_knodel
Topic: 1084 Message: 1087

Thanks for the answer Mike, and thank you for a great program. I really appreciate it.

Jon, N7XW

1088. Re: Current date and time feature?

Yahoo group: XMLog
Date: 2004-06-01 15:21:57 UTC
From: Mike McAmis
Topic: 1086 Message: 1088

Hi Jon - Thanks for the compliments but I must admit there are lots of reasons that XMLog isn't an ideal contest logger. Most XMLog users (including myself) use some other program (WriteLog, CT, or N1MM logger which is freeware) and then move the QSOs over to their log file using ADIF. This is probably the best strategy regardless of the program you use to do your day-to-day logging.

Mike - W1ECT

> Once again, thanks for a great program!
>
> I convinced my club to use XMLog this past weekend for a special
> event. Everyone loved it except for one thing that I wonder if you
> might consider adding.
>
> We used the defaults for time, date, frequency, and mode. That way
> we only had to type in the callsigns.
>
> The problem comes when you are running stations. When you are
> working them fast and furious, you just type in the callsign and
hit
> enter - everything is fine. However, if five minutes goes by and
> you enter the callsign and *forget to update the time*, then it
logs
> the QSO as happening five minutes previously.
>
> What we need is a "set the time and date when you enter the QSO
into
> the log" feature.
>
> -David/N9KT

1089. Re: [XMLog] Digest Number 456

Yahoo group: XMLog
Date: 2004-06-02 14:29:42 UTC
From: John P Smith
Topic: 1089 Message: 1089

Just click on the time box and it will update.

73
John KI4RO

XMLog@yahoogroups.com wrote:

There are 3 messages in this issue.

Topics in this digest:

1. Current date and time feature?
From: "David Spoelstra"
2. Re: Quick question from a relatively new user.
From: "jon_knodel"
3. Re: Current date and time feature?
From: "Mike McAmis"

Message: 1
Date: Tue, 01 Jun 2004 00:45:23 -0000
From: "David Spoelstra"
Subject: Current date and time feature?

Once again, thanks for a great program!

I convinced my club to use XMLog this past weekend for a special
event. Everyone loved it except for one thing that I wonder if you
might consider adding.

We used the defaults for time, date, frequency, and mode. That way
we only had to type in the callsigns.

The problem comes when you are running stations. When you are
working them fast and furious, you just type in the callsign and hit
enter - everything is fine. However, if five minutes goes by and
you enter the callsign and *forget to update the time*, then it logs
the QSO as happening five minutes previously.

What we need is a "set the time and date when you enter the QSO into
the log" feature.

-David/N9KT

Message: 2
Date: Tue, 01 Jun 2004 04:05:09 -0000
From: "jon_knodel"
Subject: Re: Quick question from a relatively new user.

Thanks for the answer Mike, and thank you for a great program. I
really appreciate it.

Jon, N7XW

Message: 3
Date: Tue, 01 Jun 2004 15:21:57 -0000
From: "Mike McAmis"
Subject: Re: Current date and time feature?

Hi Jon - Thanks for the compliments but I must admit there are lots
of reasons that XMLog isn't an ideal contest logger. Most XMLog
users (including myself) use some other program (WriteLog, CT, or
N1MM logger which is freeware) and then move the QSOs over to their
log file using ADIF. This is probably the best strategy regardless
of the program you use to do your day-to-day logging.

Mike - W1ECT

> Once again, thanks for a great program!
>
> I convinced my club to use XMLog this past weekend for a special
> event. Everyone loved it except for one thing that I wonder if you
> might consider adding.
>
> We used the defaults for time, date, frequency, and mode. That way
> we only had to type in the callsigns.
>
> The problem comes when you are running stations. When you are
> working them fast and furious, you just type in the callsign and
hit
> enter - everything is fine. However, if five minutes goes by and
> you enter the callsign and *forget to update the time*, then it
logs
> the QSO as happening five minutes previously.
>
> What we need is a "set the time and date when you enter the QSO
into
> the log" feature.
>
> -David/N9KT

Yahoo! Groups Links

73
John - KI4RO
http:\\www.qsl.net\ki4ro
If you see a snake, just kill it. Don't appoint a committee on snakes. - H. Ross Perot

---
Do you Yahoo!?
Friends. Fun. Try the all-new Yahoo! Messenger

[Non-text portions of this message have been removed]

1090. Steppir Antenna Interface - Feature request?

Yahoo group: XMLog
Date: 2004-06-04 03:27:00 UTC
From: Dave Quick
Topic: 1090 Message: 1090

Has anyone ever used XMLog interfaced with a Steppir antenna?

When you double-click on a DX spot in XMLog the program sends a command to the rig to QSY but never polls the radio for frequency data.

According to Steppir's documentation, the Steppir control box only listens to data from the radio, not commands send to the radio. Is it possible to configure XMLog to poll the radio so the Steppir will adust itself to match the frequency of the rig, or is this a feature that that W1ECT would have to add?

1091. More publicity for XMLog!

Yahoo group: XMLog
Date: 2004-06-04 20:02:01 UTC
From: David Spoelstra
Topic: 1091 Message: 1091

Hey Mike!

I know a lot of people are using the ADIF output of XMLog to upload
to eQSL. But I notice on the eQSL page:
http://www.eqsl.cc/qslcard/ADIFLoggerInfo.cfm
that XMLog is credited with zero records (I know I've uploaded
17,000)!

So, I sent them an email to ask why. Here's what I got back:

Hello David,

Look on this page: http://www.eqsl.cc/qslcard/ADIFContentSpecs.cfm

If the ADIF tag "LOG_PGM" or "PROGRAMID" is found in the header, and
matches the name we have in our database (in other words, an exact
match
with what is in the Software Title column of
http://www.eqsl.cc/qslcard/ADIFLoggerInfo.cfm), then stats will be
accumulated.

73,
Dave Morris, N5UP
Webmaster, eQSL.cc

So, it looks like the next time you are messing in the ADIF code, if
you add:

<LOG_PGM:5>XMLog

or

<PROGRAMID:5>XMLog

then eQSL will start gathering upload statistics for XMLog and XMLog
can get it's just due!

-David/N9KT

1092. Re: More publicity for XMLog!

Yahoo group: XMLog
Date: 2004-06-05 09:21:33 UTC
From: David Spoelstra
Topic: 1091 Message: 1092

In looking over version 2 of the ADIF spec at:
http://www.eqsl.cc/qslcard/ADIF2Spec.pdf
it looks like you should use:
<PROGRAMID:5>XMLog
-David/N9KT

--- In XMLog@yahoogroups.com, "David Spoelstra" <davids@m...> wrote:
> Hey Mike!
>
> I know a lot of people are using the ADIF output of XMLog to
upload
> to eQSL. But I notice on the eQSL page:
> http://www.eqsl.cc/qslcard/ADIFLoggerInfo.cfm
> that XMLog is credited with zero records (I know I've uploaded
> 17,000)!
>
> So, I sent them an email to ask why. Here's what I got back:
>
> Hello David,
>
> Look on this page: http://www.eqsl.cc/qslcard/ADIFContentSpecs.cfm
>
> If the ADIF tag "LOG_PGM" or "PROGRAMID" is found in the header,
and
> matches the name we have in our database (in other words, an exact
> match
> with what is in the Software Title column of
> http://www.eqsl.cc/qslcard/ADIFLoggerInfo.cfm), then stats will be
> accumulated.
>
> 73,
> Dave Morris, N5UP
> Webmaster, eQSL.cc
>
> So, it looks like the next time you are messing in the ADIF code,
if
> you add:
>
> <LOG_PGM:5>XMLog
>
> or
>
> <PROGRAMID:5>XMLog
>
> then eQSL will start gathering upload statistics for XMLog and

XMLog
> can get it's just due!
>
> -David/N9KT

1093. Re: More publicity for XMLog!

Yahoo group: XMLog
Date: 2004-06-07 17:14:28 UTC
From: Mike McAmis
Topic: 1091 Message: 1093

Hi David, Actually the PROGRAMID tag is new to version 2 of ADIF which isn't officially accepted yet. They've been haggling for quite a while without voting to approve this new version. There was (still is?) some disagreement as to whether a tag like PROGRAMID should be within the header (before the EOH tag) or after. If they ever approve the spec I'll change my current header to comply.

Mike - W1ECT

> Hey Mike!
>
> I know a lot of people are using the ADIF output of XMLog to upload
> to eQSL. But I notice on the eQSL page:
> http://www.eqsl.cc/qslcard/ADIFLoggerInfo.cfm
> that XMLog is credited with zero records (I know I've uploaded
> 17,000)!
>
> So, I sent them an email to ask why. Here's what I got back:
>
> Hello David,
>
> Look on this page: http://www.eqsl.cc/qslcard/ADIFContentSpecs.cfm
>
> If the ADIF tag "LOG_PGM" or "PROGRAMID" is found in the header,
and
> matches the name we have in our database (in other words, an exact
> match
> with what is in the Software Title column of
> http://www.eqsl.cc/qslcard/ADIFLoggerInfo.cfm), then stats will be
> accumulated.
>
> 73,
> Dave Morris, N5UP
> Webmaster, eQSL.cc

1094. Re: Steppir Antenna Interface - Feature request?

Yahoo group: XMLog
Date: 2004-06-07 17:23:20 UTC
From: Mike McAmis
Topic: 1090 Message: 1094

Hi Dave, As you might expect XMLog can get the frequency/mode from the rig when creating new log entries but it also polls the rig when setting memory buttons from the packet window. Try this:
Enable "Edit/Memory Buttons" and the set a memory button by right-clicking on it and then choosing "Rig -> Memory".

Mike - W1ECT

> Has anyone ever used XMLog interfaced with a Steppir antenna?
>
> When you double-click on a DX spot in XMLog the program sends a
> command to the rig to QSY but never polls the radio for frequency
> data.
>
> According to Steppir's documentation, the Steppir control box only
> listens to data from the radio, not commands send to the radio. Is
it
> possible to configure XMLog to poll the radio so the Steppir will
> adust itself to match the frequency of the rig, or is this a
feature
> that that W1ECT would have to add?

1095. Re: Steppir Antenna Interface - Feature request?

Yahoo group: XMLog
Date: 2004-06-10 01:37:32 UTC
From: Dave Quick
Topic: 1090 Message: 1095

Mike;

Yes, thank you, that works. I set a button to a frequency and when XMLog polls the rig the Steppir controller "hears" the rig's reply and adjusts itself to be resonant at that frequency.

My feature request is that XMLog do the same thing, poll the rig, when I double-click on a spot in the spots map. That way when I start a new log entry from a DX spot the rig and the antenna will both QSY to the correct frequency.

I should clarify: The controller for the Steppir antenna can only listen for data sent by the rig. It won't act on commands sent by a logging program to the rig, and the controller can't poll the rig itself. My PC, rig, and the Steppir controller are connected together through a serial "Y" adapter.

Thanks for you help, Mike. You're doing a great job. XMLog is fantastic!

frequency --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Dave, As you might expect XMLog can get the frequency/mode from
> the rig when creating new log entries but it also polls the rig
when
> setting memory buttons from the packet window. Try this:
> Enable "Edit/Memory Buttons" and the set a memory button by right-
> clicking on it and then choosing "Rig -> Memory".
>
> Mike - W1ECT
>
> > Has anyone ever used XMLog interfaced with a Steppir antenna?
> >
> > When you double-click on a DX spot in XMLog the program sends a
> > command to the rig to QSY but never polls the radio for frequency
> > data.
> >
> > According to Steppir's documentation, the Steppir control box
only
> > listens to data from the radio, not commands send to the radio.
Is
> it
> > possible to configure XMLog to poll the radio so the Steppir will
> > adust itself to match the frequency of the rig, or is this a
> feature
> > that that W1ECT would have to add?

1096. Log install

Yahoo group: XMLog
Date: 2004-06-11 12:11:31 UTC
From: Phillip Buckholdt
Topic: 1096 Message: 1096

Hi All

I installed XMlog yesterday but, the installation stopped when the
installer could'nt find DAO.msi file. I clicked on cancel several times and
installation finished.
Now when I start XMLog the installer starts and asks for path to
DAO.msi When I click cancel XMLog starts normally.
What is DAO.msi ? I've searched the computer for such a file and the
search comes up empty. Also, I have had several crashes of XMLog.
Anyone have any ideas ?

73 Phil

1097. Re: Log install

Yahoo group: XMLog
Date: 2004-06-11 15:13:55 UTC
From: Mike McAmis
Topic: 1096 Message: 1097

Hi Phil, XMLog doesn't try to install this file. I did some web searching using Google and found this interesting note under in the FAQ page for VQLog:

A) This is due to a corrupted installation of Office-2000, even if Office-2000 seems to work OK for you. DAO components are installed also by Office although they are not used unless you access a database from Word / Excel, what is posible but not very usual.

Some ways to fix the problem:

First try selecting "Help - Detect & repair" menu option in any Office-2000 application (let's say Word or Excel) so that Office installer can try to fix the problem.
If this fails, the other option is to use the Windows Installer cleanup utility (msiccu.exe) than you can download from Microsoft (http://support.microsoft.com/support/kb/articles/Q238/4/13.asp)
If this also fails the last chance would be obviusly to completly uninstall Office-2000 and install it again. But I would try first the other two options.

Mike - W1ECT

> Hi All
>
> I installed XMlog yesterday but, the installation stopped when
the
> installer could'nt find DAO.msi file. I clicked on cancel several
times and
> installation finished.
> Now when I start XMLog the installer starts and asks for path
to
> DAO.msi When I click cancel XMLog starts normally.
> What is DAO.msi ? I've searched the computer for such a file
and the
> search comes up empty. Also, I have had several crashes of XMLog.
> Anyone have any ideas ?
>
> 73 Phil

1098. Re: Steppir Antenna Interface - Feature request?

Yahoo group: XMLog
Date: 2004-06-11 15:21:07 UTC
From: Mike McAmis
Topic: 1090 Message: 1098

Hi Dave - XMLog will poll the rig for the frequency and/or mode when creating new log entries if:

1) You double-click on the frequency and/or mode fields of the new entry.

2) You right-click on the frequency and/or mode fields of the new entry and choose "Get mode (or freq) from rig".

3) You select the "Edit/Edit Defaults for New Entries" menu item and enable the "Get Mode (and/or Get Frequency) from Rig" option. Then select the "Edit/Use Defaults for New Entries" menu item to enable the default values.

Mike - W1ECT

1099. Version 4.78 to become "standard" version

Yahoo group: XMLog
Date: 2004-06-14 17:04:53 UTC
From: Mike McAmis
Topic: 1099 Message: 1099

Hi, I hope to make the current beta version, 4.78, the standard version soon. If you would like to try it or see a list of changes check www.xmlog.com/beta

Mike - W1ECT

1100. cm searches don't work in V4.78

Yahoo group: XMLog
Date: 2004-06-22 04:22:45 UTC
From: David Spoelstra
Topic: 1100 Message: 1100

When I do a frequency search using any band designation in the "cm"
bands such as 125cm, it doesn't work in V4.87.
-David, N9KT

1101. Re: cm searches don't work in V4.78

Yahoo group: XMLog
Date: 2004-06-22 21:41:23 UTC
From: Mike McAmis
Topic: 1100 Message: 1101

Hi David, I've found the problem and I'll post a fixed version (4.79) as the "standard" version in www.xmlog.com next week. For the time being you should be able to enter the cm in upper case (125CM) and it should work ok.

Mike - W1ECT

> When I do a frequency search using any band designation in the "cm"
> bands such as 125cm, it doesn't work in V4.78.
> -David, N9KT

1102. Re: [XMLog] Version 4.78 to become "standard" version

Yahoo group: XMLog
Date: 2004-06-22 21:52:34 UTC
From: N7MAL
Topic: 1099 Message: 1102

Hi Mike: the new version works just fine except it got hung up on the changes intro. Not a big deal and was easy to get 'un-stuck'. I'm using 98SE and have had this problem before with mlog. F.Y.I. only.
73

MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, June 14, 2004 5:04 PM
Subject: [XMLog] Version 4.78 to become "standard" version

Hi, I hope to make the current beta version, 4.78, the standard
version soon. If you would like to try it or see a list of changes
check www.xmlog.com/beta

Mike - W1ECT

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1103. Re: cm searches don't work in V4.78

Yahoo group: XMLog
Date: 2004-06-23 07:45:56 UTC
From: David Spoelstra
Topic: 1100 Message: 1103

Thanks Mike! You are the best. By the way, we used XMLog at W9IMS to log 6,000 QSOs during the Indy 500 and U.S. Grand Prix Special Events. We plan to mention XMLog on the 4 sided QSL cards (a different one for each event). You can read about the event at http://www.qrz.com/w9ims
-David, N9KT

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi David, I've found the problem and I'll post a fixed version (4.79)
> as the "standard" version in www.xmlog.com next week. For the time
> being you should be able to enter the cm in upper case (125CM) and it
> should work ok.
>
> Mike - W1ECT
>
> > When I do a frequency search using any band designation in the "cm"
> > bands such as 125cm, it doesn't work in V4.78.
> > -David, N9KT

1104. I need 2m and 70cm band.

Yahoo group: XMLog
Date: 2004-07-23 09:56:17 UTC
From: Eugenio
Topic: 1104 Message: 1104

Hello. I am Spanish, and i don't speak good english, excuse me.

I need 2m and 70cm band, because i work in VHF and UHF, but xmlog not have this freq. The message from XMLog is: "Frequency must be 0-30000.000, use ? for unknown"

The new version of XMLog have VHF/UHF for QSO and DX log?

Thanks for all.

Note: I am very happy with XMLog and is very good. ;-)

1105. Re: [XMLog] I need 2m and 70cm band.

Yahoo group: XMLog
Date: 2004-07-23 14:55:30 UTC
From: GERry
Topic: 1104 Message: 1105

> The new version of XMLog have VHF/UHF for QSO and DX log?

All version have it. Enter the frequency in MegaHertz (e.g.,
144 or 147.030).

Although you may enter "2m" as a search key, you may not enter
it as a QSO frequency.

73 de W3GERry

1106. Re: I need 2m and 70cm band.

Yahoo group: XMLog
Date: 2004-07-23 15:08:19 UTC
From: Mike McAmis
Topic: 1104 Message: 1106

Hi, The frequency is given in mHz so frequencies like 146.52 or
444.95 should work...

Mike - W1ECT

> Hello. I am Spanish, and i don't speak good english, excuse me.
>
> I need 2m and 70cm band, because i work in VHF and UHF, but xmlog
not
> have this freq. The message from XMLog is: "Frequency must be
> 0-30000.000, use ? for unknown"
>
> The new version of XMLog have VHF/UHF for QSO and DX log?
>
> Thanks for all.
>
> Note: I am very happy with XMLog and is very good. ;-)

1107. Feature request

Yahoo group: XMLog
Date: 2004-07-26 13:07:59 UTC
From: Dan Shepherd
Topic: 871 Message: 1107

Hello Mike,
First off, thanks for the great support and the great program. I have over 14K worth of QSO's in the log and it works fantastic.

Would it be doable in a future release to include 2M in the Award tracking for WAS?

Thanks es 73
Dan, N8IE

Do you Yahoo!?
Yahoo! Mail is new and improved - Check it out!
http://promotions.yahoo.com/new_mail

1108. Re: Feature request

Yahoo group: XMLog
Date: 2004-07-26 23:22:36 UTC
From: Mike McAmis
Topic: 871 Message: 1108

Hi Dan, Didn't realize that you could get a 2m WAS endorsement - sounds like quite a challange. I'll add that to the to-do list but it won't show up in the near future (it's a bit of a pain to add new bands to the awards tracking code).

Mike - W1ECT

> Hello Mike,
> First off, thanks for the great support and the great
> program. I have over 14K worth of QSO's in the log and
> it works fantastic.
>
> Would it be doable in a future release to include 2M
> in the Award tracking for WAS?
>
> Thanks es 73
> Dan, N8IE
>
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail is new and improved - Check it out!
> http://promotions.yahoo.com/new_mail

1109. Re: [XMLog] Re: Feature request

Yahoo group: XMLog
Date: 2004-07-27 11:41:19 UTC
From: Dan Shepherd
Topic: 871 Message: 1109

Hello Mike,

The ARRL has a bunch of specialty awards in the WAS program, OSCAR Satellite, SSTV, RTTY, 144 MHz, 432 MHz, 222 MHz, 50 MHz, 160 meters and Digital modes. These are endorsements in addition to the normal WAS and 5-Band WAS.

Thanks for considering it and for your great support!

73
Dan, N8IE

--- Mike McAmis <m.mcamis@...> wrote:

> Hi Dan, Didn't realize that you could get a 2m WAS
> endorsement -
> sounds like quite a challange. I'll add that to the
> to-do list but
> it won't show up in the near future (it's a bit of a
> pain to add new
> bands to the awards tracking code).
>
> Mike - W1ECT
>
> > Hello Mike,
> > First off, thanks for the great support and the
> great
> > program. I have over 14K worth of QSO's in the log
> and
> > it works fantastic.
> >
> > Would it be doable in a future release to include
> 2M
> > in the Award tracking for WAS?
> >
> > Thanks es 73
> > Dan, N8IE
> >
> >
> >
> > _____
> > Do you Yahoo!?
> > Yahoo! Mail is new and improved - Check it out!
> > http://promotions.yahoo.com/new_mail
>

>

Do you Yahoo!?
New and Improved Yahoo! Mail - Send 10MB messages!
http://promotions.yahoo.com/new_mail

1110. Re: new users problem with KAM (kantronics) connections

Yahoo group: XMLog
Date: 2004-07-31 15:20:27 UTC
From: ldavidll
Topic: 1082 Message: 1110

Ciao Dino,

I have a KAM linked to my local DX Cluster via VHF Radio and working well with XMLog. This is a separate VHF radio, not my main transceiver.
If you look at the *.NOD files in your XMLog folder with Notepad or Wordpad you will see how they are constructed and you can edit one with the address of your own Cluster or BBS etc.
My NOD file is just: " connect gb7mbc " (without the ""). GB7MBC is our local DX Cluster station. It is just the same instruction i would give manually to the KAM to make the connection.
You must (of course) have your KAM port set up properly - see help files.
I hope this may help you.

73
David - G0NTT

--- In XMLog@yahoogroups.com, "photoin_dino" <IW9HHH@j...> wrote:
> Hi to all I'm Italian I have download XMLOG very wonderful log
I 've
> convert my old log(logvrr Dos) and all it' s fine .
> But I don't be able to make the NOD file for connect with KAM
> (kantronics) and radio in vhf mode .
> 2 question .... it's possible with XMLOG??
> and someone knows the parameters (if the first question yes)for
make
> my NOD file .
> Thank 's to all
> And I'm wait all you in 6 meter .
> IW9HHH Dino Lapaglia
> Sicily Island
> ITALY
> 73'

1111. Can XMLog Control Acom 2000A?

Yahoo group: XMLog
Date: 2004-08-11 23:37:45 UTC
From: k2qmf@juno.com
Topic: 1111 Message: 1111

Hello All,

I am new to the XMlog reflector however I have
been using XMLog for a few years. I am very happy
with the performance of the program. I use it to control
my Yaesu FT1000MP Mk5 Field. I also send CW
from XMLog through LPT1. I have an Acom 2000A
amplifier and would like to be able to have XMLog change
the amps frequency when I select a spot from PacketCluster.
Has anyone done this?? I know that the Writelog program
controls the Acom 2000A using the program "AcomTools".
Has anyone written a "plugin" file or ".dll" file for AcomTools
that will allow it work with XMLog???

Many Thanks for any information or help.

73, Ted K2QMF

the 2000A amplifier

The best thing to hit the Internet in years - Juno SpeedBand!
Surf the Web up to FIVE TIMES FASTER!
Only $14.95/ month - visit www.juno.com to sign up today!

1112. importing adif files

Yahoo group: XMLog
Date: 2004-08-15 01:44:59 UTC
From: n4sva
Topic: 1112 Message: 1112

Installed the program but the import features for ADIF are grayed out. How would I import this type of log file?

1113. Re: importing adif files

Yahoo group: XMLog
Date: 2004-08-15 14:52:36 UTC
From: Mike McAmis
Topic: 1112 Message: 1113

Before you can do an import you must create and open a log file. Use
the "File/New" and "File/Open" menu items and then you can also use
the "Options/Log Options" to set that file as your default log file
so that it will be automatically opened whenever you run XMLog.

Mike - W1ECT

> Installed the program but the import features for ADIF are grayed
> out. How would I import this type of log file?

1114. Re: Can XMLog Control Acom 2000A?

Yahoo group: XMLog
Date: 2004-08-16 01:00:02 UTC
From: Mike McAmis
Topic: 1111 Message: 1114

Hi Ted, A friend of mine is a XMLog/WriteLog/Acom 2000 user. I'll pass on his comments to you direct...

Mike - W1ECT

> Hello All,
>
> I am new to the XMlog reflector however I have
> been using XMLog for a few years. I am very happy
> with the performance of the program. I use it to control
> my Yaesu FT1000MP Mk5 Field. I also send CW
> from XMLog through LPT1. I have an Acom 2000A
> amplifier and would like to be able to have XMLog change
> the amps frequency when I select a spot from PacketCluster.
> Has anyone done this?? I know that the Writelog program
> controls the Acom 2000A using the program "AcomTools".
> Has anyone written a "plugin" file or ".dll" file for AcomTools
> that will allow it work with XMLog???
>
> Many Thanks for any information or help.
>
> 73, Ted K2QMF
>
> the 2000A amplifier
>
> _____
> The best thing to hit the Internet in years - Juno SpeedBand!
> Surf the Web up to FIVE TIMES FASTER!
> Only $14.95/ month - visit www.juno.com to sign up today!

1115. Re: [XMLog] Re: Can XMLog Control Acom 2000A?

Yahoo group: XMLog
Date: 2004-08-16 01:17:38 UTC
From: k2qmf@juno.com
Topic: 1111 Message: 1115

Hi Mike,

Great!! Many Thanks in advance...

73, Ted K2QMF YCCC

On Mon, 16 Aug 2004 01:00:02 -0000 "Mike McAmis" <m.mcamis@...>
writes:
> Hi Ted, A friend of mine is a XMLog/WriteLog/Acom 2000 user. I'll
> pass on his comments to you direct...
>
> Mike - W1ECT
>
> > Hello All,
> >
> > I am new to the XMlog reflector however I have
> > been using XMLog for a few years. I am very happy
> > with the performance of the program. I use it to control
> > my Yaesu FT1000MP Mk5 Field. I also send CW
> > from XMLog through LPT1. I have an Acom 2000A
> > amplifier and would like to be able to have XMLog change
> > the amps frequency when I select a spot from PacketCluster.
> > Has anyone done this?? I know that the Writelog program
> > controls the Acom 2000A using the program "AcomTools".
> > Has anyone written a "plugin" file or ".dll" file for AcomTools
> > that will allow it work with XMLog???
> >
> > Many Thanks for any information or help.
> >
> > 73, Ted K2QMF
> >
> > the 2000A amplifier
> >
> > ____
> > The best thing to hit the Internet in years - Juno SpeedBand!
> > Surf the Web up to FIVE TIMES FASTER!
> > Only $14.95/ month - visit www.juno.com to sign up today!
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~-->
> Make a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
> Now with Pop-Up Blocker. Get it for free!
> http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
> ---~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

The best thing to hit the Internet in years - Juno SpeedBand!
Surf the Web up to FIVE TIMES FASTER!
Only $14.95/ month - visit www.juno.com to sign up today!

1116. Jupiter running N4PY software

Yahoo group: XMLog
Date: 2004-08-17 13:42:27 UTC
From: Mark Martindale
Topic: 1116 Message: 1116

Does anyone know if you can get XMLog to work while running N4PY
software without having to have a second com port hookup.

XMLog works super when not running the Jupiter from front panel. Keep up
the good work

73,
Mark
N5KJ

1117. Jupiter and N4PY

Yahoo group: XMLog
Date: 2004-08-17 13:45:42 UTC
From: Mark Martindale
Topic: 1117 Message: 1117

Should have said XMLog works great when running Jupiter from front
panel. Duh

Mark
N5KJ

1118. Re: [XMLog] Jupiter running N4PY software

Yahoo group: XMLog
Date: 2004-08-17 18:55:38 UTC
From: D.W. Jones
Topic: 1116 Message: 1118

I too would like to know if this can be done. I can not imagine a way, since there is only one port on the Jupiter, unless there is some method of passing data directly between XMLOG and N4PY. XMLOG is so much a part of my daily operating that I had to give up on using N4PY. A shame - they are both versatile and extremely useful programs.

73 - Don N4TN

Mark Martindale wrote:

> Does anyone know if you can get XMLog to work while running N4PY
> software without having to have a second com port hookup.
>
> XMLog works super when not running the Jupiter from front panel. Keep up
> the good work
>
> 73,
> Mark
> N5KJ

1119. Re: [XMLog] Jupiter running N4PY software

Yahoo group: XMLog
Date: 2004-08-18 16:48:14 UTC
From: Don Nesbitt
Topic: 1116 Message: 1119

Hi Don & Mark - I don't have a Jupiter nor am I using N4PY software - so you are wondering why I'm even responding - but, from time to time I do use another program as a "front-end" for XMLog and how I do it might give you or others an idea of how you might solve this problem. This is way way way out of my league but maybe the following will spark an idea in a programmers mind as to how you could do what you want.

The "front-end" program that I sometimes use for spotting is by lee, VE7CC. It is free and you can find the program at: http://www.ve7cc.net

While the "Packet Port" option in XMLog really works well, I just like some of the additonal features of the VE7CC program.

In order to run it with XMLog, you set the "Packet Port" in XMLog to: Port Type - "Internet" and the Internet Auto-Connect Address to 127.0.0.1 (this assumes that you are running both programs on the same computer and not running one over a network.

The following details illustrate the scheme:

First, download, install and set all the parameters in the Ve7cc program that you want to use. Once done, it can be used all by itself as an excellent cluster program. Then to use it with XMLog, start it first and then start XMLog. XMLog will look for 127.0.0.1 and then download the spots from the Ve7cc program using the parameters that you specified. The voice function; click to qsy, etc will operate normally in XMLog. Just a word of caution - don't set the Ve7cc program to automatically download all missed spots if you have the voice function of XMLog turned on - you will have to listen to XMLog announce all those spots before you can gain control !!

According to the N4PY web site, it says that : "You can also run the Jupiter and argonaut V in Front Panel control mode and have the program monitor the operation of the Jupiter and Argonaut V. This allows the software to export a Pegasus file interface to any logging program that can work with a Pegasus. The end result is you can now have full logging control of the

Jupiter or Argonaut V while they are in front panel control."

Now, since I don't use N4PY software and really don't know what the issues are other than having only one "port" on the Jupiter, I'm wondering if you could use a scheme (virtual address??) something like this to connect XMLog to the "spotting" function (assuming there is one in N4PY) or to the "remote control" (rs-232 ??) port of the Jupiter and still have the rig control that you want. Just a thought!

Whew! Maybe this will give someone an idea (other than confirming that this is all way over my head since we already know that!) of how you might get these two programs to work together over one physical port.

I use XMLog all the time and still can't believe how terrific it is. Mike really does an amazing job! (Tnx Mike!) 73 es gud dx --don n4hh

--- "D.W. Jones" <n4tn@...> wrote:

> I too would like to know if this can be done. I can
> not imagine a way,
> since there is only one port on the Jupiter, unless
> there is some method
> of passing data directly between XMLOG and N4PY.
> XMLOG is so much a
> part of my daily operating that I had to give up on
> using N4PY. A shame
> - they are both versatile and extremely useful
> programs.
>
> 73 - Don N4TN
>
>
> Mark Martindale wrote:
>
> > Does anyone know if you can get XMLog to work
> while running N4PY
> > software without having to have a second com port
> hookup.
> >
> > XMLog works super when not running the Jupiter
> from front panel. Keep up
> > the good work
> >
> > 73,
> > Mark
> > N5KJ

>
>
>
>
>

Do you Yahoo!?
New and Improved Yahoo! Mail - 100MB free storage!
http://promotions.yahoo.com/new_mail

1120. Re: [XMLog] Re: Can XMLog Control Acom 2000A?

Yahoo group: XMLog
Date: 2004-08-18 20:11:21 UTC
From: Steve Litwins
Topic: 1111 Message: 1120

Hi Mike;
I have a question re XMLog Packet window. I am using v.4.35 01/07/02...not current but works fb for me. Recently, I have been having ISP problems and, as a tool, would like to be able to look at the spots window and be able to tell if I am connected thru telnet to the ISP so data will be passed to me in the form of spots. The ISP has just changed physical locations and also their line provider from Sprint (worked fb all the time) now to Cox (only seems to provide spots intermittantly). The problem is that I cannot seem to tell from looking at the computer display if I am connected or have been booted off the telnt connection....other than not getting spots for a long time. I alternately connect to n3ra or n9bms and the problem seems to occure with both. I do get spots from the Internet via oh2aq.
Any way I can tell if I am connected from the packet screen or otherwise? Sometimes it says "connected to 65.42.104.225" for n3ra, and I get spots. Sometimes it says connected etc and I don't get spots and sometimes it says nothing (same bar just above sustray that has time and date)...and I get or do not get spots.
Any thoughts or suggestions? 73/dx
steve, k8wk
****

1121. Re: TELNET DISCONNECTS

Yahoo group: XMLog
Date: 2004-08-19 08:25:46 UTC
From: N7MAL
Topic: 1121 Message: 1121

I don't know if this will help. I've posted this solution several times to help reduce 'drop-outs' during periods of inactivity from clusters. This is a very small TSR that will set your computer clock at whatever interval you define. I have mine set for 15 minutes. I think all the time servers are telnet links. The TSR is free and I've used it for 4 years without any ill effects on my computers and no spyware.
73

http://www.arachnoid.com/abouttime/

HELP is on THE WAY
MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Steve Litwins
To: XMLog@yahoogroups.com
Sent: Wednesday, August 18, 2004 8:11 PM
Subject: Re: [XMLog] Re: Can XMLog Control Acom 2000A?

Hi Mike;
I have a question re XMLog Packet window. I am using v.4.35 01/07/02...not current but works fb for me. Recently, I have been having ISP problems and, as a tool, would like to be able to look at the spots window and be able to tell if I am connected thru telnet to the ISP so data will be passed to me in the form of spots. The ISP has just changed physical locations and also their line provider from Sprint (worked fb all the time) now to Cox (only seems to provide spots intermittantly). The problem is that I cannot seem to tell from looking at the computer display if I am connected or have been booted off the telnt connection....other than not getting spots for a long time. I alternately connect to n3ra or n9bms and the problem seems to occure with both. I do get spots from the Internet via oh2aq.
Any way I can tell if I am connected from the packet screen or otherwise?
Sometimes it says "connected to 65.42.104.225" for n3ra, and I get spots.
Sometimes it says connected etc and I don't get spots and sometimes it says nothing (same bar just above sustray that has time and date)...and I get or do not get spots.
Any thoughts or suggestions? 73/dx
steve, k8wk
****

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1122. Re: [XMLog] Re: TELNET DISCONNECTS

Yahoo group: XMLog
Date: 2004-08-19 11:22:11 UTC
From: Steve Litwins
Topic: 1121 Message: 1122

Thanks fer the input Mal;
I have "abt-time" running...I don't think that's the problem. The other stuff runs fine just as it ALL did b4 the ISP moved. Runs for hours and hours just like I want it to...so I can see the spots over night etc. But the telnet thru XMLog disconnects often which it NEVER did b4 the ISP move and change of line provider from Sprint to Cox. And it seems to be random and not related to the connection speed. What I wanted from XMLog was a reliable way to tell when I was connected and when I was not. The msg at the lower of in the message bar should tell me that but seems to not do it well. I was asking if there was another way to tell from the screen if I was connected reliably thru telnet to the nodes I choose. 73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, August 19, 2004 3:25 AM
Subject: [XMLog] Re: TELNET DISCONNECTS

> I don't know if this will help. I've posted this solution several times to help reduce 'drop-outs' during periods of inactivity from clusters. This is a very small TSR that will set your computer clock at whatever interval you define. I have mine set for 15 minutes. I think all the time servers are telnet links. The TSR is free and I've used it for 4 years without any ill effects on my computers and no spyware.
> 73
>
> http://www.arachnoid.com/abouttime/
>
>
>
>
> HELP is on THE WAY
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: Steve Litwins
> To: XMLog@yahoogroups.com
> Sent: Wednesday, August 18, 2004 8:11 PM
> Subject: Re: [XMLog] Re: Can XMLog Control Acom 2000A?
>
>
> Hi Mike;

> I have a question re XMLog Packet window. I am using v.4.35
01/07/02...not
> current but works fb for me. Recently, I have been having ISP problems
and,
> as a tool, would like to be able to look at the spots window and be able
to
> tell if I am connected thru telnet to the ISP so data will be passed to
me
> in the form of spots. The ISP has just changed physical locations and
also
> their line provider from Sprint (worked fb all the time) now to Cox
(only
> seems to provide spots intermittantly). The problem is that I cannot
seem
> to tell from looking at the computer display if I am connected or have
been
> booted off the telnt connection....other than not getting spots for a
long
> time. I alternately connect to n3ra or n9bms and the problem seems to
> occure with both. I do get spots from the Internet via oh2aq.
> Any way I can tell if I am connected from the packet screen or
otherwise?
> Sometimes it says "connected to 65.42.104.225" for n3ra, and I get
spots.
> Sometimes it says connected etc and I don't get spots and sometimes it
says
> nothing (same bar just above sustray that has time and date)...and I get
or
> do not get spots.
> Any thoughts or suggestions? 73/dx
> steve, k8wk
> **********
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:

> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1123. Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 14:37:26 UTC
From: Mike McAmis
Topic: 1111 Message: 1123

Hi Steve, When XMLog gets a disconnect on an Internet connection it displays a disconnected message in the status bar but it's a "timed" message and it gets erased after a while. I can change this so it stays displayed until the next message comes along.

You can try experimenting with other cluster providers to see if it's the cluster or your ISP that's causing the problem. Here's a couple of lists:

http://telnet.dxcluster.info/

http://www.cpcug.org/user/wfeidt/Misc/cluster.html

Mike - W1ECT

1124. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 15:12:08 UTC
From: Steve Litwins
Topic: 1111 Message: 1124

Thanks Mike;
As usual, ur response has been timely and good usable info. Currently I use just 2 clusters:
n3ra---65.42.104.225...and...
n9bms---66.84.210.68.
When the ISP was using Sprint as his gateway, I had absolutely zero problems getting throughput (spots, for hours)
from either one of these guys. Then, when ISP changes to COX, even tho I am connected to internet and spots from oh2aq are constant, I am disconnected from either of the above; sometimes after one or two spots sneak thru and sometimes after no spots are rcvd and sometimes I get the spots continuously for hours.
I think that ur idea of leaving the message on the status bar is a good one. I know it will help me in trying to find out what's going on. Tnx fer help
Mike...73/dx
steve, k8wk
****

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 20, 2004 9:37 AM
Subject: [XMLog] Re: Telnet Disconnects

> Hi Steve, When XMLog gets a disconnect on an Internet connection it
> displays a disconnected message in the status bar but it's a "timed"
> message and it gets erased after a while. I can change this so it
> stays displayed until the next message comes along.
>
> You can try experimenting with other cluster providers to see if it's
> the cluster or your ISP that's causing the problem. Here's a couple
> of lists:
>
> http://telnet.dxcluster.info/
>
> http://www.cpcug.org/user/wfeidt/Misc/cluster.html
>
> Mike - W1ECT
>
>
>
>
>
>
>

> Yahoo! Groups Links
>
>
>
>
>
>

1125. Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 15:16:07 UTC
From: Mike McAmis
Topic: 1111 Message: 1125

Hi Again, I rechecked the disconnect messages for Internet connections and I see there is no status bar message at all (timed or otherwise). However any disconnect should result in a "*** Disconnected" message being displayed in the packet window data area.

If you're not getting disconnected then either your cluster node is getting hung up (this happens with the node I use from time to time) or your ISP is getting hung up (you can try "pinging" the cluster address to see if the path is there, go into DOS and type "ping www.whatevercluster.com").

Mike - W1ECT

1126. RE: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 15:20:06 UTC
From: Howard G. Baker
Topic: 1111 Message: 1126

I vote for leaving the message on the status bar. If you are not watching closely you can miss it and if there is a lull in spots coming thru you don□t know you have been disconnected.

-----Original Message-----
From: Steve Litwins [mailto:litwins@...]
Sent: Friday, August 20, 2004 11:12 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Telnet Disconnects

Thanks Mike;
As usual, ur response has been timely and good usable info. Currently I use just 2 clusters:
n3ra---65.42.104.225...and...
n9bms---66.84.210.68.
When the ISP was using Sprint as his gateway, I had absolutely zero problems getting throughput (spots, for hours)
from either one of these guys. Then, when ISP changes to COX, even tho I am connected to internet and spots from oh2aq are constant, I am disconnected from either of the above; sometimes after one or two spots sneak thru and sometimes after no spots are rcvd and sometimes I get the spots continuously for hours.
I think that ur idea of leaving the message on the status bar is a good one. I know it will help me in trying to find out what's going on. Tnx fer help Mike...73/dx
steve, k8wk
****

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 20, 2004 9:37 AM
Subject: [XMLog] Re: Telnet Disconnects

> Hi Steve, When XMLog gets a disconnect on an Internet connection it
> displays a disconnected message in the status bar but it's a "timed"
> message and it gets erased after a while. I can change this so it
> stays displayed until the next message comes along.
>
> You can try experimenting with other cluster providers to see if it's
> the cluster or your ISP that's causing the problem. Here's a couple
> of lists:
>
> http://telnet.dxcluster.info/
>
> http://www.cpcug.org/user/wfeidt/Misc/cluster.html

>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=1299dnqgo/M=298184.5285298.6392945.3001176/D=groups/S=1705063108:HM/EXP=1093101253/A=2319501/R=0/SIG=11tq0u909/*http://www.netflix.com/Default?mqso=60185353&partid=5285298>

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1127. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 15:29:01 UTC
From: Phillip Buckholdt
Topic: 1111 Message: 1127

My ISP has a activity timer of 10 minutes, if there is no activity during this period I will be disconnected from my node. You need to set the keep alive for 9 minutes.

Or you need to try connecting to k8smc.com(198.109.212.235:23)This is a AR cluster and Terry has the keep alive activated. During periods of low or no activity a CR is sent every 9 minutes. Works for me.

Phil K8MBY

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 20, 2004 11:16 AM
Subject: [XMLog] Re: Telnet Disconnects

> Hi Again, I rechecked the disconnect messages for Internet
> connections and I see there is no status bar message at all (timed or
> otherwise). However any disconnect should result in a "***
> Disconnected" message being displayed in the packet window data area.
>
> If you're not getting disconnected then either your cluster node is
> getting hung up (this happens with the node I use from time to time)
> or your ISP is getting hung up (you can try "pinging" the cluster
> address to see if the path is there, go into DOS and type "ping
> www.whatevercluster.com").
>
> Mike - W1ECT
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

1128. RE: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 15:21:16 UTC
From: Howard G. Baker
Topic: 1111 Message: 1128

I never get and disconnect message unless I try to send a spot.

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Friday, August 20, 2004 11:16 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Telnet Disconnects

Hi Again, I rechecked the disconnect messages for Internet
connections and I see there is no status bar message at all (timed or
otherwise). However any disconnect should result in a "***
Disconnected" message being displayed in the packet window data area.

If you're not getting disconnected then either your cluster node is
getting hung up (this happens with the node I use from time to time)
or your ISP is getting hung up (you can try "pinging" the cluster
address to see if the path is there, go into DOS and type "ping
www.whatevercluster.com").

Mike - W1ECT

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129njtlb8/M=298184.5285298.6392945.3001176/D=groups/S=1705063108:HM/EXP=1093101380/A=2319498/R=0/SIG=11thfntfp/*http://www.netflix.com/Default?mqso=60185352&partid=5285298>

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1129. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 18:29:13 UTC
From: N7MAL
Topic: 1111 Message: 1129

Here's a suggestion: I just checked n3ra and he is running ARC cluster software. Send him a note, either via the cluster or e-mail, and ask him to turn on ping just for your callsign. The ARC default is 10 minutes. This is a very quick way to determine if you're getting disconnected.

HELP is on THE WAY
MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Steve Litwins
To: XMLog@yahoogroups.com
Sent: Friday, August 20, 2004 3:12 PM
Subject: Re: [XMLog] Re: Telnet Disconnects

Thanks Mike;
As usual, ur response has been timely and good usable info. Currently I use just 2 clusters:
n3ra---65.42.104.225...and...
n9bms---66.84.210.68.
When the ISP was using Sprint as his gateway, I had absolutely zero problems getting throughput (spots, for hours)
from either one of these guys. Then, when ISP changes to COX, even tho I am connected to internet and spots from oh2aq are constant, I am disconnected from either of the above; sometimes after one or two spots sneak thru and sometimes after no spots are rcvd and sometimes I get the spots continuously for hours.
I think that ur idea of leaving the message on the status bar is a good one. I know it will help me in trying to find out what's going on. Tnx fer help
Mike...73/dx
steve, k8wk
****

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 20, 2004 9:37 AM
Subject: [XMLog] Re: Telnet Disconnects

> Hi Steve, When XMLog gets a disconnect on an Internet connection it
> displays a disconnected message in the status bar but it's a "timed"
> message and it gets erased after a while. I can change this so it
> stays displayed until the next message comes along.
>
> You can try experimenting with other cluster providers to see if it's

> the cluster or your ISP that's causing the problem. Here's a couple
> of lists:
>
> http://telnet.dxcluster.info/
>
> http://www.cpcug.org/user/wfeidt/Misc/cluster.html
>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1130. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 19:18:59 UTC
From: Steve Litwins
Topic: 1111 Message: 1130

Hi agn Mal;
Maybe we're on to something here. I was, as I read ur email, presently connected to n3ra; got 13 spots from 1836z (when I re-connected) to 1842z (7 min roughly) and then no more spots (disconnected), although from looking at oh2aq, there were a lot more spots from 1842 to present. So...I know the data was interrupted from n3ra to k8wk. My gut feeling is that n3ra is fb as well as n3bms or any other cluster I might wish to connect. My concern is if I raise this issue with my ISP, and have no solid data to PROVE that the data went from the cluster to his line (maybe), he will tell me that he is not at fault...and that will be it. I do not understand what pinging the cluster will prove, particularly since I think the telnet data is being killed somewhere from COX to my ISP. I wud have to ping continuously to show the interruption of data flow from the cluster. Note also that this interruption of data happens about 30 (give or take) times a day...every day (24/7). Occasionally, it will connect, and stay connected for a long time...even overnight. B4 the ISP physically moved his location in our town, and got a new line provider (from Sprint to COX), I was getting 100% data flow from any AR cluster.
Also, when the data is interrupted, and the XMLog packet screen stops showing new spots, I can invoke the F5 node file and be immediately be reconnected and more data will flow for a while. Doesn't seem like this is a 10 min time-out issue. Seems more like---drop a few bits b4 or at the ISP and it gets disconnected---! What do ya think Mal? Oh...I have not changed versions of XMLog. 73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 20, 2004 1:29 PM
Subject: Re: [XMLog] Re: Telnet Disconnects

> Here's a suggestion: I just checked n3ra and he is running ARC cluster software. Send him a note, either via the cluster or e-mail, and ask him to turn on ping just for your callsign. The ARC default is 10 minutes. This is a very quick way to determine if you're getting disconnected.
>
>
> HELP is on THE WAY
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: Steve Litwins

> To: XMLog@yahoogroups.com
> Sent: Friday, August 20, 2004 3:12 PM
> Subject: Re: [XMLog] Re: Telnet Disconnects
>
>
> Thanks Mike;
> As usual, ur response has been timely and good usable info. Currently I
use
> just 2 clusters:
> n3ra---65.42.104.225...and...
> n9bms---66.84.210.68.
> When the ISP was using Sprint as his gateway, I had absolutely zero
problems
> getting throughput (spots, for hours)
> from either one of these guys. Then, when ISP changes to COX, even tho
I am
> connected to internet and spots from oh2aq are constant, I am
disconnected
> from either of the above; sometimes after one or two spots sneak thru
and
> sometimes after no spots are rcvd and sometimes I get the spots
continuously
> for hours.
> I think that ur idea of leaving the message on the status bar is a good
one.
> I know it will help me in trying to find out what's going on. Tnx fer
help
> Mike...73/dx
> steve, k8wk
> **********
>
> ----- Original Message -----
> From: "Mike McAmis" <m.mcamis@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, August 20, 2004 9:37 AM
> Subject: [XMLog] Re: Telnet Disconnects
>
>
> > Hi Steve, When XMLog gets a disconnect on an Internet connection it
> > displays a disconnected message in the status bar but it's a "timed"
> > message and it gets erased after a while. I can change this so it
> > stays displayed until the next message comes along.
> >
> > You can try experimenting with other cluster providers to see if it's
> > the cluster or your ISP that's causing the problem. Here's a couple
> > of lists:
> >
> > http://telnet.dxcluster.info/
> >
> > http://www.cpcug.org/user/wfeidt/Misc/cluster.html

> >
> > Mike - W1ECT
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>

>
>
>
>
>

1131. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-20 20:08:19 UTC
From: Don Nesbitt
Topic: 1111 Message: 1131

Hello to all - have been following the interesting thread on the "disconnects." That's one of the reasons that I've been using the VE7CC cluster program as a "front-end" with XMLog. It is very easy to invoke "keep alive" as well as "auto-reconnect" with it. It is free and you can find the program at: http://www.ve7cc.net

I gave the details on using it with XMLog in response to a completely different issue - that post dealt with using the Jupiter and N4PY software on a single physical serial port and it was just a note meant to get the programmers thinking on how to solve that problem. A search of the archives should turn it up.

The set-up is easy and I would be glad to answer individual questions on how to get it to work with XMLog or could repost the info if there seems to be several folks interested. Using it as the "front-end" to XMLog was a nice solution to the "disconnect" problem for me. It has a number of very nice features that make it worth considering as an addition to XMLog. YMMV !73 es gud dx -- Don N4HH

Do you Yahoo!?
Win 1 of 4,000 free domain names from Yahoo! Enter now.
http://promotions.yahoo.com/goldrush

1132. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-21 09:00:02 UTC
From: N7MAL
Topic: 1111 Message: 1132

Yes Steve the reason I suggested having the node, n3ra, ping you was to give you an idea where the spots were getting lost. The downside of 'pinging' is you will end up with a screen full identification frames. The upside is you will know if and what time you lost your connection to n3ra. If you are only receiving 'pings' then you will also know you didn't lose your connection, for whatever reason there were no spots.
I've watched these suggestions regarding using VE7CC software for a "front-end" as the end all and be all to solve problems. In your case all VE7CC would be is a band-aid and would not help you diagnose where the problem is happening.
If in the future you feel you need a 'front-end' program I would only recommend DX-Telnet. Unfortunately it's not free but on the other hand it is proven not to be 'buggie' and is very stable. It has been a standard in the packet-cluster' world for more than 10 years.
Good Luck

HELP is on THE WAY
MAL N7MAL
BULLHEAD CITY, AZ
www.citlink.net/~suzyq/N7mal.htm
www.geocities.com/n7mal
----- Original Message -----
From: Steve Litwins
To: XMLog@yahoogroups.com
Sent: Friday, August 20, 2004 7:18 PM
Subject: Re: [XMLog] Re: Telnet Disconnects

Hi agn Mal;
Maybe we're on to something here. I was, as I read ur email, presently connected to n3ra; got 13 spots from 1836z (when I re-connected) to 1842z (7 min roughly) and then no more spots (disconnected), although from looking at oh2aq, there were a lot more spots from 1842 to present. So...I know the data was interrupted from n3ra to k8wk. My gut feeling is that n3ra is fb as well as n3bms or any other cluster I might wish to connect. My concern is if I raise this issue with my ISP, and have no solid data to PROVE that the data went from the cluster to his line (maybe), he will tell me that he is not at fault...and that will be it. I do not understand what pinging the cluster will prove, particularly since I think the telnet data is being killed somewhere from COX to my ISP. I wud have to ping continuously to show the interruption of data flow from the cluster. Note also that this interruption of data happens about 30 (give or take) times a day...every day (24/7). Occasionally, it will connect, and stay connected for a long time...even overnight. B4 the ISP physically moved his location in our town, and got a new line provider (from Sprint to COX), I was getting 100% data flow from any AR cluster.
Also, when the data is interrupted, and the XMLog packet screen stops showing new spots, I can invoke the F5 node file and be immediately be reconnected and more data will flow for a while. Doesn't seem like this is

a 10 min time-out issue. Seems more like---drop a few bits b4 or at the ISP and it gets disconnected---! What do ya think Mal? Oh...I have not changed versions of XMLog. 73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, August 20, 2004 1:29 PM
Subject: Re: [XMLog] Re: Telnet Disconnects

> Here's a suggestion: I just checked n3ra and he is running ARC cluster software. Send him a note, either via the cluster or e-mail, and ask him to turn on ping just for your callsign. The ARC default is 10 minutes. This is a very quick way to determine if you're getting disconnected.
>
>
> HELP is on THE WAY
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: Steve Litwins
> To: XMLog@yahoogroups.com
> Sent: Friday, August 20, 2004 3:12 PM
> Subject: Re: [XMLog] Re: Telnet Disconnects
>
>
> Thanks Mike;
> As usual, ur response has been timely and good usable info. Currently I use
> just 2 clusters:
> n3ra---65.42.104.225...and...
> n9bms---66.84.210.68.
> When the ISP was using Sprint as his gateway, I had absolutely zero problems
> getting throughput (spots, for hours)
> from either one of these guys. Then, when ISP changes to COX, even tho I am
> connected to internet and spots from oh2aq are constant, I am disconnected
> from either of the above; sometimes after one or two spots sneak thru and
> sometimes after no spots are rcvd and sometimes I get the spots continuously
> for hours.
> I think that ur idea of leaving the message on the status bar is a good one.
> I know it will help me in trying to find out what's going on. Tnx fer

help
> Mike...73/dx
> steve, k8wk
> **********
>
> ----- Original Message -----
> From: "Mike McAmis" <m.mcamis@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, August 20, 2004 9:37 AM
> Subject: [XMLog] Re: Telnet Disconnects
>
>
> > Hi Steve, When XMLog gets a disconnect on an Internet connection it
> > displays a disconnected message in the status bar but it's a "timed"
> > message and it gets erased after a while. I can change this so it
> > stays displayed until the next message comes along.
> >
> > You can try experimenting with other cluster providers to see if it's
> > the cluster or your ISP that's causing the problem. Here's a couple
> > of lists:
> >
> > http://telnet.dxcluster.info/
> >
> > http://www.cpcug.org/user/wfeidt/Misc/cluster.html
> >
> > Mike - W1ECT
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>

>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1133. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-21 14:24:06 UTC
From: Steve Litwins
Topic: 1111 Message: 1133

GM Mal...your suggestions have really been helpful to get me thinking. But, having said that, I noticed that last night, I got almost 13 hours of spots from the ISP. I think it is related to the time when nobody is in their shop. Got spots from 6:30p last night local to 7:22 this morning local. Looks suspiciously like quitting time and I know the 7:22 time is their auto reset for timing purposes etc. That kind of reset (auto) drops the whole service IN, mail and telnet and there is a pop-up to tell me the service was disconnected. There is no pop-up when I loose the telnet connection and the IN and mail stays connected and providing data. Now...
Pse tell me how the ping from the node will tell me WHERE the data (spots) are getting lost. Yes...I was thinking along the same lines as to the front-end "fix"... Not really a fix is it? I need to be able to present this issue to my ISP with some real data. I feel now that the staying connected while they were out of their shop is good data, and maybe telling those guys at the ISP will help them determine where the glitch is happening. When u said for the cluster guy to turn on ping just for my callsign...I take it to mean that he would be pinging me...right? Would the pings just show up on my XMLog telnet screen? Do u suggest getting the ISP involved in this at this point? Maybe I can ask him what he was NOT doing while out of the shop and what he WAS doing while in the shop that would periodically disconnect me. He is there from 11a to 2p local.
Incidentally...I am now still getting spots without interruption. He is not in his shop until 11a local today.
By the way Mal...tnx agn for sticking with me on this. I will report to the XMLoggers who responded when I have something concrete to say to them. Unless u can think of a negative side to getting ISP involved, I may stop by at his shop today and see what he thinks abt this. Any thoughts u might have will be appreciated...73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, August 21, 2004 4:00 AM
Subject: Re: [XMLog] Re: Telnet Disconnects

> Yes Steve the reason I suggested having the node, n3ra, ping you was to give you an idea where the spots were getting lost. The downside of 'pinging' is you will end up with a screen full identification frames. The upside is you will know if and what time you lost your connection to n3ra. If you are only receiving 'pings' then you will also know you didn't lose your connection, for whatever reason there were no spots.
> I've watched these suggestions regarding using VE7CC software for a "front-end" as the end all and be all to solve problems. In your case all VE7CC would be is a band-aid and would not help you diagnose where the

problem is happening.
> If in the future you feel you need a 'front-end' program I would only
recommend DX-Telnet. Unfortunately it's not free but on the other hand it is
proven not to be 'buggie' and is very stable. It has been a standard in the
packet-cluster' world for more than 10 years.
> Good Luck
>
>
> HELP is on THE WAY
> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: Steve Litwins
> To: XMLog@yahoogroups.com
> Sent: Friday, August 20, 2004 7:18 PM
> Subject: Re: [XMLog] Re: Telnet Disconnects
>
>
> Hi agn Mal;
> Maybe we're on to something here. I was, as I read ur email, presently
> connected to n3ra; got 13 spots from 1836z (when I re-connected) to
1842z (7
> min roughly) and then no more spots (disconnected), although from
looking at
> oh2aq, there were a lot more spots from 1842 to present. So...I know
the
> data was interrupted from n3ra to k8wk. My gut feeling is that n3ra is
fb
> as well as n3bms or any other cluster I might wish to connect. My
concern
> is if I raise this issue with my ISP, and have no solid data to PROVE
that
> the data went from the cluster to his line (maybe), he will tell me that
he
> is not at fault...and that will be it. I do not understand what pinging
the
> cluster will prove, particularly since I think the telnet data is being
> killed somewhere from COX to my ISP. I wud have to ping continuously to
> show the interruption of data flow from the cluster. Note also that
this
> interruption of data happens about 30 (give or take) times a day...every
day
> (24/7). Occasionally, it will connect, and stay connected for a long
> time...even overnight. B4 the ISP physically moved his location in our
> town, and got a new line provider (from Sprint to COX), I was getting
100%
> data flow from any AR cluster.
> Also, when the data is interrupted, and the XMLog packet screen stops

> showing new spots, I can invoke the F5 node file and be immediately be
> reconnected and more data will flow for a while. Doesn't seem like this
is
> a 10 min time-out issue. Seems more like---drop a few bits b4 or at the
ISP
> and it gets disconnected---! What do ya think Mal? Oh...I have not
> changed versions of XMLog. 73/dx
> steve, k8wk
> ***********
> ----- Original Message -----
> From: "N7MAL" <n7mal@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, August 20, 2004 1:29 PM
> Subject: Re: [XMLog] Re: Telnet Disconnects
>
>
> > Here's a suggestion: I just checked n3ra and he is running ARC cluster
> software. Send him a note, either via the cluster or e-mail, and ask him
to
> turn on ping just for your callsign. The ARC default is 10 minutes. This
is
> a very quick way to determine if you're getting disconnected.
> >
> >
> > HELP is on THE WAY
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > www.citlink.net/~suzyq/N7mal.htm
> > www.geocities.com/n7mal
> > ----- Original Message -----
> > From: Steve Litwins
> > To: XMLog@yahoogroups.com
> > Sent: Friday, August 20, 2004 3:12 PM
> > Subject: Re: [XMLog] Re: Telnet Disconnects
> >
> >
> > Thanks Mike;
> > As usual, ur response has been timely and good usable info.
Currently I
> use
> > just 2 clusters:
> > n3ra---65.42.104.225...and...
> > n9bms---66.84.210.68.
> > When the ISP was using Sprint as his gateway, I had absolutely zero
> problems
> > getting throughput (spots, for hours)
> > from either one of these guys. Then, when ISP changes to COX, even
tho
> I am
> > connected to internet and spots from oh2aq are constant, I am

> disconnected
> > from either of the above; sometimes after one or two spots sneak
thru
> and
> > sometimes after no spots are rcvd and sometimes I get the spots
> continuously
> > for hours.
> > I think that ur idea of leaving the message on the status bar is a
good
> one.
> > I know it will help me in trying to find out what's going on. Tnx
fer
> help
> > Mike...73/dx
> > steve, k8wk
> > **********
> >
> > ----- Original Message -----
> > From: "Mike McAmis" <m.mcamis@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, August 20, 2004 9:37 AM
> > Subject: [XMLog] Re: Telnet Disconnects
> >
> >
> > > Hi Steve, When XMLog gets a disconnect on an Internet connection
it
> > > displays a disconnected message in the status bar but it's a
"timed"
> > > message and it gets erased after a while. I can change this so it
> > > stays displayed until the next message comes along.
> > >
> > > You can try experimenting with other cluster providers to see if
it's
> > > the cluster or your ISP that's causing the problem. Here's a
couple
> > > of lists:
> > >
> > > http://telnet.dxcluster.info/
> > >
> > > http://www.cpcug.org/user/wfeidt/Misc/cluster.html
> > >
> > > Mike - W1ECT
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links

> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >
> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT
> >
> >
> >
> >
> >
>

> --
> ----
> > Yahoo! Groups Links
> >
> > a.. To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > b.. To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
>
>
>

> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1134. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-22 15:12:43 UTC
From: Don Nesbitt
Topic: 1111 Message: 1134

Hi Mal - as far as I can tell, I am the only one who has suggested the VE7CC software as a possible "front-end" for use with XMLog in dealing with "disconnects" and for providing a simple "auto-reconnect" with the ability to pick-up "missed" spots.

--- N7MAL <n7mal@...> wrote:

> I've watched these suggestions regarding using VE7CC
> software for a "front-end" as the end all and be all
> to solve problems.

In my post, I never claimed the VE7CC software was "the end all and be all . . ." - I simply stated that it works for me - as noted in my post: "Using it as the "front-end" to XMLog was a nice solution to the "disconnect" problem for me."

--- N7MAL <n7mal@...> also wrote:

> In your case all VE7CC would be
> is a band-aid and would not help you diagnose where
> the problem is happening.

Agreed - there is no diagnostic benefit to using it or, for that matter, any other cluster program that I know about. By the same token, having a band-aid (there's a nice pun in there somewhere) available when you need it is a pretty good work-around.

--- N7MAL <n7mal@...> also wrote:

> If in the future you feel you need a 'front-end'
> program I would only recommend DX-Telnet.

I've also use DX-Telnet on and off over the years and agree that it's a good program. I just like the look and easy functions of the VE7CC software better.

--- N7MAL <n7mal@...> also wrote:

> Unfortunately it's not free but on the other hand it
> is proven not to be 'buggie' and is very stable.

The VE7CC software has been completely reliable in my installation as an adjunct to XMLog as has DX-Telnet.

In the past, with Mike's "off list" help, I tried to solve my "disconnect" problems and in the end was simply not 100% successful regardless of what cluster I connected to or what software program various clusters were using to serve the spots. My ISP acknowledged that connections are "interrupted" from time to time and in their part of the DSL world that was the end of it as far as they were concerned! There was not going to be a solution that involved them!

The "front-end" - while obviously not solving or isolating the "real" problem - turned out to be what I considered an acceptable "solution" that works for me. Obviously, "Your Mileage May Vary!"

As they say - "I don't have a dog in this hunt" and the usual disclaimers apply: I don't have any pecuniary interest in VE7CC, etc, etc. Just wanted to pass the "front-end" idea along for consideration by others who may be having the same problem.

I hope you and Steve are successful in tracking down and solving this problem.

Have a great day. '73 es gud dx --Don N4HH

Do you Yahoo!?
New and Improved Yahoo! Mail - Send 10MB messages!
http://promotions.yahoo.com/new_mail

1135. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-22 15:48:38 UTC
From: Steve Litwins
Topic: 1111 Message: 1135

GM Don;
I appreciate all ur comments and read them trying to learn more abt what goes on in this very wide world of ham radio...tnx! Mal has been very helpful getting me to think thru all of this and there is new data to help me with the ISP connection problem. This weekend I have had perfect data flow and the clusters have been on all the time except when they do their regular 8 hour resets. I am still in the process of trying to put together some pattern for all this so I will get back to the XMLog list with any progress I make when and if that happens. I will also report failures...keep the card-n-letters coming Don...783/dx
steve, k8wk
****
----- Original Message -----
From: "Don Nesbitt" <nesbittdr@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, August 22, 2004 10:12 AM
Subject: Re: [XMLog] Re: Telnet Disconnects

> Hi Mal - as far as I can tell, I am the only one who
> has suggested the VE7CC software as a possible
> "front-end" for use with XMLog in dealing with
> "disconnects" and for providing a simple
> "auto-reconnect" with the ability to pick-up "missed"
> spots.
>
> --- N7MAL <n7mal@...> wrote:
>
> > I've watched these suggestions regarding using VE7CC
> > software for a "front-end" as the end all and be all
> > to solve problems.
>
> In my post, I never claimed the VE7CC software was
> "the end all and be all . . ." - I simply stated that
> it works for me - as noted in my post: "Using it as
> the "front-end" to XMLog was a nice solution to the
> "disconnect" problem for me."
>
> --- N7MAL <n7mal@...> also wrote:
>
> > In your case all VE7CC would be
> > is a band-aid and would not help you diagnose where
> > the problem is happening.
>
> Agreed - there is no diagnostic benefit to using it
> or, for that matter, any other cluster program that I

> know about. By the same token, having a band-aid
> (there's a nice pun in there somewhere) available when
> you need it is a pretty good work-around.
>
> --- N7MAL <n7mal@...> also wrote:
>
> > If in the future you feel you need a 'front-end'
> > program I would only recommend DX-Telnet.
>
> I've also use DX-Telnet on and off over the years and
> agree that it's a good program. I just like the look
> and easy functions of the VE7CC software better.
>
> --- N7MAL <n7mal@...> also wrote:
>
> > Unfortunately it's not free but on the other hand it
> > is proven not to be 'buggie' and is very stable.
>
> The VE7CC software has been completely reliable in my
> installation as an adjunct to XMLog as has DX-Telnet.
>
> In the past, with Mike's "off list" help, I tried to
> solve my "disconnect" problems and in the end was
> simply not 100% successful regardless of what cluster
> I connected to or what software program various
> clusters were using to serve the spots. My ISP
> acknowledged that connections are "interrupted" from
> time to time and in their part of the DSL world that
> was the end of it as far as they were concerned!
> There was not going to be a solution that involved
> them!
>
> The "front-end" - while obviously not solving or
> isolating the "real" problem - turned out to be what I
> considered an acceptable "solution" that works for me.
> Obviously, "Your Mileage May Vary!"
>
> As they say - "I don't have a dog in this hunt" and
> the usual disclaimers apply: I don't have any
> pecuniary interest in VE7CC, etc, etc. Just wanted to
> pass the "front-end" idea along for consideration by
> others who may be having the same problem.
>
> I hope you and Steve are successful in tracking down
> and solving this problem.
>
> Have a great day. '73 es gud dx --Don N4HH
>
>
>

>
>
>
>
>
>
>
>
>
>
>
> _____
> Do you Yahoo!?
> New and Improved Yahoo! Mail - Send 10MB messages!
> http://promotions.yahoo.com/new_mail
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1136. "Time Off" field

Yahoo group: XMLog
Date: 2004-08-24 16:11:30 UTC
From: Mike McAmis
Topic: 1136 Message: 1136

Beta test version 4.80 is now available at www.xmlog.com/beta
This version includes support for an optional "Time Off" field which
is enabled by choosing the "Options/Log Options" menu item and then
setting the "Show Time Off Field" option.

Mike - W1ECT

1137. Re: [XMLog] Re: Telnet Disconnects

Yahoo group: XMLog
Date: 2004-08-24 21:00:17 UTC
From: Steve Litwins
Topic: 1111 Message: 1137

Hi...Mal, Don, Howard, Phillip and Mike...all who were kind enough to reply to my question abt the excessive telnet disconnects I have been experiencing.
Last weekend there were no disconnects as long as the ISP crew was away from the shop. Today I went in after being disconnected a lot of time yesterday and today (Mon. and Tues.) and here is what they told me:
They have applied for a T1 (fo) line from Cox but do not have it installed yet. In the meantime, they are using cable, slow and of limited bandwidth. I was assured that when the T1 line was installed and operational, my problem will disappear. Certain users like me who use data intensive services like spot clusters, are grouped into one line that is shared with the shop service personnel. If they are busy and have a lot of bench-related work, I will get drop-outs and as a result will be disconnected from the cluster. Even on weekday nights, they leave some projects running, and as a result I am often disconnected. On weekends, they tend to turn everything off and that is why I may get better throughput from the cluster then. I will report back when the T1 fo line is in and we will see if the added bw will fix my problem. Tnx for the input from y'all.
73/dx
steve, k8wk
****
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, August 21, 2004 4:00 AM
Subject: Re: [XMLog] Re: Telnet Disconnects

> Yes Steve the reason I suggested having the node, n3ra, ping you was to give you an idea where the spots were getting lost. The downside of 'pinging' is you will end up with a screen full identification frames. The upside is you will know if and what time you lost your connection to n3ra. If you are only receiving 'pings' then you will also know you didn't lose your connection, for whatever reason there were no spots.
> I've watched these suggestions regarding using VE7CC software for a "front-end" as the end all and be all to solve problems. In your case all VE7CC would be is a band-aid and would not help you diagnose where the problem is happening.
> If in the future you feel you need a 'front-end' program I would only recommend DX-Telnet. Unfortunately it's not free but on the other hand it is proven not to be 'buggie' and is very stable. It has been a standard in the packet-cluster' world for more than 10 years.
> Good Luck
>
>
> HELP is on THE WAY

> MAL N7MAL
> BULLHEAD CITY, AZ
> www.citlink.net/~suzyq/N7mal.htm
> www.geocities.com/n7mal
> ----- Original Message -----
> From: Steve Litwins
> To: XMLog@yahoogroups.com
> Sent: Friday, August 20, 2004 7:18 PM
> Subject: Re: [XMLog] Re: Telnet Disconnects
>
>
> Hi agn Mal;
> Maybe we're on to something here. I was, as I read ur email, presently
> connected to n3ra; got 13 spots from 1836z (when I re-connected) to
1842z (7
> min roughly) and then no more spots (disconnected), although from
looking at
> oh2aq, there were a lot more spots from 1842 to present. So...I know
the
> data was interrupted from n3ra to k8wk. My gut feeling is that n3ra is
fb
> as well as n3bms or any other cluster I might wish to connect. My
concern
> is if I raise this issue with my ISP, and have no solid data to PROVE
that
> the data went from the cluster to his line (maybe), he will tell me that
he
> is not at fault...and that will be it. I do not understand what pinging
the
> cluster will prove, particularly since I think the telnet data is being
> killed somewhere from COX to my ISP. I wud have to ping continuously to
> show the interruption of data flow from the cluster. Note also that
this
> interruption of data happens about 30 (give or take) times a day...every
day
> (24/7). Occasionally, it will connect, and stay connected for a long
> time...even overnight. B4 the ISP physically moved his location in our
> town, and got a new line provider (from Sprint to COX), I was getting
100%
> data flow from any AR cluster.
> Also, when the data is interrupted, and the XMLog packet screen stops
> showing new spots, I can invoke the F5 node file and be immediately be
> reconnected and more data will flow for a while. Doesn't seem like this
is
> a 10 min time-out issue. Seems more like---drop a few bits b4 or at the
ISP
> and it gets disconnected---! What do ya think Mal? Oh...I have not
> changed versions of XMLog. 73/dx
> steve, k8wk
> ************

> ----- Original Message -----
> From: "N7MAL" <n7mal@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, August 20, 2004 1:29 PM
> Subject: Re: [XMLog] Re: Telnet Disconnects
>
>
> > Here's a suggestion: I just checked n3ra and he is running ARC cluster
> software. Send him a note, either via the cluster or e-mail, and ask him
to
> turn on ping just for your callsign. The ARC default is 10 minutes. This
is
> a very quick way to determine if you're getting disconnected.
> >
> >
> > HELP is on THE WAY
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > www.citlink.net/~suzyq/N7mal.htm
> > www.geocities.com/n7mal
> > ----- Original Message -----
> > From: Steve Litwins
> > To: XMLog@yahoogroups.com
> > Sent: Friday, August 20, 2004 3:12 PM
> > Subject: Re: [XMLog] Re: Telnet Disconnects
> >
> >
> > Thanks Mike;
> > As usual, ur response has been timely and good usable info.
Currently I
> use
> > just 2 clusters:
> > n3ra---65.42.104.225...and...
> > n9bms---66.84.210.68.
> > When the ISP was using Sprint as his gateway, I had absolutely zero
> problems
> > getting throughput (spots, for hours)
> > from either one of these guys. Then, when ISP changes to COX, even
tho
> I am
> > connected to internet and spots from oh2aq are constant, I am
> disconnected
> > from either of the above; sometimes after one or two spots sneak
thru
> and
> > sometimes after no spots are rcvd and sometimes I get the spots
> continuously
> > for hours.
> > I think that ur idea of leaving the message on the status bar is a
good

> one.
> > I know it will help me in trying to find out what's going on. Tnx
fer
> help
> > Mike...73/dx
> > steve, k8wk
> > **********
> >
> > ----- Original Message -----
> > From: "Mike McAmis" <m.mcamis@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Friday, August 20, 2004 9:37 AM
> > Subject: [XMLog] Re: Telnet Disconnects
> >
> >
> > > Hi Steve, When XMLog gets a disconnect on an Internet connection
it
> > > displays a disconnected message in the status bar but it's a
"timed"
> > > message and it gets erased after a while. I can change this so it
> > > stays displayed until the next message comes along.
> > >
> > > You can try experimenting with other cluster providers to see if
it's
> > > the cluster or your ISP that's causing the problem. Here's a
couple
> > > of lists:
> > >
> > > http://telnet.dxcluster.info/
> > >
> > > http://www.cpcug.org/user/wfeidt/Misc/cluster.html
> > >
> > > Mike - W1ECT
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >

> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT
> >
> >
> >
> >
> >
>

> --
> ----
> > Yahoo! Groups Links
> >
> > a.. To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > b.. To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1138. Spotting and the Kenwood TS-2000

Yahoo group: XMLog
Date: 2004-08-28 20:40:27 UTC
From: Kevin Nathan
Topic: 1138 Message: 1138

Hi All,

I am running Xmlog version 4.79 with a Kenwood TS-2000. When I click on a frequency in the packet window the vfo will go there but the mode does not necessarily follow. Particularly, if I am listening on either upper or lower sideband, the rig will send the "C" denoting the cw mode but will not change to it. Any idea why this might be occurring?

Thanks much.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1139. Re: Spotting and the Kenwood TS-2000

Yahoo group: XMLog
Date: 2004-08-29 17:13:48 UTC
From: Mike McAmis
Topic: 1138 Message: 1139

Hi Kevin, I recently fixed a similar problem for the Elecraft rig support which uses the same rig control commands as Kenwood. Normally XMLog sends the set mode command first and then sends the set frequency command. It turned out that when the set frequency command was sent the rig was reseting the mode, overriding the mode that had been previously set. I've since changed things so that the order of the commands is reversed for the Elecraft. Since the Elecraft uses the same commands as Kenwood you can quickly see if this is the problem by setting your rig type to Elecraft. Let me know what happens...

Mike - W1ECT

1140. RE: [XMLog] Re: Spotting and the Kenwood TS-2000

Yahoo group: XMLog
Date: 2004-08-30 00:00:54 UTC
From: Kevin Nathan
Topic: 1138 Message: 1140

Hi Mike,

I tried that experiment and it changes the mode ok but programs in a 650 Hz offset when it changes frequency. This is with the TS-2000 set to maintain the frequency when it changes from ssb to cw. I've got to leave right now but later will try changing this setting and again using the K2 settings to see what happens.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Sunday, August 29, 2004 10:14
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Spotting and the Kenwood TS-2000

Hi Kevin, I recently fixed a similar problem for the Elecraft rig support which uses the same rig control commands as Kenwood.
Normally XMLog sends the set mode command first and then sends the set frequency command. It turned out that when the set frequency command was sent the rig was reseting the mode, overriding the mode that had been previously set. I've since changed things so that the order of the commands is reversed for the Elecraft. Since the Elecraft uses the same commands as Kenwood you can quickly see if this is the problem by setting your rig type to Elecraft. Let me know what happens...

Mike - W1ECT

---------- Yahoo! Groups Sponsor ----------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

1141. RE: [XMLog] Re: Spotting and the Kenwood TS-2000

Yahoo group: XMLog
Date: 2004-08-30 00:04:30 UTC
From: Kevin Nathan
Topic: 1138 Message: 1141

Hi Again Mike,

Well, I had a little longer than I thought. I just turned off the feature in the TS-2000 which allows you to maintain the same frequency when you change SSB to CW and set it for the K2. It works just fine now and moves to the frequency and mode shown in the packet window when you click.

Thanks for the fix and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Sunday, August 29, 2004 10:14
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Spotting and the Kenwood TS-2000

Hi Kevin, I recently fixed a similar problem for the Elecraft rig support which uses the same rig control commands as Kenwood.
Normally XMLog sends the set mode command first and then sends the set frequency command. It turned out that when the set frequency command was sent the rig was reseting the mode, overriding the mode that had been previously set. I've since changed things so that the order of the commands is reversed for the Elecraft. Since the Elecraft uses the same commands as Kenwood you can quickly see if this is the problem by setting your rig type to Elecraft. Let me know what happens...

Mike - W1ECT

------------------------ Yahoo! Groups Sponsor ----------------------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1142. Re: Spotting and the Kenwood TS-2000

Yahoo group: XMLog
Date: 2004-08-30 20:02:02 UTC
From: Mike McAmis
Topic: 1138 Message: 1142

Hi Kevin, Glad you have things working - If I understand you correctly the Kenwood mode still didn't work even after you changed the TS-2000 features and you still had to set the rig type to Elecraft. If this is the case I'll make a change to XMLog so that it reverses the command order for the TS-2000 (and I'll add a unique rig type for the TS-2000 seperate from the generic Kenwood rig type).

Mike - W1ECT

> Hi Again Mike,
>
> Well, I had a little longer than I thought. I just turned off the feature
> in the TS-2000 which allows you to maintain the same frequency when you
> change SSB to CW and set it for the K2. It works just fine now and moves to
> the frequency and mode shown in the packet window when you click.
>
> Thanks for the fix and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS

1143. RE: [XMLog] Re: Spotting and the Kenwood TS-2000

Yahoo group: XMLog
Date: 2004-08-31 02:05:07 UTC
From: Kevin Nathan
Topic: 1138 Message: 1143

Hi Mike,

Yes it is working with the Elecraft K2 settings. But, I had to turn off the feature in the 2000 that lets you shift from SSB to CW and maintain the same frequency. With this turned on, there was always a 650 Hz offset when using the K2 setting and neither of the Kenwood settings changed both mode and frequency.

Thanks for making the new control set and I look forward to trying it. Please let me know when you are ready for it in beta. Very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Monday, August 30, 2004 13:02
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Spotting and the Kenwood TS-2000

Hi Kevin, Glad you have things working - If I understand you correctly the Kenwood mode still didn't work even after you changed the TS-2000 features and you still had to set the rig type to Elecraft. If this is the case I'll make a change to XMLog so that it reverses the command order for the TS-2000 (and I'll add a unique rig type for the TS-2000 seperate from the generic Kenwood rig type).

Mike - W1ECT

> Hi Again Mike,
>
> Well, I had a little longer than I thought. I just turned off the
feature
> in the TS-2000 which allows you to maintain the same frequency when
you
> change SSB to CW and set it for the K2. It works just fine now and
moves to
> the frequency and mode shown in the packet window when you click.
>
> Thanks for the fix and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS

---------- Yahoo! Groups Sponsor ----------~--> Make a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1144. TS-2000

Yahoo group: XMLog
Date: 2004-09-01 03:00:57 UTC
From: Kevin Nathan
Topic: 1144 Message: 1144

Hi Mike,

I downloaded the new beta version and loaded it. I changed the driver and tested it out. With the menu setting at off (changing from SSB to CW will require retuning) the rig moves frequency and mode accurately when clicking on a packet window frequency. With that menu setting turned on (changing from SSB to CW does not require retuning) there is again a 650 Hz offset when clicking on a packet window frequency. This is working exactly like the K2 driver.

Thanks much Mike for your quick and great work. Very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1145. ADIF import modification?

Yahoo group: XMLog
Date: 2004-09-02 02:21:29 UTC
From: David Spoelstra
Topic: 1145 Message: 1145

Thanks again for such a wonderful program. I have convinced my
entire club to standardize on XMLog. Because of that, I've been
doing a lot of ADIF imports of club logs.

I always setup the import to query qrz.com and fill in the name and
address. I find that any callsign with a "/" like "N4JS/M"
or "N2NWK/M" never get the name and address filled in during the
import.

After the import, I then need to search for blank names and
hit "CTRL-L" and XMLog immediately finds the callsigns and fills in
the names and addresses. I also noticed that when I do "CTRL-L"
XMLog drops the "/M" and just looks up the root callsigns.

I'm wondering if we can make the ADIF import work the same way as
doing a "CTRL-L". It would save me a bunch of time. I've got about
8,000 QSOs so far that I'm going to have to manually use "CTRL-L" to
lookup the info...

Thanks tons!
-David, N9KT

1146. Re: ADIF import modification?

Yahoo group: XMLog
Date: 2004-09-02 16:23:03 UTC
From: Mike McAmis
Topic: 1145 Message: 1146

> Thanks again for such a wonderful program. I have convinced my
> entire club to standardize on XMLog. Because of that, I've been
> doing a lot of ADIF imports of club logs.
OK David, I'll look into it.

Mike - W1ECT

> I always setup the import to query qrz.com and fill in the name and
> address. I find that any callsign with a "/" like "N4JS/M"
> or "N2NWK/M" never get the name and address filled in during the
> import.
>
> After the import, I then need to search for blank names and
> hit "CTRL-L" and XMLog immediately finds the callsigns and fills in
> the names and addresses. I also noticed that when I do "CTRL-L"
> XMLog drops the "/M" and just looks up the root callsigns.
>
> I'm wondering if we can make the ADIF import work the same way as
> doing a "CTRL-L". It would save me a bunch of time. I've got
about
> 8,000 QSOs so far that I'm going to have to manually use "CTRL-L"
to
> lookup the info...
>
> Thanks tons!
> -David, N9KT

1147. Alinco DX70T

Yahoo group: XMLog
Date: 2004-09-03 14:58:08 UTC
From: stuartliss
Topic: 1147 Message: 1147

Hi,

I just bought an Alinco DX70T. If I had the right cables, would I
be able to use XMLog to read frequency from the radio?

Thanks,

Stuart, WA2PQE

1148. Re: Alinco DX70T

Yahoo group: XMLog
Date: 2004-09-03 15:20:44 UTC
From: Mike McAmis
Topic: 1147 Message: 1148

Hi Stuart, XMLog currently supports the DX-77, perhaps the DX-70 uses the same rig control commands. You can try setting the rig type to DX-77 and try it out. If not, perhaps your manual has documentation detailing the format for the commands and I can add support for the DX-70.

Mike - W1ECT

> Hi,
>
> I just bought an Alinco DX70T. If I had the right cables, would I
> be able to use XMLog to read frequency from the radio?
>
> Thanks,
>
> Stuart, WA2PQE

1149. Problem with Version 4,82

Yahoo group: XMLog
Date: 2004-09-12 05:31:30 UTC
From: Kevin Nathan
Topic: 1149 Message: 1149

Hi Mike,

I seem to have a problem with version 4.82. This weekend I was lucky and worked some new DX stations. However, when I try to bring up my DX totals and hit OK when choosing all log entries, the program reboots my computer. Any idea what may be causing this?

I am using Windows XP home Edition. Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1150. software

Yahoo group: XMLog
Date: 2004-09-12 01:38:32 UTC
From: lec9346583
Topic: 1150 Message: 1150

I need link for loging software,tks jim

1151. RE: [XMLog] software

Yahoo group: XMLog
Date: 2004-09-12 16:01:08 UTC
From: Kevin Nathan
Topic: 1150 Message: 1151

Hi Jim,

Go to:

http://www.xmlog.com

That will give you the latest released version. You will enjoy the program
a lot. Good luck and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: lec9346583 [mailto:kc0idf@...]
Sent: Saturday, September 11, 2004 18:39
To: XMLog@yahoogroups.com
Subject: [XMLog] software

I need link for loging software,tks jim

------------------------ Yahoo! Groups Sponsor ----------------------~--> Make
a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1152. Searching the log

Yahoo group: XMLog
Date: 2004-09-12 18:17:57 UTC
From: aa6rh
Topic: 1152 Message: 1152

Hi folks:

After trying out a few different logging programs, I've settled on XMlog.

I am having a small problem though. When I try to search my log with a partial callsign such as just a prefix, it does not return any entries. However if I search on other fields such as mode or RST or what have you, it works just fine. The help files says that I should be able to search on partial calls or prefixes.

Everything else works just fine and XMlog has just the right amount of features to satisfy my needs!

Anyway, using Win 2000 Pro sp4 with XMlog version 4.79

Thanks everyone for you time.....

Vy 73

Rob

AA6RH

1153. Re: [XMLog] Searching the log

Yahoo group: XMLog
Date: 2004-09-12 18:39:45 UTC
From: Steve Litwins
Topic: 1152 Message: 1153

Rob;
I just use the place-holders "stars" and all works fb...73/dx
steve, k8wk
****
----- Original Message -----
From: "aa6rh" <aa6rh@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, September 12, 2004 1:17 PM
Subject: [XMLog] Searching the log

> Hi folks:
>
> After trying out a few different logging programs, I've settled on XMlog.
>
> I am having a small problem though. When I try to search my log with a
> partial callsign such as just a prefix, it does not return any
> entries. However if I search on other fields such as mode or RST or
> what have you, it works just fine. The help files says that I should
> be able to search on partial calls or prefixes.
>
> Everything else works just fine and XMlog has just the right amount of
> features to satisfy my needs!
>
> Anyway, using Win 2000 Pro sp4 with XMlog version 4.79
>
> Thanks everyone for you time..........
>
> Vy 73
>
> Rob
>
> AA6RH
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

>

1154. Re: Searching the log

Yahoo group: XMLog
Date: 2004-09-12 18:41:19 UTC
From: Mike McAmis
Topic: 1152 Message: 1154

Hi Rob, Normally XMLog looks for exact matches for data entered for searches. However it also supports 'regular expressions' for search keys, for example a search key of =*abc* for the call will match fields with abc anywhere in the field. For more variations check the 'Searching the Log' section in the help file.

Mike - W1ECT

> Hi folks:
>
> After trying out a few different logging programs, I've settled on XMlog.
>
> I am having a small problem though. When I try to search my log with a
> partial callsign such as just a prefix, it does not return any
> entries. However if I search on other fields such as mode or RST or
> what have you, it works just fine. The help files says that I should
> be able to search on partial calls or prefixes.
>
> Everything else works just fine and XMlog has just the right amount of
> features to satisfy my needs!
>
> Anyway, using Win 2000 Pro sp4 with XMlog version 4.79
>
> Thanks everyone for you time.....
>
> Vy 73
>
> Rob
>
> AA6RH

1155. Re: [XMLog] Searching the log

Yahoo group: XMLog
Date: 2004-09-12 18:41:25 UTC
From: k2qmf@juno.com
Topic: 1152 Message: 1155

Hi Bob,

You need to use "=". Lets say you are looking for
a all K2 calls you would search for "=K2*".
You must use the = sign and the * to work properly.

Good Luck. It is a great program.

73, Ted K2QMF

On Sun, 12 Sep 2004 18:17:57 -0000 "aa6rh" <aa6rh@...> writes:
> Hi folks:
>
> After trying out a few different logging programs, I've settled on
> XMlog.
>
> I am having a small problem though. When I try to search my log with
> a
> partial callsign such as just a prefix, it does not return any
> entries. However if I search on other fields such as mode or RST
> or
> what have you, it works just fine. The help files says that I
> should
> be able to search on partial calls or prefixes.
>
> Everything else works just fine and XMlog has just the right amount
> of
> features to satisfy my needs!
>
> Anyway, using Win 2000 Pro sp4 with XMlog version 4.79
>
> Thanks everyone for you time.....
>
> Vy 73
>
> Rob
>
> AA6RH
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~-->
> $9.95 domain names from Yahoo!. Register anything.
> http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM

> --~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

Get your name as your email address.
Includes spam protection, 1GB storage, no ads and more
Only $1.99/ month - visit http://www.mysite.com/name today!

1156. Re: Searching the log

Yahoo group: XMLog
Date: 2004-09-12 19:31:04 UTC
From: aa6rh
Topic: 1152 Message: 1156

Hi again folks:

Thanks for all the replies, It looks like the problem was "operator error" hi hi.

There it was in black and white all of the time, guess I need to stop being a typical Ham and RTFM.

Now if I can just save enough money, get the new Ic-7800 or the FTdx-9000 and get them to work without RingTFM hi hi

Thanks again everyone and take care!

Rob

AA6RH

--- In XMLog@yahoogroups.com, "aa6rh" <aa6rh@v...> wrote:
> Hi folks:
>
> After trying out a few different logging programs, I've settled on XMlog.
>
> I am having a small problem though. When I try to search my log with a
> partial callsign such as just a prefix, it does not return any
> entries. However if I search on other fields such as mode or RST or
> what have you, it works just fine. The help files says that I should
> be able to search on partial calls or prefixes.
>
> Everything else works just fine and XMlog has just the right amount of
> features to satisfy my needs!
>
> Anyway, using Win 2000 Pro sp4 with XMlog version 4.79
>
> Thanks everyone for you time.....
>
> Vy 73
>
> Rob
>
> AA6RH

1157. help to update!!

Yahoo group: XMLog
Date: 2004-09-13 00:13:25 UTC
From: tom.dixon
Topic: 1157 Message: 1157

Greetings

I have tried to up date my logging program. However I get this displayed on my screen "You are not authorized to view this page" not sure if it is some setting on my computer or not?

Tom Dixon
zl2hgr@...
IRLP 6931

[Non-text portions of this message have been removed]

1158. Re: [XMLog] help to update!!

Yahoo group: XMLog
Date: 2004-09-13 17:17:31 UTC
From: Don Nesbitt
Topic: 1157 Message: 1158

Hi Tom - hummmm - I'm certainly not the expert with this sort of thing and have not encountered that message. I'm assuming that you are going either to www.xmlog.com or to www.xmlog.com/beta and following the directions? 73 --don n4hh

--- "tom.dixon" <tom.dixon@...> wrote:

> Greetings
>
> I have tried to up date my logging program. However
> I get this displayed
> on my screen "You are not authorized to view this
> page" not sure if it
> is some setting on my computer or not?
>
>
>
> Tom Dixon
> zl2hgr@...
> IRLP 6931
>
>
>
> [Non-text portions of this message have been
> removed]
>
>
>

Do you Yahoo!?
New and Improved Yahoo! Mail - Send 10MB messages!
http://promotions.yahoo.com/new_mail

1159. Re: help to update!!

Yahoo group: XMLog
Date: 2004-09-14 15:34:35 UTC
From: Mike McAmis
Topic: 1157 Message: 1159

Hi Tom, When do you see the message - during the download, at some point during the install process... ? What is the full text of any message(s).

Mike - W1ECT

> Greetings
>
> I have tried to up date my logging program. However I get this displayed
> on my screen "You are not authorized to view this page" not sure if it
> is some setting on my computer or not?

1160. Problem Displaying DXCC Totals

Yahoo group: XMLog
Date: 2004-09-15 03:38:00 UTC
From: Kevin Nathan
Topic: 1160 Message: 1160

Hi Mike and All,

I wrote on this the other night but didn't get a response or just plain missed it if I did so will try again with everyone's indulgence. I am running version 4.82 with the new TS-2000 driver in it and all works well except that when I bring up the DXCC totals window and choose ok to display the total the program reboots my computer. I am running Windows XP Home on an Athlon processor. I would really like to look at my totals but don't know how to eliminate this problem. Any thoughts you have would be very helpful.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1161. RE: [XMLog] Re: help to update!!

Yahoo group: XMLog
Date: 2004-09-15 07:38:45 UTC
From: tom.dixon
Topic: 1157 Message: 1161

Mike
Thanks for the reply. I will try it again and dump the screen shot into an email (if you don't mind) I think that would be easier then me trying to explain it all.
Of course that is if it is ok with you.

Tom Dixon
zl2hgr@...
IRLP 6931

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Wednesday, 15 September 2004 3:35 a.m.
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: help to update!!

Hi Tom, When do you see the message - during the download, at some point during the install process... ? What is the full text of any message(s).

Mike - W1ECT

> Greetings
>
> I have tried to up date my logging program. However I get this displayed
> on my screen "You are not authorized to view this page" not sure if it
> is some setting on my computer or not?

Yahoo! Groups Links

1162. custom label layout error

Yahoo group: XMLog
Date: 2004-09-15 22:17:07 UTC
From: Stuart Liss
Topic: 1162 Message: 1162

Hi,

I just started getting this error, "Can't open custom label layouts. (3041)
Can't open a database created with a previous version of your application."

Don't remember doing anything to cause this. It pops up when I start XMLog and
the program continues to work when I click OK. I haven't upgraded the app
since I downloaded it.

I'm running 4.79.

Stuart, WA2PQE
stuartliss@...

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1163. Ver 4.82

Yahoo group: XMLog
Date: 2004-09-16 02:22:12 UTC
From: Stuart Liss
Topic: 1163 Message: 1163

Hi,

Version 4.82 resolved the error I reported in my last email. The DX70T does not have computer control like the DX77, so I can't use those features.

When I entered old QSOs from my paper logs, I was entering the date, time and frequency over and over again. Is it possible to have it default to the last value entered? I have the mode and power in the .ini file, so I don't have to change them often.

Thanks,

Stuart, WA2PQE

_____
Do you Yahoo!?
Declare Yourself - Register online to vote today!
http://vote.yahoo.com

1164. Re: [XMLog] Ver 4.82

Yahoo group: XMLog
Date: 2004-09-16 12:57:32 UTC
From: D.W. Jones
Topic: 1163 Message: 1164

Mike -

As one of the world's worst (and slowest) typists, I would like to agree with Stuart's plea for a little help in doing manual log entry. I have many years of paper logs that I would love to transfer to XMLOG but the process is just too tedious for a klutz like me.

Would it be possible to have a shortcut key to allow duplication (while in ADD mode)of the data from the corresponding field of the previously added log entry? Microsoft Access provides this sort of shortcut key for duplication.

Thanks & 73 - Don "Stone Fingers" Jones N4TN

Stuart Liss wrote:

....When I entered old QSOs from my paper logs, I was entering the date, time and

> frequency over and over again. Is it possible to have it default to
> the last
> value entered? I have the mode and power in the .ini file, so I don't
> have to
> change them often.
>
> Thanks,
>
> Stuart, WA2PQE
>

1165. Re: Problem Displaying DXCC Totals

Yahoo group: XMLog
Date: 2004-09-16 13:58:38 UTC
From: Mike McAmis
Topic: 1160 Message: 1165

Hi Kevin, I don't think I can offer much help here. XMLog isn't a very 'invasive' program. I doesn't use the registry so this isn't a problem. It also mostly uses standard Microsoft runtime DLL's etc. The only non-Microsoft compoments are used for sending CW and for rig control as well as the DLL's provided provided by the various callbook vendors to read their callbook databases.

It's possible that one of these components has been corrupted, you can try re-installing XMLog, or, you can back up your log file (and the associated files mentioned at www.xmlog.com/beta) and do an un-install/re-install.

Does the problem only occur for this report or for other reports as well?

Again, it takes some pretty drastic action on the part of a application to crash Windows and XMLog is a pretty straight-forward program.

Mike - W1ECT

> Hi Mike and All,
>
> I wrote on this the other night but didn't get a response or just plain
> missed it if I did so will try again with everyone's indulgence. I am
> running version 4.82 with the new TS-2000 driver in it and all works well
> except that when I bring up the DXCC totals window and choose ok to display
> the total the program reboots my computer. I am running Windows XP Home on
> an Athlon processor. I would really like to look at my totals but don't
> know how to eliminate this problem. Any thoughts you have would be very
> helpful.

1166. Re: Ver 4.82

Yahoo group: XMLog
Date: 2004-09-16 14:03:55 UTC
From: Mike McAmis
Topic: 1163 Message: 1166

Hi Don and Stuart, One thing you might try is using the "Edit/Edit default values for entries" and the associated "Edit/Use default values for entries" menu items. This won't have the power of a "copy from last entry" key but you can set up your Power and Mode defaults and if you are doing a several entries per day you can set a Date default as well.

Mike - W1ECT

> Mike -
>
> As one of the world's worst (and slowest) typists, I would like to agree
> with Stuart's plea for a little help in doing manual log entry. I have
> many years of paper logs that I would love to transfer to XMLOG but the
> process is just too tedious for a klutz like me.
>
> Would it be possible to have a shortcut key to allow duplication (while
> in ADD mode)of the data from the corresponding field of the previously
> added log entry? Microsoft Access provides this sort of shortcut key for
> duplication.
>
> Thanks & 73 - Don "Stone Fingers" Jones N4TN
>
>

1167. Re: help to update!!

Yahoo group: XMLog
Date: 2004-09-16 14:10:14 UTC
From: Mike McAmis
Topic: 1157 Message: 1167

Hi Tom, No problem... Mike - W1ECT

> Mike
> Thanks for the reply. I will try it again and dump the screen shot
into
> an email (if you don't mind) I think that would be easier then me
trying
> to explain it all.
> Of course that is if it is ok with you.
>
> Tom Dixon zl2hgr@x...

1168. Please Help with Question

Yahoo group: XMLog
Date: 2004-09-16 14:45:19 UTC
From: Rick
Topic: 1168 Message: 1168

Will Someone Please tell me what the XML log is...is it compatable with Microsoft Office? Where do you get it? Please Email me rbvideo@...

1169. Re: [XMLog] Please Help with Question

Yahoo group: XMLog
Date: 2004-09-16 16:37:10 UTC
From: GERry
Topic: 1168 Message: 1169

> Will Someone Please tell me what the XML log is...is it
compatable
> with Microsoft Office? Where do you get it? Please Email
me
> rbvideo@...

XMLog is a logging program for use by radio amateurs ("hams")
in logging their contacts.

It has absolutely no relation to the eXtreme Markup Language
(XML) Windows application.

You can get it at www.xmlog.com-- although I think you will
conclude from the above that you don't want it.

Gerry, W3GER

1170. RE: [XMLog] Re: Problem Displaying DXCC Totals

Yahoo group: XMLog
Date: 2004-09-17 05:23:58 UTC
From: Kevin Nathan
Topic: 1160 Message: 1170

Hi Mike,

I got your message this morning but didn't get a chance to test things until tonight. So far I tried backing up those files you speak to on the web site and then uninstalled and reinstalled version 4.82. Same problem with the computer rebooting on hitting ok to show the dx totals on screen. It also does it on any other reports as well.

Next I uninstalled xmlog again and got version 4.79 and installed it since I knew that worked ok. However, it now does the same thing.

I then uninstalled 4.79 and reinstalled 4,82 and tried sending the dxcc totals to a file rather than the screen. It worked fine that time. I don't know if this tells you anything important but that is what I was able to find.

Thanks much for your help and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Thursday, September 16, 2004 06:59
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Problem Displaying DXCC Totals

Hi Kevin, I don't think I can offer much help here. XMLog isn't a very 'invasive' program. I doesn't use the registry so this isn't a problem. It also mostly uses standard Microsoft runtime DLL's etc.
The only non-Microsoft compoments are used for sending CW and for rig control as well as the DLL's provided provided by the various callbook vendors to read their callbook databases.

It's possible that one of these components has been corrupted, you can try re-installing XMLog, or, you can back up your log file (and the associated files mentioned at www.xmlog.com/beta) and do an un- install/re-install.

Does the problem only occur for this report or for other reports as well?

Again, it takes some pretty drastic action on the part of a application to crash Windows and XMLog is a pretty straight-forward program.

Mike - W1ECT

> Hi Mike and All,
>

> I wrote on this the other night but didn't get a response or just
plain
> missed it if I did so will try again with everyone's indulgence. I
am
> running version 4.82 with the new TS-2000 driver in it and all
works well
> except that when I bring up the DXCC totals window and choose ok to
display
> the total the program reboots my computer. I am running Windows XP
Home on
> an Athlon processor. I would really like to look at my totals but
don't
> know how to eliminate this problem. Any thoughts you have would be
very
> helpful.

---------- Yahoo! Groups Sponsor ----------~--> Make
a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
~->

Yahoo! Groups Links

1171. Importing from DOS Logging Program

Yahoo group: XMLog
Date: 2004-09-18 18:07:28 UTC
From: Rayford Cunningham
Topic: 1171 Message: 1171

I have used WJ2O Logging Program (DOS) for several years and I have over 80,000 entries. This Program is now history. How can I move these files to this program?
My interest is plain logging and no rig interface. If I have worked the station I would like to see all previous contacts displayed. If it is a new contact I would like to have the program look up the call from the on line or CD Version of QRZ, and fill in my logbook. No interest in Contest Logs or DX logs. Is this asking too much?

Rayford Cunningham K7OKE
2739 N. Wright Way
Mesa, AZ 480 985-8977 Rayford-C@...

1172. Re: Importing from DOS Logging Program

Yahoo group: XMLog
Date: 2004-09-18 20:56:28 UTC
From: Mike McAmis
Topic: 1171 Message: 1172

Hi Ray, I believe the WJ2O logger has a feature that lets you create an ADIF file from your log which can be used to move your files to XMLog using the "Import/Import ADIF File" menu item.

Mike - W1ECT

> I have used WJ2O Logging Program (DOS) for several years and I have
> over 80,000 entries. This Program is now history. How can I move
> these files to this program?
> My interest is plain logging and no rig interface. If I have
worked
> the station I would like to see all previous contacts displayed.
If
> it is a new contact I would like to have the program look up the
> call from the on line or CD Version of QRZ, and fill in my
logbook.
> No interest in Contest Logs or DX logs. Is this asking too much?
>
> Rayford Cunningham K7OKE
> 2739 N. Wright Way
> Mesa, AZ 480 985-8977 Rayford-C@C...

1173. Re: [XMLog] Importing from DOS Logging Program

Yahoo group: XMLog
Date: 2004-09-18 22:13:45 UTC
From: GERry
Topic: 1171 Message: 1173

> ... I would like to see all previous contacts displayed. If
> it is a new contact I would like to have the program look up
the
> call from the on line or CD Version of QRZ, and fill in my
logbook.

XMLog has both of those covered.

73 de W3GERry

1174. PSK31

Yahoo group: XMLog
Date: 2004-09-24 00:39:56 UTC
From: mefazamy
Topic: 1174 Message: 1174

Forgive me. I'm a relative newcomer to xmLog, and this topic probably has been discussed previously.

I've been considering getting into PSK31 using digipan.
1. Is xmLog compatible to PSK via digipan? If so,
2. Do I have to buy an additional interface? (I'm presently using an interface that's compatible with Kenwood TS-140.)

I'll be grateful for any info regarding this.

Tnx,
Evan
KB2AMY

1175. Re: PSK31

Yahoo group: XMLog
Date: 2004-09-24 14:42:50 UTC
From: Mike McAmis
Topic: 1174 Message: 1175

Hi Evan, XMLog doesn't support any interfaces to RTTY, PSK31, etc. systems. Some people use programs like WriteLog or MixW2 and then export the QSOs as ADIF files and import them into XMLog.

Mike - W1ECT

> Forgive me. I'm a relative newcomer to xmLog, and this topic
> probably has been discussed previously.
>
> I've been considering getting into PSK31 using digipan.
> 1. Is xmLog compatible to PSK via digipan? If so,
> 2. Do I have to buy an additional interface? (I'm presently using
> an interface that's compatible with Kenwood TS-140.)
>
> I'll be grateful for any info regarding this.
>
> Tnx,
> Evan
> KB2AMY

1176. Alaska

Yahoo group: XMLog
Date: 2004-10-10 05:53:58 UTC
From: stuartliss
Topic: 1176 Message: 1176

Hi,

I've been entering QSOs with hams with Alaska callsigns who live in the lower 48 states. XMLog insists that all KL7 hams are in Alaska. I have to change the call to KL7xxx/W7 to get it to stop. If the ham has changed his address with the FCC, he doesn't use a portable call. Is there an option to shut this off?

Thanks,

Stuart, WA2PQE

1177. Re: Alaska

Yahoo group: XMLog
Date: 2004-10-10 08:21:47 UTC
From: pa1cc
Topic: 1176 Message: 1177

Hi Stuart,

You cannot change the state because you probably haven't changed the country field. You can enter kl7xxx but you have to change the country to "W". After that it will accept states other than AK.

73,
Ton, pa1cc

--- In XMLog@yahoogroups.com, "stuartliss" <stuartliss@y...> wrote:
>
> Hi,
>
> I've been entering QSOs with hams with Alaska callsigns who live in
> the lower 48 states. XMLog insists that all KL7 hams are in
Alaska.
> I have to change the call to KL7xxx/W7 to get it to stop. If the
ham
> has changed his address with the FCC, he doesn't use a portable
call.
> Is there an option to shut this off?
>
> Thanks,
>
> Stuart, WA2PQE

1178. WINXP

Yahoo group: XMLog
Date: 2004-10-12 09:09:09 UTC
From: N7MAL
Topic: 1178 Message: 1178

I recently got wiped out by lightening so I know this question has been asked/answered. Unfortunately I can't go back and find the answer.
I replaced the hamshack computer with a new Dell running XP. XMLOG tells me I cant acess LPT1 for CW keying. What is the workaround..??..
TKS 73

MAL N7MAL
BULLHEAD CITY, AZ

[Non-text portions of this message have been removed]

1179. Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-15 21:38:57 UTC
From: Mike McAmis
Topic: 1178 Message: 1179

Hi Mal, There's no real 'work around' to allow CW keying via an LPT port on XP. What most folk do (including myself) is to add another serial port to your system. One easy way is to get a single (or dual, doesn't cost much more) serial port card (ISA if you have an old PC, PCI if you have a newer one). These are easy to install and cost $25~$35 from places like CDW. You can also get a USB to serial convertor. These are fairly cheap as well - I see in this month's QST that even MFJ is selling one for $25. However for me, I'd rather add the serial port card and not use up a USB port.

Mike - W1ECT

> I recently got wiped out by lightening so I know this question has been asked/answered. Unfortunately I can't go back and find the answer.
> I replaced the hamshack computer with a new Dell running XP. XMLOG tells me I cant acess LPT1 for CW keying. What is the workaround..??..
> TKS 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
>
> [Non-text portions of this message have been removed]

1180. Re: [XMLog] Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-15 22:46:47 UTC
From: N7MAL
Topic: 1178 Message: 1180

Thanks Mike for the reply. I have the free serial port but was trying to avoid using it. As you know I'm an active contester and I'm forced now to use CTWIN, which does not allow serial keying. I bought a new parallel keying adapter which works great with CT. So if there's no work-around I'll connect my old serial keying adapter. My rig has 2 key inputs so it will accept keying from both sources
Thanks again
Best 73

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Friday, October 15, 2004 9:38 PM
Subject: [XMLog] Re: WINXP Keying via LPT

Hi Mal, There's no real 'work around' to allow CW keying via an LPT port on XP. What most folk do (including myself) is to add another serial port to your system. One easy way is to get a single (or dual, doesn't cost much more) serial port card (ISA if you have an old PC, PCI if you have a newer one). These are easy to install and cost $25~$35 from places like CDW. You can also get a USB to serial convertor. These are fairly cheap as well - I see in this month's QST that even MFJ is selling one for $25. However for me, I'd rather add the serial port card and not use up a USB port.

Mike - W1ECT

> I recently got wiped out by lightening so I know this question has been asked/answered. Unfortunately I can't go back and find the answer.
> I replaced the hamshack computer with a new Dell running XP. XMLOG tells me I cant acess LPT1 for CW keying. What is the workaround..??..
> TKS 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
>
> [Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1181. RE: [XMLog] Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-16 00:06:04 UTC
From: Kevin Nathan
Topic: 1178 Message: 1181

Hi Mike,

One question about serial ports in XP. Do the rules that governed their use in the older systems still apply? For example, I remember that if you had two com ports in the old days, that was all you could use because of IRQ conflicts. I am already using the one natural serial port on my computer and have a USB to serial port converter also. These run the radio control and my TNC. Do you think I could run another USB to serial converter for keying and have it work?

Thanks very much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Friday, October 15, 2004 14:39
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: WINXP Keying via LPT

Hi Mal, There's no real 'work around' to allow CW keying via an LPT port on XP. What most folk do (including myself) is to add another serial port to your system. One easy way is to get a single (or dual, doesn't cost much more) serial port card (ISA if you have an old PC, PCI if you have a newer one). These are easy to install and cost $25~$35 from places like CDW. You can also get a USB to serial convertor. These are fairly cheap as well - I see in this month's QST that even MFJ is selling one for $25. However for me, I'd rather add the serial port card and not use up a USB port.

Mike - W1ECT

> I recently got wiped out by lightening so I know this question has been asked/answered. Unfortunately I can't go back and find the answer.
> I replaced the hamshack computer with a new Dell running XP. XMLOG tells me I cant acess LPT1 for CW keying. What is the workaround..??..
> TKS 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
>
> [Non-text portions of this message have been removed]

---------- Yahoo! Groups Sponsor ----------~--> Make a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!

http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1182. Re: [XMLog] Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-16 01:41:56 UTC
From: Don Nesbitt
Topic: 1178 Message: 1182

Hi Mal - you might want to take a look at how the parallel port is used under XP in the N1MM Logger program as well as WriteLog. It requires the installation of a small software program and works just fine for LPT keying. There might be a reason that it won't work with XMLog but I don't know - at least you can check it out to see if it fills the bill. You can find details at:
http://www.qsl.net/n1eu/n1mm/MMKeying.htm

Have fun es 73 --don n4hh

--- N7MAL <n7mal@...> wrote:

> Thanks Mike for the reply. I have the free serial
> port but was trying to avoid using it. As you know
> I'm an active contester and I'm forced now to use
> CTWIN, which does not allow serial keying. I bought
> a new parallel keying adapter which works great with
> CT. So if there's no work-around I'll connect my old
> serial keying adapter. My rig has 2 key inputs so it
> will accept keying from both sources
> Thanks again
> Best 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Friday, October 15, 2004 9:38 PM
> Subject: [XMLog] Re: WINXP Keying via LPT
>
>
>
> Hi Mal, There's no real 'work around' to allow CW
> keying via an LPT
> port on XP. What most folk do (including myself)
> is to add another
> serial port to your system. One easy way is to
> get a single (or
> dual, doesn't cost much more) serial port card
> (ISA if you have an
> old PC, PCI if you have a newer one). These are
> easy to install and
> cost $25~$35 from places like CDW. You can also

> get a USB to serial
> convertor. These are fairly cheap as well - I see
> in this month's
> QST that even MFJ is selling one for $25. However
> for me, I'd rather
> add the serial port card and not use up a USB
> port.
>
> Mike - W1ECT
>
> > I recently got wiped out by lightening so I know
> this question has
> been asked/answered. Unfortunately I can't go back
> and find the
> answer.
> > I replaced the hamshack computer with a new Dell
> running XP. XMLOG
> tells me I cant acess LPT1 for CW keying. What is
> the workaround..??..
> > TKS 73
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> >
> > [Non-text portions of this message have been
> removed]
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
>

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an
> email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the
> Yahoo! Terms of Service.

>
>
>
> [Non-text portions of this message have been
> removed]
>
>

Do you Yahoo!?
Take Yahoo! Mail with you! Get it on your mobile phone.
http://mobile.yahoo.com/maildemo

1183. RE: [XMLog] Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-16 02:15:38 UTC
From: Kevin Nathan
Topic: 1178 Message: 1183

Hi Don and All,

I just tried dlportio with no luck. Xmlog still says it doesn't support lpt ports. Any chance Mike that support could be added?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Don Nesbitt [mailto:nesbittdr@...]
Sent: Friday, October 15, 2004 18:42
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: WINXP Keying via LPT

Hi Mal - you might want to take a look at how the parallel port is used under XP in the N1MM Logger program as well as WriteLog. It requires the installation of a small software program and works just fine for LPT keying. There might be a reason that it won't work with XMLog but I don't know - at least you can check it out to see if it fills the bill. You can find details at:
http://www.qsl.net/n1eu/n1mm/MMKeying.htm

Have fun es 73 --don n4hh

--- N7MAL <n7mal@...> wrote:

> Thanks Mike for the reply. I have the free serial port but was trying
> to avoid using it. As you know I'm an active contester and I'm forced
> now to use CTWIN, which does not allow serial keying. I bought a new
> parallel keying adapter which works great with CT. So if there's no
> work-around I'll connect my old serial keying adapter. My rig has 2
> key inputs so it will accept keying from both sources Thanks again
> Best 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Friday, October 15, 2004 9:38 PM
> Subject: [XMLog] Re: WINXP Keying via LPT
>
>
>

> Hi Mal, There's no real 'work around' to allow CW keying via an LPT
> port on XP. What most folk do (including myself) is to add another
> serial port to your system. One easy way is to get a single (or
> dual, doesn't cost much more) serial port card (ISA if you have an
> old PC, PCI if you have a newer one). These are easy to install and
> cost $25~$35 from places like CDW. You can also get a USB to serial
> convertor. These are fairly cheap as well - I see in this month's
> QST that even MFJ is selling one for $25. However for me, I'd
> rather
> add the serial port card and not use up a USB port.
>
> Mike - W1ECT
>
> > I recently got wiped out by lightening so I know this question has
> been asked/answered. Unfortunately I can't go back and find the
> answer.
> > I replaced the hamshack computer with a new Dell running XP. XMLOG
> tells me I cant acess LPT1 for CW keying. What is the
> workaround..??..
> > TKS 73
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> >
> > [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
>

--
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>

>
>
> [Non-text portions of this message have been removed]
>
>

_____
Do you Yahoo!?
Take Yahoo! Mail with you! Get it on your mobile phone.
http://mobile.yahoo.com/maildemo

---------- Yahoo! Groups Sponsor ----------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1184. Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-16 14:03:53 UTC
From: Mike McAmis
Topic: 1178 Message: 1184

XMLog won't allow the use of dlportio, etc. since it explicitly checks to see what system you are running and won't allow LPT keying on Windows NT/2K/XP. I had looked into supporting dlportio at one point but since XMLog is freeware I didn't want to deal with the extra work it would take to install and support this feature.

XMLog currently handles COM1-COM8 for serial port keying. This applies to all Windows versions.

I hadn't realized that CTWin didn't support serial port keying... strange. Maybe you should give WriteLog or N1MM (which is freeware) a try.

Mike - W1ECT

1185. RE: [XMLog] Re: WINXP Keying via LPT

Yahoo group: XMLog
Date: 2004-10-16 16:40:14 UTC
From: Kevin Nathan
Topic: 1178 Message: 1185

Hi Mike,

One of my biggest problems with logging software is that most of them are not very accessible with a screen reader for us blind folks. I've tried writelog and others but often the labels aren't spoken for the fields and so on so you have no really way to determine where you are unless you have a super memory. That is the reason I like and recommend Xmlog. I'll have to look at which serial port is being used right now by the USB to serial converter I have and see if I can add another and direct it to com8.

Thanks much and very 73.being used now by

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Saturday, October 16, 2004 07:04
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: WINXP Keying via LPT

XMLog won't allow the use of dlportio, etc. since it explicitly checks to see what system you are running and won't allow LPT keying on Windows NT/2K/XP. I had looked into supporting dlportio at one point but since XMLog is freeware I didn't want to deal with the extra work it would take to install and support this feature.

XMLog currently handles COM1-COM8 for serial port keying. This applies to all Windows versions.

I hadn't realized that CTWin didn't support serial port keying... strange. Maybe you should give WriteLog or N1MM (which is freeware) a try.

Mike - W1ECT

------------------------ Yahoo! Groups Sponsor ----------------------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1186. Help! Ten Tec Jupiter settings

Yahoo group: XMLog
Date: 2004-10-17 19:53:15 UTC
From: D.W. Jones
Topic: 1186 Message: 1186

I messed up and changed my XMLOG HF port settings for my Ten Tec Jupiter. Can anyone help me with the correct values - particularly the Rig Address, and Baud rate. I guess I really need to check them all.

73 and Thanks - Don Jones N4TN

1187. Re: [XMLog] Help! Ten Tec Jupiter settings CANCEL

Yahoo group: XMLog
Date: 2004-10-17 20:36:32 UTC
From: D.W. Jones
Topic: 1186 Message: 1187

Cancel that request - I found it myself. 57600 baud, 8-1-No parity,
CTS/RTS flow and no rig address used.

73 - Don N4TN

D.W. Jones wrote:

> I messed up and changed my XMLOG HF port settings for my Ten Tec
> Jupiter. Can anyone help me with the correct values - particularly the
> Rig Address, and Baud rate. I guess I really need to check them all.
>
> 73 and Thanks - Don Jones N4TN
>
>
>
> *Yahoo! Groups Sponsor*
> ADVERTISEMENT
> click here
> <http://us.ard.yahoo.com/SIG=129o97ro5/M=315388.5500238.6578046.3001176/D=groups/S=1705063108:HM/EXP=1098129185/A=2372354/R=0/SIG=12id813k2/*https://www.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>
>
>
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

1188. Compatibility

Yahoo group: XMLog
Date: 2004-10-21 23:31:06 UTC
From: Jim Henry
Topic: 1188 Message: 1188

Hello All

I am new to this group and this is my first posting here. I have two questions before I proceed to download XMLog to my computer. First, is this program intended for use with the HF bands or can it be used for logging VHF/UHF contacts as well?
Second question, is it compatible with Office 2000. I have been told there are problems but would like this clarified please.

Thanks in advance

73 de Jim, GI0DVU
www.qsl.net/gi0dvu

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.781 / Virus Database: 527 - Release Date: 21/10/2004

[Non-text portions of this message have been removed]

1189. Re: Compatibility

Yahoo group: XMLog
Date: 2004-10-22 15:26:18 UTC
From: Mike McAmis
Topic: 1188 Message: 1189

Hi Jim, XMLog is primarily designed for the HF operator but it allows you to log VHF/UHF and above QSOs. The only award tracking specifically for VHF is six meter DXCC.

Not sure what you mean by "Office compatibility". XMLog does use Excel to provide one of it's reports and also uses Microsoft Access databases for it's log files. Other than that there is no connection with Office.

Mike - W1ECT

> Hello All
>
> I am new to this group and this is my first posting here. I have two
> questions before I proceed to download XMLog to my computer. First, is this
> program intended for use with the HF bands or can it be used for logging
> VHF/UHF contacts as well?
> Second question, is it compatible with Office 2000. I have been told there
> are problems but would like this clarified please.
>
> Thanks in advance
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu

1190. RE: [XMLog] Re: Compatibility

Yahoo group: XMLog
Date: 2004-10-22 15:41:28 UTC
From: Jim Henry
Topic: 1188 Message: 1190

Hello

Thanks for the rely to my posting. I am going to download XMLog over the weekend and see how it operates. It looks rather interesting

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: 22 October 2004 15:26
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Compatibility

Hi Jim, XMLog is primarily designed for the HF operator but it allows you to log VHF/UHF and above QSOs. The only award tracking specifically for VHF is six meter DXCC.

Not sure what you mean by "Office compatibility". XMLog does use Excel to provide one of it's reports and also uses Microsoft Access databases for it's log files. Other than that there is no connection with Office.

Mike - W1ECT

> Hello All
>
> I am new to this group and this is my first posting here. I have two
> questions before I proceed to download XMLog to my computer. First, is this
> program intended for use with the HF bands or can it be used for logging
> VHF/UHF contacts as well?
> Second question, is it compatible with Office 2000. I have been told there
> are problems but would like this clarified please.
>
> Thanks in advance
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.781 / Virus Database: 527 - Release Date: 21/10/2004

[Non-text portions of this message have been removed]

1191. Picture size

Yahoo group: XMLog
Date: 2004-10-23 01:03:56 UTC
From: Rayford
Topic: 1191 Message: 1191

Hi Gang,

I just started using XMLog and I think it will do everything that I want it to do. My only problem is being able to readily read the data on my 13 inch (radio computer) screen.

Can the images be made larger? I have not yet tried changing the font size...perhaps that might help. I have also varied the color schemes.

Rayford K7OKE

[Non-text portions of this message have been removed]

1192. Overflow?

Yahoo group: XMLog
Date: 2004-10-23 00:01:13 UTC
From: Howard G. Baker
Topic: 1188 Message: 1192

When double clicking on a call for lookup, sometimes I get a "warning box"
! Can't lookup x8xxx at qrz.com Overflow. But, it is looked up anyway. Is
the problem with qrz.com or the program.

[Non-text portions of this message have been removed]

1193. Re: Overflow?

Yahoo group: XMLog
Date: 2004-10-23 16:18:15 UTC
From: Mike McAmis
Topic: 1188 Message: 1193

Hi Howard - Do you have a call that consistently produces this error message?

Mike - W1ECT

> When double clicking on a call for lookup, sometimes I get a "warning box"
> ! Can't lookup x8xxx at qrz.com Overflow. But, it is looked up anyway. Is
> the problem with qrz.com or the program.

1194. Re: Picture size

Yahoo group: XMLog
Date: 2004-10-23 16:23:27 UTC
From: Mike McAmis
Topic: 1191 Message: 1194

Hi Rayford, There is no way to re-size the main log window. Diddling the font is your only option but you can only increase the font size until the text is to tall for the fields.

Mike - W1ECT

> Hi Gang,
>
> I just started using XMLog and I think it will do everything that I want it to do. My only problem is being able to readily read the data on my 13 inch (radio computer) screen.
>
> Can the images be made larger? I have not yet tried changing the font size...perhaps that might help. I have also varied the color schemes.
>
> Rayford K7OKE

1195. RE: [XMLog] Re: Overflow?

Yahoo group: XMLog
Date: 2004-10-23 16:51:52 UTC
From: Howard G. Baker
Topic: 1188 Message: 1195

No, they are just random. Mostly DX calls. I can□t find anything that is consistent. The only thing I can think of is QRZ could be busy and there could be a delay in connection. BTW I am on a cable to the internet.

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Saturday, October 23, 2004 12:18 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Overflow?

Hi Howard - Do you have a call that consistently produces this error message?

Mike - W1ECT

> When double clicking on a call for lookup, sometimes I get a "warning box"
> ! Can't lookup x8xxx at qrz.com Overflow. But, it is looked up anyway. Is
> the problem with qrz.com or the program.

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=1294ko1ib/M=294855.5468653.6549235.3001176/D=groups/S=1705063108:HM/EXP=1098634699/A=2376776/R=0/SIG=11ldm1jvc/*http://promotions.yahoo.com/ydomains2004/index.html>

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1196. New search feature in 4.84 working great

Yahoo group: XMLog
Date: 2004-10-30 17:55:46 UTC
From: Al Ludwick
Topic: 1196 Message: 1196

Mike,
The new search feature in 4.84 is working great. Thanks for listening and adding this feature. From the release notes:

- There is a new form for search keys when you want to search for log records containing a certain string anywhere in the field. The old technique was to use a wildcard of the form =*xyz* to find all log records that contained xyz in the field. You can now also use a search key of the form ~xyz to save some typing.

I've programmed a function key to make it even more efficient. I set up F3 using a (free) utiliy program to send an "Alt S and the tilde." When I hit F3, the cursor jumps to the call field, types the tilde and I just enter the partial call and hit enter.

Thanks again for a great logger...Al

1197. Re: [XMLog] New search feature in 4.84 working great

Yahoo group: XMLog
Date: 2004-10-30 18:28:23 UTC
From: Rayford
Topic: 1196 Message: 1197

Al,

Please tell me how to download 4.84. Thanks.

Rayford K7OKE
----- Original Message -----
From: Al Ludwick
To: XMLog@yahoogroups.com
Sent: Saturday, October 30, 2004 10:55 AM
Subject: [XMLog] New search feature in 4.84 working great

Mike,
The new search feature in 4.84 is working great. Thanks for
listening and adding this feature. From the release notes:

- There is a new form for search keys when you want to search for
log records containing a certain string anywhere in the field. The
old technique was to use a wildcard of the form =*xyz* to find all
log records that contained xyz in the field. You can now also use a
search key of the form ~xyz to save some typing.

I've programmed a function key to make it even more efficient. I
set up F3 using a (free) utiliy program to send an "Alt S and the
tilde." When I hit F3, the cursor jumps to the call field, types
the tilde and I just enter the partial call and hit enter.

Thanks again for a great logger...Al

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1198. Re: New search feature in 4.84 working great

Yahoo group: XMLog
Date: 2004-10-30 20:56:24 UTC
From: Al Ludwick
Topic: 1196 Message: 1198

Ray,
Just go to

http://www.xmlog.com/beta/

...Al

--- In XMLog@yahoogroups.com, "Rayford" <Rayford-C@C...> wrote:
> Al,
>
> Please tell me how to download 4.84. Thanks.
>
> Rayford K7OKE
> ----- Original Message -----
> From: Al Ludwick
> To: XMLog@yahoogroups.com
> Sent: Saturday, October 30, 2004 10:55 AM
> Subject: [XMLog] New search feature in 4.84 working great
>
>
>
> Mike,
> The new search feature in 4.84 is working great. Thanks for
> listening and adding this feature. From the release notes:
>
> - There is a new form for search keys when you want to search
for
> log records containing a certain string anywhere in the field.
The
> old technique was to use a wildcard of the form =*xyz* to find
all
> log records that contained xyz in the field. You can now also
use a
> search key of the form ~xyz to save some typing.
>
> I've programmed a function key to make it even more efficient.
I
> set up F3 using a (free) utiliy program to send an "Alt S and
the
> tilde." When I hit F3, the cursor jumps to the call field,
types
> the tilde and I just enter the partial call and hit enter.
>
> Thanks again for a great logger...Al
>
>

>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms
of Service.
>
>
>
> [Non-text portions of this message have been removed]

1199. problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-10-31 17:25:31 UTC
From: zamba0321
Topic: 1199 Message: 1199

Hi Mike

while working some stations this weekend in the contest, I noticed
that xmlog (i'm using version 4.84) doesn't log the country
correctly for stations that are portable in another country.
I'm using the QRZ.COM as the callbook, but I don't have the option
'use callbook for locations' selected

example HB0/HB9AON is logged as Switserland
and not as lichtenstein

9M2/G4ZFE is logged as england and not as malaysia

These calls are entered like above on the cluster and I just do
'start log entry' by right clicking on them.

When I 'mouse over' these calls on the spot map then the country is
identified correctly, only when I add it to the log, and type CTRL-F
to get the address info from QRZ.com then the country gets set
incorrectly.

Note: Even in the contest with many spots coming in, the program
held up great and the spots map in full screen mode gives a great
overview of what's out there !

cheers de K6TE Wim.

1200. Re: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-10-31 23:52:56 UTC
From: D.W. Jones
Topic: 1199 Message: 1200

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes
between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

1201. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 00:07:56 UTC
From: Howard G. Baker
Topic: 1199 Message: 1201

I am using 4.79 and it logged HB0/HB9AON as Liechtenstein also. Hope this helps. For a long time if the country is in the cluster first that is what is logged. If the call is in the cluster after the call then it is logged as the call's country.

-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: Sunday, October 31, 2004 6:53 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster ("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great

> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129aick0o/M=315388.5543473.6613715.3001176/D=groups/S=1705063108:HM/EXP=1099353147/A=2372354/R=0/SIG=12id813k2/*https://www.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1202. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 00:29:38 UTC
From: Jim Henry
Topic: 1199 Message: 1202

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 31 October 2004 23:53
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes
between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great

> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

1203. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 00:36:49 UTC
From: Kevin Nathan
Topic: 1199 Message: 1203

I am using 4.82 and had similar success logging the call correctly with the right country showing. I didn't do it from the menus but instead by hand but no problem.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Howard G. Baker [mailto:hgbaker@...]
Sent: Sunday, October 31, 2004 16:08
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] problems identifying country for portable stations

I am using 4.79 and it logged HB0/HB9AON as Liechtenstein also. Hope this helps. For a long time if the country is in the cluster first that is what is logged. If the call is in the cluster after the call then it is logged as the call's country.

-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: Sunday, October 31, 2004 6:53 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster ("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country correctly
> for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland

> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do 'start
> log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program held
> up great and the spots map in full screen mode gives a great overview
> of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129aick0o/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099353147/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

---------- Yahoo! Groups Sponsor ----------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

1204. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 00:34:15 UTC
From: Howard G. Baker
Topic: 1199 Message: 1204

When you start the program, there is a small box in the middle of the screen. You have to look very quickly. Maybe you have to start it several times to catch the version.

-----Original Message-----
From: Jim Henry [mailto:jim.henry@...]
Sent: Sunday, October 31, 2004 7:30 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] problems identifying country for portable stations

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 31 October 2004 23:53
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster ("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>

> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129jjrset/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099355490/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1205. Re: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 00:58:18 UTC
From: D.W. Jones
Topic: 1199 Message: 1205

Jim -

When you first start XMlog a small window showing the version is briefly displayed (you
gotta look fast!)

73 - Don N4TN

Jim Henry wrote:

> Hi
> How can I check which version of XM log I am using?
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> -----Original Message-----
> From: D.W. Jones [mailto:n4tn@...]
> Sent: 31 October 2004 23:53
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for portable stations
>
>
> Wim and Mike -
>
> I am still using 4.75 and I tried HB0/HB9AON right off the cluster
> ("Start log entry") and it logged correctly as Liechtenstein.
>
> If there is a problem, perhaps it came about as a result of some changes
> between 4.75 and 4.84
>
> 73 - Don N4TN
>
> zamba0321 wrote:
>
> >
> > Hi Mike
> >
> > while working some stations this weekend in the contest, I noticed
> > that xmlog (i'm using version 4.84) doesn't log the country
> > correctly for stations that are portable in another country.
> > I'm using the QRZ.COM as the callbook, but I don't have the option
> > 'use callbook for locations' selected
> >
> > example HB0/HB9AON is logged as Switserland
> > and not as lichtenstein
> >

> > 9M2/G4ZFE is logged as england and not as malaysia
> >
> > These calls are entered like above on the cluster and I just do
> > 'start log entry' by right clicking on them.
> >
> > When I 'mouse over' these calls on the spot map then the country is
> > identified correctly, only when I add it to the log, and type CTRL-F
> > to get the address info from QRZ.com then the country gets set
> > incorrectly.
> >
> > Note: Even in the contest with many spots coming in, the program
> > held up great and the spots map in full screen mode gives a great
> > overview of what's out there !
> >
> > cheers de K6TE Wim.
> >
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
> ---
> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> <http://www.grisoft.com%29.>
> Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004
>
>
> [Non-text portions of this message have been removed]

>
>
> *Yahoo! Groups Sponsor*
> ADVERTISEMENT
> click here
> <http://us.ard.yahoo.com/SIG=129jjrset/M=315388.5543473.6613715.3001176/D=groups/S=17050
63108:HM/EXP=1099355490/A=2372354/R=0/SIG=12id813k2/*https://www.orchardbank.com/hcs/hcsap
plication?pf=PLApply&media=EMYHNL40F21004SS>
>
>
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

[Non-text portions of this message have been removed]

1206. Re: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 01:08:24 UTC
From: N7MAL
Topic: 1199 Message: 1206

When you want to know what version you are using click on help and then click about xmlog.
In other words exactly the same way you check the version of every windows program....

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Jim Henry
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 00:29
Subject: RE: [XMLog] problems identifying country for portable stations

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 31 October 2004 23:53
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes
between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia

>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1207. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 01:13:46 UTC
From: Howard G. Baker
Topic: 1199 Message: 1207

I don't think so!!!!!

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Sunday, October 31, 2004 8:08 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

When you want to know what version you are using click on help and then
click about xmlog. In other words exactly the same way you check the version
of every windows program....

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Jim Henry
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 00:29
Subject: RE: [XMLog] problems identifying country for portable stations

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 31 October 2004 23:53
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes
between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country

> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129dg5ui3/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099357796/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1208. Re: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 04:08:31 UTC
From: N7MAL
Topic: 1199 Message: 1208

It works perfectly here in 'XP' and 98SE. It says I'm using version 4.83.

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Howard G. Baker
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 01:13
Subject: RE: [XMLog] problems identifying country for portable stations

I don't think so!!!!!

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Sunday, October 31, 2004 8:08 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

When you want to know what version you are using click on help and then
click about xmlog. In other words exactly the same way you check the version
of every windows program....

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Jim Henry
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 00:29
Subject: RE: [XMLog] problems identifying country for portable stations

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 31 October 2004 23:53
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some changes between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129dg5ui3/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099357796/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1209. Re: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 11:46:03 UTC
From: D.W. Jones
Topic: 1199 Message: 1209

Yes, it does work that way. Being feeble minded, I was stupid enough to look in text of the "About" display expecting to find it there. Instead, it appears as the title of the screen. Nothing wrong with that - I am just too old and set in my ways to think to look there.

73 - Don N4TN

N7MAL wrote:

> It works perfectly here in 'XP' and 98SE. It says I'm using version 4.83.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> ----- Original Message -----
> From: Howard G. Baker
> To: XMLog@yahoogroups.com
> Sent: Monday, November 01, 2004 01:13
> Subject: RE: [XMLog] problems identifying country for portable stations
>
>
> I don't think so!!!!!
>
> -----Original Message-----
> From: N7MAL [mailto:n7mal@...]
> Sent: Sunday, October 31, 2004 8:08 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for portable stations
>
> When you want to know what version you are using click on help and then
> click about xmlog. In other words exactly the same way you check the
> version
> of every windows program....
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> ----- Original Message -----
> From: Jim Henry
> To: XMLog@yahoogroups.com
> Sent: Monday, November 01, 2004 00:29
> Subject: RE: [XMLog] problems identifying country for portable
> stations
>
>
> Hi
> How can I check which version of XM log I am using?
>

> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> -----Original Message-----
> From: D.W. Jones [mailto:n4tn@...]
> Sent: 31 October 2004 23:53
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for portable
> stations
>
>
> Wim and Mike -
>
> I am still using 4.75 and I tried HB0/HB9AON right off the cluster
> ("Start log entry") and it logged correctly as Liechtenstein.
>
> If there is a problem, perhaps it came about as a result of some
> changes
> between 4.75 and 4.84
>
> 73 - Don N4TN
>
> zamba0321 wrote:
>
> >
> > Hi Mike
> >
> > while working some stations this weekend in the contest, I noticed
> > that xmlog (i'm using version 4.84) doesn't log the country
> > correctly for stations that are portable in another country.
> > I'm using the QRZ.COM as the callbook, but I don't have the option
> > 'use callbook for locations' selected
> >
> > example HB0/HB9AON is logged as Switserland
> > and not as lichtenstein
> >
> > 9M2/G4ZFE is logged as england and not as malaysia
> >
> > These calls are entered like above on the cluster and I just do
> > 'start log entry' by right clicking on them.
> >
> > When I 'mouse over' these calls on the spot map then the
> country is
> > identified correctly, only when I add it to the log, and type
> CTRL-F
> > to get the address info from QRZ.com then the country gets set
> > incorrectly.
> >
> > Note: Even in the contest with many spots coming in, the program
> > held up great and the spots map in full screen mode gives a great
> > overview of what's out there !

> >
> > cheers de K6TE Wim.
> >
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
> ---
> --
> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> <http://www.grisoft.com%29.>
> Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
> ---

> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
> click here
>
> <http://us.ard.yahoo.com/SIG=129dg5ui3/M=315388.5543473.6613715.3001176/D=gr
>
> oups/S=1705063108:HM/EXP=1099357796/A=2372354/R=0/SIG=12id813k2/*https://www
> .orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>
>
>
> _____
>
> Yahoo! Groups Links
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/> .
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>

>
>
>
> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
> *Yahoo! Groups Sponsor*
> ADVERTISEMENT
> click here
> <http://us.ard.yahoo.com/SIG=12903e20p/M=315388.5543473.6613715.3001176/D=groups/S=17050
63108:HM/EXP=1099368549/A=2372354/R=0/SIG=12id813k2/*https://www.orchardbank.com/hcs/hcsap
plication?pf=PLApply&media=EMYHNL40F21004SS>
>
>
>
> --
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

[Non-text portions of this message have been removed]

1210. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 12:12:58 UTC
From: Howard G. Baker
Topic: 1199 Message: 1210

I am using 2000 Pro and it is not there. ?????

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Sunday, October 31, 2004 11:09 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

It works perfectly here in 'XP' and 98SE. It says I'm using version 4.83.

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Howard G. Baker
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 01:13
Subject: RE: [XMLog] problems identifying country for portable stations

I don't think so!!!!!

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Sunday, October 31, 2004 8:08 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

When you want to know what version you are using click on help and then
click about xmlog. In other words exactly the same way you check the
version
of every windows program....

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Jim Henry
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 00:29
Subject: RE: [XMLog] problems identifying country for portable stations

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 31 October 2004 23:53

To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable
stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some
changes
between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
--
--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<
http://us.ard.yahoo.com/SIG=129dg5ui3/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099357796/A=2372354/R=0/SIG=12id813k2/*
https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service < http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=12903e20p/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099368549/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1211. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 12:16:52 UTC
From: Howard G. Baker
Topic: 1199 Message: 1211

Disregard previous reply. After looking for the tenth time I found it under
the Help/About place. I guess I am old and stupid too.

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Sunday, October 31, 2004 11:09 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

It works perfectly here in 'XP' and 98SE. It says I'm using version 4.83.

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Howard G. Baker
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 01:13
Subject: RE: [XMLog] problems identifying country for portable stations

I don't think so!!!!!

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Sunday, October 31, 2004 8:08 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

When you want to know what version you are using click on help and then
click about xmlog. In other words exactly the same way you check the
version
of every windows program....

MAL N7MAL
BULLHEAD CITY, AZ
----- Original Message -----
From: Jim Henry
To: XMLog@yahoogroups.com
Sent: Monday, November 01, 2004 00:29
Subject: RE: [XMLog] problems identifying country for portable stations

Hi
How can I check which version of XM log I am using?

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]

Sent: 31 October 2004 23:53
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable
stations

Wim and Mike -

I am still using 4.75 and I tried HB0/HB9AON right off the cluster
("Start log entry") and it logged correctly as Liechtenstein.

If there is a problem, perhaps it came about as a result of some
changes
between 4.75 and 4.84

73 - Don N4TN

zamba0321 wrote:

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
--
--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<
http://us.ard.yahoo.com/SIG=129dg5ui3/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099357796/A=2372354/R=0/SIG=12id813k2/*
https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service < http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=12903e20p/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099368549/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>

_____

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1212. Re: problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 16:40:39 UTC
From: zamba0321
Topic: 1199 Message: 1212

All,

it works for me as long as I don't have QRZ.COM as the callbook
selected. Also I have the option 'use callbook for locations'
unchecked.
Even when I manually type in the call HB0/HB9AON it shows up as
liechtenstein in the titlebar which is correct, but when I type
CTRL-F to get the address from the callbook then it changes
the country back to switserland.

hope that clarifies what exactly is going wrong

73 de K6TE Wim.

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@c...> wrote:
> It works perfectly here in 'XP' and 98SE. It says I'm using
version 4.83.
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> ----- Original Message -----
> From: Howard G. Baker
> To: XMLog@yahoogroups.com
> Sent: Monday, November 01, 2004 01:13
> Subject: RE: [XMLog] problems identifying country for portable
stations
>
>
> I don't think so!!!!!
>
> -----Original Message-----
> From: N7MAL [mailto:n7mal@c...]
> Sent: Sunday, October 31, 2004 8:08 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for portable
stations
>
> When you want to know what version you are using click on help
and then
> click about xmlog. In other words exactly the same way you check
the version
> of every windows program....
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> ----- Original Message -----

> From: Jim Henry
> To: XMLog@yahoogroups.com
> Sent: Monday, November 01, 2004 00:29
> Subject: RE: [XMLog] problems identifying country for portable
stations
>
>
> Hi
> How can I check which version of XM log I am using?
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> -----Original Message-----
> From: D.W. Jones [mailto:n4tn@c...]
> Sent: 31 October 2004 23:53
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for
portable stations
>
>
> Wim and Mike -
>
> I am still using 4.75 and I tried HB0/HB9AON right off the
cluster
> ("Start log entry") and it logged correctly as Liechtenstein.
>
> If there is a problem, perhaps it came about as a result of
some changes
> between 4.75 and 4.84
>
> 73 - Don N4TN
>
> zamba0321 wrote:
>
> >
> > Hi Mike
> >
> > while working some stations this weekend in the contest, I
noticed
> > that xmlog (i'm using version 4.84) doesn't log the country
> > correctly for stations that are portable in another
country.
> > I'm using the QRZ.COM as the callbook, but I don't have
the option
> > 'use callbook for locations' selected
> >
> > example HB0/HB9AON is logged as Switserland
> > and not as lichtenstein
> >
> > 9M2/G4ZFE is logged as england and not as malaysia

> >
> > These calls are entered like above on the cluster and I
just do
> > 'start log entry' by right clicking on them.
> >
> > When I 'mouse over' these calls on the spot map then the
country is
> > identified correctly, only when I add it to the log, and
type CTRL-F
> > to get the address info from QRZ.com then the country gets
set
> > incorrectly.
> >
> > Note: Even in the contest with many spots coming in, the
program
> > held up great and the spots map in full screen mode gives
a great
> > overview of what's out there !
> >
> > cheers de K6TE Wim.
> >
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> --

> --
> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo!
Terms of
> Service.
>
>

> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.786 / Virus Database: 532 - Release Date:
29/10/2004
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> --

> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms
of Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
> click here
>
<http://us.ard.yahoo.com/SIG=129dg5ui3/M=315388.5543473.6613715.30011
76/D=gr
>
oups/S=1705063108:HM/EXP=1099357796/A=2372354/R=0/SIG=12id813k2/*http
s://www
> .orchardbank.com/hcs/hcsapplication?
pf=PLApply&media=EMYHNL40F21004SS>
>

>
> _____
>
> Yahoo! Groups Links
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!
Terms of
> Service <http://docs.yahoo.com/info/terms/> .
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
> --

> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms
of Service.
>
>
>
> [Non-text portions of this message have been removed]

1213. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 17:38:49 UTC
From: Jim Henry
Topic: 1199 Message: 1213

I found it thanks...I am on version 4.79 but cannot find anything on the website marked 4.83. Obviously I must be doing something wrong. Can anyone point me in the right direction...I have only installed the main file since I do not need the sound or cw features.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: 01 November 2004 04:09
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

It works perfectly here in 'XP' and 98SE. It says I'm using version 4.83.

[

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

1214. DOMANDA

Yahoo group: XMLog
Date: 2004-10-30 09:25:42 UTC
From: Ascani Adriano
Topic: 1214 Message: 1214

HI ALL,
SE QUALCUNO IN ITALY STA USANDO QUESTO SOFTWARE, SI FACCIA AVANTI, L'HO APPENA INSTALLATO E DEVO FARE QUALCHE DOMANDA, THANKS
IZ6FWF
Ascani Adriano
Monteprandone (AP)
ITALY

[Non-text portions of this message have been removed]

1215. Re: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 18:00:46 UTC
From: D.W. Jones
Topic: 1199 Message: 1215

Jim -
Go to www.xmlog.com/beta.
- Don N4TN

Jim Henry wrote:

> I found it thanks...I am on version 4.79 but cannot find anything on the
> website marked 4.83. Obviously I must be doing something wrong. Can anyone
> point me in the right direction...I have only installed the main file
> since
> I do not need the sound or cw features.
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> -----Original Message-----
> From: N7MAL [mailto:n7mal@...]
> Sent: 01 November 2004 04:09
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for portable stations
>
>
> It works perfectly here in 'XP' and 98SE. It says I'm using version
> 4.83.
>
>
>
>
>
>
>
> -----
>
>
> [
>
> ---
> ----
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>

>
>
>
>
> ---
> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> <http://www.grisoft.com%29.>
> Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004
>
>
> [Non-text portions of this message have been removed]
>
>
> *Yahoo! Groups Sponsor*
> ADVERTISEMENT
> click here
> <http://us.ard.yahoo.com/SIG=129a29nm4/M=315388.5543473.6613715.3001176/D=groups/S=17050
63108:HM/EXP=1099417331/A=2372354/R=0/SIG=12id813k2/*https://www.orchardbank.com/hcs/hcsap
plication?pf=PLApply&media=EMYHNL40F21004SS>
>
>
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>

>

[Non-text portions of this message have been removed]

1216. RE: [XMLog] problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 18:15:33 UTC
From: Jim Henry
Topic: 1199 Message: 1216

Many thanks

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: D.W. Jones [mailto:n4tn@...]
Sent: 01 November 2004 18:01
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] problems identifying country for portable stations

Jim -
Go to www.xmlog.com/beta.
- Don N4TN

Jim Henry wrote:

> I found it thanks...I am on version 4.79 but cannot find anything on the
> website marked 4.83. Obviously I must be doing something wrong. Can
anyone
> point me in the right direction...I have only installed the main file
> since
> I do not need the sound or cw features.
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> -----Original Message-----
> From: N7MAL [mailto:n7mal@...]
> Sent: 01 November 2004 04:09
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] problems identifying country for portable
stations
>
>
> It works perfectly here in 'XP' and 98SE. It says I'm using version
> 4.83.
>
>
>
>
>
>
>
>
> _____
>
>
> [

>

> --
> ----
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>

> --
--
> --
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> <http://www.grisoft.com%29.>
> Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004
>
>
> [Non-text portions of this message have been removed]
>
>
> *Yahoo! Groups Sponsor*
> ADVERTISEMENT
> click here
>
<http://us.ard.yahoo.com/SIG=129a29nm4/M=315388.5543473.6613715.3001176/D=gr
oups/S=1705063108:HM/EXP=1099417331/A=2372354/R=0/SIG=12id813k2/*https://www
.orchardbank.com/hcs/hcsapplication?pf=PLApply&media=EMYHNL40F21004SS>
>
>

>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.786 / Virus Database: 532 - Release Date: 29/10/2004

[Non-text portions of this message have been removed]

1217. Re: problems identifying country for portable stations

Yahoo group: XMLog
Date: 2004-11-01 18:14:36 UTC
From: Mike McAmis
Topic: 1199 Message: 1217

Hi, It seems that the Control+F isn't working properly - no fields
that are already set are supposed to be replaced (this includes zone,
state, county, etc.). For now you can just clear the prefix field
after doing the Control+F and the prefix/country will be reset to the
correct value.

I'll take a look a post a fix this week.

Mike - W1ECT

>
> Hi Mike
>
> while working some stations this weekend in the contest, I noticed
> that xmlog (i'm using version 4.84) doesn't log the country
> correctly for stations that are portable in another country.
> I'm using the QRZ.COM as the callbook, but I don't have the option
> 'use callbook for locations' selected
>
> example HB0/HB9AON is logged as Switserland
> and not as lichtenstein
>
> 9M2/G4ZFE is logged as england and not as malaysia
>
> These calls are entered like above on the cluster and I just do
> 'start log entry' by right clicking on them.
>
> When I 'mouse over' these calls on the spot map then the country is
> identified correctly, only when I add it to the log, and type CTRL-F
> to get the address info from QRZ.com then the country gets set
> incorrectly.
>
> Note: Even in the contest with many spots coming in, the program
> held up great and the spots map in full screen mode gives a great
> overview of what's out there !
>
> cheers de K6TE Wim.

1218. Re:[XMLog] DOMANDA

Yahoo group: XMLog
Date: 2004-11-02 10:13:16 UTC
From: giuseppe.nurrito@libero.it
Topic: 1214 Message: 1218

Puoi contattarmi direttamente a iz4cco@....
Se posso ti aiuto volentieri.
Uso XMLOG da almeno 4 anni.
Ciao
Giuseppe
IZ4CCO
www.qsl.net7iz4cco

---------- Initial Header -----------

From : "Ascani Adriano" adrianoascani@...
To : xmlog@yahoogroups.com
Cc :
Date : Sat, 30 Oct 2004 11:25:42 +0200
Subject : [XMLog] DOMANDA

.>
.>
.>
.>
.>
.> HI ALL,
.> SE QUALCUNO IN ITALY STA USANDO QUESTO SOFTWARE, SI FACCIA AVANTI, L'HO
APPENA INSTALLATO E DEVO FARE QUALCHE DOMANDA, THANKS
.> IZ6FWF
.> Ascani Adriano
.> Monteprandone (AP)
.> ITALY
.> ---
.>
.> ---
.>
.>
.> [Non-text portions of this message have been removed]
.>
.>
.>
.>
.>
.>
.>
.>
.> Yahoo! Groups Links
.>
.>
.>

.>
.>
.>
.>
.>

_____
Libero ADSL: navighi gratis a 1.2 Mega, senza canone e costi di attivazione.
Abbonati subito su http://www.libero.it

1219. 4.84 and TT Jupiter

Yahoo group: XMLog
Date: 2004-11-06 01:07:32 UTC
From: D.W. Jones
Topic: 1219 Message: 1219

Is anyone out there using a TenTec Jupiter and running MLOG 4.84? I upgraded from 4.75 a few days ago and since that time attempting to add to the log results in a "Rig Command Error" message - IF - I have selected "Get Frequency from rig" and/or "Get Mode from rig". If I uncheck both these options I can start a log entry (without the frequency and mode).

I can click on a frequency in the packet window and it correctly sets the rig mode and frequency. But if I either (a) right click on a call in the packet window and select "Start log entry for (callsign)", or (b) go to the log window and do a Ctrl-A, I get the "Rig Command Error".

To add to the confusion, I have done some equipment moving in the shack in the same time frame. I have carefully checked the cabling and found nothing suspicious.

Unless some one has a suggestion or comment, I will go back to 4.75 (after Sweepstakes) and see if I have the same problem (whew - I'm glad that I followed the backup recommendations before I upgraded).

73 - Don N4TN

[Non-text portions of this message have been removed]

1220. New User Report

Yahoo group: XMLog
Date: 2004-11-08 20:57:24 UTC
From: Jim Henry
Topic: 1220 Message: 1220

Hello All
I am a new user of XM log having downloaded it about two weeks ago. I am very impressed with the program which does most of the things which I want from a logging program. I am making good use of the cluster facility linking to it via the internet and I have just today customised a "label" so that I can print QSL info directly on to my QSL card rather than having to print on labels and the affix the labels to my cards. It took some time to work out how to get the label customised the way I wanted but it is working fine and the Bureau Card facility is excellent.

I was wondering if any thought has been given to providing the option of being able to look up QRZ.com automatically and of having name and QTH info automatically transferred to the logging screen? Another program which I have used had this facility and, in my view, made logging QSO's so much easier.

My thanks to the author for a very interesting and useful program.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.791 / Virus Database: 535 - Release Date: 08/11/2004

[Non-text portions of this message have been removed]

1221. Re: [XMLog] 4.84 and TT Jupiter

Yahoo group: XMLog
Date: 2004-11-08 23:42:17 UTC
From: D.W. Jones
Topic: 1219 Message: 1221

Cancel my message about this subject. I reverted to 4.75 and still had
the problem. I then thought of trying my
Jupiter with N4PY rather than MLOG (I can't use both, only one COM port)
- it failed also. The cable ends look
good so I guess a trip to the TenTec factory will be coming up.

73 - Don N4TN

D.W. Jones wrote:

> Is anyone out there using a TenTec Jupiter and running MLOG 4.84? I
> upgraded from 4.75 a few days ago and since that time attempting to add
> to the log results in a "Rig Command Error" message - IF - I have
> selected "Get Frequency from rig" and/or "Get Mode from rig". If I
> uncheck both these options I can start a log entry (without the
> frequency and mode).
>
> I can click on a frequency in the packet window and it correctly sets
> the rig mode and frequency. But if I either (a) right click on a call in
> the packet window and select "Start log entry for (callsign)", or (b)
> go to the log window and do a Ctrl-A, I get the "Rig Command Error".
>
> To add to the confusion, I have done some equipment moving in the shack
> in the same time frame. I have carefully checked the cabling and found
> nothing suspicious.
>
> Unless some one has a suggestion or comment, I will go back to 4.75
> (after Sweepstakes) and see if I have the same problem (whew - I'm glad
> that I followed the backup recommendations before I upgraded).
>
> 73 - Don N4TN
>

[Non-text portions of this message have been removed]

1222. Re: New User Report

Yahoo group: XMLog
Date: 2004-11-09 04:13:06 UTC
From: zamba0321
Topic: 1220 Message: 1222

Hi Jim

the QRZ.COM callbook feature is alreday build-in.
Go to the 'options' menu, then 'Callbook setup' then select QRZ.COM

When you add a log entry, you can type CTRL-F to get the info
from qrz.com filled in

Another menu option is in 'edit' menu then 'edit defaults for new
entry' and select 'get info from callbook'
also select 'use defaults for new entries'

good luck

de K6TE Wim

--- In XMLog@yahoogroups.com, "Jim Henry" <jim.henry@n...> wrote:
> Hello All
> I am a new user of XM log having downloaded it about two weeks
ago. I am
> very impressed with the program which does most of the things
which I want
> from a logging program. I am making good use of the cluster
facility linking
> to it via the internet and I have just today customised a "label"
so that I
> can print QSL info directly on to my QSL card rather than having
to print on
> labels and the affix the labels to my cards. It took some time to
work out
> how to get the label customised the way I wanted but it is working
fine and
> the Bureau Card facility is excellent.
>
> I was wondering if any thought has been given to providing the
option of
> being able to look up QRZ.com automatically and of having name and
QTH info
> automatically transferred to the logging screen? Another program
which I
> have used had this facility and, in my view, made logging QSO's so
much
> easier.
>
> My thanks to the author for a very interesting and useful program.
>

> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.791 / Virus Database: 535 - Release Date: 08/11/2004
>
>
> [Non-text portions of this message have been removed]

1223. Yugoslavia

Yahoo group: XMLog
Date: 2004-11-12 15:57:36 UTC
From: Mike McAmis
Topic: 1223 Message: 1223

Hi - Does anyone happen to know the date that Yugoslavia's name was changed to Serbia and Montenegro? I'm about to update the name in the prefix list and also want to change any appropriate existing log entries.

Mike - W1ECT

1224. Re: [XMLog] Yugoslavia

Yahoo group: XMLog
Date: 2004-11-12 17:43:34 UTC
From: CY Dygitt
Topic: 1223 Message: 1224

At 03:57 PM 11/12/04 +0000, you wrote:

>Hi - Does anyone happen to know the date that Yugoslavia's name was
>changed to Serbia and Montenegro? I'm about to update the name in
>the prefix list and also want to change any appropriate existing log
>entries.
>
>Mike - W1ECT

Mike, from their official site it says Feb. 4, 2003.

73 de na5s

2003.
4. February ☐ The State Union of Serbia and Montenegro, based on the equality of its two member states - the state of Serbia and the state of Montenegro - was formed.

1225. Re: Yugoslavia

Yahoo group: XMLog
Date: 2004-11-13 18:54:05 UTC
From: Mike McAmis
Topic: 1223 Message: 1225

OK, I've posted a new version at www.xmlog.com/beta that has the name changed in the prefixes file. Also, any existing YU log entries beyond Feb 3, 2003 will be automatically updated.

Mike - W1ECT

1226. QSL printing

Yahoo group: XMLog
Date: 2004-11-17 00:40:26 UTC
From: docatmadpeds
Topic: 1226 Message: 1226

Hi,
I have been trying to get automated printing of QSL cards set up but am having a problem I can't seem to resolve. I would like to use the QSL labels to print the card I've set up on the front of postcard paper (4 to a page.) That works fine. But, then, I'd like to flip the page over and print the address and return address on the opposite side using the Mailing labels function. This also works fine except I am unable to figure a way to flip the columns so that the correct address prints on the back of the appropriate QSL card. Am I missing something or does anybody have any ideas?
Thanks,
Doc, W8BQ

1227. Re: New User Report

Yahoo group: XMLog
Date: 2004-11-17 00:29:39 UTC
From: docatmadpeds
Topic: 1220 Message: 1227

Jim,
If I understand you correctly, have you tried double-clicking on the frist line of the "Address" area? If you are connected to the internet, you should get QRZ.com info imported directly into your logging screen, assuming you have correctly set the Callbook Setup under the Options tab.
Hope this is what you were looking for.
73,
Doc, W8BQ

--- In XMLog@yahoogroups.com, "Jim Henry" <jim.henry@n...> wrote:
> Hello All
> I am a new user of XM log having downloaded it about two weeks ago. I am
> very impressed with the program which does most of the things which I want
> from a logging program. I am making good use of the cluster facility linking
> to it via the internet and I have just today customised a "label" so that I
> can print QSL info directly on to my QSL card rather than having to print on
> labels and the affix the labels to my cards. It took some time to work out
> how to get the label customised the way I wanted but it is working fine and
> the Bureau Card facility is excellent.
>
> I was wondering if any thought has been given to providing the option of
> being able to look up QRZ.com automatically and of having name and QTH info
> automatically transferred to the logging screen? Another program which I
> have used had this facility and, in my view, made logging QSO's so much
> easier.
>
> My thanks to the author for a very interesting and useful program.
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).

> Version: 6.0.791 / Virus Database: 535 - Release Date: 08/11/2004
>
>
> [Non-text portions of this message have been removed]

1228. Re: [XMLog] QSL printing

Yahoo group: XMLog
Date: 2004-11-17 16:05:10 UTC
From: GERry
Topic: 1226 Message: 1228

> ... I would like to use the
> QSL labels to print the card I've set up on the front of
postcard
> paper (4 to a page.) That works fine. But, then, I'd like to
flip
> the page over and print the address and return address on
the
> opposite side using the Mailing labels function. This also
works
> fine except I am unable to figure a way to flip the columns
..

I would like to do that too, but I don't think there's any
provision for it. If you find a way to do it, please let me
know.

In the meanwhile, I print the addresses on sticky labels and
stick 'em on the cards.

73 de W3GERry

1229. RE: [XMLog] Re: New User Report

Yahoo group: XMLog
Date: 2004-11-17 17:05:19 UTC
From: Jim Henry
Topic: 1220 Message: 1229

Hi Doc

Yes I have got this working the way I want now. I think its very good

Many thanks

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: docatmadpeds [mailto:Gregg@...]
Sent: 17 November 2004 00:30
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New User Report

Jim,
If I understand you correctly, have you tried double-clicking on the
frist line of the "Address" area? If you are connected to the
internet, you should get QRZ.com info imported directly into your
logging screen, assuming you have correctly set the Callbook Setup
under the Options tab.
Hope this is what you were looking for.
73,
Doc, W8BQ

--- In XMLog@yahoogroups.com, "Jim Henry" <jim.henry@n...> wrote:
> Hello All
> I am a new user of XM log having downloaded it about two weeks
ago. I am
> very impressed with the program which does most of the things
which I want
> from a logging program. I am making good use of the cluster
facility linking
> to it via the internet and I have just today customised a "label"
so that I
> can print QSL info directly on to my QSL card rather than having
to print on
> labels and the affix the labels to my cards. It took some time to
work out
> how to get the label customised the way I wanted but it is working
fine and
> the Bureau Card facility is excellent.
>
> I was wondering if any thought has been given to providing the
option of
> being able to look up QRZ.com automatically and of having name and
QTH info

> automatically transferred to the logging screen? Another program
which I
> have used had this facility and, in my view, made logging QSO's so
much
> easier.
>
> My thanks to the author for a very interesting and useful program.
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.791 / Virus Database: 535 - Release Date: 08/11/2004
>
>
> [Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.796 / Virus Database: 540 - Release Date: 13/11/2004

[Non-text portions of this message have been removed]

1230. Re: QSL printing

Yahoo group: XMLog
Date: 2004-11-17 18:35:17 UTC
From: docatmadpeds
Topic: 1226 Message: 1230

GERry,

I thought I might have to use the sticky labels technique...I was
just hoping to save a bit and simplify as much as possible.

73 - Doc, W8BQ

1231. packet-cluster

Yahoo group: XMLog
Date: 2004-11-17 20:03:06 UTC
From: N7MAL
Topic: 1231 Message: 1231

Has anyone successfully used DX-telnet to pass WWV and Talk messages to the MLog packet window. Getting the DX to go through was easy. VE7CC does it but there are other issues(which I won't go into) with VE7CC.

This reason for the question is because all the clusters require some sort-of 'keep alive' packets to maintain a long term connection. In the overnight hours, especially, you end up with a screen full of id packets. There are also issues with ISP's and inactivity so these 'keep-alive' packets are almost mandatory but sure fill up a screen fast.
Thanks

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

1232. Re: QSL printing

Yahoo group: XMLog
Date: 2004-11-18 17:53:05 UTC
From: Mike McAmis
Topic: 1226 Message: 1232

OK, I think I understand the problem now... Here's one idea that would work but might be too much trouble to be appealing. You could use your stock as though it were two seperate vertical columns of two cards. Print the QSL info on the two front left side cards and then the mailing info on the flip side for those two cards on the right side of the stock and vice versa. This would mean having two page setups defining two cards per page.

I'm not sure what a good strategy would be to provide some feature for custom labels that would handle this. Rather than automatically calculating the position for each label based on the "Page Layout" info I guess you would need the option of explicitly providing the postioning info for each label on the page.

Mike - W1ECT

>
> Hi,
> I have been trying to get automated printing of QSL cards set up
but
> am having a problem I can't seem to resolve. I would like to use
the
> QSL labels to print the card I've set up on the front of postcard
> paper (4 to a page.) That works fine. But, then, I'd like to flip
> the page over and print the address and return address on the
> opposite side using the Mailing labels function. This also works
> fine except I am unable to figure a way to flip the columns so that
> the correct address prints on the back of the appropriate QSL card.
> Am I missing something or does anybody have any ideas?
> Thanks,
> Doc, W8BQ

1233. Re: QSL printing

Yahoo group: XMLog
Date: 2004-11-22 02:43:24 UTC
From: docatmadpeds
Topic: 1226 Message: 1233

Mike,

Thanks for the reply, and you're right, that option is too
complicated to be practical. I'll just print addresses on sticky
labels and hope you can include a way to do this kind of printing
with the release of your next version.
Please let me know if any other option comes to mind.

Doc, W8BQ

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> OK, I think I understand the problem now... Here's one idea that
> would work but might be too much trouble to be appealing. You
could
> use your stock as though it were two seperate vertical columns of
two
> cards. Print the QSL info on the two front left side cards and
then
> the mailing info on the flip side for those two cards on the right
> side of the stock and vice versa. This would mean having two page
> setups defining two cards per page.
>
> I'm not sure what a good strategy would be to provide some feature
> for custom labels that would handle this. Rather than
automatically
> calculating the position for each label based on the "Page Layout"
> info I guess you would need the option of explicitly providing the
> postioning info for each label on the page.
>
> Mike - W1ECT
>
> >
> > Hi,
> > I have been trying to get automated printing of QSL cards set up
> but
> > am having a problem I can't seem to resolve. I would like to use
> the
> > QSL labels to print the card I've set up on the front of
postcard
> > paper (4 to a page.) That works fine. But, then, I'd like to
flip
> > the page over and print the address and return address on the
> > opposite side using the Mailing labels function. This also works
> > fine except I am unable to figure a way to flip the columns so
that

> > the correct address prints on the back of the appropriate QSL
card.
> > Am I missing something or does anybody have any ideas?
> > Thanks,
> > Doc, W8BQ

1234. Best Logging Software for Dxpedition

Yahoo group: XMLog
Date: 2004-11-22 00:25:56 UTC
From: sarath
Topic: 1234 Message: 1234

Hi

Can any one suggests me best Amateur Radio Logging Software for
Dxpedition which will have facility to convert log to Html - Offline.

Please write to vu3rsb@... or vu3rsb@...

Its urgent pls.

Regards
Sara, VU3RSB

1235. Re: [XMLog] Best Logging Software for Dxpedition

Yahoo group: XMLog
Date: 2004-11-22 18:29:08 UTC
From: Gregg Alexander
Topic: 1234 Message: 1235

Sara,

Don't know about converting directly to Html but XMLog allows you to export log information to a text file which can be read by any simple text program like Notepad which comes with Windows. You could easily add html tags to the text file to allow the log information to be viewed on a web page. Plus, XMLog is free to download right away. (The programmer, Mike, just asks for a donation if you like the program and plan to keep using it.)

For XMLog, go to www.xmlog.com.

Good luck on your DXpedition...hope to work you.

73,
Doc, W8BQ
----- Original Message -----
From: sarath
To: XMLog@yahoogroups.com
Sent: Sunday, November 21, 2004 7:25 PM
Subject: [XMLog] Best Logging Software for Dxpedition

Hi

Can any one suggests me best Amateur Radio Logging Software for
Dxpedition which will have facility to convert log to Html - Offline.

Please write to vu3rsb@... or vu3rsb@...

Its urgent pls.

Regards
Sara, VU3RSB

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1236. Re: [XMLog] Best Logging Software for Dxpedition

Yahoo group: XMLog
Date: 2004-11-22 23:02:27 UTC
From: N7MAL
Topic: 1234 Message: 1236

The most common program for DX'peditions is CT. It has recently become freeware and be downloaded at www.k1ea.com
XMLog while it is a really good general logging program is far to cumbersome for xpedition or contest type operations.
As to your HTML requirements CT creates 2 log files that are plain text files which could be used in an HTML environment.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
----- Original Message -----
From: sarath
To: XMLog@yahoogroups.com
Sent: Monday, November 22, 2004 12:25 AM
Subject: [XMLog] Best Logging Software for Dxpedition

Hi

Can any one suggests me best Amateur Radio Logging Software for
Dxpedition which will have facility to convert log to Html - Offline.

Please write to vu3rsb@... or vu3rsb@...

Its urgent pls.

Regards
Sara, VU3RSB

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1237. still bug for entering portable stations

Yahoo group: XMLog
Date: 2004-11-25 02:01:11 UTC
From: zamba0321
Topic: 1237 Message: 1237

Hi Mike

I'm using xmlog 4.85 which has a fix for portable stations
getting their info from the callbook.
But I just added VP9/K1XM and though it shows Bermuda while
I'm entering the rest of the QSO info, as soon as I klick on 'Add'
or when I type CTRL-F to get info from callbook (qrz.com)
then it changes the country logged as U.S.

cheers and keep up the great job on this program,
it's a lotta fun and easy to use

de K6TE Wim.

1238. Alarm

Yahoo group: XMLog
Date: 2004-11-27 18:22:58 UTC
From: Kevin Nathan
Topic: 1238 Message: 1238

Hi Mike,

What would be the feasibility of adding an audio alarm to XMLog which would sound if a country one needs is spotted? I am totally blind and this would be a nice feature for me or anyone who wants to log into a cluster but not necessarily sit in front of the computer screen waiting for that rare one. I can't remember right now without reading all the docs but I think XMLog has the ability to highlight needed countries on the screen so could this be extended to sound an audible alarm?

Thanks much for the discussion and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1239. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-27 18:43:09 UTC
From: Steve Litwins
Topic: 1238 Message: 1239

Hi Kevin;
I think (if I understand what u want correctly) XMLog already has this feature and I use it. When u enable the packet window from the options menu, and if u have the audible alarm turned on from options, packet options, packet cluster alerts all turned on...a cw signal will result for each needed band-country (if this is selected). New entities will be headed by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn. Hope this helps...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Saturday, November 27, 2004 12:22 PM
Subject: [XMLog] Alarm

>
> Hi Mike,
>
> What would be the feasibility of adding an audio alarm to XMLog which would
> sound if a country one needs is spotted? I am totally blind and this would
> be a nice feature for me or anyone who wants to log into a cluster but not
> necessarily sit in front of the computer screen waiting for that rare one.
> I can't remember right now without reading all the docs but I think XMLog
> has the ability to highlight needed countries on the screen so could this be
> extended to sound an audible alarm?
>
> Thanks much for the discussion and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1240. RE: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-27 19:58:34 UTC
From: Kevin Nathan
Topic: 1238 Message: 1240

Hi Steve,

I'll give that a shot. I was hoping for something louder but that would be
a good start.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Steve Litwins [mailto:litwins@...]
Sent: Saturday, November 27, 2004 10:43
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Alarm

Hi Kevin;
I think (if I understand what u want correctly) XMLog already has this
feature and I use it. When u enable the packet window from the options
menu, and if u have the audible alarm turned on from options, packet
options, packet cluster alerts all turned on...a cw signal will result for
each needed band-country (if this is selected). New entities will be headed
by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn. Hope
this helps...73/dx steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <xmlog@yahoogroups.com>
Sent: Saturday, November 27, 2004 12:22 PM
Subject: [XMLog] Alarm

>
> Hi Mike,
>
> What would be the feasibility of adding an audio alarm to XMLog which
would
> sound if a country one needs is spotted? I am totally blind and this
would
> be a nice feature for me or anyone who wants to log into a cluster but not
> necessarily sit in front of the computer screen waiting for that rare one.
> I can't remember right now without reading all the docs but I think XMLog
> has the ability to highlight needed countries on the screen so could this
be
> extended to sound an audible alarm?
>

> Thanks much for the discussion and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

Yahoo! Groups Links

1241. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-27 20:55:02 UTC
From: Steve Litwins
Topic: 1238 Message: 1241

Hi agn Kevin;
Here, the cw alerts are on the PC speaker...as such at least on my PC the soundcard control allows some volume control of that sound so I cam make it pretty loud. If that fails, maybe u can wire the speaker terminals to a small audio amp, then u can blast even the neighbors out and they will be clamoring to work the dx...hi...gl...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 1:58 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> I'll give that a shot. I was hoping for something louder but that would be
> a good start.
>
> Thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 10:43
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> Hi Kevin;
> I think (if I understand what u want correctly) XMLog already has this
> feature and I use it. When u enable the packet window from the options
> menu, and if u have the audible alarm turned on from options, packet
> options, packet cluster alerts all turned on...a cw signal will result for
> each needed band-country (if this is selected). New entities will be headed
> by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn. Hope

> this helps...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <xmlog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 12:22 PM
> Subject: [XMLog] Alarm
>
>
> >
> > Hi Mike,
> >
> > What would be the feasibility of adding an audio alarm to XMLog which
> would
> > sound if a country one needs is spotted? I am totally blind and this
> would
> > be a nice feature for me or anyone who wants to log into a cluster but
not
> > necessarily sit in front of the computer screen waiting for that rare
one.
> > I can't remember right now without reading all the docs but I think
XMLog
> > has the ability to highlight needed countries on the screen so could
this
> be
> > extended to sound an audible alarm?
> >
> > Thanks much for the discussion and very 73.
> >
> >
> > Kevin :)
> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >

> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1242. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-27 22:01:27 UTC
From: Nelson Wittstock
Topic: 1238 Message: 1242

Hi Mike,

With the packet window open, go to DX and click on it. Then click on Packet Cluster Alerts. One of the options is to have voice alerts. This is the one that I have activated as it speaks the mode, the frequency band and gives the call of the packet spotted station. I downloaded the voice file from the XMLog web page.

Good luck es 73
Nelson, K8DJC

1243. RE: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 00:11:42 UTC
From: Kevin Nathan
Topic: 1238 Message: 1243

Hi Steve,

I guess I'm confused. I use voice alerts on my system and don't have anything inhibited in that window but still don't get anything but the sound set in the sounds box as a warning. There also doesn't seem to be anyway to add your own sound, just the ones in the choices boxes. Can you direct me to exactly what I need to do differently?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Steve Litwins [mailto:litwins@...]
Sent: Saturday, November 27, 2004 12:55
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Alarm

Hi agn Kevin;
Here, the cw alerts are on the PC speaker...as such at least on my PC the soundcard control allows some volume control of that sound so I cam make it pretty loud. If that fails, maybe u can wire the speaker terminals to a small audio amp, then u can blast even the neighbors out and they will be clamoring to work the dx...hi...gl...73/dx steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 1:58 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> I'll give that a shot. I was hoping for something louder but that would
be
> a good start.
>
> Thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>

>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 10:43
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> Hi Kevin;
> I think (if I understand what u want correctly) XMLog already has this
> feature and I use it. When u enable the packet window from the options
> menu, and if u have the audible alarm turned on from options, packet
> options, packet cluster alerts all turned on...a cw signal will result for
> each needed band-country (if this is selected). New entities will be
headed
> by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn. Hope
> this helps...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <xmlog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 12:22 PM
> Subject: [XMLog] Alarm
>
>
> > > Hi Mike,
> > > What would be the feasibility of adding an audio alarm to XMLog which
> would
> > > sound if a country one needs is spotted? I am totally blind and this
> would
> > > be a nice feature for me or anyone who wants to log into a cluster but
not
> > > necessarily sit in front of the computer screen waiting for that rare
one.
> > > I can't remember right now without reading all the docs but I think
XMLog
> > > has the ability to highlight needed countries on the screen so could
this
> be
> > > extended to sound an audible alarm?
> > > Thanks much for the discussion and very 73.
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX

> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

Yahoo! Groups Links

1244. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 00:44:59 UTC
From: Steve Litwins
Topic: 1238 Message: 1244

Well Kevin...things are not so simple as I thought are they? I have never messed with voice alerts, as a consequence I know nothing abt how to set them up...sri. The cw alerts work fb for me and can be set at any speed and any volume...would this not work ok for u? I know there are some canned voice alerts available but have not played with them as the cw alerts work for me fb. I also know (or think I know) that u can make ur own voice alerts, but the process seems way to complicated for me, so have not played with voice. Have u tried the cw alerts? They give a sn (wake up call)---prefix (according to XMLog list)---band (in meters) and mode (cw, phone, rtty). As we are writing this there are alerts coming in from the cw contest abt one for every 5 seconds. These come from opening up the packet spots window...the window that lists each spot, and ur own personal status according to XMLog abt if u need it or need to qsl etc...have u heard this? I think u do this from the "options---packet options and port select---then just enable the cw spots under the "packet cluster alerts" tab. Maybe I do not understand the problem. Maybe it's time to ask Mike McAmes, the owner of XMLog.
I will be glad to help with what I know about Kevin, but I do not think I understand the problem...let me know if I can be of assistance...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 6:11 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> I guess I'm confused. I use voice alerts on my system and don't have
> anything inhibited in that window but still don't get anything but the
sound
> set in the sounds box as a warning. There also doesn't seem to be anyway
to
> add your own sound, just the ones in the choices boxes. Can you direct me
> to exactly what I need to do differently?
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>

>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 12:55
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> Hi agn Kevin;
> Here, the cw alerts are on the PC speaker...as such at least on my PC the
> soundcard control allows some volume control of that sound so I cam make
it
> pretty loud. If that fails, maybe u can wire the speaker terminals to a
> small audio amp, then u can blast even the neighbors out and they will be
> clamoring to work the dx...hi...gl...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 1:58 PM
> Subject: RE: [XMLog] Alarm
>
>
> > >
> > > Hi Steve,
> > >
> > > I'll give that a shot. I was hoping for something louder but that would
> be
> > > a good start.
> > >
> > > Thanks much and very 73.
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > > -----Original Message-----
> > > From: Steve Litwins [mailto:litwins@...]
> > > Sent: Saturday, November 27, 2004 10:43
> > > To: XMLog@yahoogroups.com
> > > Subject: Re: [XMLog] Alarm
> > >
> > >
> > > Hi Kevin;
> > > I think (if I understand what u want correctly) XMLog already has this

> > feature and I use it. When u enable the packet window from the options
> > menu, and if u have the audible alarm turned on from options, packet
> > options, packet cluster alerts all turned on...a cw signal will result
for
> > each needed band-country (if this is selected). New entities will be
> headed
> > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.
Hope
> > this helps...73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <xmlog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 12:22 PM
> > Subject: [XMLog] Alarm
> >
> >
> > >
> > > Hi Mike,
> > >
> > > What would be the feasibility of adding an audio alarm to XMLog which
> > would
> > > sound if a country one needs is spotted? I am totally blind and this
> > would
> > > be a nice feature for me or anyone who wants to log into a cluster but
> not
> > > necessarily sit in front of the computer screen waiting for that rare
> one.
> > > I can't remember right now without reading all the docs but I think
> XMLog
> > > has the ability to highlight needed countries on the screen so could
> this
> > be
> > > extended to sound an audible alarm?
> > >
> > > Thanks much for the discussion and very 73.
> > >
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> > >

> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1245. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 00:56:20 UTC
From: Steve Litwins
Topic: 1238 Message: 1245

Well...now that I read the last email from u Kevin several more time it
seems to me that here is the problem:
U are getting a "ding" or something like that when a spot u need shows but
not the prefix-band-mode info u really need...right? Have u created a
folder under the parent MLog directory called "voice"? This is where u wud
have to store ur wave voice files for each letter and number and other marks
like slash etc. That is where and what XMLog calls when it produces a
spot...otherwise, all u get is a "ding".
Am I understanding the problem any better? 73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 6:11 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> I guess I'm confused. I use voice alerts on my system and don't have
> anything inhibited in that window but still don't get anything but the
sound
> set in the sounds box as a warning. There also doesn't seem to be anyway
to
> add your own sound, just the ones in the choices boxes. Can you direct me
> to exactly what I need to do differently?
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 12:55
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>

> Hi agn Kevin;
> Here, the cw alerts are on the PC speaker...as such at least on my PC the
> soundcard control allows some volume control of that sound so I cam make
it
> pretty loud. If that fails, maybe u can wire the speaker terminals to a
> small audio amp, then u can blast even the neighbors out and they will be
> clamoring to work the dx...hi...gl...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 1:58 PM
> Subject: RE: [XMLog] Alarm
>
>
> >
> > Hi Steve,
> >
> > I'll give that a shot. I was hoping for something louder but that would
> be
> > a good start.
> >
> > Thanks much and very 73.
> >
> > Kevin :)
> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 10:43
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > Hi Kevin;
> > I think (if I understand what u want correctly) XMLog already has this
> > feature and I use it. When u enable the packet window from the options
> > menu, and if u have the audible alarm turned on from options, packet
> > options, packet cluster alerts all turned on...a cw signal will result
for
> > each needed band-country (if this is selected). New entities will be
> headed
> > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.
Hope
> > this helps...73/dx steve, k8wk
> > **********

> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <xmlog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 12:22 PM
> > Subject: [XMLog] Alarm
> >
> >
> > >
> > > Hi Mike,
> > >
> > > What would be the feasibility of adding an audio alarm to XMLog which
> > would
> > > sound if a country one needs is spotted? I am totally blind and this
> > would
> > > be a nice feature for me or anyone who wants to log into a cluster but
> not
> > > necessarily sit in front of the computer screen waiting for that rare
> one.
> > > I can't remember right now without reading all the docs but I think
> XMLog
> > > has the ability to highlight needed countries on the screen so could
> this
> > be
> > > extended to sound an audible alarm?
> > >
> > > Thanks much for the discussion and very 73.
> > >
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >

> > >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>

>
>
>
>

1246. RE: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 01:17:59 UTC
From: Kevin Nathan
Topic: 1238 Message: 1246

Hi Steve,

Oh no, I get band info and mode info with the voice alerts. I am under the impression that when a spot comes across that you need, as opposed to one you already have, it is somehow highlighted on the screen. What I would like is an audio method of being told that is a needed country rather than just the visual. That way, I might be watching TV out in the family room adjacent to the ham shack and could hear some sort of alarm when a new country I need is spotted as opposed to just the constant flow of voice or CW alerts. Even if I could add a siren or some sort of loud obnoxious noise to the alerts area that would help because I can use the needs filter on my local cluster so that I only see the countries I need but I see no way to do that.

Did I confuse the issue worse? <GRIN> Thanks and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Steve Litwins [mailto:litwins@...]
Sent: Saturday, November 27, 2004 16:56
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Alarm

Well...now that I read the last email from u Kevin several more time it seems to me that here is the problem:
U are getting a "ding" or something like that when a spot u need shows but not the prefix-band-mode info u really need...right? Have u created a folder under the parent MLog directory called "voice"? This is where u wud have to store ur wave voice files for each letter and number and other marks like slash etc. That is where and what XMLog calls when it produces a spot...otherwise, all u get is a "ding".
Am I understanding the problem any better? 73/dx steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 6:11 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> I guess I'm confused. I use voice alerts on my system and don't have

> anything inhibited in that window but still don't get anything but the
sound
> set in the sounds box as a warning. There also doesn't seem to be anyway
to
> add your own sound, just the ones in the choices boxes. Can you direct me
> to exactly what I need to do differently?
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 12:55
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> Hi agn Kevin;
> Here, the cw alerts are on the PC speaker...as such at least on my PC the
> soundcard control allows some volume control of that sound so I cam make
it
> pretty loud. If that fails, maybe u can wire the speaker terminals to a
> small audio amp, then u can blast even the neighbors out and they will be
> clamoring to work the dx...hi...gl...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 1:58 PM
> Subject: RE: [XMLog] Alarm
>
>
> >
> > Hi Steve,
> >
> > I'll give that a shot. I was hoping for something louder but that would
> be
> > a good start.
> >
> > Thanks much and very 73.
> >
> > Kevin :)
> > Amateur Radio: K7RX

> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 10:43
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > Hi Kevin;
> > I think (if I understand what u want correctly) XMLog already has this
> > feature and I use it. When u enable the packet window from the options
> > menu, and if u have the audible alarm turned on from options, packet
> > options, packet cluster alerts all turned on...a cw signal will result
for
> > each needed band-country (if this is selected). New entities will be
> headed
> > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.
Hope
> > this helps...73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <xmlog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 12:22 PM
> > Subject: [XMLog] Alarm
> >
> >
> > >
> > > Hi Mike,
> > >
> > > What would be the feasibility of adding an audio alarm to XMLog which
> > would
> > > sound if a country one needs is spotted? I am totally blind and this
> > would
> > > be a nice feature for me or anyone who wants to log into a cluster but
> not
> > > necessarily sit in front of the computer screen waiting for that rare
> one.
> > > I can't remember right now without reading all the docs but I think
> XMLog
> > > has the ability to highlight needed countries on the screen so could
> this
> > be
> > > extended to sound an audible alarm?
> > >
> > > Thanks much for the discussion and very 73.

> > >
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >

> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Links

1247. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 05:22:16 UTC
From: Steve Litwins
Topic: 1238 Message: 1247

I think we are making some progress here Kevin. I think what I hear and what u hear must be different somehow. I only get alerts for stns that are spotted that I need (do not have confirmed). Many many spots come in that I have no need for and thus hear no cw telling me anything abt them...silence. From what u say u get them all??? What I really mean is that only the visually highlighted ones with the extra blank space on either end of the call are the ones I hear in the cw spot...the ones I need to confirm. These are the spots I do not have confirmed. If I don't need it (do have it confirmed) , I hear nothing. All spots are highlighted on the screen, but, only the ones I need are highlighted with the extra blank space on both ends of the call...a kind of visual alert. Now; u say u get band and mode info with the voice alerts...and I assume u only get voice alerts for the ones u need (right??)...so...what more (or less) do u need? Unless u get all spots with an alert...is that so?? ...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 7:17 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> Oh no, I get band info and mode info with the voice alerts. I am under
the
> impression that when a spot comes across that you need, as opposed to one
> you already have, it is somehow highlighted on the screen. What I would
> like is an audio method of being told that is a needed country rather than
> just the visual. That way, I might be watching TV out in the family room
> adjacent to the ham shack and could hear some sort of alarm when a new
> country I need is spotted as opposed to just the constant flow of voice or
> CW alerts. Even if I could add a siren or some sort of loud obnoxious
noise
> to the alerts area that would help because I can use the needs filter on
my
> local cluster so that I only see the countries I need but I see no way to
do
> that.
>
> Did I confuse the issue worse? <GRIN> Thanks and very 73.
>
>
> Kevin :)

> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 16:56
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> Well...now that I read the last email from u Kevin several more time it
> seems to me that here is the problem:
> U are getting a "ding" or something like that when a spot u need shows
but
> not the prefix-band-mode info u really need...right? Have u created a
> folder under the parent MLog directory called "voice"? This is where u
wud
> have to store ur wave voice files for each letter and number and other
marks
> like slash etc. That is where and what XMLog calls when it produces a
> spot...otherwise, all u get is a "ding".
> Am I understanding the problem any better? 73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 6:11 PM
> Subject: RE: [XMLog] Alarm
>
>
> >
> > Hi Steve,
> >
> > I guess I'm confused. I use voice alerts on my system and don't have
> > anything inhibited in that window but still don't get anything but the
> sound
> > set in the sounds box as a warning. There also doesn't seem to be
anyway
> to
> > add your own sound, just the ones in the choices boxes. Can you direct
me
> > to exactly what I need to do differently?
> >
> > Thanks much and very 73.
> >
> >
> > Kevin :)

> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 12:55
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > Hi agn Kevin;
> > Here, the cw alerts are on the PC speaker...as such at least on my PC
the
> > soundcard control allows some volume control of that sound so I cam make
> it
> > pretty loud. If that fails, maybe u can wire the speaker terminals to a
> > small audio amp, then u can blast even the neighbors out and they will
be
> > clamoring to work the dx...hi...gl...73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 1:58 PM
> > Subject: RE: [XMLog] Alarm
> >
> >
> > >
> > > Hi Steve,
> > >
> > > I'll give that a shot. I was hoping for something louder but that
would
> > be
> > > a good start.
> > >
> > > Thanks much and very 73.
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > > -----Original Message-----
> > > From: Steve Litwins [mailto:litwins@...]
> > > Sent: Saturday, November 27, 2004 10:43

> > > To: XMLog@yahoogroups.com
> > > Subject: Re: [XMLog] Alarm
> > >
> > >
> > > Hi Kevin;
> > > I think (if I understand what u want correctly) XMLog already has this
> > > feature and I use it. When u enable the packet window from the
options
> > > menu, and if u have the audible alarm turned on from options, packet
> > > options, packet cluster alerts all turned on...a cw signal will result
> for
> > > each needed band-country (if this is selected). New entities will be
> > headed
> > > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.
> Hope
> > > this helps...73/dx steve, k8wk
> > > **********
> > > ----- Original Message -----
> > > From: "Kevin Nathan" <k7rx@...>
> > > To: <xmlog@yahoogroups.com>
> > > Sent: Saturday, November 27, 2004 12:22 PM
> > > Subject: [XMLog] Alarm
> > >
> > >
> > > >
> > > > Hi Mike,
> > > >
> > > > What would be the feasibility of adding an audio alarm to XMLog
which
> > > would
> > > > sound if a country one needs is spotted? I am totally blind and
this
> > > would
> > > > be a nice feature for me or anyone who wants to log into a cluster
but
> > not
> > > > necessarily sit in front of the computer screen waiting for that
rare
> > one.
> > > > I can't remember right now without reading all the docs but I think
> > XMLog
> > > > has the ability to highlight needed countries on the screen so could
> > this
> > > be
> > > > extended to sound an audible alarm?
> > > >
> > > > Thanks much for the discussion and very 73.
> > > >
> > > >
> > > > Kevin :)

> > > > Amateur Radio: K7RX
> > > > Navy Marine Corps MARS: NNN0SHS
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > [Non-text portions of this message have been removed]
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >

> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

>

1248. RE: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 06:17:16 UTC
From: Kevin Nathan
Topic: 1238 Message: 1248

Hi Steve,

What I did is sent a list to my local cluster for a Dxneeds filter which, when turned on, will only show me spots for those countries which I haven't worked yet. Otherwise, the spots are being announced so fast it is hard to keep track of them. It really has nothing to do with XMLog except that I have turned on voice alerts so I hear band, mode and call for each spot. Any limiting of spots is done by the cluster.

What I would like XMLog to do for me is when a spot comes across that I haven't worked yet I want to have a loud noise activated like a siren or alarm sound of some kind to let me know, even if I'm not in the same room, that I should investigate because something I need has just been spotted.

I hope that makes sense. Thanks and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Steve Litwins [mailto:litwins@...]
Sent: Saturday, November 27, 2004 21:22
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Alarm

I think we are making some progress here Kevin. I think what I hear and what u hear must be different somehow. I only get alerts for stns that are spotted that I need (do not have confirmed). Many many spots come in that I have no need for and thus hear no cw telling me anything abt them...silence. From what u say u get them all??? What I really mean is that only the visually highlighted ones with the extra blank space on either end of the call are the ones I hear in the cw spot...the ones I need to confirm. These are the spots I do not have confirmed. If I don't need it (do have it confirmed) , I hear nothing. All spots are highlighted on the screen, but, only the ones I need are highlighted with the extra blank space on both ends of the call...a kind of visual alert. Now; u say u get band and mode info with the voice alerts...and I assume u only get voice alerts for the ones u need (right??)...so...what more (or less) do u need? Unless u get all spots with an alert...is that so?? ...73/dx steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, November 27, 2004 7:17 PM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> Oh no, I get band info and mode info with the voice alerts. I am under
the
> impression that when a spot comes across that you need, as opposed to one
> you already have, it is somehow highlighted on the screen. What I would
> like is an audio method of being told that is a needed country rather than
> just the visual. That way, I might be watching TV out in the family room
> adjacent to the ham shack and could hear some sort of alarm when a new
> country I need is spotted as opposed to just the constant flow of voice or
> CW alerts. Even if I could add a siren or some sort of loud obnoxious
noise
> to the alerts area that would help because I can use the needs filter on
my
> local cluster so that I only see the countries I need but I see no way to
do
> that.
>
> Did I confuse the issue worse? <GRIN> Thanks and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 16:56
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> Well...now that I read the last email from u Kevin several more time it
> seems to me that here is the problem:
> U are getting a "ding" or something like that when a spot u need shows
but
> not the prefix-band-mode info u really need...right? Have u created a
> folder under the parent MLog directory called "voice"? This is where u
wud
> have to store ur wave voice files for each letter and number and other
marks
> like slash etc. That is where and what XMLog calls when it produces a
> spot...otherwise, all u get is a "ding".
> Am I understanding the problem any better? 73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>

> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 6:11 PM
> Subject: RE: [XMLog] Alarm
>
>
> >
> > Hi Steve,
> >
> > I guess I'm confused. I use voice alerts on my system and don't have
> > anything inhibited in that window but still don't get anything but the
> sound
> > set in the sounds box as a warning. There also doesn't seem to be
anyway
> to
> > add your own sound, just the ones in the choices boxes. Can you direct
me
> > to exactly what I need to do differently?
> >
> > Thanks much and very 73.
> >
> >
> > Kevin :)
> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 12:55
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > Hi agn Kevin;
> > Here, the cw alerts are on the PC speaker...as such at least on my PC
the
> > soundcard control allows some volume control of that sound so I cam make
> it
> > pretty loud. If that fails, maybe u can wire the speaker terminals to a
> > small audio amp, then u can blast even the neighbors out and they will
be
> > clamoring to work the dx...hi...gl...73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 1:58 PM
> > Subject: RE: [XMLog] Alarm

> >
> >
> > >
> > > Hi Steve,
> > >
> > > I'll give that a shot. I was hoping for something louder but that
would
> > be
> > > a good start.
> > >
> > > Thanks much and very 73.
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > > -----Original Message-----
> > > From: Steve Litwins [mailto:litwins@...]
> > > Sent: Saturday, November 27, 2004 10:43
> > > To: XMLog@yahoogroups.com
> > > Subject: Re: [XMLog] Alarm
> > >
> > >
> > > Hi Kevin;
> > > I think (if I understand what u want correctly) XMLog already has this
> > > feature and I use it. When u enable the packet window from the
options
> > > menu, and if u have the audible alarm turned on from options, packet
> > > options, packet cluster alerts all turned on...a cw signal will result
> for
> > > each needed band-country (if this is selected). New entities will be
> > headed
> > > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.
> Hope
> > > this helps...73/dx steve, k8wk
> > > **********
> > > ----- Original Message -----
> > > From: "Kevin Nathan" <k7rx@...>
> > > To: <xmlog@yahoogroups.com>
> > > Sent: Saturday, November 27, 2004 12:22 PM
> > > Subject: [XMLog] Alarm
> > >
> > >
> > > >
> > > > Hi Mike,
> > > >
> > > > What would be the feasibility of adding an audio alarm to XMLog

which
> > > would
> > > > sound if a country one needs is spotted? I am totally blind and
this
> > > would
> > > > be a nice feature for me or anyone who wants to log into a cluster
but
> > not
> > > > necessarily sit in front of the computer screen waiting for that
rare
> > one.
> > > > I can't remember right now without reading all the docs but I think
> > XMLog
> > > > has the ability to highlight needed countries on the screen so could
> > this
> > > be
> > > > extended to sound an audible alarm?
> > > >
> > > > Thanks much for the discussion and very 73.
> > > >
> > > >
> > > > Kevin :)
> > > > Amateur Radio: K7RX
> > > > Navy Marine Corps MARS: NNN0SHS
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > [Non-text portions of this message have been removed]
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >
> > >
> > >

> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Links

1249. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 07:49:34 UTC
From: Steve Litwins
Topic: 1238 Message: 1249

Kevin;
Think I understand...better...not fully tho. Why don't u just let XMLog announce the needed spots? Then u will know if u hear something, u need it. If u don't need a particular spot, u will not hear anything. That way u can either turn up the PC audio on the spots, or if u are watching TV or are outside, u can rig up an amplified output on the PC speaker via an external amp and spkr which u can set to as loud as u need. Here I never miss any spots I need unless I am asleep and do not wish to be disturbed. Or...am I still missing the problem? 73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, November 28, 2004 12:17 AM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> What I did is sent a list to my local cluster for a Dxneeds filter which,
> when turned on, will only show me spots for those countries which I haven't
> worked yet. Otherwise, the spots are being announced so fast it is hard to
> keep track of them. It really has nothing to do with XMLog except that I
> have turned on voice alerts so I hear band, mode and call for each spot.
> Any limiting of spots is done by the cluster.
>
> What I would like XMLog to do for me is when a spot comes across that I
> haven't worked yet I want to have a loud noise activated like a siren or
> alarm sound of some kind to let me know, even if I'm not in the same room,
> that I should investigate because something I need has just been spotted.
>
> I hope that makes sense. Thanks and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----

> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 21:22
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> I think we are making some progress here Kevin. I think what I hear and
what
> u hear must be different somehow. I only get alerts for stns that are
> spotted that I need (do not have confirmed). Many many spots come in that
I
> have no need for and thus hear no cw telling me anything abt
them...silence.
> From what u say u get them all??? What I really mean is that only the
> visually highlighted ones with the extra blank space on either end of the
> call are the ones I hear in the cw spot...the ones I need to confirm.
These
> are the spots I do not have confirmed. If I don't need it (do have it
> confirmed) , I hear nothing. All spots are highlighted on the screen,
but,
> only the ones I need are highlighted with the extra blank space on both
ends
> of the call...a kind of visual alert. Now; u say u get band and mode
info
> with the voice alerts...and I assume u only get voice alerts for the ones
u
> need (right??)...so...what more (or less) do u need? Unless u get all
> spots with an alert...is that so?? ...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 7:17 PM
> Subject: RE: [XMLog] Alarm
>
>
> >
> > Hi Steve,
> >
> > Oh no, I get band info and mode info with the voice alerts. I am under
> the
> > impression that when a spot comes across that you need, as opposed to
one
> > you already have, it is somehow highlighted on the screen. What I would
> > like is an audio method of being told that is a needed country rather
than
> > just the visual. That way, I might be watching TV out in the family
room
> > adjacent to the ham shack and could hear some sort of alarm when a new
> > country I need is spotted as opposed to just the constant flow of voice

or
> > CW alerts. Even if I could add a siren or some sort of loud obnoxious
> noise
> > to the alerts area that would help because I can use the needs filter on
> my
> > local cluster so that I only see the countries I need but I see no way
to
> do
> > that.
> >
> > Did I confuse the issue worse? <GRIN> Thanks and very 73.
> >
> >
> > Kevin :)
> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 16:56
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > Well...now that I read the last email from u Kevin several more time it
> > seems to me that here is the problem:
> > U are getting a "ding" or something like that when a spot u need shows
> but
> > not the prefix-band-mode info u really need...right? Have u created a
> > folder under the parent MLog directory called "voice"? This is where u
> wud
> > have to store ur wave voice files for each letter and number and other
> marks
> > like slash etc. That is where and what XMLog calls when it produces a
> > spot...otherwise, all u get is a "ding".
> > Am I understanding the problem any better? 73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 6:11 PM
> > Subject: RE: [XMLog] Alarm
> >
> >
> > >
> > > Hi Steve,
> > >

> > > I guess I'm confused. I use voice alerts on my system and don't have
> > > anything inhibited in that window but still don't get anything but the
> > sound
> > > set in the sounds box as a warning. There also doesn't seem to be
> anyway
> > to
> > > add your own sound, just the ones in the choices boxes. Can you
direct
> me
> > > to exactly what I need to do differently?
> > >
> > > Thanks much and very 73.
> > >
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > > -----Original Message-----
> > > From: Steve Litwins [mailto:litwins@...]
> > > Sent: Saturday, November 27, 2004 12:55
> > > To: XMLog@yahoogroups.com
> > > Subject: Re: [XMLog] Alarm
> > >
> > >
> > > Hi agn Kevin;
> > > Here, the cw alerts are on the PC speaker...as such at least on my PC
> the
> > > soundcard control allows some volume control of that sound so I cam
make
> > it
> > > pretty loud. If that fails, maybe u can wire the speaker terminals to
a
> > > small audio amp, then u can blast even the neighbors out and they will
> be
> > > clamoring to work the dx...hi...gl...73/dx steve, k8wk
> > > **********
> > > ----- Original Message -----
> > > From: "Kevin Nathan" <k7rx@...>
> > > To: <XMLog@yahoogroups.com>
> > > Sent: Saturday, November 27, 2004 1:58 PM
> > > Subject: RE: [XMLog] Alarm
> > >
> > >
> > > >
> > > > Hi Steve,
> > > >

> > > > I'll give that a shot. I was hoping for something louder but that
> would
> > > be
> > > > a good start.
> > > >
> > > > Thanks much and very 73.
> > > >
> > > > Kevin :)
> > > > Amateur Radio: K7RX
> > > > Navy Marine Corps MARS: NNN0SHS
> > > >
> > > >
> > > >
> > > >
> > > > -----Original Message-----
> > > > From: Steve Litwins [mailto:litwins@...]
> > > > Sent: Saturday, November 27, 2004 10:43
> > > > To: XMLog@yahoogroups.com
> > > > Subject: Re: [XMLog] Alarm
> > > >
> > > >
> > > > Hi Kevin;
> > > > I think (if I understand what u want correctly) XMLog already has
this
> > > > feature and I use it. When u enable the packet window from the
> options
> > > > menu, and if u have the audible alarm turned on from options, packet
> > > > options, packet cluster alerts all turned on...a cw signal will
result
> > for
> > > > each needed band-country (if this is selected). New entities will
be
> > > headed
> > > > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.
> > Hope
> > > > this helps...73/dx steve, k8wk
> > > > **********
> > > > ----- Original Message -----
> > > > From: "Kevin Nathan" <k7rx@...>
> > > > To: <xmlog@yahoogroups.com>
> > > > Sent: Saturday, November 27, 2004 12:22 PM
> > > > Subject: [XMLog] Alarm
> > > >
> > > >
> > > >
> > > > >
> > > > > Hi Mike,
> > > > >
> > > > > What would be the feasibility of adding an audio alarm to XMLog
> which
> > > > would

> > > > > sound if a country one needs is spotted? I am totally blind and
> this
> > > > > would
> > > > > > be a nice feature for me or anyone who wants to log into a cluster
> but
> > > > not
> > > > > > necessarily sit in front of the computer screen waiting for that
> rare
> > > > one.
> > > > > > I can't remember right now without reading all the docs but I
think
> > > XMLog
> > > > > > has the ability to highlight needed countries on the screen so
could
> > > this
> > > > > be
> > > > > > extended to sound an audible alarm?
> > > > > >
> > > > > > Thanks much for the discussion and very 73.
> > > > > >
> > > > > >
> > > > > > Kevin :)
> > > > > > Amateur Radio: K7RX
> > > > > > Navy Marine Corps MARS: NNN0SHS
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > [Non-text portions of this message have been removed]
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > Yahoo! Groups Links
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >

> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >

> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1250. RE: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 15:33:57 UTC
From: Kevin Nathan
Topic: 1238 Message: 1250

Hi Steve,

You're pretty right. I could certainly turn it up. I was hoping for just a simple way to have a real catchy sound which would act as a cue but I don't think there's an easy way to do that unless Mike were to add a way to choose any file you wish as an alert. I appreciate all the sounding of ideas though and the help. Very 73 and it has been a pleasure.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Steve Litwins [mailto:litwins@...]
Sent: Saturday, November 27, 2004 23:50
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Alarm

Kevin;
Think I understand...better...not fully tho. Why don't u just let XMLog announce the needed spots? Then u will know if u hear something, u need it. If u don't need a particular spot, u will not hear anything. That way u can either turn up the PC audio on the spots, or if u are watching TV or are outside, u can rig up an amplified output on the PC speaker via an external amp and spkr which u can set to as loud as u need. Here I never miss any spots I need unless I am asleep and do not wish to be disturbed. Or...am I still missing the problem? 73/dx steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, November 28, 2004 12:17 AM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> What I did is sent a list to my local cluster for a Dxneeds filter which,
> when turned on, will only show me spots for those countries which I
haven't
> worked yet. Otherwise, the spots are being announced so fast it is hard
to
> keep track of them. It really has nothing to do with XMLog except that I
> have turned on voice alerts so I hear band, mode and call for each spot.
> Any limiting of spots is done by the cluster.
>

> What I would like XMLog to do for me is when a spot comes across that I
> haven't worked yet I want to have a loud noise activated like a siren or
> alarm sound of some kind to let me know, even if I'm not in the same room,
> that I should investigate because something I need has just been spotted.
>
> I hope that makes sense. Thanks and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 21:22
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm
>
>
> I think we are making some progress here Kevin. I think what I hear and
what
> u hear must be different somehow. I only get alerts for stns that are
> spotted that I need (do not have confirmed). Many many spots come in that
I
> have no need for and thus hear no cw telling me anything abt
them...silence.
> From what u say u get them all??? What I really mean is that only the
> visually highlighted ones with the extra blank space on either end of the
> call are the ones I hear in the cw spot...the ones I need to confirm.
These
> are the spots I do not have confirmed. If I don't need it (do have it
> confirmed) , I hear nothing. All spots are highlighted on the screen,
but,
> only the ones I need are highlighted with the extra blank space on both
ends
> of the call...a kind of visual alert. Now; u say u get band and mode
info
> with the voice alerts...and I assume u only get voice alerts for the ones
u
> need (right??)...so...what more (or less) do u need? Unless u get all
> spots with an alert...is that so?? ...73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Saturday, November 27, 2004 7:17 PM
> Subject: RE: [XMLog] Alarm

>
>
> >
> > Hi Steve,
> >
> > Oh no, I get band info and mode info with the voice alerts. I am under
> the
> > impression that when a spot comes across that you need, as opposed to
one
> > you already have, it is somehow highlighted on the screen. What I would
> > like is an audio method of being told that is a needed country rather
than
> > just the visual. That way, I might be watching TV out in the family
room
> > adjacent to the ham shack and could hear some sort of alarm when a new
> > country I need is spotted as opposed to just the constant flow of voice
or
> > CW alerts. Even if I could add a siren or some sort of loud obnoxious
> noise
> > to the alerts area that would help because I can use the needs filter on
> my
> > local cluster so that I only see the countries I need but I see no way
to
> do
> > that.
> >
> > Did I confuse the issue worse? <GRIN> Thanks and very 73.
> >
> >
> > Kevin :)
> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS
> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 16:56
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > Well...now that I read the last email from u Kevin several more time it
> > seems to me that here is the problem:
> > U are getting a "ding" or something like that when a spot u need shows
> but
> > not the prefix-band-mode info u really need...right? Have u created a
> > folder under the parent MLog directory called "voice"? This is where u
> wud

> > have to store ur wave voice files for each letter and number and other
> marks
> > like slash etc. That is where and what XMLog calls when it produces a
> > spot...otherwise, all u get is a "ding".
> > Am I understanding the problem any better? 73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 6:11 PM
> > Subject: RE: [XMLog] Alarm
> >
> >
> > >
> > > Hi Steve,
> > >
> > > I guess I'm confused. I use voice alerts on my system and don't have
> > > anything inhibited in that window but still don't get anything but the
> > sound
> > > set in the sounds box as a warning. There also doesn't seem to be
> anyway
> > to
> > > add your own sound, just the ones in the choices boxes. Can you
direct
> me
> > > to exactly what I need to do differently?
> > >
> > > Thanks much and very 73.
> > >
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > > -----Original Message-----
> > > From: Steve Litwins [mailto:litwins@...]
> > > Sent: Saturday, November 27, 2004 12:55
> > > To: XMLog@yahoogroups.com
> > > Subject: Re: [XMLog] Alarm
> > >
> > >
> > > Hi agn Kevin;
> > > Here, the cw alerts are on the PC speaker...as such at least on my PC
> the
> > > soundcard control allows some volume control of that sound so I cam
make
> > it

> > > pretty loud. If that fails, maybe u can wire the speaker terminals to
a
> > > small audio amp, then u can blast even the neighbors out and they will
> be
> > > clamoring to work the dx...hi...gl...73/dx steve, k8wk
> > > **********
> > > ----- Original Message -----
> > > From: "Kevin Nathan" <k7rx@...>
> > > To: <XMLog@yahoogroups.com>
> > > Sent: Saturday, November 27, 2004 1:58 PM
> > > Subject: RE: [XMLog] Alarm
> > >
> > >
> > > >
> > > > Hi Steve,
> > > >
> > > > I'll give that a shot. I was hoping for something louder but that
> would
> > > be
> > > > a good start.
> > > >
> > > > Thanks much and very 73.
> > > >
> > > > Kevin :)
> > > > Amateur Radio: K7RX
> > > > Navy Marine Corps MARS: NNN0SHS
> > > >
> > > >
> > > >
> > > >
> > > > -----Original Message-----
> > > > From: Steve Litwins [mailto:litwins@...]
> > > > Sent: Saturday, November 27, 2004 10:43
> > > > To: XMLog@yahoogroups.com
> > > > Subject: Re: [XMLog] Alarm
> > > >
> > > >
> > > > Hi Kevin;
> > > > I think (if I understand what u want correctly) XMLog already has
this
> > > > feature and I use it. When u enable the packet window from the
> options
> > > > menu, and if u have the audible alarm turned on from options, packet
> > > > options, packet cluster alerts all turned on...a cw signal will
result
> > for
> > > > each needed band-country (if this is selected). New entities will
be
> > > headed
> > > > by a cw "sn" and all-time -new ones will get a double "sn"...sn, sn.

> > Hope
> > > > this helps...73/dx steve, k8wk
> > > > **********
> > > > ----- Original Message -----
> > > > From: "Kevin Nathan" <k7rx@...>
> > > > To: <xmlog@yahoogroups.com>
> > > > Sent: Saturday, November 27, 2004 12:22 PM
> > > > Subject: [XMLog] Alarm
> > > > >
> > > > >
> > > > > >
> > > > > > Hi Mike,
> > > > > >
> > > > > > What would be the feasibility of adding an audio alarm to XMLog
> which
> > > > would
> > > > > > sound if a country one needs is spotted? I am totally blind and
> this
> > > > would
> > > > > > be a nice feature for me or anyone who wants to log into a cluster
> but
> > > not
> > > > > > necessarily sit in front of the computer screen waiting for that
> rare
> > > one.
> > > > > > I can't remember right now without reading all the docs but I
think
> > > XMLog
> > > > > > has the ability to highlight needed countries on the screen so
could
> > > this
> > > > > be
> > > > > > extended to sound an audible alarm?
> > > > > >
> > > > > > Thanks much for the discussion and very 73.
> > > > > >
> > > > > >
> > > > > > Kevin :)
> > > > > > Amateur Radio: K7RX
> > > > > > Navy Marine Corps MARS: NNN0SHS
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > [Non-text portions of this message have been removed]
> > > > > >
> > > > > >
> > > > > >

> > > > >
> > > > >
> > > > > Yahoo! Groups Links
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >

> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Links

1251. Re: [XMLog] Alarm

Yahoo group: XMLog
Date: 2004-11-28 16:37:03 UTC
From: Steve Litwins
Topic: 1238 Message: 1251

GM Kevin;
Actually I think there is a way to get exactly what u want. However, since I have not tried it, u will have to ask Mike. I think u can custom design any alert sound that u want...bell, whistle, even a guy who yells ALERT ALERT in place of the cw "sn"... I think that somewhere in Win XX, there are some canned *.wave files for different sounds. I have never fiddled with all that so I wud have to start from scratch and see how all that is put together. I wud start with Mike's help files on the voice alerts which I think have good starting info in them...then u have to experiment.
I hope all this discussion has hatched some ideas for u Kevin. Sri I have not been able to help more, but I am sure some direct questions to Mike will give u a good place to start...gl...73/dx
steve, k8wk
****
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, November 28, 2004 9:33 AM
Subject: RE: [XMLog] Alarm

>
> Hi Steve,
>
> You're pretty right. I could certainly turn it up. I was hoping for just
a
> simple way to have a real catchy sound which would act as a cue but I
don't
> think there's an easy way to do that unless Mike were to add a way to
choose
> any file you wish as an alert. I appreciate all the sounding of ideas
> though and the help. Very 73 and it has been a pleasure.
>
>
> Kevin :)
> Amateur Radio: K7RX
> Navy Marine Corps MARS: NNN0SHS
>
>
>
>
> -----Original Message-----
> From: Steve Litwins [mailto:litwins@...]
> Sent: Saturday, November 27, 2004 23:50
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Alarm

>
>
> Kevin;
> Think I understand...better...not fully tho. Why don't u just let XMLog
> announce the needed spots? Then u will know if u hear something, u need
it.
> If u don't need a particular spot, u will not hear anything. That way u
can
> either turn up the PC audio on the spots, or if u are watching TV or are
> outside, u can rig up an amplified output on the PC speaker via an
external
> amp and spkr which u can set to as loud as u need. Here I never miss any
> spots I need unless I am asleep and do not wish to be disturbed. Or...am
I
> still missing the problem? 73/dx steve, k8wk
> **********
> ----- Original Message -----
> From: "Kevin Nathan" <k7rx@...>
> To: <XMLog@yahoogroups.com>
> Sent: Sunday, November 28, 2004 12:17 AM
> Subject: RE: [XMLog] Alarm
>
>
> >
> > Hi Steve,
> >
> > What I did is sent a list to my local cluster for a Dxneeds filter
which,
> > when turned on, will only show me spots for those countries which I
> haven't
> > worked yet. Otherwise, the spots are being announced so fast it is hard
> to
> > keep track of them. It really has nothing to do with XMLog except that
I
> > have turned on voice alerts so I hear band, mode and call for each spot.
> > Any limiting of spots is done by the cluster.
> >
> > What I would like XMLog to do for me is when a spot comes across that I
> > haven't worked yet I want to have a loud noise activated like a siren or
> > alarm sound of some kind to let me know, even if I'm not in the same
room,
> > that I should investigate because something I need has just been
spotted.
> >
> > I hope that makes sense. Thanks and very 73.
> >
> >
> > Kevin :)
> > Amateur Radio: K7RX
> > Navy Marine Corps MARS: NNN0SHS

> >
> >
> >
> >
> > -----Original Message-----
> > From: Steve Litwins [mailto:litwins@...]
> > Sent: Saturday, November 27, 2004 21:22
> > To: XMLog@yahoogroups.com
> > Subject: Re: [XMLog] Alarm
> >
> >
> > I think we are making some progress here Kevin. I think what I hear and
> what
> > u hear must be different somehow. I only get alerts for stns that are
> > spotted that I need (do not have confirmed). Many many spots come in
that
> I
> > have no need for and thus hear no cw telling me anything abt
> them...silence.
> > From what u say u get them all??? What I really mean is that only the
> > visually highlighted ones with the extra blank space on either end of
the
> > call are the ones I hear in the cw spot...the ones I need to confirm.
> These
> > are the spots I do not have confirmed. If I don't need it (do have it
> > confirmed) , I hear nothing. All spots are highlighted on the screen,
> but,
> > only the ones I need are highlighted with the extra blank space on both
> ends
> > of the call...a kind of visual alert. Now; u say u get band and mode
> info
> > with the voice alerts...and I assume u only get voice alerts for the
ones
> u
> > need (right??)...so...what more (or less) do u need? Unless u get all
> > spots with an alert...is that so?? ...73/dx steve, k8wk
> > **********
> > ----- Original Message -----
> > From: "Kevin Nathan" <k7rx@...>
> > To: <XMLog@yahoogroups.com>
> > Sent: Saturday, November 27, 2004 7:17 PM
> > Subject: RE: [XMLog] Alarm
> >
> >
> > >
> > > Hi Steve,
> > >
> > > Oh no, I get band info and mode info with the voice alerts. I am
under
> > the

> > > impression that when a spot comes across that you need, as opposed to
> one
> > > you already have, it is somehow highlighted on the screen. What I
would
> > > like is an audio method of being told that is a needed country rather
> than
> > > just the visual. That way, I might be watching TV out in the family
> room
> > > adjacent to the ham shack and could hear some sort of alarm when a new
> > > country I need is spotted as opposed to just the constant flow of
voice
> or
> > > CW alerts. Even if I could add a siren or some sort of loud obnoxious
> > noise
> > > to the alerts area that would help because I can use the needs filter
on
> > my
> > > local cluster so that I only see the countries I need but I see no way
> to
> > do
> > > that.
> > >
> > > Did I confuse the issue worse? <GRIN> Thanks and very 73.
> > >
> > >
> > > Kevin :)
> > > Amateur Radio: K7RX
> > > Navy Marine Corps MARS: NNN0SHS
> > >
> > >
> > >
> > >
> > > -----Original Message-----
> > > From: Steve Litwins [mailto:litwins@...]
> > > Sent: Saturday, November 27, 2004 16:56
> > > To: XMLog@yahoogroups.com
> > > Subject: Re: [XMLog] Alarm
> > >
> > >
> > > Well...now that I read the last email from u Kevin several more time
it
> > > seems to me that here is the problem:
> > > U are getting a "ding" or something like that when a spot u need
shows
> > but
> > > not the prefix-band-mode info u really need...right? Have u created a
> > > folder under the parent MLog directory called "voice"? This is where
u
> > wud
> > > have to store ur wave voice files for each letter and number and other

> > marks
> > > like slash etc. That is where and what XMLog calls when it produces a
> > > spot...otherwise, all u get is a "ding".
> > > Am I understanding the problem any better? 73/dx steve, k8wk
> > > **********
> > > ----- Original Message -----
> > > From: "Kevin Nathan" <k7rx@...>
> > > To: <XMLog@yahoogroups.com>
> > > Sent: Saturday, November 27, 2004 6:11 PM
> > > Subject: RE: [XMLog] Alarm
> > >
> > >
> > > >
> > > > Hi Steve,
> > > >
> > > > I guess I'm confused. I use voice alerts on my system and don't
have
> > > > anything inhibited in that window but still don't get anything but
the
> > > sound
> > > > set in the sounds box as a warning. There also doesn't seem to be
> > anyway
> > > to
> > > > add your own sound, just the ones in the choices boxes. Can you
> direct
> > me
> > > > to exactly what I need to do differently?
> > > >
> > > > Thanks much and very 73.
> > > >
> > > >
> > > > Kevin :)
> > > > Amateur Radio: K7RX
> > > > Navy Marine Corps MARS: NNN0SHS
> > > >
> > > >
> > > >
> > > >
> > > > -----Original Message-----
> > > > From: Steve Litwins [mailto:litwins@...]
> > > > Sent: Saturday, November 27, 2004 12:55
> > > > To: XMLog@yahoogroups.com
> > > > Subject: Re: [XMLog] Alarm
> > > >
> > > >
> > > > Hi agn Kevin;
> > > > Here, the cw alerts are on the PC speaker...as such at least on my
PC
> > the
> > > > soundcard control allows some volume control of that sound so I cam

> make
> > > it
> > > > pretty loud. If that fails, maybe u can wire the speaker terminals
to
> a
> > > > small audio amp, then u can blast even the neighbors out and they
will
> > be
> > > > clamoring to work the dx...hi...gl...73/dx steve, k8wk
> > > > **************
> > > > ----- Original Message -----
> > > > From: "Kevin Nathan" <k7rx@...>
> > > > To: <XMLog@yahoogroups.com>
> > > > Sent: Saturday, November 27, 2004 1:58 PM
> > > > Subject: RE: [XMLog] Alarm
> > > > >
> > > > >
> > > > > >
> > > > > > Hi Steve,
> > > > > >
> > > > > > I'll give that a shot. I was hoping for something louder but that
> > would
> > > > > be
> > > > > > a good start.
> > > > > >
> > > > > > Thanks much and very 73.
> > > > > >
> > > > > > Kevin :)
> > > > > > Amateur Radio: K7RX
> > > > > > Navy Marine Corps MARS: NNN0SHS
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > -----Original Message-----
> > > > > > From: Steve Litwins [mailto:litwins@...]
> > > > > > Sent: Saturday, November 27, 2004 10:43
> > > > > > To: XMLog@yahoogroups.com
> > > > > > Subject: Re: [XMLog] Alarm
> > > > > >
> > > > > >
> > > > > > Hi Kevin;
> > > > > > I think (if I understand what u want correctly) XMLog already has
> this
> > > > > > feature and I use it. When u enable the packet window from the
> > options
> > > > > > menu, and if u have the audible alarm turned on from options,
packet
> > > > > > options, packet cluster alerts all turned on...a cw signal will
> result

> > > for
> > > > > each needed band-country (if this is selected). New entities will
> be
> > > > > headed
> > > > > > by a cw "sn" and all-time -new ones will get a double "sn"...sn,
sn.
> > > Hope
> > > > > this helps...73/dx steve, k8wk
> > > > > **********
> > > > > ----- Original Message -----
> > > > > From: "Kevin Nathan" <k7rx@...>
> > > > > To: <xmlog@yahoogroups.com>
> > > > > Sent: Saturday, November 27, 2004 12:22 PM
> > > > > Subject: [XMLog] Alarm
> > > > > >
> > > > > >
> > > > > > >
> > > > > > > Hi Mike,
> > > > > > >
> > > > > > > What would be the feasibility of adding an audio alarm to XMLog
> > which
> > > > > > would
> > > > > > > sound if a country one needs is spotted? I am totally blind and
> > this
> > > > > > would
> > > > > > > be a nice feature for me or anyone who wants to log into a
cluster
> > but
> > > > > not
> > > > > > > necessarily sit in front of the computer screen waiting for that
> > rare
> > > > > one.
> > > > > > > I can't remember right now without reading all the docs but I
> think
> > > > > XMLog
> > > > > > > has the ability to highlight needed countries on the screen so
> could
> > > > > this
> > > > > > > be
> > > > > > > extended to sound an audible alarm?
> > > > > > >
> > > > > > > Thanks much for the discussion and very 73.
> > > > > > >
> > > > > > >
> > > > > > > Kevin :)
> > > > > > > Amateur Radio: K7RX
> > > > > > > Navy Marine Corps MARS: NNN0SHS
> > > > > > >
> > > > > > >
> > > > > > >

> > > > > >
> > > > > >
> > > > > >
> > > > > > [Non-text portions of this message have been removed]
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > Yahoo! Groups Links
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > Yahoo! Groups Links
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > Yahoo! Groups Links
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >

> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > >

> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1252. Re: Alarm

Yahoo group: XMLog
Date: 2004-11-29 15:15:27 UTC
From: Mike McAmis
Topic: 1238 Message: 1252

Hi Kevin, I was busy this weekend with the CQ WW contest so I just saw your message. Have you invoked the "DX/Update Packet DXCC Status" menu item. This menu item builds the "needed" list for the packet alarms. Without using this menu item everything will appear to be needed and get an alarm. You should also use this menu item whenever you've made log changes that affect the needed status of some country. I've considered automating this action but it turns out that it would be too expensive (i.e. slow) and would not be appropriate for people who are maintaining multiple log files.

Mike - W1ECT

1253. RE: [XMLog] Re: Alarm

Yahoo group: XMLog
Date: 2004-11-30 03:17:11 UTC
From: Kevin Nathan
Topic: 1238 Message: 1253

Hi Mike,

I have done that so my dxcc status is up-to-date. What should occur now in terms of alarms? I always get some type of sound when a spot comes across--set in the sounds area under options. If I turn beep off under packet settings, then I don't seem to hear anything except the voice alert. What can I set differently for needed countries?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Monday, November 29, 2004 07:15
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Alarm

Hi Kevin, I was busy this weekend with the CQ WW contest so I just saw your message. Have you invoked the "DX/Update Packet DXCC Status" menu item. This menu item builds the "needed" list for the packet alarms. Without using this menu item everything will appear to be needed and get an alarm. You should also use this menu item whenever you've made log changes that affect the needed status of some country. I've considered automating this action but it turns out that it would be too expensive (i.e. slow) and would not be appropriate for people who are maintaining multiple log files.

Mike - W1ECT

------------------------ Yahoo! Groups Sponsor ----------------------~-->
$9.95 domain names from Yahoo!. Register anything.
http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
---~->

Yahoo! Groups Links

1254. Comments edit - was Re: Alarm

Yahoo group: XMLog
Date: 2004-11-30 10:06:11 UTC
From: Dave Sergeant
Topic: 1254 Message: 1254

> From: Mike McAmis [mailto:m.mcamis@...]
> Sent: Monday, November 29, 2004 07:15
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: Alarm
>
>
>
> Hi Kevin, I was busy this weekend with the CQ WW contest so I just saw
> your message. Have you invoked the "DX/Update Packet DXCC Status"
> menu item. This menu item builds the "needed" list for the packet
> alarms. Without using this menu item everything will appear to be
> needed and get an alarm. You should also use this menu item whenever
> you've made log changes that affect the needed status of some country.
> I've considered automating this action but it turns out that it would
> be too expensive (i.e. slow) and would not be appropriate for people
> who are maintaining multiple log files.
>
> Mike - W1ECT

Thanks for the QSO in the contest Mike!! It certainly kept me busy with 840 QSOs in the QRP section.

A question on XMLog as a result.

I use SD from EI5DI for logging. The ADIF output from the DOS version of SD I have incorrectly includes the line <Contest_ID:9>CQ-WW-SSB even though I have set it up correctly for the CW event. This is probably corrected in the current Windows version of SD, but I cannot run that on my 386 logging laptop. As a result all the QSOs I have imported into XMLOG show 'CQ-WW-SSB' in the comments field. I now notice it has done the same thing for all my 2004 WPX CW QSOs..

Is there any way of globally changing these (other than deleting all the QSOs, correcting the SD ADIF) and reloading? I can find no 'search and replace' option anywhere. I am not going to do it manually...

Of course I have already uploaded these logs to eQSL and LOTW (but not sure if they do anything with those fields) so it is probably now an academic exercise. ps if Mike (or others) uses eQSL/LOTW he should have QSLs for his contact, wonder if that has any mention of SSB??

73 Dave G3YMC

http://www.davesergeant.com

1255. Re: [XMLog] Comments edit - was Re: Alarm

Yahoo group: XMLog
Date: 2004-11-30 12:03:46 UTC
From: M. Edward Wilborne III
Topic: 1254 Message: 1255

You can open the ADIF file in Notepad and use its find/replace feature
(Edit, Replace, or press CTRL-H). Or just about any other file editor
should let you use a find and replace to change CQ-WW-SSB to CQ-WW-CW.

73

de Ed, AD4AX
----- Original Message -----
From: "Dave Sergeant" <dave@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, November 30, 2004 5:06 AM
Subject: [XMLog] Comments edit - was Re: Alarm

>
> > From: Mike McAmis [mailto:m.mcamis@...]
> > Sent: Monday, November 29, 2004 07:15
> > To: XMLog@yahoogroups.com
> > Subject: [XMLog] Re: Alarm
> >
> >
> >
> > Hi Kevin, I was busy this weekend with the CQ WW contest so I just saw
> > your message. Have you invoked the "DX/Update Packet DXCC Status"
> > menu item. This menu item builds the "needed" list for the packet
> > alarms. Without using this menu item everything will appear to be
> > needed and get an alarm. You should also use this menu item whenever
> > you've made log changes that affect the needed status of some country.
> > I've considered automating this action but it turns out that it would
> > be too expensive (i.e. slow) and would not be appropriate for people
> > who are maintaining multiple log files.
> >
> > Mike - W1ECT
>
> Thanks for the QSO in the contest Mike!! It certainly kept me busy
> with 840 QSOs in the QRP section.
>
> A question on XMLog as a result.
>
> I use SD from EI5DI for logging. The ADIF output from the DOS version
> of SD I have incorrectly includes the line <Contest_ID:9>CQ-WW-SSB
> even though I have set it up correctly for the CW event. This is
> probably corrected in the current Windows version of SD, but I cannot
> run that on my 386 logging laptop. As a result all the QSOs I have
> imported into XMLOG show 'CQ-WW-SSB' in the comments field. I now
> notice it has done the same thing for all my 2004 WPX CW QSOs..
>

> Is there any way of globally changing these (other than deleting all
> the QSOs, correcting the SD ADIF) and reloading? I can find no
> 'search and replace' option anywhere. I am not going to do it
> manually...
>
> Of course I have already uploaded these logs to eQSL and LOTW (but
> not sure if they do anything with those fields) so it is probably now
> an academic exercise. ps if Mike (or others) uses eQSL/LOTW he should
> have QSLs for his contact, wonder if that has any mention of SSB??
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1256. Re: [XMLog] Comments edit - was Re: Alarm

Yahoo group: XMLog
Date: 2004-12-01 08:38:34 UTC
From: Dave Sergeant
Topic: 1254 Message: 1256

On 30 Nov 2004 at 7:03, M. Edward Wilborne III wrote:

>
>
> You can open the ADIF file in Notepad and use its find/replace feature
> (Edit, Replace, or press CTRL-H). Or just about any other file editor
> should let you use a find and replace to change CQ-WW-SSB to CQ-WW-CW.
>
> 73
>
> de Ed, AD4AX

That was not my question. I know I can edit the original ADIF file, childs play. But I have already imported that file to XMLOG and need to change the contents of the 'Notes' box there for each QSO without deleting all those QSOs and re-importing. Is there a way within XMLOG to do a global replace on (say) all selected QSOs? Editing the MS Access log file directly is a little more involved and certainly can't be done with Notepad.

73 Dave G3YMC

> ----- Original Message -----
> From: "Dave Sergeant" <dave@...>
> To: <XMLog@yahoogroups.com>
> Sent: Tuesday, November 30, 2004 5:06 AM
> Subject: [XMLog] Comments edit - was Re: Alarm
>
>
> >
> > > From: Mike McAmis [mailto:m.mcamis@...]
> > > Sent: Monday, November 29, 2004 07:15
> > > To: XMLog@yahoogroups.com
> > > Subject: [XMLog] Re: Alarm
> > >
> > >
> > >
> > > Hi Kevin, I was busy this weekend with the CQ WW contest so I just
> > > saw your message. Have you invoked the "DX/Update Packet DXCC
> > > Status" menu item. This menu item builds the "needed" list for the
> > > packet alarms. Without using this menu item everything will
> > > appear to be needed and get an alarm. You should also use this
> > > menu item whenever you've made log changes that affect the needed
> > > status of some country.
> > > I've considered automating this action but it turns out that it
> > > would

> > > be too expensive (i.e. slow) and would not be appropriate for
> > > people who are maintaining multiple log files.
> > >
> > > Mike - W1ECT
> >
> > Thanks for the QSO in the contest Mike!! It certainly kept me busy
> > with 840 QSOs in the QRP section.
> >
> > A question on XMLog as a result.
> >
> > I use SD from EI5DI for logging. The ADIF output from the DOS
> > version of SD I have incorrectly includes the line
> > <Contest_ID:9>CQ-WW-SSB even though I have set it up correctly for
> > the CW event. This is probably corrected in the current Windows
> > version of SD, but I cannot run that on my 386 logging laptop. As a
> > result all the QSOs I have imported into XMLOG show 'CQ-WW-SSB' in
> > the comments field. I now notice it has done the same thing for all
> > my 2004 WPX CW QSOs..
> >
> > Is there any way of globally changing these (other than deleting all
> > the QSOs, correcting the SD ADIF) and reloading? I can find no
> > 'search and replace' option anywhere. I am not going to do it
> > manually...
> >
> > Of course I have already uploaded these logs to eQSL and LOTW (but
> > not sure if they do anything with those fields) so it is probably
> > now an academic exercise. ps if Mike (or others) uses eQSL/LOTW he
> > should have QSLs for his contact, wonder if that has any mention of
> > SSB??
> >
> > 73 Dave G3YMC
> >
> > http://www.davesergeant.com
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
>

>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~--> $9.95 domain names from Yahoo!. Register
> anything. http://us.click.yahoo.com/J8kdrA/y20IAA/yQLSAA/ELTolB/TM
> ---~-
> >
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

http://www.davesergeant.com

1257. Comments edit - was Re: Alarm

Yahoo group: XMLog
Date: 2004-12-01 16:15:32 UTC
From: Mike McAmis
Topic: 1254 Message: 1257

There is no way to do a global edit or replace of the Notes field.
Your best bet would be to delete the records, hack the ADIF file, and
re-import it. If the records are just for a contest weekend you can
select all the records by specifying a date range (e.g.
>=11/27/04,<=11/2/04) and then do a "Edit/Delete Selected Records".
This assumes you don't have other records you'd like to keep that lie
within this date range.

Mike - W1ECT

> That was not my question. I know I can edit the original ADIF file,
> childs play. But I have already imported that file to XMLOG and
need
> to change the contents of the 'Notes' box there for each QSO
without
> deleting all those QSOs and re-importing. Is there a way within
XMLOG
> to do a global replace on (say) all selected QSOs? Editing the MS
> Access log file directly is a little more involved and certainly
> can't be done with Notepad.

1258. Re: Best Logging Software for Dxpedition

Yahoo group: XMLog
Date: 2004-12-03 09:20:57 UTC
From: Ed
Topic: 1234 Message: 1258

Hi Sara

Check

http://www.qsl.net/hb9mtn/hb9mtn-log-search.html or
http://www.qsl.net/hb9mtn/5b4agv-log-search.html

and follow the link to G4ZFE, the author of Log Search.

All you need to do is Export your log file from XMLog to ADIF and use the sortlog.exe from G4ZFE, upload to your internet site and there you are!

Hope that helps!

73, HB9MTN/5B4AGV, Ed

--- In XMLog@yahoogroups.com, "sarath" <vu3rsb@y...> wrote:
>
>
> Hi
>
> Can any one suggests me best Amateur Radio Logging Software for
> Dxpedition which will have facility to convert log to Html - Offline.
>
> Please write to vu3rsb@y... or vu3rsb@g...
>
> Its urgent pls.
>
> Regards
> Sara, VU3RSB

1259. Re: Alarm

Yahoo group: XMLog
Date: 2004-12-04 16:53:13 UTC
From: Mike McAmis
Topic: 1238 Message: 1259

Hi Kevin, Here's another thing to consider: XMLog will give an alert if 1) The country is unconfirmed on this band or mode 2) The country is worked but not confirmed 3) The country has a QSL outstanding but is not confirmed. If you don't want to get alerts for these situations you can use the "DX/PacketCluster Alerts" menu item from the Packet Window and set the appropriate "Inihibit alerts for:" options.

Mike - W1ECT

1260. RE: [XMLog] Re: Alarm

Yahoo group: XMLog
Date: 2004-12-04 17:21:11 UTC
From: Kevin Nathan
Topic: 1238 Message: 1260

Thanks much Mike. I've achieved the same general effect with filters on the DX cluster itself so guess I'll stay with where I am.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@...]
Sent: Saturday, December 04, 2004 08:53
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Alarm

Hi Kevin, Here's another thing to consider: XMLog will give an alert if 1) The country is unconfirmed on this band or mode 2) The country is worked but not confirmed 3) The country has a QSL outstanding but is not confirmed. If you don't want to get alerts for these situations you can use the "DX/PacketCluster Alerts" menu item from the Packet Window and set the appropriate "Inihibit alerts for:"
options.

Mike - W1ECT

---------- Yahoo! Groups Sponsor ----------~--> Make a clean sweep of pop-up ads. Yahoo! Companion Toolbar.
Now with Pop-Up Blocker. Get it for free!
http://us.click.yahoo.com/L5YrjA/eSIIAA/yQLSAA/ELTolB/TM
~->

Yahoo! Groups Links

1261. Kenwood Support

Yahoo group: XMLog
Date: 2004-12-09 06:28:44 UTC
From: Kevin Nathan
Topic: 1261 Message: 1261

Hi Mike and Group,

I have sold my TS-2000 and will be picking up a new Kenwood TS-480 this weekend. Is there a newer version of XMlog that has a TS-480 setting in it; or, if not, what setting would you suggest I use for the new rig?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1262. Re: Kenwood Support

Yahoo group: XMLog
Date: 2004-12-09 15:26:51 UTC
From: Mike McAmis
Topic: 1261 Message: 1262

Hi Kevin, All Kenwood radios share the same basic rig control commands so you should have no problem. The only reason there are seperate entries for a few Kenwood rigs is because they have different default baud rates (other than 4800).

Mike - W1ECT

> I have sold my TS-2000 and will be picking up a new Kenwood TS-480 this
> weekend. Is there a newer version of XMlog that has a TS-480 setting in it;
> or, if not, what setting would you suggest I use for the new rig?]

1263. Notes Field and ADIF Question

Yahoo group: XMLog
Date: 2004-12-14 03:59:04 UTC
From: n5cha
Topic: 1263 Message: 1263

I noticed when importing ADIF from my contest logger, some fields, such as CONTEST_ID, SRX, and STX, get imported to the NOTES (COMMENTS) field. Question I have is what ADIF fields get imported to the NOTES field?

btw - great logging software

TNX es 73

Todd Dewberry, N5CHA
N5CHA@...

1264. Re: Notes Field and ADIF Question

Yahoo group: XMLog
Date: 2004-12-14 15:19:31 UTC
From: Mike McAmis
Topic: 1263 Message: 1264

Hi Todd, Here's a list of the ADIF fields that get added to the Notes field:

ARRL_SECT (SEC:), CONTEST_ID, SAT_MODE (MODE:), SAT_NAME (SAT:), SRX (IN:), STX (OUT:)

Mike - W1ECT

1265. Wrong frequency format ?

Yahoo group: XMLog
Date: 2004-12-14 16:30:14 UTC
From: Geir
Topic: 1265 Message: 1265

I have an IC706MK2 hooked up to the computer and use
the XMLOG program. After installing the 4.84 version
I can't save a new record(QSO) untill I have changed
the delimiter in the frequency digits.

It comes up - after a CTRL-A - as 7.045, but
I have to change it to 7,045 in order to be able to do a save.

Anyone that has a remedy ?
Something to do with regional settings perhaps ?

73s de Geir/LA5ZO

1266. Re: Wrong frequency format ?

Yahoo group: XMLog
Date: 2004-12-14 23:14:14 UTC
From: Mike McAmis
Topic: 1265 Message: 1266

Hi Geir, Yes, I'm sure it's associated with your regional settings somehow - it seems to work ok here with a "," or a ".". What is the exact error (including any heading in the error box, if any).

Mike - W1ECT

> I have an IC706MK2 hooked up to the computer and use
> the XMLOG program. After installing the 4.84 version
> I can't save a new record(QSO) untill I have changed
> the delimiter in the frequency digits.
>
> It comes up - after a CTRL-A - as 7.045, but
> I have to change it to 7,045 in order to be able to do a save.
>
> Anyone that has a remedy ?
> Something to do with regional settings perhaps ?
>
> 73s de Geir/LA5ZO

1267. label printing

Yahoo group: XMLog
Date: 2004-12-28 01:52:21 UTC
From: M. Edward Wilborne, III
Topic: 1267 Message: 1267

Hi XMLOG users!

Got a quick question... I got a Brother QL-500 label printer for Christmas, and I'm trying to get XMLOG set up to print on the labels, 29mm x 90mm, but I'm not making much progress.

Does anyone have a similar setup that could pass on some setup hints?

Thanks es 73!

de Ed AD4AX

1268. New floppy, file continuation etc.?

Yahoo group: XMLog
Date: 2004-12-31 16:08:55 UTC
From: mefazamy
Topic: 1268 Message: 1268

I have successfully used xmlog this year and I going to continue.
My problem:
I have been saving/copying my log to hard drive named log04. (No problem)
Also, I've been saving/copying up same log on a floppy. The floppy is filled to capacity with qsos made in 04.
I want to continue to copy qsos to be made in 05 onto hard drive named log04. (No problem)
How do I ONLY copy new 05 qsos onto a new small floppy? (The problem)
I want to now copy 05 qsos on to floppy without rewriting the entire 04 and 05 log files.

SEASONS GREETINGS TO ALL.
73, KB2AMY
Evan

1269. Re: [XMLog] New floppy, file continuation etc.?

Yahoo group: XMLog
Date: 2004-12-31 19:08:32 UTC
From: Nelson Wittstock
Topic: 1268 Message: 1269

Do a selective search for the qso's you want to put on the floppy. You can search within a date range and then save just that segment of your log.

In the date box you would put something like:

>01/01/05

This would be for all q's after Jan. 1, 2005

If you want to put an ending date to the range:

>01/01/05,<01/31/05 [no blank spaces]

would give you just Jan. 05

1270. RE: [XMLog] New floppy, file continuation etc.?

Yahoo group: XMLog
Date: 2004-12-31 20:59:19 UTC
From: Warren Dean
Topic: 1268 Message: 1270

Just make a new file called QSOs05 and then make that the default log to open when you start XM Log. I have done that with all my contest logs and it works well. One word of advice, though. If you have a CD burner, I would suggest using a CD instead of a floppy. Floppies can be corrupted far too easily to risk valuable log information on them. CDs are cheap and virtually uncorruptable. Just my 2 cents worth,

73 de NI5L

Warren Dean
--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.296 / Virus Database: 265.6.7 - Release Date: 12/30/2004

[Non-text portions of this message have been removed]

1271. Re: New floppy, file continuation etc.?

Yahoo group: XMLog
Date: 2004-12-31 21:02:10 UTC
From: Mike McAmis
Topic: 1268 Message: 1271

Hi Evan, There's no simple way to save just a subset of your log to a separate log file. The best thing to do is use a utility like WinZip to make a .zip file from your log and save that. This typically will double the amount you can save to your floppy.

I had previously be using a re-writeable CD drive here to archive things. Now I've got a re-writeable DVD drive from Plextor, very nice. It holds enough data such that I can back up my whole system onto three disks and it only takes 1-1/2 hours. Pretty amazing and it only cost $180.

Mike - W1ECT

1272. LOTW support status

Yahoo group: XMLog
Date: 2005-01-01 19:31:05 UTC
From: Michael McCarthy
Topic: 1272 Message: 1272

Has anything been done yet about importing QSL and submission status
from LOTW? I have over 800 QSL's to get from LOTW and doing them by
hand would be quite a chore.

Thanks,
Mike, W1NR

P.S. Great logging program!

1273. Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-03 15:47:48 UTC
From: Mike McAmis
Topic: 1272 Message: 1273

Hi Mike, I did some preliminary work back when LOTW was first made generally available. I have features that would download the list of LOTW QSOs available and mark the appropriate QSOs as QSL'ed/confirmed. However I was waiting for the ARRL to implement one last feature - Currently you can make a DXCC application and choose to have your LOTW info checked for DXCC credits but there is no way to download a list showing which LOTW QSOs have been accredited for DXCC. This is a feature that has been talked about but hasn't appeared yet. This means that this final step would still need to be done by hand. I haven't tried making a DXCC submission with the "Check my LOTW QSOs" checkbox set so I don't know how they are handling this. Perhaps they just provide a list about what credits were taken from LOTW or perhaps they don't and you have no idea of which ones were used? Has anybody tried this?

Mike - W1ECT

> Has anything been done yet about importing QSL and submission status
> from LOTW? I have over 800 QSL's to get from LOTW and doing them by
> hand would be quite a chore.

1274. Re: [XMLog] Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-03 17:08:12 UTC
From: Michael McCarthy
Topic: 1272 Message: 1274

One issue I see is differentiating between an eQSL and
a physical card. If I have a date entered for an
eQSL, that is fine for DXCC, but if I need a physical
card for WAZ or some other non ARRL award, this might
become a problem. Being able to enter a non date like
LOTW in the QSL rcvd field would help determining if I
have a physical card in my file or not.

Mike, W1NR

--- Mike McAmis <m.mcamis@...> wrote:

>
> Hi Mike, I did some preliminary work back when LOTW
> was first made
> generally available. I have features that would
> download the list of
> LOTW QSOs available and mark the appropriate QSOs as
>
> QSL'ed/confirmed. However I was waiting for the
> ARRL to implement
> one last feature - Currently you can make a DXCC
> application and
> choose to have your LOTW info checked for DXCC
> credits but there is
> no way to download a list showing which LOTW QSOs
> have been
> accredited for DXCC. This is a feature that has been
> talked about but
> hasn't appeared yet. This means that this final step
> would still need
> to be done by hand. I haven't tried making a DXCC
> submission with
> the "Check my LOTW QSOs" checkbox set so I don't
> know how they are
> handling this. Perhaps they just provide a list
> about what credits
> were taken from LOTW or perhaps they don't and you
> have no idea of
> which ones were used? Has anybody tried this?
>
> Mike - W1ECT
>
> > Has anything been done yet about importing QSL and
> submission status
> > from LOTW? I have over 800 QSL's to get from LOTW

> and doing them by
> > hand would be quite a chore.
>
>
>
>
>

=====
*** Give Every Man His Dew! ***
Michael A. McCarthy, President
Everest Engineering Corporation
4 Barnes Circle
Marlborough, MA 01752
Voice: (508) 460-6737
Fax: (508) 460-7951

Do you Yahoo!?
Yahoo! Mail - Find what you need with new enhanced search.
http://info.mail.yahoo.com/mail_250

1275. Re: [XMLog] Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-03 17:25:55 UTC
From: M. Edward Wilborne III
Topic: 1272 Message: 1275

Although it may complicate some things, I'd recommend against the "dual use" of the received date field. Regardless of the type of QSL, the received date is important for me.

Instead, I'd recommend different "flags" for the cards, "physical", "eQSL", "LOTW", and allow the flags to be user defined to create other categories of tracking the cards.

Last time I checked, eQSL's are not acceptable for DXCC from the ARRL, unless the eQSL is "signed" by the sender, which means you have to get it printed, send it to the person you would have QSL'ed in the first place, then get it back. Have they changed this requirement?

My other experience with both LOTW and eQSL is only about 1/3rd of the contacts I make actually get confirmed by LOTW and eQSL (combined) , making both less reliable than good old fashioned cards, which I'd rather have anyway. Its sad and pathetic at the same time. LOTW is too difficult for most people to use, and eQSL isn't accepted by the ARRL.

Ed

----- Original Message -----
From: "Michael McCarthy" <w1nr@...>
To: <XMLog@yahoogroups.com>
Sent: Monday, January 03, 2005 12:08 PM
Subject: Re: [XMLog] Re: LOTW support status

>
> One issue I see is differentiating between an eQSL and
> a physical card. If I have a date entered for an
> eQSL, that is fine for DXCC, but if I need a physical
> card for WAZ or some other non ARRL award, this might
> become a problem. Being able to enter a non date like
> LOTW in the QSL rcvd field would help determining if I
> have a physical card in my file or not.
>
> Mike, W1NR
>
> --- Mike McAmis <m.mcamis@...> wrote:
>
> >
> > Hi Mike, I did some preliminary work back when LOTW
> > was first made
> > generally available. I have features that would
> > download the list of
> > LOTW QSOs available and mark the appropriate QSOs as

> >
> > QSL'ed/confirmed. However I was waiting for the
> > ARRL to implement
> > one last feature - Currently you can make a DXCC
> > application and
> > choose to have your LOTW info checked for DXCC
> > credits but there is
> > no way to download a list showing which LOTW QSOs
> > have been
> > accredited for DXCC. This is a feature that has been
> > talked about but
> > hasn't appeared yet. This means that this final step
> > would still need
> > to be done by hand. I haven't tried making a DXCC
> > submission with
> > the "Check my LOTW QSOs" checkbox set so I don't
> > know how they are
> > handling this. Perhaps they just provide a list
> > about what credits
> > were taken from LOTW or perhaps they don't and you
> > have no idea of
> > which ones were used? Has anybody tried this?
> >
> > Mike - W1ECT
> >
> > > Has anything been done yet about importing QSL and
> > submission status
> > > from LOTW? I have over 800 QSL's to get from LOTW
> > and doing them by
> > > hand would be quite a chore.
> >
> >
> >
> >
> >
>
> =====
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, President
> Everest Engineering Corporation
> 4 Barnes Circle
> Marlborough, MA 01752
> Voice: (508) 460-6737
> Fax: (508) 460-7951
>
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail - Find what you need with new enhanced search.

> http://info.mail.yahoo.com/mail_250
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1276. Re: [XMLog] Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-04 00:26:04 UTC
From: QSL
Topic: 1272 Message: 1276

My other experience with both LOTW and eQSL is only about 1/3rd of the contacts I make actually get confirmed by LOTW and eQSL (combined) , making both less reliable than good old fashioned cards, which I'd rather have anyway. Its sad and pathetic at the same time. LOTW is too difficult for most people to use, and eQSL isn't accepted by the ARRL.

You are spot on with that analysis, Ed!

No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.298 / Virus Database: 265.6.7 - Release Date: 12/30/2004

[Non-text portions of this message have been removed]

1277. Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-04 15:56:41 UTC
From: Mike McAmis
Topic: 1272 Message: 1277

My initial code for LOTW importing set the QSL Received date to the current date (unless it was already set) and added "LOTW" to the Notes field so that a search could find these entries.

Some have suggested that a seperate date field should be added for LOTW confirmations but I think that this is overkill and would make searching for confirmed entries more difficult.

I do like the idea of adding a QSL Source field that could be set to LOTW or whatever. I would make it an optionally displayed field like the recently added Time Off field and position it below the QSL Received field.

Others have suggested that the DXCC tracking info (Submitted/Confirmed/Rejected dates) should also include some kind of indication that the confirmation was done via LOTW.

Mike - W1ECT

1278. Re: [XMLog] Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-04 16:25:08 UTC
From: Michael McCarthy
Topic: 1272 Message: 1278

Hi Mike,
The DXCC record really doesn't care if the
confirmation was done via LOTW or a physical card.
Where it does matter is determining which cards you
need to send vs. what is electronically confirmed.

As for the QSL's, having check boxes for LOTW and
physical cards would help when tracking and submitting
for other awards. I for one will try and get the
cards whenever possible. Until CQ and other awards
sponsors start taking signed LOTW QSL submissions,
LOTW is really a waste of time rather than the time
saver it was intended to be.

Looks like some pressure on the ARRL and by the
ARRL to standardize and simplify LOTW similar to the
way cabrillo log file format was pushed on everyone is
needed to make LOTW worth the effort.

On another note, having just reconciled my online
record with my log file, I found a number of confirmed
contacts taken from the multiple entries of some of
the cards. Apparently, when I applied with cards, all
of the contacts listed on each submitted card was
entered into my record even though it was not listed
on my application. That created quite a chore for me
to reconcile each country, band and mode to match what
was on file. I would have never known that these
contacts had already been credited to me if I had not
checked it on-line.

Mike, W1NR

--- Mike McAmis <m.mcamis@...> wrote:

>
> My initial code for LOTW importing set the QSL
> Received date to the
> current date (unless it was already set) and added
> "LOTW" to the
> Notes field so that a search could find these
> entries.
>
> Some have suggested that a seperate date field
> should be added for
> LOTW confirmations but I think that this is overkill

> and would make
> searching for confirmed entries more difficult.
>
> I do like the idea of adding a QSL Source field that
> could be set to
> LOTW or whatever. I would make it an optionally
> displayed field like
> the recently added Time Off field and position it
> below the QSL
> Received field.
>
> Others have suggested that the DXCC tracking info
> (Submitted/Confirmed/Rejected dates) should also
> include some kind of
> indication that the confirmation was done via LOTW.
>
> Mike - W1ECT
>
>
>
>

Do you Yahoo!?
Jazz up your holiday email with celebrity designs. Learn more.
http://celebrity.mail.yahoo.com

1279. Re: [XMLog] Re: LOTW support status

Yahoo group: XMLog
Date: 2005-01-04 18:01:51 UTC
From: Bruce Ferry
Topic: 1272 Message: 1279

I personally would like to see a date for LOTW separate from the usual QSL date. I have several QSOs confirmed with cards and LOTW and I want to keep the dates of each separate.

It also needs to be the date of the QSL matchup as shown in the LOTW records.

I also don't want anything else polluting the "Notes" field which I already use extensively.

Mike McAmis wrote:
>
> My initial code for LOTW importing set the QSL Received date to the
> current date (unless it was already set) and added "LOTW" to the
> Notes field so that a search could find these entries.
>
> Some have suggested that a seperate date field should be added for
> LOTW confirmations but I think that this is overkill and would make
> searching for confirmed entries more difficult.
>
> I do like the idea of adding a QSL Source field that could be set to
> LOTW or whatever. I would make it an optionally displayed field like
> the recently added Time Off field and position it below the QSL
> Received field.
>
> Others have suggested that the DXCC tracking info
> (Submitted/Confirmed/Rejected dates) should also include some kind of
> indication that the confirmation was done via LOTW.
>
> Mike - W1ECT
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

>

--
Bruce Ferry, AK8B

1280. Trying to save a subset of a log

Yahoo group: XMLog
Date: 2005-01-05 17:42:23 UTC
From: mefazamy
Topic: 1280 Message: 1280

Tnx Mike, Warren & Nelson for ur suggestions regarding trying to save a subset of a log. Since my computer that does the xmlog work is so old, and therefore very out of date, the best that I can do is to e-mail the log to myself, and save it on an up-to-date computer in the house.

Tnx
Evan

1281. Packet Bell

Yahoo group: XMLog
Date: 2005-01-06 23:20:21 UTC
From: br1v80
Topic: 1281 Message: 1281

Ok I need some computer guru help here. I set beep on with my normal cluster. I "ticked" the bell on in the packet configuration. I have no beep/bell. How do I get the pc speaker to beep on a spot ?? With Linux this was just a matter of setting the system bell to on. But I don't find anything in windows like that. What am I missing ?? Thanks...73

Ed W3NR

1282. Re: [XMLog] Packet Bell

Yahoo group: XMLog
Date: 2005-01-07 00:11:26 UTC
From: N7MAL
Topic: 1281 Message: 1282

In most Windoze versions there is an icon in the 'Control Panel' called sounds and audio or media. Click on the icon and then click on the sounds tab. Check to see if there is a sound assigned to the beep. If not assign one.
Good Luck

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
----- Original Message -----
From: br1v80
To: XMLog@yahoogroups.com
Sent: Thursday, January 06, 2005 23:20
Subject: [XMLog] Packet Bell

Ok I need some computer guru help here. I set beep on with my normal
cluster. I "ticked" the bell on in the packet configuration. I have
no beep/bell. How do I get the pc speaker to beep on a spot ?? With
Linux this was just a matter of setting the system bell to on. But I
don't find anything in windows like that. What am I missing ??
Thanks...73

Ed W3NR

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1283. Re: Packet Bell

Yahoo group: XMLog
Date: 2005-01-07 00:58:51 UTC
From: br1v80
Topic: 1281 Message: 1283

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@c...> wrote:
> In most Windoze versions there is an icon in the 'Control Panel'
called sounds and audio or media. Click on the icon and then click on
the sounds tab. Check to see if there is a sound assigned to the beep.
If not assign one.
> Good Luck
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> ----- Original Message -----
> From: br1v80
> To: XMLog@yahoogroups.com
> Sent: Thursday, January 06, 2005 23:20
> Subject: [XMLog] Packet Bell
>
>
>
>
> Ok I need some computer guru help here. I set beep on with my normal
> cluster. I "ticked" the bell on in the packet configuration. I have
> no beep/bell. How do I get the pc speaker to beep on a spot ?? With
> Linux this was just a matter of setting the system bell to on. But I
> don't find anything in windows like that. What am I missing ??
> Thanks...73
>
> Ed W3NR
>

Ok I've already done all of that. I guess what I need to know is how
to get the sound to the onboard computer speaker, rather than external
speakers. I have the sound card tied up with RTTY.

Ed W3NR

1284. Rig Control

Yahoo group: XMLog
Date: 2005-01-07 01:04:19 UTC
From: br1v80
Topic: 1284 Message: 1284

How do I get RTS /DTR set to high for rig control ?? I looked thru the archieves but really didn't see anything. My CI-V interface for the Omni VI needs power from RTS/DTR. Thanks...73

Ed W3NR

1285. Re: Rig Control

Yahoo group: XMLog
Date: 2005-01-07 16:26:50 UTC
From: Mike McAmis
Topic: 1284 Message: 1285

Hi Ed, DTR is always enabled for XMLog comm ports (Rig, Packet, Rotor). If you need RTS/CTS flow control for your rig port, enable the appropriate option using the "Options/Packet Options" menu item.

Mike - W1ECT

>
>
> How do I get RTS /DTR set to high for rig control ?? I looked thru the
> archieves but really didn't see anything. My CI-V interface for the
> Omni VI needs power from RTS/DTR. Thanks...73
>
> Ed W3NR

1286. Re: Rig Control

Yahoo group: XMLog
Date: 2005-01-08 02:18:01 UTC
From: br1v80
Topic: 1284 Message: 1286

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi Ed, DTR is always enabled for XMLog comm ports (Rig, Packet,
> Rotor). If you need RTS/CTS flow control for your rig port, enable
> the appropriate option using the "Options/Packet Options" menu item.
>
> Mike - W1ECT
>
Mike,
Right click on spot, select set rig to <freq>, the mode will change,
but not the frequency. I have it set-up correctly and am on VFO A. Any
ideas

Ed
W3NR

1287. Re: Rig Control

Yahoo group: XMLog
Date: 2005-01-08 15:05:07 UTC
From: Mike McAmis
Topic: 1284 Message: 1287

Hi Ed, It turns out that the OMNI VI doesn't like the mode/frequency changes coming at it to quickly. I've added a half-second pause between the two commands in version 4.86 and this seems to fix the problem. The current test version of XMLog is available at www.xmlog.com/beta

Mike - W1ECT

> Mike,
> Right click on spot, select set rig to <freq>, the mode will change,
> but not the frequency. I have it set-up correctly and am on VFO A. Any
> ideas
>
> Ed
> W3NR

1288. Re: [XMLog] Re: Rig Control

Yahoo group: XMLog
Date: 2005-01-08 18:59:05 UTC
From: John LeRoy
Topic: 1284 Message: 1288

Mike,
I have the same thing happening (sometimes) with the Argonaut V. Will the change be applicable to that rig also?
73,
John W4JKL

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, January 08, 2005 10:05 AM
Subject: [XMLog] Re: Rig Control

Hi Ed, It turns out that the OMNI VI doesn't like the mode/frequency changes coming at it to quickly. I've added a half-second pause between the two commands in version 4.86 and this seems to fix the problem. The current test version of XMLog is available at www.xmlog.com/beta

Mike - W1ECT

> Mike,
> Right click on spot, select set rig to <freq>, the mode will change,
> but not the frequency. I have it set-up correctly and am on VFO A. Any
> ideas
>
> Ed
> W3NR

No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.6.9 - Release Date: 1/6/2005

[Non-text portions of this message have been removed]

1289. Re: Rig Control

Yahoo group: XMLog
Date: 2005-01-09 20:23:15 UTC
From: Mike McAmis
Topic: 1284 Message: 1289

Hi John,

Some TenTec rigs require a pause between commands but I don't have a default pause defined for the Argonaut V. However, you can specify a delay by adding a line to XMLog's config file, here's how:

Exit XMLog and open the file mlog.ini in the XMLog install folder (ususally c:\mlog) using a text editor like WordPad or NotePad.

Scroll down to the rig parameters and add the line:

RigSetDelay=.5

The actual position in the file isn't critical. This will add a half-second pause between commands sent to the rig. If this fixes the problem I'll change XMLog to include a default pause for this rig.

Mike - W1ECT

> Mike,
> I have the same thing happening (sometimes) with the Argonaut V. Will the change be applicable to that rig also?
> 73,
> John W4JKL

1290. Re: [XMLog] Re: Rig Control

Yahoo group: XMLog
Date: 2005-01-10 03:44:48 UTC
From: John LeRoy
Topic: 1284 Message: 1290

Perfect! Thanks Mike.

73,
John W4JKL

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, January 09, 2005 3:23 PM
Subject: [XMLog] Re: Rig Control

Hi John,

Some TenTec rigs require a pause between commands but I don't have a default pause defined for the Argonaut V. However, you can specify a delay by adding a line to XMLog's config file, here's how:

Exit XMLog and open the file mlog.ini in the XMLog install folder (ususally c:\mlog) using a text editor like WordPad or NotePad.

Scroll down to the rig parameters and add the line:

RigSetDelay=.5

The actual position in the file isn't critical. This will add a half-second pause between commands sent to the rig. If this fixes the problem I'll change XMLog to include a default pause for this rig.

Mike - W1ECT

> Mike,
> I have the same thing happening (sometimes) with the Argonaut V.
Will the change be applicable to that rig also?
> 73,
> John W4JKL

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.6.9 - Release Date: 1/6/2005

No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.6.9 - Release Date: 1/6/2005

[Non-text portions of this message have been removed]

1291. LOTW etc

Yahoo group: XMLog
Date: 2005-01-09 23:46:39 UTC
From: Robert Dixon
Topic: 1291 Message: 1291

Am new to the newsgroup but have been using MLOG for several years and really love it. Now I need to send Mike some green stamps!

Can the ADIF files be uploaded directly into LOTW? Also, Is it possible to merge several MLOG files into one big Excel page?
Would appreciate an answer, particularly for the LOTW part.

73 and gud DX

Bob, W8HGH

Robert Dixon
w8hgh@...
Ham radio: The real internet since May, 1895

[Non-text portions of this message have been removed]

1292. North American QSO

Yahoo group: XMLog
Date: 2005-01-10 23:19:02 UTC
From: Bob
Topic: 1292 Message: 1292

I am a new ham and just started using XMlog this month. I really like it for day to day use but... I want to work the North American QSO party this weekend. XM seems a little cumbersome to do this. Is there any better program for this contest? Or is there a way to use XM and convert it to Cabrillio so it can be submitted.

Bob
KB1LAX

1293. Re: [XMLog] North American QSO

Yahoo group: XMLog
Date: 2005-01-11 15:16:03 UTC
From: M. Edward Wilborne, III
Topic: 1292 Message: 1293

WriteLog is a great contesting program.

http://www.writelog.com/

I use WriteLog for contesting, and import my contest logs to XMLog for
"log management".

73

de AD4AX - Ed

Bob wrote:
>
>
> I am a new ham and just started using XMlog this month. I really
> like it for day to day use but... I want to work the North American
> QSO party this weekend. XM seems a little cumbersome to do this. Is
> there any better program for this contest? Or is there a way to use
> XM and convert it to Cabrillio so it can be submitted.
>
> Bob
> KB1LAX
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1294. Re: North American QSO

Yahoo group: XMLog
Date: 2005-01-11 15:23:13 UTC
From: Mike McAmis
Topic: 1292 Message: 1294

Hi Bob, XMLog isn't designed to be contest logger. Most XMLog users (including myself) use some other program like WriteLog, CT, or N1MM logger and then move the QSOs over to their log file using ADIF. This is probably the best strategy regardless of the program you use to do your day-to-day logging.

Check www.n1mm.com (N1MM logger, freeware), www.writelog.com (WriteLog), and www.k1ea.com (CT, freeware) for more info on these popular contest loggers.

Mike - W1ECT

>
> I am a new ham and just started using XMlog this month. I really
> like it for day to day use but... I want to work the North American
> QSO party this weekend. XM seems a little cumbersome to do this.
Is
> there any better program for this contest? Or is there a way to
use
> XM and convert it to Cabrillio so it can be submitted.
>
> Bob
> KB1LAX

1295. RE: [XMLog] Re: North American QSO

Yahoo group: XMLog
Date: 2005-01-12 02:09:47 UTC
From: Robert Dixon
Topic: 1292 Message: 1295

Hi Mike: Wonder if XMLog can be used to upload to LOTW? I have everything for the past 6 years on it and really like the format. Would hate to have to punch everything into a new program to upload it to LOTW.

73 Bob, W8HGH

> [Original Message]
> From: Mike McAmis <m.mcamis@...>
> To: <XMLog@yahoogroups.com>
> Date: 1/11/05 10:23:18 AM
> Subject: [XMLog] Re: North American QSO
>
>
>
> Hi Bob, XMLog isn't designed to be contest logger. Most XMLog users
> (including myself) use some other program like WriteLog, CT, or N1MM
> logger and then move the QSOs over to their log file using ADIF. This
> is probably the best strategy regardless of the program you use to do
> your day-to-day logging.
>
> Check www.n1mm.com (N1MM logger, freeware), www.writelog.com
> (WriteLog), and www.k1ea.com (CT, freeware) for more info on these
> popular contest loggers.
>
> Mike - W1ECT
>
> >
> > I am a new ham and just started using XMlog this month. I really
> > like it for day to day use but... I want to work the North American
> > QSO party this weekend. XM seems a little cumbersome to do this.
> Is
> > there any better program for this contest? Or is there a way to
> use
> > XM and convert it to Cabrillio so it can be submitted.
> >
> > Bob
> > KB1LAX
>
>
>
>
>
>
> Yahoo! Groups Links
>

>
>
>
>
>
>

1296. RE: [XMLog] Re: North American QSO

Yahoo group: XMLog
Date: 2005-01-12 02:41:46 UTC
From: Michael McCarthy
Topic: 1292 Message: 1296

Export to adif, sign it and upload to LOTW. Just did
that recently, only I needed several adifs, one for
each callsign I have held. Now have over 14,000 QSO's
in xmlog and on LOTW. The big problem is that there
is no way to get the electronic QSL info into xmlog
except by hand. I will probably only mark QSL's that
I submit via LOTW for DXCC credit.

Mike, W1NR

--- Robert Dixon <w8hgh@...> wrote:

> Hi Mike: Wonder if XMLog can be used to upload to
> LOTW? I have everything
> for the past 6 years on it and really like the
> format. Would hate to have
> to punch everything into a new program to upload it
> to LOTW.
>
> 73 Bob, W8HGH
>
>
> > [Original Message]
> > From: Mike McAmis <m.mcamis@...>
> > To: <XMLog@yahoogroups.com>
> > Date: 1/11/05 10:23:18 AM
> > Subject: [XMLog] Re: North American QSO
> >
> >
> >
> > Hi Bob, XMLog isn't designed to be contest logger.
> Most XMLog users
> > (including myself) use some other program like
> WriteLog, CT, or N1MM
> > logger and then move the QSOs over to their log
> file using ADIF. This
> > is probably the best strategy regardless of the
> program you use to do
> > your day-to-day logging.
> >
> > Check www.n1mm.com (N1MM logger, freeware),
> www.writelog.com
> > (WriteLog), and www.k1ea.com (CT, freeware) for
> more info on these
> > popular contest loggers.
> >

> > Mike - W1ECT
> >
> > >
> > > I am a new ham and just started using XMlog this
> month. I really
> > > like it for day to day use but... I want to work
> the North American
> > > QSO party this weekend. XM seems a little
> cumbersome to do this.
> > Is
> > > there any better program for this contest? Or
> is there a way to
> > use
> > > XM and convert it to Cabrillio so it can be
> submitted.
> > >
> > > Bob
> > > KB1LAX
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
>

=====
*** Give Every Man His Dew! ***
Michael A. McCarthy, President
Everest Engineering Corporation
4 Barnes Circle
Marlborough, MA 01752
Voice: (508) 460-6737
Fax: (508) 460-7951

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1297. RE: [XMLog] Re: North American QSO

Yahoo group: XMLog
Date: 2005-01-12 15:26:31 UTC
From: Robert Dixon
Topic: 1292 Message: 1297

Hi Mike: Thanks so much . Really appreciate your help. Just got back into dxing in 1999 after a 25 year hiatus so I am running fast to just keep in place! I have each of 13 paper logs in a different XMLOG file (log 10, log 11, log 12 etc) I wonder if you can merge 13 logs into one big MLOG file. I have over 11,000 contacts in MLOG now so you can see why I am not interested in keyboarding them all into another program.

73 and again thanks for your help

Bob, W8HGH Bedford, VA

> [Original Message]
> From: Michael McCarthy <w1nr@...>
> To: <XMLog@yahoogroups.com>
> Date: 1/11/05 9:41:48 PM
> Subject: RE: [XMLog] Re: North American QSO
>
>
> Export to adif, sign it and upload to LOTW. Just did
> that recently, only I needed several adifs, one for
> each callsign I have held. Now have over 14,000 QSO's
> in xmlog and on LOTW. The big problem is that there
> is no way to get the electronic QSL info into xmlog
> except by hand. I will probably only mark QSL's that
> I submit via LOTW for DXCC credit.
>
> Mike, W1NR
>
> --- Robert Dixon <w8hgh@...> wrote:
>
> > Hi Mike: Wonder if XMLog can be used to upload to
> > LOTW? I have everything
> > for the past 6 years on it and really like the
> > format. Would hate to have
> > to punch everything into a new program to upload it
> > to LOTW.
> >
> > 73 Bob, W8HGH
> >
> >
> > > [Original Message]
> > > From: Mike McAmis <m.mcamis@...>
> > > To: <XMLog@yahoogroups.com>
> > > Date: 1/11/05 10:23:18 AM
> > > Subject: [XMLog] Re: North American QSO
> > >

> > >
> > >
> > > Hi Bob, XMLog isn't designed to be contest logger.
> > Most XMLog users
> > > (including myself) use some other program like
> > WriteLog, CT, or N1MM
> > > logger and then move the QSOs over to their log
> > file using ADIF. This
> > > is probably the best strategy regardless of the
> > program you use to do
> > > your day-to-day logging.
> > >
> > > Check www.n1mm.com (N1MM logger, freeware),
> > www.writelog.com
> > > (WriteLog), and www.k1ea.com (CT, freeware) for
> > more info on these
> > > popular contest loggers.
> > >
> > > Mike - W1ECT
> > >
> > > >
> > > > I am a new ham and just started using XMlog this
> > month. I really
> > > > like it for day to day use but... I want to work
> > the North American
> > > > QSO party this weekend. XM seems a little
> > cumbersome to do this.
> > > Is
> > > > there any better program for this contest? Or
> > is there a way to
> > > use
> > > > XM and convert it to Cabrillio so it can be
> > submitted.
> > > > >
> > > > Bob
> > > > KB1LAX
> > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >

> >
> >
> >
> >
>
>
> =====
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, President
> Everest Engineering Corporation
> 4 Barnes Circle
> Marlborough, MA 01752
> Voice: (508) 460-6737
> Fax: (508) 460-7951
>
> ~~~~~~
> Do You Yahoo!?
> Tired of spam? Yahoo! Mail has the best spam protection around
> http://mail.yahoo.com
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1298. Re: North American QSO

Yahoo group: XMLog
Date: 2005-01-13 15:18:01 UTC
From: Mike McAmis
Topic: 1292 Message: 1298

Hi Bob, You can export each log into a seperate ADIF file and then create a new log file and import the individual ADIF files into this new log.

Mike - W1ECT

>
> Hi Mike: Thanks so much . Really appreciate your help. Just got back into
> dxing in 1999 after a 25 year hiatus so I am running fast to just keep in
> place! I have each of 13 paper logs in a different XMLOG file (log 10,
> log 11, log 12 etc) I wonder if you can merge 13 logs into one big MLOG
> file. I have over 11,000 contacts in MLOG now so you can see why I am not
> interested in keyboarding them all into another program.

1299. Back Up Disks

Yahoo group: XMLog
Date: 2005-01-15 22:34:49 UTC
From: Rayford Cunningham
Topic: 1299 Message: 1299

I have about 30,000 entries and tried to back up.

1. Tried floppy (1.4 MB) I realize this would not be enough room, but I thought it would ask for more disks. The message was "use a larger disk".

2. Tried Zip (100 MB) and got the same message, use larger disk. My radio computer is not equipped with a CD burner.

I must be doing something wrong! Please help!

Rayford K7OKE Mesa, Arizona

1300. Re: [XMLog] Back Up Disks

Yahoo group: XMLog
Date: 2005-01-15 23:20:40 UTC
From: gdadx2@earthlink.net
Topic: 1299 Message: 1300

Rayford,

Can you break the log down into 2 or more parts, and then export each part
onto floppies?

Just a suggestion..

Buddy, WB4M

----- Original Message -----
From: "Rayford Cunningham" <Rayford-C@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, January 15, 2005 5:34 PM
Subject: [XMLog] Back Up Disks

>
>
> I have about 30,000 entries and tried to back up.
>
> 1. Tried floppy (1.4 MB) I realize this would not be enough room,
> but I thought it would ask for more disks. The message was "use a
> larger disk".
>
> 2. Tried Zip (100 MB) and got the same message, use larger disk.
> My radio computer is not equipped with a CD burner.
>
> I must be doing something wrong! Please help!
>
> Rayford K7OKE Mesa, Arizona
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1301. Re: Back Up Disks

Yahoo group: XMLog
Date: 2005-01-16 16:31:50 UTC
From: Mike McAmis
Topic: 1299 Message: 1301

Don't know how you tried to zip your log onto multiple floppies but one good utility that can handle this is WinZip - Go to www.winzip.com and download and install the "Evaluation Version".

Mike - W1ECT

1302. Re: [XMLog] Back Up Disks

Yahoo group: XMLog
Date: 2005-01-16 17:09:31 UTC
From: Michael McCarthy
Topic: 1299 Message: 1302

Can you give us some more detail? The entire
directory should fit on a 100MB ZIP drive. How are
you doing the backup? The "backup log" command off of
the file menu creates a log in the "Backups"
subdirectory. All you should need to do is copy the
latest file to the ZIP drive.

Another way is to use WinZip, which will span multiple
floppies. My log is around 15,000 entries and is only
3.6MB. Your log should only be about double that.
That should easily fit onto a ZIP drive.

Another suggestion would be to backup the log locally
and run "Compact Log" off of the file menu and see if
it significantly reduces the size of your log file.

Just how big is your .log file?

Mike, W1NR

--- Rayford Cunningham <Rayford-C@...> wrote:

>
> I have about 30,000 entries and tried to back up.
>
> 1. Tried floppy (1.4 MB) I realize this would not
> be enough room,
> but I thought it would ask for more disks. The
> message was "use a
> larger disk".
>
> 2. Tried Zip (100 MB) and got the same message, use
> larger disk.
> My radio computer is not equipped with a CD burner.
>
> I must be doing something wrong! Please help!
>
> Rayford K7OKE Mesa, Arizona
>
>
>
>

=====
*** Give Every Man His Dew! ***
Michael A. McCarthy, President
Everest Engineering Corporation

4 Barnes Circle
Marlborough, MA 01752
Voice: (508) 460-6737
Fax: (508) 460-7951

Do you Yahoo!?
Yahoo! Mail - Easier than ever with enhanced search. Learn more.
http://info.mail.yahoo.com/mail_250

1303. RE: [XMLog] Back Up Disks

Yahoo group: XMLog
Date: 2005-01-17 00:09:42 UTC
From: Robert Dixon
Topic: 1299 Message: 1303

Hi Ray:

I have MLOG installed in My Computer and have each paper logbook entered separately (log 10, log 11, etc) Each on is about 900K and can be easily installed on a 3.5. This holds about 1300 QSOs. I have a burner and have everything for MLog saved on one CD. My suggestion is to go to the local Circuit City, etc. and buy a CD burner. They are now under about $50 and probably will include InCd. The smallest pack of CD-RW disks contains about 6 and will cost about $10. This will allow you to have a giant floppy that contains 750 megs instead of 1.5 megs that are found on a 3.5 floppy. I just got done updating an MLog file and copied it to the InCd disk. The next log will be edited and then added, an so on until I get all 13,000 QSOs ready to uplink to LOTW. Even if you computer dies right after you save the files to disk somebody nearby will have a computer that will allow you to run the logs. (A friend of mine had 10,000 QSOs vanish because he did not back up his files. I keep the original paper files and the MLogs as well just because I'm super cautious.)

Good luck and good DX

Bob, W8HGH, Bedford, VA

> [Original Message]
> From: Rayford Cunningham <Rayford-C@...>
> To: <XMLog@yahoogroups.com>
> Date: 1/15/05 5:34:54 PM
> Subject: [XMLog] Back Up Disks
>
>
>
> I have about 30,000 entries and tried to back up.
>
> 1. Tried floppy (1.4 MB) I realize this would not be enough room,
> but I thought it would ask for more disks. The message was "use a
> larger disk".
>
> 2. Tried Zip (100 MB) and got the same message, use larger disk.
> My radio computer is not equipped with a CD burner.
>
> I must be doing something wrong! Please help!
>
> Rayford K7OKE Mesa, Arizona
>
>
>
>

>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1304. Re: Back Up Disks

Yahoo group: XMLog
Date: 2005-01-18 00:23:54 UTC
From: w3bui
Topic: 1299 Message: 1304

--- In XMLog@yahoogroups.com, "Rayford Cunningham" <Rayford-C@C...>
wrote:
>
> I have about 30,000 entries and tried to back up.
>
> 1. Tried floppy (1.4 MB) I realize this would not be enough room,
> but I thought it would ask for more disks. The message was "use a
> larger disk".
>
> 2. Tried Zip (100 MB) and got the same message, use larger disk.
> My radio computer is not equipped with a CD burner.
>
> I must be doing something wrong! Please help!
>
> Rayford K7OKE Mesa, Arizona
Rayford
I used a utility called 'CHOP' to move files from an old pc to my new
one using 1.4M floppies. It chops large files into small ones that can
copied to any size disk. You could use it to break your Log into
smaller files that would fit on the Zip drive. If you need to recover
your log the same program will merge the small files back into your log
file. It is shareware, less than 10 bucks and can be downloaded from
www.sinnercomputing.com. Joe...

1305. deletion of entries

Yahoo group: XMLog
Date: 2005-01-24 16:41:23 UTC
From: Robert Dixon
Topic: 1305 Message: 1305

Want to upload ADIFs to LoTW using MLog. Over 10,000 entries to edit. I would like to take out the NOTES and the ? mark for QSLs sent. Can't believe that I must MODIFY every entry and remove them that way. Can MLogs be converted to Excel where the whole column can be deleted and then imported back into MLog format?

Also, is anyone using MLog CW and RTTY programs for the Timewave PK232MBX TNC? A friend of mine is using it on his Kantronics and says it's great. I am currently using the old AEA PCPakRatt 2.1 windows program. It works great but I can't get a colored background which is tough during long contests. (PkTerm for Windows has such a slow dropout time that it is useless for CW.)

73 Bob, W8HGH, Bedford, VA

Robert Dixon
w8hgh@...
Ham radio: The real internet since May, 1895

[Non-text portions of this message have been removed]

1306. Re: [XMLog] deletion of entries

Yahoo group: XMLog
Date: 2005-01-24 16:50:51 UTC
From: Bruce Ferry
Topic: 1305 Message: 1306

I've never edited anything out of my logs I've sent. I think all the
extra stuff gets filtered out in the signing process anyway.

Robert Dixon wrote:

> Want to upload ADIFs to LoTW using MLog. Over 10,000 entries to edit. I would like to take out the NOTES and the ? mark for QSLs sent. Can't believe that I must MODIFY every entry and remove them that way. Can MLogs be converted to Excel where the whole column can be deleted and then imported back into MLog format?
>
> Also, is anyone using MLog CW and RTTY programs for the Timewave PK232MBX TNC? A friend of mine is using it on his Kantronics and says it's great. I am currently using the old AEA PCPakRatt 2.1 windows program. It works great but I can't get a colored background which is tough during long contests. (PkTerm for Windows has such a slow dropout time that it is useless for CW.)
>
> 73 Bob, W8HGH, Bedford, VA
>
>
>
> Robert Dixon
> w8hgh@...
> Ham radio: The real internet since May, 1895
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>

--
Bruce Ferry, AK8B

1307. Re: [XMLog] deletion of entries

Yahoo group: XMLog
Date: 2005-01-24 21:26:59 UTC
From: Robert Dixon
Topic: 1305 Message: 1307

Tnx Bruce: This takes care of a real pain!

73 Bob, W8HGH

> [Original Message]
> From: Bruce Ferry <ak8b@...>
> To: <XMLog@yahoogroups.com>
> Date: 1/24/05 11:50:51 AM
> Subject: Re: [XMLog] deletion of entries
>
>
> I've never edited anything out of my logs I've sent. I think all the
> extra stuff gets filtered out in the signing process anyway.
>
> Robert Dixon wrote:
>
> > Want to upload ADIFs to LoTW using MLog. Over 10,000 entries to edit.
I would like to take out the NOTES and the ? mark for QSLs sent. Can't
believe that I must MODIFY every entry and remove them that way. Can MLogs
be converted to Excel where the whole column can be deleted and then
imported back into MLog format?
> >
> > Also, is anyone using MLog CW and RTTY programs for the Timewave
PK232MBX TNC? A friend of mine is using it on his Kantronics and says it's
great. I am currently using the old AEA PCPakRatt 2.1 windows program.
It works great but I can't get a colored background which is tough during
long contests. (PkTerm for Windows has such a slow dropout time that it
is useless for CW.)
> >
> > 73 Bob, W8HGH, Bedford, VA
> >
> >
> >
> > Robert Dixon
> > w8hgh@...
> > Ham radio: The real internet since May, 1895
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >

> >
> >
> >
> >
> >
> >
> >
> >
>
> --
> Bruce Ferry, AK8B
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1308. Re: Deletion of entries for LoTW, Background color

Yahoo group: XMLog
Date: 2005-01-24 22:12:18 UTC
From: Mike McAmis
Topic: 1305 Message: 1308

Hi Bob, LoTW ignores ADIF fields that it doesn't use.
Have you tried the "Options/Colors" to change the packet window background?

Mike - W1ECT

> Want to upload ADIFs to LoTW using MLog. Over 10,000 entries to edit. I would like to take out the NOTES and the ? mark for QSLs sent. Can't believe that I must MODIFY every entry and remove them that way. Can MLogs be converted to Excel where the whole column can be deleted and then imported back into MLog format?
>
> Also, is anyone using MLog CW and RTTY programs for the Timewave PK232MBX TNC? A friend of mine is using it on his Kantronics and says it's great. I am currently using the old AEA PCPakRatt 2.1 windows program. It works great but I can't get a colored background which is tough during long contests. (PkTerm for Windows has such a slow dropout time that it is useless for CW.)
>
> 73 Bob, W8HGH, Bedford, VA

1309. Re: Back Up Disks

Yahoo group: XMLog
Date: 2005-01-26 18:06:44 UTC
From: Mark
Topic: 1299 Message: 1309

If I recall correctly, only the <your callsign>.log file needs to be backed up. The other files can be reinstalled from the downloadable zip file if required. I'll check this tonight when I get home.

73, Mark NB1U

--- In XMLog@yahoogroups.com, "w3bui" <jbrining@m...> wrote:
>
> --- In XMLog@yahoogroups.com, "Rayford Cunningham" <Rayford-C@C...>
> wrote:
> >
> > I have about 30,000 entries and tried to back up.
> >
> > 1. Tried floppy (1.4 MB) I realize this would not be enough
room,
> > but I thought it would ask for more disks. The message was "use
a
> > larger disk".
> >
> > 2. Tried Zip (100 MB) and got the same message, use larger
disk.
> > My radio computer is not equipped with a CD burner.
> >
> > I must be doing something wrong! Please help!
> >
> > Rayford K7OKE Mesa, Arizona
> Rayford
> I used a utility called 'CHOP' to move files from an old pc to my
new
> one using 1.4M floppies. It chops large files into small ones that
can
> copied to any size disk. You could use it to break your Log into
> smaller files that would fit on the Zip drive. If you need to
recover
> your log the same program will merge the small files back into
your log
> file. It is shareware, less than 10 bucks and can be downloaded
from
> www.sinnercomputing.com. Joe...

1310. Re: Back Up Disks

Yahoo group: XMLog
Date: 2005-01-27 17:09:50 UTC
From: Mike McAmis
Topic: 1299 Message: 1310

In addition to any log files (whatever.log) you can save:

layouts.mdb - Custom label layouts
mlog.ini - Log/Packet options
spotinfo.ini - Packet Spots Map options
histinfo.ini - Packet Spots History options
dxcalls.ini - DX/Callsign List entries
report.ini - Display/Excel options

Mike - W1ECT

1311. Log Queries

Yahoo group: XMLog
Date: 2005-01-27 19:31:54 UTC
From: Scott
Topic: 1311 Message: 1311

How does one do a log search on a partial call? ie How can I select
all the N9*'s I have in the log?

Thanks,
scott N9LJX

1312. Re: Log Queries

Yahoo group: XMLog
Date: 2005-01-27 19:44:54 UTC
From: Scott
Topic: 1311 Message: 1312

Nevermind... RTFM!!! it is in the Hints.txt

--scott

--- In XMLog@yahoogroups.com, "Scott" <radio.n9ljx@g...> wrote:
>
> How does one do a log search on a partial call? ie How can I
select
> all the N9*'s I have in the log?
>
>
> Thanks,
> scott N9LJX

1313. Re: [XMLog] Log Queries

Yahoo group: XMLog
Date: 2005-01-27 19:47:22 UTC
From: W3GERry
Topic: 1311 Message: 1313

----- Original Message -----
From: "Scott" <radio.n9ljx@...>
> How does one do a log search on a partial call? ie How can
I select
> all the N9*'s I have in the log?

With a search key of
=N9*

The following is from the HELP file:

A simple wildcard for the Name field could provide = as the
comparison and a value of john* to search for fields beginning
with john (the * matches any number of characters). Here are
a few variations:

john matches john exactly
=john matches john exactly
=john* matches fields starting with john
=*john matches fields ending with john
=*john* matches fields with john anywhere

73 de W3GERry

1314. Packet

Yahoo group: XMLog
Date: 2005-01-27 20:20:00 UTC
From: Robert Dixon
Topic: 1314 Message: 1314

Has anybody used MLog with the AEA (Timewave) Pk232MBX for CW and RTTY? If it won't work I'll quit fiddling with it.

Tnx and 73

Bob, W8HGH

Robert Dixon
w8hgh@...
Ham radio: The real internet since May, 1895

[Non-text portions of this message have been removed]

1315. Not sure about what to do with adif upload to eqsl.cc

Yahoo group: XMLog
Date: 2005-02-03 17:00:32 UTC
From: mefazamy
Topic: 1315 Message: 1315

I've tried to upload to eqsl with xmlog 4.79 exported to adif.
I got back the message about 0 records uploaded, and a list of
callsigns with other info, and "Dupe" in the last column next to each
callsign.

I've read message #1091 in your archives.
Is the info in this archive relevant to me or do I have another kind
of problem? (I don't understand the info in the message anyway.) :-(

Evan
KB2AMY

1316. I've tried to upload to eqsl

Yahoo group: XMLog
Date: 2005-02-04 13:13:41 UTC
From: John M. Evans
Topic: 1316 Message: 1316

Hi Evan,

As I understand it any callsign that comes up DUPE on that list has
already been successfully uploaded by you in the past. Anything else
that shows up other than DUPE is a file with some information eQSL will
not accept and must be corrected and uploaded again. Hope that is
helpful to you?

Best 73 de John

--
John Evans N2QCE
n2qce@...
http://n2qce.com

> Message: 1
> Date: Thu, 03 Feb 2005 17:00:32 -0000
> From: "mefazamy" <FAZAMY@...>
> Subject: Not sure about what to do with adif upload to eqsl.cc
>
>
> I've tried to upload to eqsl with xmlog 4.79 exported to adif.
> I got back the message about 0 records uploaded, and a list of
> callsigns with other info, and "Dupe" in the last column next to each
> callsign.
>
> I've read message #1091 in your archives.
> Is the info in this archive relevant to me or do I have another kind
> of problem? (I don't understand the info in the message anyway.) :-(
>
> Evan
> KB2AMY

1317. Re: I've tried to upload to eqsl

Yahoo group: XMLog
Date: 2005-02-04 14:23:20 UTC
From: mefazamy
Topic: 1316 Message: 1317

Tnx John, I realized that, BUT this was a brand new, different log.
It had qsos from Jan. 2005 that had been never uploaded before.
So, that's the confusing part. And when I first uploaded that log I
got a message about 0 files accepted.

However, there is evidence that the log was uploaded anyway because
I'm getting e-mail about new qsls that have arrived in my inbox.
Very strange, indeed. :-)

I'll keep workin' at it, though. :-)

73,
Evan

1318. RE: [XMLog] Re: I've tried to upload to eqsl

Yahoo group: XMLog
Date: 2005-02-04 15:03:23 UTC
From: Jim Henry
Topic: 1316 Message: 1318

Hi
I had a similar problem and couldn't find what was wrong. I went to the
eqsl.cc and found an e-mail address where I explained the problem and asked
for help.

They e-mailed me back asking that I send them a copy of my ADIF file and
about 2 hours after sending the file they had the problem solved and my log
uploaded. I have since uploaded additions to my log without any problems.

I suggest you contact them directly, they were very helpful to me.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: mefazamy [mailto:FAZAMY@...]
Sent: 04 February 2005 14:23
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: I've tried to upload to eqsl

Tnx John, I realized that, BUT this was a brand new, different log.
It had qsos from Jan. 2005 that had been never uploaded before.
So, that's the confusing part. And when I first uploaded that log I
got a message about 0 files accepted.

However, there is evidence that the log was uploaded anyway because
I'm getting e-mail about new qsls that have arrived in my inbox.
Very strange, indeed. :-)

I'll keep workin' at it, though. :-)

73,
Evan

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

I am using the free version of SPAMfighter for private users.

It has removed 3226 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.8.5 - Release Date: 03/02/2005

[Non-text portions of this message have been removed]

1319. New printer orientation change--thanks!

Yahoo group: XMLog
Date: 2005-02-04 16:03:55 UTC
From: W3GERry
Topic: 1319 Message: 1319

*** 4.86 ***
- Added a page orientation option for QSL and Mailing label
page layouts. This option lets you select Landscape or
Portrait mode. The printer is returned to the original
orientation after the labels have been printed.

I just DLd 4.90.

Thanks for this feature, Mike!!!!!!
It used to be a minor annoyance to have to change the printer
orientation before printing QSLs, and a major annoyance when
I'd forget to change it back.

73 de W3GERry

1320. RE: [XMLog] New printer orientation change--thanks!

Yahoo group: XMLog
Date: 2005-02-04 16:30:32 UTC
From: Jim Henry
Topic: 1319 Message: 1320

What is the procedure for upgrading to the latest version of XMLog.I want to ensure I retain my custom prepared labels as it is quite a big job to reset them again. I am currently running version 4.70. Incidentally I think this is a great program, it really suits my operation and the search facilities are particularly good in my opinion.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: W3GERry [mailto:CyberGeezer74@...]
Sent: 04 February 2005 16:04
To: XMLog@yahoogroups.com
Subject: [XMLog] New printer orientation change--thanks!

*** 4.86 ***
- Added a page orientation option for QSL and Mailing label page layouts. This option lets you select Landscape or Portrait mode. The printer is returned to the original orientation after the labels have been printed.

I just DLd 4.90.

Thanks for this feature, Mike!!!!!!
It used to be a minor annoyance to have to change the printer orientation before printing QSLs, and a major annoyance when I'd forget to change it back.

73 de W3GERry

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

I am using the free version of SPAMfighter for private users.
It has removed 3226 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.8.5 - Release Date: 03/02/2005

[Non-text portions of this message have been removed]

1321. Re: [XMLog] New printer orientation change--thanks!

Yahoo group: XMLog
Date: 2005-02-04 18:39:04 UTC
From: W3GERry
Topic: 1319 Message: 1321

----- Original Message -----
From: "Jim Henry" <jim.henry@...>
> What is the procedure for upgrading to the latest version of XMLog.I want to
> ensure I retain my custom prepared labels as it is quite a big job to reset
> them again.

First make backup copies from c:\mlog to another folder or another drive of--
--*.log (your log files)
--layouts.mdb (your custom QSL and label layouts)
--mlog.exe (your current version of the program, in case you need to go back to it)

Then simply DL the new version, unzip it, and run SETUP.EXE.
(4.90 is on the beta site, www.xmlog.com/beta)
It will probably run "right out of the box" (mine always have, including 4.90) and you'll thus have no need of those backups.
But they're there in case........

73 de W3GERry

1322. Re: [XMLog] New printer orientation change--thanks!

Yahoo group: XMLog
Date: 2005-02-04 20:13:37 UTC
From: N7MAL
Topic: 1319 Message: 1322

I guess I would re-ask the question this way, because I think most guys have customized file, I know I do.

What are the minimum files needed to up-date mlog..??.. Can it just be upgraded by installing the new .exe file..??..

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
----- Original Message -----
From: Jim Henry
To: XMLog@yahoogroups.com
Sent: Friday, February 04, 2005 16:30
Subject: RE: [XMLog] New printer orientation change--thanks!

What is the procedure for upgrading to the latest version of XMLog.I want to ensure I retain my custom prepared labels as it is quite a big job to reset them again. I am currently running version 4.70. Incidentally I think this is a great program, it really suits my operation and the search facilities are particularly good in my opinion.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: W3GERry [mailto:CyberGeezer74@...]
Sent: 04 February 2005 16:04
To: XMLog@yahoogroups.com
Subject: [XMLog] New printer orientation change--thanks!

*** 4.86 ***
- Added a page orientation option for QSL and Mailing label page layouts. This option lets you select Landscape or Portrait mode. The printer is returned to the original orientation after the labels have been printed.

I just DLd 4.90.

Thanks for this feature, Mike!!!!!!
It used to be a minor annoyance to have to change the printer orientation before printing QSLs, and a major annoyance when I'd forget to change it back.

73 de W3GERry

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

I am using the free version of SPAMfighter for private users.
It has removed 3226 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.8.5 - Release Date: 03/02/2005

[Non-text portions of this message have been removed]

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1323. Re: Installing new versions (saving old info)

Yahoo group: XMLog
Date: 2005-02-04 20:51:52 UTC
From: Mike McAmis
Topic: 1319 Message: 1323

Hi, When you download a new version's zip file, unzip it and run setup.exe the install process will not reset any options settings or cause you to lose any of your own custom label definitions, etc.

The only reason I listed the various files where information is saved by XMLog was for the benefit of anyone who wanted to save this info in case of hard disk crashes or whatever.

In this day and age of inexpensive writeable CDs and DVDs it's easier to backup the whole install folder. Of course backing up just your log file(s) is a quick way to prevent simple screwups that occur when you're importing or deleteing log records. The "Options/Backup Log Options" provides an automatic way of doing log file backups.

Mike - W1ECT

1324. Re: I've tried to upload to eqsl

Yahoo group: XMLog
Date: 2005-02-05 22:29:51 UTC
From: mefazamy
Topic: 1316 Message: 1324

--- In XMLog@yahoogroups.com, "Jim Henry" <jim.henry@n...> wrote:
> Hi
> I had a similar problem and couldn't find what was wrong. I went to
the
> eqsl.cc and found an e-mail address where I explained the problem
and asked
> for help.

Tnx for the suggestion Jim. I did e-mail them Friday a.m., and I am
awaiting their response.

It certainly is a surreal situation. :-)

73,
Evan

1325. Re: Log Queries, another GREAT option

Yahoo group: XMLog
Date: 2005-02-06 13:46:05 UTC
From: Al Ludwick
Topic: 1311 Message: 1325

Scott,
Starting with version 4.84, there is another search option for the wild card searches. The quoted text below is from the "change notes" on version 4.84.

"There is a new form for search keys when you want to search for log records containing a certain string anywhere in the field. The old technique was to use a wildcard of the form =*xyz* to find all log records that contained xyz in the field. You can now also use a search key of the form ~xyz to save some typing."

I use this feature, coupled with one of my "programmed" function keys to do a quick log search when starting a qso. Here is how I use it. I enter a few characters of the call into the call field. Usually the first few, such as "F8Z" so the program shows the country and bearing. The I press one of my programmed function keys. The function key is programmed to:
- move the cursor back to the beginning of the call field
- insert the tilde
- insert an "enter" character

So by entering a few characters of the call and pressing one key (the function key), the program does a quick search. Of course, it also works for the other searchable fields.

(yes, I could accomplish the same thing with a bit more "programming" of the function key to insert the old sequence. When I asked Mike about a quicker way to do the searches, I originally hoped the new feature would be implemented so that the user could just enter a special character, such as a period, at the end of the call and accomplish the same thing. When it was released using the tilde, which must be entered at the beginning of the field and also requires pressing the shift key to get the tilde, I started looking for ways to speed up the process and developed the programmable function key solution. The program I use to set the function key data is avaliable at www.regsoft.com/keys)

At any rate, this feature is very nice and I've been using it daily for several months now. Thank to Mike for a great program.

73, Al

> ----- Original Message -----
> From: "Scott" <radio.n9ljx@g...>
> > How does one do a log search on a partial call? ie How can
> I select all the N9*'s I have in the log?
>

> With a search key of
> =N9*
>
> The following is from the HELP file:
>
> A simple wildcard for the Name field could provide = as the
> comparison and a value of john* to search for fields beginning
> with john (the * matches any number of characters). Here are
> a few variations:
>
> john matches john exactly
> =john matches john exactly
> =john* matches fields starting with john
> =*john matches fields ending with john
> =*john* matches fields with john anywhere
>
> 73 de W3GERry

1326. Printing custom labels

Yahoo group: XMLog
Date: 2005-02-06 18:56:56 UTC
From: Jim Henry
Topic: 1326 Message: 1326

Hello

I have set my XMLog to print directly on to my QSL cards. The page size is set to 6x4 with one record on a page. When I click on the print qsl label command a pop-up window tells me to use the file/print set-up command to set the printer page size to 6x4 or to press the ok button to continue using the existing page size which is A4. I am unable to access the file/print set-up command whilst this pop-up window is displayed but if I close it, it then cancels the print job. Any ideas how I overcome this problem?

I am using XMLog version 4.90

73 de Jim, GI0DVU
www.qsl.net/gi0dvu

I am using the free version of SPAMfighter for private users.
It has removed 3265 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.8.5 - Release Date: 03/02/2005

[Non-text portions of this message have been removed]

1327. Re: [XMLog] Printing custom labels

Yahoo group: XMLog
Date: 2005-02-06 19:42:53 UTC
From: W3GERry
Topic: 1326 Message: 1327

----- Original Message -----
From: "Jim Henry" <jim.henry@...>
> ... a pop-up window tells me to use the file/print set-up
> command to set the printer page size to 6x4

It seems to want your printer to be in the opposite
orientation (portrait/landscape) from what it is.

Try this:
Open the OPTIONS menu and click QSL LABELS LAYOUT. With the
QSL LABELS tab selected, in the ORIENTATION pane on the right
select the opposite orientation from the default one.
(Otherwise you'll have to do as the pop-up windows direct--
go back to SquareOne, select the print setup menu, and change
it there.)

Hope it helps.
73 de W3GERry

1328. Re: [XMLog] Re: Log Queries, another GREAT option

Yahoo group: XMLog
Date: 2005-02-07 05:10:26 UTC
From: Scott Stembaugh
Topic: 1311 Message: 1328

That is a cool feature. I am sure there is a better way but I also found a quicj way to pull up qso's since a particular date - in the date field ">01/17/05"

This is a great progam!

-73,
--scott

On Sun, 06 Feb 2005 13:46:05 -0000, Al Ludwick <n4zzk@...> wrote:
>
> Scott,
> Starting with version 4.84, there is another search option for the
> wild card searches. The quoted text below is from the "change
> notes" on version 4.84.
>
> "There is a new form for search keys when you want to search for
> log records containing a certain string anywhere in the field.
> The old technique was to use a wildcard of the form =*xyz* to
> find all log records that contained xyz in the field. You can
> now also use a search key of the form ~xyz to save some typing."
>
> I use this feature, coupled with one of my "programmed" function
> keys to do a quick log search when starting a qso. Here is how I use
> it. I enter a few characters of the call into the call field.
> Usually the first few, such as "F8Z" so the program shows the
> country and bearing. The I press one of my programmed function
> keys. The function key is programmed to:
> - move the cursor back to the beginning of the call field
> - insert the tilde
> - insert an "enter" character
>
> So by entering a few characters of the call and pressing one key
> (the function key), the program does a quick search. Of course, it
> also works for the other searchable fields.
>
> (yes, I could accomplish the same thing with a bit
> more "programming" of the function key to insert the old sequence.
> When I asked Mike about a quicker way to do the searches, I
> originally hoped the new feature would be implemented so that the
> user could just enter a special character, such as a period, at
> the end of the call and accomplish the same thing. When it was
> released using the tilde, which must be entered at the beginning of
> the field and also requires pressing the shift key to get the tilde,
> I started looking for ways to speed up the process and developed the
> programmable function key solution. The program I use to set the

> function key data is avaliable at www.regsoft.com/keys)
>
> At any rate, this feature is very nice and I've been using it daily
> for several months now. Thank to Mike for a great program.
>
> 73, Al
>
>
>
>
> > ----- Original Message -----
> > From: "Scott" <radio.n9ljx@g...>
> > > How does one do a log search on a partial call? ie How can
> > I select all the N9*'s I have in the log?
> >
> > With a search key of
> > =N9*
> >
> > The following is from the HELP file:
> >
> > A simple wildcard for the Name field could provide = as the
> > comparison and a value of john* to search for fields beginning
> > with john (the * matches any number of characters). Here are
> > a few variations:
> >
> > john matches john exactly
> > =john matches john exactly
> > =john* matches fields starting with john
> > =*john matches fields ending with john
> > =*john* matches fields with john anywhere
> >
> > 73 de W3GERry
>
>
>
>
> _____
> Yahoo! Groups Links
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

N9LJX
radio.n9ljx@...

1329. lookup problem

Yahoo group: XMLog
Date: 2005-02-09 03:51:35 UTC
From: N7MAL
Topic: 1329 Message: 1329

When I double-click on VP2V/K1ZZ, in the packet window, it says can't find VP2V and no QSO's found. When I right click on the same entry and click on show all QSO's it shows the previous QSO's just fine. I tried the same test with PJ7/ND5S & FO/N6JA and they worked just fine.
Any Clues..??..

TKS 73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

1330. Re: lookup problem

Yahoo group: XMLog
Date: 2005-02-10 16:16:30 UTC
From: Mike McAmis
Topic: 1329 Message: 1330

Hi Mal, What version are you using. I made some changes recently (versions 485 and 4.86) that should fix this problem. You can try the current version available at www.xmlog.com/beta

Mike - W1ECT

> When I double-click on VP2V/K1ZZ, in the packet window, it says can't find VP2V and no QSO's found. When I right click on the same entry and click on show all QSO's it shows the previous QSO's just fine. I tried the same test with PJ7/ND5S & FO/N6JA and they worked just fine.
have been removed]

1331. Re: [XMLog] Re: lookup problem

Yahoo group: XMLog
Date: 2005-02-11 17:58:52 UTC
From: N7MAL
Topic: 1329 Message: 1331

Thanks for the reply Mike. I'm using 4.78
73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Thursday, February 10, 2005 16:16
Subject: [XMLog] Re: lookup problem

Hi Mal, What version are you using. I made some changes recently
(versions 485 and 4.86) that should fix this problem. You can try the
current version available at www.xmlog.com/beta

Mike - W1ECT

> When I double-click on VP2V/K1ZZ, in the packet window, it says
can't find VP2V and no QSO's found. When I right click on the same
entry and click on show all QSO's it shows the previous QSO's just
fine. I tried the same test with PJ7/ND5S & FO/N6JA and they worked
just fine.
have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1332. Font

Yahoo group: XMLog
Date: 2005-02-12 01:58:01 UTC
From: John P Smith
Topic: 1332 Message: 1332

Anyone know which Font I should use in the Packet window so that I
get a slashed 0? 6O0CW and others are hard to figure some times hi hi

73
John - KI4RO

1333. Re: [XMLog] Font

Yahoo group: XMLog
Date: 2005-02-12 02:52:37 UTC
From: Bruce Ferry
Topic: 1332 Message: 1333

I personally like Andale Mono myself.

Also see: http://www.k8zt.com/zero.html for a wealth of other options.

John P Smith wrote:
>
> Anyone know which Font I should use in the Packet window so that I
> get a slashed 0? 6O0CW and others are hard to figure some times hi hi
>
> 73
> John - KI4RO
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>

--
Bruce Ferry, AK8B

1334. Printing mailing addresses directly on backs of QSL cards

Yahoo group: XMLog
Date: 2005-02-12 03:23:42 UTC
From: W3GERry
Topic: 1334 Message: 1334

I've long since deleted all the posts, but around three months ago someone asked if there's a way to print four QSL cards to a sheet of card stock, then print the four addresses on the other side.

The problem was that after you print the QSL cards in
1 2
3 4
order on one side, when you print the addresses in that order on the other side it's really
2 1
4 3
order relative to the QSL-card side.

FWIW, I've now thought of a way to do it that I find to be reasonably convenient:

1. Cut the card stock in half to make 5.5x8.5 sheets
2. Make a page layout specifying ONE column of two rows on these "half-sheet". (You can edit this page layout and your regular page layout into the library LABELS.INI, and just call the needed one from the library.)
3. Print all your QSLs on the 5.5x8.5 sheets.
4. Put the sheets back in the printer, oriented to print the second side. (On my HP PSC-500 printer I also have to reverse the order of sheets-- you may not have to, depending on how your printer stacks output.)
5. Print all your mailing labels.

It's similar to the method Mike proposed at the time, but instead of cutting the stock in half, that method was to print two cards on a full-size sheet, then the two corresponding addresses, then two more cards, then those two corresponding addresses.

73 de W3GERry

P.S. For reference, here are two layouts I edited in to LABELS.INI. The one named QSLsheet is my regular one for printing four cards toa full sheet. The one named QSLhalfsheet is the new one for printing two cards on a cut sheet.

```
[QSLsheet]
;Prints 4 QSLs to a
; 11x8.5 sheet of card stock, landscape orientation
LabelInches=1
```

```
LabelVMargin=1.2
LabelHMargin=0
LabelVSpace=3.5
LabelHSpace=5.5
LabelHCount=2
LabelVCount=2
LabelHPage=11
LabelVPage=8.5

[QSLhalfsheet]
;Prints 2 QSLs to a
; 5.5x8.5 sheet of card stock, portrait orientation
LabelInches=1
LabelVMargin=1.35
LabelHMargin=0
LabelVSpace=3.5
LabelHSpace=5.5
LabelHCount=1
LabelVCount=2
LabelHPage=5.5
LabelVPage=8.5
```

1335. Re: [XMLog] Font

Yahoo group: XMLog
Date: 2005-02-12 03:38:39 UTC
From: N7MAL
Topic: 1332 Message: 1335

This guy has a great collection of slashed zero fonts. http://www.k8zt.com/
Everyone will have a favorite but in my case, being visually impaired, ProFont works best in Mlog. In DXTelnet I use Mincho Light. Follow his instructions for installing and you will have no problems.
Good Luck 73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
----- Original Message -----
From: John P Smith
To: XMLog@yahoogroups.com
Sent: Saturday, February 12, 2005 1:58
Subject: [XMLog] Font

Anyone know which Font I should use in the Packet window so that I
get a slashed 0? 6O0CW and others are hard to figure some times hi hi

73
John - KI4RO

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1336. Re: [XMLog] Printing mailing addresses directly on backs of QSL cards

Yahoo group: XMLog
Date: 2005-02-12 05:06:30 UTC
From: W3GERry
Topic: 1334 Message: 1336

> 4. Put the sheets back in the printer, oriented to print
the
> second side. (On my HP PSC-500 printer I also have to
reverse
> the order of sheets--

Hold the phone! I just found the "Ordered Printing" option
for the PSC-500 printer setup.

Now if we can just get Mike to put that in as an option on the
Labels Layout window, like he put in the Orientation
option.......;-)

73 de W3GERry

1337. Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 04:08:37 UTC
From: dakotaphotog
Topic: 1337 Message: 1337

I've been a XMlog user for the last few months, and I love it. My computer is constantly online (I love cable too!) so I've taken advantage of the Callbook lookup on QRZ.com. Great feature. But over the last couple weeks, something's changed. I cannot seem to get the online lookup feature to work. It can't find the names, gives me a "Can't get data from QRZ.com - Request timed out" pop-up screen. Thought maybe it was a temporary problem on the QRZ.com site, but now I'm beginning to wonder. I can look up calls manually on the QRZ site, but it no longer works thru XMlog. Is there a subscription service I need, or what? Don't know what other info you may need (I use Mozilla as a browser) but can someone give me an idea what's wrong?
Craig
WB0GFZ

1338. RE: [XMLog] Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 14:44:15 UTC
From: Jim Henry
Topic: 1337 Message: 1338

I also get this problem from time to time but it usually clears itself.
However on a couple of occasions I had to close XMLog then re-open to
resolve the problem.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
-----Original Message-----
From: dakotaphotog [mailto:craig@...]
Sent: 13 February 2005 04:09
To: XMLog@yahoogroups.com
Subject: [XMLog] Timing Out, Something's Changed

I've been a XMlog user for the last few months, and I love it. My
computer is constantly online (I love cable too!) so I've taken
advantage of the Callbook lookup on QRZ.com. Great feature. But over
the last couple weeks, something's changed. I cannot seem to get the
online lookup feature to work. It can't find the names, gives me a
"Can't get data from QRZ.com - Request timed out" pop-up screen.
Thought maybe it was a temporary problem on the QRZ.com site, but now
I'm beginning to wonder. I can look up calls manually on the QRZ
site, but it no longer works thru XMlog. Is there a subscription
service I need, or what? Don't know what other info you may need (I
use Mozilla as a browser) but can someone give me an idea what's wrong?
Craig
WB0GFZ

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

I am using the free version of SPAMfighter for private users.
It has removed 3342 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.300 / Virus Database: 265.8.7 - Release Date: 10/02/2005

[Non-text portions of this message have been removed]

1339. Re: [XMLog] Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 15:40:11 UTC
From: W3GERry
Topic: 1337 Message: 1339

----- Original Message -----
From: "dakotaphotog" <craig@...>
> ... But over
> the last couple weeks, something's changed. I cannot seem to get the
> online lookup feature to work.

FWIW--
I use the online lookup feature, and haven't had any problem in about a year.

73 de W3GERry

1340. RE: [XMLog] Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 15:45:38 UTC
From: Howard G. Baker
Topic: 1337 Message: 1340

I have the same thing happening from time to time. It appears to happen when qrz may be busy. If you click OK the lookup usually appears even though you get the flag. There is no subscription or anything like that. They do like donations. You can do it with PayPal. 73, Howard, K8NHR

-----Original Message-----
From: dakotaphotog [mailto:craig@...]
Sent: Saturday, February 12, 2005 11:09 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Timing Out, Something's Changed

I've been a XMlog user for the last few months, and I love it. My computer is constantly online (I love cable too!) so I've taken advantage of the Callbook lookup on QRZ.com. Great feature. But over the last couple weeks, something's changed. I cannot seem to get the online lookup feature to work. It can't find the names, gives me a "Can't get data from QRZ.com - Request timed out" pop-up screen. Thought maybe it was a temporary problem on the QRZ.com site, but now I'm beginning to wonder. I can look up calls manually on the QRZ site, but it no longer works thru XMlog. Is there a subscription service I need, or what? Don't know what other info you may need (I use Mozilla as a browser) but can someone give me an idea what's wrong?
Craig
WB0GFZ

Yahoo! Groups Sponsor
ADVERTISEMENT

<http://us.ard.yahoo.com/SIG=129fhdlps/M=298184.6018725.7038619.3001176/D=groups/S=1705063108:HM/EXP=1108391692/A=2532114/R=2/SIG=12kkf18rj/*http://clk.atdmt.com/NFX/go/yhxxxnfx0020000014nfx/direct/01/&time=1108305292729484>

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1341. Re: Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 20:34:54 UTC
From: dakotaphotog
Topic: 1337 Message: 1341

Thanks for your input guys, but everything you've suggested, I've already tried. And just for the record, it has been exactly two weeks, and I have not logged any addresses (I double checked, they're NOT there). I CAN get the addresses manually from QRZ.com. I've closed and re-opened the XMlog program, I've rebooted the computer, even rebooting from a complete shutdown doesn't seem to do the trick. Any other ideas would be appreciated.
Craig
WB0GFZ

--- In XMLog@yahoogroups.com, "dakotaphotog" <craig@c...> wrote:
>
>
> I've been a XMlog user for the last few months, and I love it. My
> computer is constantly online (I love cable too!) so I've taken
> advantage of the Callbook lookup on QRZ.com. Great feature. But over
> the last couple weeks, something's changed. I cannot seem to get the
> online lookup feature to work. It can't find the names, gives me a
> "Can't get data from QRZ.com - Request timed out" pop-up screen.
> Thought maybe it was a temporary problem on the QRZ.com site, but now
> I'm beginning to wonder. I can look up calls manually on the QRZ
> site, but it no longer works thru XMlog. Is there a subscription
> service I need, or what? Don't know what other info you may need (I
> use Mozilla as a browser) but can someone give me an idea what's wrong?
> Craig
> WB0GFZ

1342. Re: [XMLog] Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 22:28:04 UTC
From: N7MAL
Topic: 1337 Message: 1342

I'm really surprised, (no depressed), that no one has given you the solution. The problem actually began showing up a couple of months ago with other software. and when it first happened to MLog it was easy to identify.
Turn-off/disable your firewall, most probably Norton, but the latest up-date from Micro-Junk also screws around with port 23. Every time I enable Norton, every time, 100% of the time, MLog can no longer contact QRZ, even though Mlog is enabled inside Norton.
I have a router so I have no need for a firewall.
Good Luck 73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: dakotaphotog
To: XMLog@yahoogroups.com
Sent: Sunday, February 13, 2005 4:08
Subject: [XMLog] Timing Out, Something's Changed

I've been a XMlog user for the last few months, and I love it. My computer is constantly online (I love cable too!) so I've taken advantage of the Callbook lookup on QRZ.com. Great feature. But over the last couple weeks, something's changed. I cannot seem to get the online lookup feature to work. It can't find the names, gives me a "Can't get data from QRZ.com - Request timed out" pop-up screen. Thought maybe it was a temporary problem on the QRZ.com site, but now I'm beginning to wonder. I can look up calls manually on the QRZ site, but it no longer works thru XMlog. Is there a subscription service I need, or what? Don't know what other info you may need (I use Mozilla as a browser) but can someone give me an idea what's wrong?
Craig
WB0GFZ

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1343. Re: [XMLog] Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 22:34:33 UTC
From: W3GERry
Topic: 1337 Message: 1343

----- Original Message -----
From: "N7MAL" <n7mal@...>

> I'm really surprised, (no depressed), that no one has given you the solution. The problem actually began showing up a couple of months ago with other software. and when it first happened to MLog it was easy to identify.
> Turn-off/disable your firewall, most probably Norton, but the latest up-date from Micro-Junk also screws around with port 23. Every time I enable Norton, every time, 100% of the time, MLog can no longer contact QRZ, even though Mlog is enabled inside Norton.

Just for the record, I run successfully under the ZoneAlarm firewall (set to HIGH security level).

73 de W3GERry

1344. Re: [XMLog] Timing Out, Something's Changed

Yahoo group: XMLog
Date: 2005-02-13 22:54:25 UTC
From: N7HIY
Topic: 1337 Message: 1344

running XP with latest security updates, XMlog, ZoneAlarm freeware firewall
and a Linksys cable router with firewall on over comcast. worked out of the
box on XMLog
Cliff
----- Original Message -----
From: "N7MAL" <n7mal@...>
To: <XMLog@yahoogroups.com>
Cc: <craig@...>
Sent: Sunday, February 13, 2005 14:28 PM
Subject: Re: [XMLog] Timing Out, Something's Changed

>
> I'm really surprised, (no depressed), that no one has given you the
> solution. The problem actually began showing up a couple of months ago
> with other software. and when it first happened to MLog it was easy to
> identify.
> Turn-off/disable your firewall, most probably Norton, but the latest
> up-date from Micro-Junk also screws around with port 23. Every time I
> enable Norton, every time, 100% of the time, MLog can no longer contact
> QRZ, even though Mlog is enabled inside Norton.
> I have a router so I have no need for a firewall.
> Good Luck 73
>
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
>
>
> ----- Original Message -----
> From: dakotaphotog
> To: XMLog@yahoogroups.com
> Sent: Sunday, February 13, 2005 4:08
> Subject: [XMLog] Timing Out, Something's Changed
>
>
>
>
>
> I've been a XMlog user for the last few months, and I love it. My
> computer is constantly online (I love cable too!) so I've taken
> advantage of the Callbook lookup on QRZ.com. Great feature. But over
> the last couple weeks, something's changed. I cannot seem to get the
> online lookup feature to work. It can't find the names, gives me a
> "Can't get data from QRZ.com - Request timed out" pop-up screen.
> Thought maybe it was a temporary problem on the QRZ.com site, but now

> I'm beginning to wonder. I can look up calls manually on the QRZ
> site, but it no longer works thru XMlog. Is there a subscription
> service I need, or what? Don't know what other info you may need (I
> use Mozilla as a browser) but can someone give me an idea what's wrong?
> Craig
> WB0GFZ
>
>
>
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> ---
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0506-1, 02/11/2005
Tested on: 2/13/2005 2:54:26 PM
avast! - copyright (c) 2000-2004 ALWIL Software.
http://www.avast.com

1345. Re: Font

Yahoo group: XMLog
Date: 2005-02-14 16:36:54 UTC
From: Mike McAmis
Topic: 1332 Message: 1345

Hi, Thanks for the note about http://www.k8zt.com/zero.html - Good to see this info collected in one place along with the useful explanations.

I've tried out the mono-spaced fonts provided on this page using my packet window and have included a couple of comments. Remember that results may vary with different monitor resolutions (I'm using 1024 by 768 here).

Fonts from the k8zt page, best to worst:

Anadale Mono - OK but a bit jagged regardless of the Size setting.

Sheldon 8, 9 - Looks good with Size=9 but is a bit small for my tastes. The mono-spacing is not quite right with Size=8. Also the lower case "a" is off a bit in it's vertical alignment!

Crystal - Looks OK with Size=10 or 11 but a bit jagged.

ProggyClean - Looks OK with Size=11 or 12 but sometimes characters can interfere with each other (like MM).

ProggyTiny - Looks good but small with Size=11.

ProggySquare - OK with Size=12 but crowded vertically.

Crisp - Not bad, has a compressed look at smaller sizes and poor at large sizes. Looks best with Size=11.

ProFontWINdows - OK at Size=9.

T92PlusPC - OK at larger sizes 11, 12 but a bit jagged.

Ham, Ham Gothic, Ham Mincho - Jagged, crowded.

Standard Windows fonts:

FixedSys - Nice bold look.

Terminal - OK bold look at Size=9, very nice at large sizes 12 and 14.

Courier New - My favorite packet font (at Size=9) but without unique zeroes and O's. Looks good with any Size and with Bold enabled. I once tried to create my own version of this font using some freeware font editors. My first try was to edit the current definition of zero but the results were always ugly. I then tried to replace the definition of zero with the definition for the "ALT 0216" character which is included in Courier New but none of the editors I tried would allow me to do this. I should probably give this another try

someday.

Mike - W1ECT

1346. Re: Font

Yahoo group: XMLog
Date: 2005-02-16 22:28:56 UTC
From: ednsearl
Topic: 1332 Message: 1346

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:

> Standard Windows fonts:
>
> FixedSys - Nice bold look.
>
> Terminal - OK bold look at Size=9, very nice at large sizes 12 and 14.
>
> Courier New - My favorite packet font (at Size=9) but without unique
> zeroes and O's. Looks good with any Size and with Bold enabled.

I agree with Mike on this, I also have looked here for other slash
zero fonts.

http://www.qsl.net/wa6axe/fonts.html

YMMV, I prefer to use Terminal not only for packet, but printing QSL
labels.

Ed W3NR

1347. FT-817

Yahoo group: XMLog
Date: 2005-02-18 14:51:44 UTC
From: k0amznco
Topic: 1347 Message: 1347

My XM Log does not read from my computer, Power/Frequency/Mode. My interface cable does work with FT-817 commander and my W4 one touch tunner. Any ideas what I am doing incorrect??
73 de Galen
K0AMZ

1348. Re: [XMLog] FT-817

Yahoo group: XMLog
Date: 2005-02-18 17:03:17 UTC
From: Scott Stembaugh
Topic: 1347 Message: 1348

I am having the same problem with my ft-900. I can set the radio freq
fine from the packet window but when just logging a qso it is not
filling in the freq field.

--sas

On Fri, 18 Feb 2005 14:51:44 -0000, k0amznco <K0AMZ@...> wrote:
>
> My XM Log does not read from my computer, Power/Frequency/Mode. My
> interface cable does work with FT-817 commander and my W4 one touch
> tunner. Any ideas what I am doing incorrect??
> 73 de Galen
> K0AMZ
>
>
>
>
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
> Yahoo! Groups Links
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

N9LJX
radio.n9ljx@...

1349. Asiatic Russian prefixes

Yahoo group: XMLog
Date: 2005-02-28 09:21:51 UTC
From: Dave Sergeant
Topic: 1349 Message: 1349

Yesterday, while working a few slots in the UBA contest (which appeared to be dominated here in G land by the Russians..) I noticed that some of the Asiatic Russian stations were being incorrectly identified as being European Russia. Looking at the countries list (prefixes, prefixes.new) I see that there is a long but not complete listing of the R*9 prefixes which are shown as Asiatic Russia but it is not complete. In particular RF9,RG9, RN9, and RY9 are omitted. So contest stations like RG9A show as European. Ideally anything with a call R*9* or R*0* should be Asiatic. I have amended my files to include these.

I am in fact using XMLog 4.56 as I have never seen need to update, so maybe this has been changed in current versions. Are up to date country/prefix lists seperately available? And why are there seperate prefixes and prefixes.new files, are they both used?

73 Dave G3YMC

http://www.davesergeant.com

1350. Ver 4.84

Yahoo group: XMLog
Date: 2005-02-28 04:16:40 UTC
From: jhg_2
Topic: 1350 Message: 1350

I see references to Version 4.84 ut the site still shows 4.79..Is there a new support site?

John

1351. Re: Asiatic Russian prefixes

Yahoo group: XMLog
Date: 2005-02-28 15:56:12 UTC
From: Mike McAmis
Topic: 1349 Message: 1351

Hi Dave, I appreciate any updates that reflect current usage of prefixes. I'll update the UA9 prefixes in the next version.

Mike - W1ECT

> Yesterday, while working a few slots in the UBA contest (which
> appeared to be dominated here in G land by the Russians..) I noticed
> that some of the Asiatic Russian stations were being incorrectly
> identified as being European Russia. Looking at the countries list
> (prefixes, prefixes.new) I see that there is a long but not complete
> listing of the R*9 prefixes which are shown as Asiatic Russia but it
> is not complete. In particular RF9,RG9, RN9, and RY9 are omitted. So
> contest stations like RG9A show as European. Ideally anything with a
> call R*9* or R*0* should be Asiatic. I have amended my files to
> include these.
>
> I am in fact using XMLog 4.56 as I have never seen need to update, so
> maybe this has been changed in current versions. Are up to date
> country/prefix lists seperately available? And why are there seperate
> prefixes and prefixes.new files, are they both used?
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com

1352. Re: Ver 4.84

Yahoo group: XMLog
Date: 2005-02-28 15:56:58 UTC
From: Mike McAmis
Topic: 1350 Message: 1352

Hi John, The current beta version is available at www.xmlog.com/beta

Mike - W1ECT

> I see references to Version 4.84 ut the site still shows 4.79..Is
> there a new support site?
>
> John

1353. XMLog & microHam USB Interface

Yahoo group: XMLog
Date: 2005-03-05 18:02:11 UTC
From: w3hq
Topic: 1353 Message: 1353

I really enjoy XMLog. It has everything I at this time. One feature I have yet to get operational is KB CW and rig control at the same time. My laptop only has USB so I started with an "off the shelf" USB - Serial converter. It worked well controling my K2/100. To use KB CW I realized I needed andother COM port. I ordered the microHam and it works well, without RF hash, but I have yet to figure out how to get the virtual second COM port.

If any one out there has cracked the code, please me know. Admittedly, I am a knucklehead when it comes to computers so I may need a detailed suggestion. Thanks

73 de Curt, W3HQ

1354. Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 15:45:34 UTC
From: D.W. Jones
Topic: 1349 Message: 1354

I'm sure this is right in front of me, but I can't seem to find it in 'HELP'. On the Packet Spots History screen, in the "NEEDED" column, I am guessing that "+" means "worked but no QSL sent" and * means "QSL sent, but none received". Can someone please either confirm this or straighten me out.

Thanks and 73 - Don N4TN

1355. Re: [XMLog] Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 16:09:08 UTC
From: Steve Litwins
Topic: 1349 Message: 1355

Yes Don...u have it exactly right. It's in the help section as
well...gl...73/dx
steve, k8wk
****
----- Original Message -----
From: "D.W. Jones" <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 06, 2005 9:45 AM
Subject: [XMLog] Spots History 'Needed' column

>
> I'm sure this is right in front of me, but I can't seem to find it in
> 'HELP'. On the Packet Spots History screen, in the "NEEDED" column, I
> am guessing that "+" means "worked but no QSL sent" and * means "QSL
> sent, but none received". Can someone please either confirm this or
> straighten me out.
>
> Thanks and 73 - Don N4TN
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1356. Re: [XMLog] Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 16:32:42 UTC
From: D.W. Jones
Topic: 1349 Message: 1356

Steve -

Thanks for your help. I still can't find it in the Help screens, but I am sure that I'll remember it now.

73/DX - Don N4TN

1357. Re: [XMLog] Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 16:55:15 UTC
From: Steve Litwins
Topic: 1349 Message: 1357

Hi Don;
Look at help screens at "packet cluster alerts" in "using the packet window"
and its in there explaining about the plus sign and the star sign
significance...gl...let me know if u cannot decipher this
gibberish...hi...73/dx
steve, k8wk
****
----- Original Message -----
From: "D.W. Jones" <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 06, 2005 10:32 AM
Subject: Re: [XMLog] Spots History 'Needed' column

>
> Steve -
>
> Thanks for your help. I still can't find it in the Help screens, but I
> am sure that I'll remember it now.
>
> 73/DX - Don N4TN
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1358. Re: [XMLog] Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 16:59:02 UTC
From: Steve Litwins
Topic: 1349 Message: 1358

Don...here is the complete path:
Help
display help
using the packet window
packet cluster (TM) support
packet cluster alerts
dx status line display...hope this gets u there...gl...73/dx
steve, k8wk
****
----- Original Message -----
From: "D.W. Jones" <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 06, 2005 10:32 AM
Subject: Re: [XMLog] Spots History 'Needed' column

>
> Steve -
>
> Thanks for your help. I still can't find it in the Help screens, but I
> am sure that I'll remember it now.
>
> 73/DX - Don N4TN
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1359. Re: [XMLog] Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 17:15:45 UTC
From: D.W. Jones
Topic: 1349 Message: 1359

Steve -

You are exactly right! I don't display the QSL status lines on my packet window so I didn't think of looking there.

Yer a good man Steve!

TNX & 73 - Don

1360. Re: FT-900

Yahoo group: XMLog
Date: 2005-03-06 17:16:26 UTC
From: Mike McAmis
Topic: 1347 Message: 1360

I was told at some point that the FT-900 used the same CAT commands as the 890 and 840. I've done some web searching and the only info I've found mentions that the "update" command that gets data from the rig is "80 02" which isn't the same as the 890/840 (which is "10 02"). Does your manual have documentation on the CAT commands, and if so can you make a copy and send them to me?

Mike - W1ECT

> I am having the same problem with my ft-900. I can set the radio freq
> fine from the packet window but when just logging a qso it is not
> filling in the freq field.

1361. Re: FT-817

Yahoo group: XMLog
Date: 2005-03-06 17:21:48 UTC
From: Mike McAmis
Topic: 1347 Message: 1361

Hi Galen, Not sure what the problem might be. The FT-817 supposedly uses the same CAT command set as the 857 and 897 and my 857 seems to work OK both getting and setting the mode/frequency. Can you set the mode/frequency using the packet window? You should also double-check that the baud rate in the "Options/Packet Options" matches the baud rate setting for your rig.

Mike - W1ECT

> My XMLog does not read from my computer, Power/Frequency/Mode. My
> interface cable does work with FT-817 commander and my W4 one touch
> tunner. Any ideas what I am doing incorrect??
> 73 de Galen K0AMZ

1362. Re: [XMLog] Spots History 'Needed' column

Yahoo group: XMLog
Date: 2005-03-06 20:56:24 UTC
From: Steve Litwins
Topic: 1349 Message: 1362

My pleasure Don...73/dx
steve, k8wk
****
----- Original Message -----
From: "D.W. Jones" <n4tn@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 06, 2005 11:15 AM
Subject: Re: [XMLog] Spots History 'Needed' column

>
> Steve -
>
> You are exactly right! I don't display the QSL status lines on my packet
> window so I didn't think of looking there.
>
> Yer a good man Steve!
>
> TNX & 73 - Don
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1363. TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-07 20:16:36 UTC
From: br_griffin
Topic: 1363 Message: 1363

I noticed in this weekend's ARRL contest that the TO5A call was
mis-identified as France and not Martinique.

Burton - wb6cyk

1364. RE: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-07 21:13:55 UTC
From: Jim Henry
Topic: 1363 Message: 1364

Comes up ok in my version of XMLog...using Version 4.90 here

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
-----Original Message-----
From: br_griffin [mailto:br_griffin_7@...]
Sent: 07 March 2005 20:17
To: XMLog@yahoogroups.com
Subject: [XMLog] TO5A call not Identified as Martinique

I noticed in this weekend's ARRL contest that the TO5A call was
mis-identified as France and not Martinique.

Burton - wb6cyk

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

I am using the free version of SPAMfighter for private users.
It has removed 3629 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 07/03/2005

[Non-text portions of this message have been removed]

1365. Re: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-07 23:15:14 UTC
From: N7MAL
Topic: 1363 Message: 1365

Where was it mis-identified..??.. It works perfectly in MLOG(you probably just saw my tests on packet) MLOG knows where TO5 is located.
73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: br_griffin
To: XMLog@yahoogroups.com
Sent: Monday, March 07, 2005 20:16
Subject: [XMLog] TO5A call not Identified as Martinique

I noticed in this weekend's ARRL contest that the TO5A call was
mis-identified as France and not Martinique.

Burton - wb6cyk

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1366. Re: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-07 23:29:49 UTC
From: D.W. Jones
Topic: 1363 Message: 1366

N7MAL, it may work perfectly in YOUR Mlog but in my version 4.91 doing
an add of TO5A creates a log entry for France.

- Don N4TN

N7MAL wrote:

> Where was it mis-identified..??.. It works perfectly in MLOG(you
> probably just saw my tests on packet) MLOG knows where TO5 is located.
> 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> <http://www.ctaz.com/%7Esuzyq/N7mal.htm>
>
> ----- Original Message -----
> From: br_griffin
> To: XMLog@yahoogroups.com
> Sent: Monday, March 07, 2005 20:16
> Subject: [XMLog] TO5A call not Identified as Martinique
>
>
>
> I noticed in this weekend's ARRL contest that the TO5A call was
> mis-identified as France and not Martinique.
>
> Burton - wb6cyk
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
>
> ---
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:

> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
> <http://us.ard.yahoo.com/SIG=1296a25tm/M=298184.6018725.7038619.3001176/D=groups/S=17050
63108:HM/EXP=1110323806/A=2593423/R=0/SIG=11el9gslf/*http://www.netflix.com/Default?mqso=6
0190075>
>
>
>
> ---
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

1367. Re: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-07 23:38:12 UTC
From: D.W. Jones
Topic: 1363 Message: 1367

Likewise entering TO4WW (Juan De Nova), TO0O (Martinique) or TO0R (Reunion) all are defaulted to France. I have never seen anything that assigns these calls to a specific entity other than France and I don't see how MLOG can make an accurate identification. TO0R and TO0O are obviously conflicts.

73 - Don N4TN

D.W. Jones wrote:

> N7MAL, it may work perfectly in YOUR Mlog but in my version 4.91 doing
> an add of TO5A creates a log entry for France.
>
> - Don N4TN
>
>
> N7MAL wrote:
>
> > Where was it mis-identified..??.. It works perfectly in MLOG(you
> > probably just saw my tests on packet) MLOG knows where TO5 is located.
> > 73
> >
> > MAL N7MAL
> > BULLHEAD CITY, AZ
> > http://www.ctaz.com/~suzyq/N7mal.htm
> <http://www.ctaz.com/%7Esuzyq/N7mal.htm>
> > <http://www.ctaz.com/%7Esuzyq/N7mal.htm>
> >
> > ----- Original Message -----
> > From: br_griffin
> > To: XMLog@yahoogroups.com
> > Sent: Monday, March 07, 2005 20:16
> > Subject: [XMLog] TO5A call not Identified as Martinique
> >
> >
> >
> > I noticed in this weekend's ARRL contest that the TO5A call was
> > mis-identified as France and not Martinique.
> >
> > Burton - wb6cyk
> >
> >
> >
> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT

> >
> >
> >
> >
> >
> >
> ---
> > Yahoo! Groups Links
> >
> > a.. To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > b.. To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> >
> > c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> > Service.
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT
> >
> <http://us.ard.yahoo.com/SIG=1296a25tm/M=298184.6018725.7038619.3001176/D=groups/S=17050
63108:HM/EXP=1110323806/A=2593423/R=0/SIG=11el9gslf/*http://www.netflix.com/Default?mqso=6
0190075>
>
> >
> >
> >
> > ---
> > Yahoo! Groups Links
> >
> > * To visit your group on the web, go to:
> > http://groups.yahoo.com/group/XMLog/
> >
> > * To unsubscribe from this group, send an email to:
> > XMLog-unsubscribe@yahoogroups.com
> > <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
> >
> > * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> > Service <http://docs.yahoo.com/info/terms/>.
> >
> >
>
>
>

>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
> <http://us.ard.yahoo.com/SIG=129l6psdb/M=298184.6018725.7038619.3001176/D=groups/S=17050
63108:HM/EXP=1110324610/A=2593423/R=0/SIG=11el9gslf/*http://www.netflix.com/Default?mqso=6
0190075>
>
>
>
> ---
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

[Non-text portions of this message have been removed]

1368. Re: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-08 00:24:07 UTC
From: N7MAL
Topic: 1363 Message: 1368

There is probably something corrupt in the prefix file. I haven't used a new prefix file for a long time. I keep mine up-to-date manually and because I'm visually impaired I needed special requirements in the prefix file.
You can update the prefix by clicking on DX and then country list.
73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: D.W. Jones
To: XMLog@yahoogroups.com
Sent: Monday, March 07, 2005 23:29
Subject: Re: [XMLog] TO5A call not Identified as Martinique

N7MAL, it may work perfectly in YOUR Mlog but in my version 4.91 doing
an add of TO5A creates a log entry for France.

- Don N4TN

N7MAL wrote:

> Where was it mis-identified..??.. It works perfectly in MLOG(you
> probably just saw my tests on packet) MLOG knows where TO5 is located.
> 73
>
> MAL N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> <http://www.ctaz.com/%7Esuzyq/N7mal.htm>
>
> ----- Original Message -----
> From: br_griffin
> To: XMLog@yahoogroups.com
> Sent: Monday, March 07, 2005 20:16
> Subject: [XMLog] TO5A call not Identified as Martinique
>
>
>
> I noticed in this weekend's ARRL contest that the TO5A call was
> mis-identified as France and not Martinique.
>
> Burton - wb6cyk
>
>

>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> ---
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
> <http://us.ard.yahoo.com/SIG=1296a25tm/M=298184.6018725.7038619.3001176/D=groups/S=17050
63108:HM/EXP=1110323806/A=2593423/R=0/SIG=11el9gslf/*http://www.netflix.com/Default?mqso=6
0190075>
>
>
>
> ---
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/XMLog/
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1369. Re: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-08 00:52:18 UTC
From: D.W. Jones
Topic: 1363 Message: 1369

If there is any provision for updating the country list by clicking on "DX > Show Country List" I sure don't see it. I would be happy to be corrected. You CAN add a specific non-conforming CALLSIGN (not prefix) to the Callsign List by doing "DX > Show Callsign List". This is handy when forthcoming DXpedition callsigns are announced.

73 - Don N4TN

1370. Re: [XMLog] TO5A call not Identified as Martinique

Yahoo group: XMLog
Date: 2005-03-08 00:58:43 UTC
From: N7MAL
Topic: 1363 Message: 1370

In the logging screen click on DX
Next click on callsign list
Next click new

Put in the callsign and the select the country you want associated with it.

Last click again on DX and then click on update.

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: D.W. Jones
To: XMLog@yahoogroups.com
Sent: Tuesday, March 08, 2005 0:52
Subject: Re: [XMLog] TO5A call not Identified as Martinique

If there is any provision for updating the country list by clicking on
"DX > Show Country List" I sure don't see it. I would be happy to be
corrected. You CAN add a specific non-conforming CALLSIGN (not prefix)
to the Callsign List by doing "DX > Show Callsign List". This is handy
when forthcoming DXpedition callsigns are announced.

73 - Don N4TN

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1371. TO7C

Yahoo group: XMLog
Date: 2005-03-08 14:02:02 UTC
From: F. Curtis Lambert
Topic: 1371 Message: 1371

TO7C - French Guiana - comes up FP8 - St. Pierre

Anyone else find that to be true?

Curt, W3HQ

F. Curtis Lambert, Ph.D.

Founder & President

Infonalé, Inc.

610 765 1134 - Office

610 506 9313 - Cell

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

1372. RE: [XMLog] TO7C

Yahoo group: XMLog
Date: 2005-03-08 14:37:44 UTC
From: Jim Henry
Topic: 1371 Message: 1372

Same here

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
-----Original Message-----
From: F. Curtis Lambert [mailto:fclambert@...]
Sent: 08 March 2005 14:02
To: xmlog@yahoogroups.com
Subject: [XMLog] TO7C

TO7C - French Guiana - comes up FP8 - St. Pierre

Anyone else find that to be true?

Curt, W3HQ

F. Curtis Lambert, Ph.D.

Founder & President

Infonalé, Inc.

610 765 1134 - Office

610 506 9313 - Cell

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

I am using the free version of SPAMfighter for private users.
It has removed 3634 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 07/03/2005

[Non-text portions of this message have been removed]

1373. Re: [XMLog] TO7C

Yahoo group: XMLog
Date: 2005-03-08 14:52:27 UTC
From: D.W. Jones
Topic: 1371 Message: 1373

Curt -

I am surprised (no, depressed) to find that mine does exactly the same thing :-)

- Don N4TN

F. Curtis Lambert wrote:

> TO7C - French Guiana - comes up FP8 - St. Pierre
>
>
>
> Anyone else find that to be true?
>
>
>
> Curt, W3HQ

1374. Re: TO7C

Yahoo group: XMLog
Date: 2005-03-08 15:37:07 UTC
From: na5s@zianet.com
Topic: 1371 Message: 1374

Come on guys....... XMLog cannot differentiate between "TO" callsigns or "FO" callsigns or "3D2" callsigns, etc...... just like any other logging program out there. The user needs to input the information on different DXpeditions as to the actual location for DXCC status, in the "callsign list," since many prefixes can accommodate several DXCC entities.

When stations like K7C, due on the air from Kure Atoll in September, there is not one logging program out there that will place it correctly! A little common sense and investigative work on the internet will place most DXpeditions, but the user needs to make changes in XMLog on the callsign list. I find ng3k's "Announced DX Operations" page invaluable at: http://www.ng3k.com/Misc/adxo.html

73 & gud dx de Britt, NA5S/0

1375. Re: TO7C

Yahoo group: XMLog
Date: 2005-03-08 16:28:48 UTC
From: Mike McAmis
Topic: 1371 Message: 1375

XMLog can't automatically determine the DXCC countries for several groups of callsigns that are assigned more or less arbitrarily. This includes 3D2, FO0, TO, VP8 and ZK1. This "problem" should not be handled by hacking the prefixes list, use the "DX/Show Callsign List" menu item to associate specific calls to DXCC countries. I think you'll find that the differences between who is seeing various calls being associated with different countries is due to different entries in the Callsign List - XMLog does not overwrite this list when new versions are installed so people that have installed later versions of XMLog will have different collections of callsigns in this list.

I usually scan my weekly DXCC bulletin from the ARRL looking for 3D2 or TO callsigns or special calls like K7C (Kure) or DX0K (Spratly) and add them to the Callsign list.

Mike - W1ECT

1376. TO7C

Yahoo group: XMLog
Date: 2005-03-08 16:40:30 UTC
From: F. Curtis Lambert
Topic: 1371 Message: 1376

My comments are meant to be constructive and helpful without any critical motives at all. The designer has provided ways to properly change the log, but the Awards DXCC section did not reflect the changes. (It could also be my error too. I am very new to this system.) Knowing that is important for all of us. Without this knowledge we may be in error when we go to submit our award applications.

If and when it is changed . . . well so be it, IF it can even be changed. Some of these calls appear very arbitrary. (No further comments about the French.) But for now, we know and appreciate the opportunity to inform all of our findings.

Again, I 'tip my hat' to Mike, W1ECT, for his excellent work and appreciate his continuing effort to support this product.

Curt, W3HQ

F. Curtis Lambert, Ph.D.

Founder & President

Infonalé, Inc.

610 765 1134 - Office

610 506 9313 - Cell

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

1377. Re: [XMLog] TO7C

Yahoo group: XMLog
Date: 2005-03-08 18:13:31 UTC
From: N7MAL
Topic: 1371 Message: 1377

The awards section 'DOES' reflect the change provided you followed all the rules. Using TO7C as an example: Here is the line in my DXCC awards worked/confirmed

"" FY French Guiana FY5KE FY5KE TO7C "".

I up-dated TO7C in the callsign list prior to working/logging TO7C. If you worked TO7C, or any non-standard prefix, and logged it before you up-dated the callsign list then the only way you can straighten it out is to manually edit the entry.
Mike created a good, simple, system but in order for it to work it must be up-to-date.
73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: F. Curtis Lambert
To: xmlog@yahoogroups.com
Sent: Tuesday, March 08, 2005 16:40
Subject: [XMLog] TO7C

My comments are meant to be constructive and helpful without any critical motives at all. The designer has provided ways to properly change the log, but the Awards DXCC section did not reflect the changes. (It could also be my error too. I am very new to this system.) Knowing that is important for all of us. Without this knowledge we may be in error when we go to submit our award applications.

If and when it is changed . . . well so be it, IF it can even be changed. Some of these calls appear very arbitrary. (No further comments about the French.) But for now, we know and appreciate the opportunity to inform all of our findings.

Again, I 'tip my hat' to Mike, W1ECT, for his excellent work and appreciate his continuing effort to support this product.

Curt, W3HQ

F. Curtis Lambert, Ph.D.

Founder & President

Infonalé, Inc.

610 765 1134 - Office

610 506 9313 - Cell

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1378. Re: [XMLog] TO7C

Yahoo group: XMLog
Date: 2005-03-08 19:17:02 UTC
From: Michael McCarthy
Topic: 1371 Message: 1378

One suggestion would be to have XMLog use AD1C's
country file which get's updated several times a year
and includes zone information as well. You can also
read his file with a text editor and add the entries
yourself.

Mike, W1NR

*** Give Every Man His Dew! ***
Michael A. McCarthy, President
Everest Engineering Corporation
4 Barnes Circle
Marlborough, MA 01752
Voice: (508) 460-6737
Fax: (508) 460-7951

_____
Celebrate Yahoo!'s 10th Birthday!
Yahoo! Netrospective: 100 Moments of the Web
http://birthday.yahoo.com/netrospective/

1379. RE: [XMLog] TO7C

Yahoo group: XMLog
Date: 2005-03-08 19:03:03 UTC
From: F. Curtis Lambert
Topic: 1371 Message: 1379

Great. Thank you so much!

Curt, W3HQ

From: N7MAL [mailto:n7mal@...]
Sent: Tuesday, March 08, 2005 13:14
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] TO7C

The awards section 'DOES' reflect the change provided you followed all the rules. Using TO7C as an example: Here is the line in my DXCC awards worked/confirmed

"" FY French Guiana FY5KE FY5KE
TO7C "".

I up-dated TO7C in the callsign list prior to working/logging TO7C. If you worked TO7C, or any non-standard prefix, and logged it before you up-dated the callsign list then the only way you can straighten it out is to manually edit the entry.
Mike created a good, simple, system but in order for it to work it must be up-to-date.
73

MAL N7MAL
BULLHEAD CITY, AZ
HYPERLINK
"http://www.ctaz.com/~suzyq/N7mal.htm"http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: F. Curtis Lambert
To: xmlog@yahoogroups.com
Sent: Tuesday, March 08, 2005 16:40
Subject: [XMLog] TO7C

My comments are meant to be constructive and helpful without any critical motives at all. The designer has provided ways to properly change the log,
but the Awards DXCC section did not reflect the changes. (It could also be
my error too. I am very new to this system.) Knowing that is important for
all of us. Without this knowledge we may be in error when we go to submit our award applications.

If and when it is changed . . . well so be it, IF it can even be changed.
Some of these calls appear very arbitrary. (No further comments about the
French.) But for now, we know and appreciate the opportunity to inform
all
of our findings.

Again, I 'tip my hat' to Mike, W1ECT, for his excellent work and
appreciate
his continuing effort to support this product.

Curt, W3HQ

F. Curtis Lambert, Ph.D.

Founder & President

Infonalé, Inc.

610 765 1134 - Office

610 506 9313 - Cell

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
HYPERLINK
"http://groups.yahoo.com/group/XMLog/"http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor

ADVERTISEMENT
HYPERLINK
"http://us.ard.yahoo.com/SIG=129uivvtt/M=298184.6018725.7038619.3001176/D=gr
oups/S=1705063108:HM/EXP=1110393629/A=2593423/R=0/SIG=11el9gslf/*http:/www.n

etflix.com/Default?mqso=60190075"click here

HYPERLINK
"http://us.adserver.yahoo.com/l?M=298184.6018725.7038619.3001176/D=groups/S=
:HM/A=2593423/rand=374253671"

Yahoo! Groups Links

* To visit your group on the web, go to:
HYPERLINK
"http://groups.yahoo.com/group/XMLog/"http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
HYPERLINK
"mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe"XMLog-unsubscr
ibe@yahoogroups.com

* Your use of Yahoo! Groups is subject to the HYPERLINK
"http://docs.yahoo.com/info/terms/"Yahoo! Terms of Service.

--
No virus found in this incoming message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

1380. Re: TO7C

Yahoo group: XMLog
Date: 2005-03-08 21:11:49 UTC
From: Mike McAmis
Topic: 1371 Message: 1380

If you have some log entries for a station like TO7C whose DXCC country has been "mis-guessed" one way to do a low-keystroke update of the Country field is:

- Add the Call/Country to the Callsign List using the DX/Callsign List menu item.

- Select the entries with the wrong country, hit the Modify button, erase the bad country value, and then hit OK. The DXCC country should get "re-guessed" and set to the proper value.

Adding the Call/Country to the callsign list does not change the DXCC country for existing log entries. After all, there are those of us who have logs that contain calls that have been used for more than one country!

Mike - W1ECT

1381. RE: [XMLog] TO7C

Yahoo group: XMLog
Date: 2005-03-09 02:53:01 UTC
From: Kevin Nathan
Topic: 1371 Message: 1381

The way I do it is to log the QSO and then before I add it to the log, I manually change the country instead of having Xmlog guess it. Works every time. Very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

-----Original Message-----
From: N7MAL [mailto:n7mal@...]
Sent: Tuesday, March 08, 2005 10:14
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] TO7C

The awards section 'DOES' reflect the change provided you followed all the rules. Using TO7C as an example: Here is the line in my DXCC awards worked/confirmed

"" FY French Guiana FY5KE FY5KE
TO7C "".

I up-dated TO7C in the callsign list prior to working/logging TO7C. If you worked TO7C, or any non-standard prefix, and logged it before you up-dated the callsign list then the only way you can straighten it out is to manually edit the entry.
Mike created a good, simple, system but in order for it to work it must be up-to-date.
73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: F. Curtis Lambert
To: xmlog@yahoogroups.com
Sent: Tuesday, March 08, 2005 16:40
Subject: [XMLog] TO7C

My comments are meant to be constructive and helpful without any critical motives at all. The designer has provided ways to properly change the log,
but the Awards DXCC section did not reflect the changes. (It could also be
my error too. I am very new to this system.) Knowing that is important for
all of us. Without this knowledge we may be in error when we go to submit

our award applications.

If and when it is changed . . . well so be it, IF it can even be changed.
Some of these calls appear very arbitrary. (No further comments about the
French.) But for now, we know and appreciate the opportunity to inform
all
of our findings.

Again, I 'tip my hat' to Mike, W1ECT, for his excellent work and
appreciate
his continuing effort to support this product.

Curt, W3HQ

F. Curtis Lambert, Ph.D.

Founder & President

Infonalé, Inc.

610 765 1134 - Office

610 506 9313 - Cell

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Links

1382. RE: [XMLog] Re: TO7C

Yahoo group: XMLog
Date: 2005-03-09 03:05:15 UTC
From: F. Curtis Lambert
Topic: 1371 Message: 1382

Thank you. That works great!

Curt, W3HQ

From: Mike McAmis [mailto:m.mcamis@...]
Sent: Tuesday, March 08, 2005 16:12
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: TO7C

If you have some log entries for a station like TO7C whose DXCC country has been "mis-guessed" one way to do a low-keystroke update of the Country field is:

- Add the Call/Country to the Callsign List using the DX/Callsign List menu item.

- Select the entries with the wrong country, hit the Modify button, erase the bad country value, and then hit OK. The DXCC country should get "re-guessed" and set to the proper value.

Adding the Call/Country to the callsign list does not change the DXCC country for existing log entries. After all, there are those of us who have logs that contain calls that have been used for more than one country!

Mike - W1ECT

Yahoo! Groups Sponsor

ADVERTISEMENT
HYPERLINK
"http://us.ard.yahoo.com/SIG=129djnipa/M=298184.6018725.7038619.3001176/D=groups/S=1705063108:HM/EXP=1110417670/A=2593423/R=0/SIG=11el9gslf/*http:/www.netflix.com/Default?mqso=60190075"click here

HYPERLINK
"http://us.adserver.yahoo.com/l?M=298184.6018725.7038619.3001176/D=groups/S=:HM/A=2593423/rand=678258280"

Yahoo! Groups Links

* To visit your group on the web, go to:
HYPERLINK
"http://groups.yahoo.com/group/XMLog/"http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
HYPERLINK
"mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe"XMLog-unsubscr
ibe@yahoogroups.com

* Your use of Yahoo! Groups is subject to the HYPERLINK
"http://docs.yahoo.com/info/terms/"Yahoo! Terms of Service.

--
No virus found in this incoming message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.6.4 - Release Date: 3/7/2005

[Non-text portions of this message have been removed]

1383. A dumb question

Yahoo group: XMLog
Date: 2005-03-20 21:57:55 UTC
From: W3GERry
Topic: 1383 Message: 1383

--I'd like to try the packet window
--I don't have a TNC and I'm not on packet radio
--I believe I could access a cluster via the Internet
--When I search the Internet for clusters I find sites that will show me spots in my browser window, but I haven't succeeded in finding one that will pass them to XMLog

My dumb question-- can someone tell me an Internet address to provide when XMLog asks for one?

Tks es 73
de W3GERry

1384. Re: A dumb question

Yahoo group: XMLog
Date: 2005-03-20 23:42:30 UTC
From: k5ole@arrl.net
Topic: 1383 Message: 1384

--- In XMLog@yahoogroups.com, "W3GERry" <MrsScience@h...> wrote:
> --I'd like to try the packet window
> --I don't have a TNC and I'm not on packet radio
> --I believe I could access a cluster via the Internet
> --When I search the Internet for clusters I find sites that will show me spots in my
> browser window, but I haven't succeeded in finding one that will pass them to XMLog
>
> My dumb question-- can someone tell me an Internet address to provide when XMLog asks for
> one?
>
> Tks es 73
> de W3GERry

Here is good list with Telnet addresses. Telnet is different that WWW addresses, don't type WWW. Type as given.
http://www.dxzone.com/cgi-bin/dir/jump2.cgi?ID=3195

Here is a general article that describes setup and includes reference to XMLog. It applies to the local cluster that I use, KA5EYH, but you can insert a cluster closer to you from the list above. Or try KA5EYH. http://www.stdxcc.org/Member/KA5EYH%20Cluster.pdf

David

1385. Re: A dumb question

Yahoo group: XMLog
Date: 2005-03-20 23:45:45 UTC
From: k5ole@arrl.net
Topic: 1383 Message: 1385

--- In XMLog@yahoogroups.com, "W3GERry" <MrsScience@h...> wrote:
> --I'd like to try the packet window
> --I don't have a TNC and I'm not on packet radio
> --I believe I could access a cluster via the Internet
> --When I search the Internet for clusters I find sites that will show me spots in my
> browser window, but I haven't succeeded in finding one that will pass them to XMLog
>
> My dumb question-- can someone tell me an Internet address to provide when XMLog asks for
> one?
>
> Tks es 73
> de W3GERry

My first message didn't pass all of the url for the article. It should be http://www.stdxcc.org/Member/KA5EYH%20Cluster.pdf Type in all up to and including the .pdf. It's in Adobe.

1386. Re: [XMLog] A dumb question

Yahoo group: XMLog
Date: 2005-03-20 23:47:26 UTC
From: D.W. Jones
Topic: 1383 Message: 1386

I use a number of DX Cluster telnet nodes, but most frequently I use K8SMC. For starters you can click on Connect > Internet Connect and then enter 198.109.212.235 in the dialog box. It will ask for you call and some other info (most of which you do not need to enter any info for).

I hope this is helpful.

73 - Don Jones N4TN

[Non-text portions of this message have been removed]

1387. Re: A dumb question

Yahoo group: XMLog
Date: 2005-03-21 00:10:52 UTC
From: k5ole@arrl.net
Topic: 1383 Message: 1387

--- In XMLog@yahoogroups.com, "W3GERry" <MrsScience@h...> wrote:
> --I'd like to try the packet window
> --I don't have a TNC and I'm not on packet radio
> --I believe I could access a cluster via the Internet
> --When I search the Internet for clusters I find sites that will show me spots in my
> browser window, but I haven't succeeded in finding one that will pass them to XMLog
>
> My dumb question-- can someone tell me an Internet address to provide when XMLog asks for
> one?
>
> Tks es 73
> de W3GERry

Also you don't have to open a website, sign on to the cluster, and have it "pass" the data to XMLog. XMLog can sign on to the cluster and the data is gathered directly by XMLog.

Open XMlog.
From the main XMlog screen go "Option", then select "Packet Options and Port Select"
You may want different settings later, but to start check "Show packet window when XMLog starts" and check "Show spots map window when packet window starts". Under History check "Save". Been "On" Highlight "On". Others default.
Click on PORT tab on this window.
Check "Internet" Type in cluster address that you want to use from list. I use dxc-ka5eyh.drnet.com. No WWW. No http. This is a telenet address.
Later, come back here and click on PACKETCLUSTER ALTERTS tab to setyour filters. This can be done later after you get signed on.
Click on "SAVE" button.

Close XMLog.
Open XMLog.
You will now get three screens when you start the program.
Go to XM Packet Cluster screen. It should be asking you to "Please Enter Your Call:"
Enter your real call. This is your password.
If you have never signed on to any cluster you must provide some basic information. Such as the name you want to be called by and your longitude and latitude (you can get this from qrz.com if you don't know it). And a valid email address for the sysop. This is not distributed.

After successfully signing on, do a sh/fdx command from the bottom command line of the XMLog Packet window. This will populate both the XMLog Packet window with recent spots as well as the Spots Map. The Spots Map is one of the best cluster tools available.

After you play with PacketCluster in XMLog you will want to go set your filters for the bands and modes that you work. Once you see the benefit of the Spots Map you will want to setup the XMLog Callbook fuction so that you can click on any call on the map and get qrz.com information.

If this is confusing, and it can be to setup, email me with questions.

David
K5OLE

1388. Re: [XMLog] Digest Number 563

Yahoo group: XMLog
Date: 2005-03-21 00:30:54 UTC
From: Art Barbetta Jr N8RKA
Topic: 1388 Message: 1388

This is the cluster That I use all the time...
It is the N3RA Cluster the address is ....
dx (dot) n3ra (dot) com port 23
I like this on very much.
Take Care and 73 Art N8RKA

XMLog@yahoogroups.com wrote:

>There is 1 message in this issue.
>
>Topics in this digest:
>
> 1. A dumb question
> From: "W3GERry" <MrsScience@...>
>
>
>____
>____
>
>Message: 1
> Date: Sun, 20 Mar 2005 16:57:55 -0500
> From: "W3GERry" <MrsScience@...>
>Subject: A dumb question
>
>--I'd like to try the packet window
>--I don't have a TNC and I'm not on packet radio
>--I believe I could access a cluster via the Internet
>--When I search the Internet for clusters I find sites that will show me spots in my
>browser window, but I haven't succeeded in finding one that will pass them to XMLog
>
>My dumb question-- can someone tell me an Internet address to provide when XMLog asks for
>one?
>
>Tks es 73
>de W3GERry
>
>
>
>
>____
>____
>
>
>
>--

>Yahoo! Groups Links
>
>
>
>
>---
>
>
>
>
>
>
>
>

1389. Re: Digest Number 563

Yahoo group: XMLog
Date: 2005-03-21 01:19:10 UTC
From: Mike McAmis
Topic: 1388 Message: 1389

Hi - Here's another on-line list of DX-Spider and AR-Clusters nodes
that are available via the Internet:

www.cpcug.org/user/wfeidt/Misc/cluster.html

Select the "Options/Packet Options" menu item and pick the "Port" tab
and then set the "Internet" option and then use the "Save" button.

You can then experiment with the addresses from the list using
the "Connect/Internet Connect" menu item from the Packet Window.

Once you find a node you like you can configure things such that you
get automatically connected to a particular node when the Packet
Window starts up. You can either set the address within the Packet
Options Port options or set the name of a node file you've created.
Node files will automatically fill in your callsign, etc so no typing
at all is needed to sign on (see the help file for more details on
Internet connections and creating node files).

Mike - W1ECT

1390. Re: [XMLog] Re: A dumb question

Yahoo group: XMLog
Date: 2005-03-21 03:49:40 UTC
From: W3GERry
Topic: 1383 Message: 1390

Thanks for all the helpful replies!!!

I have now used the packet window.

73 de W3GERry

1391. Re: A dumb question

Yahoo group: XMLog
Date: 2005-03-21 04:16:51 UTC
From: David Spoelstra
Topic: 1383 Message: 1391

> My dumb question-- can someone tell me an Internet address to provide
> when XMLog asks for
> one?

The list I use is at: http://telnet.dxcluster.info/

Just highlight one of the node calls and what you want is the raw address (not the telnet:\\ part). For example "k6exo.dyndns.org:7300" or "wt6g.com".

Don't forget that you can make a file that also has all the commands to log into the node and just use that filename as the node name. Take a look at the examples in the xmlog directory on your machine. For example "dx.nod" is a good one to look at and modify.

-David, N9KT

1392. Next "official" version.

Yahoo group: XMLog
Date: 2005-03-23 15:38:38 UTC
From: Mike McAmis
Topic: 1392 Message: 1392

Hi, I intend to update the official XMLog version at www.xmlog.com with the version currently available at www.xmlog.com/beta, version 4.92, in about two weeks. I'd appreciate any testing of this version before it becomes the standard.

Mike - W1ECT

1393. Ver. 4.92

Yahoo group: XMLog
Date: 2005-03-23 17:09:41 UTC
From: Howard Baker
Topic: 1393 Message: 1393

I just upgraded to Version 4.92. I tried to modify a log entry by
right clicking on a blank box and no "get info from" message appeared
as it used to from older versions. Any ideas?

1394. Re: Ver. 4.92

Yahoo group: XMLog
Date: 2005-03-24 22:05:54 UTC
From: Mike McAmis
Topic: 1393 Message: 1394

Hi Howard, The pop-up menu displayed by right-clicking on certain fields (name, county, state, address, etc.) is supposed to include the option of setting that field from the callbook. This feature seems to have gotten lost in version 4.80. I just posted a fix as version 4.93 in www.xmlog.com/beta

Until you install this fix you can use the "Edit/Set Fields from Callbook" (Ctrl+F) menu item to set all the appropriate fields from the callbook (only sets fields that are currently blank).

Mike - W1ECT

1395. RE: [XMLog] Re: Ver. 4.92

Yahoo group: XMLog
Date: 2005-03-24 23:27:14 UTC
From: Howard G. Baker
Topic: 1393 Message: 1395

Thanks Mike. I knew that there was something missing but I had a problem explaining what was wrong. Thanks for the fix. I will install Ver. 4.93.
I use this a lot. I leave my program directed to Buckmaster but if they don☐t have the info, I change the lookup to QRZ and that is usually more up to date. I don☐t like to leave it on QRZ all the time because of the pauses and the lack of connectivity sometimes. Thanks again for a great program.

-----Original Message-----
From: Mike McAmis [mailto:m.mcamis@valley.net]
Sent: Thursday, March 24, 2005 5:06 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Ver. 4.92

Hi Howard, The pop-up menu displayed by right-clicking on certain fields (name, county, state, address, etc.) is supposed to include the option of setting that field from the callbook. This feature seems to have gotten lost in version 4.80. I just posted a fix as version 4.93 in www.xmlog.com/beta

Until you install this fix you can use the "Edit/Set Fields from Callbook" (Ctrl+F) menu item to set all the appropriate fields from the callbook (only sets fields that are currently blank).

Mike - W1ECT

Yahoo! Groups Sponsor
ADVERTISEMENT
click here
<http://us.ard.yahoo.com/SIG=129d93o5j/M=298184.6191685.7192823.3001176/D=groups/S=1705063108:HM/EXP=1111788407/A=2593423/R=0/SIG=11el9gslf/*http://www.netflix.com/Default?mqso=60190075>

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service <http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1396. Spots map: disappearing spots (& spot mode question also)

Yahoo group: XMLog
Date: 2005-03-27 08:01:52 UTC
From: ei4hq
Topic: 1396 Message: 1396

Hi,

I've just installed v4.93 (from 4.79) in an effort to 'cure' a problem I've been having. Unfortuntately no such luck, so perhaps someone can help?

On my spots map, spots appear very briefly (circa 0.5s) and then vanish. All filters are disabled and spot lifetime is 30 minutes. The spots history and packet windows are fine. This looks to me to like a graphics refresh problem. Help - this is driving me nuts! I didn't have this problem until v4.79 I think...

And a clarification:
2. In v4.79, XMLog decides sometimes that a spot on e.g. 7.061MHz is CW and not LSB? This causes a problem when the rig is set to 7.061 as the mode is wrong... am I missing something basic here? I haven't seen this happen in 4.93 yet, so maybe its been fixed? (assuming there was a problem in the first place)

Regards
Cormac, EI4HQ

1397. Re: Spot mode question

Yahoo group: XMLog
Date: 2005-03-27 22:32:23 UTC
From: Mike McAmis
Topic: 1396 Message: 1397

Hi Cormac, re question #2:

At some point between version 4.69 and 4.79 I changed the split point for 40 meter CW and Phone from 7.050 to 7.070. I know this is pretty arbitrary due the the differences in allocations here in North America versus those in Europe but this seemed like a reasonable compromise.

Mike - W1ECT

1398. Re: Spots map: disappearing spots

Yahoo group: XMLog
Date: 2005-03-27 22:38:15 UTC
From: Mike McAmis
Topic: 1396 Message: 1398

Hi, Just curious - Do you have the "Show Un-needed" and "Show Inhibited" spots options enabled? In any case, you can send me a copy of your mlog.ini and spotinfo.ini files to me as e-mail attachments to m.mcamis@... and I'll see if I can reproduce the problem here.

Mike - W1ECT

1399. Re: [XMLog] Re: Spot mode question

Yahoo group: XMLog
Date: 2005-03-28 06:46:33 UTC
From: Cormac & Suzanne Gebruers
Topic: 1396 Message: 1399

Hi Mike,

>> At some point between version 4.69 and 4.79 I changed the split point for 40 meter CW and Phone from 7.050 to 7.070.

Ah Ok - the only 'problem' here really was I wasn't sure how the cw/ssb division was determined. Its a minor thing really and only becomes a commonplace issue during contests when every last KHz in a subband is being used. Just a thought, but could band limit information be set via some kind of 'dat' file thereby making it editable by the end user?

>> Do you have the "Show Un-needed" and "Show Inhibited" spots options enabled?

Yup.

'Murphy's law' has just kicked in: the problem seems to have resolved itself... I spent quite a while yesterday messing with filter settings etc. and eventually something must have reset itself (rewritten spotinfo.ini and/or mlog.ini I now realise). At the moment everything is fine again... I've tried to reproduce the problem but without success. If it does re-occur, I'll be sure to immediately take a copy of the .ini files and send them to you. I suspect some combination of filter settings is causing unexpected behaviour.

Anyway, thanks for the replies.

73
Cormac, EI4HQ

1400. Re: Next "official" version.

Yahoo group: XMLog
Date: 2005-04-08 15:45:14 UTC
From: Craig Bradley
Topic: 1392 Message: 1400

Hi Mike,

I am running version 4.79, which is what I see on the web site:
http://www.xmlog.com/
This is down near the bottom of the page under "Downloading XMLog",
where can I get the newest version?

Thanks,
Craig
AE6RR

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi, I intend to update the official XMLog version at www.xmlog.com
> with the version currently available at www.xmlog.com/beta, version
> 4.92, in about two weeks. I'd appreciate any testing of this version
> before it becomes the standard.
>
> Mike - W1ECT

1401. Re: [XMLog] Re: Next "official" version.

Yahoo group: XMLog
Date: 2005-04-08 16:01:52 UTC
From: W3GERry
Topic: 1392 Message: 1401

----- Original Message -----
From: "Craig Bradley" <craigjb@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, April 08, 2005 11:45 AM
Subject: [XMLog] Re: Next "official" version.

>
>
> Hi Mike,
>
> I am running version 4.79, which is what I see on the web site:
> http://www.xmlog.com/
> This is down near the bottom of the page under "Downloading XMLog",
> where can I get the newest version?

Try www.xmlog.com/beta

73 de W3GERry

1402. VE VK and RU zones

Yahoo group: XMLog
Date: 2005-04-08 19:44:21 UTC
From: Dan Shepherd
Topic: 1402 Message: 1402

Hello,
Why does XMLog not recognize zone numbers for VE, VK
and RU entries? Seems to work all other DXCC entries.

It's THE only thing that bugs me about this wonderful
program.

Thanks es 73
Dan, N8IE

_____
Do you Yahoo!?
Yahoo! Personals - Better first dates. More second dates.
http://personals.yahoo.com

1403. Re: VE VK and RU zones

Yahoo group: XMLog
Date: 2005-04-08 22:44:39 UTC
From: Mike McAmis
Topic: 1402 Message: 1403

Hi Dan, I never found that there was a dependable link between callsign and zone for VK and Russian callsigns. However XMLog is supposed to fill in the zone for Canadian QSOs if the province field is provided. Apparently this bug has been there for quite a while and I never noticed it until I was checking out your question. I'll post a fix to this problem next week sometime at www.xmlog.com/beta

Another thing I noticed was that the software provided by most of the callbook vendors does not break out the province from the address (only Buckmaster does it). As a result the province field is not getting set when you use the "Set fields from callbook" menu item or if you have your defaults configured to set the state/province field from the callbook. This means that I'll have to scan the address info provided for Candian calls and extract the province myself. I'll also include this change in the next version.

Mike - W1ECT

> Hello,
> Why does XMLog not recognize zone numbers for VE, VK
> and RU entries? Seems to work all other DXCC entries.
>
> It's THE only thing that bugs me about this wonderful
> program.
>
> Thanks es 73
> Dan, N8IE
>
>
>
> _____
> Do you Yahoo!?
> Yahoo! Personals - Better first dates. More second dates.
> http://personals.yahoo.com

1404. psklogging

Yahoo group: XMLog
Date: 2005-04-09 23:25:06 UTC
From: Tom Dixon
Topic: 1404 Message: 1404

Greetings
Is anyone using a psk program in conjunction with Xmlog? And if so what
is the program?

Tom Dixon
zl2hgr@...
IRLP 6931
Curiosity didn't kill the cat, I got him with my 12 gauge !!!

[Non-text portions of this message have been removed]

1405. Re: psklogging

Yahoo group: XMLog
Date: 2005-04-11 00:30:08 UTC
From: John P Smith
Topic: 1404 Message: 1405

--- In XMLog@yahoogroups.com, Tom Dixon <tom.dixon@p...> wrote:
> Greetings
> Is anyone using a psk program in conjunction with Xmlog? And if so
what
> is the program?
>
> Tom Dixon
> zl2hgr@p...
> IRLP 6931
> Curiosity didn't kill the cat, I got him with my 12 gauge !!!
>
>
>
> [Non-text portions of this message have been removed]

Tom,
I use Digipan for my PSK work. It exports ADIF files nicely which
I can import into XMLOG easily.

73
John

1406. Re: [XMLog] Re: VE VK and RU zones

Yahoo group: XMLog
Date: 2005-04-11 12:12:38 UTC
From: Dan Shepherd
Topic: 1402 Message: 1406

Thanks for the reply Mike.

I can understand the deal with the VK and RU
callsigns.

Looking forward for the updates and thank you for all
the hard work you do and for putting up with us users.
:-)

73
Dan, N8IE

--- Mike McAmis <m.mcamis@...> wrote:
>
> Hi Dan, I never found that there was a dependable
> link between callsign
> and zone for VK and Russian callsigns. However
> XMLog is supposed to
> fill in the zone for Canadian QSOs if the province
> field is provided.
> Apparently this bug has been there for quite a while
> and I never
> noticed it until I was checking out your question.
> I'll post a fix to
> this problem next week sometime at
> www.xmlog.com/beta
>
> Another thing I noticed was that the software
> provided by most of the
> callbook vendors does not break out the province
> from the address (only
> Buckmaster does it). As a result the province field
> is not getting set
> when you use the "Set fields from callbook" menu
> item or if you have
> your defaults configured to set the state/province
> field from the
> callbook. This means that I'll have to scan the
> address info provided
> for Candian calls and extract the province myself.
> I'll also include
> this change in the next version.
>
> Mike - W1ECT
>
>

> > Hello,
> > Why does XMLog not recognize zone numbers for VE,
> VK
> > and RU entries? Seems to work all other DXCC
> entries.
> >
> > It's THE only thing that bugs me about this
> wonderful
> > program.
> >
> > Thanks es 73
> > Dan, N8IE
> >
> >
> >
> > _____
> > Do you Yahoo!?
> > Yahoo! Personals - Better first dates. More second
> dates.
> > http://personals.yahoo.com
>
>
>
>

_____
Do you Yahoo!?
Yahoo! Small Business - Try our new resources site!
http://smallbusiness.yahoo.com/resources/

1407. Re: VE VK and RU zones

Yahoo group: XMLog
Date: 2005-04-12 15:48:37 UTC
From: Craig Bradley
Topic: 1402 Message: 1407

I worked a VO2 (Labador) last week and version 4.79 did not recognize
the country as Canada. Is this resolved in the new version?

- Craig
AE6RR

--- In XMLog@yahoogroups.com, Dan Shepherd <n8ie@y...> wrote:
> Thanks for the reply Mike.
>
> I can understand the deal with the VK and RU
> callsigns.
>
> Looking forward for the updates and thank you for all
> the hard work you do and for putting up with us users.
> :-)
>
> 73
> Dan, N8IE
>
> --- Mike McAmis <m.mcamis@v...> wrote:
> >
> > Hi Dan, I never found that there was a dependable
> > link between callsign
> > and zone for VK and Russian callsigns. However
> > XMLog is supposed to
> > fill in the zone for Canadian QSOs if the province
> > field is provided.
> > Apparently this bug has been there for quite a while
> > and I never
> > noticed it until I was checking out your question.
> > I'll post a fix to
> > this problem next week sometime at
> > www.xmlog.com/beta
> >
> > Another thing I noticed was that the software
> > provided by most of the
> > callbook vendors does not break out the province
> > from the address (only
> > Buckmaster does it). As a result the province field
> > is not getting set
> > when you use the "Set fields from callbook" menu
> > item or if you have
> > your defaults configured to set the state/province
> > field from the
> > callbook. This means that I'll have to scan the

> > address info provided
> > for Candian calls and extract the province myself.
> > I'll also include
> > this change in the next version.
> >
> > Mike - W1ECT
> >
> >
> > > Hello,
> > > Why does XMLog not recognize zone numbers for VE,
> > VK
> > > and RU entries? Seems to work all other DXCC
> > entries.
> > >
> > > It's THE only thing that bugs me about this
> > wonderful
> > > program.
> > >
> > > Thanks es 73
> > > Dan, N8IE
> > >
> > >
> > >
> > > _____
> > > Do you Yahoo!?
> > > Yahoo! Personals - Better first dates. More second
> > dates.
> > > http://personals.yahoo.com
> >
> >
> >
> >
>
>
>
> _____
> Do you Yahoo!?
> Yahoo! Small Business - Try our new resources site!
> http://smallbusiness.yahoo.com/resources/

1408. Re: Next "official" version.

Yahoo group: XMLog
Date: 2005-04-12 16:06:02 UTC
From: Craig Bradley
Topic: 1392 Message: 1408

Thanks for the link. I downloaded the file and tried to install it on Win2K SP4 and I got a message from the install program stating that some of the files on my system were out of date and did I want install to update them. I answered yes and followed the instructions to reboot. Then I ran install again and got the same message. This repeated several times. I tried uninstalling ver. 4.79 and deleting all of the files in the directory. This did not help. I was able to reinstall 4.79 with no problems.

I then tried to install it on another computer running WinXP and it installed over 4.79 with no problems.

The Win2K machine is a Dell laptop that I use for logging, so I would like to run on that machine if possible. I am using a Kenwood TS-2000, so the new fixes would be helpful.

Any ideas?

Tnx,
Craig
AE6RR

--- In XMLog@yahoogroups.com, "W3GERry" <MrsScience@h...> wrote:
>
> ----- Original Message -----
> From: "Craig Bradley" <craigjb@p...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, April 08, 2005 11:45 AM
> Subject: [XMLog] Re: Next "official" version.
>
>
> >
> >
> > Hi Mike,
> >
> > I am running version 4.79, which is what I see on the web site:
> > http://www.xmlog.com/
> > This is down near the bottom of the page under "Downloading XMLog",
> > where can I get the newest version?
>
> Try www.xmlog.com/beta
>
> 73 de W3GERry

1409. Re: [XMLog] Re: VE VK and RU zones

Yahoo group: XMLog
Date: 2005-04-12 16:39:58 UTC
From: Michael McCarthy
Topic: 1402 Message: 1409

Craig, I just tried it and it works fine for me.
Identifies it as canada as soon as I type in the "O"
of VO2XX. Are you sure you did not type in a zero
instead of the "O"?

Mike, W1NR

--- Craig Bradley <craigjb@...> wrote:
>
> I worked a VO2 (Labador) last week and version 4.79
> did not recognize
> the country as Canada. Is this resolved in the new
> version?
>
> - Craig
> AE6RR
>
> --- In XMLog@yahoogroups.com, Dan Shepherd
> <n8ie@y...> wrote:
> > Thanks for the reply Mike.
> >
> > I can understand the deal with the VK and RU
> > callsigns.
> >
> > Looking forward for the updates and thank you for
> all
> > the hard work you do and for putting up with us
> users.
> > :-)
> >
> > 73
> > Dan, N8IE
> >
> > --- Mike McAmis <m.mcamis@v...> wrote:
> > >
> > > Hi Dan, I never found that there was a
> dependable
> > > link between callsign
> > > and zone for VK and Russian callsigns. However
> > > XMLog is supposed to
> > > fill in the zone for Canadian QSOs if the
> province
> > > field is provided.
> > > Apparently this bug has been there for quite a
> while

> > > and I never
> > > noticed it until I was checking out your
> question.
> > > I'll post a fix to
> > > this problem next week sometime at
> > > www.xmlog.com/beta
> > >
> > > Another thing I noticed was that the software
> > > provided by most of the
> > > callbook vendors does not break out the province
> > > from the address (only
> > > Buckmaster does it). As a result the province
> field
> > > is not getting set
> > > when you use the "Set fields from callbook" menu
> > > item or if you have
> > > your defaults configured to set the
> state/province
> > > field from the
> > > callbook. This means that I'll have to scan the
> > > address info provided
> > > for Candian calls and extract the province
> myself.
> > > I'll also include
> > > this change in the next version.
> > >
> > > Mike - W1ECT
> > >
> > >
> > > > Hello,
> > > > Why does XMLog not recognize zone numbers for
> VE,
> > > VK
> > > > and RU entries? Seems to work all other DXCC
> > > entries.
> > > >
> > > > It's THE only thing that bugs me about this
> > > wonderful
> > > > program.
> > > >
> > > > Thanks es 73
> > > > Dan, N8IE
> > > >
> > > >
> > > >
> > > > _____
> > > > Do you Yahoo!?
> > > > Yahoo! Personals - Better first dates. More
> second
> > > dates.

> > > > http://personals.yahoo.com
> > >
> > >
> > >
> > >
> >
> >
> >
> > _____
> > Do you Yahoo!?
> > Yahoo! Small Business - Try our new resources
> site!
> > http://smallbusiness.yahoo.com/resources/
>
>
>
>

*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Do you Yahoo!?
Yahoo! Mail - Find what you need with new enhanced search.
http://info.mail.yahoo.com/mail_250

1410. Re: VE VK and RU zones

Yahoo group: XMLog
Date: 2005-04-12 17:07:49 UTC
From: Craig Bradley
Topic: 1402 Message: 1410

Hi Mike,

Thanks, that's what I did. Now my log is correct.

- Craig, AE6RR

--- In XMLog@yahoogroups.com, Michael McCarthy <w1nr@y...> wrote:
> Craig, I just tried it and it works fine for me.
> Identifies it as canada as soon as I type in the "O"
> of VO2XX. Are you sure you did not type in a zero
> instead of the "O"?
>
> Mike, W1NR
>
> --- Craig Bradley <craigjb@p...> wrote:
> >
> > I worked a VO2 (Labador) last week and version 4.79
> > did not recognize
> > the country as Canada. Is this resolved in the new
> > version?
> >
> > - Craig
> > AE6RR
> >
> > --- In XMLog@yahoogroups.com, Dan Shepherd
> > <n8ie@y...> wrote:
> > > Thanks for the reply Mike.
> > >
> > > I can understand the deal with the VK and RU
> > > callsigns.
> > >
> > > Looking forward for the updates and thank you for
> > all
> > > the hard work you do and for putting up with us
> > users.
> > > :-)
> > >
> > > 73
> > > Dan, N8IE
> > >
> > > --- Mike McAmis <m.mcamis@v...> wrote:
> > > >
> > > > Hi Dan, I never found that there was a
> > dependable
> > > > link between callsign
> > > > and zone for VK and Russian callsigns. However

> > > > XMLog is supposed to
> > > > fill in the zone for Canadian QSOs if the
> > province
> > > > field is provided.
> > > > Apparently this bug has been there for quite a
> > while
> > > > and I never
> > > > noticed it until I was checking out your
> > question.
> > > > I'll post a fix to
> > > > this problem next week sometime at
> > > > www.xmlog.com/beta
> > > >
> > > > Another thing I noticed was that the software
> > > > provided by most of the
> > > > callbook vendors does not break out the province
> > > > from the address (only
> > > > Buckmaster does it). As a result the province
> > field
> > > > is not getting set
> > > > when you use the "Set fields from callbook" menu
> > > > item or if you have
> > > > your defaults configured to set the
> > state/province
> > > > field from the
> > > > callbook. This means that I'll have to scan the
> > > > address info provided
> > > > for Candian calls and extract the province
> > myself.
> > > > I'll also include
> > > > this change in the next version.
> > > >
> > > > Mike - W1ECT
> > > >
> > > >
> > > > > Hello,
> > > > > Why does XMLog not recognize zone numbers for
> > VE,
> > > > VK
> > > > > and RU entries? Seems to work all other DXCC
> > > > entries.
> > > > >
> > > > > It's THE only thing that bugs me about this
> > > > wonderful
> > > > > program.
> > > > >
> > > > > Thanks es 73
> > > > > Dan, N8IE
> > > > >
> > > > >

> > > > >
> > > > > _____
> > > > > Do you Yahoo!?
> > > > > Yahoo! Personals - Better first dates. More
> > second
> > > > dates.
> > > > > http://personals.yahoo.com
> > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > > _____
> > > Do you Yahoo!?
> > > Yahoo! Small Business - Try our new resources
> > site!
> > > http://smallbusiness.yahoo.com/resources/
> > >
> > >
> > >
> > >
>
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail - Find what you need with new enhanced search.
> http://info.mail.yahoo.com/mail_250

1411. Re: Install problems

Yahoo group: XMLog
Date: 2005-04-13 19:51:09 UTC
From: Mike McAmis
Topic: 1392 Message: 1411

Hi Craig, Do the messages you get during the install mention which files are causing problems?

Mike - W1ECT

1412. Re: Install problems

Yahoo group: XMLog
Date: 2005-04-14 07:02:03 UTC
From: Craig Bradley
Topic: 1392 Message: 1412

No, it just says "files". No files names or any other clues.

- Craig

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi Craig, Do the messages you get during the install mention which
> files are causing problems?
>
> Mike - W1ECT

1413. New "Official" version posted

Yahoo group: XMLog
Date: 2005-05-02 20:13:32 UTC
From: Mike McAmis
Topic: 1413 Message: 1413

Hello, I've just posted version 4.96 as the new official version at www.xmlog.com.

Mike - W1ECT

1414. Thanks or latest Official Version.

Yahoo group: XMLog
Date: 2005-05-02 21:26:18 UTC
From: Jim Henry
Topic: 1414 Message: 1414

Hi Mike

Successfully downloaded latest version of XMLog. Many thanks for an
excellent program.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu <http://www.qsl.net/gi0dvu>
IO64xm

I am using the free version of SPAMfighter for private users.
It has removed 106 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for free
now!

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.11.1 - Release Date: 02/05/2005

[Non-text portions of this message have been removed]

1415. [XMLog] Thanks or latest Official Version.

Yahoo group: XMLog
Date: 2005-05-02 22:13:10 UTC
From: Tom Sessions
Topic: 1414 Message: 1415

Thanks very much for the latest Official Version of XMLog !!!

73
Tom K4RV

[Non-text portions of this message have been removed]

1416. Newbie

Yahoo group: XMLog
Date: 2005-05-07 13:41:51 UTC
From: taiwanmd
Topic: 1416 Message: 1416

Hi all,
I am KF4O, presently in Taiwan (BV8/KF4O). Had a older version of XMLog that I used several years ago, and have just upgraded. Wonderful program...just this evening discovering many new aspects....I love being able to put in the callsign, hit CTRL-F and download QSL info from QRZ.com...fantastic.

Being in Taiwan, it is interesting that I am able to get a ham license, but am prohibited from having a radio...go figure. But I have recently discovered EchoLink and also CWcom. So...finally I can put XMLog to use!

One problem I discovered this evening though was that when I hit "Display Short" (or 'medium' or 'long' or "all entries for this call"), I get an invalid page fault. (Am using W98se).

thanks for a great program Mike, and great to have this support group around. Look for me on EchoLink or CWCom.

73's
Randy KF4O

1417. Re: [XMLog] Newbie

Yahoo group: XMLog
Date: 2005-05-07 17:38:22 UTC
From: W3GERry
Topic: 1416 Message: 1417

> One problem I discovered this evening though was that when I
> hit "Display Short" (or 'medium' or 'long' or "all entries for this
> call"), I get an invalid page fault. (Am using W98se).

Hi Randy--

[I know this isn't a whole lot of help, but it will at least tell you that your problem is probably not in XMLOG]

I've been using XMLog for nearly four years, on several machines, through many versions up through 4.96, under Windows 98 (SE for about the past year). I use the Display feature quite often. I have never gotten invalid page fault.

73 de W3GERry

1418. Re: Newbie

Yahoo group: XMLog
Date: 2005-05-09 15:08:18 UTC
From: Mike McAmis
Topic: 1416 Message: 1418

Hi Randy - Sorry but I haven't been able to re-create the problem here. We've only had one other XMLog user who has seen this but we we never able to pin down the cause. It only seems to happen when generating reports using the Display menu items (and not other reports like those generated using the Awards menu items).

Mike - W1ECT

1419. Re: Newbie

Yahoo group: XMLog
Date: 2005-05-10 04:54:40 UTC
From: taiwanmd
Topic: 1416 Message: 1419

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Randy - Sorry but I haven't been able to re-create the problem
> here. We've only had one other XMLog user who has seen this but we
we
> never able to pin down the cause. It only seems to happen when
> generating reports using the Display menu items (and not other
reports
> like those generated using the Awards menu items).
>
> Mike - W1ECT

Thanks Mike for a great program...I'm sorry my system is misbehaving. I tried a complete uninstall of 4.96 and reinstalled an earlier version (4.79), but prob persists. Kernel32 errors can come from all sorts of things, from drivers to damaged swap or password files. I do not get this message with any other program. Wondering if you might have an idea where I could start looking. Does the display depend on printer drivers or settings or more on video? Does it use rundll32 or spool32 or would it be more like an Excel program?? At least maybe I can try a few things...
The program works great as is, and I am certainly still using it daily.
thanks again,
Randy KF4O

1420. Re: [XMLog] Re: Newbie

Yahoo group: XMLog
Date: 2005-05-10 12:31:35 UTC
From: Michael McCarthy
Topic: 1416 Message: 1420

One of the biggest problems with Windows are the video drivers. I would try and get the latest version of your video drivers from the manufacturer and see if that doesn't cure it.

Mike, W1NR

--- taiwanmd <radams@...> wrote:
> --- In XMLog@yahoogroups.com, "Mike McAmis"
> <m.mcamis@v...> wrote:
> > Hi Randy - Sorry but I haven't been able to
> re-create the problem
> > here. We've only had one other XMLog user who has
> seen this but we
> we
> > never able to pin down the cause. It only seems
> to happen when
> > generating reports using the Display menu items
> (and not other
> reports
> > like those generated using the Awards menu items).
> >
> > Mike - W1ECT
>
> Thanks Mike for a great program...I'm sorry my
> system is misbehaving.
> I tried a complete uninstall of 4.96 and reinstalled
> an earlier
> version (4.79), but prob persists. Kernel32 errors
> can come from all
> sorts of things, from drivers to damaged swap or
> password files. I do
> not get this message with any other program.
> Wondering if you might
> have an idea where I could start looking. Does the
> display depend on
> printer drivers or settings or more on video? Does
> it use rundll32 or
> spool32 or would it be more like an Excel program??
> At least maybe I
> can try a few things...
> The program works great as is, and I am certainly
> still using it
> daily.
> thanks again,

> Randy KF4O
>
>
>
>

*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Yahoo! Mail
Stay connected, organized, and protected. Take the tour:
http://tour.mail.yahoo.com/mailtour.html

1421. Re: Newbie

Yahoo group: XMLog
Date: 2005-05-11 06:48:17 UTC
From: taiwanmd
Topic: 1416 Message: 1421

--- In XMLog@yahoogroups.com, Michael McCarthy <w1nr@y...> wrote:
> One of the biggest problems with Windows are the video
> drivers. I would try and get the latest version of
> your video drivers from the manufacturer and see if
> that doesn't cure it.
>
> Mike, W1NR
>

Thanks Mike,
actually, I already have the most recent video drivers, Direct X, etc.
Have tried cutting back on my graphics accel, tried changing my
config.sys, stopping my virus programs, clean boot with nothing else
running....but alas, all to no avail!
Anyway, except for this area, the program works fine. If anyone else
has any suggestions, I'm certainly open.
thanks for any help,
Randy, KF4O
http://www.pbase.com/adamstw

1422. Free to good home-- zone map

Yahoo group: XMLog
Date: 2005-05-11 19:08:15 UTC
From: W3GERry
Topic: 1422 Message: 1422

Looking through a box of ham papers I came upon a complimentary wall map from ICom, about 2x3.5 feet.

One side shows CQ Magazine zones of the world; the other side shows ITU zones.

It's folded and thus mailable. Lemme know if you want it.

73 de W3GERry

1423. Spoken for: Zone map

Yahoo group: XMLog
Date: 2005-05-11 19:33:44 UTC
From: W3GERry
Topic: 1423 Message: 1423

[Body unavailable in the source archive]

1424. Re: [XMLog] Free to good home-- zone map

Yahoo group: XMLog
Date: 2005-05-11 20:07:36 UTC
From: Tom Sessions
Topic: 1422 Message: 1424

I'll take it !

Tom K4RV
----- Original Message -----
From: W3GERry
To: SolidCpyCW ; Fists ; HeathkitList ; HamElmer ; QRS-CW ; CW ; HelpGroup ; XMLog ; Koch
Sent: Wednesday, May 11, 2005 19:08
Subject: [XMLog] Free to good home-- zone map

Looking through a box of ham papers I came upon a complimentary wall map
from ICom, about 2x3.5 feet.

One side shows CQ Magazine zones of the world; the other side shows ITU
zones.

It's folded and thus mailable. Lemme know if you want it.

73 de W3GERry

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/XMLog/

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Anti-Virus.
Version: 7.0.308 / Virus Database: 266.11.8 - Release Date: 5/10/2005

[Non-text portions of this message have been removed]

1425. Fw: [philasubsfreecycle] OFFERING: 1000 feet of twisted pair, six-wire cable

Yahoo group: XMLog
Date: 2005-05-11 20:48:43 UTC
From: W3GERry
Topic: 1425 Message: 1425

Possible interest to someone in Philadelphia vicinity.

Do not contact W3GER; contact the originator directly at malta@...

73 de W3GERry

----- Original Message -----
From: pr_7x
To: philasubsfreecycle@yahoogroups.com
Sent: Wednesday, May 11, 2005 2:14 PM
Subject: [philasubsfreecycle] OFFERING: 1000 feet of twisted pair, six-wire cable

I ordered the wrong type of cable and the seller refused to take it
back. I'm poorer but wiser, and still stuck with the flat wire cable
that I will NEVER use.

Anybody who's willing to pick it up can have it.

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/philasubsfreecycle/

b.. To unsubscribe from this group, send an email to:
philasubsfreecycle-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1426. Spoken DX Spots

Yahoo group: XMLog
Date: 2005-05-12 16:53:18 UTC
From: Kevin Nathan
Topic: 1426 Message: 1426

Hi Mike and All,

At the moment, only spots from U.S. stations are actually voice announced. I hear the alert tone for other spots including VE, but no voice announcement of the spot. Is there a reason for this and is there something I can set to hear all of them?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS

[Non-text portions of this message have been removed]

1427. Re: [XMLog] Spoken DX Spots

Yahoo group: XMLog
Date: 2005-05-12 21:16:32 UTC
From: Nelson Wittstock
Topic: 1426 Message: 1427

Have you checked to see that you do not have these other regions blocked?
Go to it through the DX category at the top of the packet window to check
your set up.

Gud luck,
Nelson, K8DJC

1428. Re: [XMLog] Spoken DX Spots

Yahoo group: XMLog
Date: 2005-05-12 21:47:53 UTC
From: Kevin Nathan
Topic: 1426 Message: 1428

I did check that but will double check it again. Thanks and very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS
----- Original Message -----
From: "Nelson Wittstock" <k8djc@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, May 12, 2005 14:16
Subject: Re: [XMLog] Spoken DX Spots

> Have you checked to see that you do not have these other regions blocked?
> Go to it through the DX category at the top of the packet window to check
> your set up.
>
> Gud luck,
> Nelson, K8DJC
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1429. Re: Spoken DX Spots

Yahoo group: XMLog
Date: 2005-05-13 15:27:48 UTC
From: Mike McAmis
Topic: 1426 Message: 1429

Hi Kevin - First are the spots being recognized? If the spots are being recognized by XMLog they will be followed by an information line with the DXCC and QSL status - unless you have this feature disabled, check the setting using the "DX/Packet Alerts" menu item. If the spots are being recognized and the info line is being displayed perhaps you have alerts from foreign countries disabled - check the various "Ignore spots from" settings displayed by the "DX/Packet Alerts" menu item.

> At the moment, only spots from U.S. stations are actually voice announced. I hear the alert tone for other spots including VE, but no voice announcement of the spot. Is there a reason for this and is there something I can set to hear all of them?

1430. Re: [XMLog] Re: Spoken DX Spots

Yahoo group: XMLog
Date: 2005-05-14 06:54:07 UTC
From: Kevin Nathan
Topic: 1426 Message: 1430

Thanks much Mike. I'll take a look over the weekend. Very 73.

Kevin :)
Amateur Radio: K7RX
Navy Marine Corps MARS: NNN0SHS
----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, May 13, 2005 08:27
Subject: [XMLog] Re: Spoken DX Spots

> Hi Kevin - First are the spots being recognized? If the spots are
> being recognized by XMLog they will be followed by an information line
> with the DXCC and QSL status - unless you have this feature disabled,
> check the setting using the "DX/Packet Alerts" menu item. If the spots
> are being recognized and the info line is being displayed perhaps you
> have alerts from foreign countries disabled - check the various "Ignore
> spots from" settings displayed by the "DX/Packet Alerts" menu item.
>
>> At the moment, only spots from U.S. stations are actually voice
> announced. I hear the alert tone for other spots including VE, but no
> voice announcement of the spot. Is there a reason for this and is
> there something I can set to hear all of them?
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1431. #logcall argument

Yahoo group: XMLog
Date: 2005-05-14 17:48:43 UTC
From: W3GERry
Topic: 1431 Message: 1431

I use XMLog to key my rig on CW through the serial port.

Today I observed that if I have the ADD window displayed, and though I've entered a call, a different call is sent by the #logcall argument in my send string.

Is this a problem, or a misunderstanding on my part of what's supposed to happen?

73 de W3GERry

1432. Anybody else having trouble posting to FISTS?

Yahoo group: XMLog
Date: 2005-05-14 21:42:14 UTC
From: W3GERry
Topic: 1432 Message: 1432

Do I have the address right?
fists@...
If so, why the returned message?

73 de W3GERry

----- Original Message -----
From: "Mail Delivery System" <MAILER-DAEMON@...>
To: <MrsScience@...>
Sent: Saturday, May 14, 2005 5:11 PM
Subject: Undelivered Mail Returned to Sender

> This is the Postfix program at host smtp-out.hotpop.com.
>
> I'm sorry to have to inform you that the message returned
> below could not be delivered to one or more destinations.
>
> For further assistance, please send mail to <postmaster>
>
> If you do so, please include this problem report. You can
> delete your own text from the message returned below.
>
> The Postfix program
>
> <Fists@...>: host mailman.qth.net[63.238.179.60] said: 554
Service
> unavailable; Client host [38.113.3.61] blocked using bl.csma.biz;
> http://bl.csma.biz/cgi-bin/listing.cgi?ip=38.113.3.61 (in reply to
RCPT TO
> command)
>

[Non-text portions of this message have been removed]

1433. QSL 1xFM WZ8C 59 90.9 MHz

Yahoo group: XMLog
Date: 2005-05-14 22:13:54 UTC
From: W3GERry
Topic: 1433 Message: 1433

I was pleased to hear Nancy WZ8C on _Wait Wait Don't Tell Me_ on National
Public
Radio today (commenting on Morse code's victory over tm).

73 de W3GERry

1434. Problem with online call lookups

Yahoo group: XMLog
Date: 2005-05-17 00:09:36 UTC
From: W3GERry
Topic: 1434 Message: 1434

This problem seems to be outside the XMLog program, but I wonder if anyone has seen it or has any ideas------

I run a home network, 3 machines (let's call them A, B, and C) on an Ethernet LAN with a router. All machines run Win98se

I usually run XMLog (4.96) on machine A. For the past few days, instead of looking up a callsign on line it gives me a box captioned QRZ.COM ERROR 11001 (host not found error), as shown in the screen capture in the attached Word document (which probably will be stripped off the copy to yahoogroups).

Yet if I run XMLog on machine B, callsign lookup works fine.

Machine A is fine in all other respects-- accesses the Internet and the LAN FB.

Any ideas?

73 de W3GERry

[Non-text portions of this message have been removed]

1435. Re: Problem with online call lookups

Yahoo group: XMLog
Date: 2005-05-17 03:12:46 UTC
From: dakotaphotog
Topic: 1434 Message: 1435

W3GERry . . .
Sounds like the same problem I've had for several months, but it's fixed now. Here's my story. I first used XMlog maybe 6 months ago. Love the program, expecially the online address lookup. After about two months or so of flawless operation, it wouldn't (or couldn't) find the addresses any more. Got the "Operation Timed Out" window.

When I posted the problem on this forum, some had said they had the problem for a while, and then for no apparent reason, it did something really amazing, it cleared up on its own. That was exactly my story. I went through upgrades on XMlog, updated windows, etc, trying to find the bug, and to no avail. For several weeks (a couple or three months) I had to look up all the addresses manually on the QRZ website. (bummer!) One day about a week ago or so, IT WORKS! Right out of the clear blue, "IT WORKS!"

I too, run on a network, and XMlog is only on one of the machines. Just for information, all three (sometimes four) machines are hooked together through a hub, which is connected to a cable modem for our internet access. I run Windows 2K Pro. Our common demominator is a "network".

Sorry I can't help you any more than that, other than by saying it has happened to others, no-one seems to know the exact cause, but it seems to "cure" itself. Hang in there! If you find out anything, I'm sure everyone on the forum, including myself would be interested in what you find.

WB0GFZ

--- In XMLog@yahoogroups.com, "W3GERry" <MrsScience@h...> wrote:
> This problem seems to be outside the XMLog program, but I wonder if anyone
> has seen it or has any ideas------
>
> I run a home network, 3 machines (let's call them A, B, and C) on an
> Ethernet LAN with a router. All machines run Win98se
>
> I usually run XMLog (4.96) on machine A. For the past few days, instead of
> looking up a callsign on line it gives me a box captioned QRZ.COM ERROR
> 11001 (host not found error), as shown in the screen capture in the attached
> Word document (which probably will be stripped off the copy to yahoogroups).
>

> Yet if I run XMLog on machine B, callsign lookup works fine.
>
> Machine A is fine in all other respects-- accesses the Internet and
the LAN
> FB.
>
> Any ideas?
>
> 73 de W3GERry
>
>
>
> [Non-text portions of this message have
been removed]

1436. New ADIF converter program for XMLog import from eQSL

Yahoo group: XMLog
Date: 2005-05-23 07:01:21 UTC
From: Dave Sergeant
Topic: 1436 Message: 1436

I use eQSL (as well as LOTW and paper QSLs).

At the moment eQSL lacks the facility of downloading the contents of your inbox in ADIF format, although there is a well hidden feature for downloading a rather limited ADIF version of your complete archive/inbox.

To solve that shortcoming, and allow me to easily add my new eQSLs into an XMLog log, I have written a short program to do the job. What I do is when checking my eQSL inbox, I select the text of the new QSO data and copy that into a text file (which is very easy to do with the 'copy to note' feature of the Opera browser I use). My program then converts the QSO data to ADIF for XMLog import.

I keep seperate log files as follows:
My main station log, which keeps track of paper QSLs received
A seperate log for LOTW confirmations, made from the LOTW QSLs received ADIF download.
A third log for eQSL confirmations, prepared as above.
At the moment XMLog does not keep track of which route confirmations have been received, so I like to keep the information in totally seperate logs.

There are already a number of ADIF conversion programs supplied in the XMLog suite. These are Quickbasic (which I don't have and I guess is not too common these days). My program is written in BBC Basic for WIndows (from http://www.rtrussell.co.uk/). If others are interested I could supply a compiled version of my program which would run on any Windows PC.

73 Dave G3YMC

http://www.davesergeant.com

1437. Re: [XMLog] New ADIF converter program for XMLog import from eQSL

Yahoo group: XMLog
Date: 2005-05-23 16:20:21 UTC
From: Joseph Agius
Topic: 1436 Message: 1437

Dave,

I would love a copy of your prog.
I too like Mlog very much

Joe
W1TW
--- Dave Sergeant <dave@...> wrote:
> I use eQSL (as well as LOTW and paper QSLs).
>
> At the moment eQSL lacks the facility of downloading
> the contents of
> your inbox in ADIF format, although there is a well
> hidden feature
> for downloading a rather limited ADIF version of
> your complete
> archive/inbox.
>
> To solve that shortcoming, and allow me to easily
> add my new eQSLs
> into an XMLog log, I have written a short program to
> do the job. What
> I do is when checking my eQSL inbox, I select the
> text of the new QSO
> data and copy that into a text file (which is very
> easy to do with
> the 'copy to note' feature of the Opera browser I
> use). My program
> then converts the QSO data to ADIF for XMLog import.
>
> I keep seperate log files as follows:
> My main station log, which keeps track of paper QSLs
> received
> A seperate log for LOTW confirmations, made from the
> LOTW QSLs
> received ADIF download.
> A third log for eQSL confirmations, prepared as
> above.
> At the moment XMLog does not keep track of which
> route confirmations
> have been received, so I like to keep the
> information in totally
> seperate logs.
>
> There are already a number of ADIF conversion

> programs supplied in
> the XMLog suite. These are Quickbasic (which I don't
> have and I guess
> is not too common these days). My program is written
> in BBC Basic for
> WIndows (from http://www.rtrussell.co.uk/). If
> others are interested
> I could supply a compiled version of my program
> which would run on
> any Windows PC.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
>
>
>
> Yahoo! Groups Links
>
>
> XMLog-unsubscribe@yahoogroups.com
>
>
>
>
>

Yahoo! Mail
Stay connected, organized, and protected. Take the tour:
http://tour.mail.yahoo.com/mailtour.html

1438. PC crashing

Yahoo group: XMLog
Date: 2005-06-07 18:06:58 UTC
From: Steve Forst
Topic: 1438 Message: 1438

Hi all,

Been using xmlog on and off for a few years. On the latest version and also the previous version my computer crashes and restarts anytime I try to display the log or dxcc list.

If I try and display the log in any form (long, short or anything else), or display the dxcc list the pc reboots. Doesn't matter if I'm sending to screen or file, same result.

Windows XP home. After it restarts I get the Microsoft stuff about sending an error report. What's up? I can add QSO's to the log and also import contest logs with no problem.

Steve KW3A
kw3a@...

1439. Re: [XMLog] PC crashing

Yahoo group: XMLog
Date: 2005-06-07 18:29:33 UTC
From: Michael McCarthy
Topic: 1438 Message: 1439

It sounds like a hardware issue, most likely something
in the video. Have you updated the video driver?
Have you tried another computer? If you send an error
report, read the status when it's done and see what is
crashing.

Mike, W1NR

--- Steve Forst <kw3a@...> wrote:

> Hi all,
>
> Been using xmlog on and off for a few years. On the
> latest version and also
> the previous version my computer crashes and
> restarts anytime I try to
> display the log or dxcc list.
>
> If I try and display the log in any form (long,
> short or anything else), or
> display the dxcc list the pc reboots. Doesn't
> matter if I'm sending to
> screen or file, same result.
>
> Windows XP home. After it restarts I get the
> Microsoft stuff about sending
> an error report. What's up? I can add QSO's to the
> log and also import
> contest logs with no problem.
>
> Steve KW3A
> kw3a@...
>
>
>
>

*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Discover Yahoo!
Get on-the-go sports scores, stock quotes, news and more. Check it out!
http://discover.yahoo.com/mobile.html

1440. Re: [XMLog] PC crashing

Yahoo group: XMLog
Date: 2005-06-07 19:32:44 UTC
From: Steve Forst
Topic: 1438 Message: 1440

Hi Mike,

Thanks for the help. The error report tells me that it is a device driver somewhere on the system. I had already tried updating the video driver, but willsee what else I can update. I guess I knew from the start it wasn't an xmlog problem, but since it only happens while using xmlog I thought I'd post here and see if there was a simple answer.

Tnx and 73 Steve KW3A

----- Original Message -----
From: "Michael McCarthy" <w1nr@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, June 07, 2005 2:29 PM
Subject: Re: [XMLog] PC crashing

> It sounds like a hardware issue, most likely something
> in the video. Have you updated the video driver?
> Have you tried another computer? If you send an error
> report, read the status when it's done and see what is
> crashing.
>
> Mike, W1NR
>
> --- Steve Forst <kw3a@...> wrote:
>
> > Hi all,
> >
> > Been using xmlog on and off for a few years. On the
> > latest version and also
> > the previous version my computer crashes and
> > restarts anytime I try to
> > display the log or dxcc list.
> >
> > If I try and display the log in any form (long,
> > short or anything else), or
> > display the dxcc list the pc reboots. Doesn't
> > matter if I'm sending to
> > screen or file, same result.
> >
> > Windows XP home. After it restarts I get the
> > Microsoft stuff about sending
> > an error report. What's up? I can add QSO's to the
> > log and also import
> > contest logs with no problem.
> >

> > Steve KW3A
> > kw3a@...
> >
> >
> >
> >
>
>
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
> _____
> Discover Yahoo!
> Get on-the-go sports scores, stock quotes, news and more. Check it out!
> http://discover.yahoo.com/mobile.html
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1441. Re: Problem with online call lookups

Yahoo group: XMLog
Date: 2005-06-23 05:24:04 UTC
From: Craig Bradley
Topic: 1434 Message: 1441

I had this problem once. I run XMLog on a Win2K machine and one day
it stopped looking up calls on QRZ.com.

I rebooted the machine and power cycled my broadband router. That
seemed to fix it.

- Craig, AE6RR

--- In XMLog@yahoogroups.com, "dakotaphotog" <craig@c...> wrote:
> W3GERry . . .
> Sounds like the same problem I've had for several months, but it's
> fixed now. Here's my story. I first used XMlog maybe 6 months ago.
> Love the program, expecially the online address lookup. After about
> two months or so of flawless operation, it wouldn't (or couldn't)
find
> the addresses any more. Got the "Operation Timed Out" window.
>
> When I posted the problem on this forum, some had said they had the
> problem for a while, and then for no apparent reason, it did
something
> really amazing, it cleared up on its own. That was exactly my
story.
> I went through upgrades on XMlog, updated windows, etc, trying to
> find the bug, and to no avail. For several weeks (a couple or three
> months) I had to look up all the addresses manually on the QRZ
> website. (bummer!) One day about a week ago or so, IT WORKS! Right
out
> of the clear blue, "IT WORKS!"
>
> I too, run on a network, and XMlog is only on one of the machines.
> Just for information, all three (sometimes four) machines are hooked
> together through a hub, which is connected to a cable modem for our
> internet access. I run Windows 2K Pro. Our common demominator is a
> "network".
>
> Sorry I can't help you any more than that, other than by saying it
has
> happened to others, no-one seems to know the exact cause, but it
seems
> to "cure" itself. Hang in there! If you find out anything, I'm sure
> everyone on the forum, including myself would be interested in what
> you find.
>
> WB0GFZ
>
>

> --- In XMLog@yahoogroups.com, "W3GERry" <MrsScience@h...> wrote:
> > This problem seems to be outside the XMLog program, but I wonder
if
> anyone
> > has seen it or has any ideas------
> >
> > I run a home network, 3 machines (let's call them A, B, and C) on
an
> > Ethernet LAN with a router. All machines run Win98se
> >
> > I usually run XMLog (4.96) on machine A. For the past few days,
> instead of
> > looking up a callsign on line it gives me a box captioned QRZ.COM
ERROR
> > 11001 (host not found error), as shown in the screen capture in
the
> attached
> > Word document (which probably will be stripped off the copy to
> yahoogroups).
> >
> > Yet if I run XMLog on machine B, callsign lookup works fine.
> >
> > Machine A is fine in all other respects-- accesses the Internet
and
> the LAN
> > FB.
> >
> > Any ideas?
> >
> > 73 de W3GERry
> >
> >
> >
> > [Non-text portions of this message have
> been removed]

1442. Logging satellite contacts

Yahoo group: XMLog
Date: 2005-06-23 05:27:54 UTC
From: Craig Bradley
Topic: 1442 Message: 1442

Has anyone been using XMLog for satellite contacts? I have logged a few and have been logging the Rx frequency and putting the satellite name in the notes field. However, I cannot track WAS, Satellite this way.

Does anyone have any ideas on a better way to log these QSOs?

Tnx,
Craig, AE6RR

1443. xmlog w/win95

Yahoo group: XMLog
Date: 2005-06-22 19:43:04 UTC
From: tungi22
Topic: 1443 Message: 1443

Has anyone tried the latest version of xmlog with win95...
Thanks
Grant

1444. Re: Logging satellite contacts

Yahoo group: XMLog
Date: 2005-06-23 14:04:44 UTC
From: Mike McAmis
Topic: 1442 Message: 1444

Hi Craig,

The next version of XMLog now under development will have some new fields including "Satellite Name" and "Satellite Mode". This version will probably be available in about a month.

Mike - W1ECT

> Has anyone been using XMLog for satellite contacts? I have logged a
> few and have been logging the Rx frequency and putting the satellite
> name in the notes field. However, I cannot track WAS, Satellite this
> way.
>
> Does anyone have any ideas on a better way to log these QSOs?
>
> Tnx,
> Craig, AE6RR

1445. Re: xmlog w/win95

Yahoo group: XMLog
Date: 2005-06-23 14:12:28 UTC
From: tungi22
Topic: 1443 Message: 1445

--- In XMLog@yahoogroups.com, "tungi22" <CGM22@a...> wrote:
> Has anyone tried the latest version of xmlog with win95...
> Thanks
> Grant

To answer my own question ... I just loaded 4.96 on a PII 350mhz win95 machine and it worked flawlessly ... thanks Mike for the update ... Grant

1446. Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-23 15:22:11 UTC
From: Mike McAmis
Topic: 1446 Message: 1446

Hi, I've just received a some bad news. The company that has been hosting the XMLog web site at no cost all these years has decided to start charging for their services. I'm going to look around to find an inexpensive alternative but it's likely that I'll have to start spending some money to provide XMLog.

In order to help finance the web site and also pay for other costs I've encountered (and will encounter) developing XMLog I'm announcing the first annual XMLog Pledge Drive.

I'm asking for donations from anyone who has found XMLog to be useful. These donations will be used to support the web site and other costs incurred developing XMLog.

You can make donations via PayPal using m.mcamis@... or send a check to:

Michael McAmis
433 Hanover Center Road
Etna, NH - 03750

I know it's a lot to ask since ham radio operators tend to be very frugal (I know I am!!).

The XMLog web page has consistently provided 10,000+ downloads of the XMLog .zip file per year for nearly ten years and during that time I've received about 2-3 donations per year. How many of these downloads have resulted in actual XMLog users? I have no idea but we have about 380 users here on the XMLog group and I always assumed that there must be at least 10 other users out there for each one in the group...

Thanks, Mike - W1ECT

1447. Re: Logging satellite contacts

Yahoo group: XMLog
Date: 2005-06-24 05:10:39 UTC
From: Craig Bradley
Topic: 1442 Message: 1447

Thanks Mike,

That is great news. Will it track Satellite WAS too?

- Craig

--- In XMLog@yahoogroups.com, "Mike McAmis" <xmlog@t...> wrote:
>
> Hi Craig,
>
> The next version of XMLog now under development will have some new
> fields including "Satellite Name" and "Satellite Mode". This
version
> will probably be available in about a month.
>
> Mike - W1ECT
>
> > Has anyone been using XMLog for satellite contacts? I have
logged a
> > few and have been logging the Rx frequency and putting the
satellite
> > name in the notes field. However, I cannot track WAS, Satellite
this
> > way.
> >
> > Does anyone have any ideas on a better way to log these QSOs?
> >
> > Tnx,
> > Craig, AE6RR

1448. Re: Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-24 05:32:32 UTC
From: Craig Bradley
Topic: 1446 Message: 1448

OK,

I just stepped up and sent $50 through PayPal. I think that XMLog is an excellent product and is well worth this amount. Mike's support is also very valuable.

Let's keep the web site up and help Mike with financial support. Who is next...

- Craig, AE6RR

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi, I've just received a some bad news. The company that has been
> hosting the XMLog web site at no cost all these years has decided to
> start charging for their services. I'm going to look around to find
> an inexpensive alternative but it's likely that I'll have to start
> spending some money to provide XMLog.
>
> In order to help finance the web site and also pay for other costs
> I've encountered (and will encounter) developing XMLog I'm announcing
> the first annual XMLog Pledge Drive.
>
> I'm asking for donations from anyone who has found XMLog to be
> useful. These donations will be used to support the web site and
> other costs incurred developing XMLog.
>
> You can make donations via PayPal using m.mcamis@v... or send a
> check to:
>
> Michael McAmis
> 433 Hanover Center Road
> Etna, NH - 03750
>
> I know it's a lot to ask since ham radio operators tend to be very
> frugal (I know I am!!).
>
> The XMLog web page has consistently provided 10,000+ downloads of the
> XMLog .zip file per year for nearly ten years and during that time
> I've received about 2-3 donations per year. How many of these
> downloads have resulted in actual XMLog users? I have no idea but we
> have about 380 users here on the XMLog group and I always assumed

> that there must be at least 10 other users out there for each one
in
> the group...
>
> Thanks, Mike - W1ECT

1449. Re: [Is this Spam?] [XMLog] Re: Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-24 11:34:09 UTC
From: Steve Litwins
Topic: 1449 Message: 1449

Check's in the mail...really! 73/dx
steve, k8wk
****
----- Original Message -----
From: "Craig Bradley" <craigjb@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, June 24, 2005 12:32 AM
Subject: [Is this Spam?] [XMLog] Re: Pledge Drive?

> OK,
>
> I just stepped up and sent $50 through PayPal. I think that XMLog is
> an excellent product and is well worth this amount. Mike's support
> is also very valuable.
>
> Let's keep the web site up and help Mike with financial support. Who
> is next...
>
> - Craig, AE6RR
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > Hi, I've just received a some bad news. The company that has been
> > hosting the XMLog web site at no cost all these years has decided
> to
> > start charging for their services. I'm going to look around to
> find
> > an inexpensive alternative but it's likely that I'll have to start
> > spending some money to provide XMLog.
> >
> > In order to help finance the web site and also pay for other costs
> > I've encountered (and will encounter) developing XMLog I'm
> announcing
> > the first annual XMLog Pledge Drive.
> >
> > I'm asking for donations from anyone who has found XMLog to be
> > useful. These donations will be used to support the web site and
> > other costs incurred developing XMLog.
> >
> > You can make donations via PayPal using m.mcamis@v... or send a
> > check to:
> >
> > Michael McAmis
> > 433 Hanover Center Road
> > Etna, NH - 03750
> >

> > I know it's a lot to ask since ham radio operators tend to be very
> > frugal (I know I am!!).
> >
> > The XMLog web page has consistently provided 10,000+ downloads of
> the
> > XMLog .zip file per year for nearly ten years and during that time
> > I've received about 2-3 donations per year. How many of these
> > downloads have resulted in actual XMLog users? I have no idea but
> we
> > have about 380 users here on the XMLog group and I always assumed
> > that there must be at least 10 other users out there for each one
> in
> > the group...
> >
> > Thanks, Mike - W1ECT
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1450. [Is this Spam?] [XMLog] Re: Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-24 15:26:15 UTC
From: Craig Bradley
Topic: 1449 Message: 1450

Hi Steve,

Sorry if this sounded like spam. I have been thinking about contributing for a while and Mike's message prompted me into action. Mike has provided me with great tech support via email on a couple of problems. I am a firm believer in paying for what I get. I would like to be sure that XMLog and Mike's support will be around for as long as I use the product. If Mike starts losing money on this, what is his incentive to keep spending time upgrading and providing tech support? I like to be paid for my services (and writing this message is not a service).

I am not affiliated with Mike or XMLog and I do not receive any financial compensation for writing this posting. My motivation is to see that Mike has the required financial support to continue his great efforts. I want to keep my installation of XMLog going. Mike has verified to me by email that he did receive the PayPal payment. I can provide a copy of the receipt email if there in any doubt that this is a legitimate payment.

73,
Craig, AE6RR

--- In XMLog@yahoogroups.com, "Steve Litwins" <litwins@b...> wrote:
> Check's in the mail...really! 73/dx
> steve, k8wk
> ************
> ----- Original Message -----
> From: "Craig Bradley" <craigjb@p...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, June 24, 2005 12:32 AM
> Subject: [Is this Spam?] [XMLog] Re: Pledge Drive?
>
>
> > OK,
> >
> > I just stepped up and sent $50 through PayPal. I think that
XMLog is
> > an excellent product and is well worth this amount. Mike's
support
> > is also very valuable.
> >
> > Let's keep the web site up and help Mike with financial support.
Who
> > is next...
> >

> > - Craig, AE6RR
> >
> > --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > > Hi, I've just received a some bad news. The company that has
been
> > > hosting the XMLog web site at no cost all these years has
decided
> > to
> > > start charging for their services. I'm going to look around to
> > find
> > > an inexpensive alternative but it's likely that I'll have to
start
> > > spending some money to provide XMLog.
> > >
> > > In order to help finance the web site and also pay for other
costs
> > > I've encountered (and will encounter) developing XMLog I'm
> > announcing
> > > the first annual XMLog Pledge Drive.
> > >
> > > I'm asking for donations from anyone who has found XMLog to be
> > > useful. These donations will be used to support the web site
and
> > > other costs incurred developing XMLog.
> > >
> > > You can make donations via PayPal using m.mcamis@v... or send a
> > > check to:
> > >
> > > Michael McAmis
> > > 433 Hanover Center Road
> > > Etna, NH - 03750
> > >
> > > I know it's a lot to ask since ham radio operators tend to be
very
> > > frugal (I know I am!!).
> > >
> > > The XMLog web page has consistently provided 10,000+ downloads
of
> > the
> > > XMLog .zip file per year for nearly ten years and during that
time
> > > I've received about 2-3 donations per year. How many of these
> > > downloads have resulted in actual XMLog users? I have no idea
but
> > we
> > > have about 380 users here on the XMLog group and I always
assumed
> > > that there must be at least 10 other users out there for each
one
> > in

> > > the group...
> > >
> > > Thanks, Mike - W1ECT
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >

1452. Re: [XMLog] Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-24 16:08:12 UTC
From: Stan Gantz
Topic: 1446 Message: 1452

Hi !!

Let me say that I have used XMLog now for about 5-6 years, and sent Mike a small donation several years ago. Briefly, let me say this: Let's all cough up a few bucks to help pay for what we use (and NEED)! I for one believe that everybody who uses it, should show their appreciation to Mike by a contribution!!!!!!

Tnx fer a great program and your ongoing support, Mike !!
73 All, es Gud DX!!!
Stan Gantz W5GZ
.....
At 09:22 AM 6/23/2005, you wrote:
>Hi, I've just received a some bad news. The company that has been
>hosting the XMLog web site at no cost all these years has decided to
>start charging for their services. I'm going to look around to find
>an inexpensive alternative but it's likely that I'll have to start
>spending some money to provide XMLog.
>
>In order to help finance the web site and also pay for other costs
>I've encountered (and will encounter) developing XMLog I'm announcing
>the first annual XMLog Pledge Drive.
>
>I'm asking for donations from anyone who has found XMLog to be
>useful. These donations will be used to support the web site and
>other costs incurred developing XMLog.
>
>You can make donations via PayPal using m.mcamis@... or send a
>check to:
>
> Michael McAmis
> 433 Hanover Center Road
> Etna, NH - 03750
>
>I know it's a lot to ask since ham radio operators tend to be very
>frugal (I know I am!!).
>
>The XMLog web page has consistently provided 10,000+ downloads of the
>XMLog .zip file per year for nearly ten years and during that time
>I've received about 2-3 donations per year. How many of these
>downloads have resulted in actual XMLog users? I have no idea but we
>have about 380 users here on the XMLog group and I always assumed
>that there must be at least 10 other users out there for each one in
>the group...
>

>Thanks, Mike - W1ECT
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>

1453. Re: [Is this Spam?] [XMLog] Re: Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-24 16:52:51 UTC
From: steve bezuk
Topic: 1449 Message: 1453

Thanks for the e-mail but FYI I made a Pay-Pal payment to Mike yesterday and received a thank you e-mail from him
Steve
VE3ME

[Non-text portions of this message have been removed]

1454. RE: [Is this Spam?] [XMLog] Re: Pledge Drive?

Yahoo group: XMLog
Date: 2005-06-24 22:31:01 UTC
From: Tom Dixon
Topic: 1449 Message: 1454

Hi Craig
How anyone could take your email as spam is beyond me. You simply stated that you sent the programmer some dollars because you find his program suitable to your needs. If the spam police want spam then I would happily give them my xtra.co.nz email account now that has spam.
Tom Dixon
<mailto:zl2hgr@...> zl2hgr@...
IRLP 6931
Curiosity didn't kill the cat, I got him with my 12 gauge !!!
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Saturday, 25 June 2005 3:35 a.m.
To: XMLog@yahoogroups.com
Subject: [Is this Spam?] [XMLog] Re: Pledge Drive?

Hi Steve,

Sorry if this sounded like spam. I have been thinking about contributing for a while and Mike's message prompted me into action. Mike has provided me with great tech support via email on a couple of problems. I am a firm believer in paying for what I get. I would like to be sure that XMLog and Mike's support will be around for as long as I use the product. If Mike starts losing money on this, what is his incentive to keep spending time upgrading and providing tech support? I like to be paid for my services (and writing this message is not a service).

I am not affiliated with Mike or XMLog and I do not receive any financial compensation for writing this posting. My motivation is to see that Mike has the required financial support to continue his great efforts. I want to keep my installation of XMLog going. Mike has verified to me by email that he did receive the PayPal payment. I can provide a copy of the receipt email if there in any doubt that this is a legitimate payment.

73,
Craig, AE6RR

--- In XMLog@yahoogroups.com, "Steve Litwins" <litwins@b...> wrote:
> Check's in the mail...really! 73/dx
> steve, k8wk
> ************
> ----- Original Message -----
> From: "Craig Bradley" <craigjb@p...>
> To: <XMLog@yahoogroups.com>

> Sent: Friday, June 24, 2005 12:32 AM
> Subject: [Is this Spam?] [XMLog] Re: Pledge Drive?
>
>
> > OK,
> >
> > I just stepped up and sent $50 through PayPal. I think that
XMLog is
> > an excellent product and is well worth this amount. Mike's
support
> > is also very valuable.
> >
> > Let's keep the web site up and help Mike with financial support.
Who
> > is next...
> >
> > - Craig, AE6RR
> >
> > --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > > Hi, I've just received a some bad news. The company that has
been
> > > hosting the XMLog web site at no cost all these years has
decided
> > to
> > > start charging for their services. I'm going to look around to
> > find
> > > an inexpensive alternative but it's likely that I'll have to
start
> > > spending some money to provide XMLog.
> > >
> > > In order to help finance the web site and also pay for other
costs
> > > I've encountered (and will encounter) developing XMLog I'm
> > announcing
> > > the first annual XMLog Pledge Drive.
> > >
> > > I'm asking for donations from anyone who has found XMLog to be
> > > useful. These donations will be used to support the web site
and
> > > other costs incurred developing XMLog.
> > >
> > > You can make donations via PayPal using m.mcamis@v... or send a
> > > check to:
> > >
> > > Michael McAmis
> > > 433 Hanover Center Road
> > > Etna, NH - 03750
> > >
> > > I know it's a lot to ask since ham radio operators tend to be
very

> > > frugal (I know I am!!).
> > >
> > > The XMLog web page has consistently provided 10,000+ downloads
of
> > the
> > > XMLog .zip file per year for nearly ten years and during that
time
> > > I've received about 2-3 donations per year. How many of these
> > > downloads have resulted in actual XMLog users? I have no idea
but
> > we
> > > have about 380 users here on the XMLog group and I always
assumed
> > > that there must be at least 10 other users out there for each
one
> > in
> > > the group...
> > >
> > > Thanks, Mike - W1ECT
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog>
" on the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

1455. Re: Logging satellite contacts

Yahoo group: XMLog
Date: 2005-06-25 15:02:12 UTC
From: Mike McAmis
Topic: 1442 Message: 1455

Hi Craig, You'll just need to select the log entries which have the satellite name set and then when you generate any of the awards reports pick "Currently Selected Entries" rather than "All Log Entries".

Mike - W1ECT

> That is great news. Will it track Satellite WAS too?
>
> - Craig
>

1456. XMLog problem with Award option data

Yahoo group: XMLog
Date: 2005-06-26 19:53:12 UTC
From: peterconway20032000
Topic: 1456 Message: 1456

Hi All,

I'm new to XMLog and inputting log entries is fine - I'm just using it for data (packet) mode, not cluster work.
Problem is when I go to Awards and check WAS it's only showing two states worked although I have entered many more, it seems to have stuck at the first two states I logged. Maybe it's the way the data is entered?

73,

Peter Conway G3UFI Hastings UK

1457. help

Yahoo group: XMLog
Date: 2005-06-27 01:07:02 UTC
From: jericson
Topic: 1457 Message: 1457

I got it loaded how do I set it up so I can use it?.
Jon Ericson
kb0v vk

[Non-text portions of this message have been removed]

1458. Re: [XMLog] Pledge Drive

Yahoo group: XMLog
Date: 2005-07-02 13:07:39 UTC
From: Don Nesbitt
Topic: 1446 Message: 1458

Hi Mike - just PayPal'd to you. Thanks again for this
great program! I use it all the time. 73 -- Don N4HH

--- Mike McAmis <m.mcamis@...> wrote:

> Hi, I've just received a some bad news. The company
> that has been
> hosting the XMLog web site at no cost all these
> years has decided to
> start charging for their services. I'm going to
> look around to find
> an inexpensive alternative but it's likely that I'll
> have to start
> spending some money to provide XMLog.
>
> In order to help finance the web site and also pay
> for other costs
> I've encountered (and will encounter) developing
> XMLog I'm announcing
> the first annual XMLog Pledge Drive.
>
> I'm asking for donations from anyone who has found
> XMLog to be
> useful. These donations will be used to support the
> web site and
> other costs incurred developing XMLog.
>
> You can make donations via PayPal using
> m.mcamis@... or send a
> check to:
>
> Michael McAmis
> 433 Hanover Center Road
> Etna, NH - 03750
>
> I know it's a lot to ask since ham radio operators
> tend to be very
> frugal (I know I am!!).
>
> The XMLog web page has consistently provided 10,000+
> downloads of the
> XMLog .zip file per year for nearly ten years and
> during that time
> I've received about 2-3 donations per year. How
> many of these

> downloads have resulted in actual XMLog users? I
> have no idea but we
> have about 380 users here on the XMLog group and I
> always assumed
> that there must be at least 10 other users out there
> for each one in
> the group...
>
> Thanks, Mike - W1ECT
>
>
>
>
>

Yahoo! Sports
Rekindle the Rivalries. Sign up for Fantasy Football
http://football.fantasysports.yahoo.com

1459. Print Log

Yahoo group: XMLog
Date: 2005-07-08 05:00:11 UTC
From: Art Barbetta Jr N8RKA
Topic: 1459 Message: 1459

How can I print my log to paper??

Thanks Art N8RKA

1460. Re: Print Log

Yahoo group: XMLog
Date: 2005-07-09 14:45:10 UTC
From: Mike McAmis
Topic: 1459 Message: 1460

Hi Art - Use the "Display" menu items, e.g. Display/Short or Display/Excel. See the Help file info for Display and Searching the Log for more info.

Mike - W1ECT

> How can I print my log to paper??
>
> Thanks Art N8RKA

1461. Change in operation request.

Yahoo group: XMLog
Date: 2005-07-18 00:26:54 UTC
From: David Spoelstra
Topic: 1461 Message: 1461

Hi! First off, thanks for such a great program.

Second, I'd like to ask for a small change in the way the program works.

I've got 18,000 QSOs in my log. I'm always moving the slider to the end
because I want to look at the most recent QSOs instead of the very first one
I did. Especially, after I add a few contacts, I like to look at them in
the log before I close the program.

I don't want a change in anything except initializing the slider bar to be
the most recent QSO instead of the first QSO when the main window opens.

What do you think?

-David

1462. Re: [XMLog] Change in operation request.

Yahoo group: XMLog
Date: 2005-07-18 01:36:45 UTC
From: Stan Gantz
Topic: 1461 Message: 1462

Good idea, David...I second the idea!!
What do you think, Mike???

Stan Gantz W5GZ
.....
At 07:26 PM 7/17/05 -0500, you wrote:
>Hi! First off, thanks for such a great program.
>
>Second, I'd like to ask for a small change in the way the program works.
>
>I've got 18,000 QSOs in my log. I'm always moving the slider to the end
>because I want to look at the most recent QSOs instead of the very first one
>I did. Especially, after I add a few contacts, I like to look at them in
>the log before I close the program.
>
>I don't want a change in anything except initializing the slider bar to be
>the most recent QSO instead of the first QSO when the main window opens.
>
>What do you think?
>
>-David
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1463. Re: [XMLog] Change in operation request.

Yahoo group: XMLog
Date: 2005-07-18 00:37:14 UTC
From: D.W. Jones
Topic: 1461 Message: 1463

David -

Doesn't DISPLAY > SORT BY > QSO DATE/TIME(REVERSED) do what you want?
With this my log always displays with the most recent contacts first.

If I am missing the point, please forgive me.

73 - Don N4TN

David Spoelstra wrote:

> Hi! First off, thanks for such a great program.
>
> Second, I'd like to ask for a small change in the way the program works.
>
> I've got 18,000 QSOs in my log. I'm always moving the slider to the end
> because I want to look at the most recent QSOs instead of the very
> first one
> I did. Especially, after I add a few contacts, I like to look at them in
> the log before I close the program.
>
> I don't want a change in anything except initializing the slider bar
> to be
> the most recent QSO instead of the first QSO when the main window opens.
>
> What do you think?
>
> -David
>
>

[Non-text portions of this message have been removed]

1464. Re: Change in operation request.

Yahoo group: XMLog
Date: 2005-07-18 04:27:11 UTC
From: David Spoelstra
Topic: 1461 Message: 1464

Yep! That does it! Thank you very much. I've used and recommended this program for years, but I never stumbled across that. I actually thought it was *only* for the Display Short/Medium/Long/Excel functions.

--- In XMLog@yahoogroups.com, "D.W. Jones" <n4tn@c...> wrote:
> David -
>
> Doesn't DISPLAY > SORT BY > QSO DATE/TIME(REVERSED) do what you want?
> With this my log always displays with the most recent contacts first.
>
> If I am missing the point, please forgive me.
>
> 73 - Don N4TN
>
>
>
> David Spoelstra wrote:
>
> > Hi! First off, thanks for such a great program.
> >
> > Second, I'd like to ask for a small change in the way the program works.
> >
> > I've got 18,000 QSOs in my log. I'm always moving the slider to the end
> > because I want to look at the most recent QSOs instead of the very
> > first one
> > I did. Especially, after I add a few contacts, I like to look at them in
> > the log before I close the program.
> >
> > I don't want a change in anything except initializing the slider bar
> > to be
> > the most recent QSO instead of the first QSO when the main window opens.
> >
> > What do you think?
> >
> > -David
> >

> >
>
>
>
> [Non-text portions of this message have been removed]

1465. rotator control

Yahoo group: XMLog
Date: 2005-08-06 22:27:29 UTC
From: n5pht
Topic: 1465 Message: 1465

Please let me hear from anyone with the M2 2800dc rotator and using
the XMLog for control. What are the correct settings?

Thanks,

73 de N5PHT, Gary

1466. Re: rotator control

Yahoo group: XMLog
Date: 2005-08-07 20:13:05 UTC
From: Mike McAmis
Topic: 1465 Message: 1466

Hi Gary, Is the manual available online somewhere? If not I'll need a listing of the control commands used to change the rotor position.

Mike - W1ECT

> Please let me hear from anyone with the M2 2800dc rotator and using
> the XMLog for control. What are the correct settings?
>
> Thanks,
>
> 73 de N5PHT, Gary

1467. Packet Cluster

Yahoo group: XMLog
Date: 2005-09-21 13:50:30 UTC
From: ab1dd
Topic: 1467 Message: 1467

Can AGW Packet Engine be made to work with XmLog?

Carl
AB1DD

1468. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-09-21 23:35:36 UTC
From: Mike McAmis
Topic: 1467 Message: 1468

Hi Carl, Isn't AGW used as an interface between TNCs and cluster nodes? What did you have in mind?

I've been running a DXSpider cluster node that uses AGW to provide VHF packet access to the node.

Mike - W1ECT

> Can AGW Packet Engine be made to work with XmLog?
>
> Carl
> AB1DD

1469. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-09-22 11:04:45 UTC
From: ab1dd
Topic: 1467 Message: 1469

Hi Mike,

What I'm trying to do is use a sound card interface to access a 2mtr packet cluster. AGW will support a sound card. I'm new to this packet stuff, and am having a little trouble sorting it all out. The reason for doing it this way is that it will be used on my sailboat. Space and power are conciderations. Since I use XMlog and the laptop already, it looks like a good way to go. There is a node in Mineville, NY that I can recieve good most places I sail on southern Lake Champlain.

Thanks,

Carl
AB1DD

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Carl, Isn't AGW used as an interface between TNCs and cluster
> nodes? What did you have in mind?

1470. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-09-22 22:12:12 UTC
From: Mike McAmis
Topic: 1467 Message: 1470

OK Carl, I checked the AGW home page and I see that it can simulate a TNC using your sound card, sounds intriguing. I'll take a look at the documentation to see how much work it would be. I don't think that there's enough interest in VHF packet anymore to justify too much work here. Just about everyone around here has migrated to Internet connections or has an old TNC or two lying around (my old MFJ-1270 still paying it's dues here). If you decide to go the TNC route the old KPC-3 is a pretty small box and I think there are other non-commercial TNC's that are pretty tiny as well. Of course when you're traveling the fewer wires, the better.

Mike - W1ECT

> Hi Mike,
>
> What I'm trying to do is use a sound card interface to access a 2mtr packet cluster. AGW will support a sound card. I'm new to this packet stuff, and am having a little trouble sorting it all out. The reason for doing it this way is that it will be used on my sailboat. Space and power are conciderations. Since I use XMlog and the laptop already, it looks like a good way to go. There is a node in Mineville, NY that I can recieve good most places I sail on southern Lake Champlain.
>
> Thanks,
>
> Carl
> AB1DD

1471. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-09-26 21:31:22 UTC
From: Mike McAmis
Topic: 1467 Message: 1471

Hi Carl, Have you tried the AGW sound card modem using other software to log in to some VHF packet cluster? Just wanted to know if you had your current radio/PC wired up for this.

Mike - W1ECT

1472. USB Serial port - CW & rig control

Yahoo group: XMLog
Date: 2005-09-27 11:14:00 UTC
From: Mark Marsden
Topic: 1472 Message: 1472

Hi Mike & XMLoggers

XMLog help files tell me that the same COM port cannot be used for both CW keying and Rig control.

My setup is a laptop (sans COM ports), a USB - serial adaptor, my homebrew CW/Voice keyer on http://granta.digital-crocus.com/Voice_Keyer.php3 and an FT1KMP. Writelog and N1MM logger use a single USB-Com port to provide rig control, PTT & CW keying.

Is it possible to make XMLog work on the same port?

73, Mark G4AXX

[Non-text portions of this message have been removed]

1473. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-09-27 11:25:07 UTC
From: ab1dd
Topic: 1467 Message: 1473

Hi Mike,

Sort of. I have a 706IIG and a Signalink interface. I have no trouble recieving the packet, but due to a misconfiguration on the laptop no audio out so I haven't transmitted yet. The interface box is on the boat. I plan on getting it asap and working on the mobile setup in the van. (Same radio). I used RXClus 8.2 (http://rchalmas.users.ch/rxclus/) to recieve the packets. There is only a couple of programs that work with AWG.
Will you be at Hosstraders? I plan on being there Friday. If I can do anything to help you out let me know.

Carl
AB1DD

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Hi Carl, Have you tried the AGW sound card modem using other software
> to log in to some VHF packet cluster? Just wanted to know if you had
> your current radio/PC wired up for this.
>
> Mike - W1ECT

1474. Re: USB Serial port - CW & rig control

Yahoo group: XMLog
Date: 2005-09-28 03:34:23 UTC
From: Mike McAmis
Topic: 1472 Message: 1474

Hi Mark, It's true that XMLog currently does not support CW and rig control on the same serial port. It's something I hope to address in the near future but I can't make any promises. I know there are adapters that provide multiple serial ports for a single USB port so I did a bit of web searching. There was a wide variety of prices and forms for these adapters and some of there are quite big and/or ugly and/or expensive. Here's one I found that looked promising:

http://www.usbgear.com/USBG-2X232.html

Maybe some other folk out there have had some experience with these adapters that they can pass on.

Mike - W1ECT

> XMLog help files tell me that the same COM port
> cannot be used for both CW keying and Rig control.
> Is it possible to make XMLog work on the same port?

1475. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-09-28 03:36:52 UTC
From: Mike McAmis
Topic: 1467 Message: 1475

Hello Carl, If the weather is nice (no rain) I'll be there Friday.

Mike - W1ECT

> Will you be at Hosstraders? I plan on being there Friday. If I can
do anything to help you out let me know.

1476. Re: Packet Cluster and AGW

Yahoo group: XMLog
Date: 2005-10-05 10:35:30 UTC
From: ab1dd
Topic: 1467 Message: 1476

Mike,
Update: I have the VHF packet cluster working now. I can connect to the node in Essex, NY no problem. The AGW software along with RXCluster worked without a problem. I'm using the Tigertronics interface, and it keys the 706 just like it should.
Hosstraders might be a little wet this time!!

Carl
AB1DD

> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> > Hi Carl, Have you tried the AGW sound card modem using other software
> > to log in to some VHF packet cluster? Just wanted to know if you had
> > your current radio/PC wired up for this.
> >
> > Mike - W1ECT

1477. XMLog Version 5

Yahoo group: XMLog
Date: 2005-10-06 15:25:37 UTC
From: Mike McAmis
Topic: 1477 Message: 1477

The current beta version of XMLog is available at www.xmlog.com/beta
and is approaching the point where it will become the "official"
XMLog version.

New features available in version 5 include:

Satellite Name/Mode and Contest In/Out fields have been added.

A new group of log fields, the Station Info fields, have been added.
These fields define the location of your station (country, grid,
zone, etc.) and the station and operator callsigns. These fields
are saved with each log entry and can be useful when the log
contains QSOs made by different operators or from multiple
locations. To set the default values for these fields use
the "Options/Station Info" menu item. For more info use the "Help"
button from the "Station Info" window.

By default these new fields are not displayed. To view these fields
choose the "Options/Log Fields" menu item and pick the "Log Fields"
tab.

The Power field now allows values less than 1 watt. However, only
log files created by version 5.02 or later will support this
feature. If you want to use fractional power values and you have a
log file that was created with an older version of XMLog you can
create a new log file that contains all your old log entries by
using the "File/Copy Log to..."
menu item.

The Log and Packet windows now include a "View" menu. The following
version 4.xx menu items were moved to this new menu:

Log Window:
Display/Show QSOs Window

Log and Packet Windows:
Options/Show Packet Window
Options/Show Packet Spots Map
Options/Show Packet Spots History

Packet Window:
Edit/Split Screen
Edit/Horizontal Scrollbar
Edit/Memory Buttons

A CW Keyboard window is now available. This window can be displayed
from the Log or Packet windows using the "View/Show CW Keyboard"

menu item.

The stand-alone keyboard program XCW is now bundled with XMLog and no longer needs to be downloaded or installed separately.

A "Keep Alive" feature for network connections is now available. This feature is used to avoid the disconnects issued by some networks when the connection has been idle for some time. To enable the "Keep Alive" feature Choose "Options/Packet Options" and pick the "Keep Alive" tab.

1478. RE: [XMLog] XMLog Version 5

Yahoo group: XMLog
Date: 2005-10-06 16:02:36 UTC
From: Craig Bradley
Topic: 1477 Message: 1478

Hi Mike,

Thanks for the run down on the new features. Don't forget the updating of the grid square and QSL manager info from QRZ.com. Also the new report features for 2, 4 & 6 digit grids, the 2 digit is great for the new CQ Field Award! Using this feature, I have found that I already have worked enough grids to qualify for the basic award, just by updating the fields and running a report.

Regarding the Station Info fields, is there some way to save a couple of defaults? I operate from 2 locations quite often and it would be handy to just recall QTH #1, QTH #2, etc. Also, is there some way to select all of the QSOs from one QTH only for awards such as WAS?

Thanks again for all of the great new features! I am using version 5.10 currently.

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Thursday, October 06, 2005 8:26 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] XMLog Version 5

The current beta version of XMLog is available at www.xmlog.com/beta and is approaching the point where it will become the "official" XMLog version.

New features available in version 5 include:

Satellite Name/Mode and Contest In/Out fields have been added.

A new group of log fields, the Station Info fields, have been added. These fields define the location of your station (country, grid, zone, etc.) and the station and operator callsigns. These fields are saved with each log entry and can be useful when the log contains QSOs made by different operators or from multiple locations. To set the default values for these fields use the "Options/Station Info" menu item. For more info use the "Help" button from the "Station Info" window.

By default these new fields are not displayed. To view these fields choose the "Options/Log Fields" menu item and pick the "Log Fields" tab.

The Power field now allows values less than 1 watt. However, only
log files created by version 5.02 or later will support this
feature. If you want to use fractional power values and you have a
log file that was created with an older version of XMLog you can
create a new log file that contains all your old log entries by
using the "File/Copy Log to..."
menu item.

The Log and Packet windows now include a "View" menu. The following
version 4.xx menu items were moved to this new menu:

Log Window:
Display/Show QSOs Window

Log and Packet Windows:
Options/Show Packet Window
Options/Show Packet Spots Map
Options/Show Packet Spots History

Packet Window:
Edit/Split Screen
Edit/Horizontal Scrollbar
Edit/Memory Buttons

A CW Keyboard window is now available. This window can be displayed
from the Log or Packet windows using the "View/Show CW Keyboard"
menu item.

The stand-alone keyboard program XCW is now bundled with XMLog and
no longer needs to be downloaded or installed separately.

A "Keep Alive" feature for network connections is now available.
This feature is used to avoid the disconnects issued by some
networks when the connection has been idle for some time. To enable
the "Keep Alive" feature Choose "Options/Packet Options" and pick
the "Keep Alive" tab.

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1479. RE: [XMLog] XMLog Version 5

Yahoo group: XMLog
Date: 2005-10-07 12:31:20 UTC
From: Don Nesbitt
Topic: 1477 Message: 1479

Hello to the Group - I recently downloaded the 5 beta
version - and - "think" I did everything correctly -
but - when I start the program it says verison 4.96.
Anyone have any idea what I did wrong? Tnx es 73 --
Don N4HH

_____
Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

1480. RE: [XMLog] XMLog Version 5

Yahoo group: XMLog
Date: 2005-10-07 16:36:59 UTC
From: Jim Henry
Topic: 1477 Message: 1480

Did you download from www.xmlog.com or www.xmlog.com/beta? The latter
contains version 5.10

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Don
Nesbitt
Sent: 07 October 2005 12:31
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] XMLog Version 5

Hello to the Group - I recently downloaded the 5 beta
version - and - "think" I did everything correctly -
but - when I start the program it says verison 4.96.
Anyone have any idea what I did wrong? Tnx es 73 --
Don N4HH

Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.344 / Virus Database: 267.11.13/123 - Release Date: 06/10/2005

[Non-text portions of this message have been removed]

1481. RE: [XMLog] XMLog Version 5 - Problem Solved - Duh!

Yahoo group: XMLog
Date: 2005-10-07 19:55:10 UTC
From: Don Nesbitt
Topic: 1477 Message: 1481

Downloaded from /beta - and - face turns red now -
found the problem - as usual, cockpit trouble - I
failed to "install" it by running "setup.exe" - duh!
Thanks for your response Jim. 73 -- Don N4HH

--- Jim Henry <jim.henry@...> wrote:

> Did you download from www.xmlog.com or
> www.xmlog.com/beta? The latter
> contains version 5.10
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> IO64xm
> -----Original Message-----
> From: XMLog@yahoogroups.com
> [mailto:XMLog@yahoogroups.com]On Behalf Of Don
> Nesbitt
> Sent: 07 October 2005 12:31
> To: XMLog@yahoogroups.com
> Subject: RE: [XMLog] XMLog Version 5
>
>
> Hello to the Group - I recently downloaded the 5
> beta
> version - and - "think" I did everything correctly
> -
> but - when I start the program it says verison
> 4.96.
> Anyone have any idea what I did wrong? Tnx es 73
> --
> Don N4HH
>
>
>
> _____
> Yahoo! Mail - PC Magazine Editors' Choice 2005
> http://mail.yahoo.com
>
>
> SPONSORED LINKS Hobby and craft supply Craft
> hobby Hobbies and crafts
> Ham radio Ham radio sales Ham radio outlet
>
>

>

> --
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an
> email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the
> Yahoo! Terms of
> Service.
>
>
>

> --
>
>
> --
> No virus found in this outgoing message.
> Checked by AVG Anti-Virus.
> Version: 7.0.344 / Virus Database: 267.11.13/123 -
> Release Date: 06/10/2005
>
>
> [Non-text portions of this message have been
> removed]
>
>

Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

1482. RE: [XMLog] XMLog Version 5 - Problem Solved - Duh!

Yahoo group: XMLog
Date: 2005-10-07 20:02:12 UTC
From: Jim Henry
Topic: 1477 Message: 1482

Easily done. Its a great program, enjoy.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Don
Nesbitt
Sent: 07 October 2005 19:55
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] XMLog Version 5 - Problem Solved - Duh!

Downloaded from /beta - and - face turns red now -
found the problem - as usual, cockpit trouble - I
failed to "install" it by running "setup.exe" - duh!
Thanks for your response Jim. 73 -- Don N4HH

--- Jim Henry <jim.henry@...> wrote:

> Did you download from www.xmlog.com or
> www.xmlog.com/beta? The latter
> contains version 5.10
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> IO64xm
> -----Original Message-----
> From: XMLog@yahoogroups.com
> [mailto:XMLog@yahoogroups.com]On Behalf Of Don
> Nesbitt
> Sent: 07 October 2005 12:31
> To: XMLog@yahoogroups.com
> Subject: RE: [XMLog] XMLog Version 5
>
>
> Hello to the Group - I recently downloaded the 5
> beta
> version - and - "think" I did everything correctly
> -
> but - when I start the program it says verison
> 4.96.
> Anyone have any idea what I did wrong? Tnx es 73
> --
> Don N4HH
>
>

>
> _____
> Yahoo! Mail - PC Magazine Editors' Choice 2005
> http://mail.yahoo.com
>
>
> SPONSORED LINKS Hobby and craft supply Craft
> hobby Hobbies and crafts
> Ham radio Ham radio sales Ham radio outlet
>
>
>

--
> --
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an
> email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the
> Yahoo! Terms of
> Service.
>
>
>

--
> --
>
>
> --
> No virus found in this outgoing message.
> Checked by AVG Anti-Virus.
> Version: 7.0.344 / Virus Database: 267.11.13/123 -
> Release Date: 06/10/2005
>
>
> [Non-text portions of this message have been
> removed]
>
>

_____
Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.344 / Virus Database: 267.11.13/124 - Release Date: 07/10/2005

[Non-text portions of this message have been removed]

1483. Can I do this??

Yahoo group: XMLog
Date: 2005-10-08 00:06:31 UTC
From: jfelts13
Topic: 1483 Message: 1483

Can I set XMLog up so if I want to see only contacts made by a FT-817, K2, or Rockmite it will show just those? How about only FT-817 at 1.0 watts, then 2.5 watt and so on? I was under the impression that I could from a article I read somewhere but dang if I can figure it out. But then again when it comes to puter stuff I'm pretty dense.

Jerry - NR5A

1484. Re: [XMLog] Can I do this??

Yahoo group: XMLog
Date: 2005-10-08 03:14:39 UTC
From: Gary Stone
Topic: 1483 Message: 1484

Hi Jerry,

Yes, you can. You can search any field. Take a look at the help files for all the wild card searching but it is farily easy. For example, if I want to search (something I just did tonight) for all qsos with Japan that I have recvd a qsl but not sent one I would search and put "JA" in the country and I would put "!" in the QSL Rcvd and "=" in the QSL sent. This would search for all JA dxcc qsos with anything in the QSL rcvd field and with nothing in the QSL sent field. (I found 120 qsos I wanted to buro send to my JA friends!).

And a trick to consider: There is no place for your rig that I know about; However, I too like to keep track of that. So, under the QSL Via field (one I don't use) I put my rig. So, I can easily search for the rig by searching for the right string (IC-746) in that field to find out how many qsos with my Icom 746.

Hope that helps. The search features are very powerful and useful. Look at all the wild cards in the help files. Click 'help' then 'display help' then 'using the log window' and then look for the section on searching the log.

73 de N5PHT, Gary

jfelts13 wrote:

>Can I set XMLog up so if I want to see only contacts made by a FT-817,
>K2, or Rockmite it will show just those? How about only FT-817 at 1.0
>watts, then 2.5 watt and so on? I was under the impression that I
>could from a article I read somewhere but dang if I can figure it out.
>But then again when it comes to puter stuff I'm pretty dense.
>
>Jerry - NR5A
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>

>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><>

1485. Re: [XMLog] XMLog Version 5

Yahoo group: XMLog
Date: 2005-10-08 05:13:14 UTC
From: N7MAL
Topic: 1477 Message: 1485

Hi Mike: I'm having a problem with ver 5.11. When I attempt to update, under options, log defaults the program crashes with run-time error 384. When I click on save the run-time error message pops up and when I press OK the program shuts down. The error message is intriguing because it says I can't perform the task when the window is minimized or maximized. (huh)??
Thanks Mike
73

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Thursday, October 06, 2005 15:25
Subject: [XMLog] XMLog Version 5

The current beta version of XMLog is available at www.xmlog.com/beta and is approaching the point where it will become the "official" XMLog version.

New features available in version 5 include:

Satellite Name/Mode and Contest In/Out fields have been added.

A new group of log fields, the Station Info fields, have been added. These fields define the location of your station (country, grid, zone, etc.) and the station and operator callsigns. These fields are saved with each log entry and can be useful when the log contains QSOs made by different operators or from multiple locations. To set the default values for these fields use the "Options/Station Info" menu item. For more info use the "Help" button from the "Station Info" window.

By default these new fields are not displayed. To view these fields choose the "Options/Log Fields" menu item and pick the "Log Fields" tab.

The Power field now allows values less than 1 watt. However, only log files created by version 5.02 or later will support this feature. If you want to use fractional power values and you have a log file that was created with an older version of XMLog you can create a new log file that contains all your old log entries by using the "File/Copy Log to..."

menu item.

The Log and Packet windows now include a "View" menu. The following
version 4.xx menu items were moved to this new menu:

Log Window:
Display/Show QSOs Window

Log and Packet Windows:
Options/Show Packet Window
Options/Show Packet Spots Map
Options/Show Packet Spots History

Packet Window:
Edit/Split Screen
Edit/Horizontal Scrollbar
Edit/Memory Buttons

A CW Keyboard window is now available. This window can be displayed
from the Log or Packet windows using the "View/Show CW Keyboard"
menu item.

The stand-alone keyboard program XCW is now bundled with XMLog and
no longer needs to be downloaded or installed separately.

A "Keep Alive" feature for network connections is now available.
This feature is used to avoid the disconnects issued by some
networks when the connection has been idle for some time. To enable
the "Keep Alive" feature Choose "Options/Packet Options" and pick
the "Keep Alive" tab.

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1486. Re: Can I do this??

Yahoo group: XMLog
Date: 2005-10-09 00:53:59 UTC
From: NR5A
Topic: 1483 Message: 1486

Thanks Gary, I think I understand but I see I've got a lot of figuring out who, what, when stuff first. Reading the help files really has me confused. I fused, played, and got frustrated enough for one day. Finially figured I had to create New Log which I named, NR5A. Then you open Old Log and you can enter the QSO info. Then I guess after you enter everything your suppose to hit the Add button. I do that and everything I entered is lost. Tried several times to figure out how to view the log but found No Enteries or something along those lines. I'll work some more tomorrow with it. Why must this stuff be so hard?? hi

Thank for trying to help.

Jerry - NR5A

1487. Re: XMLog Version 5

Yahoo group: XMLog
Date: 2005-10-09 14:50:09 UTC
From: Mike McAmis
Topic: 1477 Message: 1487

Hi Mal, I was able to duplicate the problem and I'll post a fix in 5.12 soon. For now, display any minimized windows before using the "Options/Log Fields.." menu item.

Mike - W1ECT

> Hi Mike: I'm having a problem with ver 5.11. When I attempt to update, under options, log defaults the program crashes with run-time error 384. When I click on save the run-time error message pops up and when I press OK the program shuts down. The error message is intriguing because it says I can't perform the task when the window is minimized or maximized. (huh)??

1488. Magazine Article or Review

Yahoo group: XMLog
Date: 2005-10-09 23:23:35 UTC
From: jfelts13
Topic: 1488 Message: 1488

In the last month or two I read a article or review on XMLOG, thats how I found out about it. Any idea what issue it was or where I read about it?? I've never had so much trouble trying to figure out a program, but then I already said I wasn't puter smart and I mean it. I've finally managed to log and save 4 contacts, but what a pain in the neck it is having to close the program after logging, then reopen it. I usually end up reentering the data 4-5 times, really frustrating. Yes I've read thru the help files now about 5 times, still don't get it. Thought maybe the article I read would give me some clues. I'm pretty much lost, but I will keep trying. I think the old Logger program I've been using was 50 times easier.

thanks for putting up with me, just trying to get it figured out by Christmas time.

Jerry - Nr5A

1489. Re: [XMLog] Magazine Article or Review

Yahoo group: XMLog
Date: 2005-10-09 23:47:46 UTC
From: Steve Litwins
Topic: 1488 Message: 1489

Jerry;
I can't understand why u say u have to close the program after logging. I keep my XMLog open all the time except of course when I reboot. I find the program so easy in fact that I have not even explored any other logging program except TR Log which I use when I go away and be dx, and also contesting. XMLog is not too good for those applications. But for day-to-day dx-ing and rag-chewing it is very easy to use and totally stable (zip crashes...knock wood). I use an older version (4.35) and do not see the need to download a newer version...since the one I use works perfectly. I am no computer whiz either. Are u using "edit...add new entry" for new Qs? Then when ur done u just hit "stop" button at the bottom and ur back into regular log-view mode agn. There are many other features I use such as "show packet window" ...then u can right click on any call and immediately see it's past history. Then it is easy to update LOTW thru it's export feature. But regardless of all that ur experience may be quite different than mine. I hope u can grasp the help files and then get into the logger and really see it is easy to use. Any questions u may have I will try and answer. If u want Jerry, I can give u my LL # and on the weekend (unlimited minutes) we can work on tutorials in real time...if u want...gl...73/dx
steve, k8wk
****
----- Original Message -----
From: "jfelts13" <nr5a@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, October 09, 2005 6:23 PM
Subject: [XMLog] Magazine Article or Review

> In the last month or two I read a article or review on XMLOG, thats how
> I found out about it. Any idea what issue it was or where I read about
> it?? I've never had so much trouble trying to figure out a program,
> but then I already said I wasn't puter smart and I mean it. I've
> finally managed to log and save 4 contacts, but what a pain in the neck
> it is having to close the program after logging, then reopen it. I
> usually end up reentering the data 4-5 times, really frustrating. Yes
> I've read thru the help files now about 5 times, still don't get it.
> Thought maybe the article I read would give me some clues. I'm pretty
> much lost, but I will keep trying. I think the old Logger program I've
> been using was 50 times easier.
>
> thanks for putting up with me, just trying to get it figured out by
> Christmas time.
>
> Jerry - Nr5A
>
>

>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1490. RE: [XMLog] Magazine Article or Review

Yahoo group: XMLog
Date: 2005-10-09 23:50:30 UTC
From: Jim Henry
Topic: 1488 Message: 1490

Hi There

I cant help with the article you read but I find XMlog excellent and very easy to use. I don't understand your comments about having to close the program after logging and then reopen it. Here I open my program and let it run for the duration of my operating cycle. I would log numerous contacts before closing down when I had finished operating for the day.

Prior to using XMlog I used Logger 32, a comprehensive and marvellous program but I found XMLog to be more suitable for my needs and have had no problems since moving to it 12 months ago.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of jfelts13
Sent: 09 October 2005 23:24
To: XMLog@yahoogroups.com
Subject: [XMLog] Magazine Article or Review

In the last month or two I read a article or review on XMLOG, thats how I found out about it. Any idea what issue it was or where I read about it?? I've never had so much trouble trying to figure out a program, but then I already said I wasn't puter smart and I mean it. I've finally managed to log and save 4 contacts, but what a pain in the neck it is having to close the program after logging, then reopen it. I usually end up reentering the data 4-5 times, really frustrating. Yes I've read thru the help files now about 5 times, still don't get it. Thought maybe the article I read would give me some clues. I'm pretty much lost, but I will keep trying. I think the old Logger program I've been using was 50 times easier.

thanks for putting up with me, just trying to get it figured out by Christmas time.

Jerry - Nr5A

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.344 / Virus Database: 267.11.13/124 - Release Date: 07/10/2005

[Non-text portions of this message have been removed]

1491. Re: [XMLog] Magazine Article or Review

Yahoo group: XMLog
Date: 2005-10-09 23:48:56 UTC
From: Kevin Nathan
Topic: 1488 Message: 1491

Hi Jerry,

I'm not sure where you are running into problems with the program. I am totally blind and use it for its ease of use and, it is one of the only logging programs that works well with speech output. I leave my program open 24-7 and never have a problem. About the only time it goes off is when I have to reboot the computer.

Basically, once you set up the parameters, press control-A to enter a contact, put in the information, then press control-A again and Control-O to save it. Those are the keyboard commands I use. There are probably mouse clicks that accomplish the same thing but I don't know what they are since I don't use the mouse.

Good luck and keep at it. It's a good, full featured program and once you have the hang of it, very easy to use.

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

----- Original Message -----
From: "jfelts13" <nr5a@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, October 09, 2005 16:23
Subject: [XMLog] Magazine Article or Review

> In the last month or two I read a article or review on XMLOG, thats how
> I found out about it. Any idea what issue it was or where I read about
> it?? I've never had so much trouble trying to figure out a program,
> but then I already said I wasn't puter smart and I mean it. I've
> finally managed to log and save 4 contacts, but what a pain in the neck
> it is having to close the program after logging, then reopen it. I
> usually end up reentering the data 4-5 times, really frustrating. Yes
> I've read thru the help files now about 5 times, still don't get it.
> Thought maybe the article I read would give me some clues. I'm pretty
> much lost, but I will keep trying. I think the old Logger program I've
> been using was 50 times easier.
>
> thanks for putting up with me, just trying to get it figured out by
> Christmas time.
>
> Jerry - Nr5A
>
>
>

>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1492. What I do, and another question.

Yahoo group: XMLog
Date: 2005-10-10 02:43:45 UTC
From: jfelts13
Topic: 1492 Message: 1492

Wow, I've never had this kind of trouble. From what I read this program will track stuff several different ways. Like by how much power your run, say 5 watts, 2.5 watts etc. I've even had it explained how to keep track of what contacts you made on say your K2, Ft-817, which is what I want to do. I don't understand why you can give me a circuit diagram of say a transmitter and the parts and I can build it and it usually works the first time, I can troubleshoot it and get it working. Yet, programing anything I can't do. My XYL has to program VCR's and the like, I can't do it. hi hi hi

Right now I'm having about a 40% success rate of logging contacts. slowly figuring it out. The more I play the more I learn, and the more frustrated I get. hi But I refuse to give up. You guys may have to kick me off the list because your getting tired of me. hi

I'll try to explain what I'm doing, maybe some one will catch what I'm doing. then ask another question. I spent about an hour on the question trying to figure it out.

First off, puter is turned off when not using it, so first thing is boot up puter. My Desktop appears, then I click on the ZMLOG Icon which of course brings up the program. 2. Click on FILE then "Open Old Log" which happens to be NR5A.LOG . 3. Click EDIT and "Add New Entry". 4. I follow all the promps and enter info. 5. Last I click on "ADD". How ever to make another entry I have to close it, reopen it. It does not do it on its own for next entry.

About half the time now it saves it, and I can bring the log up by Clicking Display and Display Long. Most of the time now that gives me the log. Hey I'm getting better at it.

Last question, what I want to figure out now is how do I see how many states I've worked on say 17m? I can manage to bring up total WAS worked, but I want to see how many states I have worked on say just one band. I enter the frequency as say 10118 for 30m and 18086 for 17m.

Ok I'll try to keep it bite size and one thing at a time from now on. I'll reread you guys comments again, and problably go thru the help files once more tonite.

Thanks for putting up with me, it may take some personal lessons on the telephone, I have free LD after 8pm and weekends also. LOL

I appriciate the help and one way or the other I'm going to figure this out because I'm hard headed.

Jerry - NR5A

1493. Re: [XMLog] What I do, and another question.

Yahoo group: XMLog
Date: 2005-10-10 04:16:11 UTC
From: Steve Litwins
Topic: 1492 Message: 1493

Jerry;
Gotta go to bed now but just one comment b4 I do. Something is wrong with the program because that is not the way it works. As soon as u hit "add" the fields should blank to zero (nothing) and u shud be ready for another entry...something wrong. Time to either reload the program or talk to Mike w1ect I think. His email is m.mcamis@....
...gl...73/dx
steve, k8wk
****

----- Original Message -----
From: "jfelts13" <nr5a@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, October 09, 2005 9:43 PM
Subject: [XMLog] What I do, and another question.

> Wow, I've never had this kind of trouble. From what I read this
> program will track stuff several different ways. Like by how much
> power your run, say 5 watts, 2.5 watts etc. I've even had it
> explained how to keep track of what contacts you made on say your K2,
> Ft-817, which is what I want to do. I don't understand why you can
> give me a circuit diagram of say a transmitter and the parts and I
> can build it and it usually works the first time, I can troubleshoot
> it and get it working. Yet, programing anything I can't do. My XYL
> has to program VCR's and the like, I can't do it. hi hi hi
>
> Right now I'm having about a 40% success rate of logging contacts.
> slowly figuring it out. The more I play the more I learn, and the
> more frustrated I get. hi But I refuse to give up. You guys may have
> to kick me off the list because your getting tired of me. hi
>
> I'll try to explain what I'm doing, maybe some one will catch what
> I'm doing. then ask another question. I spent about an hour on the
> question trying to figure it out.
>
> First off, puter is turned off when not using it, so first thing is
> boot up puter. My Desktop appears, then I click on the ZMLOG Icon
> which of course brings up the program. 2. Click on FILE then "Open
> Old Log" which happens to be NR5A.LOG . 3. Click EDIT and "Add New
> Entry". 4. I follow all the promps and enter info. 5. Last I click
> on "ADD". How ever to make another entry I have to close it, reopen
> it. It does not do it on its own for next entry.
>
> About half the time now it saves it, and I can bring the log up by
> Clicking Display and Display Long. Most of the time now that gives me

> the log. Hey I'm getting better at it.
>
> Last question, what I want to figure out now is how do I see how many
> states I've worked on say 17m? I can manage to bring up total WAS
> worked, but I want to see how many states I have worked on say just
> one band. I enter the frequency as say 10118 for 30m and 18086 for
> 17m.
>
> Ok I'll try to keep it bite size and one thing at a time from now on.
> I'll reread you guys comments again, and problably go thru the help
> files once more tonite.
>
> Thanks for putting up with me, it may take some personal lessons on
> the telephone, I have free LD after 8pm and weekends also. LOL
>
> I appriciate the help and one way or the other I'm going to figure
> this out because I'm hard headed.
>
> Jerry - NR5A
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1494. Re: What I do, and another question.

Yahoo group: XMLog
Date: 2005-10-10 16:30:54 UTC
From: Mike McAmis
Topic: 1492 Message: 1494

Hi Jerry, Here's the sequence of things you need to do to add
entries - these steps haven't changed from version-to-version:

-Type Ctrl+A (or use "Edit/Add New Entry").

- Fill in the fields

- Select the "Add" button, not the "Stop" button

At this point you are still in "Add" mode and you can:

- Fill in the next log entry and select "Add" to add it

...or...

- Select "Stop" to get out of "Add" mode

Selecting "Stop" rather than "Add" when you have some data showing
will cause that data to be discarded.

Mike - W1ECT

>
> Wow, I've never had this kind of trouble. From what I read this
> program will track stuff several different ways. Like by how much
> power your run, say 5 watts, 2.5 watts etc. I've even had it
> explained how to keep track of what contacts you made on say your
K2,
> Ft-817, which is what I want to do. I don't understand why you can
> give me a circuit diagram of say a transmitter and the parts and I
> can build it and it usually works the first time, I can
troubleshoot
> it and get it working. Yet, programing anything I can't do. My XYL
> has to program VCR's and the like, I can't do it. hi hi hi
>
> Right now I'm having about a 40% success rate of logging contacts.
> slowly figuring it out. The more I play the more I learn, and the
> more frustrated I get. hi But I refuse to give up. You guys may
have
> to kick me off the list because your getting tired of me. hi
>
> I'll try to explain what I'm doing, maybe some one will catch what
> I'm doing. then ask another question. I spent about an hour on the
> question trying to figure it out.
>
> First off, puter is turned off when not using it, so first thing
is

> boot up puter. My Desktop appears, then I click on the ZMLOG Icon
> which of course brings up the program. 2. Click on FILE then "Open
> Old Log" which happens to be NR5A.LOG . 3. Click EDIT and "Add
New
> Entry". 4. I follow all the promps and enter info. 5. Last I click
> on "ADD". How ever to make another entry I have to close it,
reopen
> it. It does not do it on its own for next entry.
>
> About half the time now it saves it, and I can bring the log up by
> Clicking Display and Display Long. Most of the time now that gives
me
> the log. Hey I'm getting better at it.
>
> Last question, what I want to figure out now is how do I see how
many
> states I've worked on say 17m? I can manage to bring up total WAS
> worked, but I want to see how many states I have worked on say
just
> one band. I enter the frequency as say 10118 for 30m and 18086 for
> 17m.
>
> Ok I'll try to keep it bite size and one thing at a time from now
on.
> I'll reread you guys comments again, and problably go thru the
help
> files once more tonite.
>
> Thanks for putting up with me, it may take some personal lessons
on
> the telephone, I have free LD after 8pm and weekends also. LOL
>
> I appriciate the help and one way or the other I'm going to figure
> this out because I'm hard headed.
>
> Jerry - NR5A
>

1495. Awards Problem

Yahoo group: XMLog
Date: 2005-10-10 18:16:33 UTC
From: peterconway20032000
Topic: 1495 Message: 1495

Hi List,

I'm having problems with updating of the Awards score. The WAS has reached 14 but although new States are shown in the Log, they don't update the WAS totals. Any ideas?

73

Peter g3ufi

1496. Re: WAS Awards Problem

Yahoo group: XMLog
Date: 2005-10-10 19:10:59 UTC
From: Mike McAmis
Topic: 1495 Message: 1496

Hi Peter - Do they show up in the Awards/WAS/Checklist? If not, go to one of the log entries that should have shown up in the checklist and make sure the state abbreviation is ok and the the prefix is set to W.

Mike - W1ECT

> Hi List,
>
> I'm having problems with updating of the Awards score. The WAS has
> reached 14 but although new States are shown in the Log, they don't
> update the WAS totals. Any ideas?
>
> 73
>
> Peter g3ufi
>

1497. Backup when changing versions

Yahoo group: XMLog
Date: 2005-10-10 19:39:39 UTC
From: Howard Baker
Topic: 1497 Message: 1497

I noticed that it is a good idea to backup: *.log ,mlog.ini , and labels.mdb. I have no labels.mdb. Did you mean layout.mdb?

1498. Re: [XMLog] Backup when changing versions

Yahoo group: XMLog
Date: 2005-10-10 21:06:55 UTC
From: GerryC
Topic: 1497 Message: 1498

> I noticed that it is a good idea to backup: *.log ,mlog.ini , and
> labels.mdb. I have no labels.mdb. Did you mean layout.mdb?

I find that it's good to back up layout.mdb and labels.ini (and *.log and mlog.ini).

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.344 / Virus Database: 267.11.13/126 - Release Date: 10/9/2005

1499. Re: Backup when changing versions

Yahoo group: XMLog
Date: 2005-10-10 21:42:07 UTC
From: Mike McAmis
Topic: 1497 Message: 1499

Yes, I'll fix that comment. There's a more complete list of XMLog
files in the "Backups" section of the help file.

Mike - W1ECT

> I noticed that it is a good idea to backup: *.log ,mlog.ini , and
> labels.mdb. I have no labels.mdb. Did you mean layout.mdb?

1500. RE: [XMLog] Re: WAS Awards Problem

Yahoo group: XMLog
Date: 2005-10-11 16:17:54 UTC
From: Peter Conway
Topic: 1495 Message: 1500

Hi Mike,

Thanks for suggestion, they don't show up in Awards/WAS/checklist. The State abbreviation is OK and prefix set to W. Further checking reveals that W9DA, with all the right info has turned up in the NC State slot, instead of IL?! And I can't get rid or move it? Maybe I should unistall and re-install program?

73,

Peter g3ufi

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: 10 October 2005 19:11
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: WAS Awards Problem

Hi Peter - Do they show up in the Awards/WAS/Checklist? If not, go to one of the log entries that should have shown up in the checklist and make sure the state abbreviation is ok and the the prefix is set to W.

Mike - W1ECT
>
> Hi List,
>
> I'm having problems with updating of the Awards score. The WAS has
> reached 14 but although new States are shown in the Log, they don't
> update the WAS totals. Any ideas?
>
> 73
>
> Peter g3ufi
>

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

_____

No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.344 / Virus Database: 267.11.14/128 - Release Date: 10/10/2005

[Non-text portions of this message have been removed]

1501. RE: [XMLog] Re: WAS Awards Problem

Yahoo group: XMLog
Date: 2005-10-12 01:56:57 UTC
From: Craig Bradley
Topic: 1495 Message: 1501

Hi Peter,

I tried W9DA (I have the option to set the fields from QRZ.com setup) and the QSO was filled in with IL as the state. I was able to click Modify and change it to another state OK. Maybe you should try to start another log file and put this QSO in to see if your log file is corrupted?

Mike may have some better ideas though...

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Peter Conway
Sent: Tuesday, October 11, 2005 9:18 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: WAS Awards Problem

Hi Mike,

Thanks for suggestion, they don't show up in Awards/WAS/checklist. The State
abbreviation is OK and prefix set to W. Further checking reveals that W9DA,
with all the right info has turned up in the NC State slot, instead of IL?!
And I can't get rid or move it? Maybe I should unistall and re-install program?

73,

Peter g3ufi

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike
McAmis
Sent: 10 October 2005 19:11
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: WAS Awards Problem

Hi Peter - Do they show up in the Awards/WAS/Checklist? If not, go to one of the log entries that should have shown up in the checklist and make sure the state abbreviation is ok and the the prefix is set to W.

Mike - W1ECT
>

> Hi List,
>
> I'm having problems with updating of the Awards score. The WAS has
> reached 14 but although new States are shown in the Log, they don't
> update the WAS totals. Any ideas?
>
> 73
>
> Peter g3ufi
>

_____

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

_____

No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.344 / Virus Database: 267.11.14/128 - Release Date:
10/10/2005

[Non-text portions of this message have been removed]

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1502. Internet Log On

Yahoo group: XMLog
Date: 2005-10-12 02:48:33 UTC
From: w1iko
Topic: 1502 Message: 1502

Just started using XMLOG - Version 5.12... All seems to work except not being able to set up an auto log in using my call.
I use k1ttt.net (internet connection) I get connected but I need to type my call in to complete the connection. There must be a way to automate this function - I haven't found it. Any one have a cure ?

Also noted when logging in a station I need to pick the country from a list - is it not possible to have XMLOG fill in the country automaticly ?

thanks for reading this,
W1IKO

1503. Re: Internet Log On

Yahoo group: XMLog
Date: 2005-10-12 14:55:07 UTC
From: Mike McAmis
Topic: 1502 Message: 1503

Check the help file section on "Automatic Node Connections".
Scripts can be created as text files with a file extension of .nod
and run using the "Connect/Start Node File" (F5) menu item. This
node file can be run automatically when the Packet Window is shown
by using the "Options/Packet Options" menu item, selecting
the "Port" tab and then filling in "Node File Name".

A typical node file for K1TTT might be:

```
connect www.k1ttt.net
match call:
send #me
match #me de K1TTT
set/page 0
send dir/new
```

Mike - W1ECT

>
> Just started using XMLOG - Version 5.12... All seems to work
except not
> being able to set up an auto log in using my call.
> I use k1ttt.net (internet connection) I get connected but I need
to
> type my call in to complete the connection. There must be a way to
> automate this function - I haven't found it. Any one have a cure ?
>
> Also noted when logging in a station I need to pick the country
> from a list - is it not possible to have XMLOG fill in the country
> automaticly ?

1504. RE: [XMLog] Internet Log On

Yahoo group: XMLog
Date: 2005-10-13 04:02:01 UTC
From: Craig Bradley
Topic: 1502 Message: 1504

I have setup my version to lookup the stations info in QRZ.com in the Options/Callbook Setup Menu. When I log a QSO, XMLog looks up the call and fills in almost everything, including the QSL manager and Grid (version 5.11).

I will have to try the automating of the login also.

73,
Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of w1iko
Sent: Tuesday, October 11, 2005 7:49 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Internet Log On

Just started using XMLOG - Version 5.12... All seems to work except not being able to set up an auto log in using my call.
I use k1ttt.net (internet connection) I get connected but I need to type my call in to complete the connection. There must be a way to automate this function - I haven't found it. Any one have a cure ?

Also noted when logging in a station I need to pick the country from a list - is it not possible to have XMLOG fill in the country automaticly ?

thanks for reading this,
W1IKO

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1505. Swapping files within XMLOG

Yahoo group: XMLog
Date: 2005-10-23 23:58:01 UTC
From: Robert Dixon
Topic: 1505 Message: 1505

Have sent the above to both addresses. Am using V 5.11 and can't add one XMLog file to another file. (Larger file is called master log and I periodically add entries from current log (in this case log23) to the master log. Have been able to add one file to another in the past and am wondering if this is peculiar to V5.11. Would appreciate any help on this one.

73 and gud dx

Bob, W8HGH

Robert Dixon
w8hgh@...
EarthLink Revolves Around You.

[Non-text portions of this message have been removed]

1506. Re: Swapping files within XMLOG

Yahoo group: XMLog
Date: 2005-10-25 02:34:00 UTC
From: Mike McAmis
Topic: 1505 Message: 1506

Hi Bob, What technique are you using to combine files? What kind of problems are you seeing?

Mike - W1ECT

> Am using V 5.11 and can't add one XMLog file to another file. (Larger file is called master log and I periodically add entries from current log (in this case log23) to the master log. Have been able to add one file to another in the past and am wondering if this is peculiar to V5.11. Would appreciate any help on this one.

>
> Bob, W8HGH
>
>
> Robert Dixon
> w8hgh@e...
> EarthLink Revolves Around You.
>
> [Non-text portions of this message have been removed]
>

1507. importing ADIF files

Yahoo group: XMLog
Date: 2005-10-25 20:15:16 UTC
From: Robert Dixon
Topic: 1507 Message: 1507

Have been able to change a smaller log file to an ADIF file by going to IMPORT on the tool bar. This creates a LOG.adi file that can be imported into another, bigger, file. By accident I put in some WAE CW contest entries as 13/08/06 in the small file. Went back and modified the files so that they read 13/08/05, then changed the log file to an ADIF file and added it to the MASTER LOG file. Both the 13/08/05 and 13/08/06 entries went into the larger file. Opened up the LOG.adi file and there they were in the EXCEL workbook!. I was able to delete the incorrect entries in the LOG.adi file.
Suggestion: If you are going to periodically update a larger file by importing entries from a smaller file delete the old ADIF file for the smaller file and create a new one. Then import it to the larger file.

BTW: I have almost 17,000 entries in my MASTER LOG. This logging program is the neatest thing since somebody invented the wheel!

73, Bob, W8HGH

Robert Dixon
w8hgh@...
EarthLink Revolves Around You.

[Non-text portions of this message have been removed]

1508. Re: importing ADIF files

Yahoo group: XMLog
Date: 2005-10-26 17:32:51 UTC
From: Mike McAmis
Topic: 1507 Message: 1508

Hi Bob - When importing an ADIF file all the entries in the file will be added to your log unless they are "dupes". An entry is considered a dupe if the call/date/mode matches an existing log entry. In the case of dupes you have the option of keeping the existing log entry or having the imported entry replace the existing entry.

If you change the dates in the ADIF file so that they don't match the corresponding entries already in the log these entries won't be considered dupes and so they will be added to the log.

You have a couple of strategies that might help you accomplish what you wanted.

1) You could have changed the dates in the log file to match the edited dates in the ADIF file. This task can be simplified if you can select the entries by doing a search by date (without including any 'good' entries). At this point you can use the "Edit/Change Date for Multiple Entries" to change the date for all the selected entries.

2) Before doing the import you could have deleted the entries in the log that corresponed to the entries with changed dates in the ADIF file. Again, this could be can be simplified if you can select the entries to be deleted by doing a search by date (without including any 'good' entries). At this point you can use the "Edit/Delete Selected Entries".

In short, XMLog is always going to import the entries in the ADIF file unless they are considered to be dupes...

Mike - W1ECT

> Have been able to change a smaller log file to an ADIF file by going to IMPORT on the tool bar. This creates a LOG.adi file that can be imported into another, bigger, file. By accident I put in some WAE CW contest entries as 13/08/06 in the small file. Went back and modified the files so that they read 13/08/05, then changed the log file to an ADIF file and added it to the MASTER LOG file. Both the 13/08/05 and 13/08/06 entries went into the larger file. Opened up the LOG.adi file and there they were in the EXCEL workbook!. I was able to delete the incorrect entries in the LOG.adi file.

1509. Re: [XMLog] Re: importing ADIF files

Yahoo group: XMLog
Date: 2005-10-26 18:13:55 UTC
From: Dave Sergeant
Topic: 1507 Message: 1509

On 26 Oct 2005 at 17:32, Mike McAmis wrote:

> Hi Bob - When importing an ADIF file all the entries in the file will
> be added to your log unless they are "dupes". An entry is considered
> a dupe if the call/date/mode matches an existing log entry. In the
> case of dupes you have the option of keeping the existing log entry or
> having the imported entry replace the existing entry.
>

Do I take it that only the date, and not the time, is taken into consideration when determining whether it is a dupe? If so, I can see genuine QSOS, such as working the same station in the morning and later in the day (2 real QSOs) being considered dupes and only one being entered. Although I like the convenience of it working out which are dupes, I feel it would be better if it prompted me for the action required on a dupe rather than just saying '6 QSOs duplicate QSOs not added'. Or maybe I have not read the rules for setting the options in detail...

I get this every time I import a set of QSLs from LOTW into my seperate LOTW QSL log, which seems to repeat the QSOs received on the last day of my previous LOTW QSL download.

73 Dave G3YMC

http://www.davesergeant.com

1510. Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-26 21:59:20 UTC
From: Mike McAmis
Topic: 1510 Message: 1510

Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main change in this version is to combine the features of the "QSOs Window" and the "Check Call/Prefix Window" into a single window. This window is displayed with "View/Show QSOs and Check Call Window" (F4).

I'm interested in getting some feedback from users of the old QSOs and Check Call windows.

Mike - W1ECT

1511. Re: Importing ADIF files - What's a dupe?

Yahoo group: XMLog
Date: 2005-10-26 22:06:21 UTC
From: Mike McAmis
Topic: 1507 Message: 1511

Hi Dave, Good point - I wnet back and checked and I see that the time is also checked, so it's actually call/date/time/mode.

I think LOTW has some kind of "only provide info for new QSOS since last time" feature, but it's been a while since I played with LOTW.

Mike - W1ECT

> Do I take it that only the date, and not the time, is taken into
> consideration when determining whether it is a dupe? If so, I can see
> genuine QSOS, such as working the same station in the morning and
> later in the day (2 real QSOs) being considered dupes and only one
> being entered. Although I like the convenience of it working out
> which are dupes, I feel it would be better if it prompted me for the
> action required on a dupe rather than just saying '6 QSOs duplicate
> QSOs not added'. Or maybe I have not read the rules for setting the
> options in detail...
>
> I get this every time I import a set of QSLs from LOTW into my
> seperate LOTW QSL log, which seems to repeat the QSOs received on the
> last day of my previous LOTW QSL download.
>
> 73 Dave G3YMC

1512. Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-26 23:30:44 UTC
From: Gary Stone
Topic: 1510 Message: 1512

Hi Mike,

Well, it sounded very interesting. I downloaded it and got many, many errors and could not run the program. I then went back an installed an older version and all my setup stuff was lost. I did not back it up right before trying the beta - I know you say to do that and I will next time! Thanks Mike. I don't know what happened with this beta but it did not work for me. I have a back up at my office and will try tomorrow to get back where I was before this install.

Gary, N5PHT

Mike McAmis wrote:

>Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main
>change in this version is to combine the features of the "QSOs Window"
>and the "Check Call/Prefix Window" into a single window. This window
>is displayed with "View/Show QSOs and Check Call Window" (F4).
>
>I'm interested in getting some feedback from users of the old QSOs and
>Check Call windows.
>
>Mike - W1ECT
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><>

1513. RE: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 03:39:39 UTC
From: Craig Bradley
Topic: 1510 Message: 1513

Hi Gary,

I have had problems installing the newer versions on a Windows 2000 Pro machine, never could get it to run, but the old versions like 4.79 installed OK. I have been installing on a XP machine and then copying the files over to my Win2K laptop via the network. A bit of a pain, but workable. It sounds like a Windows 2000 problem. What operating system are you using?

Mike,

I installed 5.13 (using the procedure above) and it runs great on both machines. I REALLY LIKE the new QSOs/Call Check window!

I did notice that on the windows Options menu the Show Name & Show QTH selections were grayed out after deselecting Show QSOs List and then selecting Show All. If you then de-select Show QSOs List and re-select it, you get the selections back (not grayed out). Minor nit, but I have done some software testing in my time. Other than that, I have not been able to break it.

One thing that would really be frosting on the cake now would be to add the current frequency (from the rig) and the time to the "Note" displayed in the Packet window. That would allow you to return to a "found" station by just clicking on the frequency...

Great work Mike, this is really a first class program and getting better every day!

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Gary Stone
Sent: Wednesday, October 26, 2005 4:31 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Hi Mike,

Well, it sounded very interesting. I downloaded it and got many, many errors and could not run the program. I then went back an installed an older version and all my setup stuff was lost. I did not back it up right before trying the beta - I know you say to do that and I will next time! Thanks Mike. I don't know what happened with this beta but it did not work for me. I have a back up at my office and will try tomorrow to get back where I was before this install.

Gary, N5PHT

Mike McAmis wrote:

>Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main
>change in this version is to combine the features of the "QSOs Window"
>and the "Check Call/Prefix Window" into a single window. This window
>is displayed with "View/Show QSOs and Check Call Window" (F4).
>
>I'm interested in getting some feedback from users of the old QSOs and
>Check Call windows.
>
>Mike - W1ECT
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><><>

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1514. RE: [XMLog] Re: Importing ADIF files - What's a dupe?

Yahoo group: XMLog
Date: 2005-10-27 03:46:19 UTC
From: Craig Bradley
Topic: 1507 Message: 1514

I have found that LOTW checks the time down to the seconds. I have
downloaded QSOs from Writelog and also XMLog (imported from Writelog) into
LOTW by mistake. The Writelog files had the seconds truncated or rounded
to zeros (I don't remember which) and LOTW listed both QSOs with the time
difference of only seconds. Once you do this, you cannot remove the dupes
form LOTW (I asked), but it doesn't seem to hurt anything.

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
Mike McAmis
Sent: Wednesday, October 26, 2005 3:06 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Importing ADIF files - What's a dupe?

Hi Dave, Good point - I wnet back and checked and I see that the
time is also checked, so it's actually call/date/time/mode.

I think LOTW has some kind of "only provide info for new QSOS since
last time" feature, but it's been a while since I played with LOTW.

Mike - W1ECT

> Do I take it that only the date, and not the time, is taken into
> consideration when determining whether it is a dupe? If so, I can
see
> genuine QSOS, such as working the same station in the morning and
> later in the day (2 real QSOs) being considered dupes and only one
> being entered. Although I like the convenience of it working out
> which are dupes, I feel it would be better if it prompted me for
the
> action required on a dupe rather than just saying '6 QSOs
duplicate
> QSOs not added'. Or maybe I have not read the rules for setting
the
> options in detail...
>
> I get this every time I import a set of QSLs from LOTW into my
> seperate LOTW QSL log, which seems to repeat the QSOs received on
the
> last day of my previous LOTW QSL download.
>
> 73 Dave G3YMC

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1515. RE: [XMLog] Re: Importing ADIF files - What's a dupe?

Yahoo group: XMLog
Date: 2005-10-27 06:05:09 UTC
From: Dave Sergeant
Topic: 1507 Message: 1515

On 26 Oct 2005 at 20:46, Craig Bradley wrote:

> I have found that LOTW checks the time down to the seconds. I have
> downloaded QSOs from Writelog and also XMLog (imported from Writelog)
> into LOTW by mistake. The Writelog files had the seconds truncated
> or rounded to zeros (I don't remember which) and LOTW listed both QSOs
> with the time difference of only seconds. Once you do this, you
> cannot remove the dupes form LOTW (I asked), but it doesn't seem to
> hurt anything.
>
> - Craig, AE6RR
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf
> Of
> Mike McAmis
> Sent: Wednesday, October 26, 2005 3:06 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: Importing ADIF files - What's a dupe?
>
>
> Hi Dave, Good point - I wnet back and checked and I see that the
> time is also checked, so it's actually call/date/time/mode.
>
> I think LOTW has some kind of "only provide info for new QSOS since
> last time" feature, but it's been a while since I played with LOTW.
>
> Mike - W1ECT

My experience with LOTW is slightly different. I normally upload a batch of QSOs the morning after a major contest, and check for new QSLs immediately afterwards. Since others are doing the same there are normally a few confirmations available for those QSOs. Next time I go into LOTW I check for QSLs received after the last time I logged in. Because LOTW records when I last visited only by date and not time it will include all QSLs received ON the last day I visited, which will of course include both those I previously downloaded and others received later that day.

Of course this is not a problem, they really are dupes. And not an XMLog problem, which works absolutely fine with LOTW.

73 Dave G3YMC

http://www.davesergeant.com

1516. Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 09:59:27 UTC
From: Gary Stone
Topic: 1510 Message: 1516

Hi,

I am running XP. I think I would really like the combination window so
hope I can get it going.

Gary, N5PHT

Craig Bradley wrote:

>Hi Gary,
>
>I have had problems installing the newer versions on a Windows 2000 Pro
>machine, never could get it to run, but the old versions like 4.79 installed
>OK. I have been installing on a XP machine and then copying the files over
>to my Win2K laptop via the network. A bit of a pain, but workable. It
>sounds like a Windows 2000 problem. What operating system are you using?
>
>Mike,
>
>I installed 5.13 (using the procedure above) and it runs great on both
>machines. I REALLY LIKE the new QSOs/Call Check window!
>
>I did notice that on the windows Options menu the Show Name & Show QTH
>selections were grayed out after deselecting Show QSOs List and then
>selecting Show All. If you then de-select Show QSOs List and re-select it,
>you get the selections back (not grayed out). Minor nit, but I have done
>some software testing in my time. Other than that, I have not been able to
>break it.
>
>One thing that would really be frosting on the cake now would be to add the
>current frequency (from the rig) and the time to the "Note" displayed in the
>Packet window. That would allow you to return to a "found" station by just
>clicking on the frequency...
>
>Great work Mike, this is really a first class program and getting better
>every day!
>
>73,
>- Craig, AE6RR
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
>Gary Stone
> Sent: Wednesday, October 26, 2005 4:31 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows
>

>
> Hi Mike,
>
> Well, it sounded very interesting. I downloaded it and got many, many
> errors and could not run the program. I then went back an installed an
> older version and all my setup stuff was lost. I did not back it up
> right before trying the beta - I know you say to do that and I will next
> time! Thanks Mike. I don't know what happened with this beta but it
> did not work for me. I have a back up at my office and will try
> tomorrow to get back where I was before this install.
>
> Gary, N5PHT
>
> Mike McAmis wrote:
>
> >Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main
> >change in this version is to combine the features of the "QSOs Window"
> >and the "Check Call/Prefix Window" into a single window. This window
> >is displayed with "View/Show QSOs and Check Call Window" (F4).
> >
> >I'm interested in getting some feedback from users of the old QSOs and
> >Check Call windows.
> >
> >Mike - W1ECT
> >
> >
> >
> >
> >
> >
> >
> >Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
> --
> ***** Gary Stone, N5PHT *****
> 347 County Road
> Savoy, Texas 75479
>
> Remember...The Lord Loves ya...

>
> <><><><><><><><><><><><><><><><><><><><>
>
>
>
>--
>--
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
>Service.
>
>
>--
>--
>
>
>
>[Non-text portions of this message have been removed]
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><>

1517. RE: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 11:25:05 UTC
From: Jim Henry
Topic: 1510 Message: 1517

Hello Mike

I have installed and tried ver 5.13. I like the new combined window, thank you for adding it.

I was previously a Logger 32 user but discovered XMLog about a year ago. It suits my purposes better than L32 and I have been using it since October 2004. I think it is a marvellous program. Keep up the good work.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: 26 October 2005 21:59
To: XMLog@yahoogroups.com
Subject: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main change in this version is to combine the features of the "QSOs Window" and the "Check Call/Prefix Window" into a single window. This window is displayed with "View/Show QSOs and Check Call Window" (F4).

I'm interested in getting some feedback from users of the old QSOs and Check Call windows.

Mike - W1ECT

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.361 / Virus Database: 267.12.5/149 - Release Date: 25/10/2005

[Non-text portions of this message have been removed]

1518. RE: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 15:13:25 UTC
From: Craig Bradley
Topic: 1510 Message: 1518

Hi Gary,

I didn't have any problems with the installation on the XP machine. I did install over version 5.12 after backing up the entire directory. Perhaps Mike can help you with the install, but I am sure that he will need more details regarding the exact error messages that you got on the install. I would recommend backing up your directory by copying the whole thing in to another directory, download version 5.13 again and try another install with paper and pencil handy. It is worth the effort as the new window is really nice. One other feature of the new window is that if you search for a QSO, when it is displayed in the QSO window, the new window will display the QSO info plus the DXCC status.

Good luck.
73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Gary Stone
Sent: Thursday, October 27, 2005 2:59 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Hi,

I am running XP. I think I would really like the combination window so hope I can get it going.

Gary, N5PHT

Craig Bradley wrote:

>Hi Gary,
>
>I have had problems installing the newer versions on a Windows 2000 Pro
>machine, never could get it to run, but the old versions like 4.79 installed
>OK. I have been installing on a XP machine and then copying the files over
>to my Win2K laptop via the network. A bit of a pain, but workable. It
>sounds like a Windows 2000 problem. What operating system are you using?
>
>Mike,
>
>I installed 5.13 (using the procedure above) and it runs great on both
>machines. I REALLY LIKE the new QSOs/Call Check window!
>

>I did notice that on the windows Options menu the Show Name & Show QTH
>selections were grayed out after deselecting Show QSOs List and then
>selecting Show All. If you then de-select Show QSOs List and re-select
it,
>you get the selections back (not grayed out). Minor nit, but I have done
>some software testing in my time. Other than that, I have not been able
to
>break it.
>
>One thing that would really be frosting on the cake now would be to add
the
>current frequency (from the rig) and the time to the "Note" displayed in
the
>Packet window. That would allow you to return to a "found" station by
just
>clicking on the frequency...
>
>Great work Mike, this is really a first class program and getting better
>every day!
>
>73,
>- Craig, AE6RR
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
>Gary Stone
> Sent: Wednesday, October 26, 2005 4:31 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows
>
>
> Hi Mike,
>
> Well, it sounded very interesting. I downloaded it and got many, many
> errors and could not run the program. I then went back an installed an
> older version and all my setup stuff was lost. I did not back it up
> right before trying the beta - I know you say to do that and I will
next
> time! Thanks Mike. I don't know what happened with this beta but it
> did not work for me. I have a back up at my office and will try
> tomorrow to get back where I was before this install.
>
> Gary, N5PHT
>
> Mike McAmis wrote:
>
> >Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main
> >change in this version is to combine the features of the "QSOs Window"
> >and the "Check Call/Prefix Window" into a single window. This window
> >is displayed with "View/Show QSOs and Check Call Window" (F4).
> >

> >I'm interested in getting some feedback from users of the old QSOs and
> >Check Call windows.
> >
> >Mike - W1ECT
> >
> >
> >
> >
> >
> >
> >
> >Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
> --
> ***** Gary Stone, N5PHT *****
> 347 County Road
> Savoy, Texas 75479
>
> Remember...The Lord Loves ya...
>
> <><><><><><><><><><><><><><><><><><>
>
>
>

>--
-
>--
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
>Service.
>
>

>---
-
>--
>
>
>
>[Non-text portions of this message have been removed]
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><>

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1519. RE: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 15:32:58 UTC
From: Craig Bradley
Topic: 1510 Message: 1519

Mike,

I am using the new window today and I have a couple of suggestions.

1. As the Help drop down menu on the QSOs/Call Check Window does the same thing as the help button, replace the Help button with a "Start QSO" button, this would be very handy.

2. A Clear (entry field) button would be more useful to me than the Close button as you can close the window with the X in the upper right corner. I never want to close this window anyway as is it great!

Thanks again for this feature!

73,
- Craig, AE6RR

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Craig Bradley
Sent: Wednesday, October 26, 2005 8:40 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Hi Gary,

I have had problems installing the newer versions on a Windows 2000 Pro machine, never could get it to run, but the old versions like 4.79 installed
OK. I have been installing on a XP machine and then copying the files over
to my Win2K laptop via the network. A bit of a pain, but workable. It sounds like a Windows 2000 problem. What operating system are you using?

Mike,

I installed 5.13 (using the procedure above) and it runs great on both machines. I REALLY LIKE the new QSOs/Call Check window!

I did notice that on the windows Options menu the Show Name & Show QTH selections were grayed out after deselecting Show QSOs List and then selecting Show All. If you then de-select Show QSOs List and re-select it,
you get the selections back (not grayed out). Minor nit, but I have done some software testing in my time. Other than that, I have not been able to
break it.

One thing that would really be frosting on the cake now would be to add
the
current frequency (from the rig) and the time to the "Note" displayed in
the
Packet window. That would allow you to return to a "found" station by
just
clicking on the frequency...

Great work Mike, this is really a first class program and getting better
every day!

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
Gary Stone
Sent: Wednesday, October 26, 2005 4:31 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Hi Mike,

Well, it sounded very interesting. I downloaded it and got many, many
errors and could not run the program. I then went back an installed an
older version and all my setup stuff was lost. I did not back it up
right before trying the beta - I know you say to do that and I will next
time! Thanks Mike. I don't know what happened with this beta but it
did not work for me. I have a back up at my office and will try
tomorrow to get back where I was before this install.

Gary, N5PHT

Mike McAmis wrote:

>Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main
>change in this version is to combine the features of the "QSOs Window"
>and the "Check Call/Prefix Window" into a single window. This window
>is displayed with "View/Show QSOs and Check Call Window" (F4).
>
>I'm interested in getting some feedback from users of the old QSOs and
>Check Call windows.
>
>Mike - W1ECT
>
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>

>
>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><>

--
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--
--

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1520. Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 18:38:06 UTC
From: D.W. Jones
Topic: 1510 Message: 1520

Mike -

In my humble opinion this is the best change that you have made! It
really adds to an already great program.

Thanks a million!

73 - Don N4TN

Mike McAmis wrote:

> Hi - I've just posted version 5.13 at www.xmlog.com/beta. The main
> change in this version is to combine the features of the "QSOs Window"
> and the "Check Call/Prefix Window" into a single window. This window
> is displayed with "View/Show QSOs and Check Call Window" (F4).
>
> I'm interested in getting some feedback from users of the old QSOs and
> Check Call windows.
>
> Mike - W1ECT

1521. Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-27 20:38:51 UTC
From: D.W. Jones
Topic: 1510 Message: 1521

Mike -

After playing with the new window for a bit, I agree with Craig AE6RR
about a CLEAR button being more useful
than the CLOSE. Also, would it be feasible to append the State/Province
to the QTH field?

On an entirely different matter, do I need to make my posts to
XMLog@yahoogroups.com in fixed width font, or can
I use my normal gaudy, offensive variable width font?

73 - Don N4TN

Craig Bradley wrote:

> Mike,
>
> I am using the new window today and I have a couple of suggestions.
>
> 1. As the Help drop down menu on the QSOs/Call Check Window does the same
> thing as the help button, replace the Help button with a "Start QSO"
> button,
> this would be very handy.
>
> 2. A Clear (entry field) button would be more useful to me than the Close
> button as you can close the window with the X in the upper right
> corner. I
> never want to close this window anyway as is it great!
>
> Thanks again for this feature!
>
> 73,
> - Craig, AE6RR

1522. new log/qso window

Yahoo group: XMLog
Date: 2005-10-27 23:04:41 UTC
From: Gary Stone
Topic: 1522 Message: 1522

Hi Mike and others,

Tried again and had a great install with no problems. The new feature
is a 20 on a scale of 1 to 10 :-)

It is excellent Mike - thanks.

Gary, N5PHT

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><>

1523. Log/QSO window

Yahoo group: XMLog
Date: 2005-10-28 01:31:08 UTC
From: Howard Baker
Topic: 1523 Message: 1523

Would it be a lot of trouble to have the call highlighted when you f4 a call so you could type in another call. Make it similiar to the call book lookup. As it is you must backspace to put in another call. This is just a suggestion not a criticism.

1524. Re: [XMLog] Version 5.13 - QSOs and Check Call/Prefix windows

Yahoo group: XMLog
Date: 2005-10-28 10:26:56 UTC
From: D.W. Jones
Topic: 1510 Message: 1524

Dave Sergeant wrote:

>On 27 Oct 2005 at 16:38, D.W. Jones wrote:
>
>
>
>>On an entirely different matter, do I need to make my posts to
>>XMLog@yahoogroups.com in fixed width font, or can
>>I use my normal gaudy, offensive variable width font?
>>
>>

>>I think the XMLog reflector is a plain text reflector, in which all
>>HTML mail is converted to plain text, or the HTML sections are
>>removed. On that basis it is irrelevant what font you use when
>>composing your mail and the rest of us don't have to see your gaudy
>>fonts!
>>
>>
Thank you Dave. I thought it might be that way but I have been on some
mailing lists where HTML would mess everything up.

>>Never ever use HTML mail myself, cannot see the point of it...
>>
>>
Well good - good for you! I guess after looking at video displays since
back in
the days when they all presented either black or green backgrounds with
letters
made of a crude little rough matrix of white dots, I just enjoy a little
variety. But to
each his own. I am glad that you don't have to see my fumbling, limited
attempts
at graphic creativity and originality. God forbid that too much fun
should ever creep
into this stuff!

73 and thanks for your very kind reply - Don N4TN

1525. Vers. 5.13 problem

Yahoo group: XMLog
Date: 2005-10-28 12:00:07 UTC
From: ab1dd
Topic: 1525 Message: 1525

Hi Moke,

Got a possible problem with the new beta. New install on xp. Old log, I copied the log from my working PC. When I open the QSO+ check call window, select show call/prefix info window, I get a "runtime error '9': Subscript error out of range". Hit OK, everything closes. This only happens when a callsign is in the Call/Prefix box, ether by selecting a log entry or typing one in directly. It errors out after the first character is typed in. I also tried it with a new log, empty, and the same thing happens as soon as I type a character in the box. When I uncheck the Show Call/Prefix Info, everything seems to work good.
I like the new feature, hope we can make it work.

Carl
AB1DD

1526. Re: Vers. 5.13 QSOs Window problem

Yahoo group: XMLog
Date: 2005-10-28 19:45:29 UTC
From: Mike McAmis
Topic: 1525 Message: 1526

Hi, For those having problems with the new QSOs Window in version 5.13
I've reposted the previous version as www.xmlog.com/beta/xmlog512.zip

Hopefully I'll post a fix soon as version 5.14

Mike - W1ECT

> Got a possible problem with the new beta. New install on xp. Old
log, I copied the log from my working PC. When I open the QSO+ check
call window, select show call/prefix info window, I get a "runtime
error '9': Subscript error out of range". Hit OK, everything closes.
This only happens when a callsign is in the Call/Prefix box, ether by
selecting a log entry or typing one in directly. It errors out after
the first character is typed in. I also tried it with a new log,
empty, and the same thing happens as soon as I type a character in the
box. When I uncheck the Show Call/Prefix Info, everything seems to
work good.

1527. Log question

Yahoo group: XMLog
Date: 2005-10-30 02:30:02 UTC
From: Bill Turini
Topic: 1527 Message: 1527

Pardon me if this has come up before, but I can't even come up with a subject for this post, let alone search the archives for a solution.

I have been using XMLog for a while now, and imported my past logs into it. In the process I moved. So now my log has contacts from 3 old QTHs and my current one.

Is there some was I can just count all the award data from a certain date, or would it be better to export my log, delete the entries from my previous QTHs and rebuild the log? In retrospect, I guess I should have created a log for each QTH, right?

Any help would be appreciated.

Thanks

Bill KA4GAV

--
NeoMail - http://neomail.sourceforge.net

1528. Re: Log question

Yahoo group: XMLog
Date: 2005-10-30 13:49:51 UTC
From: Mike McAmis
Topic: 1527 Message: 1528

Hi Bill - When you generate reports using the "Display" or "Awards" menu items you will receive a prompt asking which log entries you'd like to include in the report: all log entries, or the "currently selected" log entries. This means that you can do a log search by QSO date to select to log entries you want to include in the report and then answer "currently selected" when you get the prompt.

Check the "Searching the Log" section of the help file to see how you can provide date ranges when you select log entries.

The next version of XMLog will provide new fields for log entries that allow you to save info about your station location and station operator which will make selecting the appropriate entries easier than having to specify date ranges.

Mike - W1ECT

>
> Pardon me if this has come up before, but I can't even come up with a
> subject for this post, let alone search the archives for a solution.
>
> I have been using XMLog for a while now, and imported my past logs
into
> it. In the process I moved. So now my log has contacts from 3 old
QTHs
> and my current one.
>
> Is there some was I can just count all the award data from a certain
> date, or would it be better to export my log, delete the entries
from my
> previous QTHs and rebuild the log?

1529. QSOs Window fixes and new features

Yahoo group: XMLog
Date: 2005-10-30 16:02:10 UTC
From: Mike McAmis
Topic: 1529 Message: 1529

I've just posted XMLog version 5.14 at www.xmlog.com/beta

This version should fix the subscript errors some users were seeing when using the QSOs Window.

You can now update the QSOs Window by single-clicking on a callsign in the Packet Window (a double-click still does a callbook lookup).

Ctrl+W can now be used to clear the Callsign prompt. (Ctrl+W is also used to clear the input line in the Packet Window).

Mike - W1ECT

1530. ver 5.14

Yahoo group: XMLog
Date: 2005-10-30 22:07:25 UTC
From: Jim Henry
Topic: 1530 Message: 1530

Hi

Version 5.14 loaded. Seems to be working very well and I like the QSO window eveen better now.

Again many thanks for the software.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu

[Non-text portions of this message have been removed]

1531. Re: QSOs Window fixes and new features

Yahoo group: XMLog
Date: 2005-10-31 11:53:42 UTC
From: ab1dd
Topic: 1529 Message: 1531

Mike,

Works like a charm now. Thanks.

Carl
AB1DD

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> I've just posted XMLog version 5.14 at www.xmlog.com/beta
>
> This version should fix the subscript errors some users were seeing
> when using the QSOs Window.
>
> You can now update the QSOs Window by single-clicking on a callsign in
> the Packet Window (a double-click still does a callbook lookup).
>
> Ctrl+W can now be used to clear the Callsign prompt. (Ctrl+W is also
> used to clear the input line in the Packet Window).
>
> Mike - W1ECT
>

1532. Re: [XMLog] Re: Log question

Yahoo group: XMLog
Date: 2005-10-31 19:51:57 UTC
From: Bill Turini
Topic: 1527 Message: 1532

Mike Thanks a lot for the reply. As I said, I dumped my logs into it a good while ago, but have only recently started using it. It's a nice program. It suits me (almost) perfectly. Everyone has tweaks that they'd like to see in a program, but yours has many less than others. 73's Bill > > > > > Hi Bill - When you generate reports using the "Display" or "Awards"
> menu items you will receive a prompt asking which log entries you'd
> like to include in the report: all log entries, or the "currently
> selected" log entries. This means that you can do a log search by QSO
> date to select to log entries you want to include in the report and
> then answer "currently selected" when you get the prompt.
>
> Check the "Searching the Log" section of the help file to see how you
> can provide date ranges when you select log entries.
>
> The next version of XMLog will provide new fields for log entries that
> allow you to save info about your station location and station
> operator which will make selecting the appropriate entries easier than
> having to specify date ranges.
>
> Mike - W1ECT
>
> >
> > Pardon me if this has come up before, but I can't even come up with a
> > subject for this post, let alone search the archives for a solution.
> > >
> > I have been using XMLog for a while now, and imported my past logs
> into
> > it. In the process I moved. So now my log has contacts from 3 old
> QTHs
> > and my current one.
> > >
> > Is there some was I can just count all the award data from a certain
> > date, or would it be better to export my log, delete the entries
> from my
> > previous QTHs and rebuild the log?
>
>
>
> > > > > > > > >
>
> > YAHOO! GROUPS LINKS >
>
> >
- Visit your group "XMLog (http://groups.yahoo.com/group/XMLog)" on the web.
>

- To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
>
- Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
(http://docs.yahoo.com/info/terms/). > >
>
> >
> > > > > > > > > -- NeoMail - http://neomail.sourceforge.net

1533. Attention Mike

Yahoo group: XMLog
Date: 2005-11-03 02:13:56 UTC
From: Jim Henry
Topic: 1533 Message: 1533

Mike

I have recently added a page to my website about XMLog. I presume there is no difficulty with this especially as I have acknowledged that it is your baby. If it creates problems for you I will remove the page from my site without hesitation. My site may be found at www.qsl.net/gi0dvu so perhaps you would look at what I have said about XMLog and advise if it is ok.

73 de Jim, GI0DVU
www.qsl.net/gi0dvu
IO64xm
--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.362 / Virus Database: 267.12.7/159 - Release Date: 02/11/2005

[Non-text portions of this message have been removed]

1534. QSL Labels

Yahoo group: XMLog
Date: 2005-11-08 11:55:59 UTC
From: ab1dd
Topic: 416 Message: 1534

Hi,
Has anyone setup XMlog to print labels to a Dymo lable writer or some other single label printer? Don't want to re-invent the wheel.

73, Carl
AB1DD

1535. Re: Attention Mike

Yahoo group: XMLog
Date: 2005-11-08 22:49:40 UTC
From: Mike McAmis
Topic: 1533 Message: 1535

Hi Jim, No problem. I'm always amazed about how many hits I get when Google'ing for XMLog. It even gets a pretty good rating at

http://www.eham.net/reviews/products/27

Mike - W1ECT

>
> Mike
>
> I have recently added a page to my website about XMLog. I presume there is
> no difficulty with this especially as I have acknowledged that it is your
> baby. If it creates problems for you I will remove the page from my site
> without hesitation. My site may be found at www.qsl.net/gi0dvu so perhaps
> you would look at what I have said about XMLog and advise if it is ok.
>
> 73 de Jim, GI0DVU
> www.qsl.net/gi0dvu
> IO64xm

1536. ADIF transfer

Yahoo group: XMLog
Date: 2005-11-09 01:40:40 UTC
From: Robert Dixon
Topic: 1536 Message: 1536

Using V4.96 was able to export a smaller log into a master log by changing to an ADIF file and then importing into the master log. Am now using V5.11 and end up with split screen when I try to import to master log. Split screen has info regarding my call, grid square, longitude, latitude, etc. Only way I can import ADIF files to master log is to reload V4.96, import and then change the log to V5.11. Have checked the website and still can't figure it out. What am I missing?

73, Bob, W8HGH

Robert Dixon
w8hgh@...
EarthLink Revolves Around You.

[Non-text portions of this message have been removed]

1537. New Version

Yahoo group: XMLog
Date: 2005-11-09 22:35:04 UTC
From: Rayford Cunningham
Topic: 1537 Message: 1537

xmlog5.14 installed easily. I get the QSO Window showing
DXCC,WAS,WAZ. My question is how can I NOT show that window? There is
no use for it at this time, but I aways want the latest version of any
program. I had rather not go back to 4.79. The old commands of to
SEARCH, STOP, ETC. somehow are not available to me??? I tried to log
in some contacts today and was totally unsuccessful. Rayford K7OKE

1538. RE: [XMLog] New Version

Yahoo group: XMLog
Date: 2005-11-10 04:56:28 UTC
From: Craig Bradley
Topic: 1537 Message: 1538

Hi Ray,

Try selecting the Options menu, then Log Fields, Fonts, Default File...
Then the Log Fields tab at the top. You can turn off the Awards Tracking
Fields here. Also, you can click the "Show" button at the bottom of the Log
window to alternate between the different fields.

I hope this helps.
73,

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
Rayford Cunningham
Sent: Wednesday, November 09, 2005 2:35 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] New Version

xmlog5.14 installed easily. I get the QSO Window showing
DXCC,WAS,WAZ. My question is how can I NOT show that window? There is
no use for it at this time, but I aways want the latest version of any
program. I had rather not go back to 4.79. The old commands of to
SEARCH, STOP, ETC. somehow are not available to me??? I tried to log
in some contacts today and was totally unsuccessful. Rayford K7OKE

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1539. Re: ADIF transfer

Yahoo group: XMLog
Date: 2005-11-10 20:28:49 UTC
From: Mike McAmis
Topic: 1536 Message: 1539

Hi Bob, Try not to let the "multi-step" ADIF import process in version 5 intimidate you. Fill in as much of the "Station Info" as you feel comfortable with and press on to the next steps...

Mike - W1ECT

>
> Using V4.96 was able to export a smaller log into a master log by changing to an ADIF file and then importing into the master log. Am now using V5.11 and end up with split screen when I try to import to master log. Split screen has info regarding my call, grid square, longitude, latitude, etc. Only way I can import ADIF files to master log is to reload V4.96, import and then change the log to V5.11. Have checked the website and still can't figure it out. What am I missing?
>
> 73, Bob, W8HGH
>
>
> Robert Dixon
> w8hgh@e...
> EarthLink Revolves Around You.
>
> [Non-text portions of this message have been removed]
>

1540. Re: [XMLog] New Version

Yahoo group: XMLog
Date: 2005-11-10 21:08:29 UTC
From: k2qmf@juno.com
Topic: 1537 Message: 1540

Hello All,

I can't seem to get the OR 2800 rotor to work.
It works fine with Writelog but not with XMLog.

What am I doing wrong??
Many Thanks in advance for any suggestions...

73, Ted K2QMF

On Wed, 09 Nov 2005 22:35:04 -0000 "Rayford Cunningham"
<Rayford-C@...> writes:
> xmlog5.14 installed easily. I get the QSO Window showing
> DXCC,WAS,WAZ. My question is how can I NOT show that window? There
> is
> no use for it at this time, but I aways want the latest version of
> any
> program. I had rather not go back to 4.79. The old commands of to
>
> SEARCH, STOP, ETC. somehow are not available to me??? I tried to
> log
> in some contacts today and was totally unsuccessful. Rayford
> K7OKE
>
>
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~-->
> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your
> home page
> http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
> --~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

>

1541. XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-11 18:39:02 UTC
From: k2qmf@juno.com
Topic: 1541 Message: 1541

Hi All,

I can't seem to get my OR 2800 rotor
to work with XMLog.
It works fine with Writelog so I guess the
rotor and com port are okay.
I must be doing something wrong!
Many Thanks in advance for any info or suggestions...

73, Ted K2QMF

1542. RE: [XMLog] Re: ADIF transfer

Yahoo group: XMLog
Date: 2005-11-12 01:18:14 UTC
From: Robert Dixon
Topic: 1536 Message: 1542

Thanks Mike! Need to ship a check out to you. Am really hooked on ur MLOG set up. I just use it for logging and trying to keep track of almost 17000 DX contacts for awards, QSLs etc. Without it I would be lost.

73 Bob, W8HGH

> [Original Message]
> From: Mike McAmis <m.mcamis@...>
> To: <XMLog@yahoogroups.com>
> Date: 11/10/2005 3:29:31 PM
> Subject: [XMLog] Re: ADIF transfer
>
> Hi Bob, Try not to let the "multi-step" ADIF import process in
> version 5 intimidate you. Fill in as much of the "Station Info" as
> you feel comfortable with and press on to the next steps...
>
> Mike - W1ECT
>
> >
> > Using V4.96 was able to export a smaller log into a master log by
> changing to an ADIF file and then importing into the master log. Am
> now using V5.11 and end up with split screen when I try to import to
> master log. Split screen has info regarding my call, grid square,
> longitude, latitude, etc. Only way I can import ADIF files to
> master log is to reload V4.96, import and then change the log to
> V5.11. Have checked the website and still can't figure it out.
> What am I missing?
> >
> > 73, Bob, W8HGH
> >
> >
> > Robert Dixon
> > w8hgh@e...
> > EarthLink Revolves Around You.
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
>
>
>
>

> Yahoo! Groups Links
>
>
>
>
>
>

1543. Rig response too short

Yahoo group: XMLog
Date: 2005-11-15 05:35:26 UTC
From: mefazamy
Topic: 1543 Message: 1543

Installed 4.96 on a new computer. (Used earlier version on an old computer with fb results.) Keep on getting get freq/mode too short. Received 3 expected 38.

Did the rigdebug feature. This is what I got.
freq/mode hex 49 46 3b
response 000. 49 46 3b
000. 073 070 059

Am using TS140. Of course no more serial ports on these new computers. Using usb to serial adapter. Installed driver.
What can I do to get it working.

Thanks,
Evan KB2AMY

1544. Re: Rig response too short

Yahoo group: XMLog
Date: 2005-11-15 12:40:46 UTC
From: mefazamy
Topic: 1543 Message: 1544

Solved the problem. Changed model from Kenwood to Kenwood 2000.
It works. Why? Would like an explanation.

Tnx
Evan
KB2AMY

1545. RE: [XMLog] Re: Rig response too short

Yahoo group: XMLog
Date: 2005-11-15 15:46:09 UTC
From: Craig Bradley
Topic: 1543 Message: 1545

I have the same problem. When I select Add New Entry, I get the message. Then if I click "Clear" on the QSO window, it gets it right. Then everything works OK. This happens every time I start XMLog. I suspect that the serial port in the computer is not cleared or has some "garbage" in the buffer. I have found that clicking on a packet window spot has similar results, no error message but it doesn't work the first time. The second time, the rig tunes to the packet spot frequency.

I am using the Kenwood TS-2000 mode with a Kenwood TS-2000. The same problem happens with my TS-480. The computer is running Windows 2000 SP-4. I think that it is related to the operating system.

Sometimes the message is: "Bad format in rig Get Freq/Mode response 'E;IF00014245000 -0020000074020000390;'.

I have talked to Mike about this, but we never resolved it. Someday when I get some spare time, I plan to monitor the characters on the serial line.

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of mefazamy
Sent: Tuesday, November 15, 2005 4:41 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Rig response too short

Solved the problem. Changed model from Kenwood to Kenwood 2000.
It works. Why? Would like an explanation.

Tnx
Evan
KB2AMY

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1546. Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-15 16:46:00 UTC
From: Mike McAmis
Topic: 1541 Message: 1546

Hi Ted, Based on the documentation you sent me, here are the commands
that XMLog sends to the OR 2800:

S (+ cr to kill any operation in progress)
(pause one second)
123 (+ cr to move to 123 degrees, etc.)

If you find that other commands are required, let me know.

Mike - W1ECT

> I can't seem to get my OR 2800 rotor
> to work with XMLog.
> It works fine with Writelog so I guess the
> rotor and com port are okay.
> I must be doing something wrong!

1547. Re: Rig response too short

Yahoo group: XMLog
Date: 2005-11-15 16:56:59 UTC
From: Mike McAmis
Topic: 1543 Message: 1547

Hi Ken, I can't tell you what's going on but I can tell you what's handled differently with when using "TS-2000" as the rig type. XMLog normally sets the mode and then the frequency which worked fine for many years. Then rigs came along that had some memory features so that when you set the frequency this might also set the mode, which would supercede whatever XMLog had just set. So as I discovered rigs in this category (the TS-2000 is one) I reversed the order that the rig control commands are sent (set frequency, then set mode). I suppose I could have just arbitrarily reversed the order for all rigs but I didn't want to take the chance that this would cause problems with rigs that worked ok using the old scheme.

How does this affect what you're seeing? If you figure it out, let me know...

Mike - W1ECT

> Solved the problem. Changed model from Kenwood to Kenwood 2000.
> It works. Why? Would like an explanation.

1548. Re: [XMLog] Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-16 01:05:19 UTC
From: k2qmf@juno.com
Topic: 1541 Message: 1548

Hi Mike,

Many Thanks for the reply.
Gee, I don't recall sending you the docs
for the OR 2800 but at my age that isn't unusual... Hi.
In reading the docs I see that there may be one additional
command needed.
A (+ cr to put the rotor into "Azimuth" mode).

If you like I could copy all the info and send it to you
via the US Mail...

Many Thanks in advance for your help and support.

73, Ted K2QMF

On Tue, 15 Nov 2005 16:46:00 -0000 "Mike McAmis" <m.mcamis@...>
writes:
> Hi Ted, Based on the documentation you sent me, here are the commands
>
> that XMLog sends to the OR 2800:
>
> S (+ cr to kill any operation in progress)
> (pause one second)
> 123 (+ cr to move to 123 degrees, etc.)
>
> If you find that other commands are required, let me know.
>
> Mike - W1ECT
>
> > I can't seem to get my OR 2800 rotor
> > to work with XMLog.
> > It works fine with Writelog so I guess the
> > rotor and com port are okay.
> > I must be doing something wrong!
>
>
>
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~-->
> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your
> home page
> http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM

> --~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1549. LoTW Confirmations

Yahoo group: XMLog
Date: 2005-11-17 04:16:21 UTC
From: Craig Bradley
Topic: 1549 Message: 1549

Hi Mike,

I have some QSOs that are confirmed on LoTW and I would like to mark them as confirmed for DXCC on XMLog. However, I would like to note that these are LoTW and not QSL cards so that I will not spend hours looking for the cards are some future date.

Currently XMLog only accepts the date or '?' in the QSL Rcvd field. Would it be possible to allow "LoTW" to be entered in some future version?

Or, is there a better way to do this?

Thanks and 73,

- Craig, AE6RR

1550. Re: [XMLog] LoTW Confirmations

Yahoo group: XMLog
Date: 2005-11-17 04:41:55 UTC
From: GerryC
Topic: 1549 Message: 1550

> Currently XMLog only accepts the date or '?' in the QSL Rcvd field.
> Would it be possible to allow "LoTW" to be entered in some future
> version?

That would be nice.

For the present, I enter LoTW confirmations as being received 01/01/50.
Since I wasn't licensed in 1950 there's no possibility of ambiguity.

I also would like to see something like "X" as a possible entry in QSO date
fields, indicating "I do not wish to QSL this station, and I do not care
about receiving a QSL from this station". Then they couldn't show up as
outstranding.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.362 / Virus Database: 267.13.3/172 - Release Date: 11/15/2005

1551. QTH field and State/Province field oddity

Yahoo group: XMLog
Date: 2005-11-18 15:28:55 UTC
From: kd6na
Topic: 1551 Message: 1551

I have a qso in xmlog where I filled in the QTH field as "at the Washington Monument D.C." (It was a satellite contact with W3AFE who was portable). I did not fill in the State/Province field. Then I noticed when I looked at the WAS checklist for my satellite contacts, it had WA worked. I knew I was missing WA so I tracked it down to this QSO. Apparently xmlog tries to get clever and fills in the state based on info from the QTH field. If I explicitly fill in MD in the State field it is OK. If I try to blank out the State field after that, it automatically puts in WA!

--Jim

1552. Re: QTH field and State/Province field oddity

Yahoo group: XMLog
Date: 2005-11-19 15:46:42 UTC
From: Mike McAmis
Topic: 1551 Message: 1552

Hi Jim, Yes - XMLog does try to intuit the state from the QTH field if you don't fill it in. The "D.C." should take priorty in this case but even if I fix this there are still other cases where this scheme can screw up - like if you put in a county name that's the same as a state name, etc.

Mike - W1ECT

> I have a qso in xmlog where I filled in the QTH field as "at the
> Washington Monument D.C." (It was a satellite contact with W3AFE who
> was portable). I did not fill in the State/Province field. Then I
> noticed when I looked at the WAS checklist for my satellite contacts,
> it had WA worked. I knew I was missing WA so I tracked it down to this
> QSO. Apparently xmlog tries to get clever and fills in the state based
> on info from the QTH field. If I explicitly fill in MD in the State
> field it is OK. If I try to blank out the State field after that, it
> automatically puts in WA!
>
> --Jim
>

1553. Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-19 15:53:12 UTC
From: Mike McAmis
Topic: 1541 Message: 1553

Hi Ted, One thing you could try is talking to your rotor by hand using the packet window, here's how. 1) Set your rotor config so that no rotor is configured. 2) Set your packet window port config to have settings appropriate to your rotor, set the port type to "comm port", and set the baud rate, flow control, etc. 3) Open the packet window and anything you type should be sent to the rotor and any response it makes should be displayed.

Mike - W1ECT

> Many Thanks for the reply.
> Gee, I don't recall sending you the docs
> for the OR 2800 but at my age that isn't unusual... Hi.
> In reading the docs I see that there may be one additional
> command needed.
> A (+ cr to put the rotor into "Azimuth" mode).

1554. Re: [XMLog] Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-21 16:32:32 UTC
From: k2qmf@juno.com
Topic: 1541 Message: 1554

Okay Mike,

Wow, very interesting!!! I will try that and
let you know how I make out...

Thanks and 73, Ted K2QMF

On Sat, 19 Nov 2005 15:53:12 -0000 "Mike McAmis" <m.mcamis@...>
writes:
> Hi Ted, One thing you could try is talking to your rotor by hand
> using the packet window, here's how. 1) Set your rotor config so
> that
> no rotor is configured. 2) Set your packet window port config to
> have
> settings appropriate to your rotor, set the port type to "comm
> port",
> and set the baud rate, flow control, etc. 3) Open the packet window
>
> and anything you type should be sent to the rotor and any response
> it
> makes should be displayed.
>
> Mike - W1ECT
> >
> > Many Thanks for the reply.
> > Gee, I don't recall sending you the docs
> > for the OR 2800 but at my age that isn't unusual... Hi.
> > In reading the docs I see that there may be one additional
> > command needed.
> > A (+ cr to put the rotor into "Azimuth" mode).
>
>
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~-->
> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your
> home page
> http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
> ----------~->

>
>
>

> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1555. Re: [XMLog] LoTW Confirmations

Yahoo group: XMLog
Date: 2005-11-21 20:42:27 UTC
From: Joseph Agius
Topic: 1549 Message: 1555

I use the notes field for all of these type of indications. Every import I make from a contest is marked in the notes field as contest name, date, file of origin. You can be very clever with shortcuts. I can then search for the total of contest entries by contest. You can apply the same principle to LOTW.

There is usually ample room for all kinds of keys and key words. Howeverer if I need more room, I will add more of the info to address line 5.

It's then easy to search for what you want using many of the wildcard searches available in MLOG.

Joe
W1TW

--- GerryC <GerryC.1@...> wrote:

> > Currently XMLog only accepts the date or '?' in
> the QSL Rcvd field.
> > Would it be possible to allow "LoTW" to be entered
> in some future
> > version?
>
> That would be nice.
>
> For the present, I enter LoTW confirmations as being
> received 01/01/50.
> Since I wasn't licensed in 1950 there's no
> possibility of ambiguity.
>
> I also would like to see something like "X" as a
> possible entry in QSO date
> fields, indicating "I do not wish to QSL this
> station, and I do not care
> about receiving a QSL from this station". Then they
> couldn't show up as
> outstranding.
>
> 73 de W3GERry
>
>
>
> --
> No virus found in this outgoing message.

> Checked by AVG Free Edition.
> Version: 7.1.362 / Virus Database: 267.13.3/172 -
> Release Date: 11/15/2005
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~-->
> Get fast access to your favorite Yahoo! Groups. Make
> Yahoo! your home page
>
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
>
---~->
>
>
>
> Yahoo! Groups Links
>
>
> XMLog-unsubscribe@yahoogroups.com
>
>
>
>
>

_____
Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

1556. Re: [XMLog] Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-22 01:46:19 UTC
From: k2qmf@juno.com
Topic: 1541 Message: 1556

Hi Mike,

I tried what you suggested and it worked great!!!
I found out what the problem is.
Seems that M2 changed to command to control the rotor...
You have to send an "A" with the heading number in order for
the rotor to turn!!

A90 + cr will turn the rotor to 90 degrees...
Just entering 90 + cr will do nothing..
The "A" stands for azimuth...

Can you help with this?

Thanks in advance.

73, Ted K2QMF

On Sat, 19 Nov 2005 15:53:12 -0000 "Mike McAmis" <m.mcamis@...>
writes:
> Hi Ted, One thing you could try is talking to your rotor by hand
> using the packet window, here's how. 1) Set your rotor config so
> that
> no rotor is configured. 2) Set your packet window port config to
> have
> settings appropriate to your rotor, set the port type to "comm
> port",
> and set the baud rate, flow control, etc. 3) Open the packet window
>
> and anything you type should be sent to the rotor and any response
> it
> makes should be displayed.
>
> Mike - W1ECT
> >
> > Many Thanks for the reply.
> > Gee, I don't recall sending you the docs
> > for the OR 2800 but at my age that isn't unusual... Hi.
> > In reading the docs I see that there may be one additional
> > command needed.
> > A (+ cr to put the rotor into "Azimuth" mode).
>
>
>
>
>

>
> ---------- Yahoo! Groups Sponsor
> ----------~-->
> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your
> home page
> http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
> ----------~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1557. ADIF import problem

Yahoo group: XMLog
Date: 2005-11-21 22:55:52 UTC
From: kd8biz
Topic: 1557 Message: 1557

I have some QSO's in another logger which I exported as ADIF
(DxKeeper, but does it matter?).

Examining the ADIF files it seems to have QSL sent, QSL received, etc
OK, also dates for QSL sent and received -

On import to XMLog, a lot of stuff has "?" for QSL received and I seem
to have magically achieved WAS when I really only had 28 confirmed - I
think everything that was marked as QSL sent in DxKeeper has now
become confirmed in XMLog.

Any ideas? I'd like to try to convert to XMLog, but only if I can
import an ADIF.

KD8BIZ

1558. Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-11-22 16:17:37 UTC
From: Mike McAmis
Topic: 1541 Message: 1558

OK Ted, I'll let you know when I post the change.

Mike - W1ECT

> Hi Mike,
>
> I tried what you suggested and it worked great!!!
> I found out what the problem is.
> Seems that M2 changed to command to control the rotor...
> You have to send an "A" with the heading number in order for
> the rotor to turn!!
>
> A90 + cr will turn the rotor to 90 degrees...
> Just entering 90 + cr will do nothing..
> The "A" stands for azimuth...

1559. Re: ADIF import problem

Yahoo group: XMLog
Date: 2005-11-22 16:20:28 UTC
From: Mike McAmis
Topic: 1557 Message: 1559

Hi, Could you send me your ADIF file as an email attachment to
m.mcamis@valley.net ?

Mike - W1ECT

>
> I have some QSO's in another logger which I exported as ADIF
> (DxKeeper, but does it matter?).
>
> Examining the ADIF files it seems to have QSL sent, QSL received,
etc
> OK, also dates for QSL sent and received -
>
> On import to XMLog, a lot of stuff has "?" for QSL received and I
seem
> to have magically achieved WAS when I really only had 28
confirmed - I
> think everything that was marked as QSL sent in DxKeeper has now
> become confirmed in XMLog.
>
> Any ideas? I'd like to try to convert to XMLog, but only if I
can
> import an ADIF.
>
> KD8BIZ
>

1560. Re: [XMLog] LoTW Confirmations

Yahoo group: XMLog
Date: 2005-11-22 16:28:51 UTC
From: GerryC
Topic: 1549 Message: 1560

> It's then easy to search for what you want using many
> of the wildcard searches available in MLOG.

Yes-- but without an entry in the QSL RECD field XMLog's awards trackers
will show it as outstanding.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.362 / Virus Database: 267.13.5/177 - Release Date: 11/21/2005

1561. Re: ADIF import problem

Yahoo group: XMLog
Date: 2005-11-24 15:58:29 UTC
From: Mike McAmis
Topic: 1557 Message: 1561

OK, I've checked the ADIF file created by DXKeeper you sent me and I have a few comments about the QSL dates. But first, there are a couple of problems in the file where fields are not following the ADIF format.

1) The MY_LAT and MY_LONG are specified as +/- values rather than a value preceded N/S or E/W.

2) The ADDRESS field is a multiple line field. These fields appear as more than one line in the ADIF file and the field specifier is supposed to contain a ":M" to flag it as a multi-line field. For example <ADDRESS:50:M>Whatever... rather than <ADDRESS:50>Whatever... (where 50 is the number of characters in the field, including the carriage returns that break up the lines). The result is that XMLog is only importing the first line of the address.

As far as the QSL dates go, here's the story.

1) ADIF has fields QSL_SENT and QSL_RCVD that have values of Y or N. These fields let you know if you've sent or received a QSL. There are also fields QSLSDATE and QSLRDATE that specify the associated sent/received dates. If a QSL_SENT appears with a Y and there is no associated QSLSDATE XMLog fills in the field with a ?. The same strategy is used for QSL_RCVD and QSLRDATE.

2) DXKeeper seems to maintain LOTW QSL info in private fields named APP_DXKeeper_LotW_QSL_RCVD, APP_DXKeeper_LotW_QSL_SENT, APP_DXKeeper_LotW_QSLSDATE, and APP_DXKeeper_LotW_QSLRDATE. It also maintains similar fields for eQSL info.

XMLog seems to be handling the "normal" QSL info fields OK and the LOTW and EQSL fields get ignored. If you seem to have QSOs that get imported with a QSL received date set when it shouldn't be you need to locate that entry in the ADIF file and check the QSL info fields. If you find an entry that has no QSL received info (QSL_RCVD or QSLRDATE) but gets imported with the date set (to a date or to ?) let me know. If the info is set in the file and shouldn't be that's a matter that you need to take up with the author of DXKeeper (perhaps the LOTW/EQSL settings are affecting the "normal" settings somehow?).

Mike - W1ECT

> Hi, Could you send me your ADIF file as an email attachment to
> m.mcamis@v... ?

1562. Re: ADIF import problem

Yahoo group: XMLog
Date: 2005-11-25 03:41:37 UTC
From: Dave Bernstein
Topic: 1557 Message: 1562

>>>AA6YQ comments below

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> OK, I've checked the ADIF file created by DXKeeper you sent me and
> I have a few comments about the QSL dates. But first, there are a
> couple of problems in the file where fields are not following the
> ADIF format.

>snip<

> 2) The ADDRESS field is a multiple line field. These fields
> appear as more than one line in the ADIF file and the field
> specifier is supposed to contain a ":M" to flag it as a multi-line
> field. For example <ADDRESS:50:M>Whatever... rather than
> <ADDRESS:50>Whatever... (where 50 is the number of characters in
> the field, including the carriage returns that break up the
> lines). The result is that XMLog is only importing the first line
> of the address.

>>>That's not correct, Mike. Both the ADIF-1 and ADIF-2
specifications describe the data type indicator as optional. See the
Physical Specifications sections of both
http://www.hosenose.com/adif/adif.html and
http://www.adif.org/adif216.htm . Its not reasonable to truncate a
multiline field because its missing the optional data type
indicator. One can accurately parse a multiline field without the
hint that it contains newline characters.

> As far as the QSL dates go, here's the story.

> 1) ADIF has fields QSL_SENT and QSL_RCVD that have values of Y or
> N. These fields let you know if you've sent or received a QSL.
> There are also fields QSLSDATE and QSLRDATE that specify the
> associated sent/received dates. If a QSL_SENT appears with a Y
> and there is no associated QSLSDATE XMLog fills in the field with
> a ?. The same strategy is used for QSL_RCVD and QSLRDATE.

> 2) DXKeeper seems to maintain LOTW QSL info in private fields
> named APP_DXKeeper_LotW_QSL_RCVD, APP_DXKeeper_LotW_QSL_SENT,
> APP_DXKeeper_LotW_QSLSDATE, and APP_DXKeeper_LotW_QSLRDATE. It
> also maintains similar fields for eQSL info.

>>>Since the proposal to add such fields to the ADIF-2 standard was
defeated, logging applications that independently track each QSO's
confirmation by card, LotW, and eQSL.cc have no choice but to use
private fields. At least there's a standard format for private

fields.

> XMLog seems to be handling the "normal" QSL info fields OK and the
> LOTW and EQSL fields get ignored. If you seem to have QSOs that
> get imported with a QSL received date set when it shouldn't be you
> need to locate that entry in the ADIF file and check the QSL info
> fields. If you find an entry that has no QSL received info
> (QSL_RCVD or QSLRDATE) but gets imported with the date set (to a
> date or to ?) let me know. If the info is set in the file and
> shouldn't be that's a matter that you need to take up with the
> author of DXKeeper (perhaps the LOTW/EQSL settings are affecting
> the "normal" settings somehow?).

>>>Its not clear to me how this explains the incorrect award totals after import, but I'll leave that to you and KD8BIZ. If you have questions or see what you believe to be errors in DXKeeper's exported ADIF, by all means let me know.

73,

Dave, AA6YQ

1563. CW

Yahoo group: XMLog
Date: 2005-11-27 14:00:50 UTC
From: N7MAL
Topic: 1563 Message: 1563

Are there any plans in the future to make CW keying available on LPT1 using Windows XP..??..

MAL N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

1564. Re: ADIF import problem

Yahoo group: XMLog
Date: 2005-11-28 21:50:46 UTC
From: Mike McAmis
Topic: 1557 Message: 1564

Hi Dave, OK on the "M" specifier being optional for ADIF address fields (or for any multi-line field). I've made the change to handle this properly and I'll post it at www.xmlog.com/beta this week. While I was making these changes I also discovered a bug in the "muli-line" handling when lines in the ADIF file are delimited by a cr+lf rather than just a cr. The DXKeeper file you sent me is the first one I've seen that uses this scheme and the reason it matters is that strangely enough the character count for multi-line fields includes the end-of-line characters.

In regards to the WAS totals you can also use the Awards/WAS/Checklist and Submission Tracking reports to find examples of QSOs that shouldn't be credited. If you find an example that is improperly credited based on the values in the ADIF file please let me know.

Mike - W1ECT

1565. Re: CW via LPT

Yahoo group: XMLog
Date: 2005-11-28 21:54:21 UTC
From: Mike McAmis
Topic: 1563 Message: 1565

Hi Mal, This is in the "todo" list but it probably won't happen any time soon. It will probably mean distributing/installing a driver like DLPortIO, an idea that has never really appealed to me.

Mike - W1ECT

> Are there any plans in the future to make CW keying available on LPT1 using Windows XP..??..

1566. XML Packet Logon & 2 digit grids

Yahoo group: XMLog
Date: 2005-11-29 16:54:18 UTC
From: Craig Bradley
Topic: 1566 Message: 1566

Hi Mike,

I am using dxc-us.ab5k.net for the packet window and I have the "Keep Alive" enabled and set for 5 minutes. The command field is blank. I occasionally get "bumped off", but sometimes it runs for over 20 hours.

This is not a big problem, but when reconnecting, to use the default connection setting, you need to close the window and reopen it. Then you lose the "active" spots. If you use the Connect/Internet Connect menu, you have to type in the address. Would it be a simple thing to put the default login address in the Internet Connect window in some future version?

A second very minor nit: The Grid field will not accept a 2 digit grid field (or CQ Field Square), it requires a 4 or 6 digit entry. For some DX stations, it is hard to determine the 4 digit grid (some times hard to figure out the 2 digit). The CQ award only requires the 2 digit designator. Thanks again for adding the 2 digit grid setting on the Awards/Grids report. This has been very useful.

Any more thoughts on LoTW support?

Keep up the good work!

73,
- Craig, AE6RR

1567. Re: XML Packet Logon & 2 digit grids

Yahoo group: XMLog
Date: 2005-11-30 21:40:24 UTC
From: Mike McAmis
Topic: 1566 Message: 1567

Hi Craig, Filling in the default address for the "Connect/Internet Connect" prompt sounds like a good idea, I'll add it in the next version. Until then you can use a node file instead, the node file selector does have a memory and you can just hit F5 to get it going. Here's a sample file that's saved as W1GQ.NOD in my XMLog install folder:

```
rem
rem Internet AR-PacketCluster at W1GQ
rem
connect dx.w1gq.net
match call:
send #me
match #me de W1GQ
send set/filters k,ve/pass
send set/page 0
send dir/new
```

The file can be invoked with the "Connect/Start Node File" (F5) menu item and it will also be invoked automatically when the Packet Window starts if you fill in the node file name as the auto-connect address from the Packet Port config window.

I added support for 2 digit grids in version 5.10 and Awards/Grids allows you to create reports based on 2, 4, or 6 character grid values.

Mike - W1ECT

1568. RE: [XMLog] Re: XML Packet Logon & 2 digit grids

Yahoo group: XMLog
Date: 2005-12-01 06:33:41 UTC
From: Craig Bradley
Topic: 1566 Message: 1568

Hi Mike,

Thanks, that would be a nice feature. Thanks for the info on the node file also.

I am using version 5.14 and the 2 character grid reports for my CQ Field Award tracking. However, the QSO window will not accept a 2 character grid, it complains and says that the grid format must be XX## or XX##YY. Some foreign QTHs are hard to locate on a grid map and some countries have multiple field squares (2 character grids).

73,
- Craig, AE6RR

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Wednesday, November 30, 2005 1:40 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XML Packet Logon & 2 digit grids

Hi Craig, Filling in the default address for the "Connect/Internet Connect" prompt sounds like a good idea, I'll add it in the next version. Until then you can use a node file instead, the node file selector does have a memory and you can just hit F5 to get it going. Here's a sample file that's saved as W1GQ.NOD in my XMLog install folder:

```
rem
rem Internet AR-PacketCluster at W1GQ
rem
connect dx.w1gq.net
match call:
send #me
match #me de W1GQ
send set/filters k,ve/pass
send set/page 0
send dir/new
```

The file can be invoked with the "Connect/Start Node File" (F5) menu item and it will also be invoked automatically when the Packet Window starts if you fill in the node file name as the auto-connect address from the Packet Port config window.

I added support for 2 digit grids in version 5.10 and Awards/Grids allows you to create reports based on 2, 4, or 6 character grid values.

Mike - W1ECT

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1569. Re: XML Packet Logon & 2 digit grids

Yahoo group: XMLog
Date: 2005-12-02 20:52:30 UTC
From: Mike McAmis
Topic: 1566 Message: 1569

OK Craig, Not sure what happened but I just posted the latest version at www.xmlog.com/beta and that should do the trick.

Mike - W1ECT

> I am using version 5.14 and the 2 character grid reports for my CQ Field
> Award tracking. However, the QSO window will not accept a 2 character grid,
> it complains and says that the grid format must be XX## or XX##YY.

1570. RE: [XMLog] Re: XML Packet Logon & 2 digit grids

Yahoo group: XMLog
Date: 2005-12-03 17:57:05 UTC
From: Craig Bradley
Topic: 1566 Message: 1570

Thanks Mike,

I will check it out. I am sure that this was just a carry over from the 4 or 6 digit grids. The program was checking for legal grids and at that time no one cared about the 2 digit grids. Since CQ started the Field Award, 2 digit grid are useful.

Craig - AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Friday, December 02, 2005 12:53 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XML Packet Logon & 2 digit grids

OK Craig, Not sure what happened but I just posted the latest version at www.xmlog.com/beta and that should do the trick.

Mike - W1ECT

> I am using version 5.14 and the 2 character grid reports for my CQ Field
> Award tracking. However, the QSO window will not accept a 2 character grid,
> it complains and says that the grid format must be XX## or XX##YY.

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to: XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1571. RE: [XMLog] Re: XML Packet Logon & 2 digit grids

Yahoo group: XMLog
Date: 2005-12-05 16:11:18 UTC
From: Craig Bradley
Topic: 1566 Message: 1571

Hi Mike,

I tried the program and it works great, thanks. I found that I can now double click the grid field to enter a grid. I now have identified that I have 53 grid confirmed (more cards still to process) that it enough for the basic CQ Field Award. I am also using DX Atlas to identify the grids.

Thanks again,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Craig Bradley
Sent: Saturday, December 03, 2005 9:57 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: XML Packet Logon & 2 digit grids

Thanks Mike,

I will check it out. I am sure that this was just a carry over from the 4 or 6 digit grids. The program was checking for legal grids and at that time
no one cared about the 2 digit grids. Since CQ started the Field Award, 2 digit grid are useful.

Craig - AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Friday, December 02, 2005 12:53 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XML Packet Logon & 2 digit grids

OK Craig, Not sure what happened but I just posted the latest version at www.xmlog.com/beta and that should do the trick.

Mike - W1ECT

> I am using version 5.14 and the 2 character grid reports for my CQ Field
> Award tracking. However, the QSO window will not accept a 2 character grid,
> it complains and says that the grid format must be XX## or XX##YY.

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
--
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--
--

[Non-text portions of this message have been removed]

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1572. Re: XMLog with OR 2800 Rotor

Yahoo group: XMLog
Date: 2005-12-05 19:51:35 UTC
From: k2qmf@juno.com
Topic: 1541 Message: 1572

Hi Mike,

I just downloaded the new version!!
The OR2800 Rotor Control now works perfectly!!

Many Thanks for your help and support...

73, Ted K2QMF

On Mon, 05 Dec 2005 12:50:08 -0500 Michael McAmis <m.mcamis@...>
writes:
>
> Hi Ted,
>
> I've posted the change at www.xmlog.com/beta
>
> Mike - W1ECT
>
>
>

1573. Converting XMLog logs to ADIF or other formats

Yahoo group: XMLog
Date: 2005-12-07 17:46:25 UTC
From: Hadi Teichmann
Topic: 1573 Message: 1573

Hi:

Is there a possibility to convert the XMLog log format to other formats, preferably ADIF? I'd like to use my old (and perfect) label program (which does not accept XMLog's log format). Can't find anything about this sort of export in the help file.

73 Hadi DJ2PJ OH?JWH

1575. Re: Converting XMLog logs to ADIF or other formats

Yahoo group: XMLog
Date: 2005-12-07 20:35:21 UTC
From: Mike McAmis
Topic: 1573 Message: 1575

Hi Hadi, XMLog supports import and export of ADIF files. Use the Import menu item from the Log Window. If you can't find any ADIF info in the help file you must have a very old version of XMLog. Check www.xmlog.com and www.xmlog.com/beta for the most recent versions.

Mike - W1ECT

> Is there a possibility to convert the XMLog log format to other formats,
> preferably ADIF? I'd like to use my old (and perfect) label program
> (which does not accept XMLog's log format). Can't find anything about
> this sort of export in the help file.
>
> 73 Hadi DJ2PJ OHØJWH

1576. Re: [XMLog] Re: Converting XMLog logs to ADIF or other formats

Yahoo group: XMLog
Date: 2005-12-07 21:05:14 UTC
From: Hadi Teichmann DJ2PJ
Topic: 1573 Message: 1576

Hello Mike:

Thanks for your very prompt reply.

I had a very old version indeed, and have loaded the newest one right
after reading your mail. No problem with ADIF-exports anymore, I guess.
My old label-program works perfectly with the new imported ADIF-file.

I am extremely grateful for your help.

See you down the log, Mike!

73 Hadi DJ2PJ OH?JWH

Mike McAmis wrote:

>Hi Hadi, XMLog supports import and export of ADIF files. Use the
>Import menu item from the Log Window. If you can't find any ADIF info
>in the help file you must have a very old version of XMLog. Check
>www.xmlog.com and www.xmlog.com/beta for the most recent versions.
>
>Mike - W1ECT
>
>
>
>
>
>
>
>
>
>
>

1577. What is the best way to get location recorded in all entries of an old log?

Yahoo group: XMLog
Date: 2005-12-08 01:16:06 UTC
From: Edward A. Feustel
Topic: 1577 Message: 1577

Thanks,
Ed, N5EI

1578. Re: What is the best way to get location recorded in all entries of an old log?

Yahoo group: XMLog
Date: 2005-12-08 17:38:59 UTC
From: Mike McAmis
Topic: 1577 Message: 1578

Hi Ed, I assume you're asking about setting the "Station Info" fields for existing entries? (Station Info fields are only available in version 5 of XMLog at www.xmlog.com/beta). XMLog does allow you to set Station Info values for multiple entries. Hopefully you can isolate large subsets of your log that should get the same values by doing searches with a date range, for example to select all QSOs in 2004 you would use a search key of >=1/1/04,<=12/31/04 After doing the search you should use the "Edit/Change Station Info For Mulitiple Entries" menu item, pick the "Set Currently Selected Entries" option, and then fill in the values you want set for all the currently selected entries.

Of course before making major changes like this it's a good idea to back up your log file first.

Mike - W1ECT

> What is the best way to get location recorded in all entries of an old log?
> Thanks,
> Ed, N5EI
>

1579. It's Christmas and I have my wish...

Yahoo group: XMLog
Date: 2005-12-09 01:19:01 UTC
From: Dennis Jacobson
Topic: 1579 Message: 1579

Hello all and the XMLOG just keeps getting better and better..
Thanks Mike.

As my Christmas wish, I wish I could right click on a call in the packet window and get the View/show QSO's/Check Call window information already plugged into the window. Rather than having to F4 and then type in the call. It would be one of the options along with those already listed when you right click on a call in the packet window.

It's just a wish but I hope I explained it clearly enough to make some sense.

Hope you all have a great holiday season

Thanks and 73
Dennis N6NG

1580. Re: LoTW Confirmations

Yahoo group: XMLog
Date: 2005-12-09 16:32:25 UTC
From: ad5uu
Topic: 1549 Message: 1580

I use these fields in the same manor. The problem is they are filled with 10-10, Fist, Contest, EQSL, LOTW, and all the subs that go with those.
LOTW would be a good choice to add, because in 2006 WAS will be added to LOTW and you are supposed to be able to combine Paper and Lotw for the award. Thus you won't be in the ,originals poster's, position of looking for paper. (eqsl is not worth it).

Although, being that this excellent program is donated, I'll live with what I Have.

NO COMPLAINTS FROM MY END!!!!!!!

Thank you
AD5UU

--- In XMLog@yahoogroups.com, Joseph Agius <jpagius@y...> wrote:
>
> I use the notes field for all of these type of
> indications. Every import I make from a contest is
, I will add
> more of the info to address line 5.
>

1581. Re: It's Christmas and I have my wish...

Yahoo group: XMLog
Date: 2005-12-09 21:32:40 UTC
From: Mike McAmis
Topic: 1579 Message: 1581

Hi Dennis - Try this, open the info window with F4 (or the menu item) and then click on the call(s) in the packet window.

I should probably add a "Open QSO/Check Call Window for xxx" menu item to the list of things you can do when you right click on a callsign in the packet window.

Mike - W1ECT

> As my Christmas wish, I wish I could right click on a call in
> the packet window and get the View/show QSO's/Check Call window
> information already plugged into the window. Rather than
> having to F4 and then type in the call. It would be one of the
> options along with those already listed when you right click on
> a call in the packet window.
>
> It's just a wish but I hope I explained it clearly
> enough to make some sense.
>
> Hope you all have a great holiday season
>
> Thanks and 73
> Dennis N6NG
>

1582. Re: It's Christmas and I have my wish...

Yahoo group: XMLog
Date: 2005-12-10 04:07:55 UTC
From: Dennis Jacobson
Topic: 1579 Message: 1582

Works great Mike. Thanks Santa

Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi Dennis - Try this, open the info window with F4 (or the menu
> item) and then click on the call(s) in the packet window.
>
> I should probably add a "Open QSO/Check Call Window for xxx" menu
> item to the list of things you can do when you right click on a
> callsign in the packet window.
>
> Mike - W1ECT
>
> > As my Christmas wish, I wish I could right click on a call in
> > the packet window and get the View/show QSO's/Check Call window
> > information already plugged into the window. Rather than
> > having to F4 and then type in the call. It would be one of the
> > options along with those already listed when you right click on
> > a call in the packet window.
> >
> > It's just a wish but I hope I explained it clearly
> > enough to make some sense.
> >
> > Hope you all have a great holiday season
> >
> > Thanks and 73
> > Dennis N6NG
> >
>

1583. DXCC Report

Yahoo group: XMLog
Date: 2005-12-15 19:38:40 UTC
From: abba_houston
Topic: 1583 Message: 1583

I want to prepare a set of printed reports for my first DXCC Submission. I have entered in all of my QSLs many QSOs into XMLog and would like to print out a listing by band/mode so that I can then use that info to create the proper ARRL submission forms. How do I do this without first setting the submission field? This way I'll know what QSLs to gather up, what order to arrange them, and then which XMLog fields to set to Submitted.

WB4KTF
Glen

1584. Re: [XMLog] DXCC Report

Yahoo group: XMLog
Date: 2005-12-15 20:36:38 UTC
From: Nelson Wittstock
Topic: 1583 Message: 1584

In the "Display" drop down menu you can sort by various parameters. It sounds to me like the one that does it by frequency should do what you want.

Nelson, K8DJC

1585. Re: DXCC Report

Yahoo group: XMLog
Date: 2005-12-15 22:57:37 UTC
From: Mike McAmis
Topic: 1583 Message: 1585

Hi Glen, When I'm ready to send a batch of cards to the ARRL for DXCC credit I find that the "Awards/DXCC/Critical QSO Summary" is the best guide for deciding which cards to submit. If this is your first submission this list can get out of hand since it will list all possible candidates for each band/mode you select to be listed. I sometimes save this report in a file and then edit it down to a more managable size and then print it. The "Awards/DXCC/Worked-Confirmed" report is also another good way to see what cards you need to send and it only shows a few candidates for each band/mode you choose.

Mike - W1ECT

>
> I want to prepare a set of printed reports for my first DXCC
> Submission. I have entered in all of my QSLs many QSOs into XMLog
and
> would like to print out a listing by band/mode so that I can then
use
> that info to create the proper ARRL submission forms. How do I do
this
> without first setting the submission field? This way I'll know what
> QSLs to gather up, what order to arrange them, and then which XMLog
> fields to set to Submitted.
>
> WB4KTF
> Glen
>

1586. xmlog and Ham Radio Deluxe

Yahoo group: XMLog
Date: 2005-12-23 01:44:31 UTC
From: pd246
Topic: 1586 Message: 1586

I read that HRD could use XMLOG as its logbook; but, other than some references to DDE, I have not been able to find any information on how to accomplish this. Any help out there? Thanks.

1587. Re: xmlog and Ham Radio Deluxe

Yahoo group: XMLog
Date: 2005-12-23 05:34:59 UTC
From: Mike McAmis
Topic: 1586 Message: 1587

Hi - XMLog doesn't support a DDE interface at the moment. Currently
the only way to get data in or out is via ADIF...

Mike - W1ECT

> I read that HRD could use XMLOG as its logbook; but, other than some
> references to DDE, I have not been able to find any information on
> how to accomplish this. Any help out there? Thanks.

1588. Install problems

Yahoo group: XMLog
Date: 2005-12-23 12:22:32 UTC
From: kc9enh
Topic: 1392 Message: 1588

WH\hen I try to install xmlog on a winXP system, it tells me some file needs updated and then restarts the computer. I can never get past this loop. It tells me this over and over. Any ideas?

KC9ENH

1589. Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 12:27:00 UTC
From: Jim Henry
Topic: 1589 Message: 1589

Hi All

I have tried several times to install ver 5.17 but get the following
error message......

"Invalid procedure call or argument.
An error occurred while calculating the required disk space."

I never get beyond this point. I suspect the problem may lie with
something in my computer set up but thought I would ask here first in
case others have experienced the same difficulty.

Using Win XP with plenty of available memory and disk space.

Help please.

73 de Jim, GI0DVU
http://homepage.ntlworld.com/jim.henry/Index.htm
IO64xm

I am using the free version of SPAMfighter for private users.
It has removed 92 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for free
now!

[Non-text portions of this message have been removed]

1590. Re: [XMLog] Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 15:10:17 UTC
From: Hadi Teichmann DJ2PJ
Topic: 1589 Message: 1590

Hi Jim,

nothing like that happened with my PC (also running XP).

How did you install the program? Describe the steps. When (at what step)
did the error message appear?

73 Hadi DJ2PJ OH?JWH

Jim Henry wrote:

>Hi All
>
>I have tried several times to install ver 5.17 but get the following
>error message......
>
>"Invalid procedure call or argument.
>An error occurred while calculating the required disk space."
>
>I never get beyond this point. I suspect the problem may lie with
>something in my computer set up but thought I would ask here first in
>case others have experienced the same difficulty.
>
>Using Win XP with plenty of available memory and disk space.
>
>Help please.
>
>73 de Jim, GI0DVU
>http://homepage.ntlworld.com/jim.henry/Index.htm
>IO64xm
>
> _____
>
>I am using the free version of SPAMfighter for private users.
>It has removed 92 spam emails to date.
>Paying users do not have this message in their emails.
>Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for free
>now!
>
>
>
>[Non-text portions of this message have been removed]
>
>
>
>

>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1591. RE: [XMLog] Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 15:40:12 UTC
From: Jim Henry
Topic: 1589 Message: 1591

Installed in the normal way over ver 5.16. Error message came up as system started to copy files from the download.

Never had any problems in the past but, as I said before, suspect problem may lie at my end.

73 de Jim, GI0DVU
http://homepage.ntlworld.com/jim.henry/Index.htm
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Hadi Teichmann DJ2PJ
Sent: 27 December 2005 15:10
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Installing ver5.17

Hi Jim,

nothing like that happened with my PC (also running XP).

How did you install the program? Describe the steps. When (at what step) did the error message appear?

73 Hadi DJ2PJ OHØJWH

Jim Henry wrote:

>Hi All
>
>I have tried several times to install ver 5.17 but get the following
>error message......
>
>"Invalid procedure call or argument.
>An error occurred while calculating the required disk space."
>
>I never get beyond this point. I suspect the problem may lie with
>something in my computer set up but thought I would ask here first in
>case others have experienced the same difficulty.
>
>Using Win XP with plenty of available memory and disk space.
>
>Help please.
>
>73 de Jim, GI0DVU
>http://homepage.ntlworld.com/jim.henry/Index.htm
>IO64xm
>

> _____
>
>I am using the free version of SPAMfighter for private users.
>It has removed 92 spam emails to date.
>Paying users do not have this message in their emails.
>Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for free
>now!
>
>
>
>[Non-text portions of this message have been removed]
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

I am using the free version of SPAMfighter for private users.
It has removed 92 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

[Non-text portions of this message have been removed]

1592. Re: [XMLog] Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 16:47:04 UTC
From: Hadi Teichmann DJ2PJ
Topic: 1589 Message: 1592

OK, Jim, try the following:

(1) Create a new (temporary) folder. You may call it "tmp" if this name does not already exist. Should it exist, choose another name, maybe "xxx".

(2) Unzip xmlog517.zip with WINZIP, FILZIP or similar software (which one do you normally use?). Be sure to mark all 11 files, and extract them into the tmp-folder.

(3) In the tmp-folder (there should be 11 files now), double-click on setup.exe to finally install the program into the xmlog-folder. If xmlog contains an older version of XMLOG, which seems to be the case, do not worry. The installation should work without difficulty (and error message) as the disk space remains nearly the same. Most of the older files will only be replaced by the new ones.

If the same error message occurs, try the same with a new (empty) folder. Give it another name (xmlog517). Do not delete or change anything in the old folder containing version 5.16. For safety reasons make a backup of your log-file (extension .log) and of the complete backup-subdirectory anyway.

Another attempt would be deinstalling the old version completely and making a completely new installation of XMLOG. Be sure to save all configuration and log-files before you de-install or delete anything!!! If you are not sure which files to backup, let me know.

Remote diagnosis is always very difficult and, maybe, dubious. I do not know your system configuration and how much you know about computers and computer systems. This very often leeds to carrying coal to Newcastle (or owls to Athens). Please forgive me for this sort of ignorance; I'm only trying to help.

Please let me know about the results.

73 Hadi DJ2PJ

PS Do you use anything like NORTON System Works?

Jim Henry wrote:

>Installed in the normal way over ver 5.16. Error message came up as system
>started to copy files from the download.
>
>Never had any problems in the past but, as I said before, suspect problem
>may lie at my end.
>
>73 de Jim, GI0DVU

>http://homepage.ntlworld.com/jim.henry/Index.htm
>IO64xm
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
>Hadi Teichmann DJ2PJ
> Sent: 27 December 2005 15:10
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Installing ver5.17
>
>
> Hi Jim,
>
> nothing like that happened with my PC (also running XP).
>
> How did you install the program? Describe the steps. When (at what step)
> did the error message appear?
>
> 73 Hadi DJ2PJ OH?JWH
>
> Jim Henry wrote:
>
> >Hi All
> >
> >I have tried several times to install ver 5.17 but get the following
> >error message......
> >
> >"Invalid procedure call or argument.
> >An error occurred while calculating the required disk space."
> >
> >I never get beyond this point. I suspect the problem may lie with
> >something in my computer set up but thought I would ask here first in
> >case others have experienced the same difficulty.
> >
> >Using Win XP with plenty of available memory and disk space.
> >
> >Help please.
> >
> >73 de Jim, GI0DVU
> >http://homepage.ntlworld.com/jim.henry/Index.htm
> >IO64xm
> >
> > _____
> >
> >I am using the free version of SPAMfighter for private users.
> >It has removed 92 spam emails to date.
> >Paying users do not have this message in their emails.
> >Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for free
> >now!
> >
> >

> >
> >[Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> >Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
> SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
> Ham radio sales Ham radio outlet
>
>
>--
>--
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
>Service.
>
>
>--
>--
>
>
>
>
>--
>----
>I am using the free version of SPAMfighter for private users.
>It has removed 92 spam emails to date.
>Paying users do not have this message in their emails.
>Try SPAMfighter for free now!
>

>
>[Non-text portions of this message have been removed]
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

1593. RE: [XMLog] Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 21:18:43 UTC
From: Jim Henry
Topic: 1589 Message: 1593

Hi Hadi

Tried all your suggestions but get same error message. Looks like I have a corrupt file in my system and I may have no option but to re-install windows. That will keep me busy.....these computers are great until something like this happens.

Many thanks for your help.

73 de Jim, GI0DVU
http://homepage.ntlworld.com/jim.henry/Index.htm
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Hadi Teichmann DJ2PJ
Sent: 27 December 2005 16:47
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Installing ver5.17

OK, Jim, try the following:

(1) Create a new (temporary) folder. You may call it "tmp" if this name does not already exist. Should it exist, choose another name, maybe "xxx".

(2) Unzip xmlog517.zip with WINZIP, FILZIP or similar software (which one do you normally use?). Be sure to mark all 11 files, and extract them into the tmp-folder.

(3) In the tmp-folder (there should be 11 files now), double-click on setup.exe to finally install the program into the xmlog-folder. If xmlog contains an older version of XMLOG, which seems to be the case, do not worry. The installation should work without difficulty (and error message) as the disk space remains nearly the same. Most of the older files will only be replaced by the new ones.

If the same error message occurs, try the same with a new (empty) folder. Give it another name (xmlog517). Do not delete or change anything in the old folder containing version 5.16. For safety reasons make a backup of your log-file (extension .log) and of the complete backup-subdirectory anyway.

Another attempt would be deinstalling the old version completely and making a completely new installation of XMLOG. Be sure to save all configuration and log-files before you de-install or delete anything!!! If you are not sure which files to backup, let me know.

Remote diagnosis is always very difficult and, maybe, dubious. I do not know your system configuration and how much you know about computers and computer systems. This very often leeds to carrying coal to Newcastle (or owls to Athens). Please forgive me for this sort of ignorance; I'm only trying to help.

Please let me know about the results.

73 Hadi DJ2PJ

PS Do you use anything like NORTON System Works?

Jim Henry wrote:

>Installed in the normal way over ver 5.16. Error message came up as system
>started to copy files from the download.
>
>Never had any problems in the past but, as I said before, suspect problem
>may lie at my end.
>
>73 de Jim, GI0DVU
>http://homepage.ntlworld.com/jim.henry/Index.htm
>IO64xm
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
>Hadi Teichmann DJ2PJ
> Sent: 27 December 2005 15:10
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Installing ver5.17
>
>
> Hi Jim,
>
> nothing like that happened with my PC (also running XP).
>
> How did you install the program? Describe the steps. When (at what step)
> did the error message appear?
>
> 73 Hadi DJ2PJ OHØJWH
>
> Jim Henry wrote:
>
> >Hi All
> >
> >I have tried several times to install ver 5.17 but get the following
> >error message......
> >
> >"Invalid procedure call or argument.
> >An error occurred while calculating the required disk space."
> >

> >I never get beyond this point. I suspect the problem may lie with
> >something in my computer set up but thought I would ask here first in
> >case others have experienced the same difficulty.
> >
> >Using Win XP with plenty of available memory and disk space.
> >
> >Help please.
> >
> >73 de Jim, GI0DVU
> >http://homepage.ntlworld.com/jim.henry/Index.htm
> >IO64xm
> >
> > _____
> >
> >I am using the free version of SPAMfighter for private users.
> >It has removed 92 spam emails to date.
> >Paying users do not have this message in their emails.
> >Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for
free
> >now!
> >
> >
> >
> >[Non-text portions of this message have been removed]
> >
> >
> >
> >
> >
> >Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
> SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
> Ham radio sales Ham radio outlet
>
>

>--
-
>--

> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
>Service.
>
>

>--
-
>--
>
>
>
>

>--
-
>----
>I am using the free version of SPAMfighter for private users.
>It has removed 92 spam emails to date.
>Paying users do not have this message in their emails.
>Try SPAMfighter for free now!
>
>
>[Non-text portions of this message have been removed]
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

--

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

I am using the free version of SPAMfighter for private users.
It has removed 92 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

[Non-text portions of this message have been removed]

1594. Re: Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 22:24:43 UTC
From: John P Smith
Topic: 1589 Message: 1594

Jim,
Bad news. I didn't know 5.17 was out until your posting. I just
downloaded and installed it to my Windows XP Home system and it went
perfectly here. Sorry to be the bearer of bad news.

73 and all the best in 6!
John KI4RO

--- In XMLog@yahoogroups.com, "Jim Henry" <jim.henry@n...> wrote:
>
> Hi All
>
> I have tried several times to install ver 5.17 but get the following
> error message......
>
> "Invalid procedure call or argument.
> An error occurred while calculating the required disk space."
>
> I never get beyond this point. I suspect the problem may lie with
> something in my computer set up but thought I would ask here first
in
> case others have experienced the same difficulty.
>
> Using Win XP with plenty of available memory and disk space.
>
> Help please.
>
> 73 de Jim, GI0DVU
> http://homepage.ntlworld.com/jim.henry/Index.htm
> IO64xm
>
> -----
>
> I am using the free version of SPAMfighter for private users.
> It has removed 92 spam emails to date.
> Paying users do not have this message in their emails.
> Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for
free
> now!
>
>
>
> [Non-text portions of this message have been removed]
>

1595. RE: [XMLog] Re: Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 22:30:08 UTC
From: Jim Henry
Topic: 1589 Message: 1595

Thanks John, I'm resigned to having to reload windows. Happy New Year to you
and the family

73 de Jim, GI0DVU
http://homepage.ntlworld.com/jim.henry/Index.htm
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
John P Smith
Sent: 27 December 2005 22:25
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Installing ver5.17

Jim,
Bad news. I didn't know 5.17 was out until your posting. I just
downloaded and installed it to my Windows XP Home system and it went
perfectly here. Sorry to be the bearer of bad news.

73 and all the best in 6!
John KI4RO

--- In XMLog@yahoogroups.com, "Jim Henry" <jim.henry@n...> wrote:
>
> Hi All
>
> I have tried several times to install ver 5.17 but get the following
> error message......
>
> "Invalid procedure call or argument.
> An error occurred while calculating the required disk space."
>
> I never get beyond this point. I suspect the problem may lie with
> something in my computer set up but thought I would ask here first
in
> case others have experienced the same difficulty.
>
> Using Win XP with plenty of available memory and disk space.
>
> Help please.
>
> 73 de Jim, GI0DVU
> http://homepage.ntlworld.com/jim.henry/Index.htm
> IO64xm
>
> _____
>

> I am using the free version of SPAMfighter for private users.
> It has removed 92 spam emails to date.
> Paying users do not have this message in their emails.
> Try SPAMfighter <http://www.spamfighter.com/Product_Info.asp?> for
free
> now!
>
>
>
> [Non-text portions of this message have been removed]
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

I am using the free version of SPAMfighter for private users.
It has removed 92 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

[Non-text portions of this message have been removed]

1596. Re: [XMLog] Re: Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-27 23:09:57 UTC
From: F.R. Ashley
Topic: 1589 Message: 1596

> Jim,
> Bad news. I didn't know 5.17 was out until your posting. I just
> downloaded and installed it to my Windows XP Home system and it went
> perfectly here. Sorry to be the bearer of bad news.
>
> 73 and all the best in 6!
> John KI4RO

Same here Jim. I just downloaded 5.17, installed it, and imported my MixW log of over 4,000 entrieds. Everything went perfect.

73 Buddy WB4M

1597. RE: [XMLog] Re: Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-28 22:39:39 UTC
From: Craig Bradley
Topic: 1589 Message: 1597

I have had a similar problem with versions above 5.0 on my Windows 2000 laptop. The earlier versions (4.xx) installed OK. I have been installing the updates on a second computer running XP with no problems, then I copy the files over to the Win2K machine via the network. If you have another computer around, you might try this. If you don't have a network, you could use Sneaker Net (a floppy disk) to move the files over.

Good luck,

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of F.R. Ashley
Sent: Tuesday, December 27, 2005 3:10 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Installing ver5.17

> Jim,
> Bad news. I didn't know 5.17 was out until your posting. I just
> downloaded and installed it to my Windows XP Home system and it went
> perfectly here. Sorry to be the bearer of bad news.
>
> 73 and all the best in 6!
> John KI4RO

Same here Jim. I just downloaded 5.17, installed it, and imported my MixW log of over 4,000 entrieds. Everything went perfect.

73 Buddy WB4M

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1598. RE: [XMLog] Re: Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-28 23:59:23 UTC
From: Jim Henry
Topic: 1589 Message: 1598

Thanks, I will try this.

73 de Jim, GI0DVU
http://homepage.ntlworld.com/jim.henry/Index.htm
IO64xm
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
Craig Bradley
Sent: 28 December 2005 22:40
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Installing ver5.17

I have had a similar problem with versions above 5.0 on my Windows 2000
laptop. The earlier versions (4.xx) installed OK. I have been installing
the updates on a second computer running XP with no problems, then I copy
the files over to the Win2K machine via the network. If you have another
computer around, you might try this. If you don't have a network, you
could
use Sneaker Net (a floppy disk) to move the files over.

Good luck,

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
F.R. Ashley
Sent: Tuesday, December 27, 2005 3:10 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Installing ver5.17

> Jim,
> Bad news. I didn't know 5.17 was out until your posting. I just
> downloaded and installed it to my Windows XP Home system and it went
> perfectly here. Sorry to be the bearer of bad news.
>
> 73 and all the best in 6!
> John KI4RO

Same here Jim. I just downloaded 5.17, installed it, and imported my
MixW
log of over 4,000 entrieds. Everything went perfect.

73 Buddy WB4M

--
--

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--
--

[Non-text portions of this message have been removed]

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

I am using the free version of SPAMfighter for private users.
It has removed 94 spam emails to date.
Paying users do not have this message in their emails.
Try SPAMfighter for free now!

[Non-text portions of this message have been removed]

1599. Creating Excel Report

Yahoo group: XMLog
Date: 2005-12-29 00:24:36 UTC
From: mefazamy
Topic: 1599 Message: 1599

When I attempt to create an Excel Report from the display menu I get:
"Problem creating Excel Report, can't start Excel (429) ActiveX
component can't create object."

I use Office 1997, Xmlog 4.96 and a new computer which had a 60 day
free trial of Office 2003, including Excel, that I didn't want to
buy. It attempts to load the report but asks for a serial number that
I don't have. I have since removed the free trial Office 2003.

When I used Office 1997 with my old computer I was able to create the
Excel report.

Can I overcome this difficulty?

Evan

1600. Re: Installing ver5.17

Yahoo group: XMLog
Date: 2005-12-29 00:38:13 UTC
From: Edward A. Feustel
Topic: 1589 Message: 1600

Before reinstalling windows, try removing XMLog (after making a copy of your data).
Wipe all remaining fragments., Reboot your machine. Try re-installing.

It's worth a try!
Ed, N5EI

1601. Install Problems - Time for a new installer?

Yahoo group: XMLog
Date: 2005-12-29 15:57:00 UTC
From: Mike McAmis
Topic: 1601 Message: 1601

Errors reported while installing XMLog have been a recurring problem for years, I get an email on this subject every month or two. Unfortunately there often isn't much I can do since since the problem tends to be unique in each case and can't be duplicated here.

XMLog uses the installer supplied with Visual Studio (Version 6, SP6) which hasn't changed much since the days of Windows 95. I've often wondered if a more "modern" installer would reduce or eliminate these problems.

Unfortunately buying something like InstallShield goes far beyond my budget for XMLog but I recently received an email suggesting that I ask around to see if someone out there could donate to the cause and provide a copy of InstallShield or whatever...

Thanks, Mike - W1ECT

1602. RE: [XMLog] Install Problems - Time for a new installer?

Yahoo group: XMLog
Date: 2005-12-29 16:42:20 UTC
From: Nicholas Hook - M3NAH
Topic: 1601 Message: 1602

Mike,

I have a copy of Installshield which may be of help. Will have to check which version it is, but I'm sure it could be handy for you... Let me know.

Cheers,
Nick.

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: 29 December 2005 15:57
To: XMLog@yahoogroups.com
Subject: [XMLog] Install Problems - Time for a new installer?

Errors reported while installing XMLog have been a recurring problem for years, I get an email on this subject every month or two.
Unfortunately there often isn't much I can do since since the problem tends to be unique in each case and can't be duplicated here.

XMLog uses the installer supplied with Visual Studio (Version 6, SP6) which hasn't changed much since the days of Windows 95. I've often wondered if a more "modern" installer would reduce or eliminate these problems.

Unfortunately buying something like InstallShield goes far beyond my budget for XMLog but I recently received an email suggesting that I ask around to see if someone out there could donate to the cause and provide a copy of InstallShield or whatever...

Thanks, Mike - W1ECT

---------- Yahoo! Groups Sponsor ----------~--> Get fast access to your favorite Yahoo! Groups. Make Yahoo! your home page
http://us.click.yahoo.com/dpRU5A/wUILAA/yQLSAA/ELTolB/TM
----------~->

Yahoo! Groups Links

1603. Re: Install Problems - Time for a new installer?

Yahoo group: XMLog
Date: 2005-12-30 02:17:32 UTC
From: David Spoelstra
Topic: 1601 Message: 1603

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
> Unfortunately buying something like InstallShield goes far beyond my
> budget for XMLog but I recently received an email suggesting that I
> ask around to see if someone out there could donate to the cause and
> provide a copy of InstallShield or whatever...

Mike-
Let this be my donation to the cause. Use Inno Setup. I personally
know of two 50+ million dollar companies that use this free installer
because it works so well and it's easy to use.
-David, N9KT

1604. Re: Install Problems - Time for a new installer?

Yahoo group: XMLog
Date: 2005-12-30 02:20:25 UTC
From: David Spoelstra
Topic: 1601 Message: 1604

One other good free one is NSIS which is used by the WinAmp people.
http://nsis.sourceforge.net/Main_Page
-David, N9KT

1605. Re: Creating Excel Report

Yahoo group: XMLog
Date: 2006-01-01 00:00:48 UTC
From: mefazamy
Topic: 1599 Message: 1605

--- In XMLog@yahoogroups.com, "mefazamy" <FAZAMY@a...> wrote:
>
> When I attempt to create an Excel Report from the display menu I
get:
> "Problem creating Excel Report, can't start Excel (429) ActiveX
> component can't create object."
>
> I use Office 1997, Xmlog 4.96 and a new computer which had a 60 day
> free trial of Office 2003, including Excel, that I didn't want to
> buy. It attempts to load the report but asks for a serial number
that
> I don't have. I have since removed the free trial Office 2003.
>
> When I used Office 1997 with my old computer I was able to create
the
> Excel report.
>
> Can I overcome this difficulty?
>

Figured out a way to get an Excel Report which is much different from
what I've been used to.

Had to open xmLog. Choose field displays. Minimize xmLog. Open
Excel and wait for the report.

In the past, all I had to do was open Display menu, click on Excel,
and the report would be displayed on Excel.

Evan

1606. Help Printing

Yahoo group: XMLog
Date: 2006-01-01 15:59:57 UTC
From: Gary Stone
Topic: 1606 Message: 1606

Hi,

Can anyone help me to print a QSL label to the Dymo label printer. I tried changing printers to the Dymo but just can't seem to get it to cooperate.

Any way to do this? And HNY to all.

Gary, N5PHT

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><>

1607. Re: Install Problems - Time for a new installer?

Yahoo group: XMLog
Date: 2006-01-03 18:03:49 UTC
From: Mike McAmis
Topic: 1601 Message: 1607

Hi, I want to thank David for the info on Inno/NSIS and Nick on the offer of InstallShield (Nick, please send me the version number to m.mcamis@valley.net).

I have discovered some updates for the Visual Studio installer that I'm currently using and I'll go ahead and include these in the next beta release (5.18), hopefully these changes will improve things.

Mike - W1ECT

1608. RE: [XMLog] Re: Install Problems - Time for a new installer? - IT WORKS

Yahoo group: XMLog
Date: 2006-01-04 08:28:29 UTC
From: Craig Bradley
Topic: 1601 Message: 1608

Hi Mike,

The new installer updates WORK!
I can now install on my old Win2K laptop!
Great work!

I like the new feature for adding a call from the packet window to the check call window. Also, the multiple QTH feature is great as I operate portable quite often from the same location.

Happy New Year!

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Tuesday, January 03, 2006 10:04 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Install Problems - Time for a new installer?

Hi, I want to thank David for the info on Inno/NSIS and Nick on the offer of InstallShield (Nick, please send me the version number to m.mcamis@...).

I have discovered some updates for the Visual Studio installer that I'm currently using and I'll go ahead and include these in the next beta release (5.18), hopefully these changes will improve things.

Mike - W1ECT

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to: XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1609. N8PY and XMLOG conflict

Yahoo group: XMLog
Date: 2006-01-07 05:05:30 UTC
From: Scott Gordon
Topic: 1609 Message: 1609

Do I need to use seperate comm ports now when using N8PY software for controlling my ICOM 746 Pro remotely and use a different comm port for XMLOG?

Nothing is easy..

Scott
KQ8RP

1610. RE: [XMLog] N8PY and XMLOG conflict

Yahoo group: XMLog
Date: 2006-01-07 18:51:39 UTC
From: Craig Bradley
Topic: 1609 Message: 1610

You cannot share a comm port between two programs, so for the software, I would say yes. However, your rig probably only has one serial port. I use several programs with my rig (Kenwood TS-2000), XMLog, Writelog and SatPC32, they are all set for the same comm port, but I can only run one program at a time.

It would be nice to be able to share the rig and the comm port between multiple programs. For example run the satellite tracking program with Doppler correction and also the logging program at the same time. I think that there is some sort of protocol for a "software comm port" that can connect to the hardware comm port and be connected to by multiple programs, but I don't know if any other programs support it or if anything exists in the freeware area.

- Craig
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Scott Gordon
Sent: Friday, January 06, 2006 9:06 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] N8PY and XMLOG conflict

Do I need to use seperate comm ports now when using N8PY software for controlling my ICOM 746 Pro remotely and use a different comm port for XMLOG?

Nothing is easy..

Scott
KQ8RP

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1611. Retreiving Dxclusters from the Internet

Yahoo group: XMLog
Date: 2006-01-10 00:21:33 UTC
From: br_griffin
Topic: 1611 Message: 1611

I receive an address error when I try to retrieve dxclusters
from http://oh2aq.kolumbus.com/dxs/ with my DSL connection.
I am using ver. 4.96. What format should I use for the internet
address? This is my first try at this option.

bgriffin

1612. Re: [XMLog] Retreiving Dxclusters from the Internet

Yahoo group: XMLog
Date: 2006-01-10 01:53:27 UTC
From: N7MAL
Topic: 1611 Message: 1612

That's because it's not a 'DX Cluster', it's a web page.

Try this: n7od.pentux.net

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: br_griffin
To: XMLog@yahoogroups.com
Sent: Tuesday, January 10, 2006 0:21
Subject: [XMLog] Retreiving Dxclusters from the Internet

I receive an address error when I try to retrieve dxclusters
from http://oh2aq.kolumbus.com/dxs/ with my DSL connection.
I am using ver. 4.96. What format should I use for the internet
address? This is my first try at this option.

bgriffin

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1613. Re: Retreiving Dxclusters from the Internet

Yahoo group: XMLog
Date: 2006-01-10 18:15:36 UTC
From: br_griffin
Topic: 1611 Message: 1613

Many thanks MAL, I made a connection but I am still confused.
The site asked me for my node. Do I make up a number?

Burton
--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@c...> wrote:
>
> That's because it's not a 'DX Cluster', it's a web page.
>
> Try this: n7od.pentux.net
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> http://geocities.com/n7mal/
> Don't worry about the world coming to an end today.
> It's already tomorrow in Australia
>
> ----- Original Message -----
> From: br_griffin
> To: XMLog@yahoogroups.com
> Sent: Tuesday, January 10, 2006 0:21
> Subject: [XMLog] Retreiving Dxclusters from the Internet
>
>
> I receive an address error when I try to retrieve dxclusters
> from http://oh2aq.kolumbus.com/dxs/ with my DSL connection.
> I am using ver. 4.96. What format should I use for the internet
> address? This is my first try at this option.
>
> bgriffin
>
>
>
>
>
>
>

> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com

>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>

>
>
>
> [Non-text portions of this message have been removed]
>

1614. Re: Retreiving Dxclusters from the Internet

Yahoo group: XMLog
Date: 2006-01-10 18:52:16 UTC
From: Mike McAmis
Topic: 1611 Message: 1614

Hi - You need to pick a DX Cluster that's accessed as a "Telnet"
site. The site you were using is designed to be accesed from your
browser (Internet Explorer, etc). Here's a couple of sites you can
browse to pick an address from the Telnet DX Clusters out there:

http://www.contesting.info/index.php?page=packets

http://www.dailydx.com/telnet2.html

Note that these sites come and go so not all the Clusters in the list
will be available.

Mike - W1ECT

1615. Re: [XMLog] Re: Retreiving Dxclusters from the Internet

Yahoo group: XMLog
Date: 2006-01-11 06:37:55 UTC
From: N7MAL
Topic: 1611 Message: 1615

Hi Burton: Just use the node name you connect to,,, i.e. if you connected to n7od then type in n7od for your home node...
Good Luck
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: br_griffin
To: XMLog@yahoogroups.com
Sent: Tuesday, January 10, 2006 18:15
Subject: [XMLog] Re: Retreiving Dxclusters from the Internet

Many thanks MAL, I made a connection but I am still confused.
The site asked me for my node. Do I make up a number?

Burton
--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@c...> wrote:
>
> That's because it's not a 'DX Cluster', it's a web page.
>
> Try this: n7od.pentux.net
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> http://geocities.com/n7mal/
> Don't worry about the world coming to an end today.
> It's already tomorrow in Australia
>
> ----- Original Message -----
> From: br_griffin
> To: XMLog@yahoogroups.com
> Sent: Tuesday, January 10, 2006 0:21
> Subject: [XMLog] Retreiving Dxclusters from the Internet
>
>
> I receive an address error when I try to retrieve dxclusters

> from http://oh2aq.kolumbus.com/dxs/ with my DSL connection.
> I am using ver. 4.96. What format should I use for the internet
> address? This is my first try at this option.
>
> bgriffin
>
>
>
>
>
>

> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>

>
>
>
> [Non-text portions of this message have been removed]
>

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1616. Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-13 18:40:09 UTC
From: witstock7
Topic: 1616 Message: 1616

Occasionally I get disconnected from my cluster telnet connection and am unaware of it for a while. Is there a telnet setup available in which I could either be notified of a disconnect or else have an automatic reconnect? I am normally connected through the K8SMC location.

Nelson, K8DJC

1617. Re: [XMLog] Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-13 19:27:10 UTC
From: Nelson Wittstock
Topic: 1616 Message: 1617

I was unaware of the "keep alive" command. It is now activated.

Tnx,
Nelson

1618. Re: [XMLog] Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-13 19:34:18 UTC
From: Steve Litwins
Topic: 1616 Message: 1618

Nelson;
Pse...where is that "keep-alive command? What menu item? TIA 73/dx
steve, k8wk
****
----- Original Message -----
From: "Nelson Wittstock" <k8djc@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, January 13, 2006 1:27 PM
Subject: Re: [XMLog] Telnet disconnect/reconnect

> I was unaware of the "keep alive" command. It is now activated.
>
> Tnx,
> Nelson
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1619. Re: [XMLog] Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-13 19:41:51 UTC
From: Nelson Wittstock
Topic: 1616 Message: 1619

Steve,

It is under the OPTIONS >PACKET OPTION AND PORT SELECT. The info was posted
on the cluster by Don, N4TN.

73,
Nelson

1620. Re: [XMLog] Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-13 20:06:16 UTC
From: Steve Litwins
Topic: 1616 Message: 1620

Nelson...I'm using v.4.35 and I do not see anything about "keep-alive' or anything like that. The info was posted on what cluster? 73/dx
steve, k8wk
****
----- Original Message -----
From: "Nelson Wittstock" <k8djc@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, January 13, 2006 1:41 PM
Subject: Re: [XMLog] Telnet disconnect/reconnect

> Steve,
>
> It is under the OPTIONS >PACKET OPTION AND PORT SELECT. The info was posted
> on the cluster by Don, N4TN.
>
> 73,
> Nelson
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1621. Re: [XMLog] Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-13 20:32:22 UTC
From: Nelson Wittstock
Topic: 1616 Message: 1621

I'm using 5.14, Steve. The message was sent to me in "talk through" mode on
the K8SMC cluster which is reached at 198.109.212.235.

You will probably have to update your XMLog version.

HTH, Nelson
AKA the Distinguished Junk Collector

1622. ADI-files produced with XMLog

Yahoo group: XMLog
Date: 2006-01-15 13:36:41 UTC
From: Hadi Teichmann
Topic: 1622 Message: 1622

Hi:

To be compatible with DF3CB's very good BV7 label-printing program, it would be wishful to have the mode-field in XMLog-created adi-files extended to 8 (instead of 6) alphanumeric signs. Bernd, DF3CB, was kind enough to insert two more modes in his label-program: Olivia (6 signs, no problem) and DominoEX (8 signs, not compatible with XMLog).

At the moment, I have to edit all DominoEX-QSOs manually after transformation into adi-files before converting them to bv7-files.

Thanks for assistance

73 Hadi DJ2PJ OH?JWH OH?P

[Non-text portions of this message have been removed]

1623. RE: [XMLog] Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-01-15 17:34:02 UTC
From: Craig Bradley
Topic: 1616 Message: 1623

The new version also "remembers" the connection node so that if you do get disconnected, all you have to do is click "Connect/Internet Connect" to reconnect.

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Nelson Wittstock
Sent: Friday, January 13, 2006 12:32 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Telnet disconnect/reconnect

I'm using 5.14, Steve. The message was sent to me in "talk through" mode on
the K8SMC cluster which is reached at 198.109.212.235.

You will probably have to update your XMLog version.

HTH, Nelson
AKA the Distinguished Junk Collector

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1624. Re: ADI-files produced with XMLog - Mode field size

Yahoo group: XMLog
Date: 2006-01-16 22:26:56 UTC
From: Mike McAmis
Topic: 1622 Message: 1624

Hi Hadi - Unfortunately the Visual Studio runtime doesn't allow me to increase the size of fields in existing databases. This makes it difficult to implement changes in log fields - A new log file must be created with the updated field and then the data has to be copied over from the old log. I'll put this on the list of things to do but it won't happen anytime in the near future...

Mike - W1ECT

> To be compatible with DF3CB's very good BV7 label-printing program, it
> would be wishful to have the mode-field in XMLog-created adi-files
> extended to 8 (instead of 6) alphanumeric signs. Bernd, DF3CB, was kind
> enough to insert two more modes in his label-program: Olivia (6 signs,
> no problem) and DominoEX (8 signs, not compatible with XMLog).
>
> At the moment, I have to edit all DominoEX-QSOs manually after
> transformation into adi-files before converting them to bv7-files.
>
> Thanks for assistance
>
> 73 Hadi DJ2PJ OHØJWH OHØP

1625. Re: [XMLog] Re: ADI-files produced with XMLog - Mode field size

Yahoo group: XMLog
Date: 2006-01-17 09:48:33 UTC
From: Hadi Teichmann DJ2PJ
Topic: 1622 Message: 1625

Thanks for the reply, Mike!

Yes, I understand. In this case, I better convince DF3CB to use
something like DomEX instead of DominoEX. This seems to be a lot easier.
I'll keep you informed. Stay tuned! In the meantime I'll edit my
adi-files manually (if necessary).

Thanks and 73
Hadi DJ2PJ
www.dj2pj.de

Mike McAmis wrote:
> Hi Hadi - Unfortunately the Visual Studio runtime doesn't allow me to
> increase the size of fields in existing databases. This makes it
> difficult to implement changes in log fields - A new log file must be
> created with the updated field and then the data has to be copied over
> from the old log. I'll put this on the list of things to do but it
> won't happen anytime in the near future...
>
> Mike - W1ECT
>
>
>

[Non-text portions of this message have been removed]

1626. LoTW Support

Yahoo group: XMLog
Date: 2006-01-18 16:01:21 UTC
From: Craig Bradley
Topic: 1626 Message: 1626

Mike,

As the ARRL Logbook of The World now supports WAS (preliminary support up yesterday), do you have any more thoughts on LoTW QSL tracking in XMLog?

One simple (I think) interim solution would be to allow the the QSL fields to be set to "LoTW" in addition to "?" and a date. Other more elegant solutions might involve other fields, importing of LoTW QSLs and flagging LoTW QSLs on reports.

Now that WAS tracking is operational on LoTW, I would encourage everyone to download their logs to the web site. This is easy with XMLog, just export the log in ADIF format, sign it with the ARRL software and upload it to the web site. Once you are setup, this only take a few minutes. I upload mine about once a month and after every contest. You might be surprised to find out how many countries and states you have confirmed. I have a few countries confirmed on LoTW that I have not received QSL cards from yet.

- Craig, AE6RR

[Non-text portions of this message have been removed]

1627. Integrating XMLog with Multipsk

Yahoo group: XMLog
Date: 2006-01-19 20:31:34 UTC
From: waltw1
Topic: 1627 Message: 1627

Hi, Guys;

Ive been using DXKeeper as my integrated logging program in Multipsk, for quite a while now, but have just begun experimenting with XMLog, which I really like. In fact, if I could integrate it into Multipsk today, I would. It seems to me that WXLogbook can be used with Multipsk because it fools the program into thinking that it is DXKeeper. Does anyone know if this can be done with XMLog? Or other logging programs?

XMLog is pretty user friendly and has an excellent QSL label printing function. Right now, I am using the Multipsk log and exporting it as an adif file into XMLog. Then I use XMLog to print my labels.

Thanks.

Walt in Atlanta
KJ4HE

1628. Re: LoTW Support

Yahoo group: XMLog
Date: 2006-01-22 16:39:42 UTC
From: Mike McAmis
Topic: 1626 Message: 1628

Hi Craig,

> As the ARRL Logbook of The World now supports WAS (preliminary
> support up yesterday), do you have any more thoughts on LoTW
> QSL tracking in XMLog?

I'm surprised that the ARRL decided to use LOTW for WAS since as part of my implementing LOTW support for XMLog I added a report that checks the LOTW data against the data in the local log records and found that over 30% of the state values in the LOTW info did not agree with the info in the log records. Since 99% of the state info in my log is from contest exchanges I assume that the log data is ok and the LoTW info is incorrect. For the most part this seems to be due to folk submitting their full logs to LoTW as though they made every QSO from their current location. I can understand why this happens since it's a pain to break up your log data by QTH and then make individual LoTW submissions for each QTH. I guess the ARRL probably decided that it just didn't care that much - after all you're supposed to make all your QSO's from a single location (within 50 miles) and they don't verify that either.

> One simple (I think) interim solution would be to allow the the
> QSL fields to be set to "LoTW" in addition to "?" and a date.
> Other more elegant solutions might involve other fields, importing
> of LoTW QSLs and flagging LoTW QSLs on reports.

One of the things that had been keeping me from making a commitment to LoTW support was the question what new fields might be needed. I really wasn't too excited about adding separate LoTW date fields or perhaps adding a "QSL Source" field. In some test versions I just added "LoTW" to the "QSL via" field when doing an LOTW import. The idea of allowing LoTW as a legal value is appealing since no new fields are required (and the actual "received" date isn't that meaningful for LoTW anyhow). I'll check in to this scheme...

Another thing that I'm curious about is how the ARRL handles DXCC submissions when you set the "I have submitted an application via LoTW" option. Has anyone tried this yet? Do you get any indication that shows which LoTW QSOs were used to boost your DXCC totals?

My most recent attempt at adding LoTW support provides three new menu items:

1 - Import/Download LoTW data. This menu item allows you to download all your LoTW data or optionally all data after a specified date. A report is then produced that compares all the downloaded LoTW data against the data in your log - any Zone, State,

Country, ..., discrepancies are reported.

2 - Import/Check LoTW Data. This menu item produces the report as described above for any downloaded LoTW file.

3 - Apply LoTW Data to Log. This menu item set the "QSL Received" date to the current date and added "LoTW" to the "QSL Via" field. It seems that just setting the "QSL Received" to "LoTW" would be a simpler way to handle this. I suppose that if the date were already set then it shouldn't be overwritten since this would probably mean that you had an actual QSL card on hand. In any scheme like this handling cards from multiple sources is a pain (I just don't like the idea of multiple date fields).

An implementation problem I'm having concerns section 1 above, the Visual Studio runtime doesn't allow me to do the download in "asynchronous" mode and as a result XMLog hangs during the connection/download. One solution is to use one of several third-party Internet support packages available but since they typically cost $100-$150 this is another item that has been delaying LoTW support for XMLog.

Mike - W1ECT

1629. Re: Integrating XMLog with Multipsk

Yahoo group: XMLog
Date: 2006-01-22 16:45:24 UTC
From: Mike McAmis
Topic: 1627 Message: 1629

Hi Walt, Currently the only interface to the outside world that XMLog supports is the one you're using - ADIF. I have looked into providing some kind of programmatic interface but since each PSK/RTTY/etc program tends to support a unique interface the idea hasn't gone anywhere. Hopefully someday some sort of interface standard will emerge to make things easier, we can only hope.

Mike - W1ECT

1630. RE: [XMLog] Re: LoTW Support

Yahoo group: XMLog
Date: 2006-01-22 21:18:09 UTC
From: Craig Bradley
Topic: 1626 Message: 1630

Hi Mike,

Thanks for looking into this. I have not made any submissions using LoTW yet, so I can't help there. I do have several QSLs via both cards and LoTW, so it would be nice to be able to track this. When I submit for these QSOs, I would like to use the LoTW credit and only have the remaining cards checked to simplify things. I would like to be able to track both though. A QSL source field would be nice, but I understand the problems involved with adding new fields to a data base :(

How about using LoTW in the QSL Rcvd field and if a date exists, replace it and append the date to the QSL Via or Notes field such as "QSL card: xx/xx/xx" or something like that?

Regarding the WAS records, it will be interesting to see how this works out. I think they should get ride of the 50 mile rule anyway and just require that all of the QSOs be in the same state. This would be more inline with DXCC rules which used to be similar to WAS at one time. As they haven't provided the ability to use the WAS credits yet, this may be a learning experience...

For those of us that frequently operate portable, as simple way of storing a few different QTHs with separate default (power lever, etc.) would also be nice. I frequently operate at a second home and I have to edit all of the QTH data if I want to be accurate for WAS.

Thanks for looking into this and also for fixing the installer!

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Sunday, January 22, 2006 8:40 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: LoTW Support

Hi Craig,

> As the ARRL Logbook of The World now supports WAS (preliminary
> support up yesterday), do you have any more thoughts on LoTW
> QSL tracking in XMLog?

I'm surprised that the ARRL decided to use LOTW for WAS since as part of my implementing LOTW support for XMLog I added a report that checks the LOTW data against the data in the local log records and found that over 30% of the state values in the LOTW info did not agree with the info in the log records. Since 99% of the state info

in my log is from contest exchanges I assume that the log data is ok and the LoTW info is incorrect. For the most part this seems to be due to folk submitting their full logs to LoTW as though they made every QSO from their current location. I can understand why this happens since it's a pain to break up your log data by QTH and then make individual LoTW submissions for each QTH. I guess the ARRL probably decided that it just didn't care that much - after all you're supposed to make all your QSO's from a single location (within 50 miles) and they don't verify that either.

> One simple (I think) interim solution would be to allow the the
> QSL fields to be set to "LoTW" in addition to "?" and a date.
> Other more elegant solutions might involve other fields, importing
> of LoTW QSLs and flagging LoTW QSLs on reports.

One of the things that had been keeping me from making a commitment to LoTW support was the question what new fields might be needed. I really wasn't too excited about adding separate LoTW date fields or perhaps adding a "QSL Source" field. In some test versions I just added "LoTW" to the "QSL via" field when doing an LOTW import. The idea of allowing LoTW as a legal value is appealing since no new fields are required (and the actual "received" date isn't that meaningful for LoTW anyhow). I'll check in to this scheme...

Another thing that I'm curious about is how the ARRL handles DXCC submissions when you set the "I have submitted an application via LoTW" option. Has anyone tried this yet? Do you get any indication that shows which LoTW QSOs were used to boost your DXCC totals?

My most recent attempt at adding LoTW support provides three new menu items:

1 - Import/Download LoTW data. This menu item allows you to download all your LoTW data or optionally all data after a specified date. A report is then produced that compares all the downloaded LoTW data against the data in your log - any Zone, State, Country, ..., discrepancies are reported.

2 - Import/Check LoTW Data. This menu item produces the report as described above for any downloaded LoTW file.

3 - Apply LoTW Data to Log. This menu item set the "QSL Received" date to the current date and added "LoTW" to the "QSL Via" field. It seems that just setting the "QSL Received" to "LoTW" would be a simpler way to handle this. I suppose that if the date were already set then it shouldn't be overwritten since this would probably mean that you had an actual QSL card on hand. In any scheme like this handling cards from multiple sources is a pain (I just don't like the idea of multiple date fields).

An implementation problem I'm having concerns section 1 above, the Visual Studio runtime doesn't allow me to do the download

in "asynchronous" mode and as a result XMLog hangs during the connection/download. One solution is to use one of several third-party Internet support packages available but since they typically cost $100-$150 this is another item that has been delaying LoTW support for XMLog.

Mike - W1ECT

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to: XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1631. RE: [XMLog] Re: LoTW Support

Yahoo group: XMLog
Date: 2006-01-22 21:24:48 UTC
From: Dave Sergeant
Topic: 1626 Message: 1631

On 22 Jan 2006 at 13:18, Craig Bradley wrote:

> Thanks for looking into this. I have not made any submissions using LoTW
> yet, so I can't help there. I do have several QSLs via both cards and LoTW,
> so it would be nice to be able to track this. When I submit for these QSOs,
> I would like to use the LoTW credit and only have the remaining cards
> checked to simplify things. I would like to be able to track both though.
> A QSL source field would be nice, but I understand the problems involved
> with adding new fields to a data base :(
>

Just on this issue, you should also include eQSL confirmations.
Because of the way XMLog currently handles confirmations I keep
seperate logs to track them. My main log only has confirmations for
paper cards, and I have two completely seperate ones into which I
import the confirmations for eQSL and LOTW.

73 Dave G3YMC

http://www.davesergeant.com

1632. Re: Integrating XMLog with Multipsk

Yahoo group: XMLog
Date: 2006-01-30 22:42:10 UTC
From: waltw1
Topic: 1627 Message: 1632

As I suspected, Mike. But thanks for taking the time to reply.

73,

Walt KJ4HE

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@v...> wrote:
>
> Hi Walt, Currently the only interface to the outside world that
XMLog
> supports is the one you're using - ADIF. I have looked into
providing
> some kind of programmatic interface but since each PSK/RTTY/etc
> program tends to support a unique interface the idea hasn't gone
> anywhere. Hopefully someday some sort of interface standard will
> emerge to make things easier, we can only hope.
>
> Mike - W1ECT
>

1633. Multiple packet connections

Yahoo group: XMLog
Date: 2006-01-31 15:35:14 UTC
From: Craig Bradley
Topic: 1626 Message: 1633

Mike,

I have downloaded version 5.19 and it has fixed a strange problem with my TS-2000. When I used to click on a DX spot in a different band and then just band switch back, the rig would be on a different frequency than it was before. Now it returns to the same frequency that it was on the last time it was on that band. Minor problem, but good fix.

Lately, I have had several disconnection and experienced down time on packet servers. Would it be possible to have a drop down list of connections in the Connect/Internet Connect window in some future version? You could even pre-populate it with your favorite nodes...

Thanks again for a great program!

73,
- Craig, AE6RR

[Non-text portions of this message have been removed]

1634. Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-01 15:09:08 UTC
From: Don Nesbitt
Topic: 1626 Message: 1634

Hi Mike. I too would like to see a drop down box for
Internet connections. Particularly if I could
populate it myself with my own list of clusters. Even
though clusters come and go, perhaps the list could be
initially be populated with some of the more common
ones like DX Summit or Ve7cc.

Thanks for a great program. 73 es gud dxing -- Don
N4HH

--- Craig Bradley <craigjb@...> wrote:

<SNIP>

> Lately, I have had several disconnection and
> experienced down time on packet
> servers. Would it be possible to have a drop down
> list of connections in
> the Connect/Internet Connect window in some future
> version? You could even
> pre-populate it with your favorite nodes...
>
> Thanks again for a great program!
>
> 73,
> - Craig, AE6RR

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1635. RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-01 16:22:58 UTC
From: Craig Bradley
Topic: 1626 Message: 1635

Yes, that was my thought too that it could be "pre-populated" and it would remember the last few entered. By the way Don, you cannot use DX Summit as it is a web page. Having the list pre-populated would make it much easier for new users to get going as launching the window would get them a connection "out of the box".

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Don Nesbitt
Sent: Wednesday, February 01, 2006 7:09 AM
To: XMLog@yahoogroups.com
Subject: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Hi Mike. I too would like to see a drop down box for
Internet connections. Particularly if I could
populate it myself with my own list of clusters. Even
though clusters come and go, perhaps the list could be
initially be populated with some of the more common
ones like DX Summit or Ve7cc.

Thanks for a great program. 73 es gud dxing -- Don
N4HH

--- Craig Bradley <craigjb@...> wrote:

<SNIP>

> Lately, I have had several disconnection and
> experienced down time on packet
> servers. Would it be possible to have a drop down
> list of connections in
> the Connect/Internet Connect window in some future
> version? You could even
> pre-populate it with your favorite nodes...
>
> Thanks again for a great program!
>
> 73,
> - Craig, AE6RR

Do You Yahoo!?

Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1636. RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-01 16:46:03 UTC
From: Dave Sergeant
Topic: 1626 Message: 1636

On 1 Feb 2006 at 8:22, Craig Bradley wrote:

> Yes, that was my thought too that it could be "pre-populated" and it would
> remember the last few entered. By the way Don, you cannot use DX Summit as
> it is a web page. Having the list pre-populated would make it much easier
> for new users to get going as launching the window would get them a
> connection "out of the box".
>
> 73,

Any pre-populated list should include some European or even UK
clusters, most of us over here prefer these to the US ones as the
traffic is a little more relevant this side of the pond.

73 Dave G3YMC

http://www.davesergeant.com

1637. Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-01 18:27:18 UTC
From: N7MAL
Topic: 1626 Message: 1637

I'm confused about this internet drop down thing. I thought that's what we have when we click on connect in the packet window. I have 5 or 6 different nodes programmed in. I just click on the node I want to connect to and I'm there. What am I missing? Is there a better way?

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Don Nesbitt
To: XMLog@yahoogroups.com
Sent: Wednesday, February 01, 2006 15:09
Subject: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Hi Mike. I too would like to see a drop down box for
Internet connections. Particularly if I could
populate it myself with my own list of clusters. Even
though clusters come and go, perhaps the list could be
initially be populated with some of the more common
ones like DX Summit or Ve7cc.

Thanks for a great program. 73 es gud dxing -- Don
N4HH

--- Craig Bradley <craigjb@...> wrote:

<SNIP>

> Lately, I have had several disconnection and
> experienced down time on packet
> servers. Would it be possible to have a drop down
> list of connections in
> the Connect/Internet Connect window in some future
> version? You could even
> pre-populate it with your favorite nodes...
>
> Thanks again for a great program!
>
> 73,
> - Craig, AE6RR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1638. Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-01 18:42:41 UTC
From: N7MAL
Topic: 1626 Message: 1638

Dave in today's packet-cluster world 99% of all nodes carry the same traffic. It is up to you, the user, to tell the cluster what info you want to see and don't want to see. If you were to look at the complete packet-cluster user list you would see stations from Europe connected in the US, you would see US station connected all over Europe and Asia etc.
The only reason to connect to a localized cluster is for local 'chit chatting' with your mates.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Dave Sergeant
To: XMLog@yahoogroups.com
Sent: Wednesday, February 01, 2006 16:46
Subject: RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

On 1 Feb 2006 at 8:22, Craig Bradley wrote:

> Yes, that was my thought too that it could be "pre-populated" and it would
> remember the last few entered. By the way Don, you cannot use DX Summit as
> it is a web page. Having the list pre-populated would make it much easier
> for new users to get going as launching the window would get them a
> connection "out of the box".
>
> 73,

Any pre-populated list should include some European or even UK
clusters, most of us over here prefer these to the US ones as the
traffic is a little more relevant this side of the pond.

73 Dave G3YMC

http://www.davesergeant.com

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1639. RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-02 02:04:24 UTC
From: Craig Bradley
Topic: 1626 Message: 1639

It sounds like the rest of us are missing something. I don't have any choices to click on. What version are you running and how did you program in the choices?

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7MAL
Sent: Wednesday, February 01, 2006 10:27 AM
To: XMLog@yahoogroups.com
Subject: Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

I'm confused about this internet drop down thing. I thought that's what we have when we click on connect in the packet window. I have 5 or 6 different nodes programmed in. I just click on the node I want to connect to and I'm there. What am I missing? Is there a better way?

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Don Nesbitt
To: XMLog@yahoogroups.com
Sent: Wednesday, February 01, 2006 15:09
Subject: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Hi Mike. I too would like to see a drop down box for
Internet connections. Particularly if I could
populate it myself with my own list of clusters. Even
though clusters come and go, perhaps the list could be
initially be populated with some of the more common
ones like DX Summit or Ve7cc.

Thanks for a great program. 73 es gud dxing -- Don
N4HH

--- Craig Bradley <craigjb@...> wrote:

<SNIP>

> Lately, I have had several disconnection and
> experienced down time on packet
> servers. Would it be possible to have a drop down
> list of connections in
> the Connect/Internet Connect window in some future
> version? You could even
> pre-populate it with your favorite nodes...
>
> Thanks again for a great program!
>
> 73,
> - Craig, AE6RR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1640. Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-02 05:11:29 UTC
From: N7MAL
Topic: 1626 Message: 1640

I am using ver 5.17. The way to get choices in the connect menu option is to create .NOD files for the nodes you want to connect to.
For Example here is a .NOD file for a node I regularly connect to. The node is N7OD and the file is called N7OD.NOD:

```
rem
rem Internet AR-PacketCluster at N7OD
rem
connect n7od.pentux.net
match call:
send #me
```

When you create these files they should/must be put in the same directory as XMLog. I think this is covered in the help files because I'm not usually smart enough to figure it out on my own.

Now for many reasons I don't want to go into here I connect XMLog directly to VE7CC terminal software with a file called NETWORK.NOD This way I can all the feature of a full function packet cluster terminal program and all the benefits of XMLog. (I can have my cake and eat it to)
Here is that file:

```
rem
rem Internet AR-PacketCluster at network network
rem
connect 127.0.0.1:7300
```

As I mentioned all this, I think, is covered in the help files.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Thursday, February 02, 2006 2:04
Subject: RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

It sounds like the rest of us are missing something. I don't have any choices to click on. What version are you running and how did you program in the choices?

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7MAL
Sent: Wednesday, February 01, 2006 10:27 AM
To: XMLog@yahoogroups.com
Subject: Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

I'm confused about this internet drop down thing. I thought that's what we have when we click on connect in the packet window. I have 5 or 6 different nodes programmed in. I just click on the node I want to connect to and I'm there. What am I missing? Is there a better way?

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Don Nesbitt
To: XMLog@yahoogroups.com
Sent: Wednesday, February 01, 2006 15:09
Subject: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Hi Mike. I too would like to see a drop down box for
Internet connections. Particularly if I could
populate it myself with my own list of clusters. Even
though clusters come and go, perhaps the list could be
initially be populated with some of the more common
ones like DX Summit or Ve7cc.

Thanks for a great program. 73 es gud dxing -- Don
N4HH

--- Craig Bradley <craigjb@...> wrote:

<SNIP>

> Lately, I have had several disconnection and
> experienced down time on packet
> servers. Would it be possible to have a drop down
> list of connections in
> the Connect/Internet Connect window in some future
> version? You could even

> pre-populate it with your favorite nodes...
>
> Thanks again for a great program!
>
> 73,
> - Craig, AE6RR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1641. RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-02 07:58:12 UTC
From: Craig Bradley
Topic: 1626 Message: 1641

Thanks Mal,

I checked it out. I was clicking on the Connect/Internet Connect menu, not the Connect/Start Nod File menu selection. I see that there are already some setup in the defaults. You also have to select Options/Packet Options and Port Select, go to the Port tab and put the name of the nod file in the box to autoconnect using the nod file, which gives you auto login on the packet.

You can learn something every day!

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7MAL
Sent: Wednesday, February 01, 2006 9:11 PM
To: XMLog@yahoogroups.com
Subject: Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

I am using ver 5.17. The way to get choices in the connect menu option is to create .NOD files for the nodes you want to connect to.
For Example here is a .NOD file for a node I regularly connect to. The node is N7OD and the file is called N7OD.NOD:

rem
rem Internet AR-PacketCluster at N7OD
rem
connect n7od.pentux.net
match call:
send #me

When you create these files they should/must be put in the same directory as XMLog. I think this is covered in the help files because I'm not usually smart enough to figure it out on my own.

Now for many reasons I don't want to go into here I connect XMLog directly to VE7CC terminal software with a file called NETWORK.NOD This way I can all the feature of a full function packet cluster terminal program and all the benefits of XMLog. (I can have my cake and eat it to)
Here is that file:

rem
rem Internet AR-PacketCluster at network network

rem
connect 127.0.0.1:7300

As I mentioned all this, I think, is covered in the help files.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Thursday, February 02, 2006 2:04
Subject: RE: Cluster Drop Down Box - was Re: [XMLog] Multiple packet
connections

It sounds like the rest of us are missing something. I don't have any
choices to click on. What version are you running and how did you
program
in the choices?

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
N7MAL
Sent: Wednesday, February 01, 2006 10:27 AM
To: XMLog@yahoogroups.com
Subject: Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet
connections

I'm confused about this internet drop down thing. I thought that's
what we
have when we click on connect in the packet window. I have 5 or 6
different
nodes programmed in. I just click on the node I want to connect to and
I'm
there. What am I missing? Is there a better way?

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Don Nesbitt
To: XMLog@yahoogroups.com
Sent: Wednesday, February 01, 2006 15:09
Subject: Cluster Drop Down Box - was Re: [XMLog] Multiple packet
connections

Hi Mike. I too would like to see a drop down box for
Internet connections. Particularly if I could
populate it myself with my own list of clusters. Even
though clusters come and go, perhaps the list could be
initially be populated with some of the more common
ones like DX Summit or Ve7cc.

Thanks for a great program. 73 es gud dxing -- Don
N4HH

--- Craig Bradley <craigjb@...> wrote:

<SNIP>

> Lately, I have had several disconnection and
> experienced down time on packet
> servers. Would it be possible to have a drop down
> list of connections in
> the Connect/Internet Connect window in some future
> version? You could even
> pre-populate it with your favorite nodes...
>
> Thanks again for a great program!
>
> 73,
> - Craig, AE6RR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and
crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and
crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1642. Re: Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-02 12:44:18 UTC
From: Don Nesbitt
Topic: 1626 Message: 1642

Thanks for the info Mal - I thought the nodes only had
to do with the use of a TNC - dah! Like you, I too
use Ve7cc as a "front end" to XMLog - excellent.

I'll give the nodes a try. 73 -- Don N4HH

--- N7MAL <n7mal@...> wrote:

> I am using ver 5.17. The way to get choices in the
> connect menu option is to create .NOD files for the
> nodes you want to connect to.
> For Example here is a .NOD file for a node I
> regularly connect to. The node is N7OD and the file
> is called N7OD.NOD:
>
> rem
> rem Internet AR-PacketCluster at N7OD
> rem
> connect n7od.pentux.net
> match call:
> send #me
>
> When you create these files they should/must be put
> in the same directory as XMLog. I think this is
> covered in the help files because I'm not usually
> smart enough to figure it out on my own.
>
> Now for many reasons I don't want to go into here I
> connect XMLog directly to VE7CC terminal software
> with a file called NETWORK.NOD This way I can all
> the feature of a full function packet cluster
> terminal program and all the benefits of XMLog. (I
> can have my cake and eat it to)
> Here is that file:
>
> rem
> rem Internet AR-PacketCluster at network network
> rem
> connect 127.0.0.1:7300
>
>
> As I mentioned all this, I think, is covered in the
> help files.
> 73

>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> http://geocities.com/n7mal/
> Don't worry about the world coming to an end today.
> It's already tomorrow in Australia
>
> ----- Original Message -----
> From: Craig Bradley
> To: XMLog@yahoogroups.com
> Sent: Thursday, February 02, 2006 2:04
> Subject: RE: Cluster Drop Down Box - was Re:
> [XMLog] Multiple packet connections
>
>
> It sounds like the rest of us are missing
> something. I don't have any
> choices to click on. What version are you running
> and how did you program
> in the choices?
>
> - Craig, AE6RR
> -----Original Message-----
> From: XMLog@yahoogroups.com
> [mailto:XMLog@yahoogroups.com]On Behalf Of
> N7MAL
> Sent: Wednesday, February 01, 2006 10:27 AM
> To: XMLog@yahoogroups.com
> Subject: Re: Cluster Drop Down Box - was Re:
> [XMLog] Multiple packet
> connections
>
>
> I'm confused about this internet drop down
> thing. I thought that's what we
> have when we click on connect in the packet
> window. I have 5 or 6 different
> nodes programmed in. I just click on the node I
> want to connect to and I'm
> there. What am I missing? Is there a better way?
>
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm

> http://geocities.com/n7mal/
> Don't worry about the world coming to an end
> today.
> It's already tomorrow in Australia
>
> ----- Original Message -----
> From: Don Nesbitt
> To: XMLog@yahoogroups.com
> Sent: Wednesday, February 01, 2006 15:09
> Subject: Cluster Drop Down Box - was Re:
> [XMLog] Multiple packet
> connections
>
>
> Hi Mike. I too would like to see a drop down
> box for
> Internet connections. Particularly if I could
> populate it myself with my own list of
> clusters. Even
> though clusters come and go, perhaps the list
> could be
> initially be populated with some of the more
> common
> ones like DX Summit or Ve7cc.
>
> Thanks for a great program. 73 es gud dxing
> -- Don
> N4HH
>
> --- Craig Bradley <craigjb@...> wrote:
>
> <SNIP>
>
> > Lately, I have had several disconnection and
> > experienced down time on packet
> > servers. Would it be possible to have a
> drop down
> > list of connections in
> > the Connect/Internet Connect window in some
> future
> > version? You could even
> > pre-populate it with your favorite nodes...
> >
> > Thanks again for a great program!
> >
> > 73,
> > - Craig, AE6RR
>
>
> ~~~~~~

> Do You Yahoo!?
> Tired of spam? Yahoo! Mail has the best spam
> protection around
> http://mail.yahoo.com
>
>
> SPONSORED LINKS Hobby and craft supply Craft
> hobby Hobbies and crafts
> Ham radio Ham radio sales Ham radio
> outlet
>
>
>
>

> ----
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an
> email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to
> the Yahoo! Terms of
> Service.
>
>
>
>

> ----
>
>
>
> [Non-text portions of this message have been
> removed]
>
>
>
> SPONSORED LINKS Hobby and craft supply Craft
> hobby Hobbies and crafts
> Ham radio Ham radio sales Ham radio
> outlet
>
>
>
>

> --
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an
> email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to
> the Yahoo! Terms of
> Service.
>
>
>
>

> --
>
>
=== message truncated ===

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1643. Cluster Drop Down Box - was Re: [XMLog] Multiple packet connections

Yahoo group: XMLog
Date: 2006-02-02 16:17:22 UTC
From: Mike McAmis
Topic: 1626 Message: 1643

Hi Folks, We haven't had such an outpouring of messages in quite a while. As everyone knows now there are two menu items that can be used to make an internet connection; "Connect/Start Node File" (F5) and "Connect/Internet Connect". Node files take a bit of work to create but wind up being easier to use since the last node file selected is "remembered" and also you can set up the node file so that you don't have to type your callsign after the connect completes.

I've gone ahead and added a 10-item "memory" for the "Connect/Internet Connect" menu item and this feature will be available in version 5.20, it will also default to the last address selected. I decided not to pre-populate this memory with addresses since they change so often.

By the way, you can also supply a node file name as the address for the "Connect/Internet Connect" menu item and as the default internet address in the Options/Packet Port setup (but you must include the .nod extension along with the file name, e.g. xxx.nod).

Mike - W1ECT

1644. New "official" version - 5.19

Yahoo group: XMLog
Date: 2006-02-22 17:25:44 UTC
From: Mike McAmis
Topic: 1644 Message: 1644

Hi, I've just made version 5.19 the "official" version available at www.xmlog.com. This version has been in beta test for quite a while and hasn't had any problems. The biggest changes since the last official version (4.96) is the updated installer and support for the Station Info fields.

Mike - W1ECT

1645. RE: [XMLog] New "official" version - 5.19

Yahoo group: XMLog
Date: 2006-02-22 18:19:05 UTC
From: Jim Henry
Topic: 1644 Message: 1645

Thanks for this Mike. Have been using it as beta version for some weeks and its great. Keep up the good work.

73 de Jim, GI0DVU
Lisburn, County Antrim
www.qsl.net/giodvu

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: 22 February 2006 17:26
To: XMLog@yahoogroups.com
Subject: [XMLog] New "official" version - 5.19

Hi, I've just made version 5.19 the "official" version available at www.xmlog.com. This version has been in beta test for quite a while and hasn't had any problems. The biggest changes since the last official version (4.96) is the updated installer and support for the Station Info fields.

Mike - W1ECT

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio
Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1646. RE: [XMLog] New "official" version - 5.19

Yahoo group: XMLog
Date: 2006-02-23 01:13:11 UTC
From: Craig Bradley
Topic: 1644 Message: 1646

Very good, 5.19 has been performing flawlessly for me also.

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Jim
Henry
Sent: Wednesday, February 22, 2006 10:19 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] New "official" version - 5.19

Thanks for this Mike. Have been using it as beta version for some weeks
and
its great. Keep up the good work.

73 de Jim, GI0DVU
Lisburn, County Antrim
www.qsl.net/giodvu

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Mike
McAmis
Sent: 22 February 2006 17:26
To: XMLog@yahoogroups.com
Subject: [XMLog] New "official" version - 5.19

Hi, I've just made version 5.19 the "official" version available at
www.xmlog.com. This version has been in beta test for quite a while
and hasn't had any problems. The biggest changes since the last
official version (4.96) is the updated installer and support for the
Station Info fields.

Mike - W1ECT

SPONSORED LINKS
Hobby

<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra

ft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet
&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply Craft

<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w

2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&
.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby Ham

<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=

Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.s
ig=BrARW-2dmkfc_y42ghOp0g> radio
Ham

<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp

ly&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=
103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales Ham

<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup

ply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s
=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

_____

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

_____

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1647. Printing QSL labels on Avery 5260 label stock

Yahoo group: XMLog
Date: 2006-02-23 03:34:15 UTC
From: waltw1
Topic: 1647 Message: 1647

Hello ..... from Atlanta;

I need some help. I recently downloaded version 5.19 and installed it after removing 4.96 first. Now when I select Avery 5260 from the library during the qsl label set-up, the program will not remember my selection. I click on "save" after configuring all the other choices, but xmlog does not "remember my label choice when I reopen the program for my next session. It worked fine with version 4.96. Does anyone know what I might be doing wrong? I'd appreciate any help I can get.

Walt in Atlanta KJ4HE

1648. Re: Printing QSL labels on Avery 5260 label stock

Yahoo group: XMLog
Date: 2006-02-24 17:00:20 UTC
From: Mike McAmis
Topic: 1647 Message: 1648

Hi Walt, I tried it here and didn't have any problems. The name "Avery 5260" is not preserved but the values are saved and reloaded correctly. Could you give it another try? Perhaps you updated the Mailing Label settings instead of the QSL Label settings?

Mike - W1ECT

1649. Label help please

Yahoo group: XMLog
Date: 2006-02-24 22:36:37 UTC
From: Gary Stone
Topic: 1649 Message: 1649

Hi,

I hope one of you have already done what I seek or willing to try. I am not very good at this sort of thing. My goal is to use my Dymo label maker. I do use it now but can't seem to get it to work right with multiple qsos on a label. I have tried the demo labels with multiple qsos and get mixed results.

Has someone designed some labels using the Dymo label maker. I tried modifying some of the demo labels and got lost somewhere in the process. I am using Dymo labels that are 1 4/10 x 3 1/2 (cm: 2.8 x 8.9). I would love to have a 3 and a 4 (or even a 5 qso label). Any help appreciated.

Gary, N5PHT

1650. Re: Telnet disconnect/reconnect

Yahoo group: XMLog
Date: 2006-02-26 03:59:51 UTC
From: Dennis Jacobson
Topic: 1616 Message: 1650

```
Upgrade to v5.19 at http://www.xmlog.com/
It has a tab all its own for "Keep Alive"

Dennis N6NG

--- In XMLog@yahoogroups.com, "Steve Litwins" <litwins@...> wrote:
>
> Nelson...I'm using v.4.35 and I do not see anything about
"keep-alive' or
> anything like that. The info was posted on what cluster? 73/dx
> steve, k8wk
> **********
> ----- Original Message -----
> From: "Nelson Wittstock" <k8djc@...>
> To: <XMLog@yahoogroups.com>
> Sent: Friday, January 13, 2006 1:41 PM
> Subject: Re: [XMLog] Telnet disconnect/reconnect
>
>
> > Steve,
> >
> > It is under the OPTIONS >PACKET OPTION AND PORT SELECT. The info was
> posted
> > on the cluster by Don, N4TN.
> >
> > 73,
> > Nelson
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
>
```

1651. Selecting a range of QSOs for export.

Yahoo group: XMLog
Date: 2006-03-01 15:53:16 UTC
From: Richard V. Haire
Topic: 1651 Message: 1651

Hi,
I'm enjoying XMLog but have not been able to find out how to select a
range of QSOs for
export (or display). I want to create an ADIF file of QSOs between
1/17/06 and 2/28/06.
I'd appreciate some help in this. Using 5.19.
Dick
W3LD

1652. Re: Selecting a range of QSOs for export.

Yahoo group: XMLog
Date: 2006-03-01 17:04:00 UTC
From: Mike McAmis
Topic: 1651 Message: 1652

Hi Dick, You can select a subset of your log records by supplying a date range. For example to select all records in 2005 do a log search with >=1/1/05,<=12/31/05 as the date key.

Check the "Search Keys" section of the help file for more info.

Mike - W1ECT

1653. Re: [XMLog] Selecting a range of QSOs for export.

Yahoo group: XMLog
Date: 2006-03-01 17:36:42 UTC
From: Dave Sergeant
Topic: 1651 Message: 1653

On 1 Mar 2006 at 10:53, Richard V. Haire wrote:

> Hi,
> I'm enjoying XMLog but have not been able to find out how to select
> a
> range of QSOs for
> export (or display). I want to create an ADIF file of QSOs between
> 1/17/06 and 2/28/06. I'd appreciate some help in this. Using 5.19.
> Dick W3LD

Click on 'select', type '>1/17/6,<2/28/6' (without inverted commas)
in the date box then 'search'.

Then 'Import/Export ADIF File' and choose 'currently selected log
entries'. Done.

73 Dave G3YMC

http://www.davesergeant.com

1654. Re: [XMLog] Selecting a range of QSOs for export.

Yahoo group: XMLog
Date: 2006-03-01 18:48:04 UTC
From: Richard V. Haire
Topic: 1651 Message: 1654

Dave and Mike,
Thank you. I now have my file and a much better understanding of
selecting ranges in XMlog.
73
Dick
W3LD
>
>> Hi,
>> I'm enjoying XMLog but have not been able to find out how to select
>> a
>> range of QSOs for
>> export (or display). I want to create an ADIF file of QSOs between
>> 1/17/06 and 2/28/06. I'd appreciate some help in this. Using 5.19.
>> Dick W3LD
>>
>
>
>

[Non-text portions of this message have been removed]

1655. DXCC Submission Form

Yahoo group: XMLog
Date: 2006-03-02 06:54:46 UTC
From: Craig Bradley
Topic: 1655 Message: 1655

Mike,

I believe that the DXCC Submission Form has a problem. If you have cards with more than one QSO, it lists those cards at the end (as it should), but it also puts them in the sections above for the respective bands (should not). The ARRL web site FAQs state that the reason for this is to facilitate data entry from cards. If the multiple QSO cards are at the end, when the data entry person comes to the listing in the band area, there will not be a card in the stack in that spot. See:
http://www.arrl.org/awards/dxcc/faq/#_Toc94949177

- Craig, AE6RR

[Non-text portions of this message have been removed]

1656. Re: DXCC Submission Form

Yahoo group: XMLog
Date: 2006-03-02 16:03:25 UTC
From: Mike McAmis
Topic: 1655 Message: 1656

OK Craig, I'm glad you caught this problem. I'll post a fix in the next week or so. If you need a listing before then you can save the report as a file, remove the extra entries, and print the results.

Mike - W1ECT

> Mike,
>
> I believe that the DXCC Submission Form has a problem. If you
> have cards with more than one QSO, it lists those cards at the
> end (as it should), but it also puts them in the sections above
> for the respective bands (should not). The ARRL web site FAQs
> state that the reason for this is to facilitate data entry from
> cards. If the multiple QSO cards are at the end, when the data
> entry person comes to the listing in the band area, there will
> not be a card in the stack in that spot. See:
> http://www.arrl.org/awards/dxcc/faq/#_Toc94949177
>
> - Craig, AE6RR

1657. RE: [XMLog] Re: DXCC Submission Form

Yahoo group: XMLog
Date: 2006-03-03 05:23:59 UTC
From: Craig Bradley
Topic: 1655 Message: 1657

Hi Mike,

Thanks for checking this out. I decided not to submit the other bands on the multiple QSO cards, that cleaned up the report.

I submitted my LoTW QSOs first, then marked them all as Submitted and Accepted, then I ran a submission tracking report and marked the the QSO that I had cards for as Submitted. Then I was able to run a Submission form that listed the cards to be submitted. I had the cards checked this morning and all were approved. Now I just have to wait for the certificate.

73,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Thursday, March 02, 2006 8:03 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: DXCC Submission Form

OK Craig, I'm glad you caught this problem. I'll post a fix in the next week or so. If you need a listing before then you can save the report as a file, remove the extra entries, and print the results.

Mike - W1ECT
>
> Mike,
>
> I believe that the DXCC Submission Form has a problem. If you
> have cards with more than one QSO, it lists those cards at the
> end (as it should), but it also puts them in the sections above
> for the respective bands (should not). The ARRL web site FAQs
> state that the reason for this is to facilitate data entry from
> cards. If the multiple QSO cards are at the end, when the data
> entry person comes to the listing in the band area, there will
> not be a card in the stack in that spot. See:
> http://www.arrl.org/awards/dxcc/faq/#_Toc94949177
>
> - Craig, AE6RR

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1658. Alarms when not wanted

Yahoo group: XMLog
Date: 2006-03-06 18:00:28 UTC
From: Dennis Jacobson
Topic: 1658 Message: 1658

Here is the settings I have set in the Packet Cluster Alerts:

IGNORE SPOTS OPTIONS

BANDS 160M 80M 6M X ENABLE VOICE ALERTS

ALLOW SPOTS FROM: INHIBIT ALERTS FOR

W6 W7 X NEW BANDS OR MODES
X STATUS = WORKED
X STATUS = OUTSTANDING

Now the problem. I still get alerts for new bands and modes.
I can not understand why I would get these when I have the
Inhibit alerts for set for not receiving alerts.

Can anyone tell me where I'm going wrong. Something is not
correct and apparently I'm too dense to see it.

Any suggestions?

Thanks
Dennis N6NG

1659. Problem downloading cityand street address from QRZ.com

Yahoo group: XMLog
Date: 2006-03-07 01:04:44 UTC
From: Kenneth Moorman
Topic: 1659 Message: 1659

Hi,

I just joined the list after downloading the latest (5.19) version of XMLog. I am totally new at this computer logging, but I sure do like the idea and would like to start using it. In playing around, trying to become familiar with the software, I can create a new logbook file, add an entry, give it the current date and time ok, give it a valid callsign, hit "Add" and watch it go to QRZ.com, the callbook I set it up to use, and the correct name, state, and county fields are automatically filled in. However, the city and street address fields are left empty. I can go to these fields and double click, or right click and select fill from callbook or whatever it says that means that, and nothing further occurs.
So, is this normal operation, or have I overlooked the most obvious thing in the universe that is keeping this from doing all its job? Any help will surely be appreciated.

73,

Ken, NU4I

[Non-text portions of this message have been removed]

1660. Re: [XMLog] Problem downloading cityand street address from QRZ.com

Yahoo group: XMLog
Date: 2006-03-07 16:35:48 UTC
From: GerryC
Topic: 1659 Message: 1660

>... hit "Add" and watch it go to QRZ.com, the callbook I set it up to use,
and the correct name, state, and county fields are automatically filled in.
However, the city and street address fields are left empty. I

??????????
I also use 5.19 and QRZ.COM.
I just went through the motions of adding a QSO with you-- attached is a
Word document containing a screen shot of the results. (That'll probably be
stripped from the version that gets on the reflector.)

I don't know what could cause the symptoms you describe-- sorry.

73 de W3GERry

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.0/275 - Release Date: 3/6/2006

[Non-text portions of this message have been removed]

1661. RE: [XMLog] Problem downloading cityand street address from QRZ.com

Yahoo group: XMLog
Date: 2006-03-08 06:41:12 UTC
From: Craig Bradley
Topic: 1659 Message: 1661

Be sure that "Get info from call book" is selected in the Edit Defaults for
new entries item in the Edit menu.
Also, try some other call letters to be sure that the entry in QRZ.com is
correct. The US entries should be correct as they are downloaded from the
FCC database by QRZ.com. This function works OK for me.

I hope this helps,
- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
GerryC
Sent: Tuesday, March 07, 2006 8:36 AM
To: XMLog@yahoogroups.com; nu4i@...
Subject: Re: [XMLog] Problem downloading cityand street address from
QRZ.com

>... hit "Add" and watch it go to QRZ.com, the callbook I set it up to
use,
and the correct name, state, and county fields are automatically filled
in.
However, the city and street address fields are left empty. I

??????????
I also use 5.19 and QRZ.COM.
I just went through the motions of adding a QSO with you-- attached is a
Word document containing a screen shot of the results. (That'll probably
be
stripped from the version that gets on the reflector.)

I don't know what could cause the symptoms you describe-- sorry.

73 de W3GERry

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.0/275 - Release Date: 3/6/2006

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1662. Re: [XMLog] Problem downloading cityand street address from QRZ.com

Yahoo group: XMLog
Date: 2006-03-08 14:39:43 UTC
From: Kenneth Moorman
Topic: 1659 Message: 1662

Thanks for the comments. I have figured out that I had not set up the address fields in the "Options" tab to be "always shown", and it did not give me a button to bring them in on demand. Seeing the screen shot gave the obvious clue.

Ken, NU4I

> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
> GerryC
> Sent: Tuesday, March 07, 2006 8:36 AM
> To: XMLog@yahoogroups.com; nu4i@...
> Subject: Re: [XMLog] Problem downloading cityand street address from
> QRZ.com
>
>
> >... hit "Add" and watch it go to QRZ.com, the callbook I set it up to
> use,
> and the correct name, state, and county fields are automatically filled
> in.
> However, the city and street address fields are left empty. I
>
> ??????????
> I also use 5.19 and QRZ.COM.
> I just went through the motions of adding a QSO with you-- attached is a
> Word document containing a screen shot of the results. (That'll probably
> be
> stripped from the version that gets on the reflector.)
>
> I don't know what could cause the symptoms you describe-- sorry.
>
> 73 de W3GERry
>
> ----------
>
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.1.375 / Virus Database: 268.2.0/275 - Release Date: 3/6/2006
>
>
> [Non-text portions of this message have been removed]
>
>
>
> SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
> Ham radio sales Ham radio outlet

>
>
> --
> --
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> --
> --
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1663. Re: [XMLog] Problem downloading cityand street address from QRZ.com

Yahoo group: XMLog
Date: 2006-03-08 17:19:17 UTC
From: GerryC
Topic: 1659 Message: 1663

Hi Ken-- Glad the screenshot helped!

KM>...In playing around, trying to become familiar with the software, I can create a new logbook file, add an entry, give it the current date and time ok...

You can have the current date and time filled in automatically.
Pull down the Edit menu, click Edit Defaults for New Entries, and check the appropriate boxes.
Then, back on the Edit menu, check Use Defaults for New Entries

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.0/276 - Release Date: 3/7/2006

1664. Re: Alarms when not wanted

Yahoo group: XMLog
Date: 2006-03-09 22:08:45 UTC
From: Mike McAmis
Topic: 1658 Message: 1664

Hi Dennis - Is it alarms for new countries you're getting? These can't be disabled. Also something like W1ABC/6 will get past your "allow spots" setting. Can you give me an example of a spot that causes an unwanted alert?

Mike - W1ECT

1665. Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-10 05:32:50 UTC
From: John P Smith
Topic: 1665 Message: 1665

Anyone know if one can add a comment when using SHIFT F1 to post the station you just worked? For example I just logged 6W/RW3TN on 7.025 I want my post to say when I hit SHIFT F1:

DX 7025 6W/RW3TN up 2

73
John

1666. Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-10 15:55:09 UTC
From: Mike McAmis
Topic: 1665 Message: 1666

Hi John, If you have your message for Shift+F1 set up as something like:

DX #freq #him

then when you invoke the message it will appear in input area of the Packet Window and you can add a comment before hitting Return. Note that for this to work you shouldn't include a #cr at the end of your defined message.

You can set #him by single-clicking on a call in the Packet Window or by using the "Edit/Set #him" menu item. To define a message that uses the call from the last log entry you created use:

DX #freq #logcall

Similarly you can use #logfreq instead of #freq to get the frequency from your last log entry.

Mike - W1ECT

1667. Re: Alarms when not wanted

Yahoo group: XMLog
Date: 2006-03-11 19:38:08 UTC
From: Dennis Jacobson
Topic: 1658 Message: 1667

Hello Mike...
I had a lot of messages during the contest but none since you sent
your message. I will watch for another one but you may be correct
about the /operations. I will post a message here when I see another.
Thanks
Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>
>
> Hi Dennis - Is it alarms for new countries you're getting? These
> can't be disabled. Also something like W1ABC/6 will get past
> your "allow spots" setting. Can you give me an example of a spot that
> causes an unwanted alert?
>
> Mike - W1ECT
>

1668. Re: [XMLog] Digest Number 679

Yahoo group: XMLog
Date: 2006-03-11 22:59:30 UTC
From: John P Smith
Topic: 1668 Message: 1668

Thank you Mike...the key for me was to leave off the #cr.

XMLog@yahoogroups.com wrote:
There is 1 message in this issue.

Topics in this digest:

1. Re: Comments when posting DX spots
From: "Mike McAmis"

Message: 1
Date: Fri, 10 Mar 2006 15:55:09 -0000
From: "Mike McAmis"
Subject: Re: Comments when posting DX spots

Hi John, If you have your message for Shift+F1 set up as something
like:

DX #freq #him

then when you invoke the message it will appear in input area of the
Packet Window and you can add a comment before hitting Return. Note
that for this to work you shouldn't include a #cr at the end of your
defined message.

You can set #him by single-clicking on a call in the Packet Window or
by using the "Edit/Set #him" menu item. To define a message that uses
the call from the last log entry you created use:

DX #freq #logcall

Similarly you can use #logfreq instead of #freq to get the frequency
from your last log entry.

Mike - W1ECT

Yahoo! Groups Links

Yahoo! Mail

Bring photos to life! New PhotoMail makes sharing a breeze.

[Non-text portions of this message have been removed]

1669. Re: Alarms when not wanted

Yahoo group: XMLog
Date: 2006-03-12 00:05:38 UTC
From: Dennis Jacobson
Topic: 1658 Message: 1669

Hello again Mike

Here is an example of getting an alarm when inhibiting as mentioned
in my previous note.

I had already worked TZ9A on 20M SSB. On the packet line I have
a + sign next to the 20 as well as Phone.

The station TZ9DEL was reported by a W6 on 10mhz. And I recieved
the audible voice announcement of the TZ station.

Again I have Enable voice alerts checked as well as
inhibit for new bands / modes
and allow spots from W6 W7.

Any suggestions why I got this alert?

Thanks
Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>
>
> Hi Dennis - Is it alarms for new countries you're getting? These
> can't be disabled. Also something like W1ABC/6 will get past
> your "allow spots" setting. Can you give me an example of a spot that
> causes an unwanted alert?
>
> Mike - W1ECT
>

1670. Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-12 17:30:10 UTC
From: Dennis Jacobson
Topic: 1665 Message: 1670

Hello again..

I've place a jpg image of another error on my web page.
You can take a look at it if you would like.
http://pages.sbcglobal.net/n6ng/YTalarm.jpg

Thanks
Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>
> Hi John, If you have your message for Shift+F1 set up as something
> like:
>
> DX #freq #him
>
> then when you invoke the message it will appear in input area of the
> Packet Window and you can add a comment before hitting Return. Note
> that for this to work you shouldn't include a #cr at the end of your
> defined message.
>
> You can set #him by single-clicking on a call in the Packet Window or
> by using the "Edit/Set #him" menu item. To define a message that uses
> the call from the last log entry you created use:
>
> DX #freq #logcall
>
> Similarly you can use #logfreq instead of #freq to get the frequency
> from your last log entry.
>
> Mike - W1ECT
>

1671. Re: [XMLog] Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-12 18:47:33 UTC
From: Gary Stone
Topic: 1665 Message: 1671

Hi,

I have the same problem and have not discovered what I am doing wrong
either? Will be interested in your responses.

Thanks,

Gary, N5PHT

Dennis Jacobson wrote:
> Hello again..
>
> I've place a jpg image of another error on my web page.
> You can take a look at it if you would like.
> http://pages.sbcglobal.net/n6ng/YTalarm.jpg
>
> Thanks
> Dennis N6NG
>
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>
>> Hi John, If you have your message for Shift+F1 set up as something
>> like:
>>
>> DX #freq #him
>>
>> then when you invoke the message it will appear in input area of the
>> Packet Window and you can add a comment before hitting Return. Note
>> that for this to work you shouldn't include a #cr at the end of your
>> defined message.
>>
>> You can set #him by single-clicking on a call in the Packet Window or
>> by using the "Edit/Set #him" menu item. To define a message that uses
>> the call from the last log entry you created use:
>>
>> DX #freq #logcall
>>
>> Similarly you can use #logfreq instead of #freq to get the frequency
>> from your last log entry.
>>
>> Mike - W1ECT
>>
>>
>
>

>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

--
***** Gary Stone, N5PHT *****
347 County Road
Savoy, Texas 75479

Remember...The Lord Loves ya...

<><><><><><><><><><><><><><><><><><><><>

1672. Re: [XMLog] Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-12 23:13:57 UTC
From: N7MAL
Topic: 1665 Message: 1672

Hi Dennis: How often does this happen..??.. I just set-up my alerts to match your settings.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups.com
Sent: Sunday, March 12, 2006 17:30
Subject: [XMLog] Re: Comments when posting DX spots

Hello again..

I've place a jpg image of another error on my web page.
You can take a look at it if you would like.
http://pages.sbcglobal.net/n6ng/YTalarm.jpg

Thanks
Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>
> Hi John, If you have your message for Shift+F1 set up as something
> like:
>
> DX #freq #him
>
> then when you invoke the message it will appear in input area of the
> Packet Window and you can add a comment before hitting Return. Note
> that for this to work you shouldn't include a #cr at the end of your
> defined message.
>
> You can set #him by single-clicking on a call in the Packet Window or
> by using the "Edit/Set #him" menu item. To define a message that uses
> the call from the last log entry you created use:
>
> DX #freq #logcall
>
> Similarly you can use #logfreq instead of #freq to get the frequency
> from your last log entry.

>
> Mike - W1ECT
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

[Non-text portions of this message have been removed]

1673. Re: [XMLog] Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-13 00:06:49 UTC
From: N7MAL
Topic: 1665 Message: 1673

I can answer my own question: It has happened twice in the last 45 minutes and both counties have been worked and have plus signs on the bands worked. One spot was on 17M and the other on 30M. Both spots were made from the W6 call area.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: Sunday, March 12, 2006 23:13
Subject: Re: [XMLog] Re: Comments when posting DX spots

Hi Dennis: How often does this happen..??.. I just set-up my alerts to match your settings.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups.com
Sent: Sunday, March 12, 2006 17:30
Subject: [XMLog] Re: Comments when posting DX spots

Hello again..

I've place a jpg image of another error on my web page.
You can take a look at it if you would like.
http://pages.sbcglobal.net/n6ng/YTalarm.jpg

Thanks
Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>

> Hi John, If you have your message for Shift+F1 set up as something
> like:
>
> DX #freq #him
>
> then when you invoke the message it will appear in input area of the
> Packet Window and you can add a comment before hitting Return. Note
> that for this to work you shouldn't include a #cr at the end of your
> defined message.
>
> You can set #him by single-clicking on a call in the Packet Window or
> by using the "Edit/Set #him" menu item. To define a message that uses
> the call from the last log entry you created use:
>
> DX #freq #logcall
>
> Similarly you can use #logfreq instead of #freq to get the frequency
> from your last log entry.
>
> Mike - W1ECT
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

[Non-text portions of this message have been removed]

1674. Re: [XMLog] Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-13 00:12:37 UTC
From: N6NG
Topic: 1665 Message: 1674

I've had 3 or 4 today... Much more during the recent DX contest.
I can collect more examples if that would help MAL..

Thanks
Dennis N6NG

N7MAL wrote:
> Hi Dennis: How often does this happen..??.. I just set-up my alerts to
> match your settings.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> <http://www.ctaz.com/%7Esuzyq/N7mal.htm>
> http://geocities.com/n7mal/
> Don't worry about the world coming to an end today.
> It's already tomorrow in Australia
>
> ----- Original Message -----
> From: Dennis Jacobson
> To: XMLog@yahoogroups.com
> Sent: Sunday, March 12, 2006 17:30
> Subject: [XMLog] Re: Comments when posting DX spots
>
>
> Hello again..
>
> I've place a jpg image of another error on my web page.
> You can take a look at it if you would like.
> http://pages.sbcglobal.net/n6ng/YTalarm.jpg
>
> Thanks
> Dennis N6NG
>
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
> >
> > Hi John, If you have your message for Shift+F1 set up as something
> > like:
> >
> > DX #freq #him
> >
> > then when you invoke the message it will appear in input area of the

> > Packet Window and you can add a comment before hitting Return. Note
> > that for this to work you shouldn't include a #cr at the end of your
> > defined message.
> >
> > You can set #him by single-clicking on a call in the Packet Window or
> > by using the "Edit/Set #him" menu item. To define a message that
> uses
> > the call from the last log entry you created use:
> >
> > DX #freq #logcall
> >
> > Similarly you can use #logfreq instead of #freq to get the frequency
> > from your last log entry.
> >
> > Mike - W1ECT
> >
>
>
>
>
>
>
>
> SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
> Ham radio sales Ham radio outlet
>
>
> ---
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> ---
>
>
>
>
> ---
>
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

>
>
> [Non-text portions of this message have been removed]
>
>
> --
> YAHOO! GROUPS LINKS
>
> * Visit your group "XMLog <http://groups.yahoo.com/group/XMLog>"
> on the web.
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
> --
>

1675. Re: [XMLog] Re: Comments when posting DX spots

Yahoo group: XMLog
Date: 2006-03-13 00:22:06 UTC
From: N7MAL
Topic: 1665 Message: 1675

If it helps Mike analyze the problem I also uploaded the pictures to the web:
http://www.ctaz.com/~suzyq/mlog.html

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: Monday, March 13, 2006 0:06
Subject: Re: [XMLog] Re: Comments when posting DX spots

I can answer my own question: It has happened twice in the last 45 minutes and both counties have been worked and have plus signs on the bands worked. One spot was on 17M and the other on 30M. Both spots were made from the W6 call area.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: Sunday, March 12, 2006 23:13
Subject: Re: [XMLog] Re: Comments when posting DX spots

Hi Dennis: How often does this happen..??.. I just set-up my alerts to match your settings.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups.com
Sent: Sunday, March 12, 2006 17:30
Subject: [XMLog] Re: Comments when posting DX spots

Hello again..

I've place a jpg image of another error on my web page.
You can take a look at it if you would like.
http://pages.sbcglobal.net/n6ng/YTalarm.jpg

Thanks
Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
>
> Hi John, If you have your message for Shift+F1 set up as something
> like:
>
> DX #freq #him
>
> then when you invoke the message it will appear in input area of the
> Packet Window and you can add a comment before hitting Return. Note
> that for this to work you shouldn't include a #cr at the end of your
> defined message.
>
> You can set #him by single-clicking on a call in the Packet Window or
> by using the "Edit/Set #him" menu item. To define a message that uses
> the call from the last log entry you created use:
>
> DX #freq #logcall
>
> Similarly you can use #logfreq instead of #freq to get the frequency
> from your last log entry.
>
> Mike - W1ECT
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.1/279 - Release Date: 3/10/2006

[Non-text portions of this message have been removed]

1676. Sending CW from 5.19

Yahoo group: XMLog
Date: 2006-03-14 18:10:42 UTC
From: GerryC
Topic: 1676 Message: 1676

I upgraded from 4-point-something to 5.19. The packet setup looks different
and I no longer see how to send CW (keyboard, files, or canned messages).
The portion of the HELP file under CW SETUP starts off with

You can send CW from the Packet window or you can display a separate CW
Keyboard window by choosing View/Show CW Keyboard Window.

I have not been able to find that last-mentioned item.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.2/280 - Release Date: 3/13/2006

1677. Re: Alarms when not wanted

Yahoo group: XMLog
Date: 2006-03-14 18:37:01 UTC
From: Mike McAmis
Topic: 1658 Message: 1677

It turns out that there was a problem if more than one cluster alert
filter was set. I've just posted version 5.20 at www.xmlog.com/beta
which should fix this bug.

Mike - W1ECT

1678. Re: [XMLog] Sending CW from 5.19

Yahoo group: XMLog
Date: 2006-03-14 21:39:06 UTC
From: Clovis
Topic: 1676 Message: 1678

Hi,

Go to VIEW menu and click Show Keyboard CW Window.

73, Clovis - PY3OG

----- Original Message -----
From: GerryC
To: XMLog@yahoogroups.com
Sent: Tuesday, March 14, 2006 3:10 PM
Subject: [XMLog] Sending CW from 5.19

I upgraded from 4-point-something to 5.19. The packet setup looks different
and I no longer see how to send CW (keyboard, files, or canned messages).
The portion of the HELP file under CW SETUP starts off with

You can send CW from the Packet window or you can display a separate CW
Keyboard window by choosing View/Show CW Keyboard Window.

I have not been able to find that last-mentioned item.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.2/280 - Release Date: 3/13/2006

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

1679. Re: [XMLog] Re: Alarms when not wanted

Yahoo group: XMLog
Date: 2006-03-14 22:32:14 UTC
From: N6NG
Topic: 1658 Message: 1679

Thanks Mike

Dennis N6NG

Mike McAmis wrote:
> It turns out that there was a problem if more than one cluster alert
> filter was set. I've just posted version 5.20 at www.xmlog.com/beta
> which should fix this bug.
>
> Mike - W1ECT
>
>
>
>
>
> SPONSORED LINKS
> Hobby and craft supply
> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2
=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXR
hznpwpjtEQ_g>
> Craft hobby
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobb
y&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86i
Q>
> Ham radio
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&
w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g>
>
> Ham radio sales
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+
hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCe
nme0Q>
> Ham radio outlet
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft
+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e
8UTc7g>
>
>
>
> ---
> YAHOO! GROUPS LINKS
>
> * Visit your group "XMLog <http://groups.yahoo.com/group/XMLog>"
> on the web.
>

> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
> --
>

1680. Re: [XMLog] Sending CW from 5.19

Yahoo group: XMLog
Date: 2006-03-14 22:53:56 UTC
From: GerryC
Topic: 1676 Message: 1680

> Go to VIEW menu and click Show Keyboard CW Window.

Thanks!

I'm embarrassed-- apparently the VIEW menu is new, and I completely failed
to notice it!

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.375 / Virus Database: 268.2.2/280 - Release Date: 3/13/2006

1681. Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-15 00:31:42 UTC
From: Dennis Jacobson
Topic: 1681 Message: 1681

Here I am again...

I've loaded 5.20 and although I think the original problem has been resolved, I am now getting alarms for new countries (in this case A61M) being reported by a VE9DX. I have set only to allow reports from W6 and W7. So although the new country would be good if reported by a W6 or W7, it should not have been passed by the filter when reported by the VE9.

Just FYI Mike.

Dennis N6NG

1682. Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-15 18:34:50 UTC
From: Mike McAmis
Topic: 1681 Message: 1682

Hi Dennis, I've posted version 5.21 at www.xmlog.com/beta. Both of these filtering bugs have been there since cluster filtering was originally implemented - I guess the region filtering doesn't get used much...

Mike - W1ECT

1683. Re: [XMLog] Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-15 18:46:56 UTC
From: N6NG
Topic: 1681 Message: 1683

Thanks Mike.

Mike McAmis wrote:
> Hi Dennis, I've posted version 5.21 at www.xmlog.com/beta. Both of
> these filtering bugs have been there since cluster filtering was
> originally implemented - I guess the region filtering doesn't get used
> much...
>
> Mike - W1ECT
>
>
>
>
>
> SPONSORED LINKS
> Hobby and craft supply
> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g>
> Craft hobby
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ>
> Ham radio
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g>
>
> Ham radio sales
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q>
> Ham radio outlet
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g>
>
>
>
> --
> YAHOO! GROUPS LINKS
>
> * Visit your group "XMLog <http://groups.yahoo.com/group/XMLog>"
> on the web.
>
> * To unsubscribe from this group, send an email to:

> XMLog-unsubscribe@yahoogroups.com
> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
> --
>

1684. updating form 4.3

Yahoo group: XMLog
Date: 2006-03-19 14:57:32 UTC
From: CHARLES COTTRELL
Topic: 1684 Message: 1684

CHARLES COTTRELL <cottrell.c@...> wrote: Been off the air for a while also lost hard drive on computer. Had backup of 4.3 with my log kc4ey.log on CD

down loaded 5.19 and copied kc4ey.log from cd to 5.19 folder . d.19 loads and list kc4ey a log but does not open the old log

what am I doing wrong?

KC4EY

[Non-text portions of this message have been removed]

1685. Re: updating form 4.3

Yahoo group: XMLog
Date: 2006-03-19 16:11:18 UTC
From: Mike McAmis
Topic: 1684 Message: 1685

Hi, Can you open the log using the "File/Open Old Log" menu item? If so you can just use the "Options/Log Fields..." menu item to set kc4ey.log to be your default log file and it will be opened when XMLog starts up. If you can't open the file using "File/Open" then let me know what kind of error messages you're getting.

Mike - W1ECT

1686. can't open log

Yahoo group: XMLog
Date: 2006-03-19 20:25:25 UTC
From: John Poindexter
Topic: 1686 Message: 1686

Hi all,

I can't get my log file to open since I moved the hard drive from one computer to another.

I get an error that states:

Can't open log c\ka4hwx.log
[429] ActiveX component can't create object

I reinstalled ActiveX manager and DirectX both and neither helped.

Any ideas?

73
John, KA4HWX

1687. Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-19 23:55:10 UTC
From: John P Smith
Topic: 1687 Message: 1687

I live in Jacksonville FL. I have a buddy in Orange Park FL (next town south of Jacksonville) whom I've worked a couple of times on 6m. The software says he over 700 miles away from me. I've checked and rechecked the latitude and longitude I put in for my own QTH and it is correct. Wonder if anyone else has noticed this problem.

73
John KI4RO

1688. Re: [XMLog] Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-20 03:34:27 UTC
From: GerryC
Topic: 1687 Message: 1688

---- Original Message -----
From: "John P Smith" <john_ki4ro@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 19, 2006 6:55 PM
Subject: [XMLog] Distance Calculations for Locals

> I live in Jacksonville FL. I have a buddy in Orange Park FL (next
> town south of Jacksonville) whom I've worked a couple of times on 6m.
> The software says he over 700 miles away from me. I've checked and
> rechecked the latitude and longitude I put in for my own QTH and it is
> correct.

XMLog has no way of knowing your buddy's lat-long. I believe it's telling
you the distance to the geographic center of his call area (call area 4??).

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.385 / Virus Database: 268.2.5/284 - Release Date: 3/17/2006

1689. Re: can't open log

Yahoo group: XMLog
Date: 2006-03-20 18:52:06 UTC
From: Mike McAmis
Topic: 1686 Message: 1689

Hi John, If you only moved the hard disk over to another PC without also reinstalling XMLog that won't do the job. You'll need to re-install XMLog to get all the various DLL's and other ActiveX components installed/registered.

Mike - W1ECT

1690. Re: Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-20 18:47:28 UTC
From: Mike McAmis
Topic: 1687 Message: 1690

Hi, XMLog tries to get the location of the other guy from any local callbook you have configured - It can get it from QRZ.COM although this is generally not a good idea since it can cause XMLog to run very slowly. If you do have a local callbook installed XMLog will use any latitude/longitude info and if that info isn't available it will look for any state/province info and use the geographical center as the location. If you don't have a local callbook or it doesn't provide any location or state/province XMLog will use the geographical center of the associated call area (W1, W2, VE1, VE2, ...).

I have a local RAC callbook installed and it's fairly good at providing the location for US hams. I don't know where they get the latitude/longitude info - I'm guessing that they derive if from the zip code? Anyhow, I wind up getting fairly good bearing/distance values for US stations including local guys.

Mike - W1ECT

1691. RE: [XMLog] Re: Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-21 16:35:16 UTC
From: Craig Bradley
Topic: 1687 Message: 1691

Hi Mike,

I tried this with my installation. I am using QRZ.com with a DSL connection. There are noticeable delays, but it does work. If I put in my own call, I get 0 miles at 0 degrees. I don't think that I will leave it enabled though.

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Monday, March 20, 2006 10:47 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Distance Calculations for Locals

Hi, XMLog tries to get the location of the other guy from any local callbook you have configured - It can get it from QRZ.COM although this is generally not a good idea since it can cause XMLog to run very slowly. If you do have a local callbook installed XMLog will use any latitude/longitude info and if that info isn't available it will look for any state/province info and use the geographical center as the location. If you don't have a local callbook or it doesn't provide any location or state/province XMLog will use the geographical center of the associated call area (W1, W2, VE1, VE2, ...).

I have a local RAC callbook installed and it's fairly good at providing the location for US hams. I don't know where they get the latitude/longitude info - I'm guessing that they derive if from the zip code? Anyhow, I wind up getting fairly good bearing/distance values for US stations including local guys.

Mike - W1ECT

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio Ham radio sales Ham radio outlet

---
--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to: XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--

[Non-text portions of this message have been removed]

1692. Re: Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-22 11:54:27 UTC
From: ad5uu
Topic: 1687 Message: 1692

Have been using qrz.com, 800 contacts in log. No delays worth
mentioning (DSL). The only time it may slow me down (I don't do this)
would be if I called cq in a contest. The logging would be slow enough
then to cause problems.
Maybe at 2000 or more contacts the log will slow down, but for now I'm
enjoying the function.

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Hi Mike,
>
> I tried this with my installation. I am using QRZ.com with a DSL
> connection. There are noticeable delays, but it does work. If I put
in my
> own call, I get 0 miles at 0 degrees. I don't think that I will
leave it
> enabled though.
>
> - Craig, AE6RR

1693. RE: [XMLog] Re: Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-22 15:59:39 UTC
From: Craig Bradley
Topic: 1687 Message: 1693

Do you have the box "Use callbook for locations" checked on the
Options/Callbook Setup menu?

- Craig, AE6RR
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
ad5uu
Sent: Wednesday, March 22, 2006 3:54 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Distance Calculations for Locals

Have been using qrz.com, 800 contacts in log. No delays worth
mentioning (DSL). The only time it may slow me down (I don't do this)
would be if I called cq in a contest. The logging would be slow enough
then to cause problems.
Maybe at 2000 or more contacts the log will slow down, but for now I'm
enjoying the function.

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Hi Mike,
>
> I tried this with my installation. I am using QRZ.com with a DSL
> connection. There are noticeable delays, but it does work. If I put
in my
> own call, I get 0 miles at 0 degrees. I don't think that I will
leave it
> enabled though.
>
> - Craig, AE6RR

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

[Non-text portions of this message have been removed]

1694. Re: [XMLog] Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-22 18:44:23 UTC
From: N7MAL
Topic: 1681 Message: 1694

Hi Mike: Occasionally some voice alerts are still sneaking through. At least with the changes in 5.21 the ones sneaking through are from the right call area. A spot from a W7 spotting ZS6CCY just snuck through. I have checked inhibit for new bands/modes. I have ZS on several bands. It is really not a big deal, for me, but thought you might want to know.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Wednesday, March 15, 2006 18:34
Subject: [XMLog] Re: Alarms when not wanted.

Hi Dennis, I've posted version 5.21 at www.xmlog.com/beta. Both of
these filtering bugs have been there since cluster filtering was
originally implemented - I guess the region filtering doesn't get used
much...

Mike - W1ECT

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.385 / Virus Database: 268.2.3/281 - Release Date: 3/14/2006

[Non-text portions of this message have been removed]

1695. Re: Distance Calculations for Locals

Yahoo group: XMLog
Date: 2006-03-23 12:55:09 UTC
From: ad5uu
Topic: 1687 Message: 1695

Craig,

No it wasn't checked.

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Do you have the box "Use callbook for locations" checked on the
> Options/Callbook Setup menu?
>
> - Craig, AE6RR
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On
Behalf Of
> ad5uu
> Sent: Wednesday, March 22, 2006 3:54 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: Distance Calculations for Locals
>
>
> Have been using qrz.com, 800 contacts in log. No delays worth
> mentioning (DSL). The only time it may slow me down (I don't do
this)
> would be if I called cq in a contest. The logging would be slow
enough
> then to cause problems.
> Maybe at 2000 or more contacts the log will slow down, but for
now I'm
> enjoying the function.
>
>
> --- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@> wrote:
> >
> > Hi Mike,
> >
> > I tried this with my installation. I am using QRZ.com with a
DSL
> > connection. There are noticeable delays, but it does work. If
I put
> in my
> > own call, I get 0 miles at 0 degrees. I don't think that I will
> leave it
> > enabled though.
> >
> > - Craig, AE6RR
>

>
>
>
>
>
> --

> --
> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
>
> --

> --
>
>
>
> [Non-text portions of this message have been removed]
>

1696. Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-24 19:31:55 UTC
From: Mike McAmis
Topic: 1681 Message: 1696

Hi, Have you done a "DX/Update Packet DXCC Status" lately? If so send me a copy of your "mlog.ini" file and your "totals" file as email attachments and I'll take a look. It turns out this is all I need to check out these problems, I don't need a copy of the log.

The "totals" file is created by "DX/Update Packet DXCC Status" and has the same format as a DXCC checklist.

Mike - W1ECT

1697. Re: [XMLog] Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-24 20:22:39 UTC
From: N7MAL
Topic: 1681 Message: 1697

Thanks Mike

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Friday, March 24, 2006 19:31
Subject: [XMLog] Re: Alarms when not wanted.

Hi, Have you done a "DX/Update Packet DXCC Status" lately? If so send
me a copy of your "mlog.ini" file and your "totals" file as email
attachments and I'll take a look. It turns out this is all I need to
check out these problems, I don't need a copy of the log.

The "totals" file is created by "DX/Update Packet DXCC Status" and has
the same format as a DXCC checklist.

Mike - W1ECT

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.385 / Virus Database: 268.3.0/290 - Release Date: 3/23/2006

[Non-text portions of this message have been removed]

1698. Re: [XMLog] Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-25 20:25:11 UTC
From: Kevin Nathan
Topic: 1681 Message: 1698

Hi Mike,

If you don't mind, can you please answer a question for me. Can I get alarms for new countries to activate just on the basis of what I have worked, not necessarily the ones I have QSL's for? If I can, would you please tell me how to go about it? I would certainly appreciate a few pointers.

Thanks in advance and very 73.

Kevin :)
Amateur Radio: K7RX

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, March 24, 2006 11:31
Subject: [XMLog] Re: Alarms when not wanted.

> Hi, Have you done a "DX/Update Packet DXCC Status" lately? If so send
> me a copy of your "mlog.ini" file and your "totals" file as email
> attachments and I'll take a look. It turns out this is all I need to
> check out these problems, I don't need a copy of the log.
>
> The "totals" file is created by "DX/Update Packet DXCC Status" and has
> the same format as a DXCC checklist.
>
> Mike - W1ECT
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1699. Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-26 16:38:17 UTC
From: Mike McAmis
Topic: 1681 Message: 1699

Hi Kevin, Normally you get alarms if the alert is for an un-confirmed country, mode, or band. You can use the Packet Window menu item "DX/Packet Cluster Alert Options" to inhibit alerts for new bands/modes, countries you've worked, or countries which have outstanding QSLs.

Mike - W1ECT

1700. Re: [XMLog] Re: Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-26 16:52:10 UTC
From: Kevin Nathan
Topic: 1681 Message: 1700

Thanks much Mike. That kind of confirms what I guessed and I appreciate it very much. I've been relying on filtering from the cluster but like that idea better.

Thanks again and very 73.

Kevin :)
Amateur Radio: K7RX

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 26, 2006 08:38
Subject: [XMLog] Re: Alarms when not wanted.

> Hi Kevin, Normally you get alarms if the alert is for an un-confirmed
> country, mode, or band. You can use the Packet Window menu
> item "DX/Packet Cluster Alert Options" to inhibit alerts for new
> bands/modes, countries you've worked, or countries which have
> outstanding QSLs.
>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1701. Alarms when not wanted.

Yahoo group: XMLog
Date: 2006-03-30 00:29:35 UTC
From: Dennis Jacobson
Topic: 1681 Message: 1701

Hello again.

Here are the 4 that have made it through the filter in the last
week or so. Yes I did an update before tracking these.

I've also included my MLOG.INI file.

http://pages.sbcglobal.net/n6ng/test.txt

Like MAL it is not a big deal but I hope it helps.

Dennis N6NG

1702. Install newer version

Yahoo group: XMLog
Date: 2006-03-31 00:03:12 UTC
From: johnmc
Topic: 1702 Message: 1702

Greetings,

Will the XMlog 5.19 version install over a 4.79 xmlog version?
Or can you point me to install instructions for previous users...

tnx de John

[Non-text portions of this message have been removed]

1703. Re: Install newer version

Yahoo group: XMLog
Date: 2006-04-03 15:20:42 UTC
From: Mike McAmis
Topic: 1702 Message: 1703

Hi John, You don't need to do anything special to install the newer version of XMLog. All your options settings, logs, etc. will be maintained.

Mike - W1ECT

1704. Re: [XMLog] Install newer version

Yahoo group: XMLog
Date: 2006-04-03 15:50:36 UTC
From: GerryC
Topic: 1702 Message: 1704

> Will the XMlog 5.19 version install over a 4.79 xmlog version?
> Or can you point me to install instructions for previous users...

If you've customized LABELS.INI you'd better save a copy of it.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.385 / Virus Database: 268.3.4/299 - Release Date: 3/31/2006

1705. Re: [XMLog] Re: Install newer version

Yahoo group: XMLog
Date: 2006-04-03 18:51:22 UTC
From: johnmc
Topic: 1702 Message: 1705

Ok and so sorry for being so dense Mike....

If I run the installer will it overwrite and install over the previous version?

I don't have to set up a new folder and transfer the old log into it?

Tnx de John

----- Original Message -----
From: "Mike McAmis" <m.mcamis@...>
To: <XMLog@yahoogroups.com>
Sent: 03 April, 2006 8:20 AM
Subject: [XMLog] Re: Install newer version

> Hi John, You don't need to do anything special to install the newer
> version of XMLog. All your options settings, logs, etc. will be
> maintained.
>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

1706. Re: [XMLog] Re: Install newer version

Yahoo group: XMLog
Date: 2006-04-03 23:05:58 UTC
From: Michael McCarthy
Topic: 1702 Message: 1706

Always back up your directory whenever you install
anything!

It installs just fine right on top of the old stuff
and maintains your log and settings.

Mike, W1NR

--- johnmc <johnmc@...> wrote:

> Ok and so sorry for being so dense Mike....
>
> If I run the installer will it overwrite and
> install over the previous
> version?
>
> I don't have to set up a new folder and transfer the
> old log into it?
>
> Tnx de John
>
> ----- Original Message -----
> From: "Mike McAmis" <m.mcamis@...>
> To: <XMLog@yahoogroups.com>
> Sent: 03 April, 2006 8:20 AM
> Subject: [XMLog] Re: Install newer version
>
>
> > Hi John, You don't need to do anything special to
> install the newer
> > version of XMLog. All your options settings,
> logs, etc. will be
> > maintained.
> >
> > Mike - W1ECT
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >

> >
>
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1707. Re: Install newer version

Yahoo group: XMLog
Date: 2006-04-05 20:38:42 UTC
From: Mike McAmis
Topic: 1702 Message: 1707

Hi, Thanks for pointing out that labels.ini was being replaced. I've changed this for version 5.22 - this was the only .ini file that was not being preserved during an install of a new version of XMLog. I suspect that I thought that I would be making lots of updates to this file (the "layouts library") adding new label page layouts. As it turns out, this has not been the case. Anyhow, from version 5.22 on things will be consistent - any .ini file will be preserved and any .lst file may be replaced with a new version.

Mike - W1ECT

> If you've customized LABELS.INI you'd better save a copy of it.

1708. Error Message

Yahoo group: XMLog
Date: 2006-05-01 14:44:52 UTC
From: Howard Baker
Topic: 1708 Message: 1708

I get the following message when I double click on a call to get the QRZ lookup: "QRZ.com request Can't send request to QRZ.com (40006) Wrong protocol or connection state for the requested transaction or request." The funny thing is the call is looked up and shows up OK. This does not happen all the time just most of the time. I am using ver 5.19 of XMlog and Windows XP professional. Also I get an audio alert "bong". Any ideas?

1709. Re: [XMLog] Error Message

Yahoo group: XMLog
Date: 2006-05-01 17:15:59 UTC
From: Michael McCarthy
Topic: 1708 Message: 1709

The qrz.com interface is broken. It stopped working
for all of the DX clusters late last week.

Mike, W1NR

--- Howard Baker <k8nhr@...> wrote:

> I get the following message when I double click on a
> call to get the
> QRZ lookup: "QRZ.com request Can't send request to
> QRZ.com (40006)
> Wrong protocol or connection state for the requested
> transaction or
> request." The funny thing is the call is looked up
> and shows up OK.
> This does not happen all the time just most of the
> time. I am using
> ver 5.19 of XMlog and Windows XP professional. Also
> I get an audio
> alert "bong". Any ideas?
>
>
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1710. Re: [XMLog] Error Message

Yahoo group: XMLog
Date: 2006-05-01 17:38:56 UTC
From: N7MAL
Topic: 1708 Message: 1710

Been working just fine here, just checked it again. I have 'fat' fingers and accidentally get 'look-ups' several times a day.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Michael McCarthy
To: XMLog@yahoogroups.com
Sent: Monday, May 01, 2006 17:15
Subject: Re: [XMLog] Error Message

The qrz.com interface is broken. It stopped working
for all of the DX clusters late last week.

Mike, W1NR

--- Howard Baker <k8nhr@...> wrote:

> I get the following message when I double click on a
> call to get the
> QRZ lookup: "QRZ.com request Can't send request to
> QRZ.com (40006)
> Wrong protocol or connection state for the requested
> transaction or
> request." The funny thing is the call is looked up
> and shows up OK.
> This does not happen all the time just most of the
> time. I am using
> ver 5.19 of XMlog and Windows XP professional. Also
> I get an audio
> alert "bong". Any ideas?
>
>
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.385 / Virus Database: 268.5.1/327 - Release Date: 4/28/2006

[Non-text portions of this message have been removed]

1711. RE: [XMLog] Error Message

Yahoo group: XMLog
Date: 2006-05-01 17:56:50 UTC
From: Jim Henry
Topic: 1708 Message: 1711

Also working fine for me

73 de Jim, GI0DVU
Lisburn, County Antrim
www.qsl.net/giodvu

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
N7MAL
Sent: 01 May 2006 17:39
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Error Message

Been working just fine here, just checked it again. I have 'fat' fingers and
accidentally get 'look-ups' several times a day.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Michael McCarthy
To: XMLog@yahoogroups.com
Sent: Monday, May 01, 2006 17:15
Subject: Re: [XMLog] Error Message

The qrz.com interface is broken. It stopped working
for all of the DX clusters late last week.

Mike, W1NR

--- Howard Baker <k8nhr@...> wrote:

> I get the following message when I double click on a
> call to get the
> QRZ lookup: "QRZ.com request Can't send request to
> QRZ.com (40006)
> Wrong protocol or connection state for the requested
> transaction or
> request." The funny thing is the call is looked up
> and shows up OK.
> This does not happen all the time just most of the

> time. I am using
> ver 5.19 of XMlog and Windows XP professional. Also
> I get an audio
> alert "bong". Any ideas?
>
>
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

--
YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

--

--

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.385 / Virus Database: 268.5.1/327 - Release Date: 4/28/2006

[Non-text portions of this message have been removed]

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1712. Re: Error Message

Yahoo group: XMLog
Date: 2006-05-02 15:56:21 UTC
From: Mike McAmis
Topic: 1708 Message: 1712

Did it work without problems at one point? Perhaps you've made changes in your network setup? I've checked out the code here and I must admit I don't see how it can display that message and also return the data!

Mike - W1ECT

1713. Re: [XMLog] Re: Error Message

Yahoo group: XMLog
Date: 2006-05-02 22:54:40 UTC
From: Howard G. Baker
Topic: 1708 Message: 1713

Am I the only one having this problem? It works just fine about 25% of the time and messes up about 75% of the time. I have 2 computers using XMlog and both have the identical problems. Could it have something to do with the amount of traffic on the QRZ website? It seems to be worse when there is a contest. My network is the same as it has been for about 2 years. (cable modem with a wireless and cat 5 router)
Computer Protected by Smith & Wesson & CZ
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, May 02, 2006 11:56 AM
Subject: [XMLog] Re: Error Message

> Did it work without problems at one point? Perhaps you've made
> changes in your network setup? I've checked out the code here and I
> must admit I don't see how it can display that message and also return
> the data!
>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1714. RE: [XMLog] Re: Error Message

Yahoo group: XMLog
Date: 2006-05-03 02:26:14 UTC
From: Craig Bradley
Topic: 1708 Message: 1714

I have occasionally seen this problem. I think that the QRZ.com web site does not respond and you get a timeout, then you get another request and it works. Maybe if you click more than once, you send more than one request?

Maybe there are some server problems at QRZ on like you say, it is getting overloaded.

My setup seams to work OK now.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Howard G. Baker
Sent: Tuesday, May 02, 2006 2:55 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Error Message

Am I the only one having this problem? It works just fine about 25% of the time and messes up about 75% of the time. I have 2 computers using XMlog and both have the identical problems. Could it have something to do with the amount of traffic on the QRZ website? It seems to be worse when there is a contest. My network is the same as it has been for about 2 years. (cable modem with a wireless and cat 5 router)
Computer Protected by Smith & Wesson & CZ
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, May 02, 2006 11:56 AM
Subject: [XMLog] Re: Error Message

> Did it work without problems at one point? Perhaps you've made
> changes in your network setup? I've checked out the code here and I
> must admit I don't see how it can display that message and also return
> the data!
>
> Mike - W1ECT
>
>
>
>
>
>

>
> Yahoo! Groups Links
>
>
>
>
>
>

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sal
es&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w> and craft
supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+r
adio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA> hobby

Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+s
upply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w
6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg> and crafts

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+rad
io+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=H
am+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
ply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=
Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

1715. Re: Error Message

Yahoo group: XMLog
Date: 2006-05-03 04:18:30 UTC
From: Dennis Jacobson
Topic: 1708 Message: 1715

I tried 25 seperate calls and they all worked just fine.
I've noticed no problems using the QRZ lookup.

Dennis N6NG

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I have occasionally seen this problem. I think that the QRZ.com web
site
> does not respond and you get a timeout, then you get another request
and it
> works. Maybe if you click more than once, you send more than one
request?
>
>
>
> Maybe there are some server problems at QRZ on like you say, it is
getting
> overloaded.
>
>
>
> My setup seams to work OK now.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> Howard G. Baker
> Sent: Tuesday, May 02, 2006 2:55 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Re: Error Message
>
>
>
> Am I the only one having this problem? It works just fine about 25%
of the
> time and messes up about 75% of the time. I have 2 computers using
XMlog
> and both have the identical problems. Could it have something to do

with
> the amount of traffic on the QRZ website? It seems to be worse when
there
> is a contest. My network is the same as it has been for about 2 years.
> (cable modem with a wireless and cat 5 router)
> Computer Protected by Smith & Wesson & CZ
> Missile Coordinates 41.398 N 82.218 W
> Grid Square EN81vj
> Amateur Email: k8nhr@...
> ----- Original Message -----
> From: "Mike McAmis" <w1ect@...>
> To: <XMLog@yahoogroups.com>
> Sent: Tuesday, May 02, 2006 11:56 AM
> Subject: [XMLog] Re: Error Message
>
>
> > Did it work without problems at one point? Perhaps you've made
> > changes in your network setup? I've checked out the code here and I
> > must admit I don't see how it can display that message and also return
> > the data!
> >
> > Mike - W1ECT
> >
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
>
>
>
>
> SPONSORED LINKS
>
>
> Hobby
>
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
>
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sal
> es&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w> and craft
> supply

>
> Craft
>
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
>
2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+r
> adio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA> hobby
>
> Hobbies
>
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+s
>
upply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w
> 6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg> and crafts
>
>
> Ham
>
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
>
Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+rad
> io+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg> radio
>
> Ham
>
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
>
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=H
> am+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw> radio sales
>
> Ham
>
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
>
ply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=
> Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg> radio outlet
>
>
>
> _____
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
> the web.
>
> * To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com

> <mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!
> <http://docs.yahoo.com/info/terms/> Terms of Service.
>
>
>
> _____
>
>
>
> [Non-text portions of this message have been removed]
>

1716. Cabrillo?

Yahoo group: XMLog
Date: 2006-05-08 16:03:26 UTC
From: Puck Motley W4PM
Topic: 1716 Message: 1716

Is there any way to export a Cabrillo format file from XMLOG or is such a thing planned for future updates?
Puck, W4PM

1717. Re: Cabrillo?

Yahoo group: XMLog
Date: 2006-05-10 19:20:15 UTC
From: Mike McAmis
Topic: 1716 Message: 1717

Hi Puck, Since XMLog isn't meant to be a contesting program I haven't added support for creating Cabrillo format files. Most XMLog users (myself included) use a program like WriteLog, N1MM, etc. to do their contest logging, create the Cabrillo file, and then import the contest QSOs into XMLog using ADIF files.

Mike - W1ECT

> Is there any way to export a Cabrillo format file from XMLOG or is such a
> thing planned for future updates?
> Puck, W4PM

1718. Re: [XMLog] Re: Cabrillo?

Yahoo group: XMLog
Date: 2006-05-11 03:29:18 UTC
From: Puck Motley W4PM
Topic: 1716 Message: 1718

I understand. Normally I use SD logger for contests but I dabbled in 4 different contests this past weekend and found it easier to just use XM log with identifiers for each contest in the notes field and sort them out at the end. Since I couldn't then write cabrillo files I just exported text files, massaged them a bit in a spread sheet program and printed out paper logs. For my small number of contacts (about 160 total) this worked OK.

Another thing I wish I could do is make changes to multiple entries in fields other than just prefix, date/time and station info. A routine to pick the field you need to change would be quite helpful. Perhaps there is a "work around" to do this but I've not found it yet.

Overall this is a great program and I've very much enjoyed using it. Perhaps one of these days I'll actually interface it to my rig and take advantage of more of its many features.

73,
Puck W4PM

----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Wednesday, May 10, 2006 3:20 PM
Subject: [XMLog] Re: Cabrillo?

> Hi Puck, Since XMLog isn't meant to be a contesting program I haven't
> added support for creating Cabrillo format files. Most XMLog users
> (myself included) use a program like WriteLog, N1MM, etc. to do their
> contest logging, create the Cabrillo file, and then import the contest
> QSOs into XMLog using ADIF files.
>
> Mike - W1ECT
>
>> Is there any way to export a Cabrillo format file from XMLOG or is
> such a
>> thing planned for future updates?
>> Puck, W4PM
>
>
>
>
>
>
>
>
>
> Yahoo! Groups Links

>
>
>
>
>
>

1719. Re: Cabrillo?

Yahoo group: XMLog
Date: 2006-05-11 15:07:27 UTC
From: Mike McAmis
Topic: 1716 Message: 1719

OK Puck, Well now that I have optional "Contest In/Out" fields that
can be displayed perhaps it's time I reconsidered Cabrillo support.

Mike - W1ECT

1720. SH/DX COMBINATION

Yahoo group: XMLog
Date: 2006-05-11 18:37:16 UTC
From: Dennis Jacobson
Topic: 1720 Message: 1720

Hello all...

Here I am with another question.
I know how to do a "sh/dx on 20m" for example.
and I know how to do a "sh/dx by_zone 3" for example.

But how do I do a combination ie:

"sh/dx on 20m by_zone 3" ?
or
"sh/dx by_zone 3 on 20m" ?

Anyone know if this is possible and if so
how do I do it..????

Thanks all..
Dennis N6NG
XMLOG still the best general logging program around.

1721. Re: [XMLog] SH/DX COMBINATION

Yahoo group: XMLog
Date: 2006-05-12 05:05:21 UTC
From: N7MAL
Topic: 1720 Message: 1721

If you are using an ARC Cluster here is the link to the manual for advanced options. It was written by a computer 'geek' for computer 'geeks'. It takes a little trial & error to figure it out.
Good Luck

http://www.ab5k.net/ArcDocs/UserManual/ArcDx.htm#Advanced

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups.com
Sent: Thursday, May 11, 2006 18:37
Subject: [XMLog] SH/DX COMBINATION

Hello all...

Here I am with another question.
I know how to do a "sh/dx on 20m" for example.
and I know how to do a "sh/dx by_zone 3" for example.

But how do I do a combination ie:

"sh/dx on 20m by_zone 3" ?
or
"sh/dx by_zone 3 on 20m" ?

Anyone know if this is possible and if so
how do I do it..????

Thanks all..
Dennis N6NG
XMLOG still the best general logging program around.

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.392 / Virus Database: 268.5.6/336 - Release Date: 5/10/2006

[Non-text portions of this message have been removed]

1722. Re: SH/DX COMBINATION

Yahoo group: XMLog
Date: 2006-05-12 21:13:35 UTC
From: Mike McAmis
Topic: 1720 Message: 1722

Hi Dennis, Assuming you are using a DXSpider node both should work.
During the recent VU4 activity I was using commands like:

sh/dx on 20m by_zone 3,4,5 vu4*

or

sh/dx by_zone 3,4,5 on 20m vu4*

and they both worked fine. Don't know what the equilvalent commands
are for AR Cluster nodes.

Mike - W1ECT

1723. Re: SH/DX COMBINATION

Yahoo group: XMLog
Date: 2006-05-14 02:57:08 UTC
From: Dennis Jacobson
Topic: 1720 Message: 1723

Thanks Mike... Niether of those work on W6RFU that says it's
running DXSpider V1.51 build 58.317.

Don't know if it's an old build or if I have something set
wrong in the system here... I'll play with it and see if I can
find out what works.

Thanks again.

Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Dennis, Assuming you are using a DXSpider node both should work.
> During the recent VU4 activity I was using commands like:
>
> sh/dx on 20m by_zone 3,4,5 vu4*
>
> or
>
> sh/dx by_zone 3,4,5 on 20m vu4*
>
> and they both worked fine. Don't know what the equilvalent commands
> are for AR Cluster nodes.
>
> Mike - W1ECT
>

1724. Re: SH/DX COMBINATION

Yahoo group: XMLog
Date: 2006-05-14 15:26:03 UTC
From: Mike McAmis
Topic: 1720 Message: 1724

OK Dennis, I tried bunch of the DXSpider nodes listed at:

www.ng3k.com/Misc/cluster.html

and found that most handled the zone+band syntax fine but there was one other node that gave the same (bad) results that you're seeing on your node. You might want to send the sysop a note that he needs to check his config, or more likely, update to the current version. You might also just switch to another node...

Mike - W1ECT

1725. Re: SH/DX COMBINATION

Yahoo group: XMLog
Date: 2006-05-15 00:09:33 UTC
From: Dennis Jacobson
Topic: 1720 Message: 1725

Thanks Mike.. I'll try them.

Dennis N6NG

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK Dennis, I tried bunch of the DXSpider nodes listed at:
>
> www.ng3k.com/Misc/cluster.html
>
> and found that most handled the zone+band syntax fine but there was
> one other node that gave the same (bad) results that you're seeing on
> your node. You might want to send the sysop a note that he needs to
> check his config, or more likely, update to the current version. You
> might also just switch to another node...
>
> Mike - W1ECT
>

1726. PACKET REVISITED

Yahoo group: XMLog
Date: 2006-05-24 20:43:54 UTC
From: N7MAL
Topic: 1726 Message: 1726

I wanted to re-visit the packet voice announcements. Last week when KH6ND/KH5 was active about every 4th time he was spotted I got a voice announcement. I don't need either KH6ND/KH5 or Palmyra. I've worked them both on multiple bands. A few minutes ago I got a voice announcement for a KP4. I have worked KP4 on all bands. I have turned off voice announcements because there is no major xpedition on the air at this time.
My plan is to download my LOTW file and start a new logbook file. The QSO count at the bottom left of the logbook page does not match the LOTW count. I have 2,000 more QSO's on LOTW than I have in the log. (Sometimes I upload contest logs to LOTW and forget to load them in the logbook..) Something may be corrupt in my log file so tonite I will start out fresh.
I'm open for any suggestions.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

1727. RE: [XMLog] PACKET REVISITED

Yahoo group: XMLog
Date: 2006-05-25 02:53:35 UTC
From: Craig Bradley
Topic: 1726 Message: 1727

If you upload contest logs from a program such as WriteLog into LoTW and then import them into XMLog you may get duplicate entries in LoTW if you upload the log from XMLog. WriteLog logs the time in HH:MM:SS format and XMLog uses HH:MM, either rounding off the seconds or truncating them. When you upload to LoTW, the times are different and the Qs get entered a second time. If the times match exactly, LoTW will not create dupes. Look at your log in LoTW to see if the contest Qs got entered twice with times that end with :00 and :ss (ss is non-zero).

LoTW does not care about the duplicates and there is no way to remove them. I contacted the LoTW people about this because I ended up with a few hundred more QSOs in there than in XMLog. Chances are that your XMLog is not corrupted.

After this happened to me the first time, I stopped uploading the WriteLog files to LoTW. Now I import them into XMLog and then upload that file.

I hope that this helps.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Wednesday, May 24, 2006 12:44 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] PACKET REVISITED

I wanted to re-visit the packet voice announcements. Last week when KH6ND/KH5 was active about every 4th time he was spotted I got a voice announcement. I don't need either KH6ND/KH5 or Palmyra. I've worked them both on multiple bands. A few minutes ago I got a voice announcement for a KP4. I have worked KP4 on all bands. I have turned off voice announcements because there is no major xpedition on the air at this time.
My plan is to download my LOTW file and start a new logbook file. The QSO count at the bottom left of the logbook page does not match the LOTW count. I have 2,000 more QSO's on LOTW than I have in the log. (Sometimes I upload contest logs to LOTW and forget to load them in the logbook..) Something may be corrupt in my log file so tonite I will start out fresh.
I'm open for any suggestions.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

1728. Re: [XMLog] PACKET REVISITED

Yahoo group: XMLog
Date: 2006-05-25 09:23:14 UTC
From: N7MAL
Topic: 1726 Message: 1728

There was a lot digest there. First 99% of my contesting is with CT and has been since the mid/late 80's, (it was DOS only in those days). I use N1MM only if I can't 'jury-rig' CT. CT files are in HH:MM:SS. I have several times uploaded my logs to the contest sponsor and LOTW when a contest is over. I never imported it into XMLOG, it's a malfunction, with me, I need to get control of. Your system of uploading everything to LOTW only from XMLOG seems to be the best plan. My main interest today is getting a new starting point where everything matches.
I am more worried about corruption causing the random voice announcements even though there are plus marks to both band and mode in all the recent random voice announcements.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Thursday, May 25, 2006 2:53
Subject: RE: [XMLog] PACKET REVISITED

If you upload contest logs from a program such as WriteLog into LoTW and then import them into XMLog you may get duplicate entries in LoTW if you upload the log from XMLog. WriteLog logs the time in HH:MM:SS format and XMLog uses HH:MM, either rounding off the seconds or truncating them. When you upload to LoTW, the times are different and the Qs get entered a second time. If the times match exactly, LoTW will not create dupes. Look at your log in LoTW to see if the contest Qs got entered twice with times that end with :00 and :ss (ss is non-zero).

LoTW does not care about the duplicates and there is no way to remove them. I contacted the LoTW people about this because I ended up with a few hundred more QSOs in there than in XMLog. Chances are that your XMLog is not corrupted.

After this happened to me the first time, I stopped uploading the WriteLog files to LoTW. Now I import them into XMLog and then upload that file.

I hope that this helps.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Wednesday, May 24, 2006 12:44 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] PACKET REVISITED

I wanted to re-visit the packet voice announcements. Last week when KH6ND/KH5 was active about every 4th time he was spotted I got a voice announcement. I don't need either KH6ND/KH5 or Palmyra. I've worked them both on multiple bands. A few minutes ago I got a voice announcement for a KP4. I have worked KP4 on all bands. I have turned off voice announcements because there is no major xpedition on the air at this time.
My plan is to download my LOTW file and start a new logbook file. The QSO count at the bottom left of the logbook page does not match the LOTW count. I have 2,000 more QSO's on LOTW than I have in the log. (Sometimes I upload contest logs to LOTW and forget to load them in the logbook..) Something may be corrupt in my log file so tonite I will start out fresh.
I'm open for any suggestions.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

_____

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

_____

[Non-text portions of this message have been removed]

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.7.0/346 - Release Date: 5/23/2006

[Non-text portions of this message have been removed]

1729. New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-26 14:41:33 UTC
From: Craig Bradley
Topic: 1726 Message: 1729

Mike,

Note as of June 1, 2006, ZK1 stations in the Cook Is. will be changing to the prefix E51. I wanted to be sure that you had this info for your prefix file.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

1730. Re: New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-27 15:17:03 UTC
From: Mike McAmis
Topic: 1726 Message: 1730

Hi Craig - Where did you see this info? I searched around a bit and couldn't find any mention, official or otherwise.

Mike - W1ECT

> Note as of June 1, 2006, ZK1 stations in the Cook Is. will
> be changing to the prefix E51. I wanted to be sure that
> you had this info for your prefix file.

1731. RE: [XMLog] Re: New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-27 15:23:35 UTC
From: Jim Henry
Topic: 1726 Message: 1731

Mike

I saw it in 425 News and the OPDX Bulletin

73 de Jim, GI0DVU
Lisburn, County Antrim
www.qsl.net/gi0dvu

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: 27 May 2006 15:17
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New prefix for Cook Is.

Hi Craig - Where did you see this info? I searched around a bit and couldn't find any mention, official or otherwise.

Mike - W1ECT

> Note as of June 1, 2006, ZK1 stations in the Cook Is. will
> be changing to the prefix E51. I wanted to be sure that
> you had this info for your prefix file.

SPONSORED LINKS
Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio
Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

1732. Re: [XMLog] Re: New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-27 15:24:06 UTC
From: N7MAL
Topic: 1726 Message: 1732

This was posted on one of the DX mailing lists:

As of June 1, 2006 ZK1 will change to new call E51 here in the Cook Islands . *
*I was just running out of ZK1 cards so this works out great for New cards printed.
Will try and be on June 1 with new Call sign E51CG and Later with E51USA from South Cooks

Regards
Victor Rivera ZK1CG / ZK1USA as of June 1 E51CG and E51USA
Po Box 618
Rarotonga Cook Islands
Via New Zealand

This is in the latest OPDX:

E51, COOK ISLANDS. Victor, ZK1CG/ZK1USA, reports that as of June 1st, (2006), the ZK1 prefix will change to a new prefix, E51. He will try and be on June 1st with his new callsign E51CG and later with E51USA from South Cooks.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, May 27, 2006 15:17
Subject: [XMLog] Re: New prefix for Cook Is.

Hi Craig - Where did you see this info? I searched around a bit and couldn't find any mention, official or otherwise.

Mike - W1ECT

> Note as of June 1, 2006, ZK1 stations in the Cook Is. will
> be changing to the prefix E51. I wanted to be sure that
> you had this info for your prefix file.

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.7.2/349 - Release Date: 5/26/2006

[Non-text portions of this message have been removed]

1733. Re: Packet revisited, Alarms when not wanted

Yahoo group: XMLog
Date: 2006-05-27 15:26:17 UTC
From: Mike McAmis
Topic: 1726 Message: 1733

Hi Mal, I'm looking into the matter of alert inhibiting and I'll post something soon. One note thhough, the "every fourth time" syndrome is probably caused by the fact that XMLog will not give an alert for a spot for a call/frequency combo if it duplicates a recent spot (three minutes).

Mike - W1ECT

1734. RE: [XMLog] Re: New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-27 18:09:36 UTC
From: Craig Bradley
Topic: 1726 Message: 1734

It was in the Daily DX:

==========

*** The Daily DX (c) ***

==========

Volume 10 Number 098

May 26, 2006

Editor/Publisher Bernie McClenny, W3UR

"ZK1CG, Victor Rivera, reports as of June 1, 2006 ZK1 stations will finally change to the new E51 prefix in the Cook Islands. On August 15, 2004 ITU Operational Bulletin No. 818 stated "Following a request from New Zealand, the International Call Sign Series E5A-E5Z, in accordance with the provisions of No. 19.33 of the Radio Regulations, has been provisionally allocated to New Zealand for exclusive use by the Cook Islands (formerly ZK1)." Don't forget to add the prefix E5 to you logging programs. Victor plans to be QRV with his new call E51CG on June 1st and later with E51USA."

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Saturday, May 27, 2006 8:17 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New prefix for Cook Is.

Hi Craig - Where did you see this info? I searched around a bit and couldn't find any mention, official or otherwise.

Mike - W1ECT

> Note as of June 1, 2006, ZK1 stations in the Cook Is. will
> be changing to the prefix E51. I wanted to be sure that
> you had this info for your prefix file.

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet

&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&
.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.s
ig=BrARW-2dmkfc_y42ghOp0g> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=
103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
ply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s
=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

1735. Re: New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-29 14:46:22 UTC
From: Mike McAmis
Topic: 1726 Message: 1735

OK - The way I normally handle this is to wait until the ARRL officially updates the "main prefix" in their countries list and then I do the same. At this point XMLog will automatically update the main prefixes for existing log entries.

I don't know if there is going to be any way to distinguish North Cook from South Cook by their new callsigns - previously XMLog assumed calls starting ZK1N were North Cook and ZK1S were South Cook. However since the suffix of most ZK1 calls didn't start with N or S XMLog couldn't guess the country from the callsign. This meant that whenever you saw a new ZK1 call mentioned in a DX bulletin somewhere you had to define the appropriate country for that callsign using the "View/Show Callsign List" menu item (this was "DX/Show Callsign List" in older XMLog versions).

I suppose we'll have the same problem with the new E51 calls. I can probably make the same assumption about the country for E51N... calls and E51S... calls so I'll make this change in the next XMLog release. If you want to make this change to your current version of XMLog here's how:

Go to your XMLog install folder (usually c:\mlog) and open the file Prefixes with a text editor like WordPad. Scroll down the the North Cook entry and on the next line change:

ZK1N,!,

to

ZK1N,E51N,!,

and change the line following the South Cook entry to:

ZK1S,E51S,!,

and don't forget the trailing comma. In practice this change probably won't help much since I suspect most E51 calls won't fall into the E51N/E51S category and we'll have to use "View/Show Callsign List" just like we did for ZK1 calls (and 3D2 calls, and, ...).

Mike - W1ECT

1736. RE: [XMLog] Re: New prefix for Cook Is.

Yahoo group: XMLog
Date: 2006-05-29 19:12:11 UTC
From: Craig Bradley
Topic: 1726 Message: 1736

Hi Mike,

As the Cook Is. have the series E5A-E5Z, maybe they will be using E51 for S. Cook and another number (E52 ?) for North Cook? Note the range in this text from the Daily DX:

On August 15, 2004 ITU Operational Bulletin No. 818 stated "Following a request from New Zealand, the International Call Sign Series E5A-E5Z, in accordance with the provisions of No. 19.33 of the Radio Regulations, has been provisionally allocated to New Zealand for exclusive use by the Cook Islands (formerly ZK1)

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Monday, May 29, 2006 7:46 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New prefix for Cook Is.

OK - The way I normally handle this is to wait until the ARRL officially updates the "main prefix" in their countries list and then I do the same. At this point XMLog will automatically update the main prefixes for existing log entries.

I don't know if there is going to be any way to distinguish North Cook from South Cook by their new callsigns - previously XMLog assumed calls starting ZK1N were North Cook and ZK1S were South Cook. However since the suffix of most ZK1 calls didn't start with N or S XMLog couldn't guess the country from the callsign. This meant that whenever you saw a new ZK1 call mentioned in a DX bulletin somewhere you had to define the appropriate country for that callsign using the "View/Show Callsign List" menu item (this was "DX/Show Callsign List" in older XMLog versions).

I suppose we'll have the same problem with the new E51 calls. I can probably make the same assumption about the country for E51N... calls and E51S... calls so I'll make this change in the next XMLog release. If you want to make this change to your current version of XMLog here's how:

Go to your XMLog install folder (usually c:\mlog) and open the file Prefixes with a text editor like WordPad. Scroll down the the

North Cook entry and on the next line change:

ZK1N,!,

to

ZK1N,E51N,!,

and change the line following the South Cook entry to:

ZK1S,E51S,!,

and don't forget the trailing comma. In practice this change
probably won't help much since I suspect most E51 calls won't fall
into the E51N/E51S category and we'll have to use "View/Show
Callsign List" just like we did for ZK1 calls (and 3D2 calls,
and, ...).

Mike - W1ECT

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

-----

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on
the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

1737. interfacing XMlog with Icom IC-7000

Yahoo group: XMLog
Date: 2006-05-30 09:26:59 UTC
From: Risto Kotalampi
Topic: 1737 Message: 1737

I am having trouble interfacing XMlog 5.22 with Icom IC-7000. Does anyone know what settings needs to be set to make it work? IC-7000 is not in directly supported radios but some programs can make it work just by setting to Icom 756ProIII and setting the right CI-V address.

I have tried almost any possible combination but still no luck. Has anyone been able to use XMlog with IC-7000?

73!

Risto, W6RK

1738. Re: [XMLog] interfacing XMlog with Icom IC-7000

Yahoo group: XMLog
Date: 2006-05-30 16:22:27 UTC
From: Howard G. Baker
Topic: 1737 Message: 1738

In your Manual, on page 138 section 13,in the set mode, make sure you are set to the address 70h. Also make sure you are using address 70h in your XMlog program. This is the most important thing to check.

Computer Protected by Smith & Wesson & CZ
Missile Coordinates 41.398 N 82.218 W
Grid Square EN81vj
Amateur Email: k8nhr@...
----- Original Message -----
From: "Risto Kotalampi" <risto@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, May 30, 2006 5:26 AM
Subject: [XMLog] interfacing XMlog with Icom IC-7000

I am having trouble interfacing XMlog 5.22 with Icom IC-7000. Does anyone know what settings needs to be set to make it work? IC-7000 is not in directly supported radios but some programs can make it work just by setting to Icom 756ProIII and setting the right CI-V address.

I have tried almost any possible combination but still no luck. Has anyone been able to use XMlog with IC-7000?

73!

Risto, W6RK

Yahoo! Groups Links

1739. Re: [XMLog] interfacing XMlog with Icom IC-7000

Yahoo group: XMLog
Date: 2006-05-30 18:06:44 UTC
From: Risto Kotalampi
Topic: 1737 Message: 1739

Thank you,

It's all there... it's nothing this trivial. It works fine on other
programs (N1MM/Writelog/HRD/MixW).

73!

Risto, W6RK

Howard G. Baker wrote:
> In your Manual, on page 138 section 13,in the set mode, make sure you are
> set to the address 70h. Also make sure you are using address 70h in your
> XMlog program. This is the most important thing to check.
>
> Computer Protected by Smith & Wesson & CZ
> Missile Coordinates 41.398 N 82.218 W
> Grid Square EN81vj
> Amateur Email: k8nhr@...
> ----- Original Message -----
> From: "Risto Kotalampi" <risto@...>
> To: <XMLog@yahoogroups.com>
> Sent: Tuesday, May 30, 2006 5:26 AM
> Subject: [XMLog] interfacing XMlog with Icom IC-7000
>
>
>
> I am having trouble interfacing XMlog 5.22 with Icom IC-7000. Does
> anyone know what settings needs to be set to make it work? IC-7000 is
> not in directly supported radios but some programs can make it work just
> by setting to Icom 756ProIII and setting the right CI-V address.
>
> I have tried almost any possible combination but still no luck. Has
> anyone been able to use XMlog with IC-7000?
>
> 73!
>
> Risto, W6RK
>
>
>
>
>
> Yahoo! Groups Links
>
>
>

>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1740. More filter leaks

Yahoo group: XMLog
Date: 2006-05-31 03:47:45 UTC
From: Dennis Jacobson
Topic: 1740 Message: 1740

Here is a list of spots that leaked through the filter during the
contest this last weekend. Still seems to be quite a problem.

DX de K6KS: 18145.6 DJ3HJ
2132Z DM03
DJ3HJ (DL - Fed. Rep. of Germany, 25) -+- Phone CW+ RTTY 160 80 40+ 30
20+ 17 15 12 10 6

DX de K6KS: 18163.5 IK4UPI
2135Z DM03
IK4UPI (Italy, 31) -+- Phone CW+ RTTY 160 80 40 30 20+ 17 15 12 10 6

DX de K7GSE: 18138.2 EA5JK
2137Z
EA5JK (Spain, 42) -+- Phone CW+ RTTY 160 80 40 30 20+ 17 15 12 10 6

DX de W7PTT: 18138.0 EA5JK
2142Z
EA5JK (Spain, 42) -+- Phone CW+ RTTY 160 80 40 30 20+ 17 15 12 10 6

DX de W6ED: 18150.9 CN8IG
2144Z CM95
CN8IG (Morocco, 49) -+- Phone CW RTTY+ 160 80 40 30 20+ 17 15 12 10 6

DX de W7PTT: 18163.5 IK4UPI
2146Z
IK4UPI (Italy, 31) -+- Phone CW+ RTTY 160 80 40 30 20+ 17 15 12 10 6

DX de VE1TK: 28460.0 FG5GP his freq
2216Z
FG5GP (Guadeloupe, 94) -+- Phone CW+ RTTY 160 80 40 30+ 20 17 15 12 10 6

DX de VE1TK: 28497.0 EA1CBX cq
2217Z
EA1CBX (Spain, 42) -+- Phone CW+ RTTY 160 80 40 30 20+ 17 15 12 10 6

DX de AA1QD: 50105.0 FG5FR FK96 >>> FN43
2222Z FN43
FG5FR (Guadeloupe, 94) - Phone CW+ RTTY 160 80 40 30+ 20 17 15 12 10 6

DX de K0IZ: 14181.5 VP2MMH QSL VIA GM3TAL
0155Z DM78
VP2MMH (Montserrat, 94) -+- Phone CW+ RTTY 160 80 40 30 20 17 15+ 12 10 6
0149Z
DX de N7TY: 14055.3 SN5M wpx
0258Z
SN5M (SP - Poland, 23) - Phone+ CW RTTY 160 80 40 30 20+ 17 15 12 10 6

DX de NJ1H: 14073.0 VI9NI
0355Z FN42
VI9NI (VK9N - Norfolk I., 235) -+- Phone+ CW RTTY 160 80 40 30 20 17
15+ 12 10 6

DX de K7GSE: 14241.3 UR9MC
0400Z
UR9MC (Ukraine, 16) -+- Phone CW+ RTTY 160 80 40+ 30 20 17 15 12 10 6

DX de K6DGW: 14087.4 EX2M
1920Z CM98
EX2M (Kyrgyzstan, 347) -+- Phone+ CW RTTY 160 80 40 30 20 17+ 15 12 10 6

DX de KQ7W: 21017.8 H7A
1923Z
H7A (YN - Nicaragua, 119) -+- Phone+ CW RTTY 160 80 40 30 20+ 17 15 12
10 6

Dennis N6NG

1741. Re: LoTW Support

Yahoo group: XMLog
Date: 2006-06-01 14:23:37 UTC
From: Michael McCarthy
Topic: 1626 Message: 1741

--- In XMLog@yahoogroups.com, "Mike McAmis" <m.mcamis@...> wrote:
> 1 - Import/Download LoTW data. This menu item allows you to
> download all your LoTW data or optionally all data after a
specified
> date. A report is then produced that compares all the downloaded
> LoTW data against the data in your log - any Zone, State,
> Country, ..., discrepancies are reported.
>
> 2 - Import/Check LoTW Data. This menu item produces the report as
> described above for any downloaded LoTW file.
>
> 3 - Apply LoTW Data to Log. This menu item set the "QSL Received"
> date to the current date and added "LoTW" to the "QSL Via" field.
> It seems that just setting the "QSL Received" to "LoTW" would be a
> simpler way to handle this. I suppose that if the date were
already
> set then it shouldn't be overwritten since this would probably mean
> that you had an actual QSL card on hand. In any scheme like this
> handling cards from multiple sources is a pain (I just don't like
> the idea of multiple date fields).
>
> An implementation problem I'm having concerns section 1 above, the
> Visual Studio runtime doesn't allow me to do the download
> in "asynchronous" mode and as a result XMLog hangs during the
> connection/download. One solution is to use one of several third-
> party Internet support packages available but since they typically
> cost $100-$150 this is another item that has been delaying LoTW
> support for XMLog.
>
> Mike - W1ECT
>
Hi Mike,
Concerning #1 above, why not just use an adif file that LOTW can
create for you. Yes, you have to manually create and download it
from the WEB, but I need to do it manually when I upload LoTW with
new entries anyway.
As for #3, an additional entry in QSL via or notes, maybe an
LoTW+Card is appropriate. I would also not touch the QSL sent date
and use it to flag hard cards sent as well.
Now this brings up another issue. If I have QSL received for LoTW
and send a hard card for other non-LoTW awards, do I sign the QSL
card as Tnx? No, I would want it to say PSE QSL or Tnx eQSL, PSE QSL
Card or something like that. I could probably write a custom label
or even write or stamp the request on the card.
Also, do you have a beta that will allow me to import my 2500+

LoTW QSL's? Doing it by hand is not an option!

Thanks for xmlog and your support,
Mike, W1NR

1742. Re: LoTW Support

Yahoo group: XMLog
Date: 2006-06-01 23:13:34 UTC
From: Mike McAmis
Topic: 1626 Message: 1742

Hi Mike - XMLog will be able to verify/load ADIF LOTW files that were downloaded outside of XMLog. I'm also looking into doing the upload for you as well but this probably won't be in the initial LOTW release. I do have a partially completed test version with the new screen layout and fields. I'm waiting to complete some other projects before I make this available for "pre-beta" evaluation.

Mike - W1ECT

1743. Re: interfacing XMlog with Icom IC-7000

Yahoo group: XMLog
Date: 2006-06-01 23:07:06 UTC
From: Mike McAmis
Topic: 1737 Message: 1743

I'll add the IC-7000 to the next version. Since Icom uses the same basic commands for nearly all of their rigs this means that for now you can pick any Icom rig (except the IC-735 or IC-731) and override the normal rig address with a 70.

Mike - W1ECT

1744. Address labels

Yahoo group: XMLog
Date: 2006-06-03 17:58:08 UTC
From: Craig Bradley
Topic: 1744 Message: 1744

I have recently noticed that some 4-line address from QRZ.com get imported into XMLog ver. 5.19 as a 3-line label. The 3rd line ends up on the end of the 2nd line. This causes the mailing label to print off of the end of the label so that the address extends into the next label and messes up the QSL label.

I found this with GM3TAL and a few others.

Has anyone else seen this problem?

- Craig, AE6RR

[Non-text portions of this message have been removed]

1745. XMLog and IC718

Yahoo group: XMLog
Date: 2006-06-03 18:59:26 UTC
From: k2qmf@juno.com
Topic: 1745 Message: 1745

Hello All,

I have a new Icom IC 718 with the 500 Hz
CW filter installed and a computer interface.
I want to set it up for FD using XMLog.

I am having a strange problem:
when I select a CW packet spot the radio goes
to the frequency and the mode stays on CW however,
the narrow (500Hz) filter switches to wide and the CW-reverse
setting goes back to normal! I like using the rig in the CW-R
setting and I would like the narrow filter to stay selected.

This does not happen if I use Writelog to control the rig. It only
happens with XMLog. I would rather use XMLog if I can...

Any help or suggestions would be very much appreciated...

73, Ted K2QMF

1746. Re: [XMLog] Re: interfacing XMlog with Icom IC-7000

Yahoo group: XMLog
Date: 2006-06-03 19:16:20 UTC
From: Risto Kotalampi
Topic: 1737 Message: 1746

Ok, I think I got it working. I don't know why but in Rig port settings
"Data Mode" had to be set "Data/FSK".

73!

Risto, W6RK

Mike McAmis wrote:
> I'll add the IC-7000 to the next version. Since Icom uses the same
> basic commands for nearly all of their rigs this means that for now
> you can pick any Icom rig (except the IC-735 or IC-731) and override
> the normal rig address with a 70.
>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

1747. Re: [XMLog] XMLog and IC718

Yahoo group: XMLog
Date: 2006-06-04 07:18:16 UTC
From: N7MAL
Topic: 1745 Message: 1747

I would like to make a suggestion based on many years of experience. I use XMLOG as my day-to-day logging program and have for many years. (I have XMLOG tattooed on my,,,,). I am a very, very, active contester and would never consider using XMLOG for any contest including FD. You will be much better/happier using a dedicated contest program. Programs like Writelog, CT, N1MM are designed for easy contest contact entry and easy rig interfacing. CT and N1MM have easy CW interfaces and DVP interfaces. I've never used Writelog but assume because it is a contest logging program it has interfaces.
Additionally dedicated contest logging programs generate the forms necessary to submit to the contest sponsor. Dedicated contest programs will also generate an ADIF file you can import to your master log in XMLOG.
I will be N7MAL 1D AZ during FD, CW only.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: k2qmf@...
To: xmlog@yahoogroups.com
Sent: Saturday, June 03, 2006 18:59
Subject: [XMLog] XMLog and IC718

Hello All,

I have a new Icom IC 718 with the 500 Hz
CW filter installed and a computer interface.
I want to set it up for FD using XMLog.

I am having a strange problem:
when I select a CW packet spot the radio goes
to the frequency and the mode stays on CW however,
the narrow (500Hz) filter switches to wide and the CW-reverse
setting goes back to normal! I like using the rig in the CW-R
setting and I would like the narrow filter to stay selected.

This does not happen if I use Writelog to control the rig. It only
happens with XMLog. I would rather use XMLog if I can...

Any help or suggestions would be very much appreciated...

73, Ted K2QMF

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.8.1/355 - Release Date: 6/2/2006

[Non-text portions of this message have been removed]

1748. Re: [XMLog] XMLog and IC718

Yahoo group: XMLog
Date: 2006-06-04 14:29:47 UTC
From: k2qmf@juno.com
Topic: 1745 Message: 1748

Mal,

You are correct... However, I would still like
to have my IC-718 work correctly with XMLog.......

73, Ted K2QMF

On Sun, 4 Jun 2006 07:18:16 -0000 "N7MAL" <n7mal@...> writes:
> I would like to make a suggestion based on many years of experience.
> I use
> XMLOG as my day-to-day logging program and have for many years. (I
> have
> XMLOG tattooed on my,,,,). I am a very, very, active contester and
> would
> never consider using XMLOG for any contest including FD. You will be
> much
> better/happier using a dedicated contest program. Programs like
> Writelog,
> CT, N1MM are designed for easy contest contact entry and easy rig
> interfacing. CT and N1MM have easy CW interfaces and DVP interfaces.
> I've
> never used Writelog but assume because it is a contest logging
> program it
> has interfaces.
> Additionally dedicated contest logging programs generate the forms
> necessary
> to submit to the contest sponsor. Dedicated contest programs will
> also
> generate an ADIF file you can import to your master log in XMLOG.
> I will be N7MAL 1D AZ during FD, CW only.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz.com/~suzyq/N7mal.htm
> http://geocities.com/n7mal/
> Don't worry about the world coming to an end today.
> It's already tomorrow in Australia
>
> ----- Original Message -----
> From: k2qmf@...
> To: xmlog@yahoogroups.com
> Sent: Saturday, June 03, 2006 18:59
> Subject: [XMLog] XMLog and IC718

>
>
> Hello All,
>
> I have a new Icom IC 718 with the 500 Hz
> CW filter installed and a computer interface.
> I want to set it up for FD using XMLog.
>
> I am having a strange problem:
> when I select a CW packet spot the radio goes
> to the frequency and the mode stays on CW however,
> the narrow (500Hz) filter switches to wide and the CW-reverse
> setting goes back to normal! I like using the rig in the CW-R
> setting and I would like the narrow filter to stay selected.
>
> This does not happen if I use Writelog to control the rig. It
> only
> happens with XMLog. I would rather use XMLog if I can...
>
> Any help or suggestions would be very much appreciated...
>
> 73, Ted K2QMF
>
>
> SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
> Ham radio sales Ham radio outlet
>
>
>

> YAHOO! GROUPS LINKS
>
> a.. Visit your group "XMLog" on the web.
>
> b.. To unsubscribe from this group, send an email to:
> XMLog-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
>
> Service.
>
>
>

>
>
>
>

>

>
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.1.394 / Virus Database: 268.8.1/355 - Release Date:
> 6/2/2006
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~-->
> Get to your groups with one click. Know instantly when new email
> arrives
> http://us.click.yahoo.com/.7bhrC/MGxNAA/yQLSAA/ELTolB/TM
> ----------~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

1749. Re: XMLog and IC718

Yahoo group: XMLog
Date: 2006-06-05 17:37:53 UTC
From: Mike McAmis
Topic: 1745 Message: 1749

Hi Ted - When you double-click on the spot XMLog just sends two commands, one to set the mode and one to set the frequency. Most rigs retain the last settings associated with the approriate mode selection (like the filter and cw reverse) but I guess the IC-718 doesn't. To do what you'd like XMLog would have to send commands to the rig to get the filter/reverse settings before setting to rig mode to CW and then restore the filter/reverse settings if they weren't set to the "default" settings.

Since this would be quite a large change I'd only consider it if it would be appropriate for most/all Icom radios. Maybe other Icom owners could let me know if the filter selection or CW reverse settings are lost when double-clicking on a cluster spot.

Mike - W1ECT

1750. Re: Address labels

Yahoo group: XMLog
Date: 2006-06-05 17:44:44 UTC
From: Mike McAmis
Topic: 1744 Message: 1750

Hi Craig - When I create a new log entry for GM3TAL and do a "Set Address from Callbook" I get a 4-line entry:

MJW HAMILTON
3 CHARLES COURT LIMEKILNS DUNFERMLINE
FIFE KY11 3LG
UK

When you then print a label it trys to put it on 3 lines? Which label layout are you using?

Mike - W1ECT

1751. RE: [XMLog] Re: Address labels

Yahoo group: XMLog
Date: 2006-06-06 04:33:09 UTC
From: Craig Bradley
Topic: 1744 Message: 1751

Hi Mike,

I went back to look at it again. I miss-stated the problem. It is a 4-line vs. 5-line entry.

If I have GM3TAL as the QSL manager (for VP2MMH) and double click it, I get the QRZ.com lookup window with the following:

MJW HAMILTON
3 CHARLES COURT LIMEKILNS

DUNFERMLINE
FIFE KY11 3LG
UK

When I click the Log (Copy address to log entry) button, I get the following in the QSO address windows:

MJW HAMILTON
3 CHARLES COURT LIMEKILNS DUNFERMLINE
FIFE KY11 3LG
UK

This entry overflows the address label on the second line. I am using the standard label.

However, when I go to QRZ.com and view the address, it is in the 4 line format as it is entered in the QSO window. It looks like the QRZ.com lookup window is wrapping the second line on the display. I guess that this is a false alarm. These long addresses are an occasional problem and mess up the labels.

Craig - AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Monday, June 05, 2006 9:45 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Address labels

Hi Craig - When I create a new log entry for GM3TAL and do a "Set Address from Callbook" I get a 4-line entry:

MJW HAMILTON
3 CHARLES COURT LIMEKILNS DUNFERMLINE
FIFE KY11 3LG

UK

When you then print a label it trys to put it on 3 lines? Which label layout are you using?

Mike - W1ECT

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

-----

YAHOO! GROUPS LINKS

* Visit your group "XMLog <http://groups.yahoo.com/group/XMLog> " on the web.

* To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com
<mailto:XMLog-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

1752. Re: [XMLog] Re: XMLog and IC718

Yahoo group: XMLog
Date: 2006-06-06 05:09:30 UTC
From: N7MAL
Topic: 1745 Message: 1752

Mike there is 'no joy' in mudville for the mighty XMLOG has struck out. I wanted to see how my Yaesu MKV handled this problem. The only time I ever use rig control is during a contest and then only to be sure I'm logging on the band I'm xmitting on.
I click on a CW packet spot and the MKV goes to the freq and uses the last selected filter. That's where the fun stops. I went back to listening to the DX window on 75 but my rig didn't change modes. I tried this several times and it is 100% repeatable. I clicked on a 17m spot, the rig went there just fine. I hit the 75m memory button and the rig went to 75m but stayed on CW. XMLOG changes the memory mode and the only way to correct it is to manually change the mode. I tried an SSB spot and it changed my CW memories to SSB. Whatever code you're sending to Yaesu MKV is confusing the radio.....(you do not have an option for MKV's only MP)
Just trying to keep you from being bored..:-)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, June 05, 2006 17:37
Subject: [XMLog] Re: XMLog and IC718

Hi Ted - When you double-click on the spot XMLog just sends two commands, one to set the mode and one to set the frequency. Most rigs retain the last settings associated with the approriate mode selection (like the filter and cw reverse) but I guess the IC-718 doesn't. To do what you'd like XMLog would have to send commands to the rig to get the filter/reverse settings before setting to rig mode to CW and then restore the filter/reverse settings if they weren't set to the "default" settings.

Since this would be quite a large change I'd only consider it if it would be appropriate for most/all Icom radios. Maybe other Icom owners could let me know if the filter selection or CW reverse settings are lost when double-clicking on a cluster spot.

Mike - W1ECT

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "XMLog" on the web.

b.. To unsubscribe from this group, send an email to:
XMLog-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.8.1/355 - Release Date: 6/2/2006

[Non-text portions of this message have been removed]

1753. Station location setup

Yahoo group: XMLog
Date: 2006-06-09 14:24:15 UTC
From: Brian
Topic: 1753 Message: 1753

Hi there. Newbie here... well at least to XMLog.
I got some information from another yahoo group that I belong to, that XMLog was the computer logging program of choice among our users so I am giving it a chance.
The first thing that is going on is setting up my Station information. simply put... it wont! I am confused as to what information I really need. It asks for my Station call "KC9FAV"
Then Operator call "Brian"
Then Latitude I put in 41.146337
Long. -87.86369
I finish with the other information and I get an error. Latitude need to be 0 - 90. So I am thinking Well it IS 47.146.... and I don't get it. I then try Latitude 41'8'56.3 N and 87'51'54 W

Same response 0 - 90. I then lookup my call on Buckmasters and enter for Lat. 41d 8m 56s N and for Long. 87d 51m 54s W

Same response. So what am I doing wrong to keep getting these replies???

I cannot use it until the station setup is right. So I do need some help here please.

Thanks

Brian - KC9FAV

1754. Re: Station location setup

Yahoo group: XMLog
Date: 2006-06-10 14:01:17 UTC
From: Mike McAmis
Topic: 1753 Message: 1754

Hi Brian - Provide the values as "41 08.93 N" and "87 51.90 W"

Mike - W1ECT

1755. Re: Station location setup

Yahoo group: XMLog
Date: 2006-06-10 14:16:07 UTC
From: Brian
Topic: 1753 Message: 1755

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Brian - Provide the values as "41 08.93 N" and "87 51.90 W"
>
> Mike - W1ECT
>

Thank you Mike! That worked out.

Brian - KC9FAV

1756. World Cup

Yahoo group: XMLog
Date: 2006-06-12 23:11:05 UTC
From: John P Smith
Topic: 1756 Message: 1756

I've used XMLOG for years but never ran into this situation. I want to print a list of the Special Event stations I've worked so far. I know how to sort the log and find them, but now I want a hard copy...any suggestions?

73
John KI4RO

1757. Re:[XMLog] World Cup

Yahoo group: XMLog
Date: 2006-06-13 08:22:12 UTC
From: giuseppe.nurrito@libero.it
Topic: 1756 Message: 1757

After you find the selected records export in excel format.
73
Giuseppe
IZ4CCO
---------- Initial Header -----------

From : XMLog@...m
To : XMLog@yahoogroups.com
Cc :
Date : Mon, 12 Jun 2006 23:11:05 -0000
Subject : [XMLog] World Cup

.> I've used XMLOG for years but never ran into this situation. I want to
.> print a list of the Special Event stations I've worked so far. I know
.> how to sort the log and find them, but now I want a hard copy...any
.> suggestions?
.>
.> 73
.> John KI4RO
.>
.>
.>
.>
.>
.>
.>
.>
.> Yahoo! Groups Links
.>
.>
.>
.>
.>
.>
.>

1758. Re:[XMLog] World Cup

Yahoo group: XMLog
Date: 2006-06-13 08:13:55 UTC
From: giuseppe.nurrito@libero.it
Topic: 1756 Message: 1758

I use the field note.
With search and wildcard * i find only wath I nead.

73
Giuseppe
IZ4CCO

---------- Initial Header -----------

From : XMLog@yahoogroups.com
To : XMLog@yahoogroups.com
Cc :
Date : Mon, 12 Jun 2006 23:11:05 -0000
Subject : [XMLog] World Cup

.> I've used XMLOG for years but never ran into this situation. I want to
.> print a list of the Special Event stations I've worked so far. I know
.> how to sort the log and find them, but now I want a hard copy...any
.> suggestions?
.>
.> 73
.> John KI4RO
.>
.>
.>
.>
.>
.>
.>
.>
.> Yahoo! Groups Links
.>
.>
.>
.>
.>
.>
.>

1759. Re:[XMLog] World Cup

Yahoo group: XMLog
Date: 2006-06-13 10:07:16 UTC
From: Dave Sergeant
Topic: 1756 Message: 1759

> .> I've used XMLOG for years but never ran into this situation. I
> want to print a list of the Special Event stations I've worked so
> far. I know how to sort the log and find them, but now I want a
> hard copy...any suggestions? John KI4RO

Far easier than Excel export (which incidently only works if you have
MS Excel installed, not with OpenOffice):

Select the QSOs you want to view.
Click on Display and select short/medium/long as you wish
Click on the 'printer' box then OK.

Done

73 Dave G3YMC

PS Some of us of course try to work as FEW of these World Cup
stations as possible....

http://www.davesergeant.com

1760. Re:[XMLog] World Cup

Yahoo group: XMLog
Date: 2006-06-13 14:33:23 UTC
From: John P Smith
Topic: 1756 Message: 1760

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> > .> I've used XMLOG for years but never ran into this situation. I
> > want to print a list of the Special Event stations I've worked so
> > far. I know how to sort the log and find them, but now I want a
> > hard copy...any suggestions? John KI4RO
>
> Far easier than Excel export (which incidently only works if you
have
> MS Excel installed, not with OpenOffice):
>
> Select the QSOs you want to view.
> Click on Display and select short/medium/long as you wish
> Click on the 'printer' box then OK.
>
> Done
>
> 73 Dave G3YMC
>
Thanks all...worked just fine for what I needed.

73
John KI4RO

> PS Some of us of course try to work as FEW of these World Cup
> stations as possible....
>
>
>
> http://www.davesergeant.com
>

1761. Re: Address labels

Yahoo group: XMLog
Date: 2006-06-13 16:35:33 UTC
From: Mike McAmis
Topic: 1744 Message: 1761

Hi Craig, The data for GM3TAL comes in from QRZ.COM as 4 lines with that long second line. It turns out that the "control" that "DX/Callbook Lookup (Ctrl+L)" uses for displaying this info automatically breaks up long lines into multiple lines - it's not something I do explicitly.

I'm not sure what how these long lines should be handled by label layouts, it seems like there are three choices; 1) Don't change anything 2) Truncate long lines 3) Break up long lines into multiple lines.

Options two and three can be tricky since VB isn't always very good at letting you know how much space text is going to use based on the associated font name and size.

Mike - W1ECT

1762. Re: World Cup

Yahoo group: XMLog
Date: 2006-06-13 16:45:36 UTC
From: Mike McAmis
Topic: 1756 Message: 1762

Hi John, If you don't want to use Excel you can always just use the "Display/Short, Medium, and Long" menu items. Answer "Currently selected log entries" to the prompt and also select "Printer" as one of the destinations. If you don't select "Printer" you can still print the info from the screen display using "File/Print".

Before using the "Display/Short..." menu item you need to select the calls you want to list. You can select these stations with a callsign search key of =D*2006* or even simpler ~2006 assuming you don't have any other calls in your log with 2006 in them.

Mike - W1ECT

1763. RE: [XMLog] Re: Address labels

Yahoo group: XMLog
Date: 2006-06-15 04:58:44 UTC
From: Craig Bradley
Topic: 1744 Message: 1763

Hi Mike,

I see the problem. How about a user set maximum number of characters per line and a warning? When selecting "Add QSL Label to List", the warning could pop up before adding the label. Then the use could manually fix the address lines before printing labels that overflow.

Craig - AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, June 13, 2006 8:36 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Address labels

Hi Craig, The data for GM3TAL comes in from QRZ.COM as 4 lines with that long second line. It turns out that the "control" that "DX/Callbook Lookup (Ctrl+L)" uses for displaying this info automatically breaks up long lines into multiple lines - it's not something I do explicitly.

I'm not sure what how these long lines should be handled by label layouts, it seems like there are three choices; 1) Don't change anything 2) Truncate long lines 3) Break up long lines into multiple lines.

Options two and three can be tricky since VB isn't always very good at letting you know how much space text is going to use based on the associated font name and size.

Mike - W1ECT

[Non-text portions of this message have been removed]

1764. Can't backup log (conventionaly)

Yahoo group: XMLog
Date: 2006-06-15 11:16:28 UTC
From: ad5uu
Topic: 1764 Message: 1764

When i select backup or during the auto backup I get an error "(429)
ActiveX component can't create object".

Anyone have an idea what/where I need to download to get it working
again. I'm sure I somehow must have deleted something during a cleanup
session on my computer.

Using Xmlog 5.22

Thank you
Paul AD5UU

1765. Re: Can't backup log (conventionaly)

Yahoo group: XMLog
Date: 2006-06-19 19:00:19 UTC
From: Mike McAmis
Topic: 1764 Message: 1765

Hi Paul, Can you give me the text that's in the title of the dialog box that's displaying the message?

Mike - W1ECT

> When i select backup or during the auto backup I get an error "(429)
> ActiveX component can't create object".

1766. Re: Can't backup log (conventionaly)

Yahoo group: XMLog
Date: 2006-06-20 09:00:04 UTC
From: ad5uu
Topic: 1764 Message: 1766

Mike,

The title is:
Backup Log

Then an exclamation point in a yellow triangle. Then "Problem occured
while creating backup folder 'C:\mlog\Backups'. [429]..........

Thank you for looking.
Paul AD5uu

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Paul, Can you give me the text that's in the title of the dialog
> box that's displaying the message?
>
> Mike - W1ECT
>
> > When i select backup or during the auto backup I get an
error "(429)
> > ActiveX component can't create object".
>

1767. Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-06-20 15:23:18 UTC
From: Craig Bradley
Topic: 1767 Message: 1767

I am ready to submit for DXCC 20M. I would like to select all of the confirmed (and not accepted) QSOs in the log window so I can find the cards and set the Submitted field. The Worked/Confirmed report lists the QSO that I need, but does not select these Qs in the log window. Is there a way to do this?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

1768. Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-06-21 23:17:36 UTC
From: Mike McAmis
Topic: 1767 Message: 1768

Hi Craig, Doing a search with the QSL Confirmed field set to != and the DXCC Accepted field set to = will select all records with anything in the Confirmed field and also having a blank Confirmed field. Using = alone in a seach field means "match null" and != means "match not null". One of the more subtle (wierd?) XMLog conventions.

Mike - W1ECT

1769. Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-06-21 23:19:32 UTC
From: Mike McAmis
Topic: 1767 Message: 1769

Hi Craig, I forgot to mention that you should set the Frequency field to 20m as part of your search...

Mike - W1ECT

1770. Re: Can't backup log (conventionaly)

Yahoo group: XMLog
Date: 2006-06-21 23:53:41 UTC
From: Mike McAmis
Topic: 1764 Message: 1770

Hi Paul, XMLog is trying to create a "FileSystemObject" which is something that's supplied in the system file scrrun.dll. This file should get installed in your \Windows\System32 folder - check and see if it's there. This file is supposed to be "self-registering", that is, it tells the system about itself the first time you try to use it. Assuming it's where it ought to be perhaps it didn't get registered correctly. You can register it explicitly by selecting the Windows "Start" button and picking "Run" and entering the command

regsvr32 \windows\system32\scrrun.dll

Anyhow, it's worth a try. If that doesn't fix things I don't know what's going on...

Mike - W1ECT

1771. RE: [XMLog] Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-06-22 02:48:51 UTC
From: Craig Bradley
Topic: 1767 Message: 1771

Hi Mike,

I tried that and I get 142 QSOs, I only need 29 to submit. The problem is I get all of the Ws, VEs, JAs, etc. It includes Qs for countries that have be accepted. I would be nice to just get the Qs in the Worked/Confirmed report (preferably only the confirmed), then you could use that list to go find the cards and set the Submit field to generate the submittal form. Some of the other reports end up selecting the Qs in the report, but this one doesn't.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Wednesday, June 21, 2006 3:20 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Selecting DXCC submittals

Hi Craig, I forgot to mention that you should set the Frequency field to 20m as part of your search...

Mike - W1ECT

[Non-text portions of this message have been removed]

1772. Re: Can't backup log (conventionaly)

Yahoo group: XMLog
Date: 2006-06-23 01:34:16 UTC
From: ad5uu
Topic: 1764 Message: 1772

mike,
Bingo, the .dll existed in the wrong place. I copied it to the sys32
folder and then explicitly registered it. It seems to have worked.

Thank you for your help

Paul AD5UU

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Paul, XMLog is trying to create a "FileSystemObject" which is
> something that's supplied in the system file scrrun.dll. This file
> should get installed in your \Windows\System32 folder - check and see
> if it's there. This file is supposed to be "self-registering", that
> is, it tells the system about itself the first time you try to use
> it. Assuming it's where it ought to be perhaps it didn't get
> registered correctly. You can register it explicitly by selecting
the
> Windows "Start" button and picking "Run" and entering the command
>
> regsvr32 \windows\system32\scrrun.dll
>
> Anyhow, it's worth a try. If that doesn't fix things I don't know
> what's going on...
>
> Mike - W1ECT
>

1773. XMLog beta version 5.23

Yahoo group: XMLog
Date: 2006-06-27 20:56:48 UTC
From: Mike McAmis
Topic: 1773 Message: 1773

I've posted version 5.23 of XMLog at www.xmlog.com/beta. This version provides support for K1EL's WinKey 2, his latest CW keyer. This new keyer interfaces to your PC via a USB port rather than a serial port and also works as a stand-alone keyer - for details check www.k1el.com

Mike - W1ECT

1774. Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-06-27 20:59:36 UTC
From: Mike McAmis
Topic: 1767 Message: 1774

Hi Craig, I've just posted a new version at www.xmlog.com/beta. This version allows double-clicking on calls in the Awards/Worked+Confirmed reports and also sets "currently selected" log entries to the calls shown in the report.

Mike - W1ECT

1775. RE: [XMLog] Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-06-28 05:07:10 UTC
From: Craig Bradley
Topic: 1767 Message: 1775

Hi Mike,

Thanks, this is a great feature. However, the there are a couple of problems:

If I run the DXCC Submission Summary for 20M with the Include "accepted" entries checked, I get the report and 146 entries selected in the log window (this looks correct, but I didn't count the confirmed 2 and add them to the confirmed 1 totals).

If I run the same report with out the "accepted" un-checked I get a report with only the confirmed 1 and 2, but I still get the same number of selected entries in the log window, many more than in the report.

If I start the program over and run the DXCC Countries Worked/Confirmed report, it does not select any entries. If I then double click on a call sign in the report, I get a pop up box titled "Move To Entry" that says; "Can't move to this entry because it is not among the selected entries. Would you like to select all entries?" followed by the Yes and No buttons. If I click Yes, then all of the entries in the log are selected and the one that I double clicked is displayed.

I know, I should have been a professional software tester, some people think that I can break anything.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, June 27, 2006 1:00 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Selecting DXCC submittals

Hi Craig, I've just posted a new version at www.xmlog.com/beta. This version allows double-clicking on calls in the Awards/Worked+Confirmed reports and also sets "currently selected" log entries to the calls shown in the report.

Mike - W1ECT

[Non-text portions of this message have been removed]

1776. Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-06-28 18:21:48 UTC
From: Dave Sergeant
Topic: 1776 Message: 1776

Montenegro has today been accepted as 192nd member of the United Nations as reported by Reuters so has met the requirements for a seperate DXCC. It is even rumoured that it will count from tomorrow June 29th. In due course it will be allocated a new prefix, E6 has been suggested, in the meantime YU6, YT6, 4N6 and 4O6 will count as Montenegro.

What do we need to do to the XMLog country files to get it to recognise the new DXCC from the qualifying date (and those before it to remain as Serbia/Montenegro)?

Should be a few exciting days!!

73 Dave G3YMC

http://www.davesergeant.com

1777. Re: [XMLog] Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-06-29 01:05:06 UTC
From: Michael McCarthy
Topic: 1776 Message: 1777

The ARRL announced that contacts from Montenegro
starting June 28 (today) count!

Mike, W1NR

--- Dave Sergeant <dave@...> wrote:

> Montenegro has today been accepted as 192nd member
> of the United
> Nations as reported by Reuters so has met the
> requirements for a
> seperate DXCC. It is even rumoured that it will
> count from tomorrow
> June 29th. In due course it will be allocated a new
> prefix, E6 has
> been suggested, in the meantime YU6, YT6, 4N6 and
> 4O6 will count as
> Montenegro.
>
> What do we need to do to the XMLog country files to
> get it to
> recognise the new DXCC from the qualifying date (and
> those before it
> to remain as Serbia/Montenegro)?
>
> Should be a few exciting days!!
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1778. Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-06-29 14:43:49 UTC
From: Mike McAmis
Topic: 1776 Message: 1778

When we hear the official prefix assignment I'll post a new beta version but those of you who want to add the "un-official" prefixes now can edit your prefix definition file. Use an editor like WordPad to open the file "prefixes" in your XMLog install folder (usually c:\mlog). Scroll down past the two-line entry for E4/Palestine and add these two lines:

E6,Montenegro,EU,15,[43.8/-19.2],,
E6,YT6,YU6,4N6,4O6,!,

I'd like to wait and see what the ADIF index will be before I post a new XMLog version but if they don't assign one promptly I'll go ahead and post one without the ADIF number and post yet another version with the ADIF info.

Don't edit out the "Montenegro" from "Serbia and Montenegro" until we see what the DXCC decides to do. Who knows, they may add Serbia as a new country and make Serbia and Montenegro a deleted country.

Mike - W1ECT

1779. Re: [XMLog] Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-06-29 15:08:58 UTC
From: Dave Sergeant
Topic: 1776 Message: 1779

Thanks Mike. I had already gone ahead and edited it in as YU6 as the E6 is apparantly only a rumour at the moment. You should also include YZ6 in the list of prefixes. I have already edited out the 'Montenegro' from 'Serbia and Montenegro', I can always put it back again...

I have two prefix files, prefixes and prefixes.new in my installation folder which appear identical. Is prefixes.new redundant?

Now all I need to do is to hear some of these chaps and work them. No activity heard yet!

73 Dave G3YMC

On 29 Jun 2006 at 14:43, Mike McAmis wrote:

> When we hear the official prefix assignment I'll post a new beta
> version but those of you who want to add the "un-official" prefixes
> now can edit your prefix definition file. Use an editor like WordPad
> to open the file "prefixes" in your XMLog install folder (usually
> c:\mlog). Scroll down past the two-line entry for E4/Palestine and
> add these two lines:
>
> E6,Montenegro,EU,15,[43.8/-19.2],,
> E6,YT6,YU6,4N6,4O6,!,
>
> I'd like to wait and see what the ADIF index will be before I post a
> new XMLog version but if they don't assign one promptly I'll go ahead
> and post one without the ADIF number and post yet another version with
> the ADIF info.
>
> Don't edit out the "Montenegro" from "Serbia and Montenegro" until we
> see what the DXCC decides to do. Who knows, they may add Serbia as a
> new country and make Serbia and Montenegro a deleted country.

http://www.davesergeant.com

1780. Fw: ARLD026 Montenegro is newest ARRL DXCC entity

Yahoo group: XMLog
Date: 2006-06-29 19:13:23 UTC
From: N7MAL
Topic: 1780 Message: 1780

Here's the ARRL official announcement......

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: W1AW Mailing List

SB DX @ ARL $ARLD026
ARLD026 Montenegro is newest ARRL DXCC entity

ZCZC AE26
QST de W1AW
DX Bulletin 26 ARLD026
From ARRL Headquarters
Newington CT June 29, 2006
To all radio amateurs

SB DX ARL ARLD026
ARLD026 Montenegro is newest ARRL DXCC entity

A new ARRL DXCC entity has come into being! As expected, the United Nations admitted the Republic of Montenegro as its 192nd member June 28, and that action automatically makes the tiny Balkan nation the 336th current DXCC entity.

"According to the ARRL DXCC List criteria, entities on the UN list of member-states qualify as political entities," said ARRL Membership Services Manager Wayne Mills, N7NG. "Therefore, effective June 28, 2006 (UTC), ARRL has added The Republic of Montenegro to the DXCC List. Claims for DXCC credit will be accepted immediately."

Current Montenegrin radio amateurs reportedly may continue using their YU/YT/YZ/4O/4N-prefix call signs until the International Telecommunication Union designates a new call sign block for the new country.

In anticipation of Montenegro's new nation status, the International DX Festival Montenegro, with information on the web at, http://www.yu6scg.cg.yu/international-dx-festival.html, has been set for July 20 until August 12. That's when several international operators will join forces with Montenegrin Amateur Radio operators

from at least three different stations using a common call sign in an effort to meet the DX community's need to work the newest DXCC Entity. Festival organizers have set the ambitious goal of 200,000 contacts for the event, which will use all HF bands.

Montenegro declared its independence on June 3 following a national referendum May 21.
NNNN
/EX

[Non-text portions of this message have been removed]

1781. Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-06-30 22:01:32 UTC
From: Mike McAmis
Topic: 1776 Message: 1781

Hi Dave, prefixes.new is an unused file that's left over from the
install process...

Mike - W1ECT

> I have two prefix files, prefixes and prefixes.new in my
> installation folder which appear identical.
> Is prefixes.new redundant?

1782. bug with saving the station info?

Yahoo group: XMLog
Date: 2006-07-03 22:27:40 UTC
From: Risto Kotalampi
Topic: 1782 Message: 1782

I have xmlog 5.23 and this is what is happening:

I press Ctrl-A to add a new logging. It shows the "Station Info" OK (taken from my Station Info). I type the rest of the data in and press enter/or click "Add". In some cases my "Station Info" saves properly and in some cases it doesn't. I am using the station info to track operating from different QTHs so it's important to have that stored, too. Anyone seen this behavior?

I have my "Use Default for Entries" selected and also "Get FQ/Mode from rig" (they populate fine).

73!

Risto, W6RK

1783. Montenegro

Yahoo group: XMLog
Date: 2006-07-04 04:06:50 UTC
From: Kevin Nathan
Topic: 1783 Message: 1783

Hi Mike and All,

I just worked YU6DZ for the first QSO for me with this new one. I saw the other day when you said how to edit the countries file Mike but lost the message. If you wouldn't mind too much, please tell me how to edit my file to add this country. I also need to change this entry from country unknown to the new one after I do that.

Thanks very much for your help. Very 73.

Kevin :)
Amateur Radio: K7RX

[Non-text portions of this message have been removed]

1784. Re: [XMLog] Montenegro

Yahoo group: XMLog
Date: 2006-07-04 14:11:50 UTC
From: N7HIY
Topic: 1783 Message: 1784

search old posts

Cliff N7HIY

----- Original Message -----
From: Kevin Nathan
To: xmlog@yahoogroups.com
Sent: Monday, July 03, 2006 21:06 PM
Subject: [XMLog] Montenegro

Hi Mike and All,

I just worked YU6DZ for the first QSO for me with this new one. I saw the other day when you said how to edit the countries file Mike but lost the message. If you wouldn't mind too much, please tell me how to edit my file to add this country. I also need to change this entry from country unknown to the new one after I do that.

Thanks very much for your help. Very 73.

Kevin :)
Amateur Radio: K7RX

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1785. Re: [XMLog] Montenegro

Yahoo group: XMLog
Date: 2006-07-04 17:14:24 UTC
From: D.W. Jones
Topic: 1783 Message: 1785

Kevin -

Here is the post that I think you wanted.

When we hear the official prefix assignment I'll post a new beta
version but those of you who want to add the "un-official" prefixes
now can edit your prefix definition file. Use an editor like
WordPad to open the file "prefixes" in your XMLog install folder
(usually c:\mlog). Scroll down past the two-line entry for
E4/Palestine and add these two lines:

E6,Montenegro,

EU,15,[43.8/-19.2],,
E6,YT6,YU6,4N6,4O6,!,

I'd like to wait and see what the ADIF index will be before I post a
new XMLog version but if they don't assign one promptly I'll go
ahead and post one without the ADIF number and post yet another
version with the ADIF info.

Don't edit out the "Montenegro" from "Serbia and Montenegro" until
we see what the DXCC decides to do. Who knows, they may add Serbia
as a new country and make Serbia and Montenegro a deleted country.

Mike - W1ECT

73 - Don N4TN

Kevin Nathan wrote:

> Hi Mike and All,
>
> I just worked YU6DZ for the first QSO for me with this new one. I saw
> the other day when you said how to edit the countries file Mike but
> lost the message. If you wouldn't mind too much, please tell me how to
> edit my file to add this country. I also need to change this entry
> from country unknown to the new one after I do that.
>
> Thanks very much for your help. Very 73.
> --------------------
> Kevin :)
> Amateur Radio: K7RX
>
> [Non-text portions of this message have been removed]
>

>

[Non-text portions of this message have been removed]

1786. Re: [XMLog] Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-07-04 18:45:42 UTC
From: Steve Litwins
Topic: 1776 Message: 1786

Hi Mike;
Hope ur 4th is great.
Sri abt this...but...I made the changes u suggested into the prefixes file. When I went to look in mlog folder there were two (2) prefixes files, one just prefixes and the other prefixes.new. I modified them both (using v.5.22). Then went to 'view-show dxcc country list' and no new E6 country is shown. I used notepad to modify both files. I'm using XP. When I hover the mouse pointer over each one, one says 'Type:new file (22.3kb)', the other says 'Type: file(23.4kb)'. I am wondering why "view-show dxcc country list" is not up-dated and why I have two prefixes files. Which file is supposed to feed the "view-show dxcc countries list" display? I am only asking u cuz I don't want to do something stupid and the program is running just great! 73/dx
steve, k8wk
****
----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Thursday, June 29, 2006 9:43 AM
Subject: [XMLog] Re: Montenegro new DXCC imminent

> When we hear the official prefix assignment I'll post a new beta
> version but those of you who want to add the "un-official" prefixes
> now can edit your prefix definition file. Use an editor like
> WordPad to open the file "prefixes" in your XMLog install folder
> (usually c:\mlog). Scroll down past the two-line entry for
> E4/Palestine and add these two lines:
>
> E6,Montenegro,EU,15,[43.8/-19.2],,
> E6,YT6,YU6,4N6,4O6,!,
>
> I'd like to wait and see what the ADIF index will be before I post a
> new XMLog version but if they don't assign one promptly I'll go
> ahead and post one without the ADIF number and post yet another
> version with the ADIF info.
>
> Don't edit out the "Montenegro" from "Serbia and Montenegro" until
> we see what the DXCC decides to do. Who knows, they may add Serbia
> as a new country and make Serbia and Montenegro a deleted country.
>
> Mike - W1ECT
>
>
>
>

>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1787. Re: [XMLog] Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-07-04 19:16:31 UTC
From: Dave Sergeant
Topic: 1776 Message: 1787

On 4 Jul 2006 at 13:45, Steve Litwins wrote:

> Hi Mike;
> Hope ur 4th is great.
> Sri abt this...but...I made the changes u suggested into the prefixes
> file. When I went to look in mlog folder there were two (2) prefixes
> files, one just prefixes and the other prefixes.new. I modified them
> both (using v.5.22). Then went to 'view-show dxcc country list' and
> no new E6 country is shown. I used notepad to modify both files.

Mike already answered your first question in a previous post. The
.new file is left over from the installation process and is unused,
you may safely delete it.

Did you have XMLog running while you were making the changes? You
should do it after exiting the program and it will only see the
changes after you restart it. I assume you did actually SAVE the
prefix file after you had changed it.

I did the change last week (I have actually called Montenegro YU6 as
the E6 is only what it is rumoured it might be) and it works just
fine. Montenegro shows under View/ShowDXCC... and it recognises all
the YU6 prefixes when I add QSOs - I worked YT6T the other day.

73 Dave G3YMC

http://www.davesergeant.com

1788. Re: [XMLog] Montenegro

Yahoo group: XMLog
Date: 2006-07-04 19:03:24 UTC
From: Kevin Nathan
Topic: 1783 Message: 1788

That was. thanks so very much and very 73.

Kevin :)
Amateur Radio: K7RX

----- Original Message -----
From: D.W. Jones
To: XMLog@yahoogroups.com
Sent: Tuesday, July 04, 2006 10:14
Subject: Re: [XMLog] Montenegro

Kevin -

Here is the post that I think you wanted.

When we hear the official prefix assignment I'll post a new beta
version but those of you who want to add the "un-official" prefixes
now can edit your prefix definition file. Use an editor like
WordPad to open the file "prefixes" in your XMLog install folder
(usually c:\mlog). Scroll down past the two-line entry for
E4/Palestine and add these two lines:

E6,Montenegro,

EU,15,[43.8/-19.2],,
E6,YT6,YU6,4N6,4O6,!,

I'd like to wait and see what the ADIF index will be before I post a
new XMLog version but if they don't assign one promptly I'll go
ahead and post one without the ADIF number and post yet another
version with the ADIF info.

Don't edit out the "Montenegro" from "Serbia and Montenegro" until
we see what the DXCC decides to do. Who knows, they may add Serbia
as a new country and make Serbia and Montenegro a deleted country.

Mike - W1ECT

73 - Don N4TN

Kevin Nathan wrote:

> Hi Mike and All,
>
> I just worked YU6DZ for the first QSO for me with this new one. I saw
> the other day when you said how to edit the countries file Mike but
> lost the message. If you wouldn't mind too much, please tell me how to

> edit my file to add this country. I also need to change this entry
> from country unknown to the new one after I do that.
>
> Thanks very much for your help. Very 73.
> --------------------
> Kevin :)
> Amateur Radio: K7RX
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1789. Re: [XMLog] Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-07-04 20:59:26 UTC
From: Steve Litwins
Topic: 1776 Message: 1789

Yer right on all counts Dave. I just sent Mike a duuhh reply...sri for the wasted time. Brain was just not in gear this morning. Have fun...73/dx
steve, k8wk
****
----- Original Message -----
From: "Dave Sergeant" <dave@...>
To: <XMLog@yahoogroups.com>
Sent: Tuesday, July 04, 2006 2:16 PM
Subject: Re: [XMLog] Re: Montenegro new DXCC imminent

> On 4 Jul 2006 at 13:45, Steve Litwins wrote:
>
>> Hi Mike;
>> Hope ur 4th is great.
>> Sri abt this...but...I made the changes u suggested into the prefixes
>> file. When I went to look in mlog folder there were two (2) prefixes
>> files, one just prefixes and the other prefixes.new. I modified them
>> both (using v.5.22). Then went to 'view-show dxcc country list' and
>> no new E6 country is shown. I used notepad to modify both files.
>
> Mike already answered your first question in a previous post. The
> .new file is left over from the installation process and is unused,
> you may safely delete it.
>
> Did you have XMLog running while you were making the changes? You
> should do it after exiting the program and it will only see the
> changes after you restart it. I assume you did actually SAVE the
> prefix file after you had changed it.
>
> I did the change last week (I have actually called Montenegro YU6 as
> the E6 is only what it is rumoured it might be) and it works just
> fine. Montenegro shows under View/ShowDXCC... and it recognises all
> the YU6 prefixes when I add QSOs - I worked YT6T the other day.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
>
>
>
> Yahoo! Groups Links
>
>
>

>
>

1790. Re: [XMLog] Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-07-04 21:27:01 UTC
From: Michael McCarthy
Topic: 1776 Message: 1790

You should remember that if you add a primary prefix
(Say E6) and later it changes, then you may have to go
back and change the country code for each QSO!

Mike, W1NR

--- Steve Litwins <litwins@...> wrote:

> Yer right on all counts Dave. I just sent Mike a
> duuhh reply...sri for the
> wasted time. Brain was just not in gear this
> morning. Have fun...73/dx
> steve, k8wk
> *********
> ----- Original Message -----
> From: "Dave Sergeant" <dave@...>
> To: <XMLog@yahoogroups.com>
> Sent: Tuesday, July 04, 2006 2:16 PM
> Subject: Re: [XMLog] Re: Montenegro new DXCC
> imminent
>
>
> > On 4 Jul 2006 at 13:45, Steve Litwins wrote:
> >
> >> Hi Mike;
> >> Hope ur 4th is great.
> >> Sri abt this...but...I made the changes u
> suggested into the prefixes
> >> file. When I went to look in mlog folder there
> were two (2) prefixes
> >> files, one just prefixes and the other
> prefixes.new. I modified them
> >> both (using v.5.22). Then went to 'view-show
> dxcc country list' and
> >> no new E6 country is shown. I used notepad to
> modify both files.
> >
> > Mike already answered your first question in a
> previous post. The
> > .new file is left over from the installation
> process and is unused,
> > you may safely delete it.
> >
> > Did you have XMLog running while you were making
> the changes? You
> > should do it after exiting the program and it will

> only see the
> > changes after you restart it. I assume you did
> actually SAVE the
> > prefix file after you had changed it.
> >
> > I did the change last week (I have actually called
> Montenegro YU6 as
> > the E6 is only what it is rumoured it might be)
> and it works just
> > fine. Montenegro shows under View/ShowDXCC... and
> it recognises all
> > the YU6 prefixes when I add QSOs - I worked YT6T
> the other day.
> >
> > 73 Dave G3YMC
> >
> > http://www.davesergeant.com
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1791. RE: [XMLog] bug with saving the station info?

Yahoo group: XMLog
Date: 2006-07-05 15:11:17 UTC
From: Craig Bradley
Topic: 1782 Message: 1791

I have occasionally seen this happen in my log. I usually do not have the Station Info fields turned on, so it is not obvious. Sometimes the program cannot look up the logged station's address, etc. in QRZ.com (I think that my DSL modem sometimes loses sync because of RFI). I wonder if that would cause XMLog to abort filling in fields?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Risto Kotalampi
Sent: Monday, July 03, 2006 2:28 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] bug with saving the station info?

I have xmlog 5.23 and this is what is happening:

I press Ctrl-A to add a new logging. It shows the "Station Info" OK (taken from my Station Info). I type the rest of the data in and press enter/or click "Add". In some cases my "Station Info" saves properly and in some cases it doesn't. I am using the station info to track operating from different QTHs so it's important to have that stored, too. Anyone seen this behavior?

I have my "Use Default for Entries" selected and also "Get FQ/Mode from rig" (they populate fine).

73!

Risto, W6RK

[Non-text portions of this message have been removed]

1792. Re: bug with saving the station info?

Yahoo group: XMLog
Date: 2006-07-05 16:07:27 UTC
From: Mike McAmis
Topic: 1782 Message: 1792

Hi Risto, I think I've found the problem and I'll post the change soon (I'd like to wait until we find out what the official prefix for Montenegro will be but if this takes too long I'll post a version without this change).

Mike - W1ECT

1793. Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-07-05 22:56:59 UTC
From: Mike McAmis
Topic: 1776 Message: 1793

Hi, What I'll do is something I've done in the past. Let's assume we all use E6 for now and when the official prefix comes along if it's something other than E6 my official "Montenegro" version will automatically update any E6 entries...

Mike - W1ECT

> You should remember that if you add a primary prefix
> (Say E6) and later it changes, then you may have to go
> back and change the country code for each QSO!
>
> Mike, W1NR
>

1794. RE: [XMLog] Re: Montenegro new DXCC imminent

Yahoo group: XMLog
Date: 2006-07-06 03:11:44 UTC
From: Craig Bradley
Topic: 1776 Message: 1794

Hi Mike,

I worked E51JD (ZK1JD) the other day and it might be good to add that prefix too. Apparently, they will not have a special prefix for the N. Cook Is., bummer.

Craig - AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Wednesday, July 05, 2006 2:57 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Montenegro new DXCC imminent

Hi, What I'll do is something I've done in the past. Let's assume we all use E6 for now and when the official prefix comes along if it's something other than E6 my official "Montenegro" version will automatically update any E6 entries...

Mike - W1ECT

> You should remember that if you add a primary prefix
> (Say E6) and later it changes, then you may have to go
> back and change the country code for each QSO!
>
> Mike, W1NR
>

[Non-text portions of this message have been removed]

1795. RE: [XMLog] Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-07-06 03:12:25 UTC
From: Craig Bradley
Topic: 1767 Message: 1795

Mike,

Did you see this post last week?

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Tuesday, June 27, 2006 9:07 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Selecting DXCC submittals

Hi Mike,

Thanks, this is a great feature. However, the there are a couple of problems:

If I run the DXCC Submission Summary for 20M with the Include "accepted" entries checked, I get the report and 146 entries selected in the log window (this looks correct, but I didn't count the confirmed 2 and add them to the confirmed 1 totals).

If I run the same report with out the "accepted" un-checked I get a report with only the confirmed 1 and 2, but I still get the same number of selected entries in the log window, many more than in the report.

If I start the program over and run the DXCC Countries Worked/Confirmed report, it does not select any entries. If I then double click on a call sign in the report, I get a pop up box titled "Move To Entry" that says; "Can't move to this entry because it is not among the selected entries. Would you like to select all entries?" followed by the Yes and No buttons. If I click Yes, then all of the entries in the log are selected and the one that I double clicked is displayed.

I know, I should have been a professional software tester, some people think that I can break anything.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of Mike

McAmis
Sent: Tuesday, June 27, 2006 1:00 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Selecting DXCC submittals

Hi Craig, I've just posted a new version at www.xmlog.com/beta. This version allows double-clicking on calls in the Awards/Worked+Confirmed reports and also sets "currently selected" log entries to the calls shown in the report.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1796. Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-07-07 14:38:08 UTC
From: Mike McAmis
Topic: 1767 Message: 1796

Hi Craig, The changes I described are not available in the currently posted versions. They were added to version 5.23 which will be available soon.

Mike - W1ECT

1797. RE: [XMLog] Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-07-08 18:22:29 UTC
From: Craig Bradley
Topic: 1767 Message: 1797

Hi Mike,

I am currently running version 5.23. You must mean 5.24.

I will watch for the posting.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, July 07, 2006 7:38 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Selecting DXCC submittals

Hi Craig, The changes I described are not available in the currently posted versions. They were added to version 5.23 which will be available soon.

Mike - W1ECT

[Non-text portions of this message have been removed]

1798. Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-07-09 23:44:05 UTC
From: Mike McAmis
Topic: 1767 Message: 1798

OK Craig, Sorry for the confusion and you're right, I've already posted version 5.23 which was supposed to select the log records appearing for QSOs appearing the Awards/Worked+Confirmed report. Unfortunately it wasn't selecting all of them. The fix will be included in 5.24

Mike - W1ECT

1799. RE: [XMLog] Re: Selecting DXCC submittals

Yahoo group: XMLog
Date: 2006-07-10 00:15:50 UTC
From: Craig Bradley
Topic: 1767 Message: 1799

Thanks Mike,

73,

Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Sunday, July 09, 2006 3:44 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Selecting DXCC submittals

OK Craig, Sorry for the confusion and you're right, I've already posted version 5.23 which was supposed to select the log records appearing for QSOs appearing the Awards/Worked+Confirmed report. Unfortunately it wasn't selecting all of them. The fix will be included in 5.24

Mike - W1ECT

[Non-text portions of this message have been removed]

1800. XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-10 20:49:42 UTC
From: k2qmf@juno.com
Topic: 1800 Message: 1800

Hello All,

I am sure most of you know how to do this but
I need a bit of help...

I would like to upload my XMLog log file to LoTW.

How do I do that ???

Many Thanks in advance...

73, Ted K2QMF

1801. Re: [XMLog] XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-10 22:36:31 UTC
From: Risto Kotalampi
Topic: 1800 Message: 1801

1) Export ADIF
2) Open TrustedQSL and sign the file, you will get tq8 file
3) upload/email the tq8 file to LOTW

I'd love to see one button upload directly from LOTW but the steps above
works fine, too, just requires couple of extra clicks.

73!

Risto, W6RK

k2qmf@... wrote:
> Hello All,
>
> I am sure most of you know how to do this but
> I need a bit of help...
>
> I would like to upload my XMLog log file to LoTW.
>
> How do I do that ???
>
> Many Thanks in advance...
>
> 73, Ted K2QMF
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

1802. Re: [XMLog] XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-11 00:22:47 UTC
From: k2qmf@juno.com
Topic: 1800 Message: 1802

Hi Risto,

Many Thanks for that info..
I am familiar with steps 2 and 3...

It is number 1 (Export ADIF) that has me confused!!
And I get confused kinda easy...

73, Ted K2QMF

On Mon, 10 Jul 2006 15:36:31 -0700 Risto Kotalampi <risto@...>
writes:
>
>
> 1) Export ADIF
> 2) Open TrustedQSL and sign the file, you will get tq8 file
> 3) upload/email the tq8 file to LOTW
>
> I'd love to see one button upload directly from LOTW but the steps
> above
> works fine, too, just requires couple of extra clicks.
>
> 73!
>
> Risto, W6RK
>
> k2qmf@... wrote:
> > Hello All,
> >
> > I am sure most of you know how to do this but
> > I need a bit of help...
> >
> > I would like to upload my XMLog log file to LoTW.
> >
> > How do I do that ???
> >
> > Many Thanks in advance...
> >
> > 73, Ted K2QMF
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >

> >
> >
> >
> >
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

1803. Re: [XMLog] XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-11 01:17:46 UTC
From: Kevin Nathan
Topic: 1800 Message: 1803

Hi Ted,

To achieve step 1, first hit the search button on the main screen. In the date box I think you can type >and the beginning date of your log. Then, click the search button. You should see a status line at the bottom of the page that will show something like 1 of *** where *** is the total amount of entries in the log. Now, click the import menu and then export to adif file. You will see a box that says which entries and it should be defaulted to all selected which is what you just did. Tell it the name of the file and you should be able to create the adif file. Then, you are on to the other steps in the process.

I hope this helps a little. Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

----- Original Message -----
From: k2qmf@...
To: XMLog@yahoogroups.com
Cc: XMLog@yahoogroups.com
Sent: Monday, July 10, 2006 17:22
Subject: Re: [XMLog] XMLog and LoTW?

Hi Risto,

Many Thanks for that info..
I am familiar with steps 2 and 3...

It is number 1 (Export ADIF) that has me confused!!
And I get confused kinda easy...

73, Ted K2QMF

On Mon, 10 Jul 2006 15:36:31 -0700 Risto Kotalampi <risto@...>
writes:
>
>
> 1) Export ADIF
> 2) Open TrustedQSL and sign the file, you will get tq8 file
> 3) upload/email the tq8 file to LOTW
>
> I'd love to see one button upload directly from LOTW but the steps
> above
> works fine, too, just requires couple of extra clicks.
>
> 73!
>
> Risto, W6RK

>
> k2qmf@... wrote:
> > Hello All,
> >
> > I am sure most of you know how to do this but
> > I need a bit of help...
> >
> > I would like to upload my XMLog log file to LoTW.
> >
> > How do I do that ???
> >
> > Many Thanks in advance...
> >
> > 73, Ted K2QMF
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

[Non-text portions of this message have been removed]

1804. Import ADIF options, v5.22

Yahoo group: XMLog
Date: 2006-07-11 05:34:59 UTC
From: Dave Sergeant
Topic: 1804 Message: 1804

The current versions have changed the way you import ADIF logs into XMLog (import/import ADIF File) in that now you have to check and approve no less than 4 screens before you get to the one where you select the file to import. As somebody who imports ADIF all the time I find this most annoying and is a big backward step compared with the single screen you got with the v4 versions. When I import I always want all the defaults, I don't want to have to go through this rigmarole every single time.

Apologies if this has been raised before, have only just updated to v5.

73 Dave G3YMC

http://www.davesergeant.com

1805. /MM logging

Yahoo group: XMLog
Date: 2006-07-11 15:09:26 UTC
From: Craig Bradley
Topic: 1804 Message: 1805

Mike,

I worked a /MM station last night on BPSK31. The station was YO4FPF/MM. When I logged the Q in XMLog, the country field was filled with a '?', as is should for a MM station. I looked up his lat. and long. and filled in the Grid field with RN50. All of this was OK. Then I ran an Awards/Grids/Grids Worked/Confirmed report for 2 character grids and Data, the Q did not show in the report. If I set the country field to Romania, the Q does show in the report. However, I do not want to log the Q this way as he was not in the country. It appears that XMLog will not put Qs in the Grid reports if the country is not filled in.

I am working on the new CQ DX Field Award and MM stations count for grid fields in this award. As about 2/3 of the field grids of the world are water, this is a good thing and finally allows MM stations to be used for an award.

Is this an easy fix? I don't know if countries are needed for other grid type awards. I only need this for the 2-digit reports.

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

1806. Re: /MM logging

Yahoo group: XMLog
Date: 2006-07-12 01:24:42 UTC
From: Mike McAmis
Topic: 1804 Message: 1806

Hi Craig, The "prefix" field is really geared to DXCC tracking where /MM stations don't count so filling in a country there will give you inappropriate totals for the various DXCC tracking reports.

Having a ? in this field should not affect the grid tracking reports. Dunno what gets counted for this new award - are the grid tracking reports good enough?

Mike - W1ECT

1807. RE: [XMLog] Re: /MM logging

Yahoo group: XMLog
Date: 2006-07-12 07:38:39 UTC
From: Craig Bradley
Topic: 1804 Message: 1807

Hi Mike,

The new CQ DX Field Award is based on the 2-digit grid squares (CM, DM, etc.), there are 324 in the world and you need 50 for the basic award. See http://www.cq-amateur-radio.com/cqfieldaward.html for more info on the award. MM stations do count for this award if you get their location confirmed, this is good because over 2/3 of the Earth is water.

The grid reports are good for this award, although a few tracking fields like the other awards would be good. I have used the 2-digit report to get the basic award with 72 field squares confirmed. I first exported my whole log as ADIF, then created a new log and imported the ADIF having all of the QSO looked up on QRZ.com. This filled in many of the grid fields. Then I ran the grid report for 2-digit grids. I was even able to save the report and import it into Excel to make my own submission form. Try running the report on your log; you will probably qualify for the award. I currently have 84 worked and 79 confirmed. The next award level is at 100 confirmed. Honor roll is at or above 175.

The problem is though that the MM QSOs do not appear in the grid reports as the Country (prefix) field is not filled in. Is there some way to get the grid reports (at least the 2-digit one) to ignore this field (or make it an option for the report). I don't know if any other grid type awards need the country, but the Field Award does not.

Thanks for adding the 2-digit report and the QRZ.com grid lookup features in the past. That helped allot.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, July 11, 2006 5:25 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: /MM logging

Hi Craig, The "prefix" field is really geared to DXCC tracking where /MM stations don't count so filling in a country there will give you inappropriate totals for the various DXCC tracking reports.

Having a ? in this field should not affect the grid tracking reports. Dunno what gets counted for this new award - are the grid tracking reports good enough?

Mike - W1ECT

[Non-text portions of this message have been removed]

1808. Re: [XMLog] XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-14 00:23:22 UTC
From: k2qmf@juno.com
Topic: 1800 Message: 1808

Hi Kevin,

Many Thanks for the info...

73, Ted K2QMF

On Mon, 10 Jul 2006 18:17:46 -0700 "Kevin Nathan" <k7rx@...>
writes:
> Hi Ted,
>
> To achieve step 1, first hit the search button on the main screen.
> In the date box I think you can type >and the beginning date of your
> log. Then, click the search button. You should see a status line
> at the bottom of the page that will show something like 1 of ***
> where *** is the total amount of entries in the log. Now, click the
> import menu and then export to adif file. You will see a box that
> says which entries and it should be defaulted to all selected which
> is what you just did. Tell it the name of the file and you should
> be able to create the adif file. Then, you are on to the other
> steps in the process.
>
> I hope this helps a little. Good luck and very 73.
> --------------------
> Kevin :)
> Amateur Radio: K7RX
>
> ----- Original Message -----
> From: k2qmf@...
> To: XMLog@yahoogroups.com
> Cc: XMLog@yahoogroups.com
> Sent: Monday, July 10, 2006 17:22
> Subject: Re: [XMLog] XMLog and LoTW?
>
>
> Hi Risto,
>
> Many Thanks for that info..
> I am familiar with steps 2 and 3...
>
> It is number 1 (Export ADIF) that has me confused!!
> And I get confused kinda easy...
>
> 73, Ted K2QMF
>
> On Mon, 10 Jul 2006 15:36:31 -0700 Risto Kotalampi
> <risto@...>

> writes:
> >
> >
> > 1) Export ADIF
> > 2) Open TrustedQSL and sign the file, you will get tq8 file
> > 3) upload/email the tq8 file to LOTW
> >
> > I'd love to see one button upload directly from LOTW but the
> steps
> > above
> > works fine, too, just requires couple of extra clicks.
> >
> > 73!
> >
> > Risto, W6RK
> >
> > k2qmf@... wrote:
> > > Hello All,
> > >
> > > I am sure most of you know how to do this but
> > > I need a bit of help...
> > >
> > > I would like to upload my XMLog log file to LoTW.
> > >
> > > How do I do that ???
> > >
> > > Many Thanks in advance...
> > >
> > > 73, Ted K2QMF
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >

> >
> >
> >
> >
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~-->
> Yahoo! Groups gets a make over. See the new email design.
> http://us.click.yahoo.com/XISQkA/lOaOAA/yQLSAA/ELTolB/TM
> ---~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

1809. Re: [XMLog] XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-14 01:24:46 UTC
From: Kevin Nathan
Topic: 1800 Message: 1809

Did it help?

Kevin :)
Amateur Radio: K7RX

----- Original Message -----
From: k2qmf@...
To: XMLog@yahoogroups.com
Sent: Thursday, July 13, 2006 17:23
Subject: Re: [XMLog] XMLog and LoTW?

Hi Kevin,

Many Thanks for the info...

73, Ted K2QMF

On Mon, 10 Jul 2006 18:17:46 -0700 "Kevin Nathan" <k7rx@...>
writes:
> Hi Ted,
>
> To achieve step 1, first hit the search button on the main screen.
> In the date box I think you can type >and the beginning date of your
> log. Then, click the search button. You should see a status line
> at the bottom of the page that will show something like 1 of ***
> where *** is the total amount of entries in the log. Now, click the
> import menu and then export to adif file. You will see a box that
> says which entries and it should be defaulted to all selected which
> is what you just did. Tell it the name of the file and you should
> be able to create the adif file. Then, you are on to the other
> steps in the process.
>
> I hope this helps a little. Good luck and very 73.
> ---
> Kevin :)
> Amateur Radio: K7RX
>
> ----- Original Message -----
> From: k2qmf@...
> To: XMLog@yahoogroups.com
> Cc: XMLog@yahoogroups.com
> Sent: Monday, July 10, 2006 17:22
> Subject: Re: [XMLog] XMLog and LoTW?
>
>
>
> Hi Risto,

>
> Many Thanks for that info..
> I am familiar with steps 2 and 3...
>
> It is number 1 (Export ADIF) that has me confused!!
> And I get confused kinda easy...
>
> 73, Ted K2QMF
>
> On Mon, 10 Jul 2006 15:36:31 -0700 Risto Kotalampi
> <risto@...>
> writes:
> >
> >
> > 1) Export ADIF
> > 2) Open TrustedQSL and sign the file, you will get tq8 file
> > 3) upload/email the tq8 file to LOTW
> >
> > I'd love to see one button upload directly from LOTW but the
> steps
> > above
> > works fine, too, just requires couple of extra clicks.
> >
> > 73!
> >
> > Risto, W6RK
> >
> > k2qmf@... wrote:
> > > Hello All,
> > >
> > > I am sure most of you know how to do this but
> > > I need a bit of help...
> > >
> > > I would like to upload my XMLog log file to LoTW.
> > >
> > > How do I do that ???
> > >
> > > Many Thanks in advance...
> > >
> > > 73, Ted K2QMF
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >

> > >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ---------------------~-->
> Yahoo! Groups gets a make over. See the new email design.
> http://us.click.yahoo.com/XISQkA/lOaOAA/yQLSAA/ELTolB/TM
> --~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

[Non-text portions of this message have been removed]

1810. Re: [XMLog] XMLog and LoTW?

Yahoo group: XMLog
Date: 2006-07-14 14:58:13 UTC
From: k2qmf@juno.com
Topic: 1800 Message: 1810

Hi Kevin,

Yes it worked great!!! Many Thanks..

73, Ted K2QMF

On Thu, 13 Jul 2006 18:24:46 -0700 "Kevin Nathan" <k7rx@...>
writes:
> Did it help?
> --------------------
> Kevin :)
> Amateur Radio: K7RX
>
> ----- Original Message -----
> From: k2qmf@...
> To: XMLog@yahoogroups.com
> Sent: Thursday, July 13, 2006 17:23
> Subject: Re: [XMLog] XMLog and LoTW?
>
>
> Hi Kevin,
>
> Many Thanks for the info...
>
> 73, Ted K2QMF
>
> On Mon, 10 Jul 2006 18:17:46 -0700 "Kevin Nathan"
> <k7rx@...>
> writes:
> > Hi Ted,
> >
> > To achieve step 1, first hit the search button on the main
> screen.
> > In the date box I think you can type >and the beginning date of
> your
> > log. Then, click the search button. You should see a status line
>
> > at the bottom of the page that will show something like 1 of ***
>
> > where *** is the total amount of entries in the log. Now, click
> the
> > import menu and then export to adif file. You will see a box
> that
> > says which entries and it should be defaulted to all selected
> which
> > is what you just did. Tell it the name of the file and you

> should
> > be able to create the adif file. Then, you are on to the other
> > steps in the process.
> >
> > I hope this helps a little. Good luck and very 73.
> > --------------------
> > Kevin :)
> > Amateur Radio: K7RX
> >
> > ----- Original Message -----
> > From: k2qmf@...
> > To: XMLog@yahoogroups.com
> > Cc: XMLog@yahoogroups.com
> > Sent: Monday, July 10, 2006 17:22
> > Subject: Re: [XMLog] XMLog and LoTW?
> >
> >
> > Hi Risto,
> >
> > Many Thanks for that info..
> > I am familiar with steps 2 and 3...
> >
> > It is number 1 (Export ADIF) that has me confused!!
> > And I get confused kinda easy...
> >
> > 73, Ted K2QMF
> >
> > On Mon, 10 Jul 2006 15:36:31 -0700 Risto Kotalampi
> > <risto@...>
> > writes:
> > >
> > >
> > > 1) Export ADIF
> > > 2) Open TrustedQSL and sign the file, you will get tq8 file
> > > 3) upload/email the tq8 file to LOTW
> > >
> > > I'd love to see one button upload directly from LOTW but the
> > steps
> > > above
> > > works fine, too, just requires couple of extra clicks.
> > >
> > > 73!
> > >
> > > Risto, W6RK
> > >
> > > k2qmf@... wrote:
> > > > Hello All,
> > > >
> > > > I am sure most of you know how to do this but
> > > > I need a bit of help...

> > > >
> > > > I would like to upload my XMLog log file to LoTW.
> > > >
> > > > How do I do that ???
> > > >
> > > > Many Thanks in advance...
> > > >
> > > > 73, Ted K2QMF
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> > >
> > >
> > > ---------- Yahoo! Groups Sponsor
> > > ----------~-->
> > > Yahoo! Groups gets a make over. See the new email design.
> > > http://us.click.yahoo.com/XISQkA/lOaOAA/yQLSAA/ELTolB/TM
> > > ----------~->
> >
> > >
> > >
> > >

> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------ Yahoo! Groups Sponsor
> ----------------------~-->
> Check out the new improvements in Yahoo! Groups email.
> http://us.click.yahoo.com/6pRQfA/fOaOAA/yQLSAA/ELTolB/TM
> ---~->

>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

1811. Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-16 04:00:59 UTC
From: waltw1
Topic: 1811 Message: 1811

Greetings, from Atlanta,

I'm currently using XMLog, with great success, to print qsl labels that I paste to my cards. As I am close to ordering some new cards, my plan is to finish the front with some nice artwork and put the qsl info on the back. Instead of using a self-adhesive label, I want to run the cards through my printer and print all the info directly on the back of the card.

Does anyone use XMLog to do this? If someone does, would you like to share the print parameters that have to be entered in a custom format? I've been playing around with the program trying to set up a custom layout, but not with a lot of success.

My qsl cards are the standard 3.5" X 5.5" size. I sure would appreciate any help or suggestions for setting the printer up to print a box on the back.

Thanks, in advance.

Walt Woron KJ4HE

1812. Re: [XMLog] Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-16 11:50:06 UTC
From: D.W. Jones
Topic: 1811 Message: 1812

Walt -

I do that. I am not sure that my techniques are perfect but I will be glad to share what I have with you.

It is early on Sunday morning and I am still half asleep, but I will do my best today to post some screen shots
and QSL scans on my web site for you. If I don't get back to you by this evening, please ring my chimes by
e-mail (senility is rampant here).

73 - Don Jones N4TN
Kingsport, TN

waltw1 wrote:

> Greetings, from Atlanta,
>
> I'm currently using XMLog, with great success, to print qsl labels
> that I paste to my cards. As I am close to ordering some new cards,
> my plan is to finish the front with some nice artwork and put the qsl
> info on the back. Instead of using a self-adhesive label, I want to
> run the cards through my printer and print all the info directly on
> the back of the card.
>
> Does anyone use XMLog to do this? If someone does, would you like to
> share the print parameters that have to be entered in a custom
> format? I've been playing around with the program trying to set up a
> custom layout, but not with a lot of success.
>
> My qsl cards are the standard 3.5" X 5.5" size. I sure would
> appreciate any help or suggestions for setting the printer up to
> print a box on the back.
>
> Thanks, in advance.
>
> Walt Woron KJ4HE
>
>

[Non-text portions of this message have been removed]

1813. Re: Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-16 19:06:51 UTC
From: Mike McAmis
Topic: 1811 Message: 1813

Hi Walt, I print directly on my cards. I use a layout based on "Demo-Card-4 Info" which is set up for printing on a card that looks like "Demo-Card-4".

The biggest problem I found was that my Canon ink-jet printer can't print on glossy stock - the ink collects into tiny beads that don't dry and smear all over everywhere. I now have cards using a non-glossy stock which works fine.

Mike - W1ECT

1814. RE: [XMLog] Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-16 20:18:07 UTC
From: Jim Henry
Topic: 1811 Message: 1814

I also print directly on to my QSL card. The method I use is to export the cards flagged for QSL to Excel then use Word to create a merged document. Its quite easy. Once the relevant documents are set up a few clicks on the mouse produces a printed card.

Hope this helps.

73 de Jim, GI0DVU
Lisburn, County Antrim
www.qsl.net/gi0dvu

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of D.W. Jones
Sent: 16 July 2006 11:50
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Printing qsl info on back of card

Walt -

I do that. I am not sure that my techniques are perfect but I will be glad to share what I have with you.

It is early on Sunday morning and I am still half asleep, but I will do my best today to post some screen shots
and QSL scans on my web site for you. If I don't get back to you by this evening, please ring my chimes by
e-mail (senility is rampant here).

73 - Don Jones N4TN
Kingsport, TN

waltw1 wrote:

> Greetings, from Atlanta,
>
> I'm currently using XMLog, with great success, to print qsl labels
> that I paste to my cards. As I am close to ordering some new cards,
> my plan is to finish the front with some nice artwork and put the qsl
> info on the back. Instead of using a self-adhesive label, I want to
> run the cards through my printer and print all the info directly on
> the back of the card.
>
> Does anyone use XMLog to do this? If someone does, would you like to
> share the print parameters that have to be entered in a custom
> format? I've been playing around with the program trying to set up a

> custom layout, but not with a lot of success.
>
> My qsl cards are the standard 3.5" X 5.5" size. I sure would
> appreciate any help or suggestions for setting the printer up to
> print a box on the back.
>
> Thanks, in advance.
>
> Walt Woron KJ4HE
>
>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1815. Re: Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-16 20:48:17 UTC
From: waltw1
Topic: 1811 Message: 1815

Thanks, Mike, but I was about to send an e-mail to you when I saw your post.

I guess that what I am looking for is a layout that I can use as a template. And I think that I may have found one ....DEMO-CARD-4. But I haven't figured out how to delete the black overprint on your layout. If I do that and remove the yellow backround, I pretty much have what I want. And I can show my station equipment, too.

Can tou help?

Thanks.

Walt KJ4HE

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Walt, I print directly on my cards. I use a layout based on "Demo-
> Card-4 Info" which is set up for printing on a card that looks
> like "Demo-Card-4".
>
> The biggest problem I found was that my Canon ink-jet printer can't
> print on glossy stock - the ink collects into tiny beads that don't
> dry and smear all over everywhere. I now have cards using a non-
> glossy stock which works fine.
>
> Mike - W1ECT
>

1816. xmlog.com

Yahoo group: XMLog
Date: 2006-07-18 03:39:09 UTC
From: Dennis Jacobson
Topic: 1816 Message: 1816

What happened to the www.xmlog.com page? Been trying all day
and can't seem to connect. Does Mike have it down?
73
Dennis N6NG

1817. Re: [XMLog] xmlog.com

Yahoo group: XMLog
Date: 2006-07-18 03:58:40 UTC
From: N7MAL
Topic: 1816 Message: 1817

It's working perfectly here....

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups.com
Sent: Tuesday, July 18, 2006 3:39
Subject: [XMLog] xmlog.com

What happened to the www.xmlog.com page? Been trying all day
and can't seem to connect. Does Mike have it down?
73
Dennis N6NG

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/389 - Release Date: 7/14/2006

[Non-text portions of this message have been removed]

1818. RE: [XMLog] xmlog.com

Yahoo group: XMLog
Date: 2006-07-18 04:12:04 UTC
From: Craig Bradley
Topic: 1816 Message: 1818

It's up now.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Dennis Jacobson
Sent: Monday, July 17, 2006 7:39 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] xmlog.com

What happened to the www.xmlog.com page? Been trying all day
and can't seem to connect. Does Mike have it down?
73
Dennis N6NG

[Non-text portions of this message have been removed]

1819. Re: Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-18 04:44:36 UTC
From: John P Smith
Topic: 1811 Message: 1819

Okay, I give up, what's DEMO-CARD-4?

73
John

Do you Yahoo!?
Next-gen email? Have it all with the all-new Yahoo! Mail Beta.

[Non-text portions of this message have been removed]

1820. Working again

Yahoo group: XMLog
Date: 2006-07-18 05:11:37 UTC
From: Dennis Jacobson
Topic: 1820 Message: 1820

Yep... No sooner had I sent the message and I tried it
and it worked just fine. Oh well..
Thanks
Dennis N6NG

1821. Re: [XMLog] Re: Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-18 11:30:04 UTC
From: GerryC
Topic: 1811 Message: 1821

> Okay, I give up, what's DEMO-CARD-4?

One of the demo QSL layouts provided with XMLog.

Click Options / QSL Labels Layout
Select Use Custom QSL Layout and scroll down the list to select DemoCard4
Click Custom
Click Modify
Click Preview to view a aample on screen
or
Click Print Test to print a sample

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/390 - Release Date: 7/17/2006

1822. Re: [XMLog] Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-18 12:38:22 UTC
From: D.W. Jones
Topic: 1811 Message: 1822

Mike -

Several folks have asked for the layout data for the "label" that
I print on the reverse side of my own QSL. I wonder if you can suggest
a convenient way for users to swap their QSL label layouts (with other
users) without the recipient having to manually enter every line of the
layout data?

I have Access on my machine and I can see that possibly the layout data
could be copied from the database (beginning at the header and
continuing to the end of the layout) and e-mailed to another XMLOG user.
But I suspect that many users do not have Access installed and I do not
know how they would otherwise be able to insert this data directly into
their
Layout database. (And I do not know if this would work anyway!)

I suppose there is no real answer to this, but if you have any ideas I would
like to hear them.

Thanks and 73 - Don N4TN

waltw1 wrote:

> Greetings, from Atlanta,
>
> I'm currently using XMLog, with great success, to print qsl labels
> that I paste to my cards. As I am close to ordering some new cards,
> my plan is to finish the front with some nice artwork and put the qsl
> info on the back. Instead of using a self-adhesive label, I want to
> run the cards through my printer and print all the info directly on
> the back of the card.
>
> Does anyone use XMLog to do this? If someone does, would you like to
> share the print parameters that have to be entered in a custom
> format? I've been playing around with the program trying to set up a
> custom layout, but not with a lot of success.
>
> My qsl cards are the standard 3.5" X 5.5" size. I sure would
> appreciate any help or suggestions for setting the printer up to
> print a box on the back.
>
> Thanks, in advance.
>
> Walt Woron KJ4HE
>
>

[Non-text portions of this message have been removed]

1823. selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-18 13:31:21 UTC
From: radio_k4rv@peoplepc.com
Topic: 1823 Message: 1823

In XMLog I have created several custom QSL labels. How do I select the one I intend to use?

The same one of my custom labels always prints, but I would like to use another.

Thanks
Tom K4RV

[Non-text portions of this message have been removed]

1824. Re: [XMLog] selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-18 13:54:38 UTC
From: GerryC
Topic: 1823 Message: 1824

> In XMLog I have created several custom QSL labels. How do I select the one I intend to use?
>
> The same one of my custom labels always prints, but I would like to use another.

Click Options / QSL Labels Layout
Select Use Custom QSL Layout and scroll down the list to select the desired layout.
Click Save.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/390 - Release Date: 7/17/2006

1825. Re: Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-18 14:14:53 UTC
From: Mike McAmis
Topic: 1811 Message: 1825

Hi Don, In regards to exchanging label layouts you are certainly on the right track. Since all the info is saved in an Access database there isn't any convienient way to exchange this data. Folk familiar with Access can use it to move the data between two copies of the layouts.mdb file but be sure to save your original copy before diddling. One thing to remember when diddling any XMLog database with Access - NEVER answer yes to that "do you want to convert?" message. When you answer no you will see a message saying you can't update the database, but what it really means is that you can't update the structure of the database - you can add/delete/edit records.

I suppose the "right" way to do this would be adding export/import menu items for layouts but I don't think there would be enough interest to justify the effort.

Mike - W1ECT

> Mike -
>
> Several folks have asked for the layout data for the "label" that
> I print on the reverse side of my own QSL. I wonder if you can
> suggest a convenient way for users to swap their QSL label
> layouts (with other users) without the recipient having to
> manually enter every line of the layout data?
>
> I have Access on my machine and I can see that possibly the
> layout data could be copied from the database (beginning at
> the header and continuing to the end of the layout) and
> e-mailed to another XMLOG user. But I suspect that many users
> do not have Access installed and I do not know how they would
> otherwise be able to insert this data directly into their
> Layout database. (And I do not know if this would work anyway!)
>
> I suppose there is no real answer to this, but if you have any
> ideas I would like to hear them.
>
> Thanks and 73 - Don N4TN
>

1826. Hacking Demo-card-4

Yahoo group: XMLog
Date: 2006-07-18 14:37:33 UTC
From: Mike McAmis
Topic: 1826 Message: 1826

Hi, Here's some guidelines on how to make changes to the Demo-Card-4 labels layout.

First, you don't want to hack the original so make your own copy of the layout:

Select "Options/QSL Labels Layout"
Click on the "Custom" button
Use the drop-down selector to pick "Demo-Card-4"
Click on the "Copy" button and supply a name
Use the drop-down selector to pick your new layout
Click on "Modify"

Now for the tedious part... The idea for Demo-Card-4 was that it was to be the layout for your QSL card printer and then when you had the cards in hand you would use Demo-Card-4-Info to print on the cards. Now if you want to use Demo-Card-4 to print your own cards plus the info the first thing you want to do is get rid of that yellow background color for the card and for all the fields. First click on the "Color" button and then click on the white square and then click on "OK" - this changes the background color for areas of the card that aren't covered by any defined fields. Now you need to change the background color for each defined field - this means selecting each line in the layout that defines a data or text field and then clicking on the "Modify" button in the "Layout Fields" box. Some of these text fields are used to create black areas on the card, you'll find that these fields have both the foreground and background set to black so leave these as is. The other text fields should have thier background color set to white.

As I said, the process is quite tedious but in the end you should be able to get what you need (but not what you want?).

Mike - W1ECT

1827. "Entity" update

Yahoo group: XMLog
Date: 2006-07-18 14:53:58 UTC
From: witstock7
Topic: 1827 Message: 1827

Is there any plan to have an updated version with the new "entity"
changes any time soon?

Nelson, K8DJC

1828. Re: /MM logging

Yahoo group: XMLog
Date: 2006-07-18 14:57:09 UTC
From: Mike McAmis
Topic: 1804 Message: 1828

Hi Craig, As you have discovered XMLog doesn't include QSOs with a prefix of "?" in any awards report. This action has roots that reach back to the original DOS versions that only handled DXCC award tracking. I looked into changing the awards tracking such that this filtering only was applied to DXCC but I found that this had an unpleasant side-effect. Since QSOs with a ? prefix got ignored it has become a common way to keep QSOs in your log that may be for busted calls, "not in log", etc. I must admit that these QSOs should proabably be deleted but most folk (including myself) are reluctant to do this. As a result when I fiddled with turning off this filter for non-DXCC awards I wound up having these "busted" QSOs included in the reports.

I can't see any easy way out here. In your case I think you can probably get by if you edit your /MM QSOs and update them to have the appropriate prefix if you remember that these will show up in your DXCC reports.

Mike - W1ECT

1829. Re: "Entity" update

Yahoo group: XMLog
Date: 2006-07-18 15:00:19 UTC
From: Mike McAmis
Topic: 1827 Message: 1829

Hi Nelson, Tell you what - if we don't hear anything official by next Monday I'll go with E6 and post it then. I've already got some code ready that would update the log if a different prefix gets assigned but hopefully this won't be required.

Mike - W1ECT

>
> Is there any plan to have an updated version with the new "entity"
> changes any time soon?
>
> Nelson, K8DJC
>

1830. Individual e-mails for each XMLog posting?

Yahoo group: XMLog
Date: 2006-07-18 15:06:30 UTC
From: Mike McAmis
Topic: 1830 Message: 1830

Here's a note for recent members of the XMLog news group. If you would rather get a single e-mail that contains all the days postings go to groups.yahoo.com/group/XMLog, click on "Edit Membership" and select "Daily Digest" under the "Message Delivery" options.

Mike - W1ECT

1831. Re: [XMLog] Re: "Entity" update

Yahoo group: XMLog
Date: 2006-07-18 15:43:23 UTC
From: Nelson Wittstock
Topic: 1827 Message: 1831

Sounds good to me. This way when the expeditions get going I can log whatever the propagation will allow.

Thanks Mike.

Nelson, K8 Distinguished Junque Collector

1832. RE: [XMLog] Re: /MM logging

Yahoo group: XMLog
Date: 2006-07-18 15:53:29 UTC
From: Craig Bradley
Topic: 1804 Message: 1832

Hi Mike,

Thanks for checking this out. How about allowing some code to be put in the Country field that is not a real DXCC "country", but a pseudo code? As MM is taken, we would have to use something else. Any chance that this might work? If they show up in the DXCC reports, they would be for a bogus country.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, July 18, 2006 6:57 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: /MM logging

Hi Craig, As you have discovered XMLog doesn't include QSOs with a prefix of "?" in any awards report. This action has roots that reach back to the original DOS versions that only handled DXCC award tracking. I looked into changing the awards tracking such that this filtering only was applied to DXCC but I found that this had an unpleasant side-effect. Since QSOs with a ? prefix got ignored it has become a common way to keep QSOs in your log that may be for busted calls, "not in log", etc. I must admit that these QSOs should proabably be deleted but most folk (including myself) are reluctant to do this. As a result when I fiddled with turning off this filter for non-DXCC awards I wound up having these "busted" QSOs included in the reports.

I can't see any easy way out here. In your case I think you can probably get by if you edit your /MM QSOs and update them to have the appropriate prefix if you remember that these will show up in your DXCC reports.

Mike - W1ECT

[Non-text portions of this message have been removed]

1833. Re: [XMLog] Re: Printing qsl info on back of card

Yahoo group: XMLog
Date: 2006-07-18 16:40:51 UTC
From: D.W. Jones
Topic: 1811 Message: 1833

Mike -

I think that you are already doing it the right way - I would not change a thing about the structure.

My experience has been that while it is a little confusing at first to learn how to create or modify the layouts, it definitely is worth the effort.

I now order my QSLs printed only on one side with no mailing address or QSO information shown. I periodically select the QSOs in XMLOG that need to be QSLed, stick a stack of cards in the printer, and let it rip. I print the entire
reverse (non-glossy) side with the QSO info (up to 5 QSOs), my address, any QSL VIA info (for the bureau), my rig info, awards, county, grid square, personal history and all that other stuff that no one wants to see (except me).
It is a fun tool and a really great feature of XMLOG.

I thank you for it.

73 - Don N4TN

Mike McAmis wrote:

> .....
>
> I suppose the "right" way to do this would be adding export/import
> menu items for layouts but I don't think there would be enough
> interest to justify the effort.
>
> Mike - W1ECT
>
> .
> ._,___

[Non-text portions of this message have been removed]

1834. Re: [XMLog] selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-18 20:43:47 UTC
From: radio_k4rv@peoplepc.com
Topic: 1823 Message: 1834

Gerry, W3GER,

Thanks for your response.

I have 3 custom QSL labels; A, B, and C
When I click options / qsl labels layout
scroll down and select C, A prints.
When I click options / qsl labels layout
scroll down and select B, A prints.

A always prints no matter what other custom format I select.

There must be another problem.

Thank you, though.

73
Tom K4RV

No matter how many times I try as you directed
----- Original Message -----
From: GerryC
To: XMLog@yahoogroups.com
Sent: Tuesday, July 18, 2006 9:54 AM
Subject: Re: [XMLog] selecting QSL label to print

> In XMLog I have created several custom QSL labels. How do I select the
one I intend to use?
>
> The same one of my custom labels always prints, but I would like to use
another.

Click Options / QSL Labels Layout
Select Use Custom QSL Layout and scroll down the list to select the desired
layout.
Click Save.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/390 - Release Date: 7/17/2006

No virus found in this incoming message.
Checked by AVG Free Edition.

Version: 7.1.394 / Virus Database: 268.10.1/390 - Release Date: 7/17/2006

[Non-text portions of this message have been removed]

1835. Re: [XMLog] selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-19 14:02:36 UTC
From: GerryC
Topic: 1823 Message: 1835

> There must be another problem.

I don't know what it could be. Sorry, Tom.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/391 - Release Date: 7/18/2006

1836. Re: selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-19 15:04:24 UTC
From: Mike McAmis
Topic: 1823 Message: 1836

Hi Gerry, One thing to remember is that the layout is associated with a label when you add the label to the list of labels waiting to be printed. If you select a new layout it does not affect the labels that are already waiting to be printed.

It is possible to hack this this list of labels waiting to be printed, they are saved in a file named "labels.out" and this file can be edited with a simple text editor like WordPad. You'll see that each block of info for a label contains a line "Layout=xxx".

Mike - W1ECT

1837. Re: [XMLog] selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-19 15:56:44 UTC
From: GerryC
Topic: 1823 Message: 1837

> There must be another problem.

Hi Tom--

I guess you've seen Mike's recent response on this. I guess I was presupposing that after you SAVE a custom layout you start a new label list, but perhaps I was mistaken in that. If it's still the same label list, edit in the desired layout.name.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/391 - Release Date: 7/18/2006

1838. Re: [XMLog] selecting QSL label to print

Yahoo group: XMLog
Date: 2006-07-19 21:37:52 UTC
From: radio_k4rv@peoplepc.com
Topic: 1823 Message: 1838

Thanks, Guys!

Mike's analysis solved my problem.

(1) Labels/ erase QSL Label List

(2) then save the wanted label configuration

(3) then select a new list of labels by any available means

after I did the above it all worked just fine.

Thanks again / 73
Tom K4RV

----- Original Message -----
From: GerryC
To: XMLog@yahoogroups.com
Sent: Wednesday, July 19, 2006 11:56 AM
Subject: Re: [XMLog] selecting QSL label to print

> There must be another problem.

Hi Tom--

I guess you've seen Mike's recent response on this. I guess I was
presupposing that after you SAVE a custom layout you start a new label list,
but perhaps I was mistaken in that. If it's still the same label list, edit
in the desired layout.name.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/391 - Release Date: 7/18/2006

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.1/391 - Release Date: 7/18/2006

[Non-text portions of this message have been removed]

1839. Version 5.24

Yahoo group: XMLog
Date: 2006-07-24 17:31:46 UTC
From: Mike McAmis
Topic: 1839 Message: 1839

I've just posted version 5.24 at www.xmlog.com/beta

This version includes a couple of bug fixes and adds Montenegro (E6)
and Swain's Island (KH8/S) to the DXCC list. If Montenegro is
assigned a prefix other than E6 by the ITU a later version of XMLog
will be posted that will automatically update your logs.

Mike - W1ECT

1840. RE: [XMLog] Version 5.24

Yahoo group: XMLog
Date: 2006-07-25 15:06:41 UTC
From: Craig Bradley
Topic: 1839 Message: 1840

Hi Mike,

Thanks for the new version.

A couple of comments:

1. How about adding E5 for the Cook Islands? This is official and
E51CG and E551JD are QRV.
2. Regarding the /MM grid report issue, could we use a deleted entry
prefix (how about *MM)?
3. The DXCC Submission report selects all of the "accepted" entries in
the QSO window whether or not the "Include accepted entries in report" box
is checked. The report is correct.

Thanks for the continued support.

73,

- Craig

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike
McAmis
Sent: Monday, July 24, 2006 9:32 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Version 5.24

I've just posted version 5.24 at www.xmlog.com/beta

This version includes a couple of bug fixes and adds Montenegro (E6)
and Swain's Island (KH8/S) to the DXCC list. If Montenegro is
assigned a prefix other than E6 by the ITU a later version of XMLog
will be posted that will automatically update your logs.

Mike - W1ECT

[Non-text portions of this message have been removed]

1841. Re: [XMLog] Version 5.24

Yahoo group: XMLog
Date: 2006-07-26 19:59:53 UTC
From: Dan Shepherd
Topic: 1839 Message: 1841

Mike,
Thanks for all the hard work guy.

I have found a bug (I think) in the 5.24 version.
When I edit an entry for a YU contact made before the
new prefix went into affect, XMLog changes it from
Serbia & Montenegro to just Serbia. The total DXCC
count does not change but it changes the country name.

Thanks es 73
Dan, N8IE

--- Mike McAmis <w1ect@...> wrote:

> I've just posted version 5.24 at www.xmlog.com/beta
>
> This version includes a couple of bug fixes and adds
> Montenegro (E6)
> and Swain's Island (KH8/S) to the DXCC list. If
> Montenegro is
> assigned a prefix other than E6 by the ITU a later
> version of XMLog
> will be posted that will automatically update your
> logs.
>
> Mike - W1ECT
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1842. Re: Version 5.24 bug

Yahoo group: XMLog
Date: 2006-07-27 17:16:26 UTC
From: Mike McAmis
Topic: 1839 Message: 1842

Hi Dan, I'm glad you found this problem so quickly. I've posted a fix at www.xmlog.com/beta (version 5.25). Any entries that were improperly updated can be fixed by selecting the entry, choosing Modify, and then OK (no editing required).

Mike - W1ECT

> I have found a bug (I think) in the 5.24 version.
> When I edit an entry for a YU contact made before the
> new prefix went into affect, XMLog changes it from
> Serbia & Montenegro to just Serbia. The total DXCC
> count does not change but it changes the country name.

1843. SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-28 09:09:52 UTC
From: N7MAL
Topic: 1843 Message: 1843

A few minutes ago KH8SI was spotted. XMLOG showed it to be Am Samoa and I had many contacts. I edited the country/call to make KH8SI Swain. The next spot showed no QSO's. In other words I think that means XMLOG is working perfectly. (I'm using ver 5.24)
Good job Mike.....tks

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

1844. RE: [XMLog] SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-28 15:03:10 UTC
From: Craig Bradley
Topic: 1843 Message: 1844

Are you sure that this was not a pirate? They haven't arrived yet.

According to the Daily DX they left at 2330Z on Thursday and expect 24 for the trip and 6 hours to setup. http://www.dailydx.com <http://www.dailydx.com/> ."

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Friday, July 28, 2006 1:10 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] SWAIN works perfectly

A few minutes ago KH8SI was spotted. XMLOG showed it to be Am Samoa and I had many contacts. I edited the country/call to make KH8SI Swain. The next spot showed no QSO's. In other words I think that means XMLOG is working perfectly. (I'm using ver 5.24)
Good job Mike.....tks

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm
http://geocities. <http://geocities.com/n7mal/> com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1845. Re: [XMLog] SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-28 19:28:58 UTC
From: N7MAL
Topic: 1843 Message: 1845

Well Craig I don't think anyone has yet to design software to tell whether or not a DX spot was a pirate or not. I wanted to be sure that when KH8SI was spotted it came up as Swain. I wish they would have used a different call because when I right-click on KH8SI I already have had 8 contacts when there was an xpedition there a year ago.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Friday, July 28, 2006 15:03
Subject: RE: [XMLog] SWAIN works perfectly

Are you sure that this was not a pirate? They haven't arrived yet.

According to the Daily DX they left at 2330Z on Thursday and expect 24 for the trip and 6 hours to setup. http://www.dailydx.com <http://www.dailydx.com/> ."

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Friday, July 28, 2006 1:10 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] SWAIN works perfectly

A few minutes ago KH8SI was spotted. XMLOG showed it to be Am Samoa and I had many contacts. I edited the country/call to make KH8SI Swain. The next spot showed no QSO's. In other words I think that means XMLOG is working perfectly. (I'm using ver 5.24)
Good job Mike.......tks

MAL
N7MAL
BULLHEAD CITY, AZ

http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm
http://geocities. <http://geocities.com/n7mal/> com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.4/402 - Release Date: 7/27/2006

[Non-text portions of this message have been removed]

1846. Re: SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-29 00:34:11 UTC
From: Mike McAmis
Topic: 1843 Message: 1846

Since Swain's doesn't have any officially "unique" callsigns XMLog won't automatically guess callsigns for this DXCC country. Be sure to do a "View/Show Callsign List" and add KH6SI as Swain's I. (KH8/S).

Watch the DX bulletins for other Swains's I. callsigns that should also be added to the callsign list. While checking your favorite bulletin also look for other prefixes that fall into this category such as 3D2 (Fiji, Rotuma, Conway), E51 (N. and S. Cook), FO (Austral, Marquesas, ...), VP8 (Orkney, Shetlands, ...), and of course all the TO callsigns that get assigned to various French pacific DX-peditions.

Mike - W1ECT

1847. Re: [XMLog] Re: SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-29 00:51:00 UTC
From: Steve Litwins
Topic: 1843 Message: 1847

Hi Mike;
Is there a way to do that with v5.22? Edit the callsign list I mean? 73/dx
steve, k8wk
****

----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Friday, July 28, 2006 7:34 PM
Subject: [XMLog] Re: SWAIN works perfectly

> Since Swain's doesn't have any officially "unique" callsigns XMLog
> won't automatically guess callsigns for this DXCC country. Be sure to
> do a "View/Show Callsign List" and add KH6SI as Swain's I. (KH8/S).
>
> Watch the DX bulletins for other Swains's I. callsigns that should
> also be added to the callsign list. While checking your favorite
> bulletin also look for other prefixes that fall into this category
> such as 3D2 (Fiji, Rotuma, Conway), E51 (N. and S. Cook), FO (Austral,
> Marquesas, ...), VP8 (Orkney, Shetlands, ...), and of course all the
> TO callsigns that get assigned to various French pacific DX-peditions.
>
> Mike - W1ECT
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1848. RE: [XMLog] SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-29 01:45:37 UTC
From: Craig Bradley
Topic: 1843 Message: 1848

OK,

From your posting I thought that you had logged them (for real).

Good luck,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Friday, July 28, 2006 11:29 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] SWAIN works perfectly

Well Craig I don't think anyone has yet to design software to tell whether or not a DX spot was a pirate or not. I wanted to be sure that when KH8SI was spotted it came up as Swain. I wish they would have used a different call because when I right-click on KH8SI I already have had 8 contacts when there was an xpedition there a year ago.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm
http://geocities. <http://geocities.com/n7mal/> com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, July 28, 2006 15:03
Subject: RE: [XMLog] SWAIN works perfectly

Are you sure that this was not a pirate? They haven't arrived yet.

According to the Daily DX they left at 2330Z on Thursday and expect 24 for the trip and 6 hours to setup. http://www.dailydx. <http://www.dailydx.com> com
<http://www.dailydx. <http://www.dailydx.com/> com/> ."

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
N7MAL
Sent: Friday, July 28, 2006 1:10 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] SWAIN works perfectly

A few minutes ago KH8SI was spotted. XMLOG showed it to be Am Samoa and I had many contacts. I edited the country/call to make KH8SI Swain. The next spot showed no QSO's. In other words I think that means XMLOG is working perfectly. (I'm using ver 5.24)
Good job Mike.....tks

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm
http://geocities. <http://geocities. <http://geocities.com/n7mal/>
com/n7mal/> com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.4/402 - Release Date: 7/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1849. Re: SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-29 15:19:23 UTC
From: Mike McAmis
Topic: 1843 Message: 1849

Hi Steve, If you want to log the new DXCC countries or add their calls to the callsign list the best way is to upgrade to the current version at www.xmlog.com/beta. For versions previoius to 5.24 you can edit your prefixes file. Use an editor like WordPad to open the file prefixes" in your XMLog install folder (usually c:\mlog). Scroll down past the two-line entry for E4/Palestine and add these two lines:

E6,Montenegro,EU,15,[43.8/-19.2],ADIF=514,
E6,YT6,YU6,4N6,4O6,!,

Mike - W1ECT

1850. Re: [XMLog] Re: SWAIN works perfectly

Yahoo group: XMLog
Date: 2006-07-29 15:32:16 UTC
From: Steve Litwins
Topic: 1843 Message: 1850

GM Mike...tnx. Hope u got to work them. BIG pile here...73/dx
steve, k8wk
****
----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, July 29, 2006 10:19 AM
Subject: [XMLog] Re: SWAIN works perfectly

> Hi Steve, If you want to log the new DXCC countries or add their calls
> to the callsign list the best way is to upgrade to the current version
> at www.xmlog.com/beta. For versions previoius to 5.24 you can edit
> your prefixes file. Use an editor like WordPad to open the file
> prefixes" in your XMLog install folder (usually c:\mlog). Scroll down
> past the two-line entry for E4/Palestine and add these two lines:
>
> E6,Montenegro,EU,15,[43.8/-19.2],ADIF=514,
> E6,YT6,YU6,4N6,4O6,!,
>
> Mike - W1ECT
>
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

1851. Re: [XMLog] Re: Version 5.24 bug

Yahoo group: XMLog
Date: 2006-07-30 17:40:49 UTC
From: Dan Shepherd
Topic: 1839 Message: 1851

Thanks Mike,
I did that and it's perfect now.
I also worked YU6AO and XMLog added it fine.

Thanks for you support!
73
Dan, N8IE

--- Mike McAmis <w1ect@...> wrote:

> Hi Dan, I'm glad you found this problem so quickly.
> I've posted a fix
> at www.xmlog.com/beta (version 5.25). Any entries
> that were
> improperly updated can be fixed by selecting the
> entry, choosing
> Modify, and then OK (no editing required).
>
> Mike - W1ECT
>
> > I have found a bug (I think) in the 5.24 version.
> > When I edit an entry for a YU contact made before
> the
> > new prefix went into affect, XMLog changes it from
> > Serbia & Montenegro to just Serbia. The total DXCC
> > count does not change but it changes the country
> name.
>
>
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1852. Montenegro Prefixes

Yahoo group: XMLog
Date: 2006-07-30 21:44:31 UTC
From: Mike McAmis
Topic: 1852 Message: 1852

It seems that definition for Montenegro prefixes should include
variations using 3's as well as those using 6's. For those that don't
want to wait until the next XMLog is posted here's the appropriate
prefix file line that should replace the current info:

E6,YT3,YT6,YU3,YU6,YZ3,YZ6,4N3,4N6,4O3,4O6,!,

This corresponds to what the various DX bulletins are saying...

Mike - W1ECT

1853. Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-03 16:38:55 UTC
From: Dan Shepherd
Topic: 1852 Message: 1853

Hello Mike,
When I select entries by a certain criteria, and then
select one of the ?canned? awards queries and run it
against the selected entries, it does not retain the
selected entries. I get a new group of entries from
that award list.

An example:
I select all 6M contacts for this year by entering
?>=1/1/06? in the date field, then ?>=50.000,<=59.000?
into the frequency filed.
I get the expected result of 394 contacts listed.

Now I choose DXCC from the Awards list, select Mixed
mode, and Currently selected log entries, and I see my
results of 15 DXCC worked.

Next I could choose WAS from the Awards list and get
that total, except now my selected entries have been
narrowed to the 30 entries that are listed in the DXCC
report and not the original 394.

I would have to refresh the log and go through the
date/freq selection again and then do a WAS query.

In past versions, it retained the original set of
entries and I could do several award tracking queries
based on the original list.

I tested this using V5.19 and it works just fine, but
in the current beta V5.25 it does not.
This is not a major problem, just wanted to let you
know.

Thanks es 73
Dan, N8IE

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1854. Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-05 14:07:34 UTC
From: Mike McAmis
Topic: 1852 Message: 1854

Hi Dan, Previous to version 5.23 some Awards/xxx reports would set your "currently selected records" to those that were included in the report while others did not. In 5.23 I made it consistent - any Awards/xxx report that displayed callsign lists now reset the "currently selected" records. I see from your example that this is not always what you would want. I suppose that it might be best to add an option to the report dialog that would let you control this action.

Mike - W1ECT

1855. Have log loaded unable to view it?

Yahoo group: XMLog
Date: 2006-08-05 11:32:05 UTC
From: Ron Rosson
Topic: 1855 Message: 1855

I have everything working but I'm unable to bring it up to view.
I guess I've missed it in the manual.
I would appreciate any advice.

73 de Ron
N6XT

--
Best DX
Ron Rosson(N6XT, ex WB6ORX)
http://rossonranch.com/n6xt/index.html
n6xt@...
Virus scanned by Norton AV 2K6

1856. Re: Have log loaded unable to view it?

Yahoo group: XMLog
Date: 2006-08-05 14:21:27 UTC
From: Mike McAmis
Topic: 1855 Message: 1856

Hi Ron, Check out the info from the "Help/Show Hints". Also check the main help file section "Searching the Log".

Mike - W1ECT

> I have everything working but I'm unable to bring it up to view.
> I guess I've missed it in the manual.
> I would appreciate any advice.
>
> 73 de Ron
> N6XT

1857. Re: [XMLog] Have log loaded unable to view it?

Yahoo group: XMLog
Date: 2006-08-05 14:42:04 UTC
From: GerryC
Topic: 1855 Message: 1857

> I have everything working but I'm unable to bring it up to view.

Hi Ron--

XMLog displays all the SELECTED entries.
When you first open a log, NO entries are selected.

Hit the SELECT button, then the SEARCH button.
That will select ALL the records, and they'll be viewable.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.394 / Virus Database: 268.10.7/409 - Release Date: 8/4/2006

1858. Re: [XMLog] Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-07 12:19:59 UTC
From: Dan Shepherd
Topic: 1852 Message: 1858

It would be nice because I use a narrowed group to
generate reports for awards not listed, like 2M WAS
and such.

Thanks for the support Mike.

73
Dan, N8IE

--- Mike McAmis <w1ect@...> wrote:

> Hi Dan, Previous to version 5.23 some Awards/xxx
> reports would set
> your "currently selected records" to those that were
> included in the
> report while others did not. In 5.23 I made it
> consistent - any
> Awards/xxx report that displayed callsign lists now
> reset
> the "currently selected" records. I see from your
> example that this
> is not always what you would want. I suppose that
> it might be best to
> add an option to the report dialog that would let
> you control this
> action.
>
> Mike - W1ECT
>
>
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1859. RE: [XMLog] Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-07 15:09:35 UTC
From: Craig Bradley
Topic: 1852 Message: 1859

Mike,

If you are working on this, there is still a problem with the DXCC Submission tracking report. If you run the report with the "Include "accepted" entries in report" UNCHECKED, the accepted entries are still selected for the log window. This would be very useful when preparing a submittal. If all of the Qs to be submitted are selected, you could find the card, double click the Submitted field and step through the list before printing the submittal form.

Sorry Dan, I was one of those that wanted the change for DXCC submittals. Sounds like another selection box would be in order.

73,

Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dan Shepherd
Sent: Monday, August 07, 2006 4:20 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Query bug in the current beta

It would be nice because I use a narrowed group to
generate reports for awards not listed, like 2M WAS
and such.

Thanks for the support Mike.

73
Dan, N8IE

--- Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com> wrote:

> Hi Dan, Previous to version 5.23 some Awards/xxx
> reports would set
> your "currently selected records" to those that were
> included in the
> report while others did not. In 5.23 I made it
> consistent - any
> Awards/xxx report that displayed callsign lists now
> reset
> the "currently selected" records. I see from your
> example that this
> is not always what you would want. I suppose that
> it might be best to

> add an option to the report dialog that would let
> you control this
> action.
>
> Mike - W1ECT
>
>
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail. <http://mail.yahoo.com> yahoo.com

[Non-text portions of this message have been removed]

1860. RE: [XMLog] Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-07 16:54:52 UTC
From: Dan Shepherd
Topic: 1852 Message: 1860

No apologies needed Craig.
The beauty of this is learning how differently people
use the software and how amazingly Mike finds a way to
keep us all happy.

73
Dan, N8IE

--- Craig Bradley <craigjb@...> wrote:

> Mike,
>
>
>
> If you are working on this, there is still a problem
> with the DXCC
> Submission tracking report. If you run the report
> with the "Include
> "accepted" entries in report" UNCHECKED, the
> accepted entries are still
> selected for the log window. This would be very
> useful when preparing a
> submittal. If all of the Qs to be submitted are
> selected, you could find
> the card, double click the Submitted field and step
> through the list before
> printing the submittal form.
>
>
>
> Sorry Dan, I was one of those that wanted the change
> for DXCC submittals.
> Sounds like another selection box would be in order.
>
>
>
> 73,
>
> Craig, AE6RR
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1861. Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-11 13:45:00 UTC
From: Mike McAmis
Topic: 1852 Message: 1861

Hi Dan, I've posted a new XMLog version at www.xmlog.com/beta that includes a "reset currently selected entries to those in report" option. This option is displayed for any Awards report that displays a list of callsigns or QSOs. This version also fixes the problem with the Awards/Worked+Confirmed report and the "included accepted" option.

Mike - W1ECT

1862. RE: [XMLog] Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-11 14:28:45 UTC
From: Craig Bradley
Topic: 1852 Message: 1862

Thanks Mike,

I will check it out this weekend.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, August 11, 2006 5:45 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Query bug in the current beta

Hi Dan, I've posted a new XMLog version at www.xmlog.com/beta that includes a "reset currently selected entries to those in report" option. This option is displayed for any Awards report that displays a list of callsigns or QSOs. This version also fixes the problem with the Awards/Worked+Confirmed report and the "included accepted" option.

Mike - W1ECT

[Non-text portions of this message have been removed]

1863. ADIF Help

Yahoo group: XMLog
Date: 2006-08-11 22:31:38 UTC
From: N7MAL
Topic: 1863 Message: 1863

I need someone to draw me a picture, preferably a cartoon, of how to EXPORT
my last 25 QSO's to an ADIF file. I have read the help files
upside-down/sideways and am to dense to figure it out.
Thank you

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

[Non-text portions of this message have been removed]

1864. Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-11 23:52:53 UTC
From: Mike McAmis
Topic: 1863 Message: 1864

Hi Mal, I don't have a good way to isolate the last 25 QSOs but here's a way that will work. Select all records and go to the last record, make a note of the QSO number. Now do your arithmetic to get the number of the "first QSO of the last 25", i.e. last-24. Now scroll back to that QSO (the mouse wheel is nice for this). Make a note of the date. Now you can do a search for date >= than this QSO.

This might not result in 25 QSOs if this wasn't the first QSO you made on that date! You'd then have to edit the ADIF file to delete those first QSOs... What a mess eh?

Well I hope this isn't something you'll need to do very often - I've never been in a situation where I've needed to do selections by QSO number.

Mike - W1ECT

1865. RE: [XMLog] Re: Query bug in the current beta

Yahoo group: XMLog
Date: 2006-08-12 02:13:13 UTC
From: Craig Bradley
Topic: 1852 Message: 1865

Hi Mike,

I downloaded and installed version 5.26.

When I run the DXCC Submission Tracking Summary, I still get the Accepted Entries selected when select a band (20M) and uncheck the "Include "accepted" entries in report" box. I get the same records whether the box is checked or not.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, August 11, 2006 5:45 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Query bug in the current beta

Hi Dan, I've posted a new XMLog version at www.xmlog.com/beta that includes a "reset currently selected entries to those in report" option. This option is displayed for any Awards report that displays a list of callsigns or QSOs. This version also fixes the problem with the Awards/Worked+Confirmed report and the "included accepted" option.

Mike - W1ECT

[Non-text portions of this message have been removed]

1866. Re: [XMLog] Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-12 05:57:54 UTC
From: N7MAL
Topic: 1863 Message: 1866

First thanks for all the replies. Let me explain my problem. I am a big 'rah-rah' supporter of LOTW. I have both DXCC & WAS via LOTW. My logbook contains approx 15000 entries. The last file I uploaded to LOTW was Field Day and then imported the Field Day log from CT into XMLOG. Since Field Day I worked approx 25 stations including the new KH8. I want to be able to select those QSO's and export them as an ADIF file for further upload to LOTW.
In other words I want to export, to ADIF, all the QSO's between 06/27/06 to 08/01/06.
I hope this clarifies my problem...
TKS...73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Friday, August 11, 2006 23:52
Subject: [XMLog] Re: ADIF Help

Hi Mal, I don't have a good way to isolate the last 25 QSOs but here's a way that will work. Select all records and go to the last record, make a note of the QSO number. Now do your arithmetic to get the number of the "first QSO of the last 25", i.e. last-24. Now scroll back to that QSO (the mouse wheel is nice for this). Make a note of the date. Now you can do a search for date >= than this QSO.

This might not result in 25 QSOs if this wasn't the first QSO you made on that date! You'd then have to edit the ADIF file to delete those first QSOs... What a mess eh?

Well I hope this isn't something you'll need to do very often - I've never been in a situation where I've needed to do selections by QSO number.

Mike - W1ECT

[Non-text portions of this message have been removed]

1867. Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-12 14:12:29 UTC
From: Mike McAmis
Topic: 1863 Message: 1867

Hi Mal, If you want to create an ADIF file containing QSOs within a certain date range first do a log search with the "Date" field set to something like >=7/1/06,<=7/31/06 This example would select all records in July, 2006. Then select "Import/Export ADIF File" and set the record selector to "Currently selected records".

Mike - W1ECT

1868. Re: [XMLog] Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-12 18:57:18 UTC
From: N7MAL
Topic: 1863 Message: 1868

First Thanks to Mike & Paul(AD5UU) for pointing me in the right direction. I have even found the section in the Help file that is very well written and describes fully what I was trying to do: ""Wildcards and Ranges in Search Keys"".
I looked at that section and passed over it because I knew what I was searching for and could go to the first contact, I wanted, very easily. My 'pee-brain' got stuck on to trying to export the log entries.
Thanks very much again to Mike & Paul
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Cc: w1ect@...
Sent: Saturday, August 12, 2006 5:57
Subject: Re: [XMLog] Re: ADIF Help

First thanks for all the replies. Let me explain my problem. I am a big 'rah-rah' supporter of LOTW. I have both DXCC & WAS via LOTW. My logbook contains approx 15000 entries. The last file I uploaded to LOTW was Field Day and then imported the Field Day log from CT into XMLOG. Since Field Day I worked approx 25 stations including the new KH8. I want to be able to select those QSO's and export them as an ADIF file for further upload to LOTW.
In other words I want to export, to ADIF, all the QSO's between 06/27/06 to 08/01/06.
I hope this clarifies my problem...
TKS...73

[Non-text portions of this message have been removed]

1869. Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-12 23:41:14 UTC
From: John KI4RO
Topic: 1863 Message: 1869

Mal,
Don't know anything about LOTW, but eQSL is smart enough not to import dupes. I simply get close to the date I need and create my file and let eQSL (the BEST) keep me straight.

73
John KI4RO

Do you Yahoo!?
Everyone is raving about the all-new Yahoo! Mail Beta.

[Non-text portions of this message have been removed]

1870. RE: [XMLog] Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-13 01:14:48 UTC
From: Craig Bradley
Topic: 1863 Message: 1870

LoTW will not import dupes either unless the time stamp is different. I once downloaded some Qs from Writelog to LoTW, then I imported them into XMLog and inadvertently sent them to LoTW again. The Qs from Writelog had seconds in the time field and the once from XMLog did not, so LoTW thought that they were different and they are in there twice. There is no way to delete them, but according to the LoTW people at ARRL, it doesn't hurt anything.

If you download the same Qs from XMLog twice into LoTW, they will not duplicate, so you do not have to be too careful. I select my Qs based on the date by just selecting all Qs with dates greater than or equal to the last date that I uploaded every month and it work fine.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of John KI4RO
Sent: Saturday, August 12, 2006 3:41 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: ADIF Help

Mal,
Don't know anything about LOTW, but eQSL is smart enough not to import dupes. I simply get close to the date I need and create my file and let eQSL (the BEST) keep me straight.

73
John KI4RO

Do you Yahoo!?
Everyone is raving about the all-new Yahoo! Mail Beta.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1871. Re: [XMLog] Re: ADIF Help

Yahoo group: XMLog
Date: 2006-08-13 04:15:39 UTC
From: N7MAL
Topic: 1863 Message: 1871

Craig: Here is an example directly from LOTW:
N7MAL W1ECT 2004-01-25 04:38:20 160M CW 1.800

I worked and got confirmed Mike, W1ECT, on 160M CW for the state of NH. No matter how many more contacts there are for W1ECT, how many minutes, or seconds, apart they are the contact only counts once towards WAS on 160. Yes other contacts will show up (insurance contacts) but only one is needed. I have other LOTW contacts confirmed with W1ECT and they count for award credit on the band/mode they are worked on.
The purpose/mission of LOTW is: "" ARRL's Logbook of the World (LoTW) system is a repository of log records submitted by users from around the world. When both participants in a QSO submit matching QSO records to LoTW, the result is a QSL that can be used for ARRL award credit."" LOTW is not some cutesy QSL Buro/Service it was designed solely to track contacts for prestigious ARRL awards.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm
http://geocities.com/n7mal/
Don't worry about the world coming to an end today.
It's already tomorrow in Australia

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Sunday, August 13, 2006 1:14
Subject: RE: [XMLog] Re: ADIF Help

LoTW will not import dupes either unless the time stamp is different. I once downloaded some Qs from Writelog to LoTW, then I imported them into XMLog and inadvertently sent them to LoTW again. The Qs from Writelog had seconds in the time field and the once from XMLog did not, so LoTW thought that they were different and they are in there twice. There is no way to delete them, but according to the LoTW people at ARRL, it doesn't hurt anything.

If you download the same Qs from XMLog twice into LoTW, they will not duplicate, so you do not have to be too careful. I select my Qs based on the date by just selecting all Qs with dates greater than or equal to the last date that I uploaded every month and it work fine.

Good luck & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

1872. County line QSOs

Yahoo group: XMLog
Date: 2006-08-14 17:16:13 UTC
From: Risto Kotalampi
Topic: 1872 Message: 1872

I just noticed an issue with xmlog that impacts some few of us who are county hunters.

Very common way to work counties is to work a mobile on a county line and in that case it counts for both counties. Only way to track it properly in xmlog is to make duplicate log entries for both of the counties. That has been fine and works if the logging is done in xmlog. But the problem arises when it's logged elsewhere and imported from ADIF to xmlog. In that case, xmlog thinks the second logging is a duplicate and doesn't do it correctly. xmlog can either ignore the "duplicate" or replace the existing logging. This isn't correct way to handle county line logging. I would like to be able to import these apparently duplicate entries to xmlog.

Solution? Of course, the perfect solution would be to add a column to include the 2nd county. Less optimal would be to look for more parameters than just date/call/UTC/fq (or whatever it does check right now... apparently not the county) and include county & state to the duplicate checking function.

73!

Risto, W6RK

1873. RE: [XMLog] County line QSOs

Yahoo group: XMLog
Date: 2006-08-15 05:27:16 UTC
From: Craig Bradley
Topic: 1872 Message: 1873

Hi Risto,

Do this entries have time stamps that are only different in seconds? If so, XMLog truncates the seconds and you may have entries with the same time in hours and minutes. Some logging programs such as WriteLog use seconds and could have 2 Qs with the same minutes but different seconds. Try changing the minutes on one Q to make them different if you can.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Risto Kotalampi
Sent: Monday, August 14, 2006 9:16 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] County line QSOs

I just noticed an issue with xmlog that impacts some few of us who are county hunters.

Very common way to work counties is to work a mobile on a county line and in that case it counts for both counties. Only way to track it properly in xmlog is to make duplicate log entries for both of the counties. That has been fine and works if the logging is done in xmlog. But the problem arises when it's logged elsewhere and imported from ADIF to xmlog. In that case, xmlog thinks the second logging is a duplicate and doesn't do it correctly. xmlog can either ignore the "duplicate" or replace the existing logging. This isn't correct way to handle county line logging. I would like to be able to import these apparently duplicate entries to xmlog.

Solution? Of course, the perfect solution would be to add a column to include the 2nd county. Less optimal would be to look for more parameters than just date/call/UTC/fq (or whatever it does check right now... apparently not the county) and include county & state to the duplicate checking function.

73!

Risto, W6RK

[Non-text portions of this message have been removed]

1874. RE: [XMLog] County line QSOs

Yahoo group: XMLog
Date: 2006-08-16 05:32:21 UTC
From: Craig Bradley
Topic: 1872 Message: 1874

I have another thought. If XMLog could store time stamps that include seconds, the dupes would not occur.

Mike, would that be a simple change?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Monday, August 14, 2006 9:27 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] County line QSOs

Hi Risto,

Do this entries have time stamps that are only different in seconds? If so, XMLog truncates the seconds and you may have entries with the same time in hours and minutes. Some logging programs such as WriteLog use seconds and could have 2 Qs with the same minutes but different seconds. Try changing the minutes on one Q to make them different if you can.

73,

- Craig

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
Risto Kotalampi
Sent: Monday, August 14, 2006 9:16 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] County line QSOs

I just noticed an issue with xmlog that impacts some few of us who are county hunters.

Very common way to work counties is to work a mobile on a county line and in that case it counts for both counties. Only way to track it properly in xmlog is to make duplicate log entries for both of the counties. That has been fine and works if the logging is done in xmlog. But the problem arises when it's logged elsewhere and imported from ADIF to xmlog. In that case, xmlog thinks the second logging is a duplicate

and doesn't do it correctly. xmlog can either ignore the "duplicate" or replace the existing logging. This isn't correct way to handle county line logging. I would like to be able to import these apparently duplicate entries to xmlog.

Solution? Of course, the perfect solution would be to add a column to include the 2nd county. Less optimal would be to look for more parameters than just date/call/UTC/fq (or whatever it does check right now... apparently not the county) and include county & state to the duplicate checking function.

73!

Risto, W6RK

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1875. Re: County line QSOs

Yahoo group: XMLog
Date: 2006-08-18 00:16:41 UTC
From: Mike McAmis
Topic: 1872 Message: 1875

Hi, Another way to make a QSO "unique" would be to diddle the frequency by a kHz.

Unfortunately it would be quite a project to expand XMLog the handle seconds. All this is handled in some of the oldest code that dates back to DOS days!

It is on the "todo" list along with fractional kHz values for frequencies.

Mike - W1ECT

1876. RE: [XMLog] Re: County line QSOs

Yahoo group: XMLog
Date: 2006-08-18 04:38:53 UTC
From: Craig Bradley
Topic: 1872 Message: 1876

Thanks for looking into this Mike. These type of things can definitely generate a ripple effect in the code too.

The new version is working good, I did a submission for a new band and had the cards checked today. I was very easy to find the cards and mark the Qs as submitted with just the Qs in the report selected.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Thursday, August 17, 2006 4:17 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: County line QSOs

Hi, Another way to make a QSO "unique" would be to diddle the frequency by a kHz.

Unfortunately it would be quite a project to expand XMLog the handle seconds. All this is handled in some of the oldest code that dates back to DOS days!

It is on the "todo" list along with fractional kHz values for frequencies.

Mike - W1ECT

[Non-text portions of this message have been removed]

1877. Version 5.28 is now the "official" version

Yahoo group: XMLog
Date: 2006-08-23 23:26:53 UTC
From: Mike McAmis
Topic: 1877 Message: 1877

I've posted version 5.28 at www.xmlog.com. This version supports the K1EL WinKeyer (www.k1el.com) and includes the new DXCC countries Montenegro and Swain's Island. The prefix used for Montenegro is E6 - if a different prefix is assigned a new version of XMLog will be posted that will update the E6 log entries automatically.

Mike - W1ECT

1878. Re: Version 5.28 is now the "official" version

Yahoo group: XMLog
Date: 2006-08-27 13:48:28 UTC
From: abba_houston
Topic: 1877 Message: 1878

Mike,
I'm a long time user of Xmlog (using 5.19 now) and upon running the install on this new version (5.28) so far 3 times, am encountering an error message. Each time the install halts and states that one or more of the files on my computer are old. It states that I need to restart the PC and that the newer files will be updated. This is not occurring and I keep getting the same error message. My PC is running Windows XP. I'd appreciate your suggestions as to how to proceed.

Glen
WB4KTF
HOuston, Tx

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> I've posted version 5.28 at www.xmlog.com. This version supports the
> K1EL WinKeyer (www.k1el.com) and includes the new DXCC countries
> Montenegro and Swain's Island. The prefix used for Montenegro is E6 -

> if a different prefix is assigned a new version of XMLog will be
> posted that will update the E6 log entries automatically.
>
> Mike - W1ECT
>

1879. Locator field

Yahoo group: XMLog
Date: 2006-08-27 14:11:41 UTC
From: Dave Sergeant
Topic: 1879 Message: 1879

I am currently using v5.22.

When I enter a six digit locator in the locator field of a QSO or in my own station data (options/station info) I find XMLog changes the last two digits to lower case:

ie IO91PJ (my locator) changes to IO91pj when I press OK.

This worked normally in earlier versions.

73 Dave G3YMC

http://www.davesergeant.com

1880. Re: Version 5.28 is now the "official" version

Yahoo group: XMLog
Date: 2006-08-27 16:30:57 UTC
From: Mike McAmis
Topic: 1877 Message: 1880

Hi Glen, Could you tell me which files are being mentioned in the error message?

Mike - W1ECT

1881. Re: Locator field (Grid-square format)

Yahoo group: XMLog
Date: 2006-08-27 16:48:07 UTC
From: Mike McAmis
Topic: 1879 Message: 1881

Hi Dave, I've seen this format for IARU grid-squares described in several places but I'm not sure how official it is. Here's a example:

7. VUCC Grid Locators

"VUCC Grid" VHF/UHF Century Club grid location in IARU "Maidenhead" format by Folke Rosvall, SM5AGM (QST, W1XX, Jan & Oct 83)

Characters Type Area (Long/Lat) Name

1, 2 letters 20d by 10d "field" uppercase A-R, S*
3, 4 numbers 2d by 1d "square" 0-9
5, 6 letters 5m by 2.5m "sub-square" lowercase a-x

Mike - W1ECT

1882. Re: [XMLog] Re: Locator field (Grid-square format)

Yahoo group: XMLog
Date: 2006-08-27 17:33:15 UTC
From: Dave Sergeant
Topic: 1879 Message: 1882

OK, it seems some organisations imply the last two digits are in lower case. ARRL shows upper case, Wikipedia (http://en.wikipedia.org/wiki/Maidenhead_Locator_System) says USA and UK use lower case.

But in the UK it is ALWAYS upper case - six figure locators are the norm in VHF contests over here and I have never ever seen lower case ones used anywhere in published contest rules and results. In my case it is for submitting reports for the UK 60m experiment, which stipulates upper case for locators.

I suspect the original specs (which originated of course in Maidenhead just down the road from here) were for upper case. Maybe the use in GPS gear has changed things?

I have a colleague who is on the RSGB contest committee and writes VHF logging software - I will ask him for a definitive answer! I see his software only allows upper case locators!

Thanks
73 Dave G3YMC

On 27 Aug 2006 at 16:48, Mike McAmis wrote:

> Hi Dave, I've seen this format for IARU grid-squares described in
> several places but I'm not sure how official it is. Here's a example:
>
> 7. VUCC Grid Locators
>
> "VUCC Grid" VHF/UHF Century Club grid location in IARU "Maidenhead"
> format by Folke Rosvall, SM5AGM (QST, W1XX, Jan & Oct 83)
>
> Characters Type Area (Long/Lat) Name
> --
>
> 1, 2 letters 20d by 10d "field" uppercase A-R, S*
> 3, 4 numbers 2d by 1d "square" 0-9
> 5, 6 letters 5m by 2.5m "sub-square" lowercase a-x
>
> Mike - W1ECT

http://www.davesergeant.com

1883. Re: Version 5.28 is now the "official" version

Yahoo group: XMLog
Date: 2006-08-29 02:54:57 UTC
From: Glen Jenkins
Topic: 1877 Message: 1883

Mike,

The error message does not mention any files, the exact message is, " Setup cannot continue because some system files are out of date on your system. Click OK if you would like setup to update these files for you now. You will need to restart Windows before you can run setup again. Click cancel to exit setup without updating system files."

Glen
WB4KTF

[Non-text portions of this message have been removed]

1884. RE: [XMLog] Re: Version 5.28 is now the "official" version

Yahoo group: XMLog
Date: 2006-08-29 12:34:27 UTC
From: Jim Henry
Topic: 1877 Message: 1884

Hi
I had this problem, try loading in safe mode...it worked for me

73 de Jim, GI0DVU
Lisburn, County Antrim
www.qsl.net/gi0dvu

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Glen Jenkins
Sent: 29 August 2006 02:55
To: XM Log
Subject: [XMLog] Re: Version 5.28 is now the "official" version

Mike,

The error message does not mention any files, the exact message is, " Setup cannot continue because some system files are out of date on your system. Click OK if you would like setup to update these files for you now. You will need to restart Windows before you can run setup again. Click cancel to exit setup without updating system files."

Glen
WB4KTF

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1885. Re: Version 5.28 install problem

Yahoo group: XMLog
Date: 2006-08-29 19:29:44 UTC
From: Mike McAmis
Topic: 1877 Message: 1885

Hi Glen, I've checked the differences between 5.19 and 5.28 and the only system file that has been updated is "scrrun.dll".

This file has caused problems in the past along with the associated file "msvcrt40.dll".

One thing to try is copying both scrrun.dll and mscvrt40.dll from the zip file to \windows\system32 and since they are not "self-registering" you'll have to register them by hand - do a "regsvr32 msvcrt40.dll" and "regsvr32 scrrun.dll" from a DOS window or from the Windows "Run" command (Windows Key+R).

I think the problem might be related to a file in \windows\system32 named "scrrun.dep". This file is supposed to list the dependencies that scrrun.dll has with other files. It seems that an old version of this file winds up lying around in the system32 folder even though it has been quite a while since scrrun.dll has had any dependencies. On my system I just deleted scrrun.dep because the bad dependency info was causing problems when I tried to build new versions of XMLog. So before doing the copy/registers noted above you can try deleting scrrun.dep, rebooting, and re-installing.

Mike - W1ECT

1886. Re: Version 5.28 is now the "official" version

Yahoo group: XMLog
Date: 2006-08-31 02:43:35 UTC
From: Glen Jenkins
Topic: 1877 Message: 1886

Mike and Jim (GI0DVU),

Mike, I tried to save the two dll's on the drive, but the apparently the two files are in use by another program, so the save did not work.

BUT, Jim's suggestion to load the 5.28 while in SAFE Mode DOES work. THANKS.

Many thanks to the XMLOG group members,
Glen - WB4KTF

[Non-text portions of this message have been removed]

1887. I'm lost

Yahoo group: XMLog
Date: 2006-09-06 16:46:34 UTC
From: N7MAL
Topic: 1887 Message: 1887

There used to be an easy way to change/add/modify prefixes. I can't find it in the new version. I want to add this new TX prefix to FH other than going in with a text editor and changing the database. Where did the easy way go?????
Thanks 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

1888. Re: [XMLog] I'm lost

Yahoo group: XMLog
Date: 2006-09-07 00:22:34 UTC
From: N7MAL
Topic: 1887 Message: 1888

I finally found it. It's under the VIEW tab.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: Wednesday, September 06, 2006 16:46
Subject: [XMLog] I'm lost

There used to be an easy way to change/add/modify prefixes. I can't find
it
in the new version. I want to add this new TX prefix to FH other than
going
in with a text editor and changing the database. Where did the easy way
go?????
Thanks 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.405 / Virus Database: 268.11.7/438 - Release Date: 9/5/2006

[Non-text portions of this message have been removed]

1889. Cook Islands

Yahoo group: XMLog
Date: 2006-09-29 04:32:21 UTC
From: Kevin Nathan
Topic: 1889 Message: 1889

Hi Mike,

I'm running version 4.28 and perhaps I missed something along the way. I just worked E51APX but when I went to log him, there is no entry under E5 for the Cook Islands. Can you please tell me what I need to add to the countries list or what other change I need to make to have this one listed correctly?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

1890. Re: Cook Islands

Yahoo group: XMLog
Date: 2006-09-29 16:25:27 UTC
From: Mike McAmis
Topic: 1889 Message: 1890

Hi Kevin, Even though the prefixes file for the latest XMLog version makes some reference to the new E5 prefix there still isn't enough info available to make the guess between North and South Cook Islands, in this respect things haven't changed from the ZK1 prefix days. So, when you see an E51 call listed in a DX bulletin somewhere be sure to add that call to the 'Callsign List' and associate it with the appropriate country.

Mike - W1ECT

1891. RE: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-09-30 04:27:27 UTC
From: Kevin Nathan
Topic: 1889 Message: 1891

Thanks Mike,

Do you mind reminding me again of how to do that association? Or, do you mean at the point where I am logging the station?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, September 29, 2006 09:25
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Cook Islands

Hi Kevin, Even though the prefixes file for the latest XMLog version makes some reference to the new E5 prefix there still isn't enough info available to make the guess between North and South Cook Islands, in this respect things haven't changed from the ZK1 prefix days. So, when you see an E51 call listed in a DX bulletin somewhere be sure to add that call to the 'Callsign List' and associate it with the appropriate country.

Mike - W1ECT

[Non-text portions of this message have been removed]

1892. Re: Cook Islands

Yahoo group: XMLog
Date: 2006-09-30 15:47:02 UTC
From: Mike McAmis
Topic: 1889 Message: 1892

OK Kevin, For the current XMLog version the menu item to choose
is "View/Show Callsign List". For older versions before the "View"
menu was added choose "DX/Show Callsign List". In either case use
the "New" button to enter the specific callsign and then pick the
appropriate DXCC country that should be associated with this country.

Mike - W1ECT

1893. RE: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-09-30 17:57:55 UTC
From: Kevin Nathan
Topic: 1889 Message: 1893

Tot it. Thanks much Mike and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Saturday, September 30, 2006 08:47
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Cook Islands

OK Kevin, For the current XMLog version the menu item to choose
is "View/Show Callsign List". For older versions before the "View"
menu was added choose "DX/Show Callsign List". In either case use
the "New" button to enter the specific callsign and then pick the
appropriate DXCC country that should be associated with this country.

Mike - W1ECT

[Non-text portions of this message have been removed]

1894. Where to record DX station ITU Zone

Yahoo group: XMLog
Date: 2006-10-24 12:29:37 UTC
From: Richard_Haire1
Topic: 1894 Message: 1894

Hi,
I can't seem to find information on which field to record
the DX station's ITU Zone in. "Zone" is for CQ Zone is it not?
Looked in archives of messages and help.
Thanks for any help.
73
Dick
W3LD

1895. RE: [XMLog] Where to record DX station ITU Zone

Yahoo group: XMLog
Date: 2006-10-24 15:18:38 UTC
From: Craig Bradley
Topic: 1894 Message: 1895

Dick,

I don't think that there is a field for the ITU zone. You are correct that the zone field is for the CQ zone and it will fill in automatically with QRZ.com data. You could use a contest field. That's was I did for the ITU contest.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Richard_Haire1
Sent: Tuesday, October 24, 2006 4:30 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Where to record DX station ITU Zone

Hi,
I can't seem to find information on which field to record
the DX station's ITU Zone in. "Zone" is for CQ Zone is it not?
Looked in archives of messages and help.
Thanks for any help.
73
Dick
W3LD

[Non-text portions of this message have been removed]

1896. Re: [XMLog] Where to record DX station ITU Zone

Yahoo group: XMLog
Date: 2006-10-24 20:11:04 UTC
From: Richard V. Haire
Topic: 1894 Message: 1896

Craig,
Thanks for the information. I will do that.
73
Dick
W3LD

Craig Bradley wrote:
>
> Dick,
>
> I don't think that there is a field for the ITU zone. You are correct that
> the zone field is for the CQ zone and it will fill in automatically with
> QRZ.com data. You could use a contest field. That's was I did for the ITU
> contest.
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On
> Behalf Of
> Richard_Haire1
> Sent: Tuesday, October 24, 2006 4:30 AM
> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Subject: [XMLog] Where to record DX station ITU Zone
>
> Hi,
> I can't seem to find information on which field to record
> the DX station's ITU Zone in. "Zone" is for CQ Zone is it not?
> Looked in archives of messages and help.
> Thanks for any help.
> 73
> Dick
> W3LD
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

1897. Re: Where to record DX station ITU Zone

Yahoo group: XMLog
Date: 2006-10-27 18:58:16 UTC
From: Mike McAmis
Topic: 1894 Message: 1897

Hi, I have been working on a demo version of XMLog that adds a lot of new fields, primarily for LOTW support, but the ITU zone is also included. This demo version will probably be available in 3-4 weeks and its purpose is just to see how people feel about the new look. This demo only displays the new fields, they don't get recorded in the log file.

Of course more fields means a bigger log window (space is the final frontier) and more complexity...

Mike - W1ECT

1898. Re: [XMLog] Re: Where to record DX station ITU Zone

Yahoo group: XMLog
Date: 2006-10-27 20:58:41 UTC
From: Richard V. Haire
Topic: 1894 Message: 1898

Mike,
Thanks for the reply. I'll look forward to the new demo.
73
Dick
W3LD

Mike McAmis wrote:
>
> Hi, I have been working on a demo version of XMLog that adds a lot of
> new fields, primarily for LOTW support, but the ITU zone is also
> included. This demo version will probably be available in 3-4 weeks
> and its purpose is just to see how people feel about the new look.
> This demo only displays the new fields, they don't get recorded in the
> log file.
>
> Of course more fields means a bigger log window (space is the final
> frontier) and more complexity...
>
> Mike - W1ECT
>
>

[Non-text portions of this message have been removed]

1899. Version 5.31

Yahoo group: XMLog
Date: 2006-10-29 16:35:57 UTC
From: Mike McAmis
Topic: 1899 Message: 1899

I've posted version 5.31 at www.xmlog.com/beta This version adds a couple of new features - all the Awards reports can now be displayed using Excel, and a new "World Map" window is available.

I don't know how useful the World Map will be but I got inspired to see how hard it would be to implement this feature after seeing something similar in MixW.

I was originally going to include it as an option for the "Show QSOs" window but I wound up making it a seperate window that is displayed using the "View/Show World Map" menu item. The map is a great circle map with your QTH as the center and paths are drawn to desinations that match calls chosen using the same technique used by the Show QSOs window - either the call currently displayed in the log window or the last call single-clicked upon in the Packet window.

Mike - W1ECT

1900. Version 5.31

Yahoo group: XMLog
Date: 2006-11-01 00:12:09 UTC
From: witstock7
Topic: 1899 Message: 1900

I just "installed" the newest release but it is not useable. When I try to open it I get the small screen with the introduction to the new version but clicking on OK or the X does nothing. I have to go to the Ctrl - Alt - Delete keys a couple of times to just get rid of that screen. There were no problems at all with previous versions and it looks like I'll have to revert to the last one to be able to do my logging.

Nelson, K8DJC

1901. Re: [XMLog] Version 5.31

Yahoo group: XMLog
Date: 2006-11-01 01:12:15 UTC
From: N6NG
Topic: 1899 Message: 1901

I've been running 5.31 on two system without problems.
I think I would try reinstalling it again or backup the files
you would before a normal upgrade and erase all and start
from scratch. I don't believe there is a problem in the 5.31
version that would give you that screen.
--
Dennis N6NG
n6ng@...

1902. Re: [XMLog] Version 5.31

Yahoo group: XMLog
Date: 2006-11-01 04:07:28 UTC
From: Nelson Wittstock
Topic: 1899 Message: 1902

The screen I get is essentially the same as for all the previous versions except it is for 5.31. I've tried downloading again and re-installing but I get the same result. At the moment I've reverted back to 5.28 as it works FB.

Nelson, K8DJC

1903. Re: [XMLog] Version 5.31

Yahoo group: XMLog
Date: 2006-11-01 07:47:47 UTC
From: N7MAL
Topic: 1899 Message: 1903

For whatever it's worth I just finished installing the new version and have had zero problems. Even the map works. It sounds almost like you mouse pointer can find the middle of the box to click. Just my minus 2 cents worth.
Good Luck 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Nelson Wittstock
To: XMLog@yahoogroups.com
Sent: Wednesday, November 01, 2006 4:07
Subject: Re: [XMLog] Version 5.31

The screen I get is essentially the same as for all the previous versions except it is for 5.31. I've tried downloading again and re-installing but
I
get the same result. At the moment I've reverted back to 5.28 as it works
FB.

Nelson, K8DJC

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.13.19/507 - Release Date: 10/31/2006

[Non-text portions of this message have been removed]

1904. Re: Version 5.31

Yahoo group: XMLog
Date: 2006-11-01 15:23:48 UTC
From: Mike McAmis
Topic: 1899 Message: 1904

Hi Nelson, That's not much to go on. What I will probably have to do is build you a special version of the 5.31 mlog.exe file that has some debugging dialogs like "Starting to initialize xxx', and so on - this will let me find out where it's hanging up. But first email a copy of your mlog.ini file as an attachment (not in the body of the message) to support@...m . This file is located in your XMLog install folder, usually c:\mlog

Mike - W1ECT

1905. Re: Version 5.31

Yahoo group: XMLog
Date: 2006-11-01 16:49:51 UTC
From: tungi22
Topic: 1899 Message: 1905

--- In XMLog@yahoogroups.com, "witstock7" <k8djc@...> wrote:
>
> I just "installed" the newest release but it is not useable. When I
> try to open it I get the small screen with the introduction to the new
> version but clicking on OK or the X does nothing. I have to go to the
> Ctrl - Alt - Delete keys a couple of times to just get rid of that
> screen. There were no problems at all with previous versions and it
> looks like I'll have to revert to the last one to be able to do my
> logging.
>
> Nelson, K8DJC
>

Just installed 5.31 on my Win98 machine and it is working well. 73

Grant
WA3AAN

1906. Editing Past Entries In the Notes Field

Yahoo group: XMLog
Date: 2006-11-06 00:18:48 UTC
From: mefazamy
Topic: 1906 Message: 1906

I've been using v. 4.96 for a couple of years. I want to go back into some previous log entries and enter some info in the "notes" field. It will be the same comment for all the entries. It'll probably be several hundred entries. I know you can do it one entry at a time, however I don't want to do that. Is there a way to add comments to the "notes" field en masse to a bunch of entries?

73, Evan
KB2AMY

1907. Re: Editing Past Entries In the Notes Field

Yahoo group: XMLog
Date: 2006-11-07 15:38:39 UTC
From: Mike McAmis
Topic: 1906 Message: 1907

Hi Evan, XMLog doesn't have any feature that would allow editing multiple Notes fields. In theory it would be possible to select the records you want to edit, write them to an ADIF file, edit the data, and then import the ADIF file with the "replace existing records" option. But if you've ever looked at an ADIF file you'll see that the Notes info shows up as COMMENT and includes a "character count", e.g.

<COMMENT:8>Whatever

So this technique of mass editing would only be practical if you were setting the Notes field for each record to the same value.

In any case, before experimenting - backup your log file!

Mike - W1ECT

1908. Windows Vista

Yahoo group: XMLog
Date: 2006-11-23 16:39:26 UTC
From: Michael McCarthy
Topic: 1908 Message: 1908

FYI: I just started testing out the new Windows Vista
OS and found that xmlog crashes. I have the entry
window, packet and spot history windows up. As soon
as a spot comes through, it gets posted to the history
window and xmlog crashes. I haven't done any other
testing because of this.

In general, Vista is a real pig.

Mike, W1NR

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Do you Yahoo!?
Everyone is raving about the all-new Yahoo! Mail beta.
http://new.mail.yahoo.com

1909. Re: [XMLog] Windows Vista

Yahoo group: XMLog
Date: 2006-11-23 18:17:54 UTC
From: Nelson Wittstock
Topic: 1908 Message: 1909

In addition to xmlog I also use Writelog and one of the guys there found that it won't work with Vista either. Looks like we all will have to keep our "old" computers operating for a while.

Nelson, K8DJC

1910. Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-23 21:16:08 UTC
From: Dave Sergeant
Topic: 1908 Message: 1910

When the announcement was made about Montenegro being a new DXCC the suggestion was made that a permanent new prefix might be E6. But that was just a rumour. Any new prefix needs ratifying by ITU and I understand from G3PSM (IARU Region 1 manager) that it will need putting to the next conference WRC-07 and won't come into effect till sometime after that. Until that time use of E6 for Montenegro is pure speculation and it could be completely different (Z7 has also been suggested).

Unfortunately some logging software, including XMLog and LOTW, has jumped the gun and already calls Montenegro E6. But eQSL, SD SuperDuper and others refer to it as YU6.

I had previously modified my XMLog prefix files manually and put Montenegro in as YU6 because I did not agree we should call it something that it might not ever be and we certainly won't hear any E6 calls for some time. Having just updated to 5.28 I found some of my previous entries were displayed as 'unknown prefix' as YU6 was no longer found in the updated file. I have corrected my prefix file again.

This sort of confusion is going to continue until we know the final prefix of Montenegro. When it finally becomes a totally different prefix we will have a lot of logs which are very difficult to maintain correctly as far as country totals are concerned. It is difficult to keep track of all these changes, but changing the prefix purely based on speculation does not help at all.

73 Dave G3YMC

http://www.davesergeant.com

1911. Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-24 15:50:16 UTC
From: Mike McAmis
Topic: 1908 Message: 1911

Hi Dave, XMLog is only using "E6" for Montenegro until the official prefix gets assigned. When it is assigned XMLog will automatically update your logs to reflect the official prefix.

Mike - W1ECT

1912. Error - 'Cannot open log..'

Yahoo group: XMLog
Date: 2006-11-27 14:11:30 UTC
From: Dave Sergeant
Topic: 1912 Message: 1912

I have recently installed XMLog on a new XP Home machine, having used it on my 98SE for a few years.

I have several logs - my main station log and seperate ones for eQSL and LOTW returns. XMLog opens fine with my default station log. But if I try and open one of the others (File/Open Old Log) I get the following message:

'Cannot open log 'C:\mlog\eqsl.log'
(3049) Can't open database 'C:\mlog\eqsl.log'. It may not be a database that your database recognises, or the file may be corrupt.'

If I click OK and do it again it opens normally, and will do so first time every time until XMLog is closed. Similarly with my other logs, they fail to open the first time then OK.
Sometimes I get a 'file in use' error instead, but it follows the same pattern.

I was initially using 5.22 and updated to 5.28 but it made no difference.

73 Dave G3YMC

http://www.davesergeant.com

1913. RE: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-27 17:13:15 UTC
From: Craig Bradley
Topic: 1908 Message: 1913

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now. I did work E51NOU the other day for a new one, his call was in black on the band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official prefix gets assigned. When it is assigned XMLog will automatically update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

1914. Re: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-28 01:19:19 UTC
From: N7MAL
Topic: 1908 Message: 1914

Craig my solution has been to add to the callsign list the new
'non-standard' calls whenever they show up in the various DX Bulletins.
E51NOU, for example, is on Raratonga which is South Cook.......
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Monday, November 27, 2006 17:13
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now.
I did work E51NOU the other day for a new one, his call was in black on
the
band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the
fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Mike
McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official
prefix gets assigned. When it is assigned XMLog will automatically
update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.

Version: 7.1.409 / Virus Database: 268.14.17/553 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

1915. RE: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-28 17:18:24 UTC
From: Craig Bradley
Topic: 1908 Message: 1915

Hi Mal,

Yes, he is on Raratonga, I thought that I had a new one. I think that the Cook Is. are using E51 for everyone, including N. Cook, so we may need to manually pick the country if we are lucky enough to find someone on N. Cook.

However, the E51 calls still show up in red on the band map and I have ZK1 confirmed.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Monday, November 27, 2006 5:19 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

Craig my solution has been to add to the callsign list the new 'non-standard' calls whenever they show up in the various DX Bulletins. E51NOU, for example, is on Raratonga which is South Cook.......
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, November 27, 2006 17:13
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now. I did work E51NOU the other day for a new one, his call was in black on the
band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
Mike
McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official
prefix gets assigned. When it is assigned XMLog will automatically
update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.17/553 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1916. Re: Cook Islands

Yahoo group: XMLog
Date: 2006-11-28 21:04:04 UTC
From: Mike McAmis
Topic: 1908 Message: 1916

Hi Craig, XMLog is handling Cook Islands (E51) the same way it did back in the ZK1 days... Since North Cook and South Cook can't be seperated by callsign XMLog can't guess the country from the call. The best way to handle this is to scan your DX bulletins for announcements for Cook Island DXpeditions and use the "View/Show Callsign List" to associate the appropriate country with each callsign. Also, when you see DX cluster spots for calls like this (as well as 3D2, VP8, etc.) sometimes the spotter will add a comment that lets you the correct country - in this case go through the same process to add the call to the Callsign List.

Mike - W1ECT

1917. Re: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-28 19:10:53 UTC
From: N7MAL
Topic: 1908 Message: 1917

We have recently been bombarded by Cook Island stations, both North and South. Here is a list of the calls and their locations:
E51PDX/E51PEN/E51QMA N. Cook
E51YAQ/E51NOU S.Cook

They were all very active in the last month or so.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Tuesday, November 28, 2006 17:18
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mal,

Yes, he is on Raratonga, I thought that I had a new one. I think that the Cook Is. are using E51 for everyone, including N. Cook, so we may need to manually pick the country if we are lucky enough to find someone on N. Cook.

However, the E51 calls still show up in red on the band map and I have ZK1 confirmed.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Monday, November 27, 2006 5:19 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

Craig my solution has been to add to the callsign list the new 'non-standard' calls whenever they show up in the various DX Bulletins. E51NOU, for example, is on Raratonga which is South Cook.....
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, November 27, 2006 17:13
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now.
I did work E51NOU the other day for a new one, his call was in black on
the
band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the
fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
Mike
McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official
prefix gets assigned. When it is assigned XMLog will automatically
update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.17/553 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.19/555 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

1918. RE: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-11-29 05:28:35 UTC
From: Craig Bradley
Topic: 1908 Message: 1918

Hi Mike,

My main dilemma is how to tell XMLog that I have E51/S confirmed and accepted for DXCC. As most of the current spots are from S. Cook. The DXCC checklist does not have a line for E51/S or /N.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, November 28, 2006 1:04 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Cook Islands

Hi Craig, XMLog is handling Cook Islands (E51) the same way it did back in the ZK1 days... Since North Cook and South Cook can't be seperated by callsign XMLog can't guess the country from the call. The best way to handle this is to scan your DX bulletins for announcements for Cook Island DXpeditions and use the "View/Show Callsign List" to associate the appropriate country with each callsign. Also, when you see DX cluster spots for calls like this (as well as 3D2, VP8, etc.) sometimes the spotter will add a comment that lets you the correct country - in this case go through the same process to add the call to the Callsign List.

Mike - W1ECT

[Non-text portions of this message have been removed]

1919. RE: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-29 05:30:39 UTC
From: Craig Bradley
Topic: 1908 Message: 1919

Hi Mal,

Unfortunately, I missed the North guys, now they all seem to be on Raratonga. I keep getting excited when I see a E51 in red on the band map.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Tuesday, November 28, 2006 11:11 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

We have recently been bombarded by Cook Island stations, both North and South. Here is a list of the calls and their locations:
E51PDX/E51PEN/E51QMA N. Cook
E51YAQ/E51NOU S.Cook

They were all very active in the last month or so.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, November 28, 2006 17:18
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mal,

Yes, he is on Raratonga, I thought that I had a new one. I think that the Cook Is. are using E51 for everyone, including N. Cook, so we may need to manually pick the country if we are lucky enough to find someone on N. Cook.

However, the E51 calls still show up in red on the band map and I have ZK1 confirmed.

- Craig

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
N7MAL
Sent: Monday, November 27, 2006 5:19 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

Craig my solution has been to add to the callsign list the new
'non-standard' calls whenever they show up in the various DX Bulletins.
E51NOU, for example, is on Raratonga which is South Cook.......
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, November 27, 2006 17:13
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now.
I did work E51NOU the other day for a new one, his call was in black on
the
band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the
fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
Mike
McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official
prefix gets assigned. When it is assigned XMLog will automatically
update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.17/553 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.19/555 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1920. Re: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-29 06:34:15 UTC
From: N7MAL
Topic: 1908 Message: 1920

Have you added the callsign to the callsign list.?. If you haven't added those callsigns into the callsign list then your awards don't know the difference.....
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Wednesday, November 29, 2006 5:30
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mal,

Unfortunately, I missed the North guys, now they all seem to be on Raratonga. I keep getting excited when I see a E51 in red on the band map.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Tuesday, November 28, 2006 11:11 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

We have recently been bombarded by Cook Island stations, both North and South. Here is a list of the calls and their locations:
E51PDX/E51PEN/E51QMA N. Cook
E51YAQ/E51NOU S.Cook

They were all very active in the last month or so.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, November 28, 2006 17:18
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mal,

Yes, he is on Raratonga, I thought that I had a new one. I think that the Cook Is. are using E51 for everyone, including N. Cook, so we may need to manually pick the country if we are lucky enough to find someone on N. Cook.

However, the E51 calls still show up in red on the band map and I have ZK1 confirmed.

- Craig

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
N7MAL
Sent: Monday, November 27, 2006 5:19 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

Craig my solution has been to add to the callsign list the new 'non-standard' calls whenever they show up in the various DX Bulletins. E51NOU, for example, is on Raratonga which is South Cook.......
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, November 27, 2006 17:13
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now. I did work E51NOU the other day for a new one, his call was in black on the
band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
Mike
McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official
prefix gets assigned. When it is assigned XMLog will automatically
update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.17/553 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.19/555 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.19/555 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

1921. RE: [XMLog] Re: Montenegro - YU6 or E6

Yahoo group: XMLog
Date: 2006-11-29 07:19:38 UTC
From: Craig Bradley
Topic: 1908 Message: 1921

No I haven't added it. I see that the Prefix file skips from E4 to E6, shouldn't E5 be in the standard list as it is official now?

I do see that E51N and E51S have been added to the ZK1/N and ZK1/S entries though, shouldn't that handle it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Tuesday, November 28, 2006 10:34 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

Have you added the callsign to the callsign list.?. If you haven't added those callsigns into the callsign list then your awards don't know the difference.....
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, November 29, 2006 5:30
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mal,

Unfortunately, I missed the North guys, now they all seem to be on Raratonga. I keep getting excited when I see a E51 in red on the band map.

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of

N7MAL
Sent: Tuesday, November 28, 2006 11:11 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

We have recently been bombarded by Cook Island stations, both North and South. Here is a list of the calls and their locations:
E51PDX/E51PEN/E51QMA N. Cook
E51YAQ/E51NOU S.Cook

They were all very active in the last month or so.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, November 28, 2006 17:18
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mal,

Yes, he is on Raratonga, I thought that I had a new one. I think that the Cook Is. are using E51 for everyone, including N. Cook, so we may need to manually pick the country if we are lucky enough to find someone on N. Cook.

However, the E51 calls still show up in red on the band map and I have ZK1 confirmed.

- Craig

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
N7MAL
Sent: Monday, November 27, 2006 5:19 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Re: Montenegro - YU6 or E6

Craig my solution has been to add to the callsign list the new 'non-standard' calls whenever they show up in the various DX Bulletins. E51NOU, for example, is on Raratonga which is South Cook.....
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz. <http://www.ctaz.
<http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, November 27, 2006 17:13
Subject: RE: [XMLog] Re: Montenegro - YU6 or E6

Hi Mike,

How is XMLog dealing with the Cook Is., they are officially E5 or E51 now.
I did work E51NOU the other day for a new one, his call was in black on
the
band map, but it got logged as ZK1/N, N. Cook Is. I don't know if the
fields got filled from QRZ.com or not. I am using Ver. 5.27.

Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
Mike
McAmis
Sent: Friday, November 24, 2006 7:50 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Montenegro - YU6 or E6

Hi Dave, XMLog is only using "E6" for Montenegro until the official
prefix gets assigned. When it is assigned XMLog will automatically
update your logs to reflect the official prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.17/553 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.19/555 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.14.19/555 - Release Date:
11/27/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1922. Re: Cook Islands

Yahoo group: XMLog
Date: 2006-11-29 17:19:04 UTC
From: Mike McAmis
Topic: 1908 Message: 1922

Hi Craig, The prefixes for the Cook Islands are still ZK1/N and ZK1/S.
I'll change this to E51/N or /S if (when) the ARRL DXCC country list is
updated.

Mike - W1ECT

1923. Re: Error - 'Cannot open log..'

Yahoo group: XMLog
Date: 2006-11-29 19:45:10 UTC
From: Mike McAmis
Topic: 1912 Message: 1923

Hi Dave, I've done some web searching to see if I could find any mention of when this "database corrupt, (#3049)" error might occur when the database (your log file) is obviously not corrupt since you can open it ok on the second try.

One thing you might try is before running XMLog you can go to your XMLog install folder and delete the Access "lock file" associated with the log - if your log file is xxx.log then delete xxx.ldb. This is a long shot but it seems to have helped one guy...

Also you should check your Windows and Office update status. Instead of going to the "Windows Update" page that most people use try the "Microsoft Update" page at:

update.microsoft.com

which updates both Windows and Office.

Mike - W1ECT

1924. Re: Error - 'Cannot open log..'

Yahoo group: XMLog
Date: 2006-11-29 21:20:37 UTC
From: Dave Sergeant
Topic: 1912 Message: 1924

Thanks Mike

> Hi Dave, I've done some web searching to see if I could find any
> mention of when this "database corrupt, (#3049)" error might occur
> when the database (your log file) is obviously not corrupt since you
> can open it ok on the second try.
>
> One thing you might try is before running XMLog you can go to your
> XMLog install folder and delete the Access "lock file" associated with
> the log - if your log file is xxx.log then delete xxx.ldb. This is a
> long shot but it seems to have helped one guy...

There are no .ldb files in my install folder (C:\mlog).

> Also you should check your Windows and Office update status. Instead
> of going to the "Windows Update" page that most people use try the
> "Microsoft Update" page at:
>
> update.microsoft.com
>
> which updates both Windows and Office.

I did that. I don't have Office installed here so it only found the XP updates. But that is not to say there are no updates to the access files. The XP installation was off an SP2 CD so would be pretty up to date anyway and I have since done all the Windows updates.

I have noticed that when you click OK to the warning message it leaves you with no log file open. If you then try and open a different log which you haven't opened before in that session you get Error 3045 'Could not use 'xx'; file already in use' - which it obviously isn't.

By the way the PC is set up for a single user (me) with admin priveledges.

73 Dave G3YMC

http://www.davesergeant.com

1925. Re: Error - 'Cannot open log..'

Yahoo group: XMLog
Date: 2006-11-29 21:35:24 UTC
From: Dave Sergeant
Topic: 1912 Message: 1925

Thanks Mike

> Hi Dave, I've done some web searching to see if I could find any
> mention of when this "database corrupt, (#3049)" error might occur
> when the database (your log file) is obviously not corrupt since you
> can open it ok on the second try.
>
> One thing you might try is before running XMLog you can go to your
> XMLog install folder and delete the Access "lock file" associated with
> the log - if your log file is xxx.log then delete xxx.ldb. This is a
> long shot but it seems to have helped one guy...

Just had a thought whether it is my AV resident scanner (F-Prot)
causing the problem. When I tried it just now it worked flawlessly
with it both enabled and disabled. Will repeat a test with the AV
turned off when I reboot in the morning.

But I have been using F-Prot on the 98SE machine for years without
any problem...

73 Dave G3YMC

http://www.davesergeant.com

1926. Lakshadweep Is. - VU/L

Yahoo group: XMLog
Date: 2006-12-01 18:06:44 UTC
From: Mike McAmis
Topic: 1926 Message: 1926

Hi, It seems there are a lot of VU7LD/whatever calls out there and it's a bit of a pain to add them all via the "View/Show Country List" menu item.

For you hackers out there, exit XMLog, edit the dxcalls.ini file that resides in your XMLog install folder and add these lines at the bottom of the file. It's best to use NotePad to do this so that the file remains a simple text file...

VU7LD/VU2GMN=142
VU7LD/VU2GGM=142
VU7LD/VU2IZO=142
VU7LD/VU2LBW=142
VU7LD/VU2LX=142
VU7LD/VU2MTT=142
VU7LD/VU2NKS=142
VU7LD/VU2NXM=142
VU7LD/VU2PAI=142
VU7LD/VU2PJP=142
VU7LD/VU2RCR=142
VU7LD/VU2RDQ=142
VU7LD/VU2SBJ=142
VU7LD/VU2SWS=142
VU7LD/VU2TS=142
VU7LD/VU2UR=142
VU7LD/VU2ZAP=142
VU7LD/VU3DMP=142
VU7LD/VU3ELR=142
VU7LD/VU3KKZ=142
VU7LD/VU3RSB=142
VU7LD/VU3SPQ=142
VU7LD/VU2SJD=142

Mike - W1ECT

1927. RE: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-11-30 08:31:37 UTC
From: Craig Bradley
Topic: 1908 Message: 1927

Hi Mike,

It looks like they changed the list, it is now on the current list posted on the ARRL web site.

http://www.arrl.org/awards/dxcc/list_a2.html#e3

E5

N. Cook Is.

OC

62

32

E5

S. Cook Is.

OC

62

32

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Wednesday, November 29, 2006 9:19 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Cook Islands

Hi Craig, The prefixes for the Cook Islands are still ZK1/N and ZK1/S. I'll change this to E51/N or /S if (when) the ARRL DXCC country list is updated.

Mike - W1ECT

[Non-text portions of this message have been removed]

1928. Re: Cook Islands

Yahoo group: XMLog
Date: 2006-12-01 20:10:46 UTC
From: Mike McAmis
Topic: 1908 Message: 1928

OK Craig, I'll make the change in the next version. All old ZK1 entries in your log will be automatically updated.

Mike - W1ECT

1929. Re: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-12-01 22:38:31 UTC
From: N7MAL
Topic: 1889 Message: 1929

Hi Mike: Merely changing the prefix from ZK to E51 won't cure/solve anything. Whenever anyone goes there the callsign database has to be updated to reflect what call goes to what island. There is no defined block of letters assigned to North or South. There are just certain places, in the world, where any logbook user, not just XMlog, must add the appropriate call to the logbook database. There are several others that come to mind, FO, JD1, VK0, and now VU where the user of any logging program needs to update the callsign database.
Just my minus 2 cents worth..... Thanks for your effort
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Friday, December 01, 2006 20:10
Subject: [XMLog] Re: Cook Islands

OK Craig, I'll make the change in the next version. All old ZK1 entries in your log will be automatically updated.

Mike - W1ECT

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.3/561 - Release Date: 12/1/2006

[Non-text portions of this message have been removed]

1930. RE: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-12-02 19:05:29 UTC
From: Craig Bradley
Topic: 1908 Message: 1930

Hi Mike,

Thanks, does this mean that the call letter will get changed in the old entries or just the country code?

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, December 01, 2006 12:11 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Cook Islands

OK Craig, I'll make the change in the next version. All old ZK1 entries in your log will be automatically updated.

Mike - W1ECT

[Non-text portions of this message have been removed]

1931. RE: [XMLog] Re: Cook Islands

Yahoo group: XMLog
Date: 2006-12-02 19:07:57 UTC
From: Craig Bradley
Topic: 1889 Message: 1931

Hi Mal,

This should still be the same as it was before with the ZK1 prefix, we will probably have to select which one it is. However, all of the spots for E51 will stop coming up in red.

- Craig

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Friday, December 01, 2006 2:39 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Cook Islands

Hi Mike: Merely changing the prefix from ZK to E51 won't cure/solve anything. Whenever anyone goes there the callsign database has to be updated

to reflect what call goes to what island. There is no defined block of letters assigned to North or South. There are just certain places, in the world, where any logbook user, not just XMlog, must add the appropriate call

to the logbook database. There are several others that come to mind, FO, JD1, VK0, and now VU where the user of any logging program needs to update the callsign database.
Just my minus 2 cents worth..... Thanks for your effort
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 01, 2006 20:10
Subject: [XMLog] Re: Cook Islands

OK Craig, I'll make the change in the next version. All old ZK1 entries in your log will be automatically updated.

Mike - W1ECT

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.3/561 - Release Date: 12/1/2006

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1932. Callsign List - E5, VP8, 3D2, FO, etc.

Yahoo group: XMLog
Date: 2006-12-04 20:16:58 UTC
From: Mike McAmis
Topic: 1932 Message: 1932

For the most part the appropriate DXCC country can be "guessed" based on the callsign. However sometimes a call can't be guessed because:

1) A callsign block is allocated to an island group that includes several DXCC countries.

2) French TO and TM prefixes can be assigned to any French possesion.

3) Some countries don't have unique Antarctic callsign blocks.

4) Special event or other "custom" callsigns may not follow the normal callsign allocations.

XMLog tries to handle these mystery callsigns by letting you add them to a "Callsign List" where you can associate the correct DXCC country to specfic calls. Use the "View/Show Callsign List" menu item to edit this list.

It's best to subscribe to a DX newsletter so that you can add these special calls before they appear on the bands. Two good sources of DX information are:

1) If you are an ARRL member you can get a weekly DX bulletin by going to www.arrl.org and clicking on the "Member Data Page" in the "Members Only" box. Next pick "Modify membership data" and then enable the DX bulletine. If you have never used any "Members Only" feature you'll have to enable it first.

2) You can try a trial subscription to W3UR's "Daily DX" bulletin at www.dailydx.com

As you scan your bulletin, here's which countries to look for along with their most common prefix:

Spratly I. (1S)
Rotuma I., Conway I. (3D2)
Peter I., Bouvet (3Y)
North/South Cook Is. (E5)
Austral Is., Marquesas Is. (FO)
Ogasawara (JD1)
S. Shetland, S. Orkney, S. Georgia, Falkland Is. (VP8)
Andaman/Nicobar, Lakshadweep, Is. (VU7)
Antarctic calls
French TO and TX calls

Some of these calls may be guessed correctly without having to add them to the Callsign List. A quick way to see if they need to be added is use the "View/Show QSOs and Check Call WIndow" menu item

(F4) and type in the call - if it shows the correct country it doesn't need to be added.

Mike - W1ECT

1933. It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 01:34:13 UTC
From: GerryC
Topic: 1933 Message: 1933

[Running 5.19]

I found by accident that graphic file types other than BMP may now be used
in custom layouts. (This far I've successfully used JPG and GIF.)

[The help file says we're limited to BMP, and I see no mention in
CHANGES.TXT.]

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.7/569 - Release Date: 12/5/2006

1934. RE: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 05:42:31 UTC
From: Craig Bradley
Topic: 1933 Message: 1934

OK, I give up. What custom layouts?

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Tuesday, December 05, 2006 5:34 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] It's not just bitmaps any more!

[Running 5.19]

I found by accident that graphic file types other than BMP may now be used in custom layouts. (This far I've successfully used JPG and GIF.)

[The help file says we're limited to BMP, and I see no mention in CHANGES.TXT.]

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.7/569 - Release Date: 12/5/2006

[Non-text portions of this message have been removed]

1935. Re: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 14:56:04 UTC
From: GerryC
Topic: 1933 Message: 1935

> OK, I give up. What custom layouts?

Custom QSL layouts.

Options / QSL Labels Layout / Custom

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

1936. RE: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 16:04:21 UTC
From: Craig Bradley
Topic: 1933 Message: 1936

OK, that makes sense, I was wondering if it was for the new map feature. I haven't tried printing cards with XMLog. I just print labels. I do print my own cards with QSL Maker though.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Wednesday, December 06, 2006 6:56 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] It's not just bitmaps any more!

> OK, I give up. What custom layouts?

Custom QSL layouts.

Options / QSL Labels Layout / Custom

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

[Non-text portions of this message have been removed]

1937. Re: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 16:31:38 UTC
From: GerryC
Topic: 1933 Message: 1937

> OK, that makes sense, I was wondering if it was for the new map feature.
I
> haven't tried printing cards with XMLog. I just print labels. I do print
> my own cards with QSL Maker though.

An advantage of printing with XMLog is that I never have to transcribe information onto the cards-- the QSO-specific information is already captive in the log, and gets on the cards automatically. (I use a handwriting font, in blue) and at first glance it looks like ballpoint pen.)

The time I've spent "futzing" with layouts probably exceeds the time I've saved-- but I had FUN in the process!

"Time you've enjoyed wasting is not wasted." -- Bertrand Russell

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

1938. RE: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 16:53:19 UTC
From: Craig Bradley
Topic: 1933 Message: 1938

Hi Gerry,

I will have to try it out.

I often do large batches of cards (20 or so) after a contest and I was wondering how it works with the mailing labels.

I normally print all of the QSL labels and the mailing labels at the same time. Then I peal the QSL label off, stick it on the card and then put the mailing label on an envelope. I can then keep them together while I write a note on the card and get the SASE or IRC together with the package. I don't print the call letters on the mailing label for security reasons, so it could be tricky to match the correct label with the card when doing a large batch. Do you have a method for this?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Wednesday, December 06, 2006 8:32 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] It's not just bitmaps any more!

> OK, that makes sense, I was wondering if it was for the new map feature. I
> haven't tried printing cards with XMLog. I just print labels. I do print
> my own cards with QSL Maker though.

An advantage of printing with XMLog is that I never have to transcribe information onto the cards-- the QSO-specific information is already captive in the log, and gets on the cards automatically. (I use a handwriting font, in blue) and at first glance it looks like ballpoint pen.)

The time I've spent "futzing" with layouts probably exceeds the time I've saved-- but I had FUN in the process!

"Time you've enjoyed wasting is not wasted." -- Bertrand Russell

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

[Non-text portions of this message have been removed]

1939. Re: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 18:09:24 UTC
From: GerryC
Topic: 1933 Message: 1939

> ...it
> could be tricky to match the correct label with the card when doing a
large
> batch. Do you have a method for this?

Just diligence and vigilance.

>... I normally print all of the QSL labels and the mailing labels at the
same
> time.

In two batches, or intermixed in one batch?

If the former, it might be easier to print on "two by" labels and create a
layout that treats two side-by-side physical labels as a single label
(prints QSO info on one and the address on the other).

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

1940. Re: It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 22:37:00 UTC
From: Mike McAmis
Topic: 1933 Message: 1940

OK, Well I was just going by what the documetation for the
graphics "control" that I use for labels. Always glad to hear that a
new feature has been added without me having to do anything. I'll
update the help file.

Mike - W1ECT

> I found by accident that graphic file types other than BMP may now be
> used in custom layouts. (This far I've successfully used JPG and
> GIF.)
>
> [The help file says we're limited to BMP, and I see no mention in
> CHANGES.TXT.]
>
> 73 de W3GERry

1941. Re: [XMLog] Re: It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-06 23:06:43 UTC
From: GerryC
Topic: 1933 Message: 1941

>OK, Well I was just going by what the documetation for the
graphics "control" that I use for labels. Always glad to hear that a
new feature has been added without me having to do anything. I'll
update the help file.

And perhaps also the browse function invoked in
NEW / PICTURE / SOURCE
(It's limited to BMP and ICO).

73 es tnx fer yer ongoing interest es support!!
W3GERry

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

[Non-text portions of this message have been removed]

1942. RE: [XMLog] It's not just bitmaps any more!

Yahoo group: XMLog
Date: 2006-12-07 04:32:29 UTC
From: Craig Bradley
Topic: 1933 Message: 1942

I print the QSL labels and the address labels in the same batch and they come out next to each other. I do use Avery 5260, 3x10 label sheets, but just peal an address and a QSL label for each in sequence and it works out just fine, if I put the cards in the envelope flap immediately.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Wednesday, December 06, 2006 10:09 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] It's not just bitmaps any more!

> ...it
> could be tricky to match the correct label with the card when doing a large
> batch. Do you have a method for this?

Just diligence and vigilance.

>... I normally print all of the QSL labels and the mailing labels at the same
> time.

In two batches, or intermixed in one batch?

If the former, it might be easier to print on "two by" labels and create a layout that treats two side-by-side physical labels as a single label (prints QSO info on one and the address on the other).

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.15.9/573 - Release Date: 12/5/2006

[Non-text portions of this message have been removed]

1943. 40m PSK31 QSL does not confirm 40m

Yahoo group: XMLog
Date: 2006-12-07 07:05:29 UTC
From: Craig Bradley
Topic: 1943 Message: 1943

Hi Mike,

I just received a QSL from Asiatic Russia (UA9).

It is logged as UA0ZEO, PSK31 on 14.070 MHz, the country shows UA9 - Asiatic Russia, the QSL record has a good confirmed date.

The DXCC checklist shows UA9 CNF on TTY but not on 40m, it is ACC for SSB and 20m.

When I read the DXCC rules, it doesn't say anything about mode for the band awards. Is something wrong?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

1944. Re: 40m PSK31 QSL does not confirm 40m

Yahoo group: XMLog
Date: 2006-12-08 18:31:30 UTC
From: Mike McAmis
Topic: 1943 Message: 1944

Hi Craig, No obvious problems here - can you zip up your log and send it to support@...?

Mike - W1ECT

1945. RE: [XMLog] Re: 40m PSK31 QSL does not confirm 40m

Yahoo group: XMLog
Date: 2006-12-09 07:34:54 UTC
From: Craig Bradley
Topic: 1943 Message: 1945

Thanks Mike,

I sent the log.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, December 08, 2006 10:32 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: 40m PSK31 QSL does not confirm 40m

Hi Craig, No obvious problems here - can you zip up your log and send it to support@xmlog. <mailto:support%40xmlog.com> com?

Mike - W1ECT

[Non-text portions of this message have been removed]

1946. rig control problem icom 746

Yahoo group: XMLog
Date: 2006-12-11 05:23:40 UTC
From: Steve Woodruff
Topic: 1946 Message: 1946

Howdy,

I'm having problems using the rig control function of XMLog. I use a MicroHAM USB interface which works 100% fine with WriteLog, so its not a question of the interface between rig and computer.

In XMLog i use the default settings for IC746 and it seems to get the freq and mode from the radio... but it also keys it up into transmit mode and never unkeys it until i go into rig settings and hit save. Then as soon as i go to enter a new contact it keys up the rig and never unkeys it. I've experimented with a couple of the settings but always get the same result (or worse, such as rig timeout).

Any suggestions?

Steve N9OH

1947. Re: 40m PSK31 QSL does not confirm 40m

Yahoo group: XMLog
Date: 2006-12-11 12:27:22 UTC
From: Mike McAmis
Topic: 1943 Message: 1947

For those of you wondering what the problem was, it was just a mix-up between the band marked on the QSL and the frequency entered.

Mike - W1ECT

> Thanks Mike,
> I sent the log.
> 73, Craig, AE6RR

1948. Re: rig control problem icom 746

Yahoo group: XMLog
Date: 2006-12-11 22:47:45 UTC
From: Mike McAmis
Topic: 1946 Message: 1948

Hi Steve, XMLog just sends two commands; one to set the mode and a second to set the frequency. These commands are pretty much the same for all Icom rigs so it seems unlikely that they are causing the problem.

I wonder if your MicroHam interface also provides other functions that is shares on the COM port. It could be that they also provide CW or PTT control? It could be that when XMLog is brings up one of the control lines on the COM port (like DTR or RTS) this is keying the rig? Of course this assumes that you have the PTT or CW line connected via the interface. By the way, if the RTS line is causing the problem it can be disabled by setting "Flow Control" to "None".

Mike - W1ECT

1949. Max number of QSO's ?

Yahoo group: XMLog
Date: 2006-12-12 05:08:13 UTC
From: hwingate
Topic: 1949 Message: 1949

Does anyone know if there is a maximum number of QSO's the program will hold ?

I have about 12,000 now and it is running well. I suppose I should open up a new database, but it is just so handy having all the info in one place to track QSL's , awards etc.

Henry

1950. Re: [XMLog] Max number of QSO's ?

Yahoo group: XMLog
Date: 2006-12-12 12:22:59 UTC
From: Jim Roller
Topic: 1949 Message: 1950

Henry,

Almost 59,000 QSOs here and still going strong. I suspect the only limits would be available disk space and processor speed.

Jim, N4IR

[Non-text portions of this message have been removed]

1951. Re: [XMLog] Max number of QSO's ?

Yahoo group: XMLog
Date: 2006-12-12 21:13:38 UTC
From: Robert Dixon
Topic: 1949 Message: 1951

Hi Jim: Glad to hear that! I have almost 20,000 on my master log. Just started using Mlog in 1999. I have to use version 496 which is the only one that lets me use a new file for each contest and then splice it into the master log usisng ADIF files. Have e-mailed Mike about that problem. Would like to use newer versions of MLog.

You must be busy with 59,000.

Have a good Christmas

73, Bob W8HGH, Bedford, VA
----- Original Message -----
From: Jim Roller<mailto:n4ir@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Tuesday, December 12, 2006 7:22 AM
Subject: Re: [XMLog] Max number of QSO's ?

Henry,

Almost 59,000 QSOs here and still going strong. I suspect the only
limits would be available disk space and processor speed.

Jim, N4IR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1952. Re: Max number of QSO's ?

Yahoo group: XMLog
Date: 2006-12-12 22:08:54 UTC
From: Mike McAmis
Topic: 1949 Message: 1952

Hi Henry, I have over 60,000 entries in my log and another local ham has well over 100,000. XMLog uses a Microsoft Access database so as Jim says you are more limited by your hardware than the software.

Mike - W1ECT

1953. Re: rig control problem icom 746

Yahoo group: XMLog
Date: 2006-12-12 22:37:20 UTC
From: Steve Woodruff
Topic: 1946 Message: 1953

Hi Mike,

Yes, the microham interface provides the rig control, cw keying, ptt,
etc. In this case, i do have flow control set to "none" but it seems
to happen still.

Icom 746
addr 56
baud 1200
com 4
data bits 8
stop bits 1
flow control none
parity none
data mode "LSB or USB"

Steve N9OH

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Steve, XMLog just sends two commands; one to set the mode and a
> second to set the frequency. These commands are pretty much the same
> for all Icom rigs so it seems unlikely that they are causing the
> problem.
>
> I wonder if your MicroHam interface also provides other functions that
> is shares on the COM port. It could be that they also provide CW or PTT
> control? It could be that when XMLog is brings up one of the control
> lines on the COM port (like DTR or RTS) this is keying the rig? Of
> course this assumes that you have the PTT or CW line connected via the
> interface. By the way, if the RTS line is causing the problem it can
> be disabled by setting "Flow Control" to "None".
>
> Mike - W1ECT
>

1954. RE: [XMLog] Re: rig control problem icom 746

Yahoo group: XMLog
Date: 2006-12-13 16:55:29 UTC
From: Craig Bradley
Topic: 1946 Message: 1954

Hi Steve,

I have a microHAM microKEYER connected to my TS-2000 and I don't have any problems.

I have a preset tab for XMLog in the microHAM USB Device Router with the following settings:

Control: COM4

FSK: none

2nd FSK: none

CW: none

PTT: none

2nd PTT: none

Foot Switch: none

Win Key: COM5

I suspect that the PTT setting is your problem.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Woodruff
Sent: Tuesday, December 12, 2006 2:37 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: rig control problem icom 746

Hi Mike,

Yes, the microham interface provides the rig control, cw keying, ptt, etc. In this case, i do have flow control set to "none" but it seems to happen still.

Icom 746
addr 56
baud 1200
com 4
data bits 8

stop bits 1
flow control none
parity none
data mode "LSB or USB"

Steve N9OH

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Steve, XMLog just sends two commands; one to set the mode and a
> second to set the frequency. These commands are pretty much the same
> for all Icom rigs so it seems unlikely that they are causing the
> problem.
>
> I wonder if your MicroHam interface also provides other functions that
> is shares on the COM port. It could be that they also provide CW or PTT
> control? It could be that when XMLog is brings up one of the control
> lines on the COM port (like DTR or RTS) this is keying the rig? Of
> course this assumes that you have the PTT or CW line connected via the
> interface. By the way, if the RTS line is causing the problem it can
> be disabled by setting "Flow Control" to "None".
>
> Mike - W1ECT
>

[Non-text portions of this message have been removed]

1955. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-19 19:26:59 UTC
From: Mike McAmis
Topic: 1946 Message: 1955

Hi Steve, I found that XMLog was always setting the RTS line regardless of the setting for CTS/RTS flow control option. I'll post a new version in www.xmlog.com/beta in the next few days that changes this action.

Hopefully no one out there is dependent on the RTS line being always enabled.

Mike - W1ECT

1956. Re: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-19 19:57:16 UTC
From: Michael McCarthy
Topic: 1946 Message: 1956

Mike,
Some of the aftermarket rig interface cables use
RTS for power.

Mike, W1NR

--- Mike McAmis <w1ect@...> wrote:

> Hi Steve, I found that XMLog was always setting the
> RTS line regardless
> of the setting for CTS/RTS flow control option.
> I'll post a new
> version in www.xmlog.com/beta in the next few days
> that changes this
> action.
>
> Hopefully no one out there is dependent on the RTS
> line being always
> enabled.
>
> Mike - W1ECT
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

1957. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-20 04:20:37 UTC
From: Steve Woodruff
Topic: 1946 Message: 1957

Hi Mike -- I'll check back on the site for an update soon. Right now
i keep having to manually enter freq/mode/etc when i add new contacts
real-time. Its a pain... but i'm hoping you'll have a fix soon. :)

tnx

Steve N9OH

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Steve, I found that XMLog was always setting the RTS line regardless
> of the setting for CTS/RTS flow control option. I'll post a new
> version in www.xmlog.com/beta in the next few days that changes this
> action.
>
> Hopefully no one out there is dependent on the RTS line being always
> enabled.
>
> Mike - W1ECT
>

1958. Modify band edges in Spots History?

Yahoo group: XMLog
Date: 2006-12-20 18:50:23 UTC
From: David Spoelstra
Topic: 1958 Message: 1958

I noticed that spots in the new USA SSB allocations are showing up as CW mode in the Spots History window. Is there any way to modify the band edges to match the new allocations?

Thanks!
-David, N9KT

1959. Re: Modify band edges in Spots History?

Yahoo group: XMLog
Date: 2006-12-20 20:31:31 UTC
From: Mike McAmis
Topic: 1958 Message: 1959

Ha, I don't do much phone operating here so I didn't notice. I should
have realized things needed to change when I saw the announcements
about the re-sizing of the phone bands.

I'll have the change in 5.33

Mike - W1ECT

>
> I noticed that spots in the new USA SSB allocations are showing up as
> CW mode in the Spots History window. Is there any way to modify the
> band edges to match the new allocations?
>
> Thanks!
> -David, N9KT
>

1960. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-20 20:29:19 UTC
From: Mike McAmis
Topic: 1946 Message: 1960

OK, that's what I was afraid of. What I've now done for version 5.33 is added yet another option to the HF Rig Port options window "RTS Always On". I'll enable this option by default to be compatible with previous XMLog versions. Also, you won't be able to set this option if you've also set your Flow Control option to RTS/CTS.

Mike - W1ECT

> Some of the aftermarket rig interface cables use
> RTS for power.
>
> Mike, W1NR

1961. Re: Modify band edges in Spots History?

Yahoo group: XMLog
Date: 2006-12-20 23:18:11 UTC
From: David Spoelstra
Topic: 1958 Message: 1961

Mike-
As always, thanks for your quick support and thanks for such a great program.
-David, N9KT

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Ha, I don't do much phone operating here so I didn't notice. I should
> have realized things needed to change when I saw the announcements
> about the re-sizing of the phone bands.
>
> I'll have the change in 5.33
>
> Mike - W1ECT
>
> >
> > I noticed that spots in the new USA SSB allocations are showing up as
> > CW mode in the Spots History window. Is there any way to modify the
> > band edges to match the new allocations?
> >
> > Thanks!
> > -David, N9KT
> >
>

1962. RE: [XMLog] Re: Modify band edges in Spots History?

Yahoo group: XMLog
Date: 2006-12-21 04:35:38 UTC
From: Craig Bradley
Topic: 1958 Message: 1962

If you want to be fancy, you could even color code the horizontal lines in the Spots Map window.

Writelog does something like that for the mode of the contest.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of David Spoelstra
Sent: Wednesday, December 20, 2006 3:18 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Modify band edges in Spots History?

Mike-
As always, thanks for your quick support and thanks for such a great program.
-David, N9KT

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike McAmis" <w1ect@...> wrote:
>
> Ha, I don't do much phone operating here so I didn't notice. I should
> have realized things needed to change when I saw the announcements
> about the re-sizing of the phone bands.
>
> I'll have the change in 5.33
>
> Mike - W1ECT
>
> >
> > I noticed that spots in the new USA SSB allocations are showing up as
> > CW mode in the Spots History window. Is there any way to modify the
> > band edges to match the new allocations?
> >
> > Thanks!
> > -David, N9KT
> >
>

[Non-text portions of this message have been removed]

1963. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-27 03:15:19 UTC
From: Steve Woodruff
Topic: 1946 Message: 1963

Hi Mike,

5.32 is the latest beta that i can see.... is 5.33 available yet?

Merry Christmas!

Steve N9OH

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK, that's what I was afraid of. What I've now done for version
5.33 is
> added yet another option to the HF Rig Port options window "RTS
Always
> On". I'll enable this option by default to be compatible with
previous
> XMLog versions. Also, you won't be able to set this option if
you've
> also set your Flow Control option to RTS/CTS.
>
> Mike - W1ECT

1964. Modified qsl labels

Yahoo group: XMLog
Date: 2006-12-28 01:53:13 UTC
From: witstock7
Topic: 1964 Message: 1964

I have modified the "Demo QSL-5" setup and would like to assign it a new name and save the modified version. All I seem to be able to save it as is the original name. What am I missing that I am unable to rename it?

Nelson, K8DJC

1965. Re: Modified qsl labels

Yahoo group: XMLog
Date: 2006-12-28 06:33:39 UTC
From: Steve Woodruff
Topic: 1964 Message: 1965

Looks like you can do the following:

1) Options -> QSL Label Layout (menu)
2) Click the Custom button
3) Select "Demo QSL-5"
4) Click the Copy button
5) Give a new name for this label and press OK

Steve N9OH

--- In XMLog@yahoogroups.com, "witstock7" <k8djc@...> wrote:
>
> I have modified the "Demo QSL-5" setup and would like to assign it a
> new name and save the modified version. All I seem to be able to save
> it as is the original name. What am I missing that I am unable to
> rename it?
>
> Nelson, K8DJC
>

1966. qsl labels - missing function?

Yahoo group: XMLog
Date: 2006-12-28 06:37:02 UTC
From: Steve Woodruff
Topic: 1966 Message: 1966

I ran into a problem today while doing qsl labels... it seems the Ctrl-Q key can be used to add a QSL label to the list to print. However, there is no Ctrl key to add a mailing label to the list to print.

What I would really like to see is a single control key that would let you add both a QSL label and a mailing label at the same time (for the current QSO) to the list to be printed.

Is this possible already and i'm overlooking it?

Thanks,

Steve N9OH

1967. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-28 14:31:38 UTC
From: Mike McAmis
Topic: 1946 Message: 1967

Hi Steve, Version 5.33 won't get posted for another week or so, keep checking.

Mike - W1ECT

> 5.32 is the latest beta that i can see.... is 5.33 available yet?

1968. Re: qsl labels - missing function?

Yahoo group: XMLog
Date: 2006-12-28 14:35:42 UTC
From: Mike McAmis
Topic: 1966 Message: 1968

Hi Steve, Only a few menu items have one-key Control+whatever shortcuts. However, just about everything has a two-key Alt shortcut - to add a mailing label use Alt+L,M

Mike - W1ECT

1969. Re: [XMLog] Re: Modified qsl labels

Yahoo group: XMLog
Date: 2006-12-28 17:17:44 UTC
From: Nelson Wittstock
Topic: 1964 Message: 1969

Thanks, Steve. That worked nicely. I had to adjust some sizing since my labels were a different size than the sample.

Nelson, K8DJC

1970. RE: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-29 06:01:40 UTC
From: Craig Bradley
Topic: 1946 Message: 1970

Hi Mike,

I have found a similar problem, I don't know if it is related or not.

I am using the microHAM USB Device Router on my laptop with the microKEYER at home. COM4 is the rig control and COM5 is the Winkey port. When I use it without the micoKEYER at my 2nd QTH in the mountains, XMLog complains about "cannot open COM5". I have a USB to serial plugged in for rig control on COM4, but XMLog will not access the rig frequency, etc. If I turn off CW Options and Port select to NONE, then it works OK with the rig control on COM4. I do not have the CW keyboard window open.

Now that I know what the problem is, I can deal with it, but it is a bit strange. I just have to remember to set the option correctly for the 2 QTHs. I thought that you would want to know about this.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Thursday, December 28, 2006 6:32 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Hi Steve, Version 5.33 won't get posted for another week or so, keep checking.

Mike - W1ECT

> 5.32 is the latest beta that i can see.... is 5.33 available yet?

[Non-text portions of this message have been removed]

1971. Alt key shortcuts and Windows XP

Yahoo group: XMLog
Date: 2006-12-29 16:01:33 UTC
From: Mike McAmis
Topic: 1971 Message: 1971

I don't know how many of you out there use Alt key shortcuts but when Windows XP came along they became harder to use. A couple of examples of these shortcuts for the XMLog's Log Window would be Alt+F,O for "File/Open Log File" or Alt+X,U for "DX/Update DXCC Packet Status".

Older Windows versions used to automatically underline characters in the menu items to note the existence of these shortcuts. By default Windows XP doesn't display these underlines until you push the Alt key.

To change the way these shortcuts are handled:

1) Go to control panel and open the "Display" window
2) Go the the "Appearance" tab
3) Pick the "Effects" button
4) Un-Select the "Hide Underlined Letters..." option

Mike - W1ECT

1972. Problem setting printer mode

Yahoo group: XMLog
Date: 2006-12-30 13:16:09 UTC
From: GerryC
Topic: 1972 Message: 1972

Usually I print QSL cards two to a "half sheet" (8.5 x 5.5) of card stock in portrait mode, but occasionally I print four to a full (8.5 x 11) sheet in landscape mode.

I just tried the latter for the first time since migrating to a different computer, and had trouble.

OLD COMPUTER: NEW COMPUTER
Windows 98se Windows 2000
XMLog 4.96 XMLog 5.19
HP PSC500 printer Same printer
w/ Win98 driver w/ Win2K driver

Within XMLog (on the new computer) if I click FILE / PRINT SETUP, change the mode to portrait and then click SAVE, that does not "take"-- if I immediately try that again, landscape mode shows as still being selected. (And printing is indeed in landscape mode.)

If I change printer mode by invoking the START menu, then SETTINGS / PRINTERS, then it "takes". (And printing is correct.)

TIA for any ideas!
73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.16.0/609 - Release Date: 12/29/2006

1973. Mistake on my "printer mode" post

Yahoo group: XMLog
Date: 2006-12-30 16:17:51 UTC
From: GerryC
Topic: 1973 Message: 1973

Sorry-- on my previous post I managed to write one paragraph completely bassackwards regarding the terms "portrait" and "landscape" (I must have been looking in the mirror, hi).

The subject paragraph should read

Within XMLog (on the new computer) if I click FILE / PRINT SETUP, change the mode to landscape and then click SAVE, that does not "take"-- if I immediately try that again, portrait mode shows as still being selected. (And printing is indeed in portrait mode.)

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.16.0/609 - Release Date: 12/29/2006

1974. RE: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2006-12-30 20:04:02 UTC
From: Craig Bradley
Topic: 1946 Message: 1974

Hi Mike,

I installed some updates yesterday and had to reboot the computer. After that I could not get XMLog to talk to the rig, even with the CW options off. After fiddling around with settings for a while it started to work. I don't know for sure what got it going. Then I closed the microHAM USB router software and it continued to work. I think that the microHAM router may not work correctly when the microKEYER is not connected, so I think that this is the best solution. I use a laptop for my Ham Radio applications and take it back and forth between the home QTH and the weekend home near Lake Tahoe. I only have a microKEYER at the home QTH, so I use a USB to serial at the mountain house. I think my best solution is to buy another microKEYER as I really like that unit.

Sorry about any false alarm, I don't think that there is any problem with XMLog now. I would advise anyone who is using the microHAM USB router to close it when the microKEYER or other microHAM unit is not connected.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Thursday, December 28, 2006 10:02 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Hi Mike,

I have found a similar problem, I don't know if it is related or not.

I am using the microHAM USB Device Router on my laptop with the microKEYER at home. COM4 is the rig control and COM5 is the Winkey port. When I use it without the micoKEYER at my 2nd QTH in the mountains, XMLog complains about "cannot open COM5". I have a USB to serial plugged in for rig control on COM4, but XMLog will not access the rig frequency, etc. If I turn off CW Options and Port select to NONE, then it works OK with the rig control on COM4. I do not have the CW keyboard window open.

Now that I know what the problem is, I can deal with it, but it is a bit strange. I just have to remember to set the option correctly for the 2 QTHs. I thought that you would want to know about this.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of Mike
McAmis
Sent: Thursday, December 28, 2006 6:32 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Hi Steve, Version 5.33 won't get posted for another week or so, keep
checking.

Mike - W1ECT

> 5.32 is the latest beta that i can see.... is 5.33 available yet?

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1975. Re: Problem setting printer mode

Yahoo group: XMLog
Date: 2006-12-31 16:59:11 UTC
From: Mike McAmis
Topic: 1972 Message: 1975

Hi Gerry, This problem started with Windows NT and I've looked into it a couple of times since then but I haven't found a good fix. I'll make another attempt and if I can't do any better I'll just give up and remove the menu item from XMLog forcing you to go the the normal XP printer options diddling.

Mike - W1ECT

> Within XMLog (on the new computer) if I click FILE/PRINT SETUP,
> change the mode to portrait and then click SAVE, that does not
> "take"-- if I immediately try that again, landscape mode shows
> as still being selected. (And printing is indeed in landscape
> mode.)

1976. Re: [XMLog] Re: Problem setting printer mode

Yahoo group: XMLog
Date: 2006-12-31 17:30:22 UTC
From: GerryC
Topic: 1972 Message: 1976

>... if I can't do any better I'll just give up and
remove the menu item from XMLog forcing you to go the the normal XP
printer options diddling.

Not a problem.

Thanks for taking a look!

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.409 / Virus Database: 268.16.0/610 - Release Date: 12/30/2006

1977. Incorrect 1A4A bearings

Yahoo group: XMLog
Date: 2007-01-02 22:16:31 UTC
From: Mike McAmis
Topic: 1977 Message: 1977

You may have noticed that the bearings/distances for 1A4A spots are incorrect. It turns out there is an error in the "prefixes" file. I'll fix this for the next version but if you want to hack your current version:

1) Exit XMLog
2) Use WordPad or NotePad to edit the "prefixes" file located in your XMLog install folder
3) Move down to the Malta (1A0) info
4) Change the 12.4 to -12.4

Mike - W1ECT

1978. Re: [XMLog] Error - 'Cannot open log..'

Yahoo group: XMLog
Date: 2007-01-04 10:07:32 UTC
From: Dave Sergeant
Topic: 1912 Message: 1978

Just an update to this problem I reported a couple of months ago when
I got a 'file in use' error when trying to open a different log file
in XMLog.

I subsequently proved it was my AV, F-Prot, interacting and blocking
access to the log file, and temporarily disabling my AV cured the
problem. This also explains why it only happened on the first
attempt.

Yesterday F-Prot released the new v6 of their AV, which is a major
upgrade of their package with many new features and a completely new
look. I am pleased to say that having installed this I no longer get
the access error with XMLog.

Perhaps you can make a note of this for future reference.

73 Dave G3YMC

On 27 Nov 2006 at 14:11, Dave Sergeant wrote:

> I have recently installed XMLog on a new XP Home machine, having used
> it on my 98SE for a few years.
>
> I have several logs - my main station log and seperate ones for eQSL
> and LOTW returns. XMLog opens fine with my default station log. But if
> I try and open one of the others (File/Open Old Log) I get the
> following message:
>
> 'Cannot open log 'C:\mlog\eqsl.log'
> (3049) Can't open database 'C:\mlog\eqsl.log'. It may not be a
> database that your database recognises, or the file may be corrupt.'
>
> If I click OK and do it again it opens normally, and will do so first
> time every time until XMLog is closed. Similarly with my other logs,
> they fail to open the first time then OK. Sometimes I get a 'file in
> use' error instead, but it follows the same pattern.
>
> I was initially using 5.22 and updated to 5.28 but it made no
> difference.

http://www.davesergeant.com

1979. Update XMLog

Yahoo group: XMLog
Date: 2007-01-07 02:34:36 UTC
From: k9mrd
Topic: 1979 Message: 1979

I am using version 5.19. Can I load the latest version over the top or should I remove old version and then insall the new version?

Wayne

1980. Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-08 00:04:38 UTC
From: Mike McAmis
Topic: 1979 Message: 1980

Hi Wayne - Go ahead and install over the previous version. If you haven't been keeping backups of your log file this would be a good time to create one. Check the help file for more info...

Mike - W1ECT

1981. Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-08 02:18:35 UTC
From: k9mrd
Topic: 1979 Message: 1981

Hi Mike,
Thanks for the quick reply. I downloaded v 5.28, but every time I click setup, I get a message that some of my system files need to be updated. I click 'yes' to update, then click 'yes' to reboot. The system reboots and then I start the same sequence all over again. I am running XP Pro with latest updates from MS. Any ideas?
Wayne

--- In XMLog@...m, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wayne - Go ahead and install over the previous version. If you
> haven't been keeping backups of your log file this would be a good
time
> to create one. Check the help file for more info...
>
> Mike - W1ECT
>

1982. Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-09 03:32:53 UTC
From: k9mrd
Topic: 1979 Message: 1982

I have gone to the MS web site and run the online check of my system.
I have all current software loaded including SP2. I downloaded the
documentation file and followed it step by step with the same result
outlined below. I have deleted and download the zipfile several times
in case something was corrupted in the download. Same result. I must
be missing something obvious.

The file location is c:\downloads\xmlog528.zip
Do they need to be in the program folder for setup.exe to locate the
proper dll's?

I am out of ideas.

Wayne

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> Hi Mike,
> Thanks for the quick reply. I downloaded v 5.28, but every time I
click
> setup, I get a message that some of my system files need to be
updated.
> I click 'yes' to update, then click 'yes' to reboot. The system
reboots
> and then I start the same sequence all over again. I am running XP
Pro
> with latest updates from MS. Any ideas?
> Wayne
>
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@> wrote:
> >
> > Hi Wayne - Go ahead and install over the previous version. If
you
> > haven't been keeping backups of your log file this would be a
good
> time
> > to create one. Check the help file for more info...
> >
> > Mike - W1ECT
> >
>

1983. RE: [XMLog] Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-09 05:53:02 UTC
From: Craig Bradley
Topic: 1979 Message: 1983

How about trying the latest Beta version?

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Monday, January 08, 2007 7:33 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Update XMLog

I have gone to the MS web site and run the online check of my system. I have all current software loaded including SP2. I downloaded the documentation file and followed it step by step with the same result outlined below. I have deleted and download the zipfile several times in case something was corrupted in the download. Same result. I must be missing something obvious.

The file location is c:\downloads\xmlog528.zip
Do they need to be in the program folder for setup.exe to locate the proper dll's?

I am out of ideas.

Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "k9mrd" <k9mrd@...> wrote:
>
> Hi Mike,
> Thanks for the quick reply. I downloaded v 5.28, but every time I click
> setup, I get a message that some of my system files need to be updated.
> I click 'yes' to update, then click 'yes' to reboot. The system reboots
> and then I start the same sequence all over again. I am running XP Pro
> with latest updates from MS. Any ideas?
> Wayne
>
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike McAmis" <w1ect@> wrote:
> >
> > Hi Wayne - Go ahead and install over the previous version. If

you
> > haven't been keeping backups of your log file this would be a
good
> time
> > to create one. Check the help file for more info...
> >
> > Mike - W1ECT
> >
>

[Non-text portions of this message have been removed]

1984. Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-09 18:55:06 UTC
From: k9mrd
Topic: 1979 Message: 1984

Craig,
Thanks for the suggestion. I tried the Beta version with same
results. For some reason the installer does not like my XP. I wonder
if anyone else has had trouble with XP.
Wayne

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> How about trying the latest Beta version?
>
>
>
> - Craig, AE6RR
>
>
>
> -----
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> k9mrd
> Sent: Monday, January 08, 2007 7:33 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: Update XMLog
>
>
>
> I have gone to the MS web site and run the online check of my
system.
> I have all current software loaded including SP2. I downloaded the
> documentation file and followed it step by step with the same
result
> outlined below. I have deleted and download the zipfile several
times
> in case something was corrupted in the download. Same result. I
must
> be missing something obvious.
>
> The file location is c:\downloads\xmlog528.zip
> Do they need to be in the program folder for setup.exe to locate
the
> proper dll's?
>
> I am out of ideas.
>

> Wayne
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "k9mrd"
> <k9mrd@> wrote:
> >
> > Hi Mike,
> > Thanks for the quick reply. I downloaded v 5.28, but every time I
> click
> > setup, I get a message that some of my system files need to be
> updated.
> > I click 'yes' to update, then click 'yes' to reboot. The system
> reboots
> > and then I start the same sequence all over again. I am running
XP
> Pro
> > with latest updates from MS. Any ideas?
> > Wayne
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wayne - Go ahead and install over the previous version. If
> you
> > > haven't been keeping backups of your log file this would be a
> good
> > time
> > > to create one. Check the help file for more info...
> > >
> > > Mike - W1ECT
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1985. RE: [XMLog] Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-10 02:37:08 UTC
From: Craig Bradley
Topic: 1979 Message: 1985

Sorry that didn't work Wayne. I am using XP and have had no problems since Mike fixed an installer problem many versions back. Maybe you are missing a file? There is a Windows repair feature in the XP that you could try. Do you have MS Office installed? I comes with some DLLs that may not be on your system.

Otherwise does it tell you what files are missing or out of date?

- Craig

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Tuesday, January 09, 2007 10:55 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Update XMLog

Craig,
Thanks for the suggestion. I tried the Beta version with same results. For some reason the installer does not like my XP. I wonder if anyone else has had trouble with XP.
Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:
>
> How about trying the latest Beta version?
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
> k9mrd
> Sent: Monday, January 08, 2007 7:33 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] Re: Update XMLog
>
>

>
> I have gone to the MS web site and run the online check of my
system.
> I have all current software loaded including SP2. I downloaded the
> documentation file and followed it step by step with the same
result
> outlined below. I have deleted and download the zipfile several
times
> in case something was corrupted in the download. Same result. I
must
> be missing something obvious.
>
> The file location is c:\downloads\xmlog528.zip
> Do they need to be in the program folder for setup.exe to locate
the
> proper dll's?
>
> I am out of ideas.
>
> Wayne
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "k9mrd"
> <k9mrd@> wrote:
> >
> > Hi Mike,
> > Thanks for the quick reply. I downloaded v 5.28, but every time I
> click
> > setup, I get a message that some of my system files need to be
> updated.
> > I click 'yes' to update, then click 'yes' to reboot. The system
> reboots
> > and then I start the same sequence all over again. I am running
XP
> Pro
> > with latest updates from MS. Any ideas?
> > Wayne
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wayne - Go ahead and install over the previous version. If
> you
> > > haven't been keeping backups of your log file this would be a
> good
> > time
> > > to create one. Check the help file for more info...
> > >

> > > Mike - W1ECT
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

1986. Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-10 04:59:13 UTC
From: k9mrd
Topic: 1979 Message: 1986

I found the problem! Microsoft web site indicates there is a coding error with scrrun.dll (Microsoft Scripting Runtime). I reinstalled SCR from their link and XMLog installed as expected. I am surprised that this has not caused me a problem before. Thanks for the help Craig and Mike.

Wayne

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Sorry that didn't work Wayne. I am using XP and have had no problems since
> Mike fixed an installer problem many versions back. Maybe you are missing a
> file? There is a Windows repair feature in the XP that you could try. Do
> you have MS Office installed? I comes with some DLLs that may not be on
> your system.
>
>
>
> Otherwise does it tell you what files are missing or out of date?
>
>
>
> - Craig
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> k9mrd
> Sent: Tuesday, January 09, 2007 10:55 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: Update XMLog
>
>
>
> Craig,
> Thanks for the suggestion. I tried the Beta version with same
> results. For some reason the installer does not like my XP. I wonder

> if anyone else has had trouble with XP.
> Wayne
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Craig
> Bradley" <craigjb@> wrote:
> >
> > How about trying the latest Beta version?
> >
> >
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
> Behalf Of
> > k9mrd
> > Sent: Monday, January 08, 2007 7:33 PM
> > To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> > Subject: [XMLog] Re: Update XMLog
> >
> >
> >
> > I have gone to the MS web site and run the online check of my
> system.
> > I have all current software loaded including SP2. I downloaded
the
> > documentation file and followed it step by step with the same
> result
> > outlined below. I have deleted and download the zipfile several
> times
> > in case something was corrupted in the download. Same result. I
> must
> > be missing something obvious.
> >
> > The file location is c:\downloads\xmlog528.zip
> > Do they need to be in the program folder for setup.exe to locate
> the
> > proper dll's?
> >
> > I am out of ideas.
> >
> > Wayne
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "k9mrd"

> > <k9mrd@> wrote:
> > >
> > > Hi Mike,
> > > Thanks for the quick reply. I downloaded v 5.28, but every time
I
> > click
> > > setup, I get a message that some of my system files need to be
> > updated.
> > > I click 'yes' to update, then click 'yes' to reboot. The system
> > reboots
> > > and then I start the same sequence all over again. I am running
> XP
> > Pro
> > > with latest updates from MS. Any ideas?
> > > Wayne
> > >
> > >
> > > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "Mike
> > McAmis" <w1ect@> wrote:
> > > >
> > > > Hi Wayne - Go ahead and install over the previous version. If
> > you
> > > > haven't been keeping backups of your log file this would be a
> > good
> > > time
> > > > to create one. Check the help file for more info...
> > > >
> > > > Mike - W1ECT
> > > >
> > >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

1987. RE: [XMLog] Re: Update XMLog

Yahoo group: XMLog
Date: 2007-01-10 07:14:02 UTC
From: Craig Bradley
Topic: 1979 Message: 1987

Good new Wayne!

That was a tough one. Install problems are usually bears as no two computers are exactly the same.

- Craig

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Tuesday, January 09, 2007 8:59 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Update XMLog

I found the problem! Microsoft web site indicates there is a coding error with scrrun.dll (Microsoft Scripting Runtime). I reinstalled SCR from their link and XMLog installed as expected. I am surprised that this has not caused me a problem before. Thanks for the help Craig and Mike.

Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:
>
> Sorry that didn't work Wayne. I am using XP and have had no problems since
> Mike fixed an installer problem many versions back. Maybe you are missing a
> file? There is a Windows repair feature in the XP that you could try. Do
> you have MS Office installed? I comes with some DLLs that may not be on
> your system.
>
>
>
> Otherwise does it tell you what files are missing or out of date?
>
>
>
> - Craig
>
>
>
> _____

>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> k9mrd
> Sent: Tuesday, January 09, 2007 10:55 AM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] Re: Update XMLog
>
>
>
> Craig,
> Thanks for the suggestion. I tried the Beta version with same
> results. For some reason the installer does not like my XP. I
wonder
> if anyone else has had trouble with XP.
> Wayne
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Craig
> Bradley" <craigjb@> wrote:
> >
> > How about trying the latest Beta version?
> >
> >
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
> Behalf Of
> > k9mrd
> > Sent: Monday, January 08, 2007 7:33 PM
> > To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> > Subject: [XMLog] Re: Update XMLog
> >
> >
> >
> > I have gone to the MS web site and run the online check of my
> system.
> > I have all current software loaded including SP2. I downloaded
the
> > documentation file and followed it step by step with the same
> result
> > outlined below. I have deleted and download the zipfile several
> times

> > in case something was corrupted in the download. Same result. I
> must
> > be missing something obvious.
> >
> > The file location is c:\downloads\xmlog528.zip
> > Do they need to be in the program folder for setup.exe to locate
> the
> > proper dll's?
> >
> > I am out of ideas.
> >
> > Wayne
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "k9mrd"
> > <k9mrd@> wrote:
> > >
> > > Hi Mike,
> > > Thanks for the quick reply. I downloaded v 5.28, but every time
I
> > click
> > > setup, I get a message that some of my system files need to be
> > updated.
> > > I click 'yes' to update, then click 'yes' to reboot. The system
> > reboots
> > > and then I start the same sequence all over again. I am running
> XP
> > Pro
> > > with latest updates from MS. Any ideas?
> > > Wayne
> > >
> > >
> > > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "Mike
> > McAmis" <w1ect@> wrote:
> > > >
> > > > Hi Wayne - Go ahead and install over the previous version. If
> > you
> > > > haven't been keeping backups of your log file this would be a
> > good
> > > time
> > > > to create one. Check the help file for more info...
> > > >
> > > > Mike - W1ECT
> > > >
> > >
> > >
> > >
> > >

> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

1988. Great job!

Yahoo group: XMLog
Date: 2007-01-10 11:17:18 UTC
From: ad5uu
Topic: 1988 Message: 1988

From my experience with loggers: (only a year and half)

XMLog beats most of the freeware/shareware in ease of operation.

Against ACLog it beats it for overall ease of operation, the
integration of LOTW and contesting(extra $) is the only benefit.

So, Great Job Mike.

thank you

1989. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2007-01-12 04:19:58 UTC
From: Steve Woodruff
Topic: 1946 Message: 1989

With the 5.33 beta, I'm having no better luck. Same symptoms.

Is CTS always set even when RTS is not? Could that be an issue?

Also.... it seems XMLog won't let you share a COM port for both rig control and CW keying? The MicroHAM USB device does both -- rig control and cw keying with a single COM port. Not possible with XMLog?

Thanks,

Steve N9OH

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Steve, Version 5.33 won't get posted for another week or so, keep
> checking.
>
> Mike - W1ECT
>
> > 5.32 is the latest beta that i can see.... is 5.33 available yet?
>

1990. Re: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2007-01-12 17:37:57 UTC
From: Michael McCarthy
Topic: 1946 Message: 1990

RTS is controllable from the computer. CTS is an
INPUT . If it is being asserted, it is coming from
the device you are attaching to. If RTS and CTS are
tied together as in a loopback or modem eliminator,
CTS should follow RTS.

Mike, W1NR

--- Steve Woodruff <sjwoodr@...> wrote:

> With the 5.33 beta, I'm having no better luck. Same
> symptoms.
>
> Is CTS always set even when RTS is not? Could that
> be an issue?
>
> Also.... it seems XMLog won't let you share a COM
> port for both rig
> control and CW keying? The MicroHAM USB device does
> both -- rig
> control and cw keying with a single COM port. Not
> possible with XMLog?
>
> Thanks,
>
> Steve N9OH
>
>
> --- In XMLog@yahoogroups.com, "Mike McAmis"
> <w1ect@...> wrote:
> >
> > Hi Steve, Version 5.33 won't get posted for
> another week or so, keep
> > checking.
> >
> > Mike - W1ECT
> >
> > > 5.32 is the latest beta that i can see.... is
> 5.33 available yet?
> >
>
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

Food fight? Enjoy some healthy debate
in the Yahoo! Answers Food & Drink Q&A.
http://answers.yahoo.com/dir/?link=list&sid=396545367

1991. Dymo Label Writer 320 ?

Yahoo group: XMLog
Date: 2007-01-15 16:43:50 UTC
From: g0lgj
Topic: 1991 Message: 1991

Hi all anyone has any joy with using a Dymo Label writer 320 and XMlog
to print address labels ?

Regards Mark
G0LGJ

1992. Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2007-01-16 01:13:15 UTC
From: Steve Woodruff
Topic: 1946 Message: 1992

Hi Mike,

I'm really not sure how the Microham USB interface works or which pins
it asserts.

Has anyone gotten the MicroHam USB product to work with XMLog and Rig
control? Note that this device supports both rig control AND cw
keying through a single COM port...

Thanks,

Steve N9OH

--- In XMLog@yahoogroups.com, Michael McCarthy <w1nr@...> wrote:
>
> RTS is controllable from the computer. CTS is an
> INPUT . If it is being asserted, it is coming from
> the device you are attaching to. If RTS and CTS are
> tied together as in a loopback or modem eliminator,
> CTS should follow RTS.
>
> Mike, W1NR
>
> --- Steve Woodruff <sjwoodr@...> wrote:
>
> > With the 5.33 beta, I'm having no better luck. Same
> > symptoms.
> >
> > Is CTS always set even when RTS is not? Could that
> > be an issue?
> >
> > Also.... it seems XMLog won't let you share a COM
> > port for both rig
> > control and CW keying? The MicroHAM USB device does
> > both -- rig
> > control and cw keying with a single COM port. Not
> > possible with XMLog?
> >
> > Thanks,
> >
> > Steve N9OH
> >
> >
> > --- In XMLog@yahoogroups.com, "Mike McAmis"
> > <w1ect@> wrote:
> > >

> > > Hi Steve, Version 5.33 won't get posted for
> > another week or so, keep
> > > checking.
> > >
> > > Mike - W1ECT
> > >
> > > > 5.32 is the latest beta that i can see.... is
> > 5.33 available yet?
> > >
> >
> >
> >
>
>
> *** Tabhair gach fear a drucht ***
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
>

> Food fight? Enjoy some healthy debate
> in the Yahoo! Answers Food & Drink Q&A.
> http://answers.yahoo.com/dir/?link=list&sid=396545367
>

1993. RE: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Yahoo group: XMLog
Date: 2007-01-16 03:53:05 UTC
From: Craig Bradley
Topic: 1946 Message: 1993

Hi Steve,

Yes, I have a microHAM microKEYER (USB) and it work fine with XMLog. However, I am using two virtual serial ports in the USB Router (why not they don't cost anything). The rig control is on COM4 and the Win Key port is COM5 in the USB router. In XMLog, the rig control is COM4 and CW Options and Port Select is COM5. Select the K1EL WinKey button and under options use the default (WinKey type = WinKey). I am running version 5.32.

The rig control works correctly for reading the rig settings and for control via packet spots. They CW keyboard also works correctly and even displays the CW speed set by the knob on the microKEYER.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Woodruff
Sent: Monday, January 15, 2007 5:13 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: rig control problem icom 746 - Rig COM ports and RTS

Hi Mike,

I'm really not sure how the Microham USB interface works or which pins it asserts.

Has anyone gotten the MicroHam USB product to work with XMLog and Rig control? Note that this device supports both rig control AND cw keying through a single COM port...

Thanks,

Steve N9OH

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, Michael McCarthy <w1nr@...> wrote:
>
> RTS is controllable from the computer. CTS is an
> INPUT . If it is being asserted, it is coming from
> the device you are attaching to. If RTS and CTS are
> tied together as in a loopback or modem eliminator,
> CTS should follow RTS.
>
> Mike, W1NR
>
> --- Steve Woodruff <sjwoodr@...> wrote:

>
> > With the 5.33 beta, I'm having no better luck. Same
> > symptoms.
> >
> > Is CTS always set even when RTS is not? Could that
> > be an issue?
> >
> > Also.... it seems XMLog won't let you share a COM
> > port for both rig
> > control and CW keying? The MicroHAM USB device does
> > both -- rig
> > control and cw keying with a single COM port. Not
> > possible with XMLog?
> >
> > Thanks,
> >
> > Steve N9OH
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike
McAmis"
> > <w1ect@> wrote:
> > >
> > > Hi Steve, Version 5.33 won't get posted for
> > another week or so, keep
> > > checking.
> > >
> > > Mike - W1ECT
> > >
> > > > 5.32 is the latest beta that i can see.... is
> > 5.33 available yet?
> > >
> >
> >
> >
>
>
> *** Tabhair gach fear a drucht ***
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
>

> Food fight? Enjoy some healthy debate
> in the Yahoo! Answers Food & Drink Q&A.
> http://answers. <http://answers.yahoo.com/dir/?link=list&sid=396545367>
yahoo.com/dir/?link=list&sid=396545367
>

[Non-text portions of this message have been removed]

1994. Features for Beta

Yahoo group: XMLog
Date: 2007-01-17 02:48:52 UTC
From: k9mrd
Topic: 1994 Message: 1994

Here a couple of features on my wish list.

It would really be nice to see both the short path and the long path headings. (I can't calculate in my head any more!) Also, if the headings could be displayed when a logged contact is displayed would save a second prefix lookup.

Wayne
K9MRD

1995. (no subject)

Yahoo group: XMLog
Date: 2007-01-17 20:22:17 UTC
From: hmmjr@comcast.net
Topic: 1995 Message: 1995

Here's one for the wish list. When the option "Display all entries for" is engaged it would be nice if the "Notes" field would display. I could care less for the "Prefix" column that currently displays which to me is apparent from the call sign. I put info in the notes that would be nice to easily access so I could see what we talked about on previous QSO's.

Puck, W4PM

1996. Re: Wish List Features

Yahoo group: XMLog
Date: 2007-01-18 15:37:33 UTC
From: Mike McAmis
Topic: 1994 Message: 1996

Hi Wayne, These sound like resonable changes (and better yet, easy to add!). One thing you can try for now is to leave the Check Call (F4) window open and it will display the bearing, etc. as you scroll through your log.

Mike - W1ECT

>
> Here a couple of features on my wish list.
>
> It would really be nice to see both the short path and the long path
> headings. (I can't calculate in my head any more!) Also, if the
> headings could be displayed when a logged contact is displayed would
> save a second prefix lookup.
>
> Wayne
> K9MRD

1997. Re: Wish List Features

Yahoo group: XMLog
Date: 2007-01-18 18:20:47 UTC
From: k9mrd
Topic: 1994 Message: 1997

Hi Mike,
Thanks for the tip about 'Check Call'. That works fine, but all info on one window would be better. As an old SW developer, the easy to add mods are great!!
Thanks again for the f4 tip.
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wayne, These sound like resonable changes (and better yet, easy to
> add!). One thing you can try for now is to leave the Check Call (F4)
> window open and it will display the bearing, etc. as you scroll through
> your log.
>
> Mike - W1ECT
>
> >
> > Here a couple of features on my wish list.
> >
> > It would really be nice to see both the short path and the long path
> > headings. (I can't calculate in my head any more!) Also, if the
> > headings could be displayed when a logged contact is displayed would
> > save a second prefix lookup.
> >
> > Wayne
> > K9MRD
>

1998. Continent

Yahoo group: XMLog
Date: 2007-01-23 10:48:58 UTC
From: ad5uu
Topic: 1998 Message: 1998

Is there a hidden feild for Continents?
i.e. I have a program that can generate a report from an ADIF file, but the one exported by XMlog doesn't seem to have the continents.

Thanks
Paul AD5UU

1999. Re: Continent

Yahoo group: XMLog
Date: 2007-01-23 20:10:00 UTC
From: Mike McAmis
Topic: 1998 Message: 1999

Hi Paul, Sorry - XMLog doesn't currently track continents.

Mike - W1ECT

> Is there a hidden feild for Continents?

2000. Heading

Yahoo group: XMLog
Date: 2007-01-28 05:46:53 UTC
From: R Steve Dishmon
Topic: 2000 Message: 2000

I am confused as usual.

When I use the F4 and use the Check Call Window I get a completely out of reason degree heading and miles distance than when I use the DX ctrl L window for distance and heading. I mean completely way off. Example for a Florida station using the F4 I get 36 degrees 353 miles ctrl L I get 190 degrees and 507 miles. The DX or ctrl L is pretty close to being correct since I am located in North Carolina. 36 degrees sends me some were up north and Florida is south. My question is what is the difference between the two windows, and why don't they show the same. My latitude and longitude is set correctly in both XMLog and in Buckmaster callbook just in case one is using the heading and distance in the callbook because the DX or ctrl L and the callbook information are close to the same.

My other question is just exactly what is the QTH line in the log form used for. I cannot get it to look up automatically the QTH of the station I contacted and put his QTH information on it. It always stays blank until I fill it in manually. The only information I can find on it in the help file says its the location of the contacted station. I do have the use callbook for look up set and that works for the other information but not the QTH line.

Is there hope for me???????

Thanks
W4RSD
Steve

[Non-text portions of this message have been removed]

2001. Re: [XMLog] Heading

Yahoo group: XMLog
Date: 2007-01-28 17:20:49 UTC
From: Nelson Wittstock
Topic: 2000 Message: 2001

I use the QTH to add information to the "official" QTH listing. I add such things as "just ouside Denver" or other bits of trivia that are appropriate to the location rather than more personal things that I might put into "Notes."

As far as headings are concerned, I believe the logging program would have to know the coordinates of the other station's location and the callbook does not include this. Without that info the heading can not be computed.

Nelson, K8DJC

2002. rig control problem elecraft K2

Yahoo group: XMLog
Date: 2007-01-30 03:46:38 UTC
From: zamba0321
Topic: 2002 Message: 2002

Hi,

I noticed that when running 5.33 XMLOG the transceiver won't jump to
frequency when I click on an empty area in the spots map. It does
only work when I click on a call.

It was usefull before to change bands to a certain area, I could just
click on the spots map to get the radio to tune to that frequency/mode.

This worked in all versions up to now it seems

other than that great program !

cheers
Joe

2003. Re: [XMLog] rig control problem elecraft K2

Yahoo group: XMLog
Date: 2007-01-30 13:56:28 UTC
From: Don Nesbitt
Topic: 2002 Message: 2003

Hi Joe - you know, I notice the same thing and really
miss being able to do just that. I would watch the
indicated frequency in the lower right-hand box (below
he band maps) and when I had it where I wanted it, I'd
"left click" and be there - very handy.

Now I have noticed that if you "right click" you can
choose to "Set Rig to xxxx." While this works, I just
don't find it as handy as the previous way.

BTW - this is true with my K2 as well as the Orion II
and Mark V. Maybe Mike can make it work both ways?
73 -- Don N4HH

--- zamba0321 <zamba0321@...> wrote:

> Hi,
>
> I noticed that when running 5.33 XMLOG the
> transceiver won't jump to
> frequency when I click on an empty area in the spots
> map. It does
> only work when I click on a call.
>
> It was usefull before to change bands to a certain
> area, I could just
> click on the spots map to get the radio to tune to
> that frequency/mode.
>
> This worked in all versions up to now it seems
>
> other than that great program !
>
> cheers
> Joe
>
>

Now that's room service! Choose from over 150,000 hotels
in 45,000 destinations on Yahoo! Travel to find your fit.
http://farechase.yahoo.com/promo-generic-14795097

2004. Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-01-30 21:24:05 UTC
From: Mike McAmis
Topic: 2002 Message: 2004

Hi - It's a general spot map bug, not just for the K2. It's a result of the change I made to update the Check QSO and World Map windows when you click on calls in the Spot Map Window. I'll have it fixed in 5.34

Mike - W1ECT

2005. Re: [XMLog] Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-01-31 20:51:47 UTC
From: Don Nesbitt
Topic: 2002 Message: 2005

Many thanks Mike. '73 es gud dxing -- Don N4HH

--- Mike McAmis <w1ect@...> wrote:

> Hi - It's a general spot map bug, not just for the
> K2. It's a result
> of the change I made to update the Check QSO and
> World Map windows when
> you click on calls in the Spot Map Window. I'll
> have it fixed in 5.34
>
> Mike - W1ECT
>
>

8:00? 8:25? 8:40? Find a flick in no time
with the Yahoo! Search movie showtime shortcut.
http://tools.search.yahoo.com/shortcuts/#news

2006. Re: Heading

Yahoo group: XMLog
Date: 2007-02-01 21:11:48 UTC
From: Mike McAmis
Topic: 2000 Message: 2006

Hi Steve, When you do a callbook lookup I get the latitude/longitude of the station from the callbook entry. At other times (like for the F4 window) by default I use generic latitude/longitude values based on the country, call region, or state/province. This is because callbook lookups can be quite slow (esp. if you are using qrz.com) and can cause annoying pauses... However you can go to the "Options/Callbook Setup" and try setting the "Use Callbook for Locations" option - you can always un-set it if you experience delays. Setting this option shouldn't cause problems if you have callbook data installed locally.

Mike - W1ECT

2007. Re: [XMLog] Re: Heading

Yahoo group: XMLog
Date: 2007-02-01 23:44:40 UTC
From: R Steve Dishmon
Topic: 2000 Message: 2007

Thanks Mike that is what I did and it worked out great. I have the callbook installed in the hard drive and there is no delay. Maybe if I have to go to QRZ.com then there might be a delay. I am using Ham Call callbook and like it better than Callbook. Since I use the USA part more than DX it works better than Callbook. I have not use Callbook in over 7 years so I don't know how it is now, but in years past the address's for USA hams were incorrect or the county was wrong. One example was mine they base it off your zip code and my zip code and county are different because I am in a different county than the zip shows. Thanks for all the help.

Take Care Cause We Care
AND
"GOD BLESS"
Steve Dishmon
W4RSD

[Non-text portions of this message have been removed]

2008. Vista

Yahoo group: XMLog
Date: 2007-02-05 08:26:44 UTC
From: g4cdz@aol.com
Topic: 2008 Message: 2008

Hi
Have recently upgraded the operating system to Microsoft Vista and cannot now start XMLog from either the desk icon or MLog.exe.
Get message 'Can't access Install folder C:\Program Files\XMlog'

Any thoughts.

Regards Barrie Boden - G4CDZ

[Non-text portions of this message have been removed]

2009. Re: [XMLog] Vista

Yahoo group: XMLog
Date: 2007-02-05 12:59:26 UTC
From: Michael McCarthy
Topic: 2008 Message: 2009

It probably has to do with the new "protections" of
Vista. You need to tell Vista that the program is OK
to run! However, when I tried it out a couple of
months ago (I am an MSDN subscriber and got it in
December) I found that it crashed a lot. I also found
that there are numerous other issues with more than
half of my existing software and decided not to go to
Vista any time soon.

Mike, W1NR

--- g4cdz@... wrote:

> Hi
> Have recently upgraded the operating system to
> Microsoft Vista and cannot
> now start XMLog from either the desk icon or
> MLog.exe.
> Get message 'Can't access Install folder C:\Program
> Files\XMlog'
>
> Any thoughts.
>
> Regards Barrie Boden - G4CDZ
>
>
> [Non-text portions of this message have been
> removed]
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Sucker-punch spam with award-winning protection.
Try the free Yahoo! Mail Beta.
http://advision.webevents.yahoo.com/mailbeta/features_spam.html

2010. Vista and XMLog

Yahoo group: XMLog
Date: 2007-02-05 16:23:06 UTC
From: g4cdz@aol.com
Topic: 2010 Message: 2010

Got a workaround to the problem starting XMLog in Vista..

Right click on the icon and check 'Run as administrator' having given 'Full Control' permission to the admin. Don't seem to be able to give similar permission to user ?

Barrie Boden - G4CDZ

[Non-text portions of this message have been removed]

2011. RE: [XMLog] Vista

Yahoo group: XMLog
Date: 2007-02-05 16:31:25 UTC
From: Craig Bradley
Topic: 2008 Message: 2011

There was a good article in the December QST on page 95.

Eclectic Technology

Windows Vista: Should You Upgrade?

By WB8IMY

The bottom line was that the author recommended that you do not upgrade your hamshack computer yet, as much of your ham radio software may have problems and there is little to gain. On the other hand, he recommended it for your general purpose computer.

I keep two computers in my shack, a laptop with all of the ham radio software on it and a larger desktop for personal, business and programming work. I will probably wait for the SR1 release before upgrading.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Michael McCarthy
Sent: Monday, February 05, 2007 4:59 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Vista

It probably has to do with the new "protections" of Vista. You need to tell Vista that the program is OK to run! However, when I tried it out a couple of months ago (I am an MSDN subscriber and got it in December) I found that it crashed a lot. I also found that there are numerous other issues with more than half of my existing software and decided not to go to Vista any time soon.

Mike, W1NR

--- g4cdz@... <mailto:g4cdz%40aol.com> wrote:

> Hi
> Have recently upgraded the operating system to
> Microsoft Vista and cannot
> now start XMLog from either the desk icon or
> MLog.exe.
> Get message 'Can't access Install folder C:\Program

> Files\XMlog'
>
> Any thoughts.
>
> Regards Barrie Boden - G4CDZ
>
>
> [Non-text portions of this message have been
> removed]
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____
Sucker-punch spam with award-winning protection.
Try the free Yahoo! Mail Beta.
http://advision.
<http://advision.webevents.yahoo.com/mailbeta/features_spam.html>
webevents.yahoo.com/mailbeta/features_spam.html

[Non-text portions of this message have been removed]

2012. Re: [XMLog] Vista

Yahoo group: XMLog
Date: 2007-02-05 16:42:46 UTC
From: g4cdz@aol.com
Topic: 2008 Message: 2012

Craig

Trouble is that I'm a glutton for punishment, not very conservative when it comes to trying technology and of course I worry about Mr. Gates bank balance. It's only the Shack computer after all and I've rebuilt it many times ! My log is saved securely.
No doubt that Mike will ultimately have the solution.

Thanks anyway.

Barrie - G4CDZ

[Non-text portions of this message have been removed]

2013. RE: [XMLog] Vista

Yahoo group: XMLog
Date: 2007-02-05 17:03:05 UTC
From: Craig Bradley
Topic: 2008 Message: 2013

Hi Barrie,

I have been known to be an "early adopter" at times myself. I mainly posted the information for those that may not have the patience or the time that you do to perch on the "leading edge" of technology.

As a long time Microsoft stockholder, I thank you for your financial support!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of g4cdz@...
Sent: Monday, February 05, 2007 8:43 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Vista

Craig

Trouble is that I'm a glutton for punishment, not very conservative when it comes to trying technology and of course I worry about Mr. Gates bank balance.
It's only the Shack computer after all and I've rebuilt it many times ! My log is saved securely.
No doubt that Mike will ultimately have the solution.

Thanks anyway.

Barrie - G4CDZ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2014. Re: Vista and XMLog

Yahoo group: XMLog
Date: 2007-02-05 19:08:11 UTC
From: John Poindexter
Topic: 2010 Message: 2014

My son is a beta tester for MS and he said he had to reformat his hard drive and take it off as it screwed up the computer too bad.

I know I won't be upgrading to it. Not for a long time. Just went to xp on the wife's computer last month.

John
KA4HWX

2015. Re: Vista and XMLog

Yahoo group: XMLog
Date: 2007-02-05 21:30:39 UTC
From: Mike McAmis
Topic: 2010 Message: 2015

Hi Barrie, Thanks for the info. I did a bit of web surfing to see what was out there concerning support for VB6 (Visual Basic 6) applications under Vista and found mixed news.

It seems like the permissions diddling you had to do is required for all VB6 applications. For example, here's another VB6 application user that came up with the same technique that you did:

http://forums.microsoft.com/MSDN/ShowPost.aspx?PostID=849234&SiteID=1

I found that Microsoft has committed to supporting VB6 applications for ten more years, even if they won't be able to take advantage of new system features (like the "transparent" look of the Vista User Inteface).

This is comforting since I did try to upgrade XMLog to the latest version of Visual Basic (.NET 2003) a while back but found that I didn't get any worthwhile improvements and the resulting program was huge and ran quite a bit slower (even after upgrading the code to use the latest database features, etc.)

I don't have a Vista machine available to test with and no doubt I won't have one in the near future so I'll be depending on brave folk like yourself to let me know how things are going.

Even though MS says they are going to provide VB6 support:

1) Some non-Microsoft controls that I use may not work correctly and I'll have to provide new versions that are XP/Vista compatible. Hopefully I won't be forced into a postion where I'll need different versions for Vista and non-Vista systems.

2) There may be bugs in the Vista VB6 legacy support that will require Vista updates.

One other question Barrie, did the install seem to run OK? I would think that this would be a prime candidate for system incompibilities to show up.

Mike - W1ECT

>
> Got a workaround to the problem starting XMLog in Vista..
>
> Right click on the icon and check 'Run as administrator' having
> given 'Full Control' permission to the admin. Don't seem to be
> able to give similar permission to user ?
>

> Barrie Boden - G4CDZ

2016. Re: [XMLog] Re: Vista and XMLog

Yahoo group: XMLog
Date: 2007-02-06 07:06:37 UTC
From: g4cdz@aol.com
Topic: 2010 Message: 2016

Mike
Install of your released version seemed fine.
Only other issue yet detected is that the 'Vista User Account Control' kicks in if I 'Show Packet Window at Startup' else XMLog 'Stops working'. If I 'Start Packet Window' subsequently, all seems ok.
I have to take the simple Tester approach to these issues as I have neither the experience or the tools to do anything more.

Regards and thanks

Barrie - G4CDZ

[Non-text portions of this message have been removed]

2017. Re: [XMLog] Re: Vista and XMLog

Yahoo group: XMLog
Date: 2007-02-06 12:52:39 UTC
From: Michael McCarthy
Topic: 2010 Message: 2017

One major issue I found with Vista and XMLog is if I
have packet and spots history windows up, when a spot
comes through it feeds it to the history window and
immediately crashes the program.

Mike, W1NR

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Sucker-punch spam with award-winning protection.
Try the free Yahoo! Mail Beta.
http://advision.webevents.yahoo.com/mailbeta/features_spam.html

2018. Re: [XMLog] Re: Vista and XMLog

Yahoo group: XMLog
Date: 2007-02-06 04:03:26 UTC
From: Anthony J. Stortz Jr.
Topic: 2010 Message: 2018

It going to be interesting to see how Microsoft handles these issues. I have read several times recently that they don't expect widespread acceptance of Vista for the next 5 years. Which just happens to coincide with the accepted rate of attrition of a person computer. The world just needs to go Linux.

Mike McAmis wrote:
> Hi Barrie, Thanks for the info. I did a bit of web surfing to see what
> was out there concerning support for VB6 (Visual Basic 6) applications
> under Vista and found mixed news.
>
> It seems like the permissions diddling you had to do is required for
> all VB6 applications. For example, here's another VB6 application user
> that came up with the same technique that you did:
>
> http://forums.microsoft.com/MSDN/ShowPost.aspx?PostID=849234&SiteID=1
>
> I found that Microsoft has committed to supporting VB6 applications for
> ten more years, even if they won't be able to take advantage of new
> system features (like the "transparent" look of the Vista User
> Inteface).
>
> This is comforting since I did try to upgrade XMLog to the latest
> version of Visual Basic (.NET 2003) a while back but found that I
> didn't get any worthwhile improvements and the resulting program was
> huge and ran quite a bit slower (even after upgrading the code to use
> the latest database features, etc.)
>
> I don't have a Vista machine available to test with and no doubt I
> won't have one in the near future so I'll be depending on brave folk
> like yourself to let me know how things are going.
>
> Even though MS says they are going to provide VB6 support:
>
> 1) Some non-Microsoft controls that I use may not work correctly and
> I'll have to provide new versions that are XP/Vista compatible.
> Hopefully I won't be forced into a postion where I'll need different
> versions for Vista and non-Vista systems.
>
> 2) There may be bugs in the Vista VB6 legacy support that will require
> Vista updates.
>
> One other question Barrie, did the install seem to run OK? I would
> think that this would be a prime candidate for system incompibilities
> to show up.

>
> Mike - W1ECT
>
>
>
>> Got a workaround to the problem starting XMLog in Vista..
>>
>> Right click on the icon and check 'Run as administrator' having
>> given 'Full Control' permission to the admin. Don't seem to be
>> able to give similar permission to user ?
>>
>> Barrie Boden - G4CDZ
>>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>

2019. Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-10 20:12:53 UTC
From: k9mrd
Topic: 2019 Message: 2019

Hi all,
I would like to use a photo as the background on my QSL. Is there a way to do that with the 'custom qsl' option or is there a work around?
Wayne

2020. Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-11 04:20:28 UTC
From: w4rsd
Topic: 2019 Message: 2020

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> Hi all,
> I would like to use a photo as the background on my QSL. Is there a
way
> to do that with the 'custom qsl' option or is there a work around?
> Wayne
>
Greetings Wayne:
I dont know what version you are using. I have 5.33 and I do have a small photo in mine with no problems. It is about 2 inches by 2 inches as far as a large one I have not tried that. I did that using the custom qsl option. Give it a try and see how it works out for you. I do know you must you the custom qsl option. The small one is super. I send MRC mobile reply cards for county so I use the MARAC logo as explained above.

Steve
W4RSD

2021. Re: [XMLog] Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-11 04:28:04 UTC
From: GerryC
Topic: 2019 Message: 2021

>I would like to use a photo as the background on my QSL. Is there a way
to do that with the 'custom qsl' option or is there a work around?

Hi Wayne

I use several BMPs, GIFs, and JPGs on my custom QSL layouts.

Some have text printed in open spaces within them, but none have text
overprinting graphic portions of them-- which you may have if you want it
as a "background"-- you may have to fool around with assigning zero-sizes
to text fields and with layer numbers.

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.411 / Virus Database: 268.17.33/678 - Release Date: 2/9/2007

2022. Re: [XMLog] Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-11 06:42:31 UTC
From: Mark Martindale
Topic: 2019 Message: 2022

----- Original Message -----
From: "w4rsd" <ROADSTAR2003@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, February 10, 2007 10:20 PM
Subject: [XMLog] Re: Picture on QSL Card

> --- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>>
>> Hi all,
>> I would like to use a photo as the background on my QSL. Is there a
> way
>> to do that with the 'custom qsl' option or is there a work around?
>> Wayne
>>
> Greetings Wayne:
> I dont know what version you are using. I have 5.33 and I do have a
> small photo in mine with no problems. It is about 2 inches by 2 inches
> as far as a large one I have not tried that. I did that using the
> custom qsl option. Give it a try and see how it works out for you. I do
> know you must you the custom qsl option. The small one is super. I send
> MRC mobile reply cards for county so I use the MARAC logo as explained
> above.
>
> Steve
> W4RSD
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

2023. Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-12 07:57:45 UTC
From: k9mrd
Topic: 2019 Message: 2023

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:

Thanks for the information. I have been using custom qsls for sometime, but had not noticed the picture option. I could not figure out how to import the picture. After seeing your answers, I looked again and found the 'picture' option. Don't know how I missed it before! Thanks again!
Wayne

>
> Hi all,
> I would like to use a photo as the background on my QSL. Is there a way
> to do that with the 'custom qsl' option or is there a work around?
> Wayne
>

2024. Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-13 01:08:13 UTC
From: k9mrd
Topic: 2019 Message: 2024

--- In XMLog@yahoogroups.com, GerryC <GerryC.1@...> wrote:
>
> >I would like to use a photo as the background on my QSL. Is there
a way
> to do that with the 'custom qsl' option or is there a work around?
>
Hi Gerry, Mark, Steve, and all,

I got my custom qsl working. My image is the background and there is
no problem in layering text, lines, etc on top of it as long as
sequence numbers are used! Gerry pointed out the layering problem,
but all I had to do was set the sequnce number of the background
photo to #1 and then build the card over the top of it. I used
sequence numbers for all line items.

It worked very well (drag and drop would sure be nice), but I do have
one small problem. I am using Version 5.28, and I can only
download .bmp or .ico extensions to XMLog. I had to convert my jpeg
to a .bmp to make it work. I don't think the resolution is as good as
the jpeg. Just wondered if version 5.33 allows downloading jpegs.

Again, thanks for the help.

Wayne

> Hi Wayne
>
> I use several BMPs, GIFs, and JPGs on my custom QSL layouts.
>
> Some have text printed in open spaces within them, but none have
text
> overprinting graphic portions of them-- which you may have if you
want it
> as a "background"-- you may have to fool around with assigning
zero-sizes
> to text fields and with layer numbers.
>
> 73 de W3GERry
>
>
>
> --
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.1.411 / Virus Database: 268.17.33/678 - Release Date:
2/9/2007

>

2025. Re: [XMLog] Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-13 01:21:33 UTC
From: GerryC
Topic: 2019 Message: 2025

>... I am using Version 5.28, and I can only
download .bmp or .ico extensions to XMLog. I had to convert my jpeg
to a .bmp to make it work. I don't think the resolution is as good as
the jpeg. Just wondered if version 5.33 allows downloading jpegs.

Hmmmm..... 'tis a puzzlement. Mike's documentation said only BMPs would
work, but I discovered that JPGs and GIFs work also with 5.19 (which I'm
still using and still printing QSLs with). I posted that to this group and
Mike replied (on Dec 6 2006):
==========QUOTE
OK, Well I was just going by what the documetation for the
graphics "control" that I use for labels. Always glad to hear that a
new feature has been added without me having to do anything. I'll
update the help file.
==========END QUOTE

Now I'm afraid to upgrade from 5.19!

73 de W3GERry

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.1.411 / Virus Database: 268.17.36/681 - Release Date: 2/11/2007

2026. Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-14 01:19:30 UTC
From: Mike McAmis
Topic: 2019 Message: 2026

I think that in the older versions that only prompted for files
with .bmp and .ico extentions you can still type in a file name with
a .jpg or .gif extension, try it...

Mike

2027. Re: Picture on QSL Card

Yahoo group: XMLog
Date: 2007-02-14 04:43:56 UTC
From: k9mrd
Topic: 2019 Message: 2027

Mike,
It worked! I typed in the jpg file name and it imported it just fine.
Thanks.
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> I think that in the older versions that only prompted for files
> with .bmp and .ico extentions you can still type in a file name with
> a .jpg or .gif extension, try it...
>
> Mike
>

2028. MMTTY operation with XMLog

Yahoo group: XMLog
Date: 2007-02-14 07:47:05 UTC
From: Craig Bradley
Topic: 2028 Message: 2028

Mike,

I jumped into the CQ WW WPX RTTY Contest last weekend using Writelog and MMTTY. However, for RTTY DXing, I use MMTTY and XMLog. Have you ever considered integrating MMTTY.exe into XMLog like the Writelog people have?

One other item; XMLog reads the mode from the rig and logs RTTY contacts as FSK, which is correct. However, when I upload files to LoTW, it rejects FSK as an error. It would be nice to be able to export ADIF files and replace FSK with RTTY or just have them logged as RTTY.

Thanks again for a great program!

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2029. Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-02-22 23:06:57 UTC
From: Mike McAmis
Topic: 2002 Message: 2029

Hi Don - I've posted version 5.34 at www.xmlog.com/beta which should fix this problem.

Mike - W1ECT

2030. Re: [XMLog] Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-02-23 00:13:04 UTC
From: Don Nesbitt
Topic: 2002 Message: 2030

Hi Mike - wow - works just like it used to! I'm left
clicking my frequencies on the fly as usual! Many,
many thanks! 73 -- Don N4HH

--- Mike McAmis <w1ect@...> wrote:

> Hi Don - I've posted version 5.34 at
> www.xmlog.com/beta which should
> fix this problem.
>
> Mike - W1ECT
>
>

_____
It's here! Your new message!
Get new email alerts with the free Yahoo! Toolbar.
http://tools.search.yahoo.com/toolbar/features/mail/

2031. Re: [XMLog] Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-02-23 00:48:11 UTC
From: Nelson Wittstock
Topic: 2002 Message: 2031

I just saved 5.31 to a CD and then downloaded and installed 5.34. When I opened it I got the screen about the prefix changes and I ok'ed them. Then the welcome screen appeared and I could go no further. It would not do anything. I did the alt-control-delete routine then and another try was the same. Then I turned the computer off and did a restart and had the same result. I'm open to any suggestions.

Nelson, K8DJC

2032. Re: [XMLog] Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-02-23 01:15:51 UTC
From: Nelson Wittstock
Topic: 2002 Message: 2032

Just did another re-boot and the program started right up. Crazy computer.
Just bought XP Pro to convert this thing so hopefully I won't have glitches
like this in the future.

Nelson, K8DJC

2033. How to get comments onto eQSL from XMLog

Yahoo group: XMLog
Date: 2007-02-23 14:49:46 UTC
From: Kenneth Moorman
Topic: 2033 Message: 2033

I have been using eQSL for a month or so, and have noticed that some eQSLs I receive have comments, either personalized or just general info. I asked the question of the eQSL support how I would do this myself, and got the following response:

"No change is needed to your card design. QSL comments can be added via the on-line log entry screen or via the ADIF tag QSLMSG or QSL_Comment in uploaded ADIF files".

How do I do this in XMLog? Is it the "Notes" field on the "QSO Info" page?

Thanks,

Ken, NU4I

2034. Trouble entering my stations latitude/longitude

Yahoo group: XMLog
Date: 2007-03-01 03:49:05 UTC
From: Leslie Elliott
Topic: 2034 Message: 2034

Hi - I just downloaded the beta version 5.34, and right off the bat, cannot get it to accept the lat/lon into my station information. I am using the latitude I got off of a GPS program, and it is: 38.132051 and longitude is: -96.130989 The program keeps telling me "bad latitude minutes value:missing value" What am I doing wrong? I also tried using the information on QRZ for my callsign, which is a little different from the GPS lat/lon since it is based on postal zip code, so not as accurate. Those numbers are: 38.136147 and -96.13424 Still didn't work

Thanks es 73 de KCØPTO/AG
Les

2035. Re: How to get comments onto eQSL from XMLog

Yahoo group: XMLog
Date: 2007-03-01 15:41:31 UTC
From: Mike McAmis
Topic: 2033 Message: 2035

Hi Ken, Sorry but XMLog does not provide support for the "QSLMSG" ADIF field. It would be possible to add this data by hand to an ADIF file created by XMLog but be careful to set the correct character count for the field, for example:

<QSLMSG:19>Nineteen characters

Mike - W1ECT

2036. RE: [XMLog] Re: Double-clicks on Spot Map rulers

Yahoo group: XMLog
Date: 2007-03-02 06:05:54 UTC
From: Craig Bradley
Topic: 2002 Message: 2036

Hi Mike,

One thing that I have noticed is that there are different right click menus in the packet window vs. the map window. Also, if you single click a call in the packet window, it appears in the QSOs+Check call window. That feature would be nice (or the choice in the right click menu) in the band map window.

One other thing; I am tracking grid fields for the CQ DX Field Award. This award allows maritime mobiles to count for grid fields (many do not have any land). When I run a Grids Worked/Confirmed for 2 digits. It does not show the MM stations worked or confirmed. Is there some way that this could be done? I new check box in the report parameters window for "allow /MM stations" or something like that would work.

Thanks again for a great program.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Thursday, February 22, 2007 3:07 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Double-clicks on Spot Map rulers

Hi Don - I've posted version 5.34 at www.xmlog.com/beta which should fix this problem.

Mike - W1ECT

[Non-text portions of this message have been removed]

2037. New additions to XMLOG?

Yahoo group: XMLog
Date: 2007-03-05 04:31:53 UTC
From: Dennis Jacobson
Topic: 2037 Message: 2037

Hello Mike.

I don't know if your still writing new software for the XMLOG program or just writing repair fixes. If by chance your still interested in writing new compliments to XMLOG, I would suggest the possibility of having the lines of spots that match my filters show up on a second sizable window as part of the normal spotting net window. If not that, maybe just have the lines that match my filter be written to another file that I can look at off line.

Just a suggestion if you don't have anything else to do. hi hi
Thanks for an already invaluable piece of software.
73
Dennis N6NG

2038. Re: New additions to XMLOG?

Yahoo group: XMLog
Date: 2007-03-09 20:21:21 UTC
From: Mike McAmis
Topic: 2037 Message: 2038

Hi Dennis, Check out the Packet Spots History Window that can displayed using the "View" menu item. This window displays spots in a spreadsheet style and has some filters unique to the window. Check the help info for more details.

Mike - W1ECT

2039. Re: [XMLog] Re: New additions to XMLOG?

Yahoo group: XMLog
Date: 2007-03-09 22:05:45 UTC
From: N6NG
Topic: 2037 Message: 2039

Thanks Mike... I must have missed that.

--
73
Dennis N6NG
http://pages.sbcglobal.net/n6ng/index.html

2040. Daylight Savings

Yahoo group: XMLog
Date: 2007-03-12 13:55:32 UTC
From: ad5uu
Topic: 2040 Message: 2040

I just cannot find how to reset the time offset for daylight savings.
I'm not "clicking" as to how to set it up. PLease help.

Thank you
Paul KZ5P

2041. RE: [XMLog] Daylight Savings

Yahoo group: XMLog
Date: 2007-03-12 16:05:58 UTC
From: Craig Bradley
Topic: 2040 Message: 2041

I use UTC for my time display and you should log your contacts in UTC. UTC is not affected by our Congress and their wonderful ideas.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of ad5uu
Sent: Monday, March 12, 2007 6:56 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Daylight Savings

I just cannot find how to reset the time offset for daylight savings. I'm not "clicking" as to how to set it up. PLease help.

Thank you
Paul KZ5P

[Non-text portions of this message have been removed]

2042. RE: [XMLog] Re: New additions to XMLOG?

Yahoo group: XMLog
Date: 2007-03-12 16:04:08 UTC
From: Craig Bradley
Topic: 2037 Message: 2042

Nice feature Mike!

I didn't know that it was there either!

Any progress on LoTW confirmation support?

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N6NG
Sent: Friday, March 09, 2007 2:06 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: New additions to XMLOG?

Thanks Mike... I must have missed that.

--
73
Dennis N6NG
http://pages. <http://pages.sbcglobal.net/n6ng/index.html>
sbcglobal.net/n6ng/index.html

[Non-text portions of this message have been removed]

2043. RE: [XMLog] Daylight Savings

Yahoo group: XMLog
Date: 2007-03-12 16:36:37 UTC
From: Michael McCarthy
Topic: 2040 Message: 2043

I am confused. XMLog calculates the offset for UTC
based on the timezone you have set in the OS and your
PC clock. If your PC is set to local time, the
timezone is set correctly and your Windows OS is up to
date with patches, then all should be OK. If you are
running an OLD unsupported OS like Windows 98, then
you have a problem. Look for a program called TZEDIT
on the WEB or on the Microsoft WEB site.

Mike, W1NR

--- Craig Bradley <craigjb@...> wrote:

> I use UTC for my time display and you should log
> your contacts in UTC. UTC
> is not affected by our Congress and their wonderful
> ideas.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com
> [mailto:XMLog@yahoogroups.com] On Behalf Of
> ad5uu
> Sent: Monday, March 12, 2007 6:56 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Daylight Savings
>
>
>
> I just cannot find how to reset the time offset for
> daylight savings.
> I'm not "clicking" as to how to set it up. PLease
> help.
>
> Thank you
> Paul KZ5P
>
>
>
>

>
> [Non-text portions of this message have been
> removed]
>
>

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

Now that's room service! Choose from over 150,000 hotels
in 45,000 destinations on Yahoo! Travel to find your fit.
http://farechase.yahoo.com/promo-generic-14795097

2044. Re: [XMLog] Daylight Savings

Yahoo group: XMLog
Date: 2007-03-12 17:43:22 UTC
From: M. Edward Wilborne III
Topic: 2040 Message: 2044

Windows 2000 is also considered "unsupported", and TZedit must be used
for that as well.

Additionally, after using TZedit.exe, you have to go into settings,
control panel, date/time, and choose any other time zone besides the one
you edited, then reselect the appropriate time zone for your location
and hit the apply button BEFORE the TZedit changes will take affect.

Ed

Michael McCarthy wrote:
> I am confused. XMLog calculates the offset for UTC
> based on the timezone you have set in the OS and your
> PC clock. If your PC is set to local time, the
> timezone is set correctly and your Windows OS is up to
> date with patches, then all should be OK. If you are
> running an OLD unsupported OS like Windows 98, then
> you have a problem. Look for a program called TZEDIT
> on the WEB or on the Microsoft WEB site.
>
> Mike, W1NR
>
>
> --- Craig Bradley <craigjb@...> wrote:
>
>> I use UTC for my time display and you should log
>> your contacts in UTC. UTC
>> is not affected by our Congress and their wonderful
>> ideas.
>>
>>
>>
>> - Craig, AE6RR
>>
>>
>>
>> _____
>>
>> From: XMLog@yahoogroups.com
>> [mailto:XMLog@yahoogroups.com] On Behalf Of
>> ad5uu
>> Sent: Monday, March 12, 2007 6:56 AM
>> To: XMLog@yahoogroups.com
>> Subject: [XMLog] Daylight Savings
>>
>>

>>
>> I just cannot find how to reset the time offset for
>> daylight savings.
>> I'm not "clicking" as to how to set it up. PLease
>> help.
>>
>> Thank you
>> Paul KZ5P
>>
>>
>>
>>
>>
>> [Non-text portions of this message have been
>> removed]
>>
>>
>
>
> *** Tabhair gach fear a drucht ***
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
> ~~~~~~
> Now that's room service! Choose from over 150,000 hotels
> in 45,000 destinations on Yahoo! Travel to find your fit.
> http://farechase.yahoo.com/promo-generic-14795097
>
>
>
>
> Yahoo! Groups Links
>
>
>

2045. RE: [XMLog] Daylight Savings - bad address?

Yahoo group: XMLog
Date: 2007-03-12 16:57:29 UTC
From: Craig Bradley
Topic: 2040 Message: 2045

I am getting a No Recipient message in Japanese when I post. I believe the problem is from this address:

postmaster@...-shimane.gr.jp

Are others getting this message?

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of M. Edward Wilborne III
Sent: Monday, March 12, 2007 10:43 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Daylight Savings

Windows 2000 is also considered "unsupported", and TZedit must be used for that as well.

Additionally, after using TZedit.exe, you have to go into settings, control panel, date/time, and choose any other time zone besides the one you edited, then reselect the appropriate time zone for your location and hit the apply button BEFORE the TZedit changes will take affect.

Ed

Michael McCarthy wrote:
> I am confused. XMLog calculates the offset for UTC
> based on the timezone you have set in the OS and your
> PC clock. If your PC is set to local time, the
> timezone is set correctly and your Windows OS is up to
> date with patches, then all should be OK. If you are
> running an OLD unsupported OS like Windows 98, then
> you have a problem. Look for a program called TZEDIT
> on the WEB or on the Microsoft WEB site.
>
> Mike, W1NR
>
>
> --- Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
wrote:
>
>> I use UTC for my time display and you should log
>> your contacts in UTC. UTC
>> is not affected by our Congress and their wonderful
>> ideas.

>>
>>
>>
>> - Craig, AE6RR
>>
>>
>>
>> _____
>>
>> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
>> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
>> ad5uu
>> Sent: Monday, March 12, 2007 6:56 AM
>> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
>> Subject: [XMLog] Daylight Savings
>>
>>
>>
>> I just cannot find how to reset the time offset for
>> daylight savings.
>> I'm not "clicking" as to how to set it up. PLease
>> help.
>>
>> Thank you
>> Paul KZ5P
>>
>>
>>
>>
>>
>> [Non-text portions of this message have been
>> removed]
>>
>>
>
>
> *** Tabhair gach fear a drucht ***
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
> ____
> Now that's room service! Choose from over 150,000 hotels
> in 45,000 destinations on Yahoo! Travel to find your fit.
> http://farechase. <http://farechase.yahoo.com/promo-generic-14795097>
yahoo.com/promo-generic-14795097
>
>

>
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

2046. Re: [XMLog] Daylight Savings - bad address?

Yahoo group: XMLog
Date: 2007-03-12 18:03:34 UTC
From: M. Edward Wilborne III
Topic: 2040 Message: 2046

I got it but I ignored it.

Ed

Craig Bradley wrote:
> I am getting a No Recipient message in Japanese when I post. I believe the
> problem is from this address:
>
> postmaster@...-shimane.gr.jp
>
>
>
> Are others getting this message?
>
>
>
> - Craig
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of M.
> Edward Wilborne III
> Sent: Monday, March 12, 2007 10:43 AM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Daylight Savings
>
>
>
> Windows 2000 is also considered "unsupported", and TZedit must be used
> for that as well.
>
> Additionally, after using TZedit.exe, you have to go into settings,
> control panel, date/time, and choose any other time zone besides the one
> you edited, then reselect the appropriate time zone for your location
> and hit the apply button BEFORE the TZedit changes will take affect.
>
> Ed
>
> Michael McCarthy wrote:
>> I am confused. XMLog calculates the offset for UTC
>> based on the timezone you have set in the OS and your
>> PC clock. If your PC is set to local time, the
>> timezone is set correctly and your Windows OS is up to

>> date with patches, then all should be OK. If you are
>> running an OLD unsupported OS like Windows 98, then
>> you have a problem. Look for a program called TZEDIT
>> on the WEB or on the Microsoft WEB site.
>>
>> Mike, W1NR
>>
>>
>> --- Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
> wrote:
>>> I use UTC for my time display and you should log
>>> your contacts in UTC. UTC
>>> is not affected by our Congress and their wonderful
>>> ideas.
>>>
>>>
>>>
>>> - Craig, AE6RR
>>>
>>>
>>>
>>> _____
>>>
>>> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
>>> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
> Behalf Of
>>> ad5uu
>>> Sent: Monday, March 12, 2007 6:56 AM
>>> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
>>> Subject: [XMLog] Daylight Savings
>>>
>>>
>>>
>>> I just cannot find how to reset the time offset for
>>> daylight savings.
>>> I'm not "clicking" as to how to set it up. PLease
>>> help.
>>>
>>> Thank you
>>> Paul KZ5P
>>>
>>>
>>>
>>>
>>>
>>> [Non-text portions of this message have been
>>> removed]
>>>
>>>
>>

>> *** Tabhair gach fear a drucht ***
>> *** Give Every Man His Dew! ***
>> Michael A. McCarthy, W1NR
>>
>>
>>
>> --
>> Now that's room service! Choose from over 150,000 hotels
>> in 45,000 destinations on Yahoo! Travel to find your fit.
>> http://farechase. <http://farechase.yahoo.com/promo-generic-14795097>
> yahoo.com/promo-generic-14795097
>>
>>
>>
>> Yahoo! Groups Links
>>
>>
>>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>

2047. Re: Daylight Savings

Yahoo group: XMLog
Date: 2007-03-13 02:04:13 UTC
From: ad5uu
Topic: 2040 Message: 2047

I'm still using 98. I'm not so sure about the TZEDIT but i'll look
into it.
It's hard to believe i'm the only ham left using windows 98 and xmlog.

Thank you
KZ5P

--- In XMLog@yahoogroups.com, Michael McCarthy <w1nr@...> wrote:
>
> I am confused. XMLog calculates the offset for UTC
> based on the timezone you have set in the OS and your
> PC clock. If your PC is set to local time, the
> timezone is set correctly and your Windows OS is up to
> date with patches, then all should be OK. If you are
> running an OLD unsupported OS like Windows 98, then
> you have a problem. Look for a program called TZEDIT
> on the WEB or on the Microsoft WEB site.
>
> Mike, W1NR
>
>
> --- Craig Bradley <craigjb@...> wrote:
>
> > I use UTC for my time display and you should log
> > your contacts in UTC. UTC
> > is not affected by our Congress and their wonderful
> > ideas.
> >
> >
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@...m
> > [mailto:XMLog@yahoogroups.com] On Behalf Of
> > ad5uu
> > Sent: Monday, March 12, 2007 6:56 AM
> > To: XMLog@yahoogroups.com
> > Subject: [XMLog] Daylight Savings
> >
> >
> >

> > I just cannot find how to reset the time offset for
> > daylight savings.
> > I'm not "clicking" as to how to set it up. PLease
> > help.
> >
> > Thank you
> > Paul KZ5P
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
>
>
> *** Tabhair gach fear a drucht ***
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
>

> Now that's room service! Choose from over 150,000 hotels
> in 45,000 destinations on Yahoo! Travel to find your fit.
> http://farechase.yahoo.com/promo-generic-14795097
>

2048. Re: [XMLog] Re: Daylight Savings

Yahoo group: XMLog
Date: 2007-03-13 13:43:01 UTC
From: Robert Dixon
Topic: 2040 Message: 2048

I am still using the old Mlog version 496 because it lets me keep small logs that can be sent to LOTW and then spliced into the master log using ADIF files. Mlog is great for the contesting work that I do and it makes great labels for my homebrew QSL cards. Time and date stamping are a real timesaver. I have no need for rig control or the other peripherals that are give some of the users fits. I had no problem with the time change whatsoever using Windows XP. The point here? I think Mlog is a fantastic program for what I want to do and really appreciate the amount of time and energy it has saved me. Thanks again Mike!

Gud DX
Bob, W8HGH
----- Original Message -----
From: ad5uu<mailto:ke5fqy@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Monday, March 12, 2007 10:04 PM
Subject: [XMLog] Re: Daylight Savings

I'm still using 98. I'm not so sure about the TZEDIT but i'll look
into it.
It's hard to believe i'm the only ham left using windows 98 and xmlog.

Thank you
KZ5P

--- In XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>, Michael McCarthy <w1nr@...>
wrote:
>
> I am confused. XMLog calculates the offset for UTC
> based on the timezone you have set in the OS and your
> PC clock. If your PC is set to local time, the
> timezone is set correctly and your Windows OS is up to
> date with patches, then all should be OK. If you are
> running an OLD unsupported OS like Windows 98, then
> you have a problem. Look for a program called TZEDIT
> on the WEB or on the Microsoft WEB site.
>
> Mike, W1NR
>
>
> --- Craig Bradley <craigjb@...> wrote:
>
> > I use UTC for my time display and you should log
> > your contacts in UTC. UTC
> > is not affected by our Congress and their wonderful
> > ideas.
> >
> >

> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
> > [mailto:XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>] On Behalf Of
> > ad5uu
> > Sent: Monday, March 12, 2007 6:56 AM
> > To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
> > Subject: [XMLog] Daylight Savings
> >
> >
> >
> > I just cannot find how to reset the time offset for
> > daylight savings.
> > I'm not "clicking" as to how to set it up. PLease
> > help.
> >
> > Thank you
> > Paul KZ5P
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
>
>
> *** Tabhair gach fear a drucht ***
> *** Give Every Man His Dew! ***
> Michael A. McCarthy, W1NR
>
>
>
>

> Now that's room service! Choose from over 150,000 hotels
> in 45,000 destinations on Yahoo! Travel to find your fit.
> http://farechase.yahoo.com/promo-generic-14795097<http://farechase.yahoo.com/promo-gener
ic-14795097>
>

[Non-text portions of this message have been removed]

2049. Re: Daylight Savings

Yahoo group: XMLog
Date: 2007-03-13 17:22:28 UTC
From: ad5uu
Topic: 2040 Message: 2049

I figured out what will work until the old time change occurs. I have set my computer clock up as Eastern time (5) instead of Central (6). With this XMlog uses a 5hr offset. When the old time change date roles around I can switch back to Centeral.
Yes I use UTC for logging. There may be an easier better answer but it's the only one I have for now, and I don't want to make a bunch of contest contacts and have to reset the times.

Thanks
Paul KZ5P

2050. Re: Popup menus & /MM

Yahoo group: XMLog
Date: 2007-03-14 18:26:05 UTC
From: Mike McAmis
Topic: 2002 Message: 2050

Hi Craig - I've implemented your two suggestions and will post version 5.35 in www.xmlog.com/beta in a couple of days.

1) Make popup menus for the Packet, Spots Map, and Spots History windows consistent.

2) Don't dis-allow records without a "good" prefix for IOTA, Zones, or Grids reports.

Mike - W1ECT

2051. Re: How to get comments onto eQSL from XMLog

Yahoo group: XMLog
Date: 2007-03-18 04:56:40 UTC
From: kd5txl
Topic: 2033 Message: 2051

I create an ADIF file of the QSOs I plan to upload to eQSL - usually select by dates - then pull the ADIF file up in Notepad and select the REPLACE option under EDIT mode. Change the COMMENT word to QSLMSG and hit the REPLACE ALL button. This puts the XMLog comments / notes into the eQSL comments field. Works like a champ.
...Gene

--- In XMLog@yahoogroups.com, "Kenneth Moorman" <nu4i@...> wrote:
>
> I have been using eQSL for a month or so, and have noticed that some eQSLs I
> receive have comments, either personalized or just general info. I asked
> the question of the eQSL support how I would do this myself, and got the
> following response:
>
> "No change is needed to your card design. QSL comments can be added via the
> on-line log entry screen or via the ADIF tag QSLMSG or QSL_Comment in
> uploaded ADIF files".
>
>
> How do I do this in XMLog? Is it the "Notes" field on the "QSO Info" page?
>
> Thanks,
>
> Ken, NU4I
>

2052. RE: [XMLog] Re: Popup menus & /MM

Yahoo group: XMLog
Date: 2007-03-18 21:07:41 UTC
From: Craig Bradley
Topic: 2002 Message: 2052

Thanks Mike!

XMLog keeps getting better and better!

One other question: The other day I was wondering if I qualified for 5-band WAC. I don't think that XMLog has the continents associated with the countries. Can you think of a way to get a report and check for continents by band?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Wednesday, March 14, 2007 11:26 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Popup menus & /MM

Hi Craig - I've implemented your two suggestions and will post version 5.35 in www.xmlog.com/beta in a couple of days.

1) Make popup menus for the Packet, Spots Map, and Spots History windows consistent.

2) Don't dis-allow records without a "good" prefix for IOTA, Zones, or Grids reports.

Mike - W1ECT

[Non-text portions of this message have been removed]

2053. Paper copy for log files

Yahoo group: XMLog
Date: 2007-03-18 23:59:11 UTC
From: Robert Dixon
Topic: 2053 Message: 2053

Does anyone know how to change the the printout when making a paper copy of a log file? I am using V496. <Display> <Display long> <all log entries> Destination <Printer>. I would like to change the font size and the margins to better fit an 21.6cm (8.5") by 27.9cm (11") piece of paper.

73, Bob W8HGH

[Non-text portions of this message have been removed]

2054. RE: [XMLog] Paper copy for log files

Yahoo group: XMLog
Date: 2007-03-19 01:49:05 UTC
From: Craig Bradley
Topic: 2053 Message: 2054

I would select the destination as a file and then open it with you favorite editor (Word, Notepad, etc.) and make your changes there.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Robert Dixon
Sent: Sunday, March 18, 2007 4:59 PM
To: xmlog@yahoogroups.com
Subject: [XMLog] Paper copy for log files

Does anyone know how to change the the printout when making a paper copy of a log file? I am using V496. <Display> <Display long> <all log entries> Destination <Printer>. I would like to change the font size and the margins to better fit an 21.6cm (8.5") by 27.9cm (11") piece of paper.

73, Bob W8HGH

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2055. Re: Worked all Continents Award

Yahoo group: XMLog
Date: 2007-03-20 16:18:13 UTC
From: Mike McAmis
Topic: 2002 Message: 2055

Hi Craig, I currently don't have any plans to add WAC tracking. It could happen some day and the 'Prefixes' file does contain the continent info. Hey, 5-band WAC is only 25 (30?) QSOs, do a DXCC Checklist and sharpen your pencil!

Mike - W1ECT

2056. Re: Paper copy for log files

Yahoo group: XMLog
Date: 2007-03-20 16:21:15 UTC
From: Mike McAmis
Topic: 2053 Message: 2056

Hi Bob, You should be able to change your margins and font using the "File/Print Setup" menu item. The current XMLog version at www.xmlog.com/beta has some changes that make this menu item perform better on XP systems.

Mike - W1ECT

2057. Re: [XMLog] Re: Paper copy for log files

Yahoo group: XMLog
Date: 2007-03-20 19:07:56 UTC
From: Robert Dixon
Topic: 2053 Message: 2057

Thanks Mike: Mlog does what I want for DXing. I set up a file just before a contest and leaave Mlog on a second screen. Punch in a callsign and check for dupes instantly. Once the contest is over, dump an an ADIF file into LOTW and into the Master Mlog and the current log (in this case log 25) and I'm done. Print up a paper copy and I'm done. This is a fantastic logging program. With date and time stamping I can log 'em as fast as I can work 'em. Don't need N1MM loagger at all.

73 Bob, W8HGH
----- Original Message -----
From: Mike McAmis<mailto:w1ect@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Tuesday, March 20, 2007 12:21 PM
Subject: [XMLog] Re: Paper copy for log files

Hi Bob, You should be able to change your margins and font using
the "File/Print Setup" menu item. The current XMLog version at
www.xmlog.com/beta<http://www.xmlog.com/beta> has some changes that make this menu item perform
better on XP systems.

Mike - W1ECT

[Non-text portions of this message have been removed]

2058. Station data in XMlog

Yahoo group: XMLog
Date: 2007-03-21 00:34:20 UTC
From: Bill Turini
Topic: 2058 Message: 2058

I keep my .log files and backup files on a server in my house. That way I can run labels, reports, etc. from my main computer and use my laptop in my shack to log (not at the same time).

I had to rebuild my laptop HD and loaded a newer version of XMlog. It picked up the .log files when I entered the correct path, but I was kind of surprised to find that I had to re-enter all the station information. I would have thought this would be kept in the same location as the log files. Did I miss something in the setup? If not, what is the rational behind this?

73's

Bill KA4GAV

2059. RE: [XMLog] Re: Worked all Continents Award

Yahoo group: XMLog
Date: 2007-03-21 04:40:47 UTC
From: Craig Bradley
Topic: 2002 Message: 2059

Hi Mike,

Is there some way to get the continent info into a report? I have checked the Excel options with no luck. It is 30 Qs as you do need NA, but not Antarctica. I know where most of the countries and islands are, but having the continent in a field would help. I could use a paper copy of the ARRL list and lay it along side. I also thought about exporting the log into Writelog and running a contest report, that should tell me.

Anyway, this is not a high priority, just a curiosity, I would rather have LoTW QSL importing. I have a ton of states confirmed there and have been too lazy to enter them all. I am up to date on the countries (manually) though.

The new right click menus in the packet windows are nice, Thanks!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, March 20, 2007 9:18 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Worked all Continents Award

Hi Craig, I currently don't have any plans to add WAC tracking. It could happen some day and the 'Prefixes' file does contain the continent info. Hey, 5-band WAC is only 25 (30?) QSOs, do a DXCC Checklist and sharpen your pencil!

Mike - W1ECT

[Non-text portions of this message have been removed]

2060. Re: Station data in XMlog

Yahoo group: XMLog
Date: 2007-03-22 23:05:41 UTC
From: Mike McAmis
Topic: 2058 Message: 2060

Hi Bill, I don't have much a rationale. All your options settings are saved in your install directory in various .ini files with mlog.ini containing the bulk of them (including your station info). When you install on additional systems a default mlog.ini file is created. To get the options settings from your other system the easiest thing to do is just copy your .ini files from your old system to your new system after the install is complete (and XMLog is not running).

There is actually an undocumented command line option that allows you to use an arbitrary 'mlog.ini' file:

C:\wherever\mlog.exe -ini X:\wherever-else\mlog.ini

So you could get away with one mlog.ini file if it was available on your network. I don't advise this though since XMLog wouldn't be happy if the network connection was down. There can also be problems if you run XMLog on both systems simultaneously sharing the same .ini file.

I use the -ini option so that I can have two different setups on one system (for testing mostly - one is set up for PacketCluster via a COM port and the other via the Internet). There is another command line option that lets you specify an alternate Packet History file. So my alternate XMLog icon has a command line of:

C:\mlog\mlog.exe -ini mlog1.ini -history mlog1.his

The default folder for the files on the command line is the XMLog install folder, if you have them somewhere else you'll have to include the full path name.

Mike - W1ECT

2061. Re: Worked all Continents Award

Yahoo group: XMLog
Date: 2007-03-22 23:12:27 UTC
From: Mike McAmis
Topic: 2002 Message: 2061

Sorry Craig, The continent info is not currently available. If you get stuck on some country as to which continent is belongs to you can open the "prefixes" file with WordPad (or whatever) and take a look (continents are designated by EU, AF, ...).

I'll add WAC award tracking to the to-do list but it won't be happening any time soon.

Mike - W1ECT

2062. RE: [XMLog] Re: Worked all Continents Award

Yahoo group: XMLog
Date: 2007-03-23 04:25:42 UTC
From: Craig Bradley
Topic: 2002 Message: 2062

That's OK Mike. Many other features are higher priority. If you were going to do anything, I would suggest adding a field selection to the Display/Excel selection screen, then people could sort by it in Excel or what ever.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Thursday, March 22, 2007 4:12 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Worked all Continents Award

Sorry Craig, The continent info is not currently available. If you get stuck on some country as to which continent is belongs to you can open the "prefixes" file with WordPad (or whatever) and take a look (continents are designated by EU, AF, ...).

I'll add WAC award tracking to the to-do list but it won't be happening any time soon.

Mike - W1ECT

[Non-text portions of this message have been removed]

2063. Change what goes into Notes field when importing ADIF.

Yahoo group: XMLog
Date: 2007-03-23 19:49:18 UTC
From: wa3bui
Topic: 2063 Message: 2063

When I import a ADIF file that was exported from N1MM contest logger,
a Freq2 field is put in the Notes field along with the the IN: and
OUT: exchanges. Is there a way to control what ADIF fields get
imported into the Notes: field.
Joe... W3BUI...

2064. Re: [XMLog] Change what goes into Notes field when importing ADIF.

Yahoo group: XMLog
Date: 2007-03-24 01:45:43 UTC
From: Stan Gantz
Topic: 2063 Message: 2064

I am running V5.33, and mine (just started with IDX-SSB) does the
exact same thing transferring from N1MM to XM.....??????????????

Stan Gantz W5GZ
.....
At 01:49 PM 3/23/2007, you wrote:

>When I import a ADIF file that was exported from N1MM contest logger,
>a Freq2 field is put in the Notes field along with the the IN: and
>OUT: exchanges. Is there a way to control what ADIF fields get
>imported into the Notes: field.
>Joe... W3BUI...
>
>

[Non-text portions of this message have been removed]

2065. Re: Change what goes into Notes field when importing ADIF.

Yahoo group: XMLog
Date: 2007-03-24 15:29:27 UTC
From: Mike McAmis
Topic: 2063 Message: 2065

Hi Joe, Originally only the ADIF "Comments" field was moved to the XMLog "Notes" field. Later some contest oriented fields were also moved to the "Notes" field preceded by "In:" and "Out:". When I added the "Test In/Out" fields I suppose I could have stopped copying some of the data to the Notes field but I kept the old strategy in place.

Here's the contest data that currently winds up in the Notes field:

"ContestName xxx" - xxx gets added to end of Notes field

"SRX xxx" and "SRX_STRING xxx" -> Notes as "In: xxx"
xxx is also copied to the "Test In" field.

"TRX xxx" and "TRX_STRING xxx" -> Notes as "Out: xxx"
xxx is also copied to the "Test Out" field.

"ARRL_SECT xxx" -> Notes as "In: xxx"

Since XMLog only has one frequency field any secondary frequency info is also moved to the Notes field.

"FREQ_RX freq" -> Notes as "Freq2: freq"

"FREQ freq1/freq2" -> Notes as "Freq2: freq2"
(the primary frequency freq1 -> Frequency field)

Mike - W1ECT

2066. RE: #347 Importing data from Excel

Yahoo group: XMLog
Date: 2007-03-26 22:38:46 UTC
From: wb6cyk
Topic: 2066 Message: 2066

Mike, I would like to include several years of paper log data in XMLog and it appears that the easiest way to input the date is to enter it line by line into Excel and then import it into XMLog. I read the posting #347 from 2002 but am not a programmer so cannot hack into your file import1.bas to make the changes. Would you please help me out on this?

Burton

2067. Re: #347 Importing data from Excel

Yahoo group: XMLog
Date: 2007-03-27 03:21:42 UTC
From: Mike McAmis
Topic: 2066 Message: 2067

Hi Burton, Of course the desire to convert Excel to ADIF isn't something unique to XMLog users. I've done some web searching on this topic in the past and it seems that the route they take is to define some kind of script/formula for each Excel field that controls how the data gets saved to a text file. I've not pursued this any further myself but perhaps you can do some web searching and find some detailed help or maybe someone here can help you out.

Mike - W1ECT

>
> Mike, I would like to include several years of paper log data in XMLog
> and it appears that the easiest way to input the date is to enter it
> line by line into Excel and then import it into XMLog. I read the
> posting #347 from 2002 but am not a programmer so cannot hack into
> your file import1.bas to make the changes. Would you please help me
> out on this?
>
> Burton
>

2068. Re: [XMLog] Re: #347 Importing data from Excel

Yahoo group: XMLog
Date: 2007-03-27 11:49:24 UTC
From: Dan Shepherd
Topic: 2066 Message: 2068

Attached is an Excel spreadsheet file I created to
import my hand written logs into XMLog with.
It works great!

Enter your QSO info in fields A thru Q.
Highlight and COPY cell R thru AI.
Go to sheet2.
Select EDIT then PASTE SPECIAL. Select VALUSE then OK.
This will paste the values along with the ADIF field
format.

Now highlight and COPY cells A thru R. Next paste this
into notepad and save as a ADIF file. (test.adf)
This can then be imported into XMLog.

73
Dan, N8IE

--- Mike McAmis <w1ect@...> wrote:

> Hi Burton, Of course the desire to convert Excel to
> ADIF isn't
> something unique to XMLog users. I've done some web
> searching on this
> topic in the past and it seems that the route they
> take is to define
> some kind of script/formula for each Excel field
> that controls how the
> data gets saved to a text file. I've not pursued
> this any further
> myself but perhaps you can do some web searching and
> find some detailed
> help or maybe someone here can help you out.
>
> Mike - W1ECT
>
> >
> > Mike, I would like to include several years of
> paper log data in XMLog
> > and it appears that the easiest way to input the
> date is to enter it
> > line by line into Excel and then import it into
> XMLog. I read the
> > posting #347 from 2002 but am not a programmer so
> cannot hack into
> > your file import1.bas to make the changes. Would

> you please help me
> > out on this?
> >
> > Burton
> >
>
>
>

TV dinner still cooling?
Check out "Tonight's Picks" on Yahoo! TV.
http://tv.yahoo.com/

[Non-text portions of this message have been removed]

2069. Re: [XMLog] Re: #347 Importing data from Excel

Yahoo group: XMLog
Date: 2007-03-27 12:41:45 UTC
From: Dan Shepherd
Topic: 2066 Message: 2069

Sorry folks, ir seems I can not attach files so here
is a link to download the file.

http://n8ie.com/documents/Text2ADI.zip

73
Dan, N8IE

--- Dan Shepherd <n8ie@...> wrote:

> Attached is an Excel spreadsheet file I created to
> import my hand written logs into XMLog with.
> It works great!
>
> Enter your QSO info in fields A thru Q.
> Highlight and COPY cell R thru AI.
> Go to sheet2.
> Select EDIT then PASTE SPECIAL. Select VALUSE then
> OK.
> This will paste the values along with the ADIF field
> format.
>
> Now highlight and COPY cells A thru R. Next paste
> this
> into notepad and save as a ADIF file. (test.adf)
> This can then be imported into XMLog.
>
> 73
> Dan, N8IE
>
>
> --- Mike McAmis <w1ect@...> wrote:
>
> > Hi Burton, Of course the desire to convert Excel
> to
> > ADIF isn't
> > something unique to XMLog users. I've done some
> web
> > searching on this
> > topic in the past and it seems that the route they
> > take is to define
> > some kind of script/formula for each Excel field
> > that controls how the
> > data gets saved to a text file. I've not pursued
> > this any further
> > myself but perhaps you can do some web searching

> and
> > find some detailed
> > help or maybe someone here can help you out.
> >
> > Mike - W1ECT
> >
> > >
> > > Mike, I would like to include several years of
> > paper log data in XMLog
> > > and it appears that the easiest way to input the
> > date is to enter it
> > > line by line into Excel and then import it into
> > XMLog. I read the
> > > posting #347 from 2002 but am not a programmer
> so
> > cannot hack into
> > > your file import1.bas to make the changes.
> Would
> > you please help me
> > > out on this?
> > >
> > > Burton
> > >
> >
> >
> >
>
>
>
>

> TV dinner still cooling?
> Check out "Tonight's Picks" on Yahoo! TV.
> http://tv.yahoo.com/
>
> [Non-text portions of this message have been
> removed]
>
>

Get your own web address.
Have a HUGE year through Yahoo! Small Business.
http://smallbusiness.yahoo.com/domains/?p=BESTDEAL

2070. Re: [XMLog] Re: #347 Importing data from Excel

Yahoo group: XMLog
Date: 2007-03-27 14:16:26 UTC
From: Howard G. Baker
Topic: 2066 Message: 2070

I hate to be stupid but here goes, how do you save an Excel file as a
adi file?
Howard, K8NHR

Dan Shepherd wrote:
>
> Sorry folks, ir seems I can not attach files so here
> is a link to download the file.
>
> http://n8ie.com/documents/Text2ADI.zip
> <http://n8ie.com/documents/Text2ADI.zip>
>
> 73
> Dan, N8IE
>
> --- Dan Shepherd <n8ie@... <mailto:n8ie%40yahoo.com>> wrote:
>
> > Attached is an Excel spreadsheet file I created to
> > import my hand written logs into XMLog with.
> > It works great!
> >
> > Enter your QSO info in fields A thru Q.
> > Highlight and COPY cell R thru AI.
> > Go to sheet2.
> > Select EDIT then PASTE SPECIAL. Select VALUSE then
> > OK.
> > This will paste the values along with the ADIF field
> > format.
> >
> > Now highlight and COPY cells A thru R. Next paste
> > this
> > into notepad and save as a ADIF file. (test.adf)
> > This can then be imported into XMLog.
> >
> > 73
> > Dan, N8IE
> >
> >
> > --- Mike McAmis <w1ect@... <mailto:w1ect%40xmlog.com>> wrote:
> >
> > > Hi Burton, Of course the desire to convert Excel
> > to
> > > ADIF isn't
> > > something unique to XMLog users. I've done some
> > web

> > > searching on this
> > > topic in the past and it seems that the route they
> > > take is to define
> > > some kind of script/formula for each Excel field
> > > that controls how the
> > > data gets saved to a text file. I've not pursued
> > > this any further
> > > myself but perhaps you can do some web searching
> > and
> > > find some detailed
> > > help or maybe someone here can help you out.
> > >
> > > Mike - W1ECT
> > >
> > > >
> > > > Mike, I would like to include several years of
> > > paper log data in XMLog
> > > > and it appears that the easiest way to input the
> > > date is to enter it
> > > > line by line into Excel and then import it into
> > > XMLog. I read the
> > > > posting #347 from 2002 but am not a programmer
> > so
> > > cannot hack into
> > > > your file import1.bas to make the changes.
> > Would
> > > you please help me
> > > > out on this?
> > > >
> > > > Burton
> > > >
> > >
> > >
> > >
> >
> >
> >
> >
> > _____
> > TV dinner still cooling?
> > Check out "Tonight's Picks" on Yahoo! TV.
> > http://tv.yahoo.com/ <http://tv.yahoo.com/>
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
>
> _____
> Get your own web address.

> Have a HUGE year through Yahoo! Small Business.
> http://smallbusiness.yahoo.com/domains/?p=BESTDEAL
> <http://smallbusiness.yahoo.com/domains/?p=BESTDEAL>
>
>

[Non-text portions of this message have been removed]

2071. Re: [XMLog] Re: #347 Importing data from Excel

Yahoo group: XMLog
Date: 2007-03-27 14:49:16 UTC
From: Dan Shepherd
Topic: 2066 Message: 2071

Hello Howard,
You are not saving the Excel file, you are saving the
notepad file that you paste to as an ADIF file.

When you exit Excel don't save the spreadsheet.

--- "Howard G. Baker" <k8nhr@...> wrote:

> I hate to be stupid but here goes, how do you save
> an Excel file as a
> adi file?
> Howard, K8NHR
>
> Dan Shepherd wrote:
> >
> > Sorry folks, ir seems I can not attach files so
> here
> > is a link to download the file.
> >
> > http://n8ie.com/documents/Text2ADI.zip
> > <http://n8ie.com/documents/Text2ADI.zip>
> >
> > 73
> > Dan, N8IE
> >
> > --- Dan Shepherd <n8ie@...
> <mailto:n8ie%40yahoo.com>> wrote:
> >
> > > Attached is an Excel spreadsheet file I created
> to
> > > import my hand written logs into XMLog with.
> > > It works great!
> > >
> > > Enter your QSO info in fields A thru Q.
> > > Highlight and COPY cell R thru AI.
> > > Go to sheet2.
> > > Select EDIT then PASTE SPECIAL. Select VALUSE
> then
> > > OK.
> > > This will paste the values along with the ADIF
> field
> > > format.
> > >
> > > Now highlight and COPY cells A thru R. Next
> paste
> > > this

> > > into notepad and save as a ADIF file. (test.adf)
> > > This can then be imported into XMLog.
> > >
> > > 73
> > > Dan, N8IE
> > >
> > >
> > > --- Mike McAmis <w1ect@...
> <mailto:w1ect%40xmlog.com>> wrote:
> > >
> > > > Hi Burton, Of course the desire to convert
> Excel
> > > to
> > > > ADIF isn't
> > > > something unique to XMLog users. I've done
> some
> > > web
> > > > searching on this
> > > > topic in the past and it seems that the route
> they
> > > > take is to define
> > > > some kind of script/formula for each Excel
> field
> > > > that controls how the
> > > > data gets saved to a text file. I've not
> pursued
> > > > this any further
> > > > myself but perhaps you can do some web
> searching
> > > and
> > > > find some detailed
> > > > help or maybe someone here can help you out.
> > > >
> > > > Mike - W1ECT
> > > >
> > > > >
> > > > > Mike, I would like to include several years
> of
> > > > paper log data in XMLog
> > > > > and it appears that the easiest way to input
> the
> > > > date is to enter it
> > > > > line by line into Excel and then import it
> into
> > > > XMLog. I read the
> > > > > posting #347 from 2002 but am not a
> programmer
> > > so
> > > > cannot hack into
> > > > > your file import1.bas to make the changes.

> > > Would
> > > > you please help me
> > > > > out on this?
> > > > >
> > > > > Burton
> > > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > >
> > >
>

> > > TV dinner still cooling?
> > > Check out "Tonight's Picks" on Yahoo! TV.
> > > http://tv.yahoo.com/ <http://tv.yahoo.com/>
> > >
> > > [Non-text portions of this message have been
> > > removed]
> > >
> > >
> >
> >
>

> > Get your own web address.
> > Have a HUGE year through Yahoo! Small Business.
> > http://smallbusiness.yahoo.com/domains/?p=BESTDEAL
>
> >
> <http://smallbusiness.yahoo.com/domains/?p=BESTDEAL>
> >
> >
>
>
> [Non-text portions of this message have been
> removed]
>
>

Don't get soaked. Take a quick peek at the forecast
with the Yahoo! Search weather shortcut.
http://tools.search.yahoo.com/shortcuts/#loc_weather

2072. Vista

Yahoo group: XMLog
Date: 2007-03-31 17:11:05 UTC
From: k9mrd
Topic: 2008 Message: 2072

I need to buy an additional PC, but all seem to have Vista loaded. Dell will sell an XP version, but they want 2X price of their cheap Vista machines.

I have read all the threads from February regarding Vista and wondered if anyone has had experience with a 'factory installed' Vista version as opposed to an XP updated version. My experience with older MS/OS updates is they have more bugs than new OS on new machines.

Any information on recent installs and new hardware/OS would be appreciated.

Thanks!

Wayne
K9MRD

2073. Version 5.35 is now the 'official' version

Yahoo group: XMLog
Date: 2007-03-31 21:42:06 UTC
From: Mike McAmis
Topic: 2073 Message: 2073

I've posted the latest beta version 5.35 as the new current version in
www.xmlog.com - If you have already installed this version as a beta
there is no need to install the 'official' version.

Mike - W1ECT

2074. Re: Vista

Yahoo group: XMLog
Date: 2007-04-01 02:43:50 UTC
From: Chris
Topic: 2008 Message: 2074

You'll need to make sure that any peripheral hardware you have has Vista drivers available.

I have my own reasons for not adopting Vista. MS is also going to take a very bad business hit quite shortly as well. The US Dept of Transportation has placed an indefinite ban on Vista from any computer within their organization and they've also banned IE 7 and Office 2007 as well. That's 15,000 computers right there. If one federal agency has gone this route there will be more to follow.

You can always use XP on the "new" computer. I'd buy an OEM version from NewEgg and load it up. OEM versions of XP are much cheaper than retail and you'll get everything but the MS support.

It's also never a good idea to jump on the new OS bandwagon until any major issues can be tackled.

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> I need to buy an additional PC, but all seem to have Vista loaded. Dell
> will sell an XP version, but they want 2X price of their cheap Vista
> machines.
>
> I have read all the threads from February regarding Vista and wondered
> if anyone has had experience with a 'factory installed' Vista version
> as opposed to an XP updated version. My experience with older MS/OS
> updates is they have more bugs than new OS on new machines.
>
> Any information on recent installs and new hardware/OS would be
> appreciated.
>
> Thanks!
>
> Wayne
> K9MRD
>

2075. Re: [XMLog] Vista

Yahoo group: XMLog
Date: 2007-04-01 05:21:50 UTC
From: N7MAL
Topic: 2008 Message: 2075

I have not heard/seen many, if any, positive comments about Vista. In the Ham-Radio world programs that have grown from the DOS days to XP do not work properly, if at all, in Vista. One of the 20 year long time 'goodies' GeoClock doesn't work well in Vista. There are comments at the GeoClock site. There is a driver problem that does not allow some CW keying programs to key external radios. In fact most, if not all, of the current drivers we use today will not work in Vista. I have not verified but have heard using the default address 127.0.0.1 to connect XMLOG, or other logging programs, to the VE7CC packet-cluster terminal software requires work-arounds. I personally have used 127.0.0.1 for years and it works perfectly in XP.
My personal impression is Microsoft is trying to reinvent the computer making the way we do things today obsolete, thereby making more 'bushel-baskets' of money for Microsoft.
I guess the old saying let the buyer beware applies to Vista.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: k9mrd
To: xmlog@yahoogroups.com
Sent: Saturday, March 31, 2007 17:11
Subject: [XMLog] Vista

I need to buy an additional PC, but all seem to have Vista loaded. Dell will sell an XP version, but they want 2X price of their cheap Vista machines.

I have read all the threads from February regarding Vista and wondered if anyone has had experience with a 'factory installed' Vista version as opposed to an XP updated version. My experience with older MS/OS updates is they have more bugs than new OS on new machines.

Any information on recent installs and new hardware/OS would be appreciated.

Thanks!

Wayne
K9MRD

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2076. Re: Vista

Yahoo group: XMLog
Date: 2007-04-01 08:18:43 UTC
From: ei4hq
Topic: 2008 Message: 2076

Wayne/Group,

In my considered opinion it is best to avoid Vista for now if you are using the PC for radio activities. There are driver issues (lack of them being the primary one), as well as reported application compatibility and performance issues.

Rgds & 73
Cormac, EI4HQ

2077. Re: Vista

Yahoo group: XMLog
Date: 2007-04-01 08:18:43 UTC
From: ei4hq
Topic: 2008 Message: 2077

Wayne/Group,

In my considered opinion it is best to avoid Vista for now if you are using the PC for radio activities. There are driver issues (lack of them being the primary one), as well as reported application compatibility and performance issues.

Rgds & 73
Cormac, EI4HQ

2078. bug report: bureau card function

Yahoo group: XMLog
Date: 2007-04-01 23:28:47 UTC
From: Steve Woodruff
Topic: 2078 Message: 2078

Hi,

Using the latest 5.35 xmlog.... when using Ctrl-B / bureau card function, the QSL recv date is set correctly, but if the QSL sent date was previously set, it is changed to the current date. This behavior is not matching what the manual says should occur.

tnx

Steve N9OH

2079. Re: bug report: bureau card function

Yahoo group: XMLog
Date: 2007-04-02 17:11:04 UTC
From: Mike McAmis
Topic: 2078 Message: 2079

Hi Steve, I checked back to see if this was something that had changed recently and it turns out that this is the way it has been working since at least 1997 (this is the oldest Windows version I have archived).

I guess my thinking was that if you are "handling" an incoming bureau card this means you have just received a card and you sre filling out yours in response - both dates would be set to today.

The comment in the help file about not replacing existing values should be removed.

Mike - W1ECT

2080. Re: Vista

Yahoo group: XMLog
Date: 2007-04-04 02:34:04 UTC
From: k9mrd
Topic: 2008 Message: 2080

Group,
Thanks for your input regarding Vista. You have confirmed my thoughts about Vista so I don't plan to install it - even on my business PC.
Thanks again.
Wayne

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> I need to buy an additional PC, but all seem to have Vista loaded. Dell
> will sell an XP version, but they want 2X price of their cheap Vista
> machines.
>
> I have read all the threads from February regarding Vista and wondered
> if anyone has had experience with a 'factory installed' Vista version
> as opposed to an XP updated version. My experience with older MS/OS
> updates is they have more bugs than new OS on new machines.
>
> Any information on recent installs and new hardware/OS would be
> appreciated.
>
> Thanks!
>
> Wayne
> K9MRD
>

2081. How to add N8S to KH8/S?

Yahoo group: XMLog
Date: 2007-04-04 16:07:09 UTC
From: Craig Bradley
Topic: 2078 Message: 2081

Hi Mike,

I am trying to add N8S to my prefix file, but no luck so far. I have changed the line to:

KH8/S,Swain's I.,OC,32,[-14/172],ADIF=515.N8S,!,

It still shows up as W-USA.

Any ideas?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2082. Re: [XMLog] How to add N8S to KH8/S?

Yahoo group: XMLog
Date: 2007-04-04 16:17:09 UTC
From: N7MAL
Topic: 2078 Message: 2082

The way I did it was to click on View, then callsign list, then new. I added N8S and matched it to KH8/s. Nice and clean and simple.
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Wednesday, April 04, 2007 16:07
Subject: [XMLog] How to add N8S to KH8/S?

Hi Mike,

I am trying to add N8S to my prefix file, but no luck so far. I have changed the line to:

KH8/S,Swain's I.,OC,32,[-14/172],ADIF=515.N8S,!,

It still shows up as W-USA.

Any ideas?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2083. RE: [XMLog] How to add N8S to KH8/S?

Yahoo group: XMLog
Date: 2007-04-04 16:47:16 UTC
From: Craig Bradley
Topic: 2078 Message: 2083

Thanks, that is much better.

Now all I have to do is work them (actually, I did get them on 17m last time.).

I always try to do things the hard way. Must be the programmer in me!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Wednesday, April 04, 2007 9:17 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] How to add N8S to KH8/S?

The way I did it was to click on View, then callsign list, then new. I added

N8S and matched it to KH8/s. Nice and clean and simple.
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, April 04, 2007 16:07
Subject: [XMLog] How to add N8S to KH8/S?

Hi Mike,

I am trying to add N8S to my prefix file, but no luck so far. I have changed the line to:

KH8/S,Swain's I.,OC,32,[-14/172],ADIF=515.N8S,!,

It still shows up as W-USA.

Any ideas?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2084. Re: How to add N8S to KH8/S?

Yahoo group: XMLog
Date: 2007-04-05 20:52:04 UTC
From: k9mrd
Topic: 2078 Message: 2084

Craig,
Guess I really took the easy path. I entered N8S and it showed as
USA. Click modify, right click country and select Swain's Island from
the list and it is done.
Wayne

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Hi Mike,
>
>
>
> I am trying to add N8S to my prefix file, but no luck so far. I
have
> changed the line to:
>
>
>
> KH8/S,Swain's I.,OC,32,[-14/172],ADIF=515.N8S,!,
>
>
>
> It still shows up as W-USA.
>
>
>
> Any ideas?
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> [Non-text portions of this message have been removed]
>

2085. Resize Log Window

Yahoo group: XMLog
Date: 2007-04-06 22:40:43 UTC
From: Richard V. Haire
Topic: 2085 Message: 2085

Hi,
The other day, the large monitor I use on the shack computer went bad
so i've
substituted a small 15 inch monitor temporarily. Now when I try to log a
contact with XMlog,
the log window is too large for the screen and I can not access the
search, modify, etc. buttons
on the bottom. Tried google and Xmlog help but couldn't find any help.
Any help would be appreciated.
73
Dick
W3LD

2086. RE: [XMLog] Resize Log Window

Yahoo group: XMLog
Date: 2007-04-07 00:26:27 UTC
From: Craig Bradley
Topic: 2085 Message: 2086

Try right clicking on the XMLog button on the task bar at the bottom of your Windows desktop. With XP you will get a menu with Cascade, Tile, etc. one of those should get you out of trouble.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Richard V. Haire
Sent: Friday, April 06, 2007 3:41 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Resize Log Window

Hi,
The other day, the large monitor I use on the shack computer went bad so i've
substituted a small 15 inch monitor temporarily. Now when I try to log a contact with XMlog,
the log window is too large for the screen and I can not access the search, modify, etc. buttons
on the bottom. Tried google and Xmlog help but couldn't find any help.
Any help would be appreciated.
73
Dick
W3LD

[Non-text portions of this message have been removed]

2087. Re: [XMLog] Resize Log Window

Yahoo group: XMLog
Date: 2007-04-07 00:57:24 UTC
From: Howard G. Baker
Topic: 2085 Message: 2087

At your desktop, right click and click on properties. Click settings.
Change screen resolution to something that is usable.

Richard V. Haire wrote:
>
> Hi,
> The other day, the large monitor I use on the shack computer went bad
> so i've
> substituted a small 15 inch monitor temporarily. Now when I try to log a
> contact with XMlog,
> the log window is too large for the screen and I can not access the
> search, modify, etc. buttonso something that is workab
> on the bottom. Tried google and Xmlog help but couldn't find any help.
> Any help would be appreciated.
> 73
> Dick
> W3LD
>
>

[Non-text portions of this message have been removed]

2088. Re: Resize Log Window

Yahoo group: XMLog
Date: 2007-04-07 18:41:35 UTC
From: Mike McAmis
Topic: 2085 Message: 2088

Hi Dick, If you have one of the "Aways Show" options enabled you can turn them off to save some screen space. Select the "Options/Log Fields..." menu item, pick the "Log Fields" tab, and then unset any "Always Show" options.

Miie - W1ECT

2089. Re: Resize log window

Yahoo group: XMLog
Date: 2007-04-08 23:31:00 UTC
From: Richard V. Haire
Topic: 2089 Message: 2089

Craig, Howard, and Mike,
Tnx for the suggestions on my problem with the log window size.
Removing some of the 'Always show options' solved the problem.
I can now log new contacts.
Agn, tnx. Enjoy Xmlog vry much.
73
Dick
W3LD

2090. World Map?

Yahoo group: XMLog
Date: 2007-04-09 09:27:46 UTC
From: ei4hq
Topic: 2090 Message: 2090

Hi All,

The Help Doc refers to a "World Map" accessible via the View menu (not the packet spots map) I don't ever recall seeing it in any version of XMLog I've used - currently running v5.28. Perhaps it was discontinued some time ago?

Is there a mapping tool (for displaying DX spot locations & path to home QTH) that integrates in some way with XMLog?

Rgds
Cormac EI4HQ

2091. RE: [XMLog] World Map?

Yahoo group: XMLog
Date: 2007-04-09 14:46:35 UTC
From: Craig Bradley
Topic: 2090 Message: 2091

It is a new feature. I don't know which version is the first, but it is in 5.35.

You can access it from the Packet Window and the QSO window via the View menu.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of ei4hq
Sent: Monday, April 09, 2007 2:28 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] World Map?

Hi All,

The Help Doc refers to a "World Map" accessible via the View menu (not the packet spots map) I don't ever recall seeing it in any version of XMLog I've used - currently running v5.28. Perhaps it was discontinued some time ago?

Is there a mapping tool (for displaying DX spot locations & path to home QTH) that integrates in some way with XMLog?

Rgds
Cormac EI4HQ

[Non-text portions of this message have been removed]

2092. Installing v5.35 over v5.28

Yahoo group: XMLog
Date: 2007-04-09 16:21:11 UTC
From: Kenneth Moorman
Topic: 2092 Message: 2092

I presently am using v5.28 of XMLog and have enjoyed using it. I would like to upgrade to 5.35 so as to not fall behind on anything, but as I have never upgraded since getting 5.28, and I don't want to ruin any of what I now have and enjoy, I want to be sure about what I need to do. Will v5.35 install over top of v5.28, and will I have to re-enter any of my station info that is now there? I would expect to at least do a backup just before re-installing the new version, and maybe save the latest ADIF file as well.

Any help will be appreciated.

73,

Ken, NU4I

2093. RE: [XMLog] Installing v5.35 over v5.28

Yahoo group: XMLog
Date: 2007-04-10 04:34:50 UTC
From: Craig Bradley
Topic: 2092 Message: 2093

Hi Ken,

You can install over 5.28. I would make a new subdirectory under MLOG called v528 and copy all files into it to be safe. Then download and install 5.35. I have done many upgrades and never had a problem with loss of features, etc.

Have fun (you don't need good luck for this)!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kenneth Moorman
Sent: Monday, April 09, 2007 9:21 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Installing v5.35 over v5.28

I presently am using v5.28 of XMLog and have enjoyed using it. I would like to upgrade to 5.35 so as to not fall behind on anything, but as I have never upgraded since getting 5.28, and I don't want to ruin any of what I now have and enjoy, I want to be sure about what I need to do. Will v5.35 install over top of v5.28, and will I have to re-enter any of my station info that is now there? I would expect to at least do a backup just before re-installing the new version, and maybe save the latest ADIF file as well.

Any help will be appreciated.

73,

Ken, NU4I

[Non-text portions of this message have been removed]

2094. Previous Contacts

Yahoo group: XMLog
Date: 2007-04-11 13:25:21 UTC
From: wb5jjj
Topic: 2094 Message: 2094

Mike: Would it be possible to put below the "Freq" and "RST In" blocks a previous contact block and date block of last contact with his OM if there was one? I know this is available via other shortcut keys or menus, but something on-screen would be a nice touch. This information need not be stored with the record, of course, just instance reference. Somemtimes, there are just too many windows already open if other programs are running as well. The screen can become very cluttered, very quickly.

2095. Frequency Searches

Yahoo group: XMLog
Date: 2007-04-11 13:21:26 UTC
From: wb5jjj
Topic: 2095 Message: 2095

I have noticed that mlog limits the upper frequency searches to 30Mhz. Frequenly I would like to search for a specific frequency or group of frequencies instead of the entire band (ie 6M, 2M, ect). Seems like an easy change to an old programmer myself.

2096. Re: Frequency Searches

Yahoo group: XMLog
Date: 2007-04-11 15:59:34 UTC
From: Mike McAmis
Topic: 2095 Message: 2096

Hi, Band searches are allowed by searching for a frequency of 20m, 6m, etc. For a list of values accepted check the "Searching the Log" section of the help file.

Mike - W1ECT

2097. Re: Previous Contacts

Yahoo group: XMLog
Date: 2007-04-11 16:03:40 UTC
From: Mike McAmis
Topic: 2094 Message: 2097

Hi, There just isn't enough vertical space in the main menu to support a feature like this. These days what many people are doing is adding a second screen. If you have an old CRT monitor lying around it's quite easy/inexpensive to add a second monitor for Windows.

Mike - W1ECT

2098. Re: Previous Contacts

Yahoo group: XMLog
Date: 2007-04-11 18:02:29 UTC
From: wb5jjj
Topic: 2094 Message: 2098

Even with all features turned on, unless I'm missing something, the space below FREQ and RST are still devoid of anything. Just blank area to the right of Time Off data.

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi, There just isn't enough vertical space in the main menu to support
> a feature like this. These days what many people are doing is adding a
> second screen. If you have an old CRT monitor lying around it's quite
> easy/inexpensive to add a second monitor for Windows.
>
> Mike - W1ECT
>

2099. Re: [XMLog] Previous Contacts

Yahoo group: XMLog
Date: 2007-04-12 18:10:47 UTC
From: Dan Shepherd
Topic: 2094 Message: 2099

If you right click on the call, it shows just that.

I like the simplicity of the program as it is today.
That is the major reason I choose XMlog, simple layout
and not littered with buttons.

Just my .02.

73
Dan, N8IE

--- wb5jjj <wb5jjj@...> wrote:

> Mike: Would it be possible to put below the "Freq"
> and "RST In" blocks
> a previous contact block and date block of last
> contact with his OM if
> there was one? I know this is available via other
> shortcut keys or
> menus, but something on-screen would be a nice
> touch. This information
> need not be stored with the record, of course, just
> instance
> reference. Somemtimes, there are just too many
> windows already open if
> other programs are running as well. The screen can
> become very
> cluttered, very quickly.
>
>

_____
Need Mail bonding?
Go to the Yahoo! Mail Q&A for great tips from Yahoo! Answers users.
http://answers.yahoo.com/dir/?link=list&sid=396546091

2100. Re: [XMLog] Frequency Searches

Yahoo group: XMLog
Date: 2007-04-12 18:19:58 UTC
From: Dan Shepherd
Topic: 2095 Message: 2100

Hello,
I did several searches and find no limits, how are you
doing your search.

I log Q's up to 432Mhz and search works just fine.
Enter >=144 will return all entries from 144 up, or
>=144,<150 will return all entries for 2M.

Hope this helps.
73
Dan, N8IE

--- wb5jjj <wb5jjj@...> wrote:

> I have noticed that mlog limits the upper frequency
> searches to 30Mhz.
> Frequenly I would like to search for a specific
> frequency or group of
> frequencies instead of the entire band (ie 6M, 2M,
> ect). Seems like an
> easy change to an old programmer myself.
>
>

_____
Don't pick lemons.
See all the new 2007 cars at Yahoo! Autos.
http://autos.yahoo.com/new_cars.html

2101. Re: [XMLog] Re: Previous Contacts

Yahoo group: XMLog
Date: 2007-04-12 18:21:50 UTC
From: Dan Shepherd
Topic: 2094 Message: 2101

That line displays the full country name, just to the
right of the DXCC prefix.

73
Dan, N8IE

--- wb5jjj <wb5jjj@...> wrote:

> Even with all features turned on, unless I'm missing
> something, the
> space below FREQ and RST are still devoid of
> anything. Just blank area
> to the right of Time Off data.
>
> -------------
>
> --- In XMLog@yahoogroups.com, "Mike McAmis"
> <w1ect@...> wrote:
> >
> > Hi, There just isn't enough vertical space in the
> main menu to
> support
> > a feature like this. These days what many people
> are doing is adding
> a
> > second screen. If you have an old CRT monitor
> lying around it's quite
> > easy/inexpensive to add a second monitor for
> Windows.
> >
> > Mike - W1ECT
> >
>
>
>

8:00? 8:25? 8:40? Find a flick in no time
with the Yahoo! Search movie showtime shortcut.
http://tools.search.yahoo.com/shortcuts/#news

2102. Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-13 17:04:31 UTC
From: k9mrd
Topic: 2102 Message: 2102

When using 'Add QSL Labels for all selected entries', how do I omit a QSO. (I am printing a single QSL to confirm several contacts.)

A recent example is N8S where I have 5 bands with both CW and SSB contacts. I did not think I was in their log for 20 CW so I worked them again and after a couple of days both CW contacts appeared in their log. So now XMLog shows 11 QSO's but I really only want to confirm 10 of them.

Is there an 'Omit' function somewhere?

Wayne

2103. Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-14 03:54:41 UTC
From: Mike McAmis
Topic: 2102 Message: 2103

Hi, There's no way to selectively skip QSO's when you do a 'Add QSL Labels for all Selected Entries'. You'll have to move through the selected entries and do an 'Add QSL Label to List' for the appropriate QSO's.

Mike - W1ECT

2104. reviewing past QSO

Yahoo group: XMLog
Date: 2007-04-14 14:55:28 UTC
From: Steve Johnson
Topic: 2104 Message: 2104

I keep having a hard time getting back to the QSO for review and creating mailing labels. What is the best shortcut?

I love my version of XMLog and have referred others to it's ease of use.

Thanks,
Steve

73 KI6ADA
Steve Johnson

2105. Re: [XMLog] reviewing past QSO

Yahoo group: XMLog
Date: 2007-04-14 17:14:35 UTC
From: Nelson Wittstock
Topic: 2104 Message: 2105

I use the search window and select the qsos that I want labels for. I just printed one label for five N8S qsos and it works nicely.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 232 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2106. Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-14 18:19:56 UTC
From: k9mrd
Topic: 2102 Message: 2106

Mike,
Won't that put each QSO on a new card?
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi, There's no way to selectively skip QSO's when you do a 'Add QSL
> Labels for all Selected Entries'. You'll have to move through the
> selected entries and do an 'Add QSL Label to List' for the
appropriate
> QSO's.
>
> Mike - W1ECT
>

2107. Re: [XMLog] Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-14 20:04:50 UTC
From: GerryC
Topic: 2102 Message: 2107

>Won't that put each QSO on a new card?

You can make a layout for multiple QSOs on one card. See the demo card named DEMO CARD 4. Note the use of the QSO# field.

73 de W3GERry

2108. RE: [XMLog] Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-14 19:34:19 UTC
From: Craig Bradley
Topic: 2102 Message: 2108

I individually select the QSOs and print them on one label. I usually use the Demo QSL-4 Small label format on Avery 5260 labels. If I have more than 4, I just print another label and stick it on my card. Hopefully, you will fill the back of your card with N8S labels!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Saturday, April 14, 2007 1:05 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Multi-contact QSLs

>Won't that put each QSO on a new card?

You can make a layout for multiple QSOs on one card. See the demo card named DEMO CARD 4. Note the use of the QSO# field.

73 de W3GERry

[Non-text portions of this message have been removed]

2109. Re: [XMLog] reviewing past QSO

Yahoo group: XMLog
Date: 2007-04-14 21:54:07 UTC
From: Steve Roberts KG5QH
Topic: 2104 Message: 2109

OK, well thanks for letting me know. I really appreciate getting a response. There are too many who won't take the time to let someone know that an item has been sold. The courtesy of a response is always appreciated. Again, thanks and 73 de Steve KG5QH

Nelson Wittstock wrote:
>
> I use the search window and select the qsos that I want labels for. I just
> printed one label for five N8S qsos and it works nicely.
>
> Nelson, K8DJC
>
> --
> I am using the free version of SPAMfighter for private users.
> It has removed 232 spam emails to date.
> Paying users do not have this message in their emails.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
> <http://www.spamfighter.com/len>
>
>
> ---
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.446 / Virus Database: 269.4.0/760 - Release Date: 4/13/2007 8:04 PM
>

[Non-text portions of this message have been removed]

2110. Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-15 01:47:28 UTC
From: k9mrd
Topic: 2102 Message: 2110

Hi Craig,
I thought I tried selecting the desired QSOs in the past, but they did not all print on my custom 4 contact card. They printed one per card. Guess I will try that again. I am using version 5.28. Are you using a more recent version?
Thanks.
Wayne

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I individually select the QSOs and print them on one label. I usually use
> the Demo QSL-4 Small label format on Avery 5260 labels. If I have more than
> 4, I just print another label and stick it on my card. Hopefully, you will
> fill the back of your card with N8S labels!
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> GerryC
> Sent: Saturday, April 14, 2007 1:05 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Re: Multi-contact QSLs
>
>
>
> >Won't that put each QSO on a new card?
>
> You can make a layout for multiple QSOs on one card. See the demo card
> named DEMO CARD 4. Note the use of the QSO# field.
>
> 73 de W3GERry
>

>
>
>
>
> [Non-text portions of this message have been removed]
>

2111. RE: [XMLog] Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-15 02:10:57 UTC
From: Craig Bradley
Topic: 2102 Message: 2111

Hi Wayne,

I have 5.35 but this works on the older versions too.

Select the QSL-4 label format first, then find the QSOs and under the Labels menu, select Add QSL label to list. All of the Qs for the same call should go on the same label (up to 4).

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Saturday, April 14, 2007 6:47 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Multi-contact QSLs

Hi Craig,
I thought I tried selecting the desired QSOs in the past, but they did not all print on my custom 4 contact card. They printed one per card. Guess I will try that again. I am using version 5.28. Are you using a more recent version?
Thanks.
Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:
>
> I individually select the QSOs and print them on one label. I usually use
> the Demo QSL-4 Small label format on Avery 5260 labels. If I have more than
> 4, I just print another label and stick it on my card. Hopefully, you will
> fill the back of your card with N8S labels!
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>

> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> GerryC
> Sent: Saturday, April 14, 2007 1:05 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Re: Multi-contact QSLs
>
>
>
> >Won't that put each QSO on a new card?
>
> You can make a layout for multiple QSOs on one card. See the demo
card
> named DEMO CARD 4. Note the use of the QSO# field.
>
> 73 de W3GERry
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2112. Re: [XMLog] Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-15 04:37:53 UTC
From: GerryC
Topic: 2102 Message: 2112

> I am using version 5.28. Are you
using a more recent version?

It works fine in 5.19

73 de W3GERry

2113. Re: reviewing past QSO

Yahoo group: XMLog
Date: 2007-04-15 05:10:29 UTC
From: ki6ada
Topic: 2104 Message: 2113

Thank you. I have another question. When selecting labels can I select only new contacts without printing old ones??

I want to say thanks for your input and thanks to the moderator of this group.

Steve

2114. RE: [XMLog] Re: reviewing past QSO

Yahoo group: XMLog
Date: 2007-04-15 16:50:18 UTC
From: Craig Bradley
Topic: 2104 Message: 2114

You can select QSOs many ways. You can select a range by date. Click the Select button and put =>4/1/07 in the date field and you will get all of the QSOs from April 1 on. Look in the help file for more information on searching.

I usually use the Critical QSOs feature in the Awards menus to select the QSOs that I need to QSL. Then I scroll trough them and add them to the QSL label list with the addresses. Then I print a sheet of labels and put them on the cards and envelopes.

I hope this helps.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of ki6ada
Sent: Saturday, April 14, 2007 10:10 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: reviewing past QSO

Thank you. I have another question. When selecting labels can I select only new contacts without printing old ones??

I want to say thanks for your input and thanks to the moderator of this group.

Steve

[Non-text portions of this message have been removed]

2115. Re: Multi-contact QSLs

Yahoo group: XMLog
Date: 2007-04-17 16:01:02 UTC
From: k9mrd
Topic: 2102 Message: 2115

Thanks all! Everything works fine. Don't know why I could not make it
work before.
Wayne

--- In XMLog@yahoogroups.com, GerryC <GerryC.1@...> wrote:
>
> > I am using version 5.28. Are you
> using a more recent version?
>
> It works fine in 5.19
>
> 73 de W3GERry
>

2116. spot colors in packet window ?

Yahoo group: XMLog
Date: 2007-04-21 22:45:33 UTC
From: zamba0321
Topic: 2116 Message: 2116

Howdy

just wondering if it's possible to have spot colors in the packet window. I use them in the spot map and spot history, but would be usefull to have needed countries spots in red on the packet terminal window aswell ..

just my 2c great logging program !

- Joe

2117. call sign distance locator

Yahoo group: XMLog
Date: 2007-04-23 23:02:41 UTC
From: ki6ada
Topic: 2117 Message: 2117

Whenever I pull up a call sign I get the distance from the QTH of the software writer. How do I set it from my QTH?

2118. Re: reviewing past QSO

Yahoo group: XMLog
Date: 2007-04-23 23:07:52 UTC
From: ki6ada
Topic: 2104 Message: 2118

Hi Craig

Thank you for your response. I had a busy weekend on the radio. I am looking forward to sending out my new cards.

73, Steve

2119. Re: [XMLog] call sign distance locator

Yahoo group: XMLog
Date: 2007-04-24 01:41:20 UTC
From: GerryC
Topic: 2117 Message: 2119

>Whenever I pull up a call sign I get the distance from the QTH of the
software writer. How do I set it from my QTH?

Perhaps you haven't entered your LAT / LONG

Click OPTIONS >>>> STATION INFO

73 de W3GERry

2120. Prefix Update

Yahoo group: XMLog
Date: 2007-04-24 16:58:23 UTC
From: k9mrd
Topic: 2120 Message: 2120

KH6 & KH7 are Hawaii and KH7K is Kure Island.

Wayne

2121. Re: call sign distance locator

Yahoo group: XMLog
Date: 2007-04-25 23:11:28 UTC
From: ki6ada
Topic: 2117 Message: 2121

--- In XMLog@yahoogroups.com, GerryC <GerryC.1@...> wrote:
>
> >Whenever I pull up a call sign I get the distance from the QTH of
the
> software writer. How do I set it from my QTH?
>
> Perhaps you haven't entered your LAT / LONG
>
> Click OPTIONS >>>> STATION INFO
>
> 73 de W3GERry
>

Hi Gerry

Thanks for the help. the only problem I am having with LAT/LONG is
placing the minus sign in front of the Long. e.g. My longitude is -
122 61 37 W

Have a great day,
Steve

2122. Re: [XMLog] Re: call sign distance locator

Yahoo group: XMLog
Date: 2007-04-26 00:57:02 UTC
From: GerryC
Topic: 2117 Message: 2122

>Thanks for the help. the only problem I am having with LAT/LONG is placing the minus sign in front of the Long. e.g. My longitude is -122 61 37 W

I have mine entered as 75 21.00 W
(no minus sign).

73 de W3GERry

2123. Re: spot colors in packet window ?

Yahoo group: XMLog
Date: 2007-04-26 15:27:54 UTC
From: Mike McAmis
Topic: 2116 Message: 2123

Hi Joe, Seems like a good idea. I'll add it to the "to do" list.

Mike - W1ECT

2124. Using Photo Printer with XMLog

Yahoo group: XMLog
Date: 2007-04-26 21:46:37 UTC
From: k9mrd
Topic: 2124 Message: 2124

Has anyone used an HP A712 or A612 photo printer to print QSLs from XMLog? Any problems with drivers or setup? Success with any other printers printing 4X6 cards? I am using Windows XP here.
Wayne

2125. Selecting Printer from within XMLog

Yahoo group: XMLog
Date: 2007-04-27 18:34:35 UTC
From: k9mrd
Topic: 2125 Message: 2125

Hi All,

I use a color photo printer for QSL's and a laser for all other printing. Is there a way to set the photo printer as the default printer within XMLog's custom QSL card printing functions? To make it work now, I have to change the default printer within windows before starting a batch. I have forgotten to change the default a couple of times and sent a batch to the wrong printer!!

Thanks for any help.

Wayne

PS - I purchased the HP A616 Photosmart printer for my QSL's and it really works great! (prior post)

2126. RE: [XMLog] Selecting Printer from within XMLog

Yahoo group: XMLog
Date: 2007-04-29 21:31:01 UTC
From: Craig Bradley
Topic: 2125 Message: 2126

I believe that XMLog uses the standard Windows default printer. You will have to go into File/Printer Setup to change it if you want to use another printer.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Friday, April 27, 2007 11:35 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Selecting Printer from within XMLog

Hi All,

I use a color photo printer for QSL's and a laser for all other printing. Is there a way to set the photo printer as the default printer within XMLog's custom QSL card printing functions? To make it work now, I have to change the default printer within windows before starting a batch. I have forgotten to change the default a couple of times and sent a batch to the wrong printer!!

Thanks for any help.

Wayne

PS - I purchased the HP A616 Photosmart printer for my QSL's and it really works great! (prior post)

[Non-text portions of this message have been removed]

2127. Test In / Test Out Fields

Yahoo group: XMLog
Date: 2007-05-01 04:42:40 UTC
From: kd5txl
Topic: 2127 Message: 2127

Nice to have these fields available, but I find them difficult to use when contesting. These fields need to be where the RST fields are so there's no need for multiple tabs to reach them. It would really be helpful if the Test Out field could be set with default values for contesting.

Great program. I have yet to find one better!

Thanks, Gene.

2128. Re: Test In / Test Out Fields

Yahoo group: XMLog
Date: 2007-05-02 16:02:30 UTC
From: Mike McAmis
Topic: 2127 Message: 2128

Hi Gene, I recommend that you use some other app to do your contesting
and when it's over create an ADIF file and import that into XMLog.
I've had good luck with both N1MM logger and WriteLog.

Mike - W1ECT

2129. Spots History Window

Yahoo group: XMLog
Date: 2007-05-10 13:30:24 UTC
From: Howard Baker
Topic: 2129 Message: 2129

I just noticed a very UNimportant bug in the Spots History window.
You must have 3 or more spots in the window to be able to clear them.
If there is one or two they will not clear. I like to get rid of the
old ones so I don't have to look at the times or dates. It really
does not need to be fixed. I just deal with it.

2130. xmlog

Yahoo group: XMLog
Date: 2007-05-10 11:51:27 UTC
From: Bob Simpson
Topic: 456 Message: 2130

I am trying but sure am lost. Maybe my 67 years have something to do with it. Being inactive for 20 years hasn't helped. I have gotten the screen up where I can make an entry and then am able to go to excel and it is there and I can sort, etc. The time is coming up automatically. Nothing is coming up automatically from computer which is an Icom 718. The message I get is

CAN'T ACCESS RIG PORT

PORT=1, BAUD=1200, PARITY=N

COMPAN=ICOM, MODEL=718

WHERE=SET PORTOPEN

8002 INVALID PORT NUMBER

Can anyone suggest how I can make some additional progress in understanding how to use this log?

Bob K4LGN in NC

[Non-text portions of this message have been removed]

2131. Re: [XMLog] xmlog

Yahoo group: XMLog
Date: 2007-05-10 21:23:08 UTC
From: N7MAL
Topic: 456 Message: 2131

This is required for the IC-718 before it can be interfaced to a computer.
Do you have it.?.?.?
a.. CT-17 CI-V LEVEL CONVERTER
For remote transceiver control from a PC equipped with an RS-232C port.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

----- Original Message -----
From: Bob Simpson
To: xmlog@yahoogroups.com
Sent: Thursday, May 10, 2007 11:51
Subject: [XMLog] xmlog

I am trying but sure am lost. Maybe my 67 years have something to do with
it. Being inactive for 20 years hasn't helped. I have gotten the screen up
where I can make an entry and then am able to go to excel and it is there
and I can sort, etc. The time is coming up automatically. Nothing is
coming
up automatically from computer which is an Icom 718. The message I get is

CAN'T ACCESS RIG PORT

PORT=1, BAUD=1200, PARITY=N

COMPAN=ICOM, MODEL=718

WHERE=SET PORTOPEN

8002 INVALID PORT NUMBER

Can anyone suggest how I can make some additional progress in
understanding
how to use this log?

Bob K4LGN in NC

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2132. RE: [XMLog] xmlog

Yahoo group: XMLog
Date: 2007-05-10 22:00:58 UTC
From: Bob Simpson
Topic: 456 Message: 2132

Thank you very much. I am sure not as computer literate as I should be probably to do this. I checked the price of the level converter and saw a price of 139 without cable. Then I would have to go through the learning process of how to use it. Not sure I am ready to try this. It certainly is nice of you to tell me I needed something I didn't have. I didn't see that in the explanation of the log. I also don't know if my computer has an RS-232C port but this is something my son will know.

Again thanks very much for heading me in the right direction and letting me realize there was more to it than just downloading the software.

73 Bob K4LGN

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Thursday, May 10, 2007 4:23 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] xmlog

This is required for the IC-718 before it can be interfaced to a computer.
Do you have it.?.?.?
a.. CT-17 CI-V LEVEL CONVERTER
For remote transceiver control from a PC equipped with an RS-232C port.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Bob Simpson
To: xmlog@yahoogroups. <mailto:xmlog%40yahoogroups.com> com
Sent: Thursday, May 10, 2007 11:51
Subject: [XMLog] xmlog

I am trying but sure am lost. Maybe my 67 years have something to do with it. Being inactive for 20 years hasn't helped. I have gotten the screen up where I can make an entry and then am able to go to excel and it is there and I can sort, etc. The time is coming up automatically. Nothing is coming
up automatically from computer which is an Icom 718. The message I get is

CAN'T ACCESS RIG PORT

PORT=1, BAUD=1200, PARITY=N

COMPAN=ICOM, MODEL=718

WHERE=SET PORTOPEN

8002 INVALID PORT NUMBER

Can anyone suggest how I can make some additional progress in
understanding
how to use this log?

Bob K4LGN in NC

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2133. RE: [XMLog] xmlog

Yahoo group: XMLog
Date: 2007-05-11 13:47:56 UTC
From: Bob Simpson
Topic: 456 Message: 2133

What about this cable. Since I have only one PC, do you think this might work? It would sure be a lot less money to experiment with. Thanks in advance.

Bob

Reviews Summary for Creative Services Software CI-V Control Cable for ICOM

Creative Services Software CI-V Control Cable for ICOM
<http://www.eham.net/data/reviews/images/3375.jpeg> Reviews: 2
Average rating: 5.0/5 MSRP: $30.00
Description: CI-V Interface Cable for ICOM radio to Computer. No power connector needed, powered by the PC's serial port. Works with all ICOMs that have a CI-V interface. For radio control, not cloning.
More info: http://www.cssincorp.com/prod-cable.htm

You can write your own <http://www.eham.net/reviews/addreview/3375> review of the Creative Services Software CI-V Control Cable for ICOM.

AI4VR <http://www.eham.net/user/profile/AI4VR> Rating: 5/5 Apr 27, 2007 15:40 Send this review to <http://www.eham.net/reviews/mailto/58427> a friend
It works Time owned: 0 to 3 months
I'm using the cable to interface my IC-718 with the computer. I plugged it in, adjusted HRD to bring up DSR/RTS, and it works. Only "negative" is that there are no "instructions", but if you are using the cable, you should already know enough to "plug it in".

W4VD <http://www.eham.net/user/profile/W4VD> Rating: 5/5 Mar 4, 2007 00:21 Send this review to <http://www.eham.net/reviews/mailto/56639> a friend
Great little cable Time owned: 0 to 3 months
When I recently pruchased an Icom 756, I thought that my only option for a PC connection was the CT-17 box, at well over 100 bucks used, I wasn't looking forward to that, but while looking for the best deal on a CT-17 I ran across this cable for only 30 bucks new! I got one and it works great and now I have a PC connection to the 756 for my logging programs (winlog 32 and N1MM) I have since informed a couple of other hams about this cable, seems the dealers don't push this one very hard, I guess because there is a lot better markup on the CT-17, but if you have only one rig to connect, this is the way to you, highly recommended,

---

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Thursday, May 10, 2007 4:23 PM

To: XMLog@yahoogroups.com
Subject: Re: [XMLog] xmlog

This is required for the IC-718 before it can be interfaced to a computer.
Do you have it.?.?.?
a.. CT-17 CI-V LEVEL CONVERTER
For remote transceiver control from a PC equipped with an RS-232C port.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Bob Simpson
To: xmlog@yahoogroups. <mailto:xmlog%40yahoogroups.com> com
Sent: Thursday, May 10, 2007 11:51
Subject: [XMLog] xmlog

I am trying but sure am lost. Maybe my 67 years have something to do with
it. Being inactive for 20 years hasn't helped. I have gotten the screen up
where I can make an entry and then am able to go to excel and it is there
and I can sort, etc. The time is coming up automatically. Nothing is
coming
up automatically from computer which is an Icom 718. The message I get is

CAN'T ACCESS RIG PORT

PORT=1, BAUD=1200, PARITY=N

COMPAN=ICOM, MODEL=718

WHERE=SET PORTOPEN

8002 INVALID PORT NUMBER

Can anyone suggest how I can make some additional progress in
understanding
how to use this log?

Bob K4LGN in NC

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2134. Re: [XMLog] xmlog

Yahoo group: XMLog
Date: 2007-05-11 15:00:50 UTC
From: Howard Baker
Topic: 456 Message: 2134

Use an after market CV-I converter. They work just fine and a very
reasonable. I have used W2ENY's and it works great. Just search the
call in the internet and you will go to his website.

Bob Simpson wrote:
>
> What about this cable. Since I have only one PC, do you think this might
> work? It would sure be a lot less money to experiment with. Thanks in
> advance.
>
> Bob
>
>
> Reviews Summary for Creative Services Software CI-V Control Cable for ICOM
>
> Creative Services Software CI-V Control Cable for ICOM
> <http://www.eham.net/data/reviews/images/3375.jpeg
> <http://www.eham.net/data/reviews/images/3375.jpeg>> Reviews: 2
> Average rating: 5.0/5 MSRP: $30.00
> Description: CI-V Interface Cable for ICOM radio to Computer. No power
> connector needed, powered by the PC's serial port. Works with all
> ICOMs that
> have a CI-V interface. For radio control, not cloning.
> More info: http://www.cssincorp.com/prod-cable.htm
> <http://www.cssincorp.com/prod-cable.htm>
>
> You can write your own <http://www.eham.net/reviews/addreview/3375
> <http://www.eham.net/reviews/addreview/3375>> review
> of the Creative Services Software CI-V Control Cable for ICOM.
>
>
>
> AI4VR <http://www.eham.net/user/profile/AI4VR
> <http://www.eham.net/user/profile/AI4VR>> Rating: 5/5 Apr
> 27, 2007 15:40 Send this review to
> <http://www.eham.net/reviews/mailto/58427
> <http://www.eham.net/reviews/mailto/58427>> a friend
> It works Time owned: 0 to 3 months
> I'm using the cable to interface my IC-718 with the computer. I plugged it
> in, adjusted HRD to bring up DSR/RTS, and it works. Only "negative" is
> that
> there are no "instructions", but if you are using the cable, you should
> already know enough to "plug it in".
>
> W4VD <http://www.eham.net/user/profile/W4VD

> <http://www.eham.net/user/profile/W4VD>> Rating: 5/5 Mar 4, 2007
> 00:21 Send this review to <http://www.eham.net/reviews/mailto/56639
> <http://www.eham.net/reviews/mailto/56639>> a
> friend
> Great little cable Time owned: 0 to 3 months
> When I recently pruchased an Icom 756, I thought that my only option for a
> PC connection was the CT-17 box, at well over 100 bucks used, I wasn't
> looking forward to that, but while looking for the best deal on a CT-17 I
> ran across this cable for only 30 bucks new! I got one and it works great
> and now I have a PC connection to the 756 for my logging programs
> (winlog 32
> and N1MM) I have since informed a couple of other hams about this cable,
> seems the dealers don't push this one very hard, I guess because there
> is a
> lot better markup on the CT-17, but if you have only one rig to connect,
> this is the way to you, highly recommended,
>
> _____
>
> From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On
> Behalf Of
> N7MAL
> Sent: Thursday, May 10, 2007 4:23 PM
> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Subject: Re: [XMLog] xmlog
>
> This is required for the IC-718 before it can be interfaced to a
> computer.
> Do you have it.?.?.?
> a.. CT-17 CI-V LEVEL CONVERTER
> For remote transceiver control from a PC equipped with an RS-232C port.
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm
> <http://www.ctaz.com/%7Esuzyq/N7mal.htm>> com/~suzyq/N7mal.htm
>
> ----- Original Message -----
> From: Bob Simpson
> To: xmlog@yahoogroups. <mailto:xmlog%40yahoogroups.com> com
> Sent: Thursday, May 10, 2007 11:51
> Subject: [XMLog] xmlog
>
> I am trying but sure am lost. Maybe my 67 years have something to do with
> it. Being inactive for 20 years hasn't helped. I have gotten the screen up
> where I can make an entry and then am able to go to excel and it is there
> and I can sort, etc. The time is coming up automatically. Nothing is
> coming

> up automatically from computer which is an Icom 718. The message I get is
>
> CAN'T ACCESS RIG PORT
>
> PORT=1, BAUD=1200, PARITY=N
>
> COMPAN=ICOM, MODEL=718
>
> WHERE=SET PORTOPEN
>
> 8002 INVALID PORT NUMBER
>
> Can anyone suggest how I can make some additional progress in
> understanding
> how to use this log?
>
> Bob K4LGN in NC
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

2135. RE: [XMLog] xmlog

Yahoo group: XMLog
Date: 2007-05-11 15:04:47 UTC
From: Craig Bradley
Topic: 456 Message: 2135

There are several companies that make rig control adaptors. They should work with XMLog. If you don't have a serial port (9-pin D) on your computer, here is a link to a USB interface that should work OK. The Icom version is $56.95.

http://www.westmountainradio.com/RIGtalk.htm

http://www.westmountainradio.com/order_us48a.htm

I don't have any experience with these as I don't have an Icom. I have used a microHAM microKEYER USB interface with XMLog and my Kenwood TS-2000 and TS-480 with good results.

Good luck & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Bob Simpson
Sent: Friday, May 11, 2007 6:48 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] xmlog

What about this cable. Since I have only one PC, do you think this might work? It would sure be a lot less money to experiment with. Thanks in advance.

Bob

Reviews Summary for Creative Services Software CI-V Control Cable for ICOM

Creative Services Software CI-V Control Cable for ICOM
<http://www.eham. <http://www.eham.net/data/reviews/images/3375.jpeg>
net/data/reviews/images/3375.jpeg> Reviews: 2
Average rating: 5.0/5 MSRP: $30.00
Description: CI-V Interface Cable for ICOM radio to Computer. No power connector needed, powered by the PC's serial port. Works with all ICOMs that have a CI-V interface. For radio control, not cloning.
More info: http://www.cssincor <http://www.cssincorp.com/prod-cable.htm>
p.com/prod-cable.htm

You can write your own <http://www.eham.
<http://www.eham.net/reviews/addreview/3375> net/reviews/addreview/3375>
review
of the Creative Services Software CI-V Control Cable for ICOM.

AI4VR <http://www.eham. <http://www.eham.net/user/profile/AI4VR>
net/user/profile/AI4VR> Rating: 5/5 Apr
27, 2007 15:40 Send this review to
<http://www.eham. <http://www.eham.net/reviews/mailto/58427>
net/reviews/mailto/58427> a friend
It works Time owned: 0 to 3 months
I'm using the cable to interface my IC-718 with the computer. I plugged it
in, adjusted HRD to bring up DSR/RTS, and it works. Only "negative" is that
there are no "instructions", but if you are using the cable, you should
already know enough to "plug it in".

W4VD <http://www.eham. <http://www.eham.net/user/profile/W4VD>
net/user/profile/W4VD> Rating: 5/5 Mar 4, 2007
00:21 Send this review to <http://www.eham.
<http://www.eham.net/reviews/mailto/56639> net/reviews/mailto/56639> a
friend
Great little cable Time owned: 0 to 3 months
When I recently pruchased an Icom 756, I thought that my only option for a
PC connection was the CT-17 box, at well over 100 bucks used, I wasn't
looking forward to that, but while looking for the best deal on a CT-17 I
ran across this cable for only 30 bucks new! I got one and it works great
and now I have a PC connection to the 756 for my logging programs (winlog 32
and N1MM) I have since informed a couple of other hams about this cable,
seems the dealers don't push this one very hard, I guess because there is a
lot better markup on the CT-17, but if you have only one rig to connect,
this is the way to you, highly recommended,

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
N7MAL
Sent: Thursday, May 10, 2007 4:23 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] xmlog

This is required for the IC-718 before it can be interfaced to a computer.
Do you have it.?.?.?
a.. CT-17 CI-V LEVEL CONVERTER
For remote transceiver control from a PC equipped with an RS-232C port.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm>
com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

----- Original Message -----
From: Bob Simpson
To: xmlog@yahoogroups. <mailto:xmlog%40yahoogroups.com> com
Sent: Thursday, May 10, 2007 11:51
Subject: [XMLog] xmlog

I am trying but sure am lost. Maybe my 67 years have something to do with it. Being inactive for 20 years hasn't helped. I have gotten the screen up where I can make an entry and then am able to go to excel and it is there and I can sort, etc. The time is coming up automatically. Nothing is coming
up automatically from computer which is an Icom 718. The message I get is

CAN'T ACCESS RIG PORT

PORT=1, BAUD=1200, PARITY=N

COMPAN=ICOM, MODEL=718

WHERE=SET PORTOPEN

8002 INVALID PORT NUMBER

Can anyone suggest how I can make some additional progress in understanding
how to use this log?

Bob K4LGN in NC

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2136. Re: Icom level converters

Yahoo group: XMLog
Date: 2007-05-11 19:49:59 UTC
From: David Spoelstra
Topic: 2136 Message: 2136

Bob-

Do *NOT* spend $139 for the Icom level converter. There are many less expensive alternatives out there. My club uses 9 Icoms with XMLOG and we use:
http://k1nu.home.comcast.net/k1nu/Products/control.html which costs $32.

Here's some others in the $30 range:
http://home.att.net/~n8st/rigcontrol.html
http://www.hosenose.com/interfaces.asp

If you need a USB interface, then buy a serial to USB cable for $10 and use one of the above cables or buy the combined USB with rig control for about $70 from:
http://www.cssincorp.com/prod-cable.htm
http://www.westmountainradio.com/RIGtalk.htm

If you are good at building things, build one for just a few dollars:
http://www.qsl.net/g3vgr/civ.html (this is the one I built and currently use)
http://www.plicht.de/ekki/civ/civ-p2.html
http://stevenet.freehosting.net/icom/
http://www.eham.net/articles/1588
http://www.cqham.ru/ci-v_icom.htm

-David, N9KT

2137. RE: [XMLog] Re: Icom level converters

Yahoo group: XMLog
Date: 2007-05-11 19:54:36 UTC
From: Bob Simpson
Topic: 2136 Message: 2137

Sure do appreciate the good advice from all. I have ordered the CI-V cable for in the $30 range. Everyone was sure helpful. So, I will give it a try. Without everyone's advice, I probably would have given up so thanks a lot.

Bob K4LGN

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of David Spoelstra
Sent: Friday, May 11, 2007 2:50 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Icom level converters

Bob-

Do *NOT* spend $139 for the Icom level converter. There are many less expensive alternatives out there. My club uses 9 Icoms with XMLOG and we use:
http://k1nu. <http://k1nu.home.comcast.net/k1nu/Products/control.html> home.comcast.net/k1nu/Products/control.html which costs $32.

Here's some others in the $30 range:
http://home. <http://home.att.net/~n8st/rigcontrol.html> att.net/~n8st/rigcontrol.html
http://www.hosenose <http://www.hosenose.com/interfaces.asp> .com/interfaces.asp

If you need a USB interface, then buy a serial to USB cable for $10 and use one of the above cables or buy the combined USB with rig control for about $70 from:
http://www.cssincor <http://www.cssincorp.com/prod-cable.htm> p.com/prod-cable.htm
http://www.westmoun <http://www.westmountainradio.com/RIGtalk.htm> tainradio.com/RIGtalk.htm

If you are good at building things, build one for just a few dollars:
http://www.qsl. <http://www.qsl.net/g3vgr/civ.html> net/g3vgr/civ.html (this is the one I built and currently use)
http://www.plicht. <http://www.plicht.de/ekki/civ/civ-p2.html> de/ekki/civ/civ-p2.html
http://stevenet. <http://stevenet.freehosting.net/icom/> freehosting.net/icom/
http://www.eham. <http://www.eham.net/articles/1588> net/articles/1588
http://www.cqham. <http://www.cqham.ru/ci-v_icom.htm> ru/ci-v_icom.htm

-David, N9KT

[Non-text portions of this message have been removed]

2138. Terminating of #repeat

Yahoo group: XMLog
Date: 2007-05-12 20:25:00 UTC
From: GerryC
Topic: 2138 Message: 2138

When I'm sending a canned CW string that includes #pause n #repeat, F12 will terminate the sending only if pressed DURING SENDING-- pressing it during the pause has no effect. (Sending starts again when the pause expires.) How can I terminate it during the pause?

(e.g., If I'm sending a canned CQ, and if during the pause someone comes back to me, I don't want to automatically send anything more.)

73 de W3GERry

2139. Re: Terminating of #repeat

Yahoo group: XMLog
Date: 2007-05-15 19:59:52 UTC
From: Mike McAmis
Topic: 2138 Message: 2139

Hi Gerry, Thanks for thee report - I'll check it out and hopefully will have a fix for the next version.

Mike - W1ECT

2140. Re: [XMLog] Spots History Window

Yahoo group: XMLog
Date: 2007-05-16 18:22:20 UTC
From: N6NG
Topic: 2129 Message: 2140

I've had no problem clearing 1 or 2 spots in the History window.

Dennis N6NG

Howard Baker wrote:
>
>
> I just noticed a very UNimportant bug in the Spots History window.
> You must have 3 or more spots in the window to be able to clear them.
> If there is one or two they will not clear. I like to get rid of the
> old ones so I don't have to look at the times or dates. It really
> does not need to be fixed. I just deal with it.
>
>
>
>
> ---
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.467 / Virus Database: 269.6.6/795 - Release Date: 5/9/2007 3:07 PM

--
73
Dennis N6NG
http://pages.sbcglobal.net/n6ng

2141. Re: [XMLog] Spots History Window

Yahoo group: XMLog
Date: 2007-05-16 18:22:38 UTC
From: N6NG
Topic: 2129 Message: 2141

Hello All

I've had no problem clearing 1 or 2 spots in the History window.

Dennis N6NG

Howard Baker wrote:
>
>
> I just noticed a very UNimportant bug in the Spots History window.
> You must have 3 or more spots in the window to be able to clear them.
> If there is one or two they will not clear. I like to get rid of the
> old ones so I don't have to look at the times or dates. It really
> does not need to be fixed. I just deal with it.
>
>
>
>
> ---
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.467 / Virus Database: 269.6.6/795 - Release Date: 5/9/2007 3:07 PM

--
73
Dennis N6NG
http://pages.sbcglobal.net/n6ng

2142. Re: [XMLog] Re: Terminating of #repeat

Yahoo group: XMLog
Date: 2007-05-16 19:43:41 UTC
From: GerryC
Topic: 2138 Message: 2142

>Hi Gerry, Thanks for thee report - I'll check it out and hopefully will have a fix for the next version.

Thanks, Mike!

I seem to recall that it USED to work for me, although I can't recall what version I was running then. (Currently using 5.19)

73 de W3GERry

2143. Dymo

Yahoo group: XMLog
Date: 2007-05-18 00:36:09 UTC
From: n5pht
Topic: 2143 Message: 2143

Greetings,

Has anyone used XMLog and the Dymo labelwriter? I am having trouble with the set up. I am trying to use the "multi-purpose labels" which are size 1" x 2 1/8"

Any help appreciated - and please send to email:

n5pht@...

Thanks so much

2144. Montenegro gets prefix assigned

Yahoo group: XMLog
Date: 2007-05-18 22:31:09 UTC
From: Michael McCarthy
Topic: 2144 Message: 2144

Per the DailyDX, Montenegro has gotten it's prefix
assigned by the ITU. It will be 4O (Four Oscar).
Serbia will retain YT and YU. 4N and YZ are returned
for reassignment.

Mike, W1NR

*** Tabhair gach fear a drucht ***
*** Give Every Man His Dew! ***
Michael A. McCarthy, W1NR

_____Boardwalk for $500? In 2007? Ha! Play Monopoly Here and Now (it's updated for today's economy) at Yahoo! Games.
http://get.games.yahoo.com/proddesc?gamekey=monopolyherenow

2145. Re: Spots History Window

Yahoo group: XMLog
Date: 2007-05-21 16:16:54 UTC
From: Mike McAmis
Topic: 2129 Message: 2145

Sorry Howard, I haven't been able to duplicate this problem here.

Mike - W1ECT

> I just noticed a very UNimportant bug in the Spots History window.
> You must have 3 or more spots in the window to be able to clear them.
> If there is one or two they will not clear.

2146. Re: Montenegro gets prefix assigned

Yahoo group: XMLog
Date: 2007-05-21 17:37:29 UTC
From: Mike McAmis
Topic: 2144 Message: 2146

Hi Mike, I'll look into adding an automatic update for Montenegro prefixes to be included in the next XMLog version.

Mike - W1ECT

> Per the DailyDX, Montenegro has gotten it's prefix
> assigned by the ITU. It will be 4O (Four Oscar).
> Serbia will retain YT and YU. 4N and YZ are returned
> for reassignment.

2147. Rig control: Appropriate Mode for a Given Frequency

Yahoo group: XMLog
Date: 2007-06-02 06:08:19 UTC
From: ei4hq
Topic: 2147 Message: 2147

Hi All,

I'm a long term (very happy) XMLog user. One thing I've never figured out however is how to change the mode that XMLog associates with a particular frequency i.e. when I double click on a spot, say 7.050MHz, I expect the rig to (a) switch to that frequency (which it does), and (b) change to LSB (which it doesn't).

This isn't a rig issue or anything, I've the same behaviour with Kenwood and Yaesu rigs, and mode changes are 100% in other contexts using XMLog.

The issue here is bandplans methinks - by default XMLog is set up for USA bandplans? 7.050 is still CW territory over there if I'm not mistaken?

Is there a file that contains bandplan information somewhere that I can edit? I've had a rummage around but can't find anything obvious...

Or am I totally off the wall here, in which case please feel free to correct me!

Regards
Cormac, EI4HQ

2148. Montenegro Prefix Change

Yahoo group: XMLog
Date: 2007-06-02 16:23:42 UTC
From: Mike McAmis
Topic: 2148 Message: 2148

Hi - I've posted a new version of XMLog at www.xmlog.com/beta which will automatically update the old Montenegro entries that had been saved with a "E6" prefix to use the newly assigned "4O" prefix.

Mike - W1ECT

2149. Re: [XMLog] Montenegro Prefix Change

Yahoo group: XMLog
Date: 2007-06-03 04:58:03 UTC
From: Dave Sergeant
Topic: 2148 Message: 2149

On 2 Jun 2007 at 16:23, Mike McAmis wrote:

> Hi - I've posted a new version of XMLog at www.xmlog.com/beta which
> will automatically update the old Montenegro entries that had been
> saved with a "E6" prefix to use the newly assigned "4O" prefix.
>
> Mike - W1ECT

Currently all the Serbian and Montenegro stations appear to be still using their old YU6 etc prefixes. Last week in WPX (just after the change was announced) there were loads of YZ and 4N stations on from Serbia. I think it will be some time until licences are reissued with the new calls and until that time both prefixes will continue to be used. Perhaps a little hasty to modify the prefix lists yet...

73 Dave G3YMC

http://www.davesergeant.com

2150. Re: Montenegro Prefix Change

Yahoo group: XMLog
Date: 2007-06-03 15:53:59 UTC
From: Mike McAmis
Topic: 2148 Message: 2150

OK Dave, I've posted a new version of XMLog at www.xmlog.com/beta which restores the YT3/YT6/YU3/YU6/YZ3/YZ6/4N3/4N6 prefixes for Montenegro and the other YZ/4N prefixes for Serbia. I will keep things this way until current stations have new calls assigned.

The "main" prefix for Montenegro will still be 4O.

Mike - W1ECT

2151. Re: Montenegro Prefix Change

Yahoo group: XMLog
Date: 2007-06-06 14:47:31 UTC
From: Mike McAmis
Topic: 2148 Message: 2151

The initial copy of version 5.37 posted in www.xmlog.com/beta was corrupted during the upload and has been replaced. If you had problems un-zipping this file please try another download.

Mike - W1ECT

2152. user defined fields

Yahoo group: XMLog
Date: 2007-06-08 18:55:57 UTC
From: n5pht
Topic: 2152 Message: 2152

Greetings Mike and others,

Thanks for a great program. Is there a way to create a user defined field? For example, I would like a field called "antenna" in which I log which antenna I am using for that particular contact. I have used some of the other other fields that I don't use for such things but 2 or 3 user defined fields would be on my wish list - if it is not available now.

Thanks again for a great program. Please cc: any response to:

n5pht@...

Thanks in advance and 73 to all,

Gary, N5PHT

2153. Re: user defined fields

Yahoo group: XMLog
Date: 2007-06-11 16:40:54 UTC
From: Mike McAmis
Topic: 2152 Message: 2153

Hi Gary, XMLog doesn't support user-defined fields. I'll add it to the list but it's not likely to be added any time soon.

Mike - W1ECT

2154. Smartsound plugin requested?

Yahoo group: XMLog
Date: 2007-06-15 15:47:35 UTC
From: jjkllg
Topic: 2154 Message: 2154

What does the software want with Smartsound? If needed wher do I get it.
How do I get rid of the loading plugin message every time the XMLog
loads.

Regards,

John mallett

2155. QSL Source Field

Yahoo group: XMLog
Date: 2007-06-18 19:52:42 UTC
From: k9mrd
Topic: 2155 Message: 2155

Mike,

It would really be nice to know if a QSL was paper, LOTW, or eQSL.
(Actually I don't track eQSLs, but many do.)

Since CQ does not recognize LOTW and eQSLs, and ARRL does not recognize
eQSLs, XMLog tracking for DXCC and WAZ is not accurate.

Is there a work around or should I dump all of my records into a
spreadsheet and do the tracking outside of XMLog? Gosh, I hope not!!

A QSL SOURCE field that could be tied to Awards Tracking would be great!

Wayne

PS - what ever happened to having both short path and long path
bearings calculate?

2156. RE: [XMLog] QSL Source Field

Yahoo group: XMLog
Date: 2007-06-19 01:56:22 UTC
From: Craig Bradley
Topic: 2155 Message: 2156

Hi Mike,

I agree, I have been putting the date in the QSL Received field when I received a paper QSL and putting a question mark in and a note "conf LoTW" at the end of the Notes field when it is LoTW.

However, I just tried to do an analysis this weekend of the stations worked and confirmed by date. My scheme didn't work very well. I was able to filter data by putting "mm/dd/yy;?" in the QSL received field and the "mm/dd/yy" in the QSO date field, but I do not have the true received date.

Any progress on the LoTW download project yet? That would be the best solution. Also with WAS now supported, I have way too many QSLs on LoTW to manually enter. Maybe a second date field for the LoTW QSL would be best as sometimes I get both paper and LoTW confirmations. If you download a LoTW report, you don't want to wipe out the paper QSL dates.

Wayne,

CQ will recognize LoTW confirmations for CQ DX Award and CQ DX Field Award. I submitted print outs of LoTW QSL records for my Field Award and they took a printout of my DXCC record for the DX Award. They also allowed a DXCC card checker to check my cards as there is no CQ card checker in my area. I don't know about WAZ awards though. It might be good to ask them.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Monday, June 18, 2007 12:53 PM
To: xmlog@yahoogroups.com
Subject: [XMLog] QSL Source Field

Mike,

It would really be nice to know if a QSL was paper, LOTW, or eQSL. (Actually I don't track eQSLs, but many do.)

Since CQ does not recognize LOTW and eQSLs, and ARRL does not recognize eQSLs, XMLog tracking for DXCC and WAZ is not accurate.

Is there a work around or should I dump all of my records into a spreadsheet and do the tracking outside of XMLog? Gosh, I hope not!!

A QSL SOURCE field that could be tied to Awards Tracking would be great!

Wayne

PS - what ever happened to having both short path and long path bearings calculate?

[Non-text portions of this message have been removed]

2157. Communications with Rig

Yahoo group: XMLog
Date: 2007-06-19 02:13:02 UTC
From: John P Smith
Topic: 2157 Message: 2157

Thanks for the reading this.

Before I bug Mike I wanted to see if anyone else is experiencing a problem with the software talking to the rig. I've had the software in use for upwards of 10 years now but since I upgraded to the latest release, Version 5.37, the software and the rig seem to lose communications over COM1 more than they keep it. I haven't changed anything except the software.

TIA
John KI4RO

2158. Re: QSL Source Field

Yahoo group: XMLog
Date: 2007-06-20 17:34:10 UTC
From: k9mrd
Topic: 2155 Message: 2158

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:

Craig,

I talked to CQ today and was told LOTW contacts can't be used for WAZ awards....however, CQ is having discussions with ARRL and they may be accepted in the future..... (No time frame given.)

As I recall, there was a vague ref to using LOTW for other awards in QST a few months ago.

Wayne

>
> Hi Mike,
>
>
>
> I agree, I have been putting the date in the QSL Received field when I
> received a paper QSL and putting a question mark in and a note "conf LoTW"
> at the end of the Notes field when it is LoTW.
>
>
>
> However, I just tried to do an analysis this weekend of the stations worked
> and confirmed by date. My scheme didn't work very well. I was able to
> filter data by putting "mm/dd/yy;?" in the QSL received field and the
> "mm/dd/yy" in the QSO date field, but I do not have the true received date.
>
>
>
> Any progress on the LoTW download project yet? That would be the best
> solution. Also with WAS now supported, I have way too many QSLs on LoTW to
> manually enter. Maybe a second date field for the LoTW QSL would be best as
> sometimes I get both paper and LoTW confirmations. If you download a LoTW
> report, you don't want to wipe out the paper QSL dates.

>
>
>
> Wayne,
>
>
>
> CQ will recognize LoTW confirmations for CQ DX Award and CQ DX
Field Award.
> I submitted print outs of LoTW QSL records for my Field Award and
they took
> a printout of my DXCC record for the DX Award. They also allowed a
DXCC
> card checker to check my cards as there is no CQ card checker in my
area. I
> don't know about WAZ awards though. It might be good to ask them.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> k9mrd
> Sent: Monday, June 18, 2007 12:53 PM
> To: xmlog@yahoogroups.com
> Subject: [XMLog] QSL Source Field
>
>
>
> Mike,
>
> It would really be nice to know if a QSL was paper, LOTW, or eQSL.
> (Actually I don't track eQSLs, but many do.)
>
> Since CQ does not recognize LOTW and eQSLs, and ARRL does not
recognize
> eQSLs, XMLog tracking for DXCC and WAZ is not accurate.
>
> Is there a work around or should I dump all of my records into a
> spreadsheet and do the tracking outside of XMLog? Gosh, I hope not!!
>
> A QSL SOURCE field that could be tied to Awards Tracking would be
great!

>
> Wayne
>
> PS - what ever happened to having both short path and long path
> bearings calculate?
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2159. RE: [XMLog] Re: QSL Source Field

Yahoo group: XMLog
Date: 2007-06-21 04:44:00 UTC
From: Craig Bradley
Topic: 2155 Message: 2159

Hi Wayne,

There is an article on the LoTW web site http://www.arrl.org/lotw/silver.pdf that talks about the CQ DX, CQ DX Field Award and IOTA as future awards to be supported. It does not mention WAZ though. This may be the same article.

I did personally use LoTW QSLs for CQ DX and CQ DX Field though.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Wednesday, June 20, 2007 10:34 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QSL Source Field

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:

Craig,

I talked to CQ today and was told LOTW contacts can't be used for WAZ awards....however, CQ is having discussions with ARRL and they may be accepted in the future..... (No time frame given.)

As I recall, there was a vague ref to using LOTW for other awards in QST a few months ago.

Wayne

>
> Hi Mike,
>
>
>
> I agree, I have been putting the date in the QSL Received field when I
> received a paper QSL and putting a question mark in and a note "conf LoTW"
> at the end of the Notes field when it is LoTW.
>
>
>
> However, I just tried to do an analysis this weekend of the stations worked

> and confirmed by date. My scheme didn't work very well. I was
able to
> filter data by putting "mm/dd/yy;?" in the QSL received field and
the
> "mm/dd/yy" in the QSO date field, but I do not have the true
received date.
>
>
>
> Any progress on the LoTW download project yet? That would be the
best
> solution. Also with WAS now supported, I have way too many QSLs on
LoTW to
> manually enter. Maybe a second date field for the LoTW QSL would
be best as
> sometimes I get both paper and LoTW confirmations. If you download
a LoTW
> report, you don't want to wipe out the paper QSL dates.
>
>
>
> Wayne,
>
>
>
> CQ will recognize LoTW confirmations for CQ DX Award and CQ DX
Field Award.
> I submitted print outs of LoTW QSL records for my Field Award and
they took
> a printout of my DXCC record for the DX Award. They also allowed a
DXCC
> card checker to check my cards as there is no CQ card checker in my
area. I
> don't know about WAZ awards though. It might be good to ask them.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> k9mrd
> Sent: Monday, June 18, 2007 12:53 PM

> To: xmlog@yahoogroups. <mailto:xmlog%40yahoogroups.com> com
> Subject: [XMLog] QSL Source Field
>
>
>
> Mike,
>
> It would really be nice to know if a QSL was paper, LOTW, or eQSL.
> (Actually I don't track eQSLs, but many do.)
>
> Since CQ does not recognize LOTW and eQSLs, and ARRL does not
recognize
> eQSLs, XMLog tracking for DXCC and WAZ is not accurate.
>
> Is there a work around or should I dump all of my records into a
> spreadsheet and do the tracking outside of XMLog? Gosh, I hope not!!
>
> A QSL SOURCE field that could be tied to Awards Tracking would be
great!
>
> Wayne
>
> PS - what ever happened to having both short path and long path
> bearings calculate?
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2160. Re: QSL Source Field

Yahoo group: XMLog
Date: 2007-06-21 16:43:13 UTC
From: k9mrd
Topic: 2155 Message: 2160

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:

Thanks for the info Craig. I will take a look.
Wayne

>
> Hi Wayne,
>
>
>
> There is an article on the LoTW web site
http://www.arrl.org/lotw/silver.pdf
> that talks about the CQ DX, CQ DX Field Award and IOTA as future
awards to
> be supported. It does not mention WAZ though. This may be the same
> article.
>
>
>
> I did personally use LoTW QSLs for CQ DX and CQ DX Field though.
>
>
>
> - Craig
>
>
>
>
>
>
>
>
> -----
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> k9mrd
> Sent: Wednesday, June 20, 2007 10:34 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: QSL Source Field
>
>
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Craig
> Bradley" <craigjb@> wrote:

>
> Craig,
>
> I talked to CQ today and was told LOTW contacts can't be used for
WAZ
> awards....however, CQ is having discussions with ARRL and they may
be
> accepted in the future..... (No time frame given.)
>
> As I recall, there was a vague ref to using LOTW for other awards
in
> QST a few months ago.
>
> Wayne
>
> >
> > Hi Mike,
> >
> >
> >
> > I agree, I have been putting the date in the QSL Received field
> when I
> > received a paper QSL and putting a question mark in and a
> note "conf LoTW"
> > at the end of the Notes field when it is LoTW.
> >
> >
> >
> > However, I just tried to do an analysis this weekend of the
> stations worked
> > and confirmed by date. My scheme didn't work very well. I was
> able to
> > filter data by putting "mm/dd/yy;?" in the QSL received field and
> the
> > "mm/dd/yy" in the QSO date field, but I do not have the true
> received date.
> >
> >
> >
> > Any progress on the LoTW download project yet? That would be the
> best
> > solution. Also with WAS now supported, I have way too many QSLs
on
> LoTW to
> > manually enter. Maybe a second date field for the LoTW QSL would
> be best as
> > sometimes I get both paper and LoTW confirmations. If you
download
> a LoTW
> > report, you don't want to wipe out the paper QSL dates.

> >
> >
> >
> > Wayne,
> >
> >
> >
> > CQ will recognize LoTW confirmations for CQ DX Award and CQ DX
> Field Award.
> > I submitted print outs of LoTW QSL records for my Field Award and
> they took
> > a printout of my DXCC record for the DX Award. They also allowed
a
> DXCC
> > card checker to check my cards as there is no CQ card checker in
my
> area. I
> > don't know about WAZ awards though. It might be good to ask them.
> >
> >
> >
> > 73,
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
> Behalf Of
> > k9mrd
> > Sent: Monday, June 18, 2007 12:53 PM
> > To: xmlog@yahoogroups. <mailto:xmlog%40yahoogroups.com> com
> > Subject: [XMLog] QSL Source Field
> >
> >
> >
> > Mike,
> >
> > It would really be nice to know if a QSL was paper, LOTW, or
eQSL.
> > (Actually I don't track eQSLs, but many do.)
> >
> > Since CQ does not recognize LOTW and eQSLs, and ARRL does not
> recognize
> > eQSLs, XMLog tracking for DXCC and WAZ is not accurate.
> >
> > Is there a work around or should I dump all of my records into a

> > spreadsheet and do the tracking outside of XMLog? Gosh, I hope
not!!
> >
> > A QSL SOURCE field that could be tied to Awards Tracking would be
> great!
> >
> > Wayne
> >
> > PS - what ever happened to having both short path and long path
> > bearings calculate?
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2161. Re: Smartsound plugin requested?

Yahoo group: XMLog
Date: 2007-06-23 14:02:11 UTC
From: Mike McAmis
Topic: 2154 Message: 2161

Hi John, I don't know what's going on. XMLog doesn't use this software and when it wants to make some noise (CW sidetone, vocal spot announcements) it calls the Windows API's directly.

Mike - W1ECT

>
> What does the software want with Smartsound? If needed wher do I get it.
> How do I get rid of the loading plugin message every time the XMLog
> loads.
>
> Regards,
>
> John mallett
>

2162. LOTW files?

Yahoo group: XMLog
Date: 2007-06-24 19:09:59 UTC
From: hamki9a
Topic: 2162 Message: 2162

I have about 48,000 QSO's in my Xmlog, and I want to update my LOTW each month. How can i do this without sending them the whole log? I see a "select", but I'm confused on how do this...

73-Chuck KI9A

2163. RE: [XMLog] LOTW files?

Yahoo group: XMLog
Date: 2007-06-25 03:49:41 UTC
From: Kevin Nathan
Topic: 2162 Message: 2163

Hi Chuck,

Look in the Xmlog help[files and you will find instructions to conduct various search functions. You can then specify parameters for the entries you want. For example, you could tell XM to find all entries after January 1, 2007 and anything from that date to now would be highlighted. You can then save those entries into an ADF file which can be uploaded to LOTW. It works very well for me.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of hamki9a
Sent: Sunday, June 24, 2007 12:10
To: XMLog@yahoogroups.com
Subject: [XMLog] LOTW files?

I have about 48,000 QSO's in my Xmlog, and I want to update my LOTW each month. How can i do this without sending them the whole log? I see a "select", but I'm confused on how do this...

73-Chuck KI9A

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.472 / Virus Database: 269.9.6/863 - Release Date: 6/23/2007 11:08

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.472 / Virus Database: 269.9.6/863 - Release Date: 6/23/2007 11:08

[Non-text portions of this message have been removed]

2164. Re: [XMLog] LOTW files?

Yahoo group: XMLog
Date: 2007-06-25 04:37:13 UTC
From: N7MAL
Topic: 2162 Message: 2164

I asked the same, or similar, question last August. Here is the reply from Mike. There were several messages in the thread this one is number 1864.............
Hope it helps you as much as it helped me.....
73

Re: ADIF Help

Hi Mal, I don't have a good way to isolate the last 25 QSOs but here's a way that will work. Select all records and go to the last record, make a note of the QSO number. Now do your arithmetic to get the number of the "first QSO of the last 25", i.e. last-24. Now scroll back to that QSO (the mouse wheel is nice for this). Make a note of the date. Now you can do a search for date >= than this QSO.

This might not result in 25 QSOs if this wasn't the first QSO you made on that date! You'd then have to edit the ADIF file to delete those first QSOs... What a mess eh?

Well I hope this isn't something you'll need to do very often - I've never been in a situation where I've needed to do selections by QSO number.

Mike - W1ECT

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz.com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

2165. RE: [XMLog] LOTW files?

Yahoo group: XMLog
Date: 2007-06-25 05:35:34 UTC
From: Craig Bradley
Topic: 2162 Message: 2165

My method is to search for the files by clicking Select and then putting something like >=5/27/07 in the date field if 5/27/07 is the last time that I submitted files to LoTW. Then do Import/Export ADIF File, select "Currently selected log entries" and save the file with a filename like AE6RR_20070624.adi in the mlog directory. Then the next time that I want to upload, I can look at the file names to see the date of the last upload. This works well for me.

I hope this helps.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Sunday, June 24, 2007 9:37 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] LOTW files?

I asked the same, or similar, question last August. Here is the reply from Mike. There were several messages in the thread this one is number 1864.............
Hope it helps you as much as it helped me.....
73

Re: ADIF Help

Hi Mal, I don't have a good way to isolate the last 25 QSOs but here's a way that will work. Select all records and go to the last record, make a note of the QSO number. Now do your arithmetic to get the number of the "first QSO of the last 25", i.e. last-24. Now scroll back to that QSO (the mouse wheel is nice for this). Make a note of the date. Now you can do a search for date >= than this QSO.

This might not result in 25 QSOs if this wasn't the first QSO you made on that date! You'd then have to edit the ADIF file to delete those first QSOs... What a mess eh?

Well I hope this isn't something you'll need to do very often - I've never been in a situation where I've needed to do selections by QSO number.

Mike - W1ECT

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.ctaz. <http://www.ctaz.com/~suzyq/N7mal.htm> com/~suzyq/N7mal.htm

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2166. Re: [XMLog] LOTW files?

Yahoo group: XMLog
Date: 2007-06-25 02:29:47 UTC
From: Dave Sparks
Topic: 2162 Message: 2166

Hi Chuck,

Use ARRL's TQSL application to sign your log and give it a range of dates.

--
Dave
AF6AS

----- Original Message -----
From: "hamki9a" <KI9A@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, June 24, 2007 12:09 PM
Subject: [XMLog] LOTW files?

>I have about 48,000 QSO's in my Xmlog, and I want to update my LOTW
> each month. How can i do this without sending them the whole log? I see
> a "select", but I'm confused on how do this...
>
> 73-Chuck KI9A
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
> _____ NOD32 2350 (20070624) Information _____
>
> This message was checked by NOD32 antivirus system.
> http://www.eset.com
>
>
>
>
> _____ NOD32 2350 (20070624) Information _____
>
> This message was checked by NOD32 antivirus system.
> http://www.eset.com
>
>

2167. Re: [XMLog] LOTW files?

Yahoo group: XMLog
Date: 2007-06-26 04:42:52 UTC
From: N6NG
Topic: 2162 Message: 2167

I use search >05/31/07, <07/01/2007
to get all my June qsos. Then export those to an adif file to upload to
LOTW.

Dennis N6NG

2168. OMNI VII SUPPORT - LCW

Yahoo group: XMLog
Date: 2007-07-08 16:13:07 UTC
From: Puck
Topic: 2168 Message: 2168

I use the Jupiter set up with my OMNI VII which is close but not quite exact. When in LCW, XM Log cannot get the mode information. UCW works. Evidently the Jupiter does not have both UCW and LCW. I thought maybe rig suppot was accomplished by text files I could edit but apparently this is not the case. Can you add OMNI VII support in a future change?

Puck, W4PM

2169. Re: OMNI VII SUPPORT - LCW

Yahoo group: XMLog
Date: 2007-07-08 19:02:46 UTC
From: Mike McAmis
Topic: 2168 Message: 2169

Hi Puck, Do you have a copy of (or a link to) the control commands for this rig?

Mike - Mike

2170. Re: OMNI VII SUPPORT - LCW

Yahoo group: XMLog
Date: 2007-07-09 13:11:32 UTC
From: Puck
Topic: 2168 Message: 2170

I sent you a copy of the Programmer's Reference Guide for the Model
588, Omni VII.
Puck

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Puck, Do you have a copy of (or a link to) the control commands
for
> this rig?
>
> Mike - Mike
>

2171. Problem with DXCC Worked/Confirm Function

Yahoo group: XMLog
Date: 2007-07-11 20:38:20 UTC
From: Kenneth Moorman
Topic: 2171 Message: 2171

I am having a problem trying to obtain valid information using the "Awards"--"DXCC"--"Worked/Confirm" function of XMLog. I would like to determine, for instance, all the phone QSOs I've logged on 80 meters. What I have been trying to do is to first use the above function to create a list of all phone QSOs using all log entries, and resetting the current records to those in the report, and display the data in Excel. Then I return to the same function again, except that I ask it to look only in the currently selected log entries (the phone QSOs), and give me all the QSOs on 80 meters, and put the results into Excel, but not to reset the current records to those in the report. This gives me a very reasonable looking printout in Excel. Then I tried to get the same results by first using the above approach by getting all the 80 meter contacts, then from that set of QSOs, getting all the phone contacts. The second results do not match the first. In my case I had Confirmed = 3, Worked = 9, Out = 2 in the first case, and Confirmed = 3, Worked = 10, and Out = 2 in the 2nd case. To make matters worse, while 2 of the confirmed were the same in both cases, there were different QSOs listed for the third confirmed QSO, and a Worked # 1 added to the 2nd case that had not been found by the first case. Between the two cases, all of the "Confirmed" QSOs are valid, so I should be seeing 4 "Confirmed".

This is very confusing to me, and I feel that I am just missing some obvious flaw in what I am trying to do. If anyone can make any sense of this, I would be grateful.

Thanks and 73,

Ken, NU4I

2172. Re: Problem with DXCC Worked/Confirm Function

Yahoo group: XMLog
Date: 2007-07-13 15:30:25 UTC
From: Mike McAmis
Topic: 2171 Message: 2172

Hi Ken, Not sure what's going on based on your description - I may have to get a copy of your log and duplicate things here.

One thing though, you don't need to use the "DXCC Worked/Confirmed" menu item to select the 80m Phone QSOs. Just do a log search using 80m as the frequency and Phone as the mode. Then you can use any Awards or Display menu item and use the "Currently Selected" log entries.

Mike - W1ECT

2173. RE: [PHISH] [XMLog] Re: Problem with DXCC Worked/Confirm Function

Yahoo group: XMLog
Date: 2007-07-14 14:13:34 UTC
From: Kenneth Moorman
Topic: 2171 Message: 2173

Thanks for the ideas, Mike. I think I have been trying to do something with the Worked/Confirm part of the program that it wasn't intended to do. I see that I can get the accurate results I needed by filtering to a selected list of "whatevers", then using Worked/Confirm to print out the exact info I needed. I did all this manually, but will use this method to check how well I did. I was trying to assemble the list for my first application to DXCC this coming Tuesday, and between paper QSLs and LOTW, I am going to get several over the needed 100 to qualify. In future, I will use your suggested method! BTW, is there any way to flag LOTW confirmations and "score" them along with the actual paper QSLs?

Thanks for making this really nice, useful, easy-to-use (when you do it correctly!) program available to the amateur radio community. I can't imagine going back to the paper logbooks, even though I have a brand-new one in my desk right now. Guess it will end up as an antique relic someday.

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, July 13, 2007 11:30 AM
To: XMLog@yahoogroups.com
Subject: [PHISH] [XMLog] Re: Problem with DXCC Worked/Confirm Function

Hi Ken, Not sure what's going on based on your description - I may have to get a copy of your log and duplicate things here.

One thing though, you don't need to use the "DXCC Worked/Confirmed" menu item to select the 80m Phone QSOs. Just do a log search using 80m as the frequency and Phone as the mode. Then you can use any Awards or Display menu item and use the "Currently Selected" log entries.

Mike - W1ECT

Yahoo! Groups Links

2174. TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-19 22:44:51 UTC
From: mefazamy
Topic: 2174 Message: 2174

Have new TS-480 and want it to work with xmlog 5.35. Always get the error report. Has anyone overcome this problem?

Would a newer version work?

Tnx,
Evan

2175. RE: [XMLog] TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-20 02:05:43 UTC
From: Craig Bradley
Topic: 2174 Message: 2175

I have a TS-480 and it works fine with version 5.35.

What error report do you get?

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Thursday, July 19, 2007 3:45 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] TS-480 and xmlog v.5.35

Have new TS-480 and want it to work with xmlog 5.35. Always get the error report. Has anyone overcome this problem?

Would a newer version work?

Tnx,
Evan

[Non-text portions of this message have been removed]

2176. Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-20 13:42:27 UTC
From: mefazamy
Topic: 2174 Message: 2176

Craig,

Tnx for reply.

Error report

Can't access rig port
Port = 4
Baud = 4800
Parity = E

Company = Kenwood Model =
Where = Set 'port open'
(8002) Invalid Port Number

When I change model to TS570 and TS2000 I get a similar report.

>
>
>
> [Non-text portions of this message have been removed]
>

2177. RE: [XMLog] Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-20 15:04:31 UTC
From: Craig Bradley
Topic: 2174 Message: 2177

That looks like a conflict with the serial port. Some other program must have the port open or you do not have an operational COM 4 port. Look in the device manager to check the port. Right click My Computer, click Properties, click the Hardware tab and click Device Manager. Under Ports (COM & LPT) you should see COM4 if you have one.

If the port is OK, then another program may have it open. If so, try a re-boot or another port.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Friday, July 20, 2007 6:42 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: TS-480 and xmlog v.5.35

Craig,

Tnx for reply.

Error report

Can't access rig port
Port = 4
Baud = 4800
Parity = E

Company = Kenwood Model =
Where = Set 'port open'
(8002) Invalid Port Number

When I change model to TS570 and TS2000 I get a similar report.

>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2178. Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-21 05:26:14 UTC
From: mefazamy
Topic: 2174 Message: 2178

Craig,

Tnx for the info. the com port situation is resolved. However, now
get a no response from rig report.
a. The rig is on.
b. Cable seems to be snug.
c. Went into device driver for specs on the com port. Made parameter
4800 on port, rig, and software.
d. Get same response from all Kenwood rigs.
I'm sure we're pretty close. Would appreciate additional help.

Tnx agn,
Evan
P.S. didn't have to go thru all of this when I was using TS-140.

2179. Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-21 12:35:24 UTC
From: John KI4RO
Topic: 2179 Message: 2179

I seem to be having similar problems with my TS-570; some days it works, others it doesn't. Haven't really found a rhyme or reason for the problem yet, but glad I'm not the only one...misery loves company hi hi

---
Pinpoint customers who are looking for what you sell.

[Non-text portions of this message have been removed]

2180. RE: [XMLog] Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-21 14:54:09 UTC
From: Kevin Nathan
Topic: 2179 Message: 2180

I wish I had some insight for you who are having problems. I have used XMLog with both the Kenwood TS-480 and the TS-2000 with no problems and no glitches at all. Settings are com1 with 9600 BPS.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of John KI4RO
Sent: Saturday, July 21, 2007 05:35
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: TS-480 and xmlog v.5.35

I seem to be having similar problems with my TS-570; some days it works, others it doesn't. Haven't really found a rhyme or reason for the problem yet, but glad I'm not the only one...misery loves company hi hi

---
Pinpoint customers who are looking for what you sell.

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.10.11/909 - Release Date: 7/20/2007 16:39

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.10.11/909 - Release Date: 7/20/2007 16:39

[Non-text portions of this message have been removed]

2181. RE: [XMLog] Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-21 19:47:42 UTC
From: Craig Bradley
Topic: 2174 Message: 2181

Hi Kevin,

What was the problem with the comm port? This info may be of help to others that have similar problems.

You need to be sure that the radio and the comm port are set the same. To set the computer comm port speed you need to make the settings in XMLog, not the Windows device driver. In the Options menu of XMLog go to HF Rig Port Select and set the following:

Set defaults for: TS-2000 (I also have a TS-2000 and these settings work with both the 480 and 2000)

Comm Port: set as appropriate

Baud Rate: set to desired rate (I use 19200, but you may want to start out slower)

Flow Control: None

Parity: None

Data Mode: Data/FSK

Options: check RTS Always On

Click Save

On the TS-480, go to menu 56 and select the same baud rate as above.

Finally, be sure that you are using a one to one serial cable, not a null modem or crossover cable. If you still have trouble, maybe you have a bad comm port. I have a little LED box that is great for resolving these problems. Most computer stores sell them. Also, you could try an inexpensive USB to serial converter. I use one with my laptop as it does not have a serial port.

Hopefully, this will get you going.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Friday, July 20, 2007 10:26 PM
To: XMLog@yahoogroups.com

Subject: [XMLog] Re: TS-480 and xmlog v.5.35

Craig,

Tnx for the info. the com port situation is resolved. However, now
get a no response from rig report.
a. The rig is on.
b. Cable seems to be snug.
c. Went into device driver for specs on the com port. Made parameter
4800 on port, rig, and software.
d. Get same response from all Kenwood rigs.
I'm sure we're pretty close. Would appreciate additional help.

Tnx agn,
Evan
P.S. didn't have to go thru all of this when I was using TS-140.

[Non-text portions of this message have been removed]

2182. Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-22 05:49:11 UTC
From: mefazamy
Topic: 2174 Message: 2182

Craig,
Tnx for the specifics on the settings. They worked for me at 4800 on the Kenwood setting. You helped me and others, I bet.
To all the others, tnx for your input.

73,
Evan
kb2amy

2183. RE: [XMLog] Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-22 17:23:54 UTC
From: Craig Bradley
Topic: 2174 Message: 2183

Glad to hear that you got it going.

Good DX & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Saturday, July 21, 2007 10:49 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: TS-480 and xmlog v.5.35

Craig,
Tnx for the specifics on the settings. They worked for me at 4800 on the Kenwood setting. You helped me and others, I bet.
To all the others, tnx for your input.

73,
Evan
kb2amy

[Non-text portions of this message have been removed]

2184. Re: TS-480 and xmlog v.5.35

Yahoo group: XMLog
Date: 2007-07-22 20:38:20 UTC
From: Charlie Wilber
Topic: 2179 Message: 2184

Hi, folks. Regarding the message below and the thread to which it belongs, I recently started trying to use my TS-2000 with XMLog and also had some comm port problems. I finally figured out that the problems were occurring because my computer does not have a legitimate serial port built in to it so I had to use a USB-to-serial adapter. What seemed to be causing the problem was that the radio did not always grab the same (virtual) comm port. Sometimes it would grab Com8; other times Com7. I'm not sure why that happened but it did. Perhaps I was using other applications in between sessions of XMLog that also used comm ports and that messed things up.

Once I figured that out and just made sure (by trial and error) that XMLog was looking at the right comm port, I had no more problems. In all cases when things were working, though, the settings were 9600 baud, 8 data bits, 1 stop bit, no parity, no flow control and Data Mode of "LSB or USB." I am using XMlog version 5.19. Hope this helps.

73,
Charlie
N1AOK

==========
"Hi Kevin,

What was the problem with the comm port? This info may be of help to others that have similar problems.

You need to be sure that the radio and the comm port are set the same. To set the computer comm port speed you need to make the settings in XMLog, not the Windows device driver. In the Options menu of XMLog go to HF Rig Port Select and set the following:

Set defaults for: TS-2000 (I also have a TS-2000 and these settings work with both the 480 and 2000)

Comm Port: set as appropriate

Baud Rate: set to desired rate (I use 19200, but you may want to start out slower)

Flow Control: None

Parity: None

Data Mode: Data/FSK

Options: check RTS Always On

Click Save

On the TS-480, go to menu 56 and select the same baud rate as above.

Finally, be sure that you are using a one to one serial cable, not a null modem or crossover cable. If you still have trouble, maybe you have a bad comm port. I have a little LED box that is great for resolving these problems. Most computer stores sell them. Also, you could try an inexpensive USB to serial converter. I use one with my laptop as it does not have a serial port.

Hopefully, this will get you going.

73,

- Craig, AE6RR

2185. No XP CW

Yahoo group: XMLog
Date: 2007-08-06 17:13:06 UTC
From: witstock7
Topic: 2185 Message: 2185

I just did a clean install of XP Pro into my computer. After installing XMLog version 5.37 I am unable to figure out how to activate the ability to generate CW. With my previous Windows 98SE I had no problem with the CW function. I recall seeing some kind of incompatability message when I did the XMLog install but I skipped over it. Apparently I should have paid attention to it. What am I missing and/or how do I get around the problem?

Nelson, K8DJC

2186. RE: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-06 20:35:05 UTC
From: Craig Bradley
Topic: 2185 Message: 2186

What kind of interface where you using to key the rig?

This is probably a port issue. As there are many ways to do the keying, it is hard to give suggestions without more information.

Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of witstock7
Sent: Monday, August 06, 2007 10:13 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] No XP CW

I just did a clean install of XP Pro into my computer. After installing XMLog version 5.37 I am unable to figure out how to activate the ability to generate CW. With my previous Windows 98SE I had no problem with the CW function. I recall seeing some kind of incompatability message when I did the XMLog install but I skipped over it. Apparently I should have paid attention to it. What am I missing and/or how do I get around the problem?

Nelson, K8DJC

[Non-text portions of this message have been removed]

2187. RE: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 00:36:53 UTC
From: Kevin Nathan
Topic: 2185 Message: 2187

Mike hasn't built the ability into XMLog yet for CW in Windows XP. At least not through the parallel port which is what I used in Win 98 SE.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of witstock7
Sent: Monday, August 06, 2007 10:13
To: XMLog@yahoogroups.com
Subject: [XMLog] No XP CW

I just did a clean install of XP Pro into my computer. After installing XMLog version 5.37 I am unable to figure out how to activate the ability to generate CW. With my previous Windows 98SE I had no problem with the CW function. I recall seeing some kind of incompatability message when I did the XMLog install but I skipped over it. Apparently I should have paid attention to it. What am I missing and/or how do I get around the problem?

Nelson, K8DJC

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.11.6/938 - Release Date: 8/5/2007 16:16

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.11.6/938 - Release Date: 8/5/2007 16:16

[Non-text portions of this message have been removed]

2188. Re: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 15:17:49 UTC
From: Nelson Wittstock
Topic: 2185 Message: 2188

Kevin,
I've enjoyed using XMLog for a number of years but I guess it is time to look into other programs that will allow CW with my present computer set up.
Thanks for the heads up.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 154 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2189. RE: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 15:28:08 UTC
From: Craig Bradley
Topic: 2185 Message: 2189

Most programs that try to use the parallel port don't work on XP (most don't work on Win2K either). The operating system doesn't allow application to access the port.

I use a microHAM microKEYER that has the K1EL WinKey chip in it. It plugs into a USB port and works great with XMLog. It also does rig control, RTTY FSK keying, sound card interface and PTT. No serial ports required. It hooks up to the back of the radio, so you don't have cables to connect to the headphone jack and microphone jack for PSK and RTTY operation.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Monday, August 06, 2007 5:37 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] No XP CW

Mike hasn't built the ability into XMLog yet for CW in Windows XP. At least not through the parallel port which is what I used in Win 98 SE.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
witstock7
Sent: Monday, August 06, 2007 10:13
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] No XP CW

I just did a clean install of XP Pro into my computer. After installing XMLog version 5.37 I am unable to figure out how to activate the ability to generate CW. With my previous Windows 98SE I had no problem with the CW function. I recall seeing some kind of incompatability message when I did the XMLog install but I skipped over it. Apparently I should have paid attention to it. What am I missing and/or how do I get around the problem?

Nelson, K8DJC

No virus found in this incoming message.
Checked by AVG Free Edition.

Version: 7.5.476 / Virus Database: 269.11.6/938 - Release Date: 8/5/2007
16:16

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.11.6/938 - Release Date: 8/5/2007
16:16

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2190. Re: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 15:42:40 UTC
From: Nelson Wittstock
Topic: 2185 Message: 2190

I would prefer to not have any more external devices on my operating table
but I will give consideration to using a keyer. I've ordered the new
Elecraft rig so I will not be needing the external interface between the
radio and the computer that I presently have to use and that will free up
some space.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 154 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2191. RE: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 16:14:29 UTC
From: Kevin Nathan
Topic: 2185 Message: 2191

I use a program here called CW Type and it works very well with the computer and parallel port. You might try it in conjunction with XMLog.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Nelson Wittstock
Sent: Tuesday, August 07, 2007 08:18
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] No XP CW

Kevin,
I've enjoyed using XMLog for a number of years but I guess it is time to look into other programs that will allow CW with my present computer set up.

Thanks for the heads up.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 154 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: HYPERLINK "http://www.spamfighter.com/len"http://www.spamfigh-ter.com/len

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.11.8/940 - Release Date: 8/6/2007 16:53

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.476 / Virus Database: 269.11.8/940 - Release Date: 8/6/2007 16:53

[Non-text portions of this message have been removed]

2192. Fw: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 22:52:29 UTC
From: N7MAL
Topic: 2192 Message: 2192

Subject: Re: [XMLog] No XP CW

I also use CW Type. When I bought this computer it only had 1 serial and 1 parallel port. I use the serial port for rig control. I bought a parallel port adapter cable from W1WEF. It sends perfect CW. There are no timing problems, it plays well with XMLOG. I run them both at the same time.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Nelson Wittstock
To: XMLog@yahoogroups.com
Sent: Tuesday, August 07, 2007 15:42
Subject: Re: [XMLog] No XP CW

I would prefer to not have any more external devices on my operating table but I will give consideration to using a keyer. I've ordered the new Elecraft rig so I will not be needing the external interface between the radio and the computer that I presently have to use and that will free up some space.

Nelson, K8DJC

--

[Non-text portions of this message have been removed]

2193. Re: [XMLog] No XP CW

Yahoo group: XMLog
Date: 2007-08-07 19:29:33 UTC
From: N7MAL
Topic: 2185 Message: 2193

I also use CW Type. When I bought this computer it only had 1 serial and 1 parallel port. I use the serial port for rig control. I bought a parallel port adapter cable from W1WEF. It sends perfect CW. There are no timing problems, it plays well with XMLOG. I run them both at the same time.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Nelson Wittstock
To: XMLog@yahoogroups.com
Sent: Tuesday, August 07, 2007 15:42
Subject: Re: [XMLog] No XP CW

I would prefer to not have any more external devices on my operating table but I will give consideration to using a keyer. I've ordered the new Elecraft rig so I will not be needing the external interface between the radio and the computer that I presently have to use and that will free up some space.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 154 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2194. Saving/recovering logged contact(s)

Yahoo group: XMLog
Date: 2007-08-19 01:42:08 UTC
From: Cliff Gieseke
Topic: 2194 Message: 2194

It must be right in front of me, but I can't seem to figure out how to save a logged contact(s)and recover it (them). I created a log, input a contact, but have not yet seen how to save it and other contacts and recover what was saved with XMLog. It just disappears into a black hole. ... Any suggestions?

-- Cliff, W4ZFL/5

2195. Re: [XMLog] Saving/recovering logged contact(s)

Yahoo group: XMLog
Date: 2007-08-19 21:02:21 UTC
From: GerryC
Topic: 2194 Message: 2195

>It must be right in front of me, but I can't seem to figure out how to save a logged contact(s)and recover it (them). I created a log, input a contact, but have not yet seen how to save it and other contacts and recover what was saved with XMLog. It just disappears into a black hole. ... Any suggestions?

Hi Cliff

Assuming you're new to XMLog, this might be your problem--

It only displays (overtly) selected entries. The "black hole" is probably the UNselected entries.

Try this to select all your entries--
--click the SELECT button
--a SEARCH button appears. Click it without filling in any fields.

73 de W3GERry

2196. RE: [XMLog] Saving/recovering logged contact(s)

Yahoo group: XMLog
Date: 2007-08-20 14:48:30 UTC
From: Craig Bradley
Topic: 2194 Message: 2196

Additionally, to add a contact click Edit and select Add New Entry, then fill in the data and click Add at the bottom. The Qs are automatically saved to disk, you do not need to save the file.

Also, check out the Help files, that is your manual.

Have fun & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Sunday, August 19, 2007 2:02 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Saving/recovering logged contact(s)

>It must be right in front of me, but I can't seem to figure out how to save a logged contact(s)and recover it (them). I created a log, input a contact, but have not yet seen how to save it and other contacts and recover what was saved with XMLog. It just disappears into a black hole. ... Any suggestions?

Hi Cliff

Assuming you're new to XMLog, this might be your problem--

It only displays (overtly) selected entries. The "black hole" is probably the UNselected entries.

Try this to select all your entries--
--click the SELECT button
--a SEARCH button appears. Click it without filling in any fields.

73 de W3GERry

[Non-text portions of this message have been removed]

2197. Re: [XMLog] Saving/recovering logged contact(s)

Yahoo group: XMLog
Date: 2007-08-21 01:25:02 UTC
From: Cliff Gieseke
Topic: 2194 Message: 2197

Thanks, Craig, for your suggestions. I've been distracted a bit lately driving to and from Pflugerville from San Antonio to help a son there, but will check out the suggestions soon.

Thanks, again, Cliff, W4ZFL/5
(Hopefully I'll master it before moving to Panama in a few months.)

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Monday, August 20, 2007 9:48 AM
Subject: RE: [XMLog] Saving/recovering logged contact(s)

Additionally, to add a contact click Edit and select Add New Entry, then fill in the data and click Add at the bottom. The Qs are automatically saved to disk, you do not need to save the file.

Also, check out the Help files, that is your manual.

Have fun & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of GerryC
Sent: Sunday, August 19, 2007 2:02 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Saving/recovering logged contact(s)

>It must be right in front of me, but I can't seem to figure out how to save a logged contact(s)and recover it (them). I created a log, input a contact, but have not yet seen how to save it and other contacts and recover what was saved with XMLog. It just disappears into a black hole. ... Any suggestions?

Hi Cliff

Assuming you're new to XMLog, this might be your problem--

It only displays (overtly) selected entries. The "black hole" is probably the UNselected entries.

Try this to select all your entries--
--click the SELECT button
--a SEARCH button appears. Click it without filling in any fields.

73 de W3GERry

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2198. RE: [XMLog] Saving/recovering logged contact(s)

Yahoo group: XMLog
Date: 2007-08-21 15:47:47 UTC
From: Craig Bradley
Topic: 2194 Message: 2198

No problem.

If you have Internet access in Panama, we can still help.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Cliff Gieseke
Sent: Monday, August 20, 2007 6:25 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Saving/recovering logged contact(s)

Thanks, Craig, for your suggestions. I've been distracted a bit lately
driving to and from Pflugerville from San Antonio to help a son there, but
will check out the suggestions soon.

Thanks, again, Cliff, W4ZFL/5
(Hopefully I'll master it before moving to Panama in a few months.)

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, August 20, 2007 9:48 AM
Subject: RE: [XMLog] Saving/recovering logged contact(s)

Additionally, to add a contact click Edit and select Add New Entry, then
fill in the data and click Add at the bottom. The Qs are automatically
saved to disk, you do not need to save the file.

Also, check out the Help files, that is your manual.

Have fun & 73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
GerryC
Sent: Sunday, August 19, 2007 2:02 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Saving/recovering logged contact(s)

>It must be right in front of me, but I can't seem to figure out how to save a logged contact(s)and recover it (them). I created a log, input a contact, but have not yet seen how to save it and other contacts and recover what was saved with XMLog. It just disappears into a black hole. ... Any suggestions?

Hi Cliff

Assuming you're new to XMLog, this might be your problem--

It only displays (overtly) selected entries. The "black hole" is probably the UNselected entries.

Try this to select all your entries--
--click the SELECT button
--a SEARCH button appears. Click it without filling in any fields.

73 de W3GERry

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2199. Re: [XMLog] Saving/recovering logged contact(s)

Yahoo group: XMLog
Date: 2007-08-21 16:40:07 UTC
From: Cliff Gieseke
Topic: 2194 Message: 2199

I'll also have a Vonage (Internet connected) phone with a San Antonio phone number & will likely use Skype, too. This kind of technology is really neat, but it will be nice when good h.f. radio propagation is back - I still like the 'magic' of radio!
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Tuesday, August 21, 2007 10:47 AM
Subject: RE: [XMLog] Saving/recovering logged contact(s)

No problem.

If you have Internet access in Panama, we can still help.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Cliff Gieseke
Sent: Monday, August 20, 2007 6:25 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Saving/recovering logged contact(s)

Thanks, Craig, for your suggestions. I've been distracted a bit lately driving to and from Pflugerville from San Antonio to help a son there, but will check out the suggestions soon.

Thanks, again, Cliff, W4ZFL/5
(Hopefully I'll master it before moving to Panama in a few months.)

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, August 20, 2007 9:48 AM
Subject: RE: [XMLog] Saving/recovering logged contact(s)

Additionally, to add a contact click Edit and select Add New Entry, then fill in the data and click Add at the bottom. The Qs are automatically saved to disk, you do not need to save the file.

Also, check out the Help files, that is your manual.

Have fun & 73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
GerryC
Sent: Sunday, August 19, 2007 2:02 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Saving/recovering logged contact(s)

>It must be right in front of me, but I can't seem to figure out how to
save a logged contact(s)and recover it (them). I created a log, input
a contact, but have not yet seen how to save it and other contacts and
recover what was saved with XMLog. It just disappears into a black
hole. ... Any suggestions?

Hi Cliff

Assuming you're new to XMLog, this might be your problem--

It only displays (overtly) selected entries. The "black hole" is probably
the UNselected entries.

Try this to select all your entries--
--click the SELECT button
--a SEARCH button appears. Click it without filling in any fields.

73 de W3GERry

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2200. test email

Yahoo group: XMLog
Date: 2007-08-22 06:48:20 UTC
From: N7MAL
Topic: 2200 Message: 2200

Sorry about this but apparently my email server has been blocking all yahoo email........

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

2201. PSK listing

Yahoo group: XMLog
Date: 2007-08-24 05:00:34 UTC
From: Dennis Jacobson
Topic: 2201 Message: 2201

Hello again Mike.

Still love the program.
Thought I would ask if anyone else has requested PSK be added
to the "Phone CW RTTY" list. I do quite a bit of PSK work
and would like to track that on my listings. If there have
been other requests just add my call to the list.
If I'm the only one then it certainly isn't worth the effort.

Thanks Mike
73
Dennis N6NG

2202. RE: [XMLog] PSK listing

Yahoo group: XMLog
Date: 2007-08-24 05:32:40 UTC
From: Craig Bradley
Topic: 2201 Message: 2202

I was also thinking about this the other day as all of my PSK contacts show up under RTTY.

One other item that would be nice: When XMLog logs a RTTY contact, it reads the mode from the rig (Kenwood) and logs it as FSK. When I export to LoTW, LoTW does not except FSK and declares an error. I would be nice to have (maybe an option) for XMLog to log these Qs as RTTY or change them during the export so I don't have to manually edit them.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dennis Jacobson
Sent: Thursday, August 23, 2007 10:01 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] PSK listing

Hello again Mike.

Still love the program.
Thought I would ask if anyone else has requested PSK be added to the "Phone CW RTTY" list. I do quite a bit of PSK work and would like to track that on my listings. If there have been other requests just add my call to the list.
If I'm the only one then it certainly isn't worth the effort.

Thanks Mike
73
Dennis N6NG

[Non-text portions of this message have been removed]

2203. RE: [XMLog] PSK listing

Yahoo group: XMLog
Date: 2007-08-24 14:33:32 UTC
From: Craig Bradley
Topic: 2201 Message: 2203

I just looked at the DXCC rules and I am not sure that PSK contacts count for RTTY.

d) RTTY: Contacts must be made using radioteletype since November 15, 1945. (Baudot, ASCII, AMTOR and packet count as RTTY.) Confirmations for cross-mode contacts for this award must be dated September 30, 1981, or earlier.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Thursday, August 23, 2007 10:33 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] PSK listing

I was also thinking about this the other day as all of my PSK contacts show up under RTTY.

One other item that would be nice: When XMLog logs a RTTY contact, it reads the mode from the rig (Kenwood) and logs it as FSK. When I export to LoTW, LoTW does not except FSK and declares an error. I would be nice to have (maybe an option) for XMLog to log these Qs as RTTY or change them during the export so I don't have to manually edit them.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
Dennis Jacobson
Sent: Thursday, August 23, 2007 10:01 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] PSK listing

Hello again Mike.

Still love the program.
Thought I would ask if anyone else has requested PSK be added to the "Phone CW RTTY" list. I do quite a bit of PSK work and would like to track that on my listings. If there have been other requests just add my call to the list.

If I'm the only one then it certainly isn't worth the effort.

Thanks Mike
73
Dennis N6NG

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2204. Re: PSK listing

Yahoo group: XMLog
Date: 2007-08-27 00:37:26 UTC
From: Dennis Jacobson
Topic: 2201 Message: 2204

I guess the actual entry should be PSK31 since that is what
LOTW accepts. I'm afraid we'd have to find some way to convert
PSK to PSK31 when sending to LOTW.

I think it can get complicated.
Just what Mike wants these days hi hi..

Dennis N6NG

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I just looked at the DXCC rules and I am not sure that PSK contacts
count
> for RTTY.
>
>
>
> d) RTTY: Contacts must be made using radioteletype since November
15, 1945.
> (Baudot, ASCII, AMTOR and packet count as RTTY.) Confirmations for
> cross-mode contacts for this award must be dated September 30, 1981, or
> earlier.
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> Craig Bradley
> Sent: Thursday, August 23, 2007 10:33 PM
> To: XMLog@yahoogroups.com
> Subject: RE: [XMLog] PSK listing
>
>
>
> I was also thinking about this the other day as all of my PSK
contacts show
> up under RTTY.
>
> One other item that would be nice: When XMLog logs a RTTY contact,
it reads
> the mode from the rig (Kenwood) and logs it as FSK. When I export to
LoTW,
> LoTW does not except FSK and declares an error. I would be nice to have

> (maybe an option) for XMLog to log these Qs as RTTY or change them
during
> the export so I don't have to manually edit them.
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
> Of
> Dennis Jacobson
> Sent: Thursday, August 23, 2007 10:01 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] PSK listing
>
> Hello again Mike.
>
> Still love the program.
> Thought I would ask if anyone else has requested PSK be added
> to the "Phone CW RTTY" list. I do quite a bit of PSK work
> and would like to track that on my listings. If there have
> been other requests just add my call to the list.
> If I'm the only one then it certainly isn't worth the effort.
>
> Thanks Mike
> 73
> Dennis N6NG
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2205. Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-27 04:07:11 UTC
From: Puck
Topic: 2205 Message: 2205

I have version 5.38. I've selected QRZ.com as my call book. Just tonight when I try to lookup a station I get the message "not found in call book" for every station I try. Any suggestions on what may be wrong? This has always worked until tonight. QRZ.COM is not down. I can go directly to it and all is well.

Puck, W4PM

2206. Re: [XMLog] Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-27 04:27:17 UTC
From: Nelson Wittstock
Topic: 2205 Message: 2206

That is a good question. I have the same situation from my QTH. It has always worked for me in the past. I hope it gets remedied.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 327 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2207. RE: [XMLog] Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-27 13:05:16 UTC
From: Kenneth Moorman
Topic: 2205 Message: 2207

I'm glad to see that I am not alone, either. The same thing began here around 0030Z this morning (last nite local time).

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Nelson Wittstock
Sent: Monday, August 27, 2007 12:27 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Call Book Lookup stopped working?

That is a good question. I have the same situation from my QTH. It has always worked for me in the past. I hope it gets remedied.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 327 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

Yahoo! Groups Links

2208. Re: PSK listing

Yahoo group: XMLog
Date: 2007-08-27 14:13:37 UTC
From: ad5uu
Topic: 2201 Message: 2208

I would have to vote not to do that. My reasoning is PSK31 is a subset of RTTY, just like USB is a subset of phone. If you wanted to run a DXCC report only on PSK31 then put that filter in your search, run the report using the filtered contacts.

XMLog already logs PSK contacts as PSK31, if you log just like XMlog has it, LOTW will accept it and log it as PSK31 not PSK.

Good luck
73
Paul KZ5P

--- In XMLog@yahoogroups.com, "Dennis Jacobson" <n6ng@...> wrote:
>
>
> Hello again Mike.
>
> Still love the program.
> Thought I would ask if anyone else has requested PSK be added
> to the "Phone CW RTTY" list. I do quite a bit of PSK work
> and would like to track that on my listings. If there have
> been other requests just add my call to the list.
> If I'm the only one then it certainly isn't worth the effort.
>
> Thanks Mike
> 73
> Dennis N6NG
>

2209. Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-27 21:05:06 UTC
From: Dennis Jacobson
Topic: 2205 Message: 2209

I too noticed this problem which I didn't have in the past.
I suspect it's not just a quirk.

Dennis N6NG

--- In XMLog@yahoogroups.com, "Nelson Wittstock" <k8djc@...> wrote:
>
> That is a good question. I have the same situation from my QTH. It
has
> always worked for me in the past. I hope it gets remedied.
>
> Nelson, K8DJC
>
>
> --
> I am using the free version of SPAMfighter for private users.
> It has removed 327 spam emails to date.
> Paying users do not have this message in their emails.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
>

2210. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-27 22:49:59 UTC
From: N7MAL
Topic: 2205 Message: 2210

Same problem here. I did a little investigating and the lookup from the
VE7CC cluster software is working. That would ''''sort-of'''' point the
finger at XMLOG.
Whatever

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups.com
Sent: Monday, August 27, 2007 21:05
Subject: [XMLog] Re: Call Book Lookup stopped working?

I too noticed this problem which I didn't have in the past.
I suspect it's not just a quirk.

Dennis N6NG

--- In XMLog@yahoogroups.com, "Nelson Wittstock" <k8djc@...> wrote:
>
> That is a good question. I have the same situation from my QTH. It
has
> always worked for me in the past. I hope it gets remedied.
>
> Nelson, K8DJC
>
>
> --
> I am using the free version of SPAMfighter for private users.
> It has removed 327 spam emails to date.
> Paying users do not have this message in their emails.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2211. RE: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 14:24:01 UTC
From: Craig Bradley
Topic: 2205 Message: 2211

My interface with QRZ.com is working fine with XMLog 5.35.

The packet cluster is also working with N7OD.

I am using DSL with a broadband router to connect to the Internet.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Monday, August 27, 2007 3:50 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Call Book Lookup stopped working?

Same problem here. I did a little investigating and the lookup from the VE7CC cluster software is working. That would ''''sort-of'''' point the finger at XMLOG.
Whatever

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Dennis Jacobson
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, August 27, 2007 21:05
Subject: [XMLog] Re: Call Book Lookup stopped working?

I too noticed this problem which I didn't have in the past.
I suspect it's not just a quirk.

Dennis N6NG

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Nelson Wittstock" <k8djc@...> wrote:
>
> That is a good question. I have the same situation from my QTH. It has
> always worked for me in the past. I hope it gets remedied.
>
> Nelson, K8DJC
>
>
> --

> I am using the free version of SPAMfighter for private users.
> It has removed 327 spam emails to date.
> Paying users do not have this message in their emails.
> Get the free SPAMfighter here: http://www.spamfigh
<http://www.spamfighter.com/len> ter.com/len
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2212. Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 14:41:18 UTC
From: Puck
Topic: 2205 Message: 2212

It's very strange that your QRZ.com interface works and a number of us have problems that seemed to appear just a couple of days ago. I have no problem connecting to the DX cluster from XMLOG but the call book feature no longer works. I tried reinstalling the program and that did not help.

Puck, W4PM

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> My interface with QRZ.com is working fine with XMLog 5.35.
>
> The packet cluster is also working with N7OD.
>
> I am using DSL with a broadband router to connect to the Internet.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> N7MAL
> Sent: Monday, August 27, 2007 3:50 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Re: Call Book Lookup stopped working?
>
>
>
> Same problem here. I did a little investigating and the lookup from the
> VE7CC cluster software is working. That would ''''sort-of'''' point the
> finger at XMLOG.
> Whatever
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal.com> com
>

> ----- Original Message -----
> From: Dennis Jacobson
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Monday, August 27, 2007 21:05
> Subject: [XMLog] Re: Call Book Lookup stopped working?
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Nelson
> Wittstock" <k8djc@> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.
> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfigh
> <http://www.spamfighter.com/len> ter.com/len
> >
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2213. RE: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 14:54:46 UTC
From: Craig Bradley
Topic: 2205 Message: 2213

I would suspect something in the path to the Internet. You might check with your ISP and see if they added any "new features" recently. Can you access QRZ.com OK using your browser?

Mike,

Could it be response times? How long does XMLog wait for the data before it declares an error?

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Puck
Sent: Tuesday, August 28, 2007 7:41 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Call Book Lookup stopped working?

It's very strange that your QRZ.com interface works and a number of us have problems that seemed to appear just a couple of days ago. I have no problem connecting to the DX cluster from XMLOG but the call book feature no longer works. I tried reinstalling the program and that did not help.

Puck, W4PM

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:
>
> My interface with QRZ.com is working fine with XMLog 5.35.
>
> The packet cluster is also working with N7OD.
>
> I am using DSL with a broadband router to connect to the Internet.
>
>
>
> - Craig, AE6RR
>
>
>
> ---
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
> N7MAL

> Sent: Monday, August 27, 2007 3:50 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Re: Call Book Lookup stopped working?
>
>
>
> Same problem here. I did a little investigating and the lookup from
the
> VE7CC cluster software is working. That would ''''sort-of'''' point
the
> finger at XMLOG.
> Whatever
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com
>
> ----- Original Message -----
> From: Dennis Jacobson
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Monday, August 27, 2007 21:05
> Subject: [XMLog] Re: Call Book Lookup stopped working?
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Nelson
> Wittstock" <k8djc@> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.
> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfigh
> <http://www.spamfigh <http://www.spamfighter.com/len> ter.com/len>
ter.com/len
> >
>
> Yahoo! Groups Links

>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2214. RE: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 15:00:12 UTC
From: Craig Bradley
Topic: 2205 Message: 2214

OK,

Now mine has stopped working too. I checked it earlier before my posting and it was OK. I haven't changed anything on the computer (no restarts etc.) and XMLog has been running continuously.

When I bring up QRZ.com in a browser window, it seams to take a long time to load. Maybe there is a problem with their server or response times.

Hopefully, this will clear up soon.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Tuesday, August 28, 2007 7:55 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Call Book Lookup stopped working?

I would suspect something in the path to the Internet. You might check with your ISP and see if they added any "new features" recently. Can you access QRZ.com OK using your browser?

Mike,

Could it be response times? How long does XMLog wait for the data before it declares an error?

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of Puck
Sent: Tuesday, August 28, 2007 7:41 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Call Book Lookup stopped working?

It's very strange that your QRZ.com interface works and a number of us have problems that seemed to appear just a couple of days ago. I have no problem connecting to the DX cluster from XMLOG but the call book feature no longer works. I tried reinstalling the program and that did not help.

Puck, W4PM

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:
>
> My interface with QRZ.com is working fine with XMLog 5.35.
>
> The packet cluster is also working with N7OD.
>
> I am using DSL with a broadband router to connect to the Internet.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
> N7MAL
> Sent: Monday, August 27, 2007 3:50 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Re: Call Book Lookup stopped working?
>
>
>
> Same problem here. I did a little investigating and the lookup from the
> VE7CC cluster software is working. That would ''''sort-of'''' point the
> finger at XMLOG.
> Whatever
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com> com
>
> ----- Original Message -----
> From: Dennis Jacobson
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Monday, August 27, 2007 21:05
> Subject: [XMLog] Re: Call Book Lookup stopped working?
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>

> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Nelson
> Wittstock" <k8djc@> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.
> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfigh
> <http://www.spamfigh <http://www.spamfighter.com/len>
ter.com/len> ter.com/len>
ter.com/len
> >
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2215. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 15:07:09 UTC
From: N7MAL
Topic: 2205 Message: 2215

We, I am sure, are all different in the way/ways we connect. There would be little very we would all have in common except the software(xmlog). Additionally the look-up feature in other software works perfectly.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Tuesday, August 28, 2007 14:54
Subject: RE: [XMLog] Re: Call Book Lookup stopped working?

I would suspect something in the path to the Internet. You might check with
your ISP and see if they added any "new features" recently. Can you access
QRZ.com OK using your browser?

Mike,

Could it be response times? How long does XMLog wait for the data before it
declares an error?

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Puck
Sent: Tuesday, August 28, 2007 7:41 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Call Book Lookup stopped working?

It's very strange that your QRZ.com interface works and a number of us have problems that seemed to appear just a couple of days ago. I have no problem connecting to the DX cluster from XMLOG but the call book feature no longer works. I tried reinstalling the program and that did not help.

Puck, W4PM

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:

>
> My interface with QRZ.com is working fine with XMLog 5.35.
>
> The packet cluster is also working with N7OD.
>
> I am using DSL with a broadband router to connect to the Internet.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> N7MAL
> Sent: Monday, August 27, 2007 3:50 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Re: Call Book Lookup stopped working?
>
>
>
> Same problem here. I did a little investigating and the lookup from
the
> VE7CC cluster software is working. That would ''''sort-of'''' point
the
> finger at XMLOG.
> Whatever
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com
>
> ----- Original Message -----
> From: Dennis Jacobson
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Monday, August 27, 2007 21:05
> Subject: [XMLog] Re: Call Book Lookup stopped working?
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Nelson

> Wittstock" <k8djc@> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.
> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfigh
> <http://www.spamfigh <http://www.spamfighter.com/len> ter.com/len>
ter.com/len
> >
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2216. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 15:09:46 UTC
From: N7MAL
Topic: 2205 Message: 2216

QRZ comes up ''''lightening'''' fast here..... No waits or delays.....
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Tuesday, August 28, 2007 15:00
Subject: RE: [XMLog] Re: Call Book Lookup stopped working?

OK,

Now mine has stopped working too. I checked it earlier before my posting
and it was OK. I haven't changed anything on the computer (no restarts
etc.) and XMLog has been running continuously.

When I bring up QRZ.com in a browser window, it seams to take a long time
to
load. Maybe there is a problem with their server or response times.

Hopefully, this will clear up soon.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Craig Bradley
Sent: Tuesday, August 28, 2007 7:55 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Call Book Lookup stopped working?

I would suspect something in the path to the Internet. You might check
with
your ISP and see if they added any "new features" recently. Can you access
QRZ.com OK using your browser?

Mike,

Could it be response times? How long does XMLog wait for the data before
it
declares an error?

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of Puck
Sent: Tuesday, August 28, 2007 7:41 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Call Book Lookup stopped working?

It's very strange that your QRZ.com interface works and a number of
us have problems that seemed to appear just a couple of days ago. I
have no problem connecting to the DX cluster from XMLOG but the call
book feature no longer works. I tried reinstalling the program and
that did not help.

Puck, W4PM

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig
Bradley" <craigjb@...> wrote:
>
> My interface with QRZ.com is working fine with XMLog 5.35.
>
> The packet cluster is also working with N7OD.
>
> I am using DSL with a broadband router to connect to the Internet.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> N7MAL
> Sent: Monday, August 27, 2007 3:50 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Re: Call Book Lookup stopped working?
>
>
>
> Same problem here. I did a little investigating and the lookup from
the
> VE7CC cluster software is working. That would ''''sort-of'''' point
the
> finger at XMLOG.
> Whatever
>
> MAL

> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal. <http://www.n7mal.
<http://www.n7mal.com> com> com> com
>
> ----- Original Message -----
> From: Dennis Jacobson
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Monday, August 27, 2007 21:05
> Subject: [XMLog] Re: Call Book Lookup stopped working?
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Nelson
> Wittstock" <k8djc@> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.
> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfigh
> <http://www.spamfigh <http://www.spamfigh
<http://www.spamfighter.com/len>
ter.com/len> ter.com/len>
ter.com/len
> >
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2217. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 15:11:19 UTC
From: D.W. Jones
Topic: 2205 Message: 2217

I connect XMLOG to the cluster via the VE7CC AR-User program. If I click on a callsign in
the AR-User program it quickly brings up QRZ.COM and the info for that callsign in a browser
window. If I then try the same thing with XMLOG, I get the "Callsign not found" message.

If I access my favorite cluster node directly with XMLOG (not using AR-USER) I also get the
"Callsign not found" message. This all started within the past week I think.

I am using XMLOG 5.31

73 - Don Jones N4TN

Dennis Jacobson wrote:
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>
> --- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>, "Nelson
> Wittstock" <k8djc@...> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.
> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfighter.com/len
> <http://www.spamfighter.com/len>
> >
>
>

[Non-text portions of this message have been removed]

2218. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 15:22:00 UTC
From: Howard Baker
Topic: 2205 Message: 2218

D.W. Jones wrote:
>
> I connect XMLOG to the cluster via the VE7CC AR-User program. If I click
> on a callsign in
> the AR-User program it quickly brings up QRZ.COM and the info for that
> callsign in a browser
> window. If I then try the same thing with XMLOG, I get the "Callsign not
> found" message.
>
> If I access my favorite cluster node directly with XMLOG (not using
> AR-USER) I also get the
> "Callsign not found" message. This all started within the past week I
> think.
>
> I am using XMLOG 5.31
>
> 73 - Don Jones N4TN
>
> Dennis Jacobson wrote:
> >
> > I too noticed this problem which I didn't have in the past.
> > I suspect it's not just a quirk.
> >
> > Dennis N6NG
> >
> > --- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> <mailto:XMLog%40yahoogroups.com>, "Nelson
> > Wittstock" <k8djc@...> wrote:
> > >
> > > That is a good question. I have the same situation from my QTH. It
> > has
> > > always worked for me in the past. I hope it gets remedied.
> > >
> > > Nelson, K8DJC
> > >
> > >
> > > --
> > > I am using the free version of SPAMfighter for private users.
> > > It has removed 327 spam emails to date.
> > > Paying users do not have this message in their emails.
> > > Get the free SPAMfighter here: http://www.spamfighter.com/len
> <http://www.spamfighter.com/len>
> > <http://www.spamfighter.com/len <http://www.spamfighter.com/len>>
> > >
> >

> >
>
> [Non-text portions of this message have been removed]
>
>
I sometimes get the "Callsign not found" message but if I click OK the
sign appears correctly. I would guess that it has something to do with
QRZ's amount of traffic.

2219. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 15:41:46 UTC
From: N7MAL
Topic: 2205 Message: 2219

Where's the OK button.?.?.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Howard Baker
To: XMLog@yahoogroups.com
Sent: Tuesday, August 28, 2007 15:22
Subject: Re: [XMLog] Re: Call Book Lookup stopped working?

D.W. Jones wrote:
>
> I connect XMLOG to the cluster via the VE7CC AR-User program. If I click
> on a callsign in
> the AR-User program it quickly brings up QRZ.COM and the info for that
> callsign in a browser
> window. If I then try the same thing with XMLOG, I get the "Callsign not
> found" message.
>
> If I access my favorite cluster node directly with XMLOG (not using
> AR-USER) I also get the
> "Callsign not found" message. This all started within the past week I
> think.
>
> I am using XMLOG 5.31
>
> 73 - Don Jones N4TN
>
> Dennis Jacobson wrote:
> >
> > I too noticed this problem which I didn't have in the past.
> > I suspect it's not just a quirk.
> >
> > Dennis N6NG
> >
> > --- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> <mailto:XMLog%40yahoogroups.com>, "Nelson
> > Wittstock" <k8djc@...> wrote:
> > >
> > > That is a good question. I have the same situation from my QTH. It
> > has
> > > always worked for me in the past. I hope it gets remedied.
> > >

> > > Nelson, K8DJC
> > >
> > >
> > > --
> > > I am using the free version of SPAMfighter for private users.
> > > It has removed 327 spam emails to date.
> > > Paying users do not have this message in their emails.
> > > Get the free SPAMfighter here: http://www.spamfighter.com/len
> <http://www.spamfighter.com/len>
> > <http://www.spamfighter.com/len <http://www.spamfighter.com/len>>
> > >
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
I sometimes get the "Callsign not found" message but if I click OK the
sign appears correctly. I would guess that it has something to do with
QRZ's amount of traffic.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2220. RE: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 16:16:49 UTC
From: Kenneth Moorman
Topic: 2205 Message: 2220

I just tried Ham Radio Deluxe. I get the same sort of message that the call was not found after about the same delay of around 1 second using XMLog.

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of D.W. Jones
Sent: Tuesday, August 28, 2007 11:11 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Call Book Lookup stopped working?

I connect XMLOG to the cluster via the VE7CC AR-User program. If I click on a callsign in
the AR-User program it quickly brings up QRZ.COM and the info for that callsign in a browser
window. If I then try the same thing with XMLOG, I get the "Callsign not found" message.

If I access my favorite cluster node directly with XMLOG (not using AR-USER) I also get the
"Callsign not found" message. This all started within the past week I think.

I am using XMLOG 5.31

73 - Don Jones N4TN

Dennis Jacobson wrote:
>
> I too noticed this problem which I didn't have in the past.
> I suspect it's not just a quirk.
>
> Dennis N6NG
>
> --- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>, "Nelson
> Wittstock" <k8djc@...> wrote:
> >
> > That is a good question. I have the same situation from my QTH. It
> has
> > always worked for me in the past. I hope it gets remedied.
> >
> > Nelson, K8DJC
> >
> >
> > --
> > I am using the free version of SPAMfighter for private users.
> > It has removed 327 spam emails to date.

> > Paying users do not have this message in their emails.
> > Get the free SPAMfighter here: http://www.spamfighter.com/len
> <http://www.spamfighter.com/len>
> >
>
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

2221. Re: [XMLog] Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-27 23:14:43 UTC
From: Tony Bunce
Topic: 2205 Message: 2221

Hi everyone, long time lurker here.

Perhaps the following will lead you to the right path for solving the QRZ.com problem.

From dxlab yahoo group:

QRZ.com is an advertiser-supported site, meaning that its proprietor receives payment for the ads that appear with search results. In arranging for DXLab applications to extract callbook information from QRZ.com, I preserved the display of these advertisements by using Pathfinder as the access mechanism; this maintains the revenue stream for the QRZ.com proprietor.

There are logging applications that extract callbook information from QRZ.com without displaying the ads. The proprietor of QRZ.com is understandably displeased with this sitation. Today's format change in QRZ.com might be his first shot across the bow, or it might be entirely unrelated. If desired, the QRZ.com web site could be further modified to make information extraction much more difficult, for example by displaying it as an image rather than as text (as it currently displays email addresses).

Hopefully, this situation will be amicably resolved. However, there is no guarantee that DXLab will continue in its ability to utilize QRZ.com as a callbook.

73,

Dave, AA6YQ

All the best
Tony

[Non-text portions of this message have been removed]

2222. Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-28 16:43:07 UTC
From: Mike McAmis
Topic: 2205 Message: 2222

Hi Guys, It looks like the format of the data coming back from the QRZ lookups has changed a bit. Hopefully I'll get a chance to take a closer look, make some changes and post them in a beta version in a couple of days.

Mike - W1ECT

2223. Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-30 19:31:27 UTC
From: k9mrd
Topic: 2205 Message: 2223

Mike,
Does the current beta version have the QRZ.com fix in it?
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Guys, It looks like the format of the data coming back from the
QRZ
> lookups has changed a bit. Hopefully I'll get a chance to take a
> closer look, make some changes and post them in a beta version in a
> couple of days.
>
> Mike - W1ECT
>

2224. Re: Call Book Lookup stopped working?

Yahoo group: XMLog
Date: 2007-08-30 09:54:19 UTC
From: Bill
Topic: 2205 Message: 2224

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Guys, It looks like the format of the data coming back from the QRZ
> lookups has changed a bit. Hopefully I'll get a chance to take a
> closer look, make some changes and post them in a beta version in a
> couple of days.
>
> Mike - W1ECT
>
Thanks Mike, hope you can get it fixed. My paper logs are starting to
stack up, hi.

I wonder if anyone could help me fix an error I made in my logs. I put
all of my fists, skcc and naqcc club numbers in the address 4 field
and I want to copy them to the comments field.

I'm not seeing an easy way. Thought about writing a program to sort
the log and copy address 4 to the comments field, looping through on
record at a time. Seems like there aught to be an easier way.

Is there a better field to use for club numbers than comments?

Thanks, Bill NT9K..

2225. New beta and QRZ

Yahoo group: XMLog
Date: 2007-08-31 09:52:23 UTC
From: n5pht
Topic: 2225 Message: 2225

I just downloaded and installed the beta and the qrz.com lookup works again!! Thanks Mike - that is a great feature.

Gary, N5PHT

2226. Re: [XMLog] New beta and QRZ

Yahoo group: XMLog
Date: 2007-08-31 10:24:08 UTC
From: N7MAL
Topic: 2225 Message: 2226

Yes works great again Mike and I'll echo Gary, THANKS...
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: n5pht
To: XMLog@yahoogroups.com
Sent: Friday, August 31, 2007 9:52
Subject: [XMLog] New beta and QRZ

I just downloaded and installed the beta and the qrz.com lookup works
again!! Thanks Mike - that is a great feature.

Gary, N5PHT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2227. RE: [XMLog] New beta and QRZ

Yahoo group: XMLog
Date: 2007-08-31 15:00:05 UTC
From: Kenneth Moorman
Topic: 2225 Message: 2227

THANK YOU, Mike. You don't appreciate how good this is until something like this happens, and you don't really have it. Thanks for getting my "eyes to the world" open again!

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Friday, August 31, 2007 6:24 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] New beta and QRZ

Yes works great again Mike and I'll echo Gary, THANKS...
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: n5pht
To: XMLog@yahoogroups.com
Sent: Friday, August 31, 2007 9:52
Subject: [XMLog] New beta and QRZ

I just downloaded and installed the beta and the qrz.com lookup works again!! Thanks Mike - that is a great feature.

Gary, N5PHT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

2228. Fix

Yahoo group: XMLog
Date: 2007-09-01 00:26:33 UTC
From: Stan Gantz
Topic: 2228 Message: 2228

Mike

Tnx for the beta 5.40 fix. Glad to have QRZ lookup back!

Stan W5GZ

2229. RE: [XMLog] Fix

Yahoo group: XMLog
Date: 2007-09-01 20:02:40 UTC
From: Craig Bradley
Topic: 2228 Message: 2229

I have also installed the 5.40 beta and the QRZ.com interface appears to be good now.

The installation program did note that one file in the install was older than the one on my system (I kept the newer one). Unfortunately, I didn't make a note of which file it was (I think that it was a system dll).

Thanks Mike!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Stan Gantz
Sent: Friday, August 31, 2007 5:27 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Fix

Mike

Tnx for the beta 5.40 fix. Glad to have QRZ lookup back!

Stan W5GZ

[Non-text portions of this message have been removed]

2230. Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-03 17:04:39 UTC
From: Dennis Jacobson
Topic: 2201 Message: 2230

Hello again.

The problem I have with PSK31 being a subset of RTTY is that
when I have worked KL7 on RTTY and a spot comes up for KL7
on PSK31, there is no way for me to tell by looking and not
having to do some sorting etc. that I still needed KL7 on PSK31.
The hash mark will be on RTTY for KL7 but it still leaves me
guessing as far as PSK31 is concerned.

Maybe there is a way to tell in a quick fashion but I don't know
how to do it. If anyone has a suggestion on how they do it,
I would appreciate knowing.

As an adjunct to this problem. The thought crossed my mind
that maybe there is a way to put in the Packet options
what modes you want listed. In other words, put check marks
in the boxes for the modes you want to track and those
would show up on the line and indicate whether or not you
have worked the prefix in whatever mode/s you want.

Nothing difficult writing a software program for the guy that
doesn't have to do it. Huh Mike.... Hi Hi.

I certainly can live with the way it works now of course or I
wouldn't be such a fan of XMLOG. So if it stays the same, I'll
still be a very happy logger.

73
Dennis N6NG

--- In XMLog@yahoogroups.com, "ad5uu" <ke5fqy@...> wrote:
>
> I would have to vote not to do that. My reasoning is PSK31 is a subset
> of RTTY, just like USB is a subset of phone. If you wanted to run a
> DXCC report only on PSK31 then put that filter in your search, run the
> report using the filtered contacts.
>
> XMLog already logs PSK contacts as PSK31, if you log just like XMlog
> has it, LOTW will accept it and log it as PSK31 not PSK.
>
> Good luck
> 73
> Paul KZ5P
>
>
> --- In XMLog@yahoogroups.com, "Dennis Jacobson" <n6ng@> wrote:
> >

> >
> > Hello again Mike.
> >
> > Still love the program.
> > Thought I would ask if anyone else has requested PSK be added
> > to the "Phone CW RTTY" list. I do quite a bit of PSK work
> > and would like to track that on my listings. If there have
> > been other requests just add my call to the list.
> > If I'm the only one then it certainly isn't worth the effort.
> >
> > Thanks Mike
> > 73
> > Dennis N6NG
> >
>

2231. Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-05 20:26:31 UTC
From: Mike McAmis
Topic: 2201 Message: 2231

Hi Dennis, XMLog's point of view is controlled by the requirments for DXCC award tracking so that's why it lumps RTTY, PSK, etc. into a single data category. One thing that might be useful would be to select all PSK QSOs in your log, use the "Awards/DXCC Checklist" menu item with the "Currently selected log entries" option and print the results. This isn't really a very hi-tech solution but would give you a quick way to check your PSK status for countries/bands/modes.

The same strategy would apply for the WAS Checklist, County Checklist, etc.

Mike - W1ECT

2232. Re: [XMLog] Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-05 21:13:20 UTC
From: N6NG
Topic: 2201 Message: 2232

Your right Mike..

Thanks for the suggestion.. I'll do it that way.

Dennis N6NG

Mike McAmis wrote:
> Hi Dennis, XMLog's point of view is controlled by the requirments for
> DXCC award tracking so that's why it lumps RTTY, PSK, etc. into a
> single data category. One thing that might be useful would be to
> select all PSK QSOs in your log, use the "Awards/DXCC Checklist" menu
> item with the "Currently selected log entries" option and print the
> results. This isn't really a very hi-tech solution but would give you
> a quick way to check your PSK status for countries/bands/modes.
>
> The same strategy would apply for the WAS Checklist, County Checklist,
> etc.
>
> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

2233. RE: [XMLog] Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-06 05:18:59 UTC
From: Craig Bradley
Topic: 2201 Message: 2233

Mike,

This is from an earlier posting:

I just looked at the DXCC rules and I am not sure that PSK contacts count
for RTTY.

DXCC Rules:

d) RTTY: Contacts must be made using radioteletype since November 15, 1945.
(Baudot, ASCII, AMTOR and packet count as RTTY.) Confirmations for
cross-mode contacts for this award must be dated September 30, 1981, or
earlier.

Is PSK considered packet? Does anyone know if the ARRL accepts PSK for the
RTTY award? I have not done a RTTY submission, but I have been counting the
PSK Qs as RTTY as XMLog counts them.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N6NG
Sent: Wednesday, September 05, 2007 2:13 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: PSK listing

Your right Mike..

Thanks for the suggestion.. I'll do it that way.

Dennis N6NG

Mike McAmis wrote:
> Hi Dennis, XMLog's point of view is controlled by the requirments for
> DXCC award tracking so that's why it lumps RTTY, PSK, etc. into a
> single data category. One thing that might be useful would be to
> select all PSK QSOs in your log, use the "Awards/DXCC Checklist" menu
> item with the "Currently selected log entries" option and print the
> results. This isn't really a very hi-tech solution but would give you
> a quick way to check your PSK status for countries/bands/modes.
>
> The same strategy would apply for the WAS Checklist, County Checklist,
> etc.
>
> Mike - W1ECT
>
>

>
>
> Yahoo! Groups Links
>
>
>
>
>

[Non-text portions of this message have been removed]

2234. Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-06 14:32:05 UTC
From: Joe Brining
Topic: 2201 Message: 2234

Yes , the ARRL does except PSK contacts for the RTTY DXCC award. When I obtained my award, about 10 of the cards were for PSK, the rest RTTY.
Joe... W3BUI...

2235. Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-06 19:18:51 UTC
From: Mike McAmis
Topic: 2201 Message: 2235

Here's a note from the DXCC FAQ at ARRL.ORG

Q: There are other modes not recognized by DXCC. How do they apply?

A: Modes such as PSK-31, G-Tor, Pactor, JT44 etc are digital and count
for DXCC as RTTY. SSTV and other voice modes count as Phone for DXCC.

Mike - W1ECT

2236. Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-06 23:17:12 UTC
From: Dennis Jacobson
Topic: 2201 Message: 2236

Yep. And Bill Moore the DX Manager agrees.

"Yes, they count for RTTY and Mixed

Bill Moore NC1L

DXCC Manager"

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Here's a note from the DXCC FAQ at ARRL.ORG
>
> Q: There are other modes not recognized by DXCC. How do they apply?
>
> A: Modes such as PSK-31, G-Tor, Pactor, JT44 etc are digital and count
> for DXCC as RTTY. SSTV and other voice modes count as Phone for DXCC.
>
> Mike - W1ECT
>

2237. RE: [XMLog] Re: PSK listing

Yahoo group: XMLog
Date: 2007-09-07 03:48:02 UTC
From: Craig Bradley
Topic: 2201 Message: 2237

Thanks everyone. Glad to hear that I am on the right track!

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dennis Jacobson
Sent: Thursday, September 06, 2007 4:17 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: PSK listing

Yep. And Bill Moore the DX Manager agrees.

"Yes, they count for RTTY and Mixed

Bill Moore NC1L

DXCC Manager"

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike McAmis" <w1ect@...> wrote:
>
> Here's a note from the DXCC FAQ at ARRL.ORG
>
> Q: There are other modes not recognized by DXCC. How do they apply?
>
> A: Modes such as PSK-31, G-Tor, Pactor, JT44 etc are digital and count
> for DXCC as RTTY. SSTV and other voice modes count as Phone for DXCC.
>
> Mike - W1ECT
>

[Non-text portions of this message have been removed]

2238. Upgrading

Yahoo group: XMLog
Date: 2007-09-08 18:04:35 UTC
From: witstock7
Topic: 2238 Message: 2238

I have been using version 5.35 but would like to use 5.40. When I installed 5.40 it did not access my qsl label setup or the internet connections that I had been using with 5.35. I have been through several versions of XMLog in the past but don't recall how I worked through this. What am I doing wrong or not doing that I should to use my old setups?

Nelson, K8DJC

2239. Re: Upgrading

Yahoo group: XMLog
Date: 2007-09-09 01:43:30 UTC
From: k9mrd
Topic: 2238 Message: 2239

Nelson,
You need to download the beta version. QRZ.com changed its file
format and the 'fix' is in the beta version. (See thread below.)

73, K9MRD
Wayne

--- In XMLog@yahoogroups.com, "witstock7" <k8djc@...> wrote:
>
> I have been using version 5.35 but would like to use 5.40. When I
> installed 5.40 it did not access my qsl label setup or the internet
> connections that I had been using with 5.35. I have been through
> several versions of XMLog in the past but don't recall how I worked
> through this. What am I doing wrong or not doing that I should to
use
> my old setups?
>
> Nelson, K8DJC
>

2240. Re: [XMLog] Re: Upgrading

Yahoo group: XMLog
Date: 2007-09-09 16:42:34 UTC
From: Nelson Wittstock
Topic: 2238 Message: 2240

Wayne,

My problem is not with QRZ. It works fine with the Beta version. My problem is that my previous setups such as station info and my qsl label setups do not show up with the Beta version. When I try to use the Beta it asks for my station info when the programs starts and additionally the only qsl label arrangements are the ones that download, not my earlier version ones. I have used many earlier versions of XMLog and don't recall having had missing setups when I went to newer versions. I need to know how to put my earlier setups into the Beta version. Probably if I could tell what those files are labelled I could just replace the Beta ones with my own earlier versions. I have to be doing something wrong at this time.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 514 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2241. Re: Upgrading

Yahoo group: XMLog
Date: 2007-09-09 20:23:58 UTC
From: k9mrd
Topic: 2238 Message: 2241

Sorry Nelson, I read too fast and missed your problem.

Did you install over the top of the old version. That is the way I always do it and have not had a problem with my custom QSL layout, etc. I just installed the beta about a week ago.

Try copying your backup (old working version) into a new folder, download the beta version again since the one you recently downloaded may be corrupt, and then install the beta into this new backup folder.

Hope this helps.

Wayne

--- In XMLog@yahoogroups.com, "Nelson Wittstock" <k8djc@...> wrote:
>
> Wayne,
>
> My problem is not with QRZ. It works fine with the Beta version. My
> problem is that my previous setups such as station info and my qsl label
> setups do not show up with the Beta version. When I try to use the Beta it
> asks for my station info when the programs starts and additionally the only
> qsl label arrangements are the ones that download, not my earlier version
> ones. I have used many earlier versions of XMLog and don't recall having
> had missing setups when I went to newer versions. I need to know how to put
> my earlier setups into the Beta version. Probably if I could tell what
> those files are labelled I could just replace the Beta ones with my own
> earlier versions. I have to be doing something wrong at this time.
>
> Nelson, K8DJC
>
>
> --
> I am using the free version of SPAMfighter for private users.
> It has removed 514 spam emails to date.
> Paying users do not have this message in their emails.
> Get the free SPAMfighter here: http://www.spamfighter.com/len

>

2242. Re: [XMLog] Re: Upgrading

Yahoo group: XMLog
Date: 2007-09-09 21:33:12 UTC
From: Nelson Wittstock
Topic: 2238 Message: 2242

Struck out again. I tried again and opened 5.40 into 5.35 and it opened by asking me for my station info. Until I can figure this out I'll just run 5.35 with my original setups and look up the QRZ info by going directly to their web site. I must be overlooking something that needs to be done in the installation but I sure can't figure it out. Thanks anyway, Wayne.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 514 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2243. Re: Upgrading

Yahoo group: XMLog
Date: 2007-09-10 14:56:31 UTC
From: Mike McAmis
Topic: 2238 Message: 2243

Hi Nelson, Are you sure you installed it in the same location you used for the original install? By default XMLog gets installed in C:\mlog but some folk like to override this value with C:\Program Files\XMLog or whatever. Most of the options settings are kept in a file named mlog.ini so try searching your system for this file and see if you can find it in a place different than you used for your latest install.

If so you have two choices, re-install the latest version in this old location or copy the various .ini files from the old location to the new one (and also copy layouts.mdb which contains any custom label layouts).

Mike - W1ECT

2244. Re: [XMLog] Re: Upgrading

Yahoo group: XMLog
Date: 2007-09-10 16:07:08 UTC
From: Nelson Wittstock
Topic: 2238 Message: 2244

Thanks, Mike. It is working FB now. This problem started when I upgraded my computer from 98SE to XP Pro. I put MLog back in from the CD where I had saved it and I put it into a different folder. With your having changed the QRZ callup I messed things up even more.

Thanks again for the help and a really great program.

73,
Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 525 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2245. Superfluous(?) error msg in 5.40

Yahoo group: XMLog
Date: 2007-09-10 17:48:23 UTC
From: GerryC
Topic: 2245 Message: 2245

Since upgrading from 5.19 to 5.40, I get a "Can't display string" message box four times upon startup. (See screen capture in attached JPG, which probably won't make it to the reflector so I'm also sending this directly to W1ECT.)

After clicking OK each time I seem to get normally into XMLog. I haven't found anything that doesn't work, although I haven't tried every function.

I'm running Win2000Pro on an IBM-brand Pentium 6, 128MB RAM.

TIA,
Gerry

[Non-text portions of this message have been removed]

2246. Problem with generating DXCC Submission Form

Yahoo group: XMLog
Date: 2007-09-14 18:48:36 UTC
From: Kenneth Moorman
Topic: 2238 Message: 2246

I am attempting to create a Submission form for DXCC using only my CW QSO submissions. In the "DXCC Submission Form Options" window that comes up where I would select a date range (No Filter selected), Bands (No band filter selected), and Modes, the form is created if I select "No mode filter". If I try to select "Phone", "CW", or "Data", then after a long delay a window appears with "Can't create report. (6) Overflow." Has anyone else had this problem, and what can I do to get around the problem? I would like to create separate lists of my phone and cw submissions. I am using v5.40. Thanks for any help.

73,

Ken, NU4I

2247. Re: Fix

Yahoo group: XMLog
Date: 2007-09-16 04:02:24 UTC
From: kd5txl
Topic: 2228 Message: 2247

I have the 5.4 beta downloaded, but when I try to install I get an error message - Some system files out of date.... Supposedly, the install process updates these files if I click okay. This process requires a restart of windows.

I keep getting the same message after several tries, so apparently, nothing is being updated. Any clues as to which system files I need to update?

Thanks, Gene, KD5TXL

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I have also installed the 5.40 beta and the QRZ.com interface appears to be
> good now.
>
> The installation program did note that one file in the install was older
> than the one on my system (I kept the newer one). Unfortunately, I didn't
> make a note of which file it was (I think that it was a system dll).
>
>
>
> Thanks Mike!
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Stan
> Gantz
> Sent: Friday, August 31, 2007 5:27 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Fix
>
>
>
> Mike
>

> Tnx for the beta 5.40 fix. Glad to have QRZ lookup back!
>
> Stan W5GZ
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2248. Re: Problem with generating DXCC Submission Form

Yahoo group: XMLog
Date: 2007-09-17 17:32:28 UTC
From: Mike McAmis
Topic: 2238 Message: 2248

Hi Ken, I can't duplicate your problem here. Could you send me a copy of your log as an e-mail attachment to support@...

Mike - W1ECT

2249. RE: [XMLog] Re: Problem with generating DXCC Submission Form

Yahoo group: XMLog
Date: 2007-09-17 18:22:20 UTC
From: Kenneth Moorman
Topic: 2238 Message: 2249

Hi Mike,

I hope this helps. I was trying to look at just the CW submitted QSOs, but I can't get the Phone or Data to work either. Let me know if I need to explain further after you get this. Many thanks for looking into it.

73,

Ken Moorman, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Monday, September 17, 2007 1:32 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Problem with generating DXCC Submission Form

Hi Ken, I can't duplicate your problem here. Could you send me a copy of your log as an e-mail attachment to support@...

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2250. QRZ.COM

Yahoo group: XMLog
Date: 2007-09-21 23:34:39 UTC
From: Joe Cash
Topic: 2250 Message: 2250

I was using qrz.com for my callbook lock ups and it was working great suddenly the only thing I can get is "not found in callbook" even if I put in my own call that I know for a fact is on qrz.com.

Any suggestions?

Thanks.

73,

Joe
W2OZO

2251. Re: QRZ.COM

Yahoo group: XMLog
Date: 2007-09-22 14:05:35 UTC
From: Mike McAmis
Topic: 2250 Message: 2251

Hi Joe, QRZ.COM has made a change in the format of the data they return... I've posted a fix at www.xmlog.com/beta

Mike - W1ECT

2252. Re: QRZ.COM

Yahoo group: XMLog
Date: 2007-09-23 14:14:17 UTC
From: Joe Cash
Topic: 2250 Message: 2252

Thanks, Mike - I'll give it a try.

73,

W2OZO

- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Joe, QRZ.COM has made a change in the format of the data they
> return... I've posted a fix at www.xmlog.com/beta
>
> Mike - W1ECT
>

2253. RE: [XMLog] Re: QRZ.COM

Yahoo group: XMLog
Date: 2007-09-23 14:32:11 UTC
From: Kevin Nathan
Topic: 2250 Message: 2253

I got the beta after reading the messages yesterday. Works like a champ.

Thanks much Mike and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Joe Cash
Sent: Sunday, September 23, 2007 07:14
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QRZ.COM

Thanks, Mike - I'll give it a try.

73,

W2OZO

- In HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Joe, QRZ.COM has made a change in the format of the data they
> return... I've posted a fix at www.xmlog.com/-beta
>
> Mike - W1ECT
>

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.488 / Virus Database: 269.13.28/1023 - Release Date: 9/22/2007 13:27

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.488 / Virus Database: 269.13.28/1023 - Release Date: 9/22/2007 13:27

[Non-text portions of this message have been removed]

2254. Re: QRZ.COM

Yahoo group: XMLog
Date: 2007-09-24 13:30:13 UTC
From: Joe Cash - RE/MAX Preferred Professionals
Topic: 2250 Message: 2254

I am back up and running on QRZ - thanks!

73,

Joe
W2OZO

Joseph F. Cash, Jr.
Realtor
RE/MAX Preferred Professionals
908-369-6060 - Neshanic Station
908-704-1222 - Somerville / Wireless
908-369-6055 - Fax
jcash@...
www.joecash.com

[Non-text portions of this message have been removed]

2255. moving entry

Yahoo group: XMLog
Date: 2007-09-24 16:40:49 UTC
From: pa4doc
Topic: 2255 Message: 2255

Hello all,

My name is Wilko PA3BWK lis since 1981.
I should have signed up for this group years ago but never
did it........
I use XM-Log for about 6-7 years or so.
Sometimes I install those fancy programmes like Ham Radio Deluxe and
after playing a bit I see the strenght of XM-LOG, good job Michael!!

After years of neglect I am checking all my cards too see what my actual
worked/confirmed status is.
During this sorting I discovered that I had worked a new one in the
past, at least, that's what I thought.

Opening the entry I saw written in the comments that the qso has been
made from my holiday location in another country.............
So now I have to move these qso's to another log.

Question: should there be an option 'move entry to another log'???

Am I alone in this?, and secondly.....Michael??? is that possible.

Best 73,

Wilko PA3BWK

2256. Re: moving entry

Yahoo group: XMLog
Date: 2007-09-24 21:12:47 UTC
From: Mike McAmis
Topic: 2255 Message: 2256

Hi Wilko, There isn't any direct way to move entries between logs. The easiest way would be to:

1) Open the first log and select the record(s) you want to move
2) Write them to an ADIF file using the Import/Export menu item
3) Open the other log and import the ADIF file
4) Verify that the records have been imported correctly
5) Open your first log, re-select the record(s) and delete it (them)

It's probably a good idea to back up both logs before beginning this operation.

Mike - W1ECT

2257. Re: [XMLog] moving entry

Yahoo group: XMLog
Date: 2007-09-24 22:10:12 UTC
From: GerryC
Topic: 2255 Message: 2257

>Question: should there be an option 'move entry to another log'???

You could output it to an ADIF file, open the other log, and import the ADIF file.

73 de W3GERry

2258. Re: moving entry

Yahoo group: XMLog
Date: 2007-09-25 15:43:43 UTC
From: pa4doc
Topic: 2255 Message: 2258

Hello Michael,

Thanks for the quick reply.
I followed the instructions an everything went well.

Keep up the good work!

73,

Wilko

2259. Fwd: XMLOG

Yahoo group: XMLog
Date: 2007-09-28 01:24:09 UTC
From: Sydney Baron
Topic: 2259 Message: 2259

---------- Forwarded message ----------
From: Sydney Baron <sydney.baron@...>
Date: Sep 27, 2007 9:07 PM
Subject: XMLOG
To: xmlog@yahoogroups.com

I downloaded xm-log 5.38, after downloading the program, I set up the log so that I could right click the call letters so that I could get the QSL information thru QRZ.com. This worked for a short time. After a short period of time when I right clicked the call letters I got a message call could not be found. Is there a problem with the program, If so what must I do to correct this problem? Thank
you,
sydney.baron@...

[Non-text portions of this message have been removed]

2260. Re: Fwd: XMLOG

Yahoo group: XMLog
Date: 2007-09-28 13:10:43 UTC
From: Mike McAmis
Topic: 2259 Message: 2260

Hi Sydney, QRZ.COM has made a change in the format of the data they return... I've posted a fix at www.xmlog.com/beta

Mike - W1ECT

2261. Re: [XMLog] Fwd: XMLOG

Yahoo group: XMLog
Date: 2007-09-28 13:14:40 UTC
From: Howard Baker
Topic: 2259 Message: 2261

I believe the standard way to look up a call is left double click. It saves an extra click.

Sydney Baron wrote:
>
> ---------- Forwarded message ----------
> From: Sydney Baron <sydney.baron@...
> <mailto:sydney.baron%40gmail.com>>
> Date: Sep 27, 2007 9:07 PM
> Subject: XMLOG
> To: xmlog@yahoogroups.com <mailto:xmlog%40yahoogroups.com>
>
> I downloaded xm-log 5.38, after downloading the program, I set up the
> log so
> that I could right click the call letters so that I could get the QSL
> information thru QRZ.com. This worked for a short time. After a short
> period
> of time when I right clicked the call letters I got a message call
> could not
> be found. Is there a problem with the program, If so what must I do to
> correct this problem? Thank
> you,
> sydney.baron@... <mailto:sydney.baron%40gmail.com>
>
> [Non-text portions of this message have been removed]
>
>

2262. moving a field

Yahoo group: XMLog
Date: 2007-09-30 10:05:40 UTC
From: Bill
Topic: 2262 Message: 2262

Is there a preferred field to use to store club numbers?

I fouled up bad and stored mine in the address 4 field. Now I can't figure out how to move them to another field. I was thinking of using the comments field, but some records would have data in both the address 4 and comments field.

Is there anyway short of modifying each record to fix this? I considered writing a program to loop through the adif file, but hope someone might suggest an easier way.

Thanks, Bill NT9K..

2263. RE: [XMLog] moving a field

Yahoo group: XMLog
Date: 2007-09-30 17:25:45 UTC
From: Craig Bradley
Topic: 2262 Message: 2263

Bill,

I would consider using the contest in or out fields.

I don't know any easy way to move this data, but someone else might have ideas. I think that it will require a special program.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Bill
Sent: Sunday, September 30, 2007 3:06 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] moving a field

Is there a preferred field to use to store club numbers?

I fouled up bad and stored mine in the address 4 field. Now I can't figure out how to move them to another field. I was thinking of using the comments field, but some records would have data in both the address 4 and comments field.

Is there anyway short of modifying each record to fix this? I considered writing a program to loop through the adif file, but hope someone might suggest an easier way.

Thanks, Bill NT9K..

[Non-text portions of this message have been removed]

2264. split on FT-2000

Yahoo group: XMLog
Date: 2007-10-02 09:02:26 UTC
From: pa4doc
Topic: 2264 Message: 2264

Hello all,

I don't know if there are a few FT-2000 users around.
I find it irritating that during operating in split mode my second VFO
does not move during band changes.

So, if I worked a DX station on 15 meters and click on another spot on
20 meters my second VFO/receiver will stay put on 15 meters.
This has nothing to do with internal settings, when I operate the FT2K
manually this way it works fine.

The only question is, are there provisions in the CAT protocol to do so?

Michael????? ;-)

Best regards,

Wilko

2265. spotting

Yahoo group: XMLog
Date: 2007-10-02 09:05:17 UTC
From: pa4doc
Topic: 2265 Message: 2265

Hello Guys,

Another topic.

What is the easiest way to SEND a spot to a DX-cluster.
There is no option in the log screen like, select right mouse
click, 'send spot' or something like that.

Am I overlooking something? I get a bit tired of typing everything
manually in the packet window.

Best regards,

Wilko PA3BWK

2266. Re: [XMLog] split on FT-2000

Yahoo group: XMLog
Date: 2007-10-02 09:28:56 UTC
From: N7MAL
Topic: 2264 Message: 2266

I just tested it with my MKV and the second doesn't move. I thought it didn't but I wanted to be sure. Even if you're using VFO B and click on a spot only the A VFO changes. I don't ever remember VFO B changing in any previous version. On the MKV you cannot change VFO B unless you do it manually, in other words VFO B will not change bands when you change bands with VFO A... I do a lot of contesting using both CT & N1MM and neither of those even recognize VFO B.
I don't know if any of that info helps.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: pa4doc
To: XMLog@yahoogroups.com
Sent: Tuesday, October 02, 2007 9:02
Subject: [XMLog] split on FT-2000

Hello all,

I don't know if there are a few FT-2000 users around.
I find it irritating that during operating in split mode my second VFO
does not move during band changes.

So, if I worked a DX station on 15 meters and click on another spot on
20 meters my second VFO/receiver will stay put on 15 meters.
This has nothing to do with internal settings, when I operate the FT2K
manually this way it works fine.

The only question is, are there provisions in the CAT protocol to do so?

Michael????? ;-)

Best regards,

Wilko

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2267. Re:spotting

Yahoo group: XMLog
Date: 2007-10-02 18:27:29 UTC
From: John KI4RO
Topic: 2265 Message: 2267

Wilko,
Bring up the packet window and hit SHIFT F1.

73
John KI4RO

[Non-text portions of this message have been removed]

2268. Re: moving a field

Yahoo group: XMLog
Date: 2007-10-02 20:44:21 UTC
From: Mike McAmis
Topic: 2262 Message: 2268

Hi Bill,

XMLog log files are Microsoft Access databases and there is lots of software out there that allows you to write scripts or programs that diddle the records. I've never tried it myself but there are folk out there who have...

If you use Access be sure to answer "No" to the "Do you want to convert the database" message. When you answer "No" it will give you a message that you cant change the database, but what it means is that you can't change field definitions/properties, etc. - you will be allowed to modify field values.

If you decide to become a database hacker be sure to back up your log and also do all your testing on a copy of the log file, not the real thing! I'd go so far as putting the test copy in another folder and renaming it to make it harder to make a mistake and hack the real log.

Mike - W1ECT

2269. Re: spotting

Yahoo group: XMLog
Date: 2007-10-02 20:48:34 UTC
From: Mike McAmis
Topic: 2265 Message: 2269

Hi Wilko, There is a default "canned" message for the Packet Window:

DX #freq #him

that should do the trick. Check the help file on how to get #him set
and for how these canned messages work.

Mike - W1ECT

2270. Re: split on FT-2000

Yahoo group: XMLog
Date: 2007-10-02 20:51:26 UTC
From: Mike McAmis
Topic: 2264 Message: 2270

Hi Wilko, Most folk (including myself) would not want XMLog to wipe out the VFO B setting when it sets the mode/frequency. I'm afraid you'll have to hit the A=B or A<->B or whatever button the FT-2000 has.

Mike - W1ECT

2271. Re: [XMLog] Re: split on FT-2000

Yahoo group: XMLog
Date: 2007-10-03 08:31:28 UTC
From: N7MAL
Topic: 2264 Message: 2271

Mike & Wilko after I made my posting I wondered why you would want the sub VFO to track/band change with VFO A. My MKV has a big clarifier and I'm assuming the 2000 has the same, +/- 10khz. So for most, not all but most, split operations the clarifier is more than enough especially since a simple click switches the clarifier between TX/RX. I've never even thought about the 2 VFO's automatically tracking each other and I've had the MKV for 3 years.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Tuesday, October 02, 2007 20:51
Subject: [XMLog] Re: split on FT-2000

Hi Wilko, Most folk (including myself) would not want XMLog to wipe out the VFO B setting when it sets the mode/frequency. I'm afraid you'll have to hit the A=B or A<->B or whatever button the FT-2000 has.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2272. Re: spotting

Yahoo group: XMLog
Date: 2007-10-03 08:39:42 UTC
From: pa4doc
Topic: 2265 Message: 2272

Hello Mike,

This was a real RTFM problem, I had it working now in 2 minutes.
Of course I have seen this option but it never occured to me
that I should (or could) use this for spotting.

Keep up the good work Mike!
Thanks for the quick reply

Wilko

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wilko, There is a default "canned" message for the Packet Window:
>
> DX #freq #him
>
> that should do the trick. Check the help file on how to get #him set
> and for how these canned messages work.
>
> Mike - W1ECT
>

2273. Re: moving a field

Yahoo group: XMLog
Date: 2007-10-03 10:43:26 UTC
From: ad5uu
Topic: 2262 Message: 2273

Be careful using the contest fields. I don't think they export to
a .TXT file. I think they are included in ADIF though. Meaning this
method may be difficult to deal with in the future.
73
Paul KZ5p

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Bill,
>
>
>
> I would consider using the contest in or out fields.
>
>
>
> I don't know any easy way to move this data, but someone else might
have
> ideas. I think that it will require a special program.
>
>
>
> Good luck & 73,
>
> - Craig, AE6RR

2274. Re: split on FT-2000

Yahoo group: XMLog
Date: 2007-10-03 12:02:23 UTC
From: pa4doc
Topic: 2264 Message: 2274

Hello Mal,

I can understand your idea about this from your your point
of view however.....

The way you use the clarifier is the single RX operation style.
Your MKV has TWO receivers, how (or do) you use the second RX?

The idea is that your second RX(and TX) is used to listen to all the
callers on the offset frequency and try to find the station which is
beeing worked by the DX station. Then you send on the frequency of
your second RX and pray the DX station is still listening on that
same spot.

Now, to make my point clear, when I move from one band to an other by
clicking on the band map I have to press(time consuming) buttons on
my transceiver to get the second RX/TX in the same band.

From my point of view it would be preferrable to have BOTH VFO's
moved to the same spot.

I still think this will serve others too.

Best regards!

Wilko PA3BWK

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
>
> Mike & Wilko after I made my posting I wondered why you would want
the sub VFO to track/band change with VFO A. My MKV has a big
clarifier and I'm assuming the 2000 has the same, +/- 10khz. So for
most, not all but most, split operations the clarifier is more than
enough especially since a simple click switches the clarifier between
TX/RX. I've never even thought about the 2 VFO's automatically
tracking each other and I've had the MKV for 3 years.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
>
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com

> Sent: Tuesday, October 02, 2007 20:51
> Subject: [XMLog] Re: split on FT-2000
>
>
> Hi Wilko, Most folk (including myself) would not want XMLog to wipe
out
> the VFO B setting when it sets the mode/frequency. I'm afraid
you'll
> have to hit the A=B or A<->B or whatever button the FT-2000 has.
>
> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2275. Re: split on FT-2000

Yahoo group: XMLog
Date: 2007-10-03 12:02:38 UTC
From: pa4doc
Topic: 2264 Message: 2275

Hello Mal,

I can understand your idea about this from your your point
of view however.....

The way you use the clarifier is the single RX operation style.
Your MKV has TWO receivers, how (or do) you use the second RX?

The idea is that your second RX(and TX) is used to listen to all the
callers on the offset frequency and try to find the station which is
beeing worked by the DX station. Then you send on the frequency of
your second RX and pray the DX station is still listening on that
same spot.

Now, to make my point clear, when I move from one band to an other by
clicking on the band map I have to press(time consuming) buttons on
my transceiver to get the second RX/TX in the same band.

From my point of view it would be preferrable to have BOTH VFO's
moved to the same spot.

I still think this will serve others too.

Best regards!

Wilko PA3BWK

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
>
> Mike & Wilko after I made my posting I wondered why you would want
the sub VFO to track/band change with VFO A. My MKV has a big
clarifier and I'm assuming the 2000 has the same, +/- 10khz. So for
most, not all but most, split operations the clarifier is more than
enough especially since a simple click switches the clarifier between
TX/RX. I've never even thought about the 2 VFO's automatically
tracking each other and I've had the MKV for 3 years.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
>
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com

> Sent: Tuesday, October 02, 2007 20:51
> Subject: [XMLog] Re: split on FT-2000
>
>
> Hi Wilko, Most folk (including myself) would not want XMLog to wipe
out
> the VFO B setting when it sets the mode/frequency. I'm afraid
you'll
> have to hit the A=B or A<->B or whatever button the FT-2000 has.
>
> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2276. RE: [XMLog] Re: split on FT-2000

Yahoo group: XMLog
Date: 2007-10-03 14:14:45 UTC
From: Craig Bradley
Topic: 2264 Message: 2276

I agree, even on rigs that only have one receiver, it is better to use the second VFO in spilt mode than use the RIT or clarifier. If you are moving your transmit frequency around in the pileup, you will lose the DX, although you could use XIT or TX CLAR on a FT box to do this, but when I have a sub-receiver available, I want to listen to my transmit frequency also and try to find where the DX is listening. Also having that nice big second VFO knob (if you have one) is great for moving around in the pileup while listening to the DX. For 40m SSB DX, the clarifier doesn't have enough range.

When changing bands if the second VFO does not change bands, it would be good to have split mode turned off. I have occasionally changed bands when in split mode and then transmitted (on the other band). Amplifiers do not like this and you may have the wrong antenna selected or a tuner setup wrong.

If the second VFO is changed, then you have a question of "to what frequency?", it would probably be the same as the first VFO. I can see an argument for leaving the second VFO where it was if you plan to go back to the first band also.

One solution to this would be to have a setup option where the user could select the desired actions for a band change.

I use Writelog for contesting and it controls the second VFO if there is a split frequency in the packet spot. This is really cool in a contest on 40m SSB when the DX is in foreign part of the band and listening up in the US band. When you click on him, your rig gets setup for both frequencies!

Just my 2 cents worth. Thanks for a great program Mike!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of pa4doc
Sent: Wednesday, October 03, 2007 5:02 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: split on FT-2000

Hello Mal,

I can understand your idea about this from your your point of view however.....

The way you use the clarifier is the single RX operation style.
Your MKV has TWO receivers, how (or do) you use the second RX?

The idea is that your second RX(and TX) is used to listen to all the
callers on the offset frequency and try to find the station which is
beeing worked by the DX station. Then you send on the frequency of
your second RX and pray the DX station is still listening on that
same spot.

Now, to make my point clear, when I move from one band to an other by
clicking on the band map I have to press(time consuming) buttons on
my transceiver to get the second RX/TX in the same band.

From my point of view it would be preferrable to have BOTH VFO's
moved to the same spot.

I still think this will serve others too.

Best regards!

Wilko PA3BWK

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "N7MAL"
<n7mal@...> wrote:
>
> Mike & Wilko after I made my posting I wondered why you would want
the sub VFO to track/band change with VFO A. My MKV has a big
clarifier and I'm assuming the 2000 has the same, +/- 10khz. So for
most, not all but most, split operations the clarifier is more than
enough especially since a simple click switches the clarifier between
TX/RX. I've never even thought about the 2 VFO's automatically
tracking each other and I've had the MKV for 3 years.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal.com> com
>
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Tuesday, October 02, 2007 20:51
> Subject: [XMLog] Re: split on FT-2000
>
>
> Hi Wilko, Most folk (including myself) would not want XMLog to wipe
out
> the VFO B setting when it sets the mode/frequency. I'm afraid
you'll
> have to hit the A=B or A<->B or whatever button the FT-2000 has.
>

> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2277. Re: moving a field

Yahoo group: XMLog
Date: 2007-10-12 18:08:19 UTC
From: Bill
Topic: 2262 Message: 2277

Thanks Mike, this was a piece of cake! Very easy to do. After following your instructions, I opened up a table view in Access and simply copied the entire column from Address5 to TestIn. I just closed the table and then closed Access. It does not give you a save option. You just have to close the table.

I did make a copy of my NT9K.log file to use as the test in another directory. I then opened XMLog and closed my regular log and opened the test log. Voila, everything copied perfectly with no truncation of my data. I was afraid the TestIn field length would truncate my club numbers, but it didn't.

Thanks for helping me!
73, Bill NT9K
http://www.nt9k.com

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Bill,
>
> XMLog log files are Microsoft Access databases and there is lots of
> software out there that allows you to write scripts or programs that
> diddle the records. I've never tried it myself but there are folk out
> there who have...
>
> If you use Access be sure to answer "No" to the "Do you want to convert
> the database" message. When you answer "No" it will give you a message
> that you cant change the database, but what it means is that you can't
> change field definitions/properties, etc. - you will be allowed to
> modify field values.
>
> If you decide to become a database hacker be sure to back up your log
> and also do all your testing on a copy of the log file, not the real
> thing! I'd go so far as putting the test copy in another folder and
> renaming it to make it harder to make a mistake and hack the real log.
>
> Mike - W1ECT
>

2278. Re: moving a field

Yahoo group: XMLog
Date: 2007-10-13 15:57:29 UTC
From: Mike McAmis
Topic: 2262 Message: 2278

OK Bill, Glad you got things moved ok. I had forgotten about
that "test" field. I don't remember what I used if for but I'm glad I
left it lying about.

Mike - W1ECT

2279. RE: [XMLog] Re: moving a field

Yahoo group: XMLog
Date: 2007-10-13 18:29:28 UTC
From: Craig Bradley
Topic: 2262 Message: 2279

Mike,

I think that he was referring to the Test In field for contest exchanges.

Craig - AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Saturday, October 13, 2007 8:57 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: moving a field

OK Bill, Glad you got things moved ok. I had forgotten about
that "test" field. I don't remember what I used if for but I'm glad I
left it lying about.

Mike - W1ECT

[Non-text portions of this message have been removed]

2280. XMLog & Vista

Yahoo group: XMLog
Date: 2007-10-15 16:37:43 UTC
From: lyntontuk
Topic: 2280 Message: 2280

Hi,
I'm a Radio Amateur living in the UK and have been using XMLog for about 2 months.
Initially I ran XMLog on a Windows 2000 machine with no problems but am having some problems with it running on Windows Vista.
I'm guessing essentially it is not as yet supported under Vista but nonetheless I'm going to stick with it because I like the program so much.
I may well just have to move it back to the Windows 2000 machine :-)

My questions are:-

1. Is support planned for Vista or are there workarounds for the problems I list below.

2. As a UK amateur is there anything I need to be aware of that might just catch me out because this software is I imagine primarily written for American Hams ?

Vista problems
==========
1. XMLog crashes when CW Keyboard Window is opened.
2. XMLog crashes when Packet Window is closed.

There are a few others but the results are the same :-)

Any ideas on some workarounds ?

Thanks for an excellent piece of software.

Regards

Lynton

2281. IC-7800

Yahoo group: XMLog
Date: 2007-10-19 22:42:55 UTC
From: dob1027
Topic: 2281 Message: 2281

Am having a problem with rigcontrol using RIGBlaster Pro and the IC-7800.

Worked fine when I had the Icom ProII.

Any suggestions would be appreciated.

Thanks

Darrel - WD8ANZ

2282. error in spots map

Yahoo group: XMLog
Date: 2007-10-22 14:40:20 UTC
From: pa4doc
Topic: 2282 Message: 2282

Hi all,

Try the following.

Right-click on a spot in the spotsmap and select: show qso and check
call for
In my case it reverts back to the selected record in the log screen.

Anybody?

Running 5.42

Regards,

Wilko PA3BWK

2283. RE: [XMLog] error in spots map

Yahoo group: XMLog
Date: 2007-10-22 14:56:15 UTC
From: Craig Bradley
Topic: 2282 Message: 2283

I am not sure what the problem is.

If I do this it does appear in the Show QSOs + Check Call Window which is what I would expect. It does not change the Q in the QSOs window. If I have worked the station before, it should select all of the Qs from that station. Currently, I do not have any spots for stations that I have worked, but that has worked in the past.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of pa4doc
Sent: Monday, October 22, 2007 7:40 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] error in spots map

Hi all,

Try the following.

Right-click on a spot in the spotsmap and select: show qso and check call for
In my case it reverts back to the selected record in the log screen.

Anybody?

Running 5.42

Regards,

Wilko PA3BWK

[Non-text portions of this message have been removed]

2284. Install problems - maybe some help

Yahoo group: XMLog
Date: 2007-10-28 17:24:45 UTC
From: n4tn
Topic: 2284 Message: 2284

I just finished a marathon effort to help my friend W4SK get XMLOG installed on a new laptop running XP. He experienced the same "out of date system files" type messages that some others have reported. He found that scrrun.dll was in windows/system32 as it should be, and that entering the regsvr32 command did not help. This morning I found that there is a brand new (maybe old but updated? Last Review: Oct 26, 2007) support page which addresses a related problem. In it(as I understand it), scrrrun.dll is OK, but a related file, scrrun.dep, contains a pointer to a non-existent .cab file which causes scrrrun.dll to fail.

An executeable file download is available in the Resolution section of the support page.

W4SK downloaded the file, executed it, re-booted, and the XMLOG install ran with no trouble. I thought that there might be others who are (or will be) encountering this problem. The support page with the fix is at:
http://support.microsoft.com/kb/254166

73 - Don Jones N4TN
(note: My email address above has been changed. Change "chartertn" to just "charter")

2285. Re: Install problems - maybe some help

Yahoo group: XMLog
Date: 2007-10-29 15:29:25 UTC
From: Mike McAmis
Topic: 2284 Message: 2285

Hi Don, Thanks for the insight into this problem and for finding the official note from Microsoft. I had run into this problem myself at one point but assumed it was some screw-up local to my system. I must admit I used a more direct method of 'fixing' the problem, I just deleted the scrrun.dep file...

Mike - W1ECT

2286. XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-29 18:52:05 UTC
From: Mike McAmis
Topic: 2286 Message: 2286

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

2287. Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-30 12:35:33 UTC
From: ab1dd
Topic: 2286 Message: 2287

Hi Mike,
Checked out the prototype XMLog. The only comment I have is the tab order of the first 6 fields. The way I operate, I use a paper log when mobile. I then enter the info later, and enter the date, time etc manually. I don't need to enter power and mode. So, I have to tab over these fields, where before I didn't.
The rest of the layout is good, and the borders make the layout look better.

Carl
AB1DD

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> There is a prototype version of XMLog with LOTW features available at:
>

2288. Re: [XMLog] Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-30 13:07:18 UTC
From: Dave Sergeant
Topic: 2286 Message: 2288

On 30 Oct 2007 at 12:35, ab1dd wrote:

> Hi Mike,
> Checked out the prototype XMLog. The only comment I have is the tab
> order of the first 6 fields. The way I operate, I use a paper log when
> mobile. I then enter the info later, and enter the date, time etc
> manually. I don't need to enter power and mode. So, I have to tab over
> these fields, where before I didn't. The rest of the layout is good,
> and the borders make the layout look better.
>
> Carl
> AB1DD
>

I have not looked at the prototype, but I would also find this a great inconvenience. Apart from contests I also log manually on paper and enter them later. My power and mode are always 5W and CW and so do not want those extra tabs.

Another irritation I have with 5.40 is when importing ADIFs where you have to go through three seperate screens confirming you want to accept the defaults. When I want to import I know what I am doing and want to go straight to the window to choose the file, just like it used to do in earlier versions. Maybe you have done it right in the prototype?

73 Dave G3YMC

http://www.davesergeant.com

2289. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-30 14:04:05 UTC
From: Jim Roller
Topic: 2286 Message: 2289

Hi Mike,

Looks good. One question - if I skip records that show up on the validity report, will the LOTW be updated regardless? Most of the conflicts and bad data do not really interest me, I only want to know if I have the LOTW confirmation.

A suggestion - Reports: Can the reports (DXCC, WAS) indicate that BOTH an LOTW and QSL card are received from a station? I am getting ready to submit my 160m DXCC and I have 86 cards in hand plus 14 LOTW only confirmations. However, I have a total of 57 confirmations on LOTW, so when I submit I will only send in 29 actual cards, saving more cards from potential loss and also saving on postage costs. Perhaps on the LOTW excluded option, those stations with both card and LOTW confirmation could be flagged with an asterisk or something.

I downloaded 10,850 LOTW records and found 643 invalid records for a 6% error rate. Almost all were due to the old zone 04/05 conundrum. Other errors were due to folks not knowing the difference between the ITU and CQ zones, and some had no clues as to where they live or what a grid square is, hi.

The prototype really looks good. Keep up the good work!

73/CUL,

Jim, N4IR

[Non-text portions of this message have been removed]

2290. RE: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-30 16:21:58 UTC
From: Craig Bradley
Topic: 2286 Message: 2290

Hi Mike,

This is great!

I updated to 5.42 and installed the prototype. I was able to download my LoTW report with no problems. It might be good to not display the password for security reasons, a minor nit.

My report did not have any "Not in Log" or "Bad Data". As all of my LoTW uploads are from XMLog, I would have been surprised to see any of these. Out of 619 records, the program flagged 65 conflicts. I displayed that data in Excel and then sorted by problem. One note here, the report has merged cells and you need to un-merge the cells before doing a sort. The breakdown is:

County - 8

Grid - 37

Prefix W/KP2 - 3 (3 QSOs, same call, WP2Z)

State - 8 (4 with same call)

Zone - 9

I looked at some of the grids. I think that many of them are QRZ.com errors. The other likely problems are that people have moved (states, counties, grids, etc.). For older contacts, you probably do not want to change the data. Also, it would be good to flag any of these QSOs that have been previously confirmed, submitted, etc. as you probably do not want to touch those. Maybe the dreaded "Are Sure" window for these.

It might be nice to have some options like "replace all grids/states/counties" etc. for doing the update although this could be dangerous. This is only a first time problem thought some maybe it is better to "bite the bullet" and go through them one at a time. You could elect to change all of the records for one call at once though.

The log entry screen looks nice, I like the design, however I have a problem with the form factor; the window is too wide. I like to keep XMLog running all of the time on my logging computer which is a laptop. I have the log window in the lower right corner, the Show QSOs, Check Call window above it, the Packet window to the left with the Packet Spots Map on top of it. I have to make the Packet Spots Map too narrow to avoid overlapping the Log Window. If the Spots Map is too narrow, you cannot read the posting info at the bottom.

I would suggest moving the Mode and Power fields to the bottom so the RST fields could be where they are in the standard version (this would solve the tabbing problem) and also moving the Zone, Grid and IOTA to the bottom. This would allow for a narrower window. If you are using rig settings and a fixed pre-fill power, you don't need to enter these. It could be taller as vertical display space is not a problem. Also, when logging contacts, the 6 QSL fields are not needed, they could be optional (like the contest fields) or on another page, either a new page or on the Awards Tracking page (it might be nice to see them on this page when reviewing for submissions). The only time that you need them on the Log Window is when manually entering a paper log that may have QSL info.

I hope this helps Mike. I am looking forward to the next version. When you get into updating the actual log fields in the reports, could you add a Continent field to the custom reports area for Display Excel? That would be very useful for checking for 5-band WAC. Also, IOTA requires contacts from all continents.

Keep up the good work!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Monday, October 29, 2007 11:52 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

[Non-text portions of this message have been removed]

2291. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-30 20:08:47 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2291

Great effort Mike. This is something I have been waiting for with thoughts of changing log programs to get the features. I am glad that you are working on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't see the bottom. I have not figures out any way to resize the window to fit on the screen. I deleted the contest windows and that helped some, but I still can't see the bottom where it tells me how many contacts are selected and I use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need a drop down window to pick an acceptable county. It is real picky, like when you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as Virginia Beach City, VA and St. Louis City, MO. This goes back to the old program, but now it stops you when you are merging and the only way around that I found is to enter some wrong county. It will not even let you pass by trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to coordinate my log and LOTW without the manual entry that I have been using. I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2292. RE: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 03:28:44 UTC
From: Craig Bradley
Topic: 2286 Message: 2292

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than ¼ of the screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with thoughts of changing log programs to get the features. I am glad that you are working on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't see the bottom. I have not figures out any way to resize the window to fit on the screen. I deleted the contest windows and that helped some, but I still can't see the bottom where it tells me how many contacts are selected and I use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need a drop down window to pick an acceptable county. It is real picky, like when you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as Virginia Beach City, VA and St. Louis City, MO. This goes back to the old program, but now it stops you when you are merging and the only way around that I found is to enter some wrong county. It will not even let you pass by trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to coordinate my log and LOTW without the manual entry that I have been using.

I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2293. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 13:23:26 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2293

Thanks Craig, I didn't think of that! This is just one of the reasons that these forums are worth while. I was using 1024x728 and changed to 1152x864 and now it fits. I had to change fonts on my email to be able to read it, but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than ¼ of the screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with thoughts
of changing log programs to get the features. I am glad that you are working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't see the
bottom. I have not figures out any way to resize the window to fit on the
screen. I deleted the contest windows and that helped some, but I still can't see the bottom where it tells me how many contacts are selected and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set

LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2294. eQSL Support?

Yahoo group: XMLog
Date: 2007-10-31 16:13:08 UTC
From: John P Smith
Topic: 2294 Message: 2294

Mike,
Now that you've gotten LOTW working, do you have any plans to support
eQSL?

73
John KI4RO

2295. RE: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 16:14:32 UTC
From: Craig Bradley
Topic: 2286 Message: 2295

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have a large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons that these forums are worth while. I was using 1024x728 and changed to 1152x864 and now it fits. I had to change fonts on my email to be able to read it, but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than ¼ of the screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with thoughts
of changing log programs to get the features. I am glad that you are working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't see the
bottom. I have not figures out any way to resize the window to fit on the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2296. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 16:30:53 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2296

I was not aware that one could select font size. How do you do that and how do I tell what font size I have selected? I do know how to change font on my email reader and I had to go to a larger font when I increased the pixel size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than ¼ of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I
need
a drop down window to pick an acceptable county. It is real picky, like
when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties,
such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the
old
program, but now it stops you when you are merging and the only way

around
that I found is to enter some wrong county. It will not even let you
pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to
being to
coordinate my log and LOTW without the manual entry that I have been
using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2297. RE: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 16:42:43 UTC
From: Craig Bradley
Topic: 2286 Message: 2297

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how do I tell what font size I have selected? I do know how to change font on my email reader and I had to go to a larger font when I increased the pixel size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than ¼ of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I

use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2298. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 17:42:22 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2298

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than ¼ of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf

Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with thoughts
of changing log programs to get the features. I am glad that you are working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't see the
bottom. I have not figures out any way to resize the window to fit on the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2299. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 23:12:30 UTC
From: N7MAL
Topic: 2286 Message: 2299

I've been watching this thread and I'm really confused. First a standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768 and the new version only covers 25% of my screen. There is no place where anything is cutoff. Also my date/time are dead on the money entering a new entry manually.

Now the one problem I am having is when try to create a new log entry automatically from the packet terminal window the program crashes. It opens an idiot window that says runtime error '5' and then closes down/crashes. Everything else from right-click works perfectly(in my case left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and
look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and
how
do I tell what font size I have selected? I do know how to change font
on my
email reader and I had to go to a larger font when I increased the
pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I
need
a drop down window to pick an acceptable county. It is real picky, like

when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties,
such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the
old
program, but now it stops you when you are merging and the only way
around
that I found is to enter some wrong county. It will not even let you
pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to
being to
coordinate my log and LOTW without the manual entry that I have been
using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2300. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 23:30:29 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2300

Mal, under the Options button the first option allows you to choose the fields that you like to see on your entry screen. I am showing QSO Info, Address, Award Tracking and Time Off. I was showing the contest fields as well. When the new fields were added for LOTW and EQSL the block became too long to be displayed on the height of the screen as I had my setup. Since the drag function is at the top of the screen I could not drag the block up enough to see the bottom lines. Increasing my resolution to1152 x 864 allowed me to see the whole block when I deleted the Contest fields. My entry block now occupies about half of my screen which is about what I want. Craig's suggestion for increasing the resolution was right on the money for me. Perhaps you have elected to show less information on your entry screen or are still using the default. I don't remember what the default is because I have been using this screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a
standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768
and the new version only covers 25% of my screen. There is no place
where anything is cutoff. Also my date/time are dead on the money entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry
automatically from the packet terminal window the program crashes. It
opens an idiot window that says runtime error '5' and then closes
down/crashes. Everything else from right-click works perfectly(in my case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too
large at 1024x728. Just enough that I could not read the very bottom
which tells how many qsos are selected. Some may not use this much, but

I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with thoughts
of changing log programs to get the features. I am glad that you are working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't see the
bottom. I have not figures out any way to resize the window to fit on the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2301. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-10-31 23:52:14 UTC
From: N7MAL
Topic: 2286 Message: 2301

Here is a low resolution screenshot of my screen:
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the fields that you like to see on your entry screen. I am showing QSO Info, Address, Award Tracking and Time Off. I was showing the contest fields as well. When the new fields were added for LOTW and EQSL the block became too long to be displayed on the height of the screen as I had my setup. Since the drag function is at the top of the screen I could not drag the block up enough to see the bottom lines. Increasing my resolution to1152 x 864 allowed me to see the whole block when I deleted the Contest fields. My entry block now occupies about half of my screen which is about what I want. Craig's suggestion for increasing the resolution was right on the money for me. Perhaps you have elected to show less information on your entry screen or are still using the default. I don't remember what the default is because I have been using this screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a
standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768
and the new version only covers 25% of my screen. There is no place
where anything is cutoff. Also my date/time are dead on the money entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry
automatically from the packet terminal window the program crashes. It
opens an idiot window that says runtime error '5' and then closes
down/crashes. Everything else from right-click works perfectly(in my case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I
need
a drop down window to pick an acceptable county. It is real picky, like
when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties,
such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the
old
program, but now it stops you when you are merging and the only way
around
that I found is to enter some wrong county. It will not even let you
pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2302. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 00:02:41 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2302

You are not showing the QSL Info and Awards Tracking that I am showing. You are showing satellite info and contest info that I do not show. I am not involved in satellite, so don't show that and my contest programs both put the contest exchange info in notes instead of the contest exchange blocks. The width of your block is about the same as mine

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:52:14 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

Here is a low resolution screenshot of my screen:
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the fields that you like to see on your entry screen. I am showing QSO Info, Address, Award Tracking and Time Off. I was showing the contest fields as well. When the new fields were added for LOTW and EQSL the block became too long to be displayed on the height of the screen as I had my setup. Since the drag function is at the top of the screen I could not drag the block up enough to see the bottom lines. Increasing my resolution to1152 x 864 allowed me to see the whole block when I deleted the Contest fields. My entry block now occupies about half of my screen which is about what I want. Craig's suggestion for increasing the resolution was right on the money for me. Perhaps you have elected to show less information on your entry screen or are still using the default. I don't remember what the default is because I have been using this screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768
and the new version only covers 25% of my screen. There is no place where anything is cutoff. Also my date/time are dead on the money entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry automatically from the packet terminal window the program crashes. It opens an idiot window that says runtime error '5' and then closes down/crashes. Everything else from right-click works perfectly(in my case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but
I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very
big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons that
these forums are worth while. I was using 1024x728 and changed to 1152x864
and now it fits. I had to change fonts on my email to be able to read it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I

need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2303. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 00:13:22 UTC
From: N7MAL
Topic: 2286 Message: 2303

OK try it now. I will be gone for several hours.
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, November 01, 2007 0:02
Subject: Re: [XMLog] XMLog LOTW Prototype

You are not showing the QSL Info and Awards Tracking that I am showing. You are showing satellite info and contest info that I do not show. I am not involved in satellite, so don't show that and my contest programs both put the contest exchange info in notes instead of the contest exchange blocks. The width of your block is about the same as mine

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:52:14 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

Here is a low resolution screenshot of my screen:
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the fields that you like to see on your entry screen. I am showing QSO Info, Address, Award Tracking and Time Off. I was showing the contest fields as well. When the new fields were added for LOTW and EQSL the block became too long to be displayed on the height of the screen as I had my setup. Since the drag function is at the top of the screen I could not drag the block up enough to see the bottom lines. Increasing my resolution to1152 x 864 allowed me to see the whole block when I deleted

the Contest fields. My entry block now occupies about half of my
screen which is about what I want. Craig's suggestion for increasing the
resolution was right on the money for me. Perhaps you have elected to
show less information on your entry screen or are still using the
default. I don't remember what the default is because I have been using this
screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a
standard resolution is 1024 X 768. Second my resolution is set to 1024
X 768
and the new version only covers 25% of my screen. There is no place
where anything is cutoff. Also my date/time are dead on the money
entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry
automatically from the packet terminal window the program crashes. It
opens an idiot window that says runtime error '5' and then closes
down/crashes. Everything else from right-click works perfectly(in my
case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too
large at 1024x728. Just enough that I could not read the very bottom
which tells how many qsos are selected. Some may not use this much,
but
I use it a lot. The next higher resolution solved the problem so I am
ok on that one. Now to get the date problem solved and I will be much
happier. I have done some programming and I can easily understand how
when you fix something, something else goes to pot. But I am a big
user of LOTW so very anxious for everything to be working. This is a
very
big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and
look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and
how
do I tell what font size I have selected? I do know how to change font
on my
email reader and I had to go to a larger font when I increased the
pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of

WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't

see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I
need
a drop down window to pick an acceptable county. It is real picky, like
when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties,
such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the
old
program, but now it stops you when you are merging and the only way
around
that I found is to enter some wrong county. It will not even let you
pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to
being to
coordinate my log and LOTW without the manual entry that I have been
using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2304. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 01:23:37 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2304

That is what I had except that you were able to drag your block a tiny bit higher that I could. My bottom line was wiped out by the windows information panel at the bottom of the screen. Maybe a different video board or something. The solution that Craig suggested works fine for me, so I am happy with that part. Now I need a solution for my other squaks.

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 7:13:22 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

OK try it now. I will be gone for several hours.
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, November 01, 2007 0:02
Subject: Re: [XMLog] XMLog LOTW Prototype

You are not showing the QSL Info and Awards Tracking that I am showing.
You are showing satellite info and contest info that I do not show.
I am not involved in satellite, so don't show that and my contest
programs both put the contest exchange info in notes instead of the contest
exchange blocks. The width of your block is about the same as mine

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:52:14 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

Here is a low resolution screenshot of my screen:
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE

To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the fields that you like to see on your entry screen. I am showing QSO Info, Address, Award Tracking and Time Off. I was showing the contest fields as well. When the new fields were added for LOTW and EQSL the block became too long to be displayed on the height of the screen as I had
my setup. Since the drag function is at the top of the screen I could not drag the block up enough to see the bottom lines. Increasing my resolution to1152 x 864 allowed me to see the whole block when I deleted
the Contest fields. My entry block now occupies about half of my screen which is about what I want. Craig's suggestion for increasing the
resolution was right on the money for me. Perhaps you have elected to show less information on your entry screen or are still using the default. I don't remember what the default is because I have been using this
screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768
and the new version only covers 25% of my screen. There is no place where anything is cutoff. Also my date/time are dead on the money entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry automatically from the packet terminal window the program crashes. It opens an idiot window that says runtime error '5' and then closes down/crashes. Everything else from right-click works perfectly(in my case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but
I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very
big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com

Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I
need
a drop down window to pick an acceptable county. It is real picky, like
when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties,
such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the
old
program, but now it stops you when you are merging and the only way
around
that I found is to enter some wrong county. It will not even let you
pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to
being to
coordinate my log and LOTW without the manual entry that I have been
using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2305. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 04:56:54 UTC
From: N7MAL
Topic: 2286 Message: 2305

Well now I understand the/your problem. You, or no one else, needs that windows stuff on the bottom of your screen. Here's the fix:
1. Click on the start button in the lower left of your screen.
2. Go up to settings and click on Task bar and start menu.
3. Check Auto-Hide the task bar and then click on apply.
All that windows stuff on the bottom of your screen will disappear until you move your mouse cursor down to the bottom.
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, November 01, 2007 1:23
Subject: Re: [XMLog] XMLog LOTW Prototype

That is what I had except that you were able to drag your block a tiny bit higher that I could. My bottom line was wiped out by the windows information panel at the bottom of the screen. Maybe a different video board or something. The solution that Craig suggested works fine for me, so I am happy with that part. Now I need a solution for my other squaks.

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 7:13:22 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

OK try it now. I will be gone for several hours.
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, November 01, 2007 0:02
Subject: Re: [XMLog] XMLog LOTW Prototype

You are not showing the QSL Info and Awards Tracking that I am showing.
You are showing satellite info and contest info that I do not show.
I am not involved in satellite, so don't show that and my contest
programs both put the contest exchange info in notes instead of the contest
exchange blocks. The width of your block is about the same as mine

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:52:14 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

Here is a low resolution screenshot of my screen:
http://n7mal.com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the
fields that you like to see on your entry screen. I am showing QSO
Info, Address, Award Tracking and Time Off. I was showing the contest
fields as well. When the new fields were added for LOTW and EQSL the
block became too long to be displayed on the height of the screen as I
had
my setup. Since the drag function is at the top of the screen I could
not drag the block up enough to see the bottom lines. Increasing my
resolution to1152 x 864 allowed me to see the whole block when I
deleted
the Contest fields. My entry block now occupies about half of my
screen which is about what I want. Craig's suggestion for increasing
the
resolution was right on the money for me. Perhaps you have elected to
show less information on your entry screen or are still using the
default. I don't remember what the default is because I have been
using this
screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768
and the new version only covers 25% of my screen. There is no place where anything is cutoff. Also my date/time are dead on the money entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry automatically from the packet terminal window the program crashes. It opens an idiot window that says runtime error '5' and then closes down/crashes. Everything else from right-click works perfectly(in my case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but
I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very
big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have a
large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons that
these forums are worth while. I was using 1024x728 and changed to 1152x864
and now it fits. I had to change fonts on my email to be able to read it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I

need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2306. RE: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 05:18:57 UTC
From: Craig Bradley
Topic: 2286 Message: 2306

Hi Mal & Cookie,

Thanks for sorting this out. I couldn't figure out what the problem was either as my window also fit in the bottom corner, no problem. I select the fields using the "Show using "Show" button, not eh "Always Show". This makes for a much smaller window and you can easily click that show button to see the other fields. I find that 99% of the time all I need is the QSO info fields screen. I had forgotten that you could do this. Showing them all at once was a problem for me with the old program as I like to put the Show QSOs and Check Call window above the logging window.

Cookie, maybe you could try one of these other setups, it works fine for me. The Station Info is one that I very rarely look at. The address fields are only of interest when preparing cards and the submitted/accepted is only needed when preparing for or doing submissions.

Glad we are all on the same "page" now though.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Wednesday, October 31, 2007 9:57 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

Well now I understand the/your problem. You, or no one else, needs that windows stuff on the bottom of your screen. Here's the fix:
1. Click on the start button in the lower left of your screen.
2. Go up to settings and click on Task bar and start menu.
3. Check Auto-Hide the task bar and then click on apply.
All that windows stuff on the bottom of your screen will disappear until you move your mouse cursor down to the bottom.
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 1:23
Subject: Re: [XMLog] XMLog LOTW Prototype

That is what I had except that you were able to drag your block a tiny bit higher that I could. My bottom line was wiped out by the windows information panel at the bottom of the screen. Maybe a different video board or something. The solution that Craig suggested works fine for me, so I am happy with that part. Now I need a solution for my other squaks.

----- Original Message ----
From: N7MAL <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 7:13:22 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

OK try it now. I will be gone for several hours.
http://n7mal. <http://n7mal.com/screen123.jpg> com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 0:02
Subject: Re: [XMLog] XMLog LOTW Prototype

You are not showing the QSL Info and Awards Tracking that I am showing.
You are showing satellite info and contest info that I do not show.
I am not involved in satellite, so don't show that and my contest programs both put the contest exchange info in notes instead of the contest exchange blocks. The width of your block is about the same as mine

----- Original Message ----
From: N7MAL <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 6:52:14 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

Here is a low resolution screenshot of my screen:
http://n7mal. <http://n7mal.com/screen123.jpg> com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com

Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the fields that you like to see on your entry screen. I am showing QSO Info, Address, Award Tracking and Time Off. I was showing the contest fields as well. When the new fields were added for LOTW and EQSL the block became too long to be displayed on the height of the screen as I had
my setup. Since the drag function is at the top of the screen I could not drag the block up enough to see the bottom lines. Increasing my resolution to1152 x 864 allowed me to see the whole block when I deleted
the Contest fields. My entry block now occupies about half of my screen which is about what I want. Craig's suggestion for increasing the
resolution was right on the money for me. Perhaps you have elected to show less information on your entry screen or are still using the default. I don't remember what the default is because I have been using this
screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a standard resolution is 1024 X 768. Second my resolution is set to 1024 X 768
and the new version only covers 25% of my screen. There is no place where anything is cutoff. Also my date/time are dead on the money entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry automatically from the packet terminal window the program crashes. It opens an idiot window that says runtime error '5' and then closes down/crashes. Everything else from right-click works perfectly(in my case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too large at 1024x728. Just enough that I could not read the very bottom which tells how many qsos are selected. Some may not use this much, but
I use it a lot. The next higher resolution solved the problem so I am ok on that one. Now to get the date problem solved and I will be much happier. I have done some programming and I can easily understand how when you fix something, something else goes to pot. But I am a big user of LOTW so very anxious for everything to be working. This is a very
big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how
do I tell what font size I have selected? I do know how to change font on my
email reader and I had to go to a larger font when I increased the pixel
size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>

To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have
a
large font size selected?

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I
use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set
LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it
shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I
need
a drop down window to pick an acceptable county. It is real picky, like
when
you leave out the hyphen on the Alaska counties that have a hyphen, it
rejects them.
6. The county data base does not include the several city/counties,
such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the
old
program, but now it stops you when you are merging and the only way
around
that I found is to enter some wrong county. It will not even let you
pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to
being to
coordinate my log and LOTW without the manual entry that I have been

using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype
(xmlog-lotw.exe). It also contains a document describing the prototype
(xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been
enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2307. bugs

Yahoo group: XMLog
Date: 2007-11-01 07:39:44 UTC
From: N7MAL
Topic: 2307 Message: 2307

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

2308. Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 10:52:28 UTC
From: ab1dd
Topic: 2286 Message: 2308

Mike,

You have made me happy!!!

LOTW Prototype Version 5.42, Version #2
Restored the tab order.

Carl
AB1DD

2309. Re: [XMLog] bugs

Yahoo group: XMLog
Date: 2007-11-01 12:44:43 UTC
From: WILLIS COOKE
Topic: 2307 Message: 2309

Mal, I found some of these same errors. Some of them are from problems in the pre-LOTW program that should be easy to fix. XM Log does not recognize any abbreviation for Labrador, has a hyphen in some of the counties in Alaska and will not accept the same spelling without the hyphen. Some states have cities that are not in a county, such as Virginia Beach, VA and St. Louis, MO. In XM you could type in Virginia Beach City or St. Louis City and it would accept them and go on. It would not put them in the county count, but it would go on. The LOTW program has a trap that will not let you pass until you put in something that is in the data list. I got passed them by putting in something, even if it was wrong. I'm sure that Mike will find a way around for us when he gets time. After all, this is a prototype and not a finished product. We are the Beta testers and a major change like this one is not an easy task for the programmer. We also must
remember that this is a shareware program and he is not making major bucks out of this. Mike, please keep up the good work and consider these remarks as an attempt to help rather than complaints.
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Thursday, November 1, 2007 2:39:44 AM
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2310. Re: [XMLog] XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-01 12:57:55 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2310

Like any major program, there are options that any user totally neglects to use. You are certainly correct that maybe showing this data all the time is not necessary for me. I want to keep the data and use it a lot, but bringing it up only when I need it is something that never clicked for me that I could do it as an option. I keep the Show QSOs/Check Call on the upper left, the Packet Cluster on the lower left and the logging window on the right. That leaves a hole in the center top that accesses the other program, usually my email. This forum is a great tool that will let us exchange ideas about how to best use the program. Probably no one has enough mastery to use all of the available features, but this type of dialog will help a lot.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Thursday, November 1, 2007 12:18:57 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Hi Mal & Cookie,

Thanks for sorting this out. I couldn't figure out what the problem
was
either as my window also fit in the bottom corner, no problem. I
select the
fields using the "Show using "Show" button, not eh "Always Show". This
makes for a much smaller window and you can easily click that show
button to
see the other fields. I find that 99% of the time all I need is the
QSO
info fields screen. I had forgotten that you could do this. Showing
them
all at once was a problem for me with the old program as I like to put
the
Show QSOs and Check Call window above the logging window.

Cookie, maybe you could try one of these other setups, it works fine
for me.
The Station Info is one that I very rarely look at. The address fields
are
only of interest when preparing cards and the submitted/accepted is
only
needed when preparing for or doing submissions.

Glad we are all on the same "page" now though.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Wednesday, October 31, 2007 9:57 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog LOTW Prototype

Well now I understand the/your problem. You, or no one else, needs that windows stuff on the bottom of your screen. Here's the fix:
1. Click on the start button in the lower left of your screen.
2. Go up to settings and click on Task bar and start menu.
3. Check Auto-Hide the task bar and then click on apply.
All that windows stuff on the bottom of your screen will disappear until you
move your mouse cursor down to the bottom.
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 1:23
Subject: Re: [XMLog] XMLog LOTW Prototype

That is what I had except that you were able to drag your block a tiny bit
higher that I could. My bottom line was wiped out by the windows information
panel at the bottom of the screen. Maybe a different video board or something. The solution that Craig suggested works fine for me, so I am happy with that part. Now I need a solution for my other squaks.

----- Original Message ----
From: N7MAL <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 7:13:22 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

OK try it now. I will be gone for several hours.
http://n7mal. <http://n7mal.com/screen123.jpg> com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 0:02
Subject: Re: [XMLog] XMLog LOTW Prototype

You are not showing the QSL Info and Awards Tracking that I am showing.
You are showing satellite info and contest info that I do not show.
I am not involved in satellite, so don't show that and my contest
programs both put the contest exchange info in notes instead of the
contest
exchange blocks. The width of your block is about the same as mine

----- Original Message ----
From: N7MAL <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 6:52:14 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

Here is a low resolution screenshot of my screen:
http://n7mal. <http://n7mal.com/screen123.jpg> com/screen123.jpg

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 23:30
Subject: Re: [XMLog] XMLog LOTW Prototype

Mal, under the Options button the first option allows you to choose the
fields that you like to see on your entry screen. I am showing QSO
Info, Address, Award Tracking and Time Off. I was showing the contest
fields as well. When the new fields were added for LOTW and EQSL the
block became too long to be displayed on the height of the screen as I
had
my setup. Since the drag function is at the top of the screen I could
not drag the block up enough to see the bottom lines. Increasing my
resolution to1152 x 864 allowed me to see the whole block when I
deleted
the Contest fields. My entry block now occupies about half of my
screen which is about what I want. Craig's suggestion for increasing
the
resolution was right on the money for me. Perhaps you have elected to
show less information on your entry screen or are still using the
default. I don't remember what the default is because I have been
using this
screen for a year or so. Make sense?
Cookie, K5EWJ

----- Original Message ----
From: N7MAL <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 6:12:30 PM
Subject: Re: [XMLog] XMLog LOTW Prototype

I've been watching this thread and I'm really confused. First a
standard resolution is 1024 X 768. Second my resolution is set to 1024
X 768
and the new version only covers 25% of my screen. There is no place
where anything is cutoff. Also my date/time are dead on the money
entering
a new entry manually.

Now the one problem I am having is when try to create a new log entry
automatically from the packet terminal window the program crashes. It
opens an idiot window that says runtime error '5' and then closes
down/crashes. Everything else from right-click works perfectly(in my
case
left-click)
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 17:42
Subject: Re: [XMLog] XMLog LOTW Prototype

Mine was set the same at 96DPI. My display was only a little bit too
large at 1024x728. Just enough that I could not read the very bottom
which tells how many qsos are selected. Some may not use this much,
but
I use it a lot. The next higher resolution solved the problem so I am
ok on that one. Now to get the date problem solved and I will be much
happier. I have done some programming and I can easily understand how
when you fix something, something else goes to pot. But I am a big
user of LOTW so very anxious for everything to be working. This is a
very
big improvement for XMLog and a great help to me.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:42:43 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

With Windows XP:

Right click on your desktop and select Settings, the click advanced and look
at the DPI setting box. Mine is set to Normal size (96 DPI).

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 9:31 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

I was not aware that one could select font size. How do you do that and how do I tell what font size I have selected? I do know how to change font on my email reader and I had to go to a larger font when I increased the pixel size. I am using 12 Times New Roman for email.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, October 31, 2007 11:14:32 AM
Subject: RE: [XMLog] XMLog LOTW Prototype

Yes, it is good to be able to help each other out.

I am surprised that it was that big with 1024x728 though. Do you have a large font size selected?

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of WILLIS COOKE
Sent: Wednesday, October 31, 2007 6:23 AM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Thanks Craig, I didn't think of that! This is just one of the reasons
that
these forums are worth while. I was using 1024x728 and changed to
1152x864
and now it fits. I had to change fonts on my email to be able to read
it,
but that is the way it goes.
73, Cookie

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Tuesday, October 30, 2007 10:28:44 PM
Subject: RE: [XMLog] XMLog LOTW Prototype

Cookie,

What screen resolution are you using?

I have mine set to 1280x1024 and it fits in less than < of the
screen.\

You might try a higher resolution.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Tuesday, October 30, 2007 1:09 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] XMLog LOTW Prototype

Great effort Mike. This is something I have been waiting for with
thoughts
of changing log programs to get the features. I am glad that you are
working
on them.

Now for some sqauks.
1. The new improved log window is too long for my screen and I can't
see the
bottom. I have not figures out any way to resize the window to fit on
the
screen. I deleted the contest windows and that helped some, but I still
can't see the bottom where it tells me how many contacts are selected
and I

use that a lot with a log of about 13,000 QSOs.
2. When I make an ADIF file to upload, I don't see the option to set LOTW
sent to current date.
3. When I download and merge, the LOTW received date does not update.
4. When I update the LOTW received date manually for one record, it shows
that date in all records.
5. When I merge LOTW downloaded data and it does not like the County, I need
a drop down window to pick an acceptable county. It is real picky, like when
you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.
6. The county data base does not include the several city/counties, such as
Virginia Beach City, VA and St. Louis City, MO. This goes back to the old
program, but now it stops you when you are merging and the only way around
that I found is to enter some wrong county. It will not even let you pass by
trying to delete the county entirely.

I hope these things aren't too hard to fix. I am looking forward to being to
coordinate my log and LOTW without the manual entry that I have been using.
I have about 900 Qs for October waiting to upload.

Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@xmlog. <mailto:w1ect%40xmlog.com> com>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Monday, October 29, 2007 1:52:05 PM
Subject: [XMLog] XMLog LOTW Prototype

There is a prototype version of XMLog with LOTW features available at:

www.xmlog.com/lotw

This zip file contains an executable file for the XMLog LOTW Prototype (xmlog-lotw.exe). It also contains a document describing the prototype (xmlog-lotw.rtf).

Please check the documentation before trying out the .exe file.

Let me know what you think about the new look (the log window has been enlarged and re-organized to support some new fields) and also what you

think about the new LOTW download/verify/apply features available from
the Log Window's "Import" menu item.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2311. Problem - Labels Pull Down Menu

Yahoo group: XMLog
Date: 2007-11-01 20:37:54 UTC
From: k9mrd
Topic: 2311 Message: 2311

Mike,
Under the Labels Pull Down Menu, please add a 'yes/no' confirmation for 'Erase QSL/Mailing Label List'. If you happen to click erase when wanting to print, all QSL must be re-entered. I just did it and have to re-enter about 25 QSL's. Thanks!
Wayne

2312. Long Path

Yahoo group: XMLog
Date: 2007-11-01 21:31:52 UTC
From: k9mrd
Topic: 2312 Message: 2312

Mike,
It would be great if both short and long path headings could be
displayed.
Wayne

2313. [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 00:03:19 UTC
From: N7MAL
Topic: 2313 Message: 2313

Sometimes I have trouble explaining myself so I've uploaded a screenshot of the biggest error message:
http://n7mal.com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or N1MM adif files and then those same adif files were loaded in MLOG. Yes they were converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups.com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2314. RE: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 04:15:24 UTC
From: Craig Bradley
Topic: 2313 Message: 2314

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the remaining info from QRZ.com. I found that quite a few of my errors were due to inaccurate info in QRZ.com. They consist of states, counties, grids locators, zones, etc. Most of them are don't care unless you what to use the LoTW QSL for an award. I found that I lost a state for WAS on one band recently because the LoTW QSL was from a different state that I didn't need.

I would like having an option that lets you know of you have a paper QSL before updating to the LoTW info, as you may want to keep your log entry in agreement with the card. If the station moved since the QSL and then submitted to LoTW, you don't want to use the LoTW QSL (unless is it gives you a new one :-))

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a screenshot of the biggest error message:
http://n7mal. <http://n7mal.com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or N1MM adif files and then those same adif files were loaded in MLOG. Yes they were converted to TQ8 files for LOTW upload.

Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2315. Re: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 05:12:35 UTC
From: N7MAL
Topic: 2313 Message: 2315

Craig: You have addressed some more valid points. I do not have QRZ installed on my computer so if there is any updating going on it is done in the background without my knowledge. I don't do any paper QSLing so I have no need for QRZ. I've been a ham for 50 years and have never sent in a card.
I am going to try to find some time to post some of the error messages but this is a nutzo time for me and sweepstakes this weekend. I am mostly concerned about the errors coming from LOTW that have no option to either fix or accept. The only option is 'skip', then you can't update because you have unresolved errors. A real catch 22.
Ahhhhh the joys of beta testing... :-)
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Friday, November 02, 2007 4:15
Subject: RE: [XMLog] bugs up-date

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the remaining info from QRZ.com. I found that quite a few of my errors were due to inaccurate info in QRZ.com. They consist of states, counties, grids locators, zones, etc. Most of them are don't care unless you what to use the LoTW QSL for an award. I found that I lost a state for WAS on one band recently because the LoTW QSL was from a different state that I didn't need.

I would like having an option that lets you know of you have a paper QSL before updating to the LoTW info, as you may want to keep your log entry in agreement with the card. If the station moved since the QSL and then submitted to LoTW, you don't want to use the LoTW QSL (unless is it gives you a new one :-))

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL

Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a screenshot of the biggest error message:
http://n7mal. <http://n7mal.com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or N1MM adif files and then those same adif files were loaded in MLOG. Yes they were converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout

and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2316. RE: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 15:33:05 UTC
From: Craig Bradley
Topic: 2313 Message: 2316

Hi Mal,

You would not need to have anything from QRZ.com installed on your computer. XMLog will go out on the Internet and lookup the station. Under Options/Callbook Setup, is something selected under Callbook Type? If it is, XMLog will lookup every QSO when you enter it or import it and fill in the blanks. Those could be the fields that you did not enter, but do not agree with LoTW.

Or I am misunderstanding the problem?

Yes, this is a challenge, I now see why Mike wanted "us" think about this.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Thursday, November 01, 2007 10:13 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] bugs up-date

Craig: You have addressed some more valid points. I do not have QRZ installed on my computer so if there is any updating going on it is done in the background without my knowledge. I don't do any paper QSLing so I have no need for QRZ. I've been a ham for 50 years and have never sent in a card.

I am going to try to find some time to post some of the error messages but this is a nutzo time for me and sweepstakes this weekend. I am mostly concerned about the errors coming from LOTW that have no option to either fix or accept. The only option is 'skip', then you can't update because you have unresolved errors. A real catch 22.
Ahhhhh the joys of beta testing... :-)
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, November 02, 2007 4:15
Subject: RE: [XMLog] bugs up-date

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the remaining info from QRZ.com. I found that quite a few of my errors were due to inaccurate info in QRZ.com. They consist of states, counties, grids locators, zones, etc. Most of them are don't care unless you what to use the LoTW QSL for an award. I found that I lost a state for WAS on one band recently because the LoTW QSL was from a different state that I didn't need.

I would like having an option that lets you know of you have a paper QSL before updating to the LoTW info, as you may want to keep your log entry in agreement with the card. If the station moved since the QSL and then submitted to LoTW, you don't want to use the LoTW QSL (unless is it gives you a new one :-))

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
N7MAL
Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a screenshot of the biggest error message:
http://n7mal. <http://n7mal. <http://n7mal.com/screen123.gif> com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or N1MM adif files and then those same adif files were loaded in MLOG. Yes they were converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL

BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2317. Re: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 15:53:39 UTC
From: WILLIS COOKE
Topic: 2313 Message: 2317

When data comes from different sources there is bound to be some disagreement. Be it QRZ.Com, LOTW or XMLog the information is originally entered manually and occasionally wrong. Some don't understand that W6ABC in Missouri is in call area 0, ITU Zone 7 and CQ Zone 4. When asked for Zone in LOTW the person has to know that he is asked for the CQ Zone, but may not and answer 4, 6, 7 or 0 or maybe something else. Mike can't help this quandary, but I hope that he can make the program so that the user can decide which to record and move on. We users must keep in mind that this is either a Beta version or maybe pre-Beta at this point and we will all have to wait for Mike to have time to fix the problems. If you have ever written a program you know that it is impossible to anticipate all the ways someone can find to screw it up. The more users you have, the more ingenious they will be at picking holes in your work. If it is hard to write a program for yourself, multiply that by the number of users to find out how hard it is to write for the public. I am as impatient as anyone else for the program to be finished and bullet proof, but we have to wait. Keep on trucking Mike, the program is good and getting better.
Cookie, K5EWJ

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Friday, November 2, 2007 10:33:05 AM
Subject: RE: [XMLog] bugs up-date

Hi Mal,

You would not need to have anything from QRZ.com installed on your
computer.
XMLog will go out on the Internet and lookup the station. Under
Options/Callbook Setup, is something selected under Callbook Type? If
it
is, XMLog will lookup every QSO when you enter it or import it and fill
in
the blanks. Those could be the fields that you did not enter, but do
not
agree with LoTW.

Or I am misunderstanding the problem?

Yes, this is a challenge, I now see why Mike wanted "us" think about
this.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Thursday, November 01, 2007 10:13 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] bugs up-date

Craig: You have addressed some more valid points. I do not have QRZ installed on my computer so if there is any updating going on it is done in
the background without my knowledge. I don't do any paper QSLing so I have
no need for QRZ. I've been a ham for 50 years and have never sent in a card.

I am going to try to find some time to post some of the error messages but
this is a nutzo time for me and sweepstakes this weekend. I am mostly concerned about the errors coming from LOTW that have no option to either
fix or accept. The only option is 'skip', then you can't update because you
have unresolved errors. A real catch 22.
Ahhhhh the joys of beta testing... :-)
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, November 02, 2007 4:15
Subject: RE: [XMLog] bugs up-date

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the remaining info from QRZ.com. I found that quite a few of my errors were due to inaccurate info in QRZ.com. They consist of states, counties, grids
locators, zones, etc. Most of them are don't care unless you what to use
the LoTW QSL for an award. I found that I lost a state for WAS on one band
recently because the LoTW QSL was from a different state that I didn't need.

I would like having an option that lets you know of you have a paper QSL

before updating to the LoTW info, as you may want to keep your log
entry in
agreement with the card. If the station moved since the QSL and then
submitted to LoTW, you don't want to use the LoTW QSL (unless is it
gives
you a new one :-))

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
N7MAL
Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a
screenshot of
the biggest error message:
http://n7mal. <http://n7mal. <http://n7mal.com/screen123.gif>
com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the
way it
is not all MLOG's fault/problem. At least 5 or 6 of the errors were
related
to sweepstakes contest entries. The errors are invalid zone entries.
Zone
entries ARE NOT part of the sweepstakes exchange and are never entered
or
uploaded to LOTW. At least 2 of the entries are for invalid W4 counties
during the 7qp QSO party. You DON'T enter W4 counties. I never entered
or
uploaded those wrong counties. More than 75% of my LOTW errors are
errors
that don't exist. At least 5 of the entries there is no option to
correct
them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or
N1MM
adif files and then those same adif files were loaded in MLOG. Yes they
were
converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from
the
right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from
LOTW.
Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT
and
LOTW logged YT. I don't care about it, but unfortunately the program
says it
won't/can't validate until I resolve those errors. I have uploaded
15,000
QSO and had 65 errors. Not one of the errors is meaningful and even
worse
some of them are not resolvable. I.E. 3 of the Q's have a county error
from
different State QSO parties. The error from LOTW said the county
doesn't
exist even though I logged it correctly because there was a match. I
think
we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have
40M
LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I
could
just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new
layout
and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2318. Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-02 20:57:51 UTC
From: Mike McAmis
Topic: 2286 Message: 2318

Hi Guys, Thanks for all the feedback. Unfortunately I won't be able to comb through all the commnents until next wee.

However, I did make one change based on the feedback. I've restored the field order to the order used in the 'non-lotw' version. You can get this update at www.xmlog.com/lotw

Mike - W1ECT

2319. Re: [XMLog] Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-02 23:08:19 UTC
From: N7MAL
Topic: 2286 Message: 2319

Thanks Mike: Look fer me this weekend.....
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Friday, November 02, 2007 20:57
Subject: [XMLog] Re: XMLog LOTW Prototype

Hi Guys, Thanks for all the feedback. Unfortunately I won't be able to comb through all the commnents until next wee.

However, I did make one change based on the feedback. I've restored the field order to the order used in the 'non-lotw' version. You can get this update at www.xmlog.com/lotw

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2320. Re: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 23:14:26 UTC
From: N7MAL
Topic: 2313 Message: 2320

Hi Craig: 10 hours ago I entered a QSO with you in my log. I have looked you up on QRZ 3 times since then. There have been no fields filled in that I did not fill in including zone. In the options I have had selected, for years, QRZ.
Fortunately I saved the original log, and the whole program, with a renamed directory so I can go back and check the original log to see what changes, if any, were made. That won't happen until after sweepstakes.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Friday, November 02, 2007 15:33
Subject: RE: [XMLog] bugs up-date

Hi Mal,

You would not need to have anything from QRZ.com installed on your computer. XMLog will go out on the Internet and lookup the station. Under Options/Callbook Setup, is something selected under Callbook Type? If it is, XMLog will lookup every QSO when you enter it or import it and fill in the blanks. Those could be the fields that you did not enter, but do not agree with LoTW.

Or I am misunderstanding the problem?

Yes, this is a challenge, I now see why Mike wanted "us" think about this.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Thursday, November 01, 2007 10:13 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] bugs up-date

Craig: You have addressed some more valid points. I do not have QRZ installed on my computer so if there is any updating going on it is done in the background without my knowledge. I don't do any paper QSLing so I have no need for QRZ. I've been a ham for 50 years and have never sent in a card.

I am going to try to find some time to post some of the error messages but this is a nutzo time for me and sweepstakes this weekend. I am mostly concerned about the errors coming from LOTW that have no option to either fix or accept. The only option is 'skip', then you can't update because you have unresolved errors. A real catch 22.
Ahhhhh the joys of beta testing... :-)
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, November 02, 2007 4:15
Subject: RE: [XMLog] bugs up-date

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the remaining info from QRZ.com. I found that quite a few of my errors were due to inaccurate info in QRZ.com. They consist of states, counties, grids locators, zones, etc. Most of them are don't care unless you what to use the LoTW QSL for an award. I found that I lost a state for WAS on one band recently because the LoTW QSL was from a different state that I didn't need.

I would like having an option that lets you know of you have a paper QSL before updating to the LoTW info, as you may want to keep your log entry in agreement with the card. If the station moved since the QSL and then submitted to LoTW, you don't want to use the LoTW QSL (unless is it gives you a new one :-))

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
N7MAL
Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a screenshot of the biggest error message:
http://n7mal. <http://n7mal. <http://n7mal.com/screen123.gif> com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or N1MM adif files and then those same adif files were loaded in MLOG. Yes they were converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2321. Re: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-02 23:35:13 UTC
From: N7MAL
Topic: 2313 Message: 2321

Willis slow down just a little, drink a cup of coffee. No one is bad mouthing or in any way criticizing Mike or his programming abilities. I fully & completely understand this is a beta version. What you have to understand the only way for Mike, or any programmer, to know about 'bugs' is to have them reported. The only way to know if something additional is needed is to have it reported/requested. Please stop trying to discourage guys from reporting bugs and making suggestions. You only slow down progress.
I am in a really good position to evaluate the beta version because I have 5,000 QSO's confirmed on LOTW. Those QSO's are from contests and daily DXing. The contest QSO's are submitted in a format unique to each contest. When I see something reported from LOTW that is not unique to a particular contest, and is reported as an error, I'm going to report it with more enthusiasm than a run of the mill bug. This especially applies to zone errors when no zone was uploaded to LOTW, or even more bizarre when county errors are reported by LOTW when no county was ever uploaded, or entered in my log. Right now there is no way to either fix, or ignore, some of these errors so my log cannot be validated. The errors are not operator generated errors but are anomalies between LOTW & MLOG.
I hate to be so long winded but Mike needs every input he can get to help him find a way to resolve these issues. If he can see 4 or 5 or 6 different views on an error it makes his job easier.
Very Best 74

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Friday, November 02, 2007 15:53
Subject: Re: [XMLog] bugs up-date

When data comes from different sources there is bound to be some disagreement. Be it QRZ.Com, LOTW or XMLog the information is originally entered manually and occasionally wrong. Some don't understand that W6ABC in Missouri is in call area 0, ITU Zone 7 and CQ Zone 4. When asked for Zone in LOTW the person has to know that he is asked for the CQ Zone, but may not and answer 4, 6, 7 or 0 or maybe something else. Mike can't help this quandary, but I hope that he can make the program so that the user can decide which to record and move on. We users must keep in mind that this is either a Beta version or maybe pre-Beta at this point and we will all have to wait for Mike to have time to fix the problems. If you have ever written a program you know that it is impossible to anticipate all the ways someone can find to screw it up. The more users you have, the more ingenious they will be at picking holes in your work. If it is hard to write a program for yourself, multiply that by the number of users to find out how hard it is to write for the public. I am as impatient as anyone else for the program to be finished and bullet proof, but we have to wait. Keep on trucking Mike, the program is good and getting better.
Cookie, K5EWJ

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Friday, November 2, 2007 10:33:05 AM
Subject: RE: [XMLog] bugs up-date

Hi Mal,

You would not need to have anything from QRZ.com installed on your
computer.
XMLog will go out on the Internet and lookup the station. Under
Options/Callbook Setup, is something selected under Callbook Type? If
it
is, XMLog will lookup every QSO when you enter it or import it and fill
in
the blanks. Those could be the fields that you did not enter, but do
not
agree with LoTW.

Or I am misunderstanding the problem?

Yes, this is a challenge, I now see why Mike wanted "us" think about
this.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
N7MAL
Sent: Thursday, November 01, 2007 10:13 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] bugs up-date

Craig: You have addressed some more valid points. I do not have QRZ
installed on my computer so if there is any updating going on it is
done in
the background without my knowledge. I don't do any paper QSLing so I
have
no need for QRZ. I've been a ham for 50 years and have never sent in a
card.

I am going to try to find some time to post some of the error messages
but
this is a nutzo time for me and sweepstakes this weekend. I am mostly
concerned about the errors coming from LOTW that have no option to
either
fix or accept. The only option is 'skip', then you can't update because
you
have unresolved errors. A real catch 22.
Ahhhhh the joys of beta testing... :-)
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, November 02, 2007 4:15
Subject: RE: [XMLog] bugs up-date

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the
remaining info from QRZ.com. I found that quite a few of my errors were
due to inaccurate info in QRZ.com. They consist of states, counties,
grids
locators, zones, etc. Most of them are don't care unless you what to
use
the LoTW QSL for an award. I found that I lost a state for WAS on one
band
recently because the LoTW QSL was from a different state that I didn't
need.

I would like having an option that lets you know of you have a paper
QSL
before updating to the LoTW info, as you may want to keep your log
entry in
agreement with the card. If the station moved since the QSL and then
submitted to LoTW, you don't want to use the LoTW QSL (unless is it
gives
you a new one :-))

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
N7MAL
Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a
screenshot of
the biggest error message:
http://n7mal. <http://n7mal. <http://n7mal.com/screen123.gif>

com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the
way it
is not all MLOG's fault/problem. At least 5 or 6 of the errors were
related
to sweepstakes contest entries. The errors are invalid zone entries.
Zone
entries ARE NOT part of the sweepstakes exchange and are never entered
or
uploaded to LOTW. At least 2 of the entries are for invalid W4 counties
during the 7qp QSO party. You DON'T enter W4 counties. I never entered
or
uploaded those wrong counties. More than 75% of my LOTW errors are
errors
that don't exist. At least 5 of the entries there is no option to
correct
them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or
N1MM
adif files and then those same adif files were loaded in MLOG. Yes they
were
converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from
the
right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from
LOTW.
Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT
and
LOTW logged YT. I don't care about it, but unfortunately the program
says it
won't/can't validate until I resolve those errors. I have uploaded
15,000
QSO and had 65 errors. Not one of the errors is meaningful and even

worse
some of them are not resolvable. I.E. 3 of the Q's have a county error
from
different State QSO parties. The error from LOTW said the county
doesn't
exist even though I logged it correctly because there was a match. I
think
we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have
40M
LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I
could
just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new
layout
and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2322. Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-03 10:27:09 UTC
From: Michael McCarthy
Topic: 2313 Message: 2322

There is something that everyone should know about LoTW. These are not "errors" in the sense that it reports a discrepancy. When you log a QSO, regardless of contest or casual operating, state or province and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it with his key. This key puts certain state and zone information into the LoTW record.

When you download a QSL, XMLog correctly tells you that the information doesn't match what is in YOUR log. If the signer doesn't use a key with the correct information or XMLog didn't record the "correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW QSL record. XMLog might select the wrong zone based on the callsign prefix. People do move and don't change callsigns. I accept whatever LoTW tells me as that is the only way the QSL will be valid, even if the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.

2323. Re: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-03 13:18:57 UTC
From: WILLIS COOKE
Topic: 2313 Message: 2323

XM Log guesses the CQ Zone from the state that you enter if you don't enter the zone if the call indicates it is US For a DX contact it will compute the Zone if it can. For Australia and Russia where the Zone is not apparent from the Call it will ask you to enter a Zone or unknown. The CQWW contests include a Zone exchange, maybe some others, but ARRL contests include a section which allows the CQ Zone and the State to be computed if the ADIF transfer codes the information correctly. This comes from the logging program which may vary. I use N1MM for most contests and Win1010 or N3FJP for Ten-Ten contests, all of which seem to work OK. LOTW allows you to have multiple keys so that you can log your contacts for as many QTHs as you have, but it has no way to correct errors if you make a mistake and gets very complicated if a ham does a lot of mobile. Of course, Mike has no way to prevent these mistakes from getting in. He can only flag them and
give you utilities to correct the mistakes to what you judge the best information. Sometimes the correct information is obvious, sometimes it is not. The finished program is pretty good. The only hole that I am aware of is that it does not provide for the several cities that are not in a county from the drop down menu. St. Louis City, MO and Virginia Beach City, VA are two examples. You can type in an entry that is not available on the drop down in the regular XM Log, but the LOTW upload utility limits you to the counties listed on the drop down menu at the present time.
Cookie, K5EWJ

----- Original Message ----
From: Michael McCarthy <lists@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 3, 2007 5:27:09 AM
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are
not "errors" in the sense that it reports a discrepancy. When you log
a QSO, regardless of contest or casual operating, state or province
and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it
with his key. This key puts certain state and zone information into
the LoTW record.

When you download a QSL, XMLog correctly tells you that the
information doesn't match what is in YOUR log. If the signer doesn't
use a key with the correct information or XMLog didn't record the
"correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW
QSL record. XMLog might select the wrong zone based on the callsign
prefix. People do move and don't change callsigns. I accept whatever
LoTW tells me as that is the only way the QSL will be valid, even if
the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2324. Re: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-03 17:07:41 UTC
From: N7MAL
Topic: 2313 Message: 2324

Hi Mike, W1NR: I am really confused about something you, and others, said: ""XMLOG might select the wrong zone based on the callsign prefix. "" I wanted to see for myself this thing about XMLOG filling in blanks, in particular zones. A day, or so, ago I created a log entry for AE6RR. I did not enter a zone number. XMLOG did not enter a zone but did enter a "?". After I read your response I created an ADIF file. Below is the entry for AE6RR. There is no zone number in the ADIF file for AE6RR.
Here's my question: At what point in time does XMLOG enter the missing zone number, because I sure don't see it? If I were to convert this ADIF to a TQ8 and upload it to LOTW it would not have a zone number. I have thousands of SSCW entries in my log(it's my favorite contest) but only got 5 or 6 zone error messages from the LOTW report. Why so few error messages if MLOG is guessing at zones?
I am a big, rah-rah, supporter of LOTW and XMLOG that is why I would like to see them work together.
Now it's time for me to get ready for SS
Best 73

<QSO_DATE:8:D>20071102 <TIME_ON:4>1633 <TIME_OFF:4>1633 <CALL:5>AE6RR
<FREQ:9>14030.000 <RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>cw <TX_PWR:3>100
<DXCC:3>291
<STATION_CALLSIGN:5>N7MAL <OPERATOR:5>N7MAL <MY_CQ_ZONE:2>03
<MY_GRIDSQUARE:4>DM25 <MY_LAT:11>N035 00.000 <MY_LONG:11>W114 10.000
<MY_STATE:2>AZ <MY_COUNTRY:3>291 <EOR>

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Michael McCarthy
To: XMLog@yahoogroups.com
Sent: Saturday, November 03, 2007 10:27
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are
not "errors" in the sense that it reports a discrepancy. When you log
a QSO, regardless of contest or casual operating, state or province
and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it
with his key. This key puts certain state and zone information into
the LoTW record.

When you download a QSL, XMLog correctly tells you that the
information doesn't match what is in YOUR log. If the signer doesn't
use a key with the correct information or XMLog didn't record the

"correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW QSL record. XMLog might select the wrong zone based on the callsign prefix. People do move and don't change callsigns. I accept whatever LoTW tells me as that is the only way the QSL will be valid, even if the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2325. RE: [XMLog] bugs up-date

Yahoo group: XMLog
Date: 2007-11-03 17:46:22 UTC
From: Craig Bradley
Topic: 2313 Message: 2325

Hi Mal,

This is a mystery. I sounds like the information is being added somewhere.

Good luck in the SS this weekend. Are you submitting a club with your log?

I am not a CW op, but I may try for a few (painful) Qs for the NCCC.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Friday, November 02, 2007 4:14 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] bugs up-date

Hi Craig: 10 hours ago I entered a QSO with you in my log. I have looked you up on QRZ 3 times since then. There have been no fields filled in that I did not fill in including zone. In the options I have had selected, for years, QRZ.
Fortunately I saved the original log, and the whole program, with a renamed directory so I can go back and check the original log to see what changes, if any, were made. That won't happen until after sweepstakes.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, November 02, 2007 15:33
Subject: RE: [XMLog] bugs up-date

Hi Mal,

You would not need to have anything from QRZ.com installed on your computer. XMLog will go out on the Internet and lookup the station. Under Options/Callbook Setup, is something selected under Callbook Type? If it is, XMLog will lookup every QSO when you enter it or import it and fill in the blanks. Those could be the fields that you did not enter, but do not agree with LoTW.

Or I am misunderstanding the problem?

Yes, this is a challenge, I now see why Mike wanted "us" think about this.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
N7MAL
Sent: Thursday, November 01, 2007 10:13 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] bugs up-date

Craig: You have addressed some more valid points. I do not have QRZ
installed on my computer so if there is any updating going on it is done in
the background without my knowledge. I don't do any paper QSLing so I have
no need for QRZ. I've been a ham for 50 years and have never sent in a card.

I am going to try to find some time to post some of the error messages but
this is a nutzo time for me and sweepstakes this weekend. I am mostly
concerned about the errors coming from LOTW that have no option to either
fix or accept. The only option is 'skip', then you can't update because you
have unresolved errors. A real catch 22.
Ahhhhh the joys of beta testing... :-)
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, November 02, 2007 4:15
Subject: RE: [XMLog] bugs up-date

Hi Mal,

Are you using QRZ.com or some other call data base?

When I upload contest logs from Writelog into XMLog, XMLog fills in the
remaining info from QRZ.com. I found that quite a few of my errors were
due to inaccurate info in QRZ.com. They consist of states, counties, grids
locators, zones, etc. Most of them are don't care unless you what to use
the LoTW QSL for an award. I found that I lost a state for WAS on one band
recently because the LoTW QSL was from a different state that I didn't need.

I would like having an option that lets you know of you have a paper QSL before updating to the LoTW info, as you may want to keep your log entry in agreement with the card. If the station moved since the QSL and then submitted to LoTW, you don't want to use the LoTW QSL (unless is it gives you a new one :-))

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
N7MAL
Sent: Thursday, November 01, 2007 5:03 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] bugs up-date

Sometimes I have trouble explaining myself so I've uploaded a screenshot of the biggest error message:
http://n7mal. <http://n7mal. <http://n7mal. <http://n7mal.com/screen123.gif> com/screen123.gif>
com/screen123.gif> com/screen123.gif

Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.
So you see that is why I ask for the 'I don't care' button.
Hope that makes more sense.
Possible clues: All my contest uploads to LOTW were either from CT or N1MM adif files and then those same adif files were loaded in MLOG. Yes they were converted to TQ8 files for LOTW upload.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com> com

----- Original Message -----
From: N7MAL
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thursday, November 01, 2007 7:39
Subject: [XMLog] bugs

So far I've found 1 bug and a bunch of stuff that is questionable.
The bug is the program crashes when I try to generate a log entry from the right-click inside the packet window.
The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi
The interesting part of all this is I have received LOTW CWDXCC, I have 40M LOTW CWDXCC and LOTW CWWAS, so I'm doing something right. Now if I could just convince MLOG.
Thanks Mike for all your effort you done a really good job. The new layout and all its options are great.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal. <http://www.n7mal.
<http://www.n7mal.com> com> com> com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2326. RE: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-03 17:54:11 UTC
From: Craig Bradley
Topic: 2313 Message: 2326

Hi Mal,

The SS will be a good opportunity to see where the zones, etc. are coming from.

After the contest and importing your contest log into XMLog, you can compare the contest ADIF with the entries in XMLog. XMLog does guess at countries if the box is checked in Import Options 3 (defaulted to checked). Maybe the zones are filled in here also?

Then you can compare the LoTW QSLs also.

Good luck in the contest!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Saturday, November 03, 2007 10:08 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: bugs up-date and maybe some answers

Hi Mike, W1NR: I am really confused about something you, and others, said: ""XMLOG might select the wrong zone based on the callsign prefix. "" I wanted to see for myself this thing about XMLOG filling in blanks, in particular zones. A day, or so, ago I created a log entry for AE6RR. I did not enter a zone number. XMLOG did not enter a zone but did enter a "?". After I read your response I created an ADIF file. Below is the entry for AE6RR. There is no zone number in the ADIF file for AE6RR.
Here's my question: At what point in time does XMLOG enter the missing zone number, because I sure don't see it? If I were to convert this ADIF to a TQ8 and upload it to LOTW it would not have a zone number. I have thousands of SSCW entries in my log(it's my favorite contest) but only got 5 or 6 zone error messages from the LOTW report. Why so few error messages if MLOG is guessing at zones?
I am a big, rah-rah, supporter of LOTW and XMLOG that is why I would like to see them work together.
Now it's time for me to get ready for SS
Best 73

<QSO_DATE:8:D>20071102 <TIME_ON:4>1633 <TIME_OFF:4>1633 <CALL:5>AE6RR <FREQ:9>14030.000 <RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>cw <TX_PWR:3>100 <DXCC:3>291

<STATION_CALLSIGN:5>N7MAL <OPERATOR:5>N7MAL <MY_CQ_ZONE:2>03
<MY_GRIDSQUARE:4>DM25 <MY_LAT:11>N035 00.000 <MY_LONG:11>W114 10.000
<MY_STATE:2>AZ <MY_COUNTRY:3>291 <EOR>

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

----- Original Message -----
From: Michael McCarthy
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Saturday, November 03, 2007 10:27
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are
not "errors" in the sense that it reports a discrepancy. When you log
a QSO, regardless of contest or casual operating, state or province
and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it
with his key. This key puts certain state and zone information into
the LoTW record.

When you download a QSL, XMLog correctly tells you that the
information doesn't match what is in YOUR log. If the signer doesn't
use a key with the correct information or XMLog didn't record the
"correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW
QSL record. XMLog might select the wrong zone based on the callsign
prefix. People do move and don't change callsigns. I accept whatever
LoTW tells me as that is the only way the QSL will be valid, even if
the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "N7MAL"
<n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the
way it is not all MLOG's fault/problem. At least 5 or 6 of the errors
were related to sweepstakes contest entries. The errors are invalid
zone entries. Zone entries ARE NOT part of the sweepstakes exchange
and are never entered or uploaded to LOTW. At least 2 of the entries
are for invalid W4 counties during the 7qp QSO party. You DON'T enter
W4 counties. I never entered or uploaded those wrong counties. More
than 75% of my LOTW errors are errors that don't exist. At least 5 of
the entries there is no option to correct them.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2327. Now I'm unhappy

Yahoo group: XMLog
Date: 2007-11-03 17:55:17 UTC
From: N7MAL
Topic: 2327 Message: 2327

I just finished reading Mr. Willis's posting and it gave me a clue, so I tried it. I entered a state for the AE6RR log entry and XMLOG filled in the blank zone and country. That makes me very unhappy. I've been using XMLOG for many years and was not aware XMLOG filled in blanks, especially from imported ADIF files. I can understand XMLOG being helpful with manual entries, that is what is called, a 'feature'.
Before anyone beats me up here is why I am unhappy: Tomorrow when SS is over I will do all the 'house-keeping'. I will create all the necessary 'post-contest' files. From these files I will do the 3830 brag, I will convert the ADIF to LOTW and upload it, and then I will upload to the ARRL(the contest sponsor). When I upload to the ARRL I am certifying the log is true and correct etc etc etc. The last thing I will do is input the ADIF to XMLOG. At this point in time XMLOG will change/modify my log, without my permission. A log which I have certified to be true and correct. Now I get error messages when I try to validate, not because I did anything wrong, because XMLOG changed my log(without asking) and got it wrong. My only response is WOW.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

2328. RE: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-03 18:08:34 UTC
From: Craig Bradley
Topic: 2313 Message: 2328

Hi Mike (W1NR),

Sorry for fragmenting the thread on this, but I wanted to comment on your last sentence. I think that this is an important point.

I agree that I also want to accept the LoTW data, unless I have a paper QSL card in hand that matches the entry in XMLog. In that case, I want the XMLog entry to remain in agreement with the card. This is why I suggest that the validation messages reflect whether or not you have a paper (or previous) QSL for that QSO. You may need that zone, grid, county, state, etc. for an award.

I think that a lot of ops are entering large logs that consist of many years of operation to LoTW. Those logs could consist of operations from many locations if the op has moved during that time frame or operated portable, DXpeditions, etc. The op entering these logs is probably only interested in DXCC credit, so they may not make the effort to establish multiple accounts with the various locations and separate the logs. Those of us that would like to use these QSLs may be interested in other awards.

Therefore I would vote for a warning of some type before you alter a QSO that has been previously confirmed.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Michael McCarthy
Sent: Saturday, November 03, 2007 3:27 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are not "errors" in the sense that it reports a discrepancy. When you log a QSO, regardless of contest or casual operating, state or province and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it with his key. This key puts certain state and zone information into the LoTW record.

When you download a QSL, XMLog correctly tells you that the information doesn't match what is in YOUR log. If the signer doesn't use a key with the correct information or XMLog didn't record the "correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW QSL record. XMLog might select the wrong zone based on the callsign prefix. People do move and don't change callsigns. I accept whatever LoTW tells me as that is the only way the QSL will be valid, even if the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.

[Non-text portions of this message have been removed]

2329. RE: [XMLog] Now I'm unhappy

Yahoo group: XMLog
Date: 2007-11-03 18:24:01 UTC
From: Craig Bradley
Topic: 2327 Message: 2329

I would suspect that this also happens when you import an ADIF file.

I think that there should be an option to enable/disable this feature.

Thanks for the phantom QSL, I am afraid that it will not be confirmed in LoTW though :-)

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7MAL
Sent: Saturday, November 03, 2007 10:55 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Now I'm unhappy

I just finished reading Mr. Willis's posting and it gave me a clue, so I tried it. I entered a state for the AE6RR log entry and XMLOG filled in the blank zone and country. That makes me very unhappy. I've been using XMLOG for many years and was not aware XMLOG filled in blanks, especially from imported ADIF files. I can understand XMLOG being helpful with manual entries, that is what is called, a 'feature'.
Before anyone beats me up here is why I am unhappy: Tomorrow when SS is over I will do all the 'house-keeping'. I will create all the necessary 'post-contest' files. From these files I will do the 3830 brag, I will convert the ADIF to LOTW and upload it, and then I will upload to the ARRL(the contest sponsor). When I upload to the ARRL I am certifying the log is true and correct etc etc etc. The last thing I will do is input the ADIF to XMLOG. At this point in time XMLOG will change/modify my log, without my permission. A log which I have certified to be true and correct. Now I get error messages when I try to validate, not because I did anything wrong, because XMLOG changed my log(without asking) and got it wrong. My only response is WOW.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2330. Re: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-04 00:33:18 UTC
From: WILLIS COOKE
Topic: 2313 Message: 2330

Mal, it appears to me that XM Log adds the zone, computed from the call sign to a country when you save the record. In the case of countries that lie in more than one zone, ie the US, Canada, Australia, Russia and China it cannot compute the zone from country information. In the case of the US or Canada it computes the zone from the state or province if it is entered, either manually or from QRZ.COM if it is enabled. In the other cases it enters a question mark so that you can enter a zone later. If you enter a zone the data you entered will override the computation engine. This is for the regular XM Log. I don't think the LOTW version works quite right at this time.

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 3, 2007 12:07:41 PM
Subject: Re: [XMLog] Re: bugs up-date and maybe some answers

Hi Mike, W1NR: I am really confused about something you, and others,
said: ""XMLOG might select the wrong zone based on the callsign prefix.
"" I wanted to see for myself this thing about XMLOG filling in blanks,
in particular zones. A day, or so, ago I created a log entry for AE6RR.
I did not enter a zone number. XMLOG did not enter a zone but did
enter a "?". After I read your response I created an ADIF file. Below is
the entry for AE6RR. There is no zone number in the ADIF file for AE6RR.
Here's my question: At what point in time does XMLOG enter the missing
zone number, because I sure don't see it? If I were to convert this
ADIF to a TQ8 and upload it to LOTW it would not have a zone number. I
have thousands of SSCW entries in my log(it's my favorite contest) but
only got 5 or 6 zone error messages from the LOTW report. Why so few error
messages if MLOG is guessing at zones?
I am a big, rah-rah, supporter of LOTW and XMLOG that is why I would
like to see them work together.
Now it's time for me to get ready for SS
Best 73

<QSO_DATE:8:D>20071102 <TIME_ON:4>1633 <TIME_OFF:4>1633 <CALL:5>AE6RR
<FREQ:9>14030.000 <RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>cw
<TX_PWR:3>100
<DXCC:3>291
<STATION_CALLSIGN:5>N7MAL <OPERATOR:5>N7MAL <MY_CQ_ZONE:2>03
<MY_GRIDSQUARE:4>DM25 <MY_LAT:11>N035 00.000 <MY_LONG:11>W114 10.000
<MY_STATE:2>AZ <MY_COUNTRY:3>291 <EOR>

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Michael McCarthy
To: XMLog@yahoogroups.com
Sent: Saturday, November 03, 2007 10:27
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are not "errors" in the sense that it reports a discrepancy. When you log a QSO, regardless of contest or casual operating, state or province and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it with his key. This key puts certain state and zone information into the LoTW record.

When you download a QSL, XMLog correctly tells you that the information doesn't match what is in YOUR log. If the signer doesn't use a key with the correct information or XMLog didn't record the "correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW QSL record. XMLog might select the wrong zone based on the callsign prefix. People do move and don't change callsigns. I accept whatever LoTW tells me as that is the only way the QSL will be valid, even if the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2331. Re: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-04 00:51:02 UTC
From: WILLIS COOKE
Topic: 2313 Message: 2331

Mike, you are correct that the information contained in LOTW will be used if you use the LOTW confirmation for an award. However, LOTW is only used for ARRL awards. Worked all Counties and Worked all Zones are CQ Magazine awards and as far as I know require paper cards. I don't know of any ARRL awards that care about Counties or Zones. Those that are seeking the CQ Magazine awards need to be able to track the information which is shown on a paper card or that the user expects to receive on a paper card. As others have stated, I am a big supporter of LOTW and very glad to have XM Log work with LOTW, but at this time it only works with ARRL awards and EQSL only works wit EQSL awards, so they are limited.
Cookie, K5EWJ

----- Original Message ----
From: Michael McCarthy <lists@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 3, 2007 5:27:09 AM
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are
not "errors" in the sense that it reports a discrepancy. When you log
a QSO, regardless of contest or casual operating, state or province
and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it
with his key. This key puts certain state and zone information into
the LoTW record.

When you download a QSL, XMLog correctly tells you that the
information doesn't match what is in YOUR log. If the signer doesn't
use a key with the correct information or XMLog didn't record the
"correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW
QSL record. XMLog might select the wrong zone based on the callsign
prefix. People do move and don't change callsigns. I accept whatever
LoTW tells me as that is the only way the QSL will be valid, even if
the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the
way it is not all MLOG's fault/problem. At least 5 or 6 of the errors
were related to sweepstakes contest entries. The errors are invalid
zone entries. Zone entries ARE NOT part of the sweepstakes exchange
and are never entered or uploaded to LOTW. At least 2 of the entries
are for invalid W4 counties during the 7qp QSO party. You DON'T enter
W4 counties. I never entered or uploaded those wrong counties. More
than 75% of my LOTW errors are errors that don't exist. At least 5 of

the entries there is no option to correct them.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2332. Re: [XMLog] Now I'm unhappy

Yahoo group: XMLog
Date: 2007-11-04 01:03:59 UTC
From: WILLIS COOKE
Topic: 2327 Message: 2332

Mal, the log that you are certifying is the Cabrillo file that was made by whatever log program you used for the contest (I use N1MM) and it should only contain the information required for SS or whatever contest you enter. The major contests that use CQ Zone are the CQWW. XM Log will not change the Zone that you recorded during the CQWW in the regular version. One problem with XM Log that I would like to see fixed is that there is no provision for entering Labrador which is Zone 2 except manually. If there is an accepted abbreviation for Labrador, I have not yet found it. ARRL does not care about CQ Zones anyway except for LOTW.

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 3, 2007 12:55:17 PM
Subject: [XMLog] Now I'm unhappy

I just finished reading Mr. Willis's posting and it gave me a clue, so
I tried it. I entered a state for the AE6RR log entry and XMLOG filled
in the blank zone and country. That makes me very unhappy. I've been
using XMLOG for many years and was not aware XMLOG filled in blanks,
especially from imported ADIF files. I can understand XMLOG being helpful
with manual entries, that is what is called, a 'feature'.
Before anyone beats me up here is why I am unhappy: Tomorrow when SS is
over I will do all the 'house-keeping'. I will create all the
necessary 'post-contest' files. From these files I will do the 3830 brag, I
will convert the ADIF to LOTW and upload it, and then I will upload to the
ARRL(the contest sponsor). When I upload to the ARRL I am certifying
the log is true and correct etc etc etc. The last thing I will do is
input the ADIF to XMLOG. At this point in time XMLOG will change/modify my
log, without my permission. A log which I have certified to be true
and correct. Now I get error messages when I try to validate, not because
I did anything wrong, because XMLOG changed my log(without asking) and
got it wrong. My only response is WOW.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2333. RE: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-04 07:30:19 UTC
From: Craig Bradley
Topic: 2313 Message: 2333

Cookie,

CQ will accept LoTW confirmations for some awards. I have used them for the CQ DX Field Award and the CQ DX Award. I printed the LoTW confirmations and sent them in with the application.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Saturday, November 03, 2007 5:51 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: bugs up-date and maybe some answers

Mike, you are correct that the information contained in LOTW will be used if you use the LOTW confirmation for an award. However, LOTW is only used for ARRL awards. Worked all Counties and Worked all Zones are CQ Magazine awards and as far as I know require paper cards. I don't know of any ARRL awards that care about Counties or Zones. Those that are seeking the CQ Magazine awards need to be able to track the information which is shown on a paper card or that the user expects to receive on a paper card. As others have stated, I am a big supporter of LOTW and very glad to have XM Log work with LOTW, but at this time it only works with ARRL awards and EQSL only works wit EQSL awards, so they are limited.
Cookie, K5EWJ

----- Original Message ----
From: Michael McCarthy <lists@... <mailto:lists%40w1nr.net> >
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Saturday, November 3, 2007 5:27:09 AM
Subject: [XMLog] Re: bugs up-date and maybe some answers

There is something that everyone should know about LoTW. These are not "errors" in the sense that it reports a discrepancy. When you log a QSO, regardless of contest or casual operating, state or province and zone information is "guessed" or entered by you into XMLog.

Now the guy on the other end uploads his logs to LoTW and "signs" it with his key. This key puts certain state and zone information into the LoTW record.

When you download a QSL, XMLog correctly tells you that the information doesn't match what is in YOUR log. If the signer doesn't

use a key with the correct information or XMLog didn't record the "correct" info you will get a discrepancy.

Zones are not part of the SS exchange, but they ARE part of the LoTW QSL record. XMLog might select the wrong zone based on the callsign prefix. People do move and don't change callsigns. I accept whatever LoTW tells me as that is the only way the QSL will be valid, even if the other end didn't sign it correctly.

Mike, W1NR

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "N7MAL" <n7mal@...> wrote:
> Here's the problem and why I'm so bent out of shape about it. By the way it is not all MLOG's fault/problem. At least 5 or 6 of the errors were related to sweepstakes contest entries. The errors are invalid zone entries. Zone entries ARE NOT part of the sweepstakes exchange and are never entered or uploaded to LOTW. At least 2 of the entries are for invalid W4 counties during the 7qp QSO party. You DON'T enter W4 counties. I never entered or uploaded those wrong counties. More than 75% of my LOTW errors are errors that don't exist. At least 5 of the entries there is no option to correct them.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2334. Re: [XMLog] Re: bugs up-date and maybe some answers

Yahoo group: XMLog
Date: 2007-11-04 13:48:59 UTC
From: WILLIS COOKE
Topic: 2313 Message: 2334

That is of great interest to me Craig and information that I did not know. I am planning on applying for WAZ and soon and that will be helpful. Of course, you can print out only the records that have correct information and either ask the station worked to correct errors or send a paper card for those in error. Of course in most cases you can just use a different contact. Most of the errors seem to be in the Zone 3, 4 and 5 contacts where most of us have dozens or hundreds of contacts.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Sunday, November 4, 2007 1:30:19 AM
Subject: RE: [XMLog] Re: bugs up-date and maybe some answers

Cookie,

CQ will accept LoTW confirmations for some awards. I have used them
for the
CQ DX Field Award and the CQ DX Award. I printed the LoTW
confirmations and
sent them in with the application.

73,

- Craig

[Non-text portions of this message have been removed]

2335. Cabrillo File

Yahoo group: XMLog
Date: 2007-11-04 14:50:20 UTC
From: Joe Cash
Topic: 2335 Message: 2335

I'm sorry if I missed this in the software documentation - but can anyone give me a hint on how to create a Cabrillo file from XM log. I am not a "real" contester but would like to submit my log from last weeks contest.

Any assistance would be greatly appreiciated.

73,

Joe
W2OZO

2336. Re: [XMLog] Cabrillo File

Yahoo group: XMLog
Date: 2007-11-04 16:14:22 UTC
From: WILLIS COOKE
Topic: 2335 Message: 2336

Joe, I don't think that XMLog will create a Cabrillo file. It is not intended for Contest Logging. A Cabrillo file is just a certain format of a plain text file, so you can probably export a plain text file and modify it with Note Pad or some other text editor. You will need to find the format by downloading a Cabrillo file from N1MM or some other contest program. I can send you a sample if you need it. I have not done a conversion from XMLog so I don't know what is different, maybe the field order and there will be some fields that are in XMLog but not needed for contest submittal. The Cabrillo file has a header with a good bit of contest information that XMLog can't make because it does not have a provision for entering that information or scoring a contest. I make a Cabrillo file for submission and an ADIF file to import the data to XMLog when I enter a contest. I use N1MM for most contests and Win1010 for Ten-Ten contests. I have also used
N3FJP for a Ten-Ten contest.
Cookie, K5EWJ

----- Original Message ----
From: Joe Cash <jcash@...>
To: XMLog@yahoogroups.com
Sent: Sunday, November 4, 2007 8:50:20 AM
Subject: [XMLog] Cabrillo File

I'm sorry if I missed this in the software documentation - but can
anyone give me a hint on how to create a Cabrillo file from XM log. I
am not a "real" contester but would like to submit my log from last
weeks contest.

Any assistance would be greatly appreiciated.

73,

Joe
W2OZO

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2337. RE: [XMLog] Re: bugs up-date and maybe some answers - CQ Awards

Yahoo group: XMLog
Date: 2007-11-04 17:04:40 UTC
From: Craig Bradley
Topic: 2313 Message: 2337

Hi Cookie,

Send an email to the CQ Awards Manager, you can find his email on their web site. I would ask about WAZ, just to be sure.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Sunday, November 04, 2007 5:49 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: bugs up-date and maybe some answers

That is of great interest to me Craig and information that I did not know. I am planning on applying for WAZ and soon and that will be helpful. Of course, you can print out only the records that have correct information and either ask the station worked to correct errors or send a paper card for those in error. Of course in most cases you can just use a different contact. Most of the errors seem to be in the Zone 3, 4 and 5 contacts where most of us have dozens or hundreds of contacts.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Sunday, November 4, 2007 1:30:19 AM
Subject: RE: [XMLog] Re: bugs up-date and maybe some answers

Cookie,

CQ will accept LoTW confirmations for some awards. I have used them for the
CQ DX Field Award and the CQ DX Award. I printed the LoTW confirmations and
sent them in with the application.

73,

- Craig

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2338. text message

Yahoo group: XMLog
Date: 2007-11-04 17:10:56 UTC
From: Robert Dixon
Topic: 2338 Message: 2338

Am using V496. Have lost the info for creating a text file so that I can change margins on the hard copy. Would appreciate some kind soul helping me out here. This time I will make a copy of the info. (Have tried going to DISPLAY, SHORT and then going to FILE. Can't create a text file this way.)

BTW this logging program works for me when contesting. I make up a file for that particular file or month and when the contest is over splicing the contest info into the main log is a snap. It also works great with LOTW. (If it ain't broke don' fix it.)

73 Bob W8HGH

[Non-text portions of this message have been removed]

2339. Re: [XMLog] Cabrillo File

Yahoo group: XMLog
Date: 2007-11-05 05:20:47 UTC
From: N7MAL
Topic: 2335 Message: 2339

Joe here is what the heading and first 10 QSOs of my sweepstakes cabrillo file looks like. You are much better off letting a real contest logging software do this than try to duplicate it.

```
START-OF-LOG: 2.0
CREATED-BY: CT Version 10.03.002
CALLSIGN: N7MAL
NAME: Mal Douglas
ADDRESS: P.O. Box 20094
ADDRESS: Bullhead City, AZ 86439
ADDRESS: U.S.A.
CLUB:
CLAIMED-SCORE: 66676
CONTEST: ARRL-SS-CW
OPERATORS:
OPERATORS:
SOAPBOX:
SOAPBOX:
SOAPBOX:
SOAPBOX:
CATEGORY: SINGLE-OP ALL LOW CW
ARRL-SECTION: AZ
QSO: 21032 CW 2007-11-03 2112 N7MAL 1 A 57 AZ NP2S 28 B 65 VI
QSO: 21044 CW 2007-11-03 2114 N7MAL 2 A 57 AZ K8AC 8 A 59 NC
QSO: 21049 CW 2007-11-03 2117 N7MAL 3 A 57 AZ K8BL 12 A 61 OH
QSO: 21030 CW 2007-11-03 2125 N7MAL 4 A 57 AZ K9UIY 24 A 59 IL
QSO: 21021 CW 2007-11-03 2127 N7MAL 5 A 57 AZ K4EU 20 B 64 VA
QSO: 21016 CW 2007-11-03 2131 N7MAL 6 A 57 AZ NP4Z 51 B 81 PR
QSO: 14007 CW 2007-11-03 2144 N7MAL 7 A 57 AZ K9SD 31 M 62 IL
QSO: 14008 CW 2007-11-03 2145 N7MAL 8 A 57 AZ N4WW 69 B 85 NFL
QSO: 14011 CW 2007-11-03 2147 N7MAL 9 A 57 AZ N5II 21 A 68 LA
QSO: 14018 CW 2007-11-03 2148 N7MAL 10 A 57 AZ NI1N 66 U 84 VA

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Joe Cash
To: XMLog@yahoogroups.com
Sent: Sunday, November 04, 2007 14:50
Subject: [XMLog] Cabrillo File

I'm sorry if I missed this in the software documentation - but can
anyone give me a hint on how to create a Cabrillo file from XM log. I
```

am not a "real" contester but would like to submit my log from last weeks contest.

Any assistance would be greatly appreiciated.

73,

Joe
W2OZO

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2340. Re: [XMLog] Now I'm unhappy

Yahoo group: XMLog
Date: 2007-11-05 05:30:54 UTC
From: N7MAL
Topic: 2327 Message: 2340

The ARRL accepted abbreviation is 'NL'.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Sunday, November 04, 2007 1:03
Subject: Re: [XMLog] Now I'm unhappy

Mal, the log that you are certifying is the Cabrillo file that was made by whatever log program you used for the contest (I use N1MM) and it should only contain the information required for SS or whatever contest you enter. The major contests that use CQ Zone are the CQWW. XM Log will not change the Zone that you recorded during the CQWW in the regular version. One problem with XM Log that I would like to see fixed is that there is no provision for entering Labrador which is Zone 2 except manually. If there is an accepted abbreviation for Labrador, I have not yet found it. ARRL does not care about CQ Zones anyway except for LOTW.

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 3, 2007 12:55:17 PM
Subject: [XMLog] Now I'm unhappy

I just finished reading Mr. Willis's posting and it gave me a clue, so
I tried it. I entered a state for the AE6RR log entry and XMLOG filled
in the blank zone and country. That makes me very unhappy. I've been
using XMLOG for many years and was not aware XMLOG filled in blanks,
especially from imported ADIF files. I can understand XMLOG being helpful
with manual entries, that is what is called, a 'feature'.
Before anyone beats me up here is why I am unhappy: Tomorrow when SS is
over I will do all the 'house-keeping'. I will create all the
necessary 'post-contest' files. From these files I will do the 3830 brag, I
will convert the ADIF to LOTW and upload it, and then I will upload to the
ARRL(the contest sponsor). When I upload to the ARRL I am certifying
the log is true and correct etc etc etc. The last thing I will do is
input the ADIF to XMLOG. At this point in time XMLOG will change/modify my
log, without my permission. A log which I have certified to be true
and correct. Now I get error messages when I try to validate, not because
I did anything wrong, because XMLOG changed my log(without asking) and
got it wrong. My only response is WOW.

Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2341. Re: [XMLog] Now I'm unhappy

Yahoo group: XMLog
Date: 2007-11-05 13:34:04 UTC
From: WILLIS COOKE
Topic: 2327 Message: 2341

I thought that was just Newfoundland, but as I look at the ARRL site I see that NL is for Newfoundland-Labrador. Now I understand why my Zone 2 Labrador contacts keep getting entered as Zone 5. This is another ambiguity where it is near impossible to find the Zone automatically. Newfoundland-Labrador can be separated by VO1/VO2 but VE2 can be either Zone 2 or Zone 5 and VE8 can be either Zone 1 or Zone 2. Another way to make a programmer's hair turn gray or fall out!

----- Original Message ----
From: N7MAL <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Sunday, November 4, 2007 11:30:54 PM
Subject: Re: [XMLog] Now I'm unhappy

The ARRL accepted abbreviation is 'NL'.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

--

[Non-text portions of this message have been removed]

2342. eQSL

Yahoo group: XMLog
Date: 2007-11-10 17:27:15 UTC
From: John P Smith
Topic: 2342 Message: 2342

Mike,
Now that you've made the LOTW guys happy, any plans to do something
similar for us eQSL folks?

73
John

2343. Re: [XMLog] eQSL

Yahoo group: XMLog
Date: 2007-11-10 17:57:04 UTC
From: WILLIS COOKE
Topic: 2342 Message: 2343

Wait a minute John, Mike doesn't have the bugs out of the LOTW part yet. He does at least have the fields installed for eQSL. Seriously, does eQSL provide the download utilities needed to interface with another program?
Cookie, K5EWJ

----- Original Message ----
From: John P Smith <johnki4ro@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 10, 2007 11:27:15 AM
Subject: [XMLog] eQSL

Mike,
Now that you've made the LOTW guys happy, any plans to do something
similar for us eQSL folks?

73
John

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2344. Re: [XMLog] eQSL

Yahoo group: XMLog
Date: 2007-11-10 18:34:27 UTC
From: Dave Sergeant
Topic: 2342 Message: 2344

On 10 Nov 2007 at 9:57, WILLIS COOKE wrote:

> Wait a minute John, Mike doesn't have the bugs out of the LOTW part
> yet. He does at least have the fields installed for eQSL. Seriously,
> does eQSL provide the download utilities needed to interface with
> another program? Cookie, K5EWJ

I still prefer to keep eQSL and LOTW seperate from my main log and have three seperate XMLog files (station log with paper QSLs, eQSL and LOTW). Updating to LOTW is easy via ADIF export/import. eQSL can do the same for uploading from ADIF. The options for download with eQSL are a bit more restrictive however, you can download your complete Outbox (what you have uploaded) as ADIFand there is also a link to download your complete Inbox (right at the bottom of the Archive page) but no option to download your non-archived inbox (what you see when you go straight to Inbox.

To get round this problem I have written a little program to produce an ADIF file from my inbox by copying and pasting the browser text of your inbox QSOs into a text file which the program converts. See http://www.davesergeant.com/bbcbasic/bbcbasic.htm and download the eqsladif program.

You will also see another program there, xmlog1, which takes a saved file from your dxcc records and turns it into a CSV file from which you can make a nice spreadsheet of countries worked.

73 Dave G3YMC

http://www.davesergeant.com

2345. Re: XMLog LOTW Prototype - V3

Yahoo group: XMLog
Date: 2007-11-10 22:01:12 UTC
From: Mike McAmis
Topic: 2286 Message: 2345

Hi, I just posted a new version with a bug fix at www.xmlog.com/lotw

Now it's time to comb through all the LOTW comments here...

Mike - W1ECT

2346. Re: [XMLog] Re: XMLog LOTW Prototype - V3

Yahoo group: XMLog
Date: 2007-11-10 22:33:59 UTC
From: N7MAL
Topic: 2286 Message: 2346

Mike may the 'farce' be with you...hihihi...
Good Luck and Thanks
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, November 10, 2007 22:01
Subject: [XMLog] Re: XMLog LOTW Prototype - V3

Hi, I just posted a new version with a bug fix at www.xmlog.com/lotw

Now it's time to comb through all the LOTW comments here...

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2347. Re: eQSL

Yahoo group: XMLog
Date: 2007-11-11 17:32:41 UTC
From: John P Smith
Topic: 2342 Message: 2347

I am not a programmer Cookie so I really don't know the answer.

73
John KI4RO

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Wait a minute John, Mike doesn't have the bugs out of the LOTW part
yet. He does at least have the fields installed for eQSL.
Seriously, does eQSL provide the download utilities needed to
interface with another program?
> Cookie, K5EWJ
>
> ----- Original Message ----
> From: John P Smith <johnki4ro@...>
> To: XMLog@yahoogroups.com
> Sent: Saturday, November 10, 2007 11:27:15 AM
> Subject: [XMLog] eQSL
>
>
> Mike,
> Now that you've made the LOTW guys happy, any plans to do
something
> similar for us eQSL folks?
>
> 73
> John
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2348. Re: eQSL

Yahoo group: XMLog
Date: 2007-11-11 17:35:14 UTC
From: John P Smith
Topic: 2342 Message: 2348

Dave,
Many thanks. What does your program do, exactly? Download my
Inbox and then update my XMLOG log file with eQSLs received?

73
John

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 10 Nov 2007 at 9:57, WILLIS COOKE wrote:
>
> > Wait a minute John, Mike doesn't have the bugs out of the LOTW
part
> > yet. He does at least have the fields installed for eQSL.
Seriously,
> > does eQSL provide the download utilities needed to interface with
> > another program? Cookie, K5EWJ
>
> I still prefer to keep eQSL and LOTW seperate from my main log and
> have three seperate XMLog files (station log with paper QSLs, eQSL
> and LOTW). Updating to LOTW is easy via ADIF export/import. eQSL
can
> do the same for uploading from ADIF. The options for download with
> eQSL are a bit more restrictive however, you can download your
> complete Outbox (what you have uploaded) as ADIFand there is also a
> link to download your complete Inbox (right at the bottom of the
> Archive page) but no option to download your non-archived inbox
(what
> you see when you go straight to Inbox.
>
> To get round this problem I have written a little program to
produce
> an ADIF file from my inbox by copying and pasting the browser text
of
> your inbox QSOs into a text file which the program converts. See
> http://www.davesergeant.com/bbcbasic/bbcbasic.htm and download the
> eqsladif program.
>
> You will also see another program there, xmlog1, which takes a
saved
> file from your dxcc records and turns it into a CSV file from which
> you can make a nice spreadsheet of countries worked.
>
> 73 Dave G3YMC
>

> http://www.davesergeant.com
>

2349. Confirmation of LOTW Verification

Yahoo group: XMLog
Date: 2007-11-12 17:44:17 UTC
From: Kevin Nathan
Topic: 2349 Message: 2349

Hi Mike,

I downloaded all of my LOTW entries and did the verification process. However, when I bring up my DXCC totals, nothing seems to have changed in the confirmed column from the time when I did not run the LOTW version. Can you explain how I determine number confirmed to date including LOTW?

Thanks very much and very 73.

Kevin :)
Amateur Radio: K7RX

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.503 / Virus Database: 269.15.30/1125 - Release Date: 11/11/2007 21:50

2350. Re: Cabrillo File

Yahoo group: XMLog
Date: 2007-11-13 02:11:43 UTC
From: kd5txl
Topic: 2335 Message: 2350

Work around for Contest Files ... check the following web site for
available contests:

http://b4h.net/cabforms/

(or go to ARRL web site and search on "Cabrillo")

Enter some dummy data to find out the required format for your
contest.

In XMLog, export your contest contacts into an Excel file, then
copy/paste the Excel fields into the required format.

Then you can copy the Excel data and paste into the web page.

The cabrillo form will create a properly formatted cabrillo file.

You can either submit the file to your contest or copy and paste the
newly formatted file into a file that you can submit on your own.

This sounds much more compilcated than it really is. The key to this
process is XMLog's ability to export to an Excel File .... great
feature!

Thanks, Gene.

--- In XMLog@yahoogroups.com, "Joe Cash" <jcash@...> wrote:
>
> I'm sorry if I missed this in the software documentation - but can
> anyone give me a hint on how to create a Cabrillo file from XM log.
I
> am not a "real" contester but would like to submit my log from last
> weeks contest.
>
> Any assistance would be greatly appreiciated.
>
> 73,
>
> Joe
> W2OZO
>

2351. Re: [XMLog] Re: Cabrillo File

Yahoo group: XMLog
Date: 2007-11-13 06:43:57 UTC
From: Dave Sergeant
Topic: 2335 Message: 2351

On 13 Nov 2007 at 2:11, kd5txl wrote:

> This sounds much more compilcated than it really is. The key to this
> process is XMLog's ability to export to an Excel File .... great
> feature!

That is if you actually have Excel installed. Does not work for those
of us who use OpenOffice....

73 Dave G3YMC

http://www.davesergeant.com

2352. My howto export from XMLog to Cabrillo.

Yahoo group: XMLog
Date: 2007-11-13 06:56:39 UTC
From: xarero69
Topic: 2352 Message: 2352

Hi all.

I'm being using freeware software adif2cabr.exe from SP7PS.
The process is very easy: you firts generate an ADIF file from XMLog
and later use this program to translate it Cabrillo format.

But I've founded a pair of items that don't work straightforward.

- ADIF files generated by XMLog shows date tags as "<QSO_DATE:8:D>"
instead of "<QSO_DATE:8>".

- ADIF files generated by XMLog shows Test In and Test Out (exchange
data for contests) as "<STX_STRING>" and "<SRX_STRING>" instead
of "<STX>" and "<SRX>".

Now I workaround it using search&replace of the Windows notepad.

Does anybody kwows what it should be according to Cabrillo or ADIF
standards?

Thank you,
Nando EA5GVZ.

2353. Re: [XMLog] My howto export from XMLog to Cabrillo.

Yahoo group: XMLog
Date: 2007-11-13 16:37:41 UTC
From: Dave Sergeant
Topic: 2352 Message: 2353

These are both correct to ADIF2 specs. See http://www.adif.org/

In <QSO_DATE:8:D> the D is an optional field stating the format of
the data field, in this case DATE. Present from v1.

<STX_STRING> and <SRX_STRING> are additional fields introduced in v2
which allow string data rather than just numeric data like serial
numbers.

Do not waste time editing the ADIF, it is fully correct. If your
Cabrillo conversion program does not like it then take it up with the
author of that program.

Realistically though you should be using a CONTEST program for
contests and get IT to produce the Cabrillo for the entry log. Use
ADIF to import it to XMLog. XMLog is NOT a contest program....

73 Dave G3YMC

On 13 Nov 2007 at 6:56, xarero69 wrote:

> Hi all.
>
> I'm being using freeware software adif2cabr.exe from SP7PS.
> The process is very easy: you firts generate an ADIF file from XMLog
> and later use this program to translate it Cabrillo format.
>
> But I've founded a pair of items that don't work straightforward.
>
> - ADIF files generated by XMLog shows date tags as "<QSO_DATE:8:D>"
> instead of "<QSO_DATE:8>".
>
> - ADIF files generated by XMLog shows Test In and Test Out (exchange
> data for contests) as "<STX_STRING>" and "<SRX_STRING>" instead of
> "<STX>" and "<SRX>".
>
> Now I workaround it using search&replace of the Windows notepad.
>
> Does anybody kwows what it should be according to Cabrillo or ADIF
> standards?
>
> Thank you,
> Nando EA5GVZ.
>

http://www.davesergeant.com

2354. Re: [XMLog] My howto export from XMLog to Cabrillo.

Yahoo group: XMLog
Date: 2007-11-13 16:57:02 UTC
From: WILLIS COOKE
Topic: 2352 Message: 2354

Nando, I downloaded a Word file with the ADIF standard from the Internet. Since it is a Word file, it did not print the URL, so you will need to do a Google search on ADIF to find it. The standard shows <QSO_DATE:8> and <STX:#>as you indicate. I see the <QSO_Date:8:D> that you refer to in an ADIF file that I have uploaded to LOTW so it seems that it works. I don't have contest exchanges in my log as I use N1MM for contests. I am not sure if the Cabrillo standard is published. I use N1MM to generate my Cabrillos for most contest and Win1010 for 1010 contests. Maybe Mike will find time to enlighten us on what is going on.

----- Original Message ----
From: xarero69 <ea5gvz@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, November 13, 2007 12:56:39 AM
Subject: [XMLog] My howto export from XMLog to Cabrillo.

Hi all.

I'm being using freeware software adif2cabr.exe from SP7PS.
The process is very easy: you firts generate an ADIF file from XMLog
and later use this program to translate it Cabrillo format.

But I've founded a pair of items that don't work straightforward.

- ADIF files generated by XMLog shows date tags as "<QSO_DATE:8:D>"
instead of "<QSO_DATE:8>".

- ADIF files generated by XMLog shows Test In and Test Out (exchange
data for contests) as "<STX_STRING>" and "<SRX_STRING>" instead
of "<STX>" and "<SRX>".

Now I workaround it using search&replace of the Windows notepad.

Does anybody kwows what it should be according to Cabrillo or ADIF
standards?

Thank you,
Nando EA5GVZ.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2355. Re: My howto export from XMLog to Cabrillo.

Yahoo group: XMLog
Date: 2007-11-13 22:06:14 UTC
From: xarero69
Topic: 2352 Message: 2355

OK, thanks everybody for your explanations.
Everything is clear.
I'll considerate to use a more oriented soft for contests in the
future.

73,
Nando.

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Nando, I downloaded a Word file with the ADIF standard from the
Internet. Since it is a Word file, it did not print the URL, so you
will need to do a Google search on ADIF to find it. The standard
shows <QSO_DATE:8> and <STX:#>as you indicate. I see the
<QSO_Date:8:D> that you refer to in an ADIF file that I have
uploaded to LOTW so it seems that it works. I don't have contest
exchanges in my log as I use N1MM for contests. I am not sure if
the Cabrillo standard is published. I use N1MM to generate my
Cabrillos for most contest and Win1010 for 1010 contests. Maybe
Mike will find time to enlighten us on what is going on.
>
> ----- Original Message ----
> From: xarero69 <ea5gvz@...>
> To: XMLog@yahoogroups.com
> Sent: Tuesday, November 13, 2007 12:56:39 AM
> Subject: [XMLog] My howto export from XMLog to Cabrillo.
>
>
> Hi all.
>
> I'm being using freeware software adif2cabr.exe from SP7PS.
> The process is very easy: you firts generate an ADIF file from
XMLog
> and later use this program to translate it Cabrillo format.
>
> But I've founded a pair of items that don't work straightforward.
>
> - ADIF files generated by XMLog shows date tags
as "<QSO_DATE:8:D>"
> instead of "<QSO_DATE:8>".
>
> - ADIF files generated by XMLog shows Test In and Test Out
(exchange
> data for contests) as "<STX_STRING>" and "<SRX_STRING>" instead
> of "<STX>" and "<SRX>".

>
> Now I workaround it using search&replace of the Windows notepad.
>
> Does anybody kwows what it should be according to Cabrillo or ADIF
> standards?
>
> Thank you,
> Nando EA5GVZ.
>
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2356. Re: [XMLog] Re: My howto export from XMLog to Cabrillo.

Yahoo group: XMLog
Date: 2007-11-13 22:13:46 UTC
From: WILLIS COOKE
Topic: 2352 Message: 2356

Take a look at N1MM. It is share ware and pretty good. It covers most contests except 1010.

----- Original Message ----
From: xarero69 <ea5gvz@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, November 13, 2007 4:06:14 PM
Subject: [XMLog] Re: My howto export from XMLog to Cabrillo.

OK, thanks everybody for your explanations.
Everything is clear.
I'll considerate to use a more oriented soft for contests in the
future.

73,
Nando.

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Nando, I downloaded a Word file with the ADIF standard from the
Internet. Since it is a Word file, it did not print the URL, so you
will need to do a Google search on ADIF to find it. The standard
shows <QSO_DATE:8> and <STX:#>as you indicate. I see the
<QSO_Date:8:D> that you refer to in an ADIF file that I have
uploaded to LOTW so it seems that it works. I don't have contest
exchanges in my log as I use N1MM for contests. I am not sure if
the Cabrillo standard is published. I use N1MM to generate my
Cabrillos for most contest and Win1010 for 1010 contests. Maybe
Mike will find time to enlighten us on what is going on.
>
> ----- Original Message ----
> From: xarero69 <ea5gvz@...>
> To: XMLog@yahoogroups.com
> Sent: Tuesday, November 13, 2007 12:56:39 AM
> Subject: [XMLog] My howto export from XMLog to Cabrillo.
>
>
> Hi all.
>
> I'm being using freeware software adif2cabr.exe from SP7PS.
> The process is very easy: you firts generate an ADIF file from
XMLog
> and later use this program to translate it Cabrillo format.
>
> But I've founded a pair of items that don't work straightforward.
>
> - ADIF files generated by XMLog shows date tags

as "<QSO_DATE:8:D>"
> instead of "<QSO_DATE:8>".
>
> - ADIF files generated by XMLog shows Test In and Test Out
(exchange
> data for contests) as "<STX_STRING>" and "<SRX_STRING>" instead
> of "<STX>" and "<SRX>".
>
> Now I workaround it using search&replace of the Windows notepad.
>
> Does anybody kwows what it should be according to Cabrillo or ADIF
> standards?
>
> Thank you,
> Nando EA5GVZ.
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2357. 756 PRO 3

Yahoo group: XMLog
Date: 2007-11-14 03:13:13 UTC
From: KI9A@aol.com
Topic: 2357 Message: 2357

Gang-
Just got a new PRO 3, and found 5,42 does not support the PRO 3. tried the
PRO 2, but, no go..any ideas?

73-CHuck KI9A

********** See what's new at http://www.aol.com

[Non-text portions of this message have been removed]

2358. Re: [XMLog] 756 PRO 3

Yahoo group: XMLog
Date: 2007-11-14 06:10:49 UTC
From: N7MAL
Topic: 2357 Message: 2358

The obvious question for every Icom owner: Do you have the level converter?
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: KI9A@...
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 3:13
Subject: [XMLog] 756 PRO 3

Gang-
Just got a new PRO 3, and found 5,42 does not support the PRO 3. tried the
PRO 2, but, no go..any ideas?

73-CHuck KI9A

********** See what's new at http://www.aol.com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2359. Re: [XMLog] 756 PRO 3

Yahoo group: XMLog
Date: 2007-11-14 11:52:32 UTC
From: KI9A@aol.com
Topic: 2357 Message: 2359

Oh yeah..works great with Writelog.

In a message dated 11/14/2007 12:11:26 A.M. Central Standard Time,
n7mal@... writes:

The obvious question for every Icom owner: Do you have the level converter?

********** See what's new at http://www.aol.com

[Non-text portions of this message have been removed]

2360. Problem solved

Yahoo group: XMLog
Date: 2007-11-14 16:24:06 UTC
From: Joe Cash
Topic: 2360 Message: 2360

I certainly appreicate everyones help and sdvice. However ...

A fellow ham volunteered to convert the file for me - and from what I can tell it took some manual labor in addtion to some technical expertise!

I am looking at some Windows based COntest Logging software for future contests. I will however continue to use XM log for "regular" logging due to it's functionality and ease of use.

BTW - during the contest I operated at another Ham's station - he has quite a set up, but I was shocked by the contest software he was using, While the software offered many features and was a true contest software it was really DOS based and difficult to use when compared to XM Log! It was really a pleasure to go back to XM Log!!

Thanks again for all the good advice.

73,

Joe
W2OZO

2361. Re: [XMLog] 756 PRO 3

Yahoo group: XMLog
Date: 2007-11-14 16:24:57 UTC
From: N7MAL
Topic: 2357 Message: 2361

I guess the only solution is to enter the parameters manually.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: KI9A@...
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 11:52
Subject: Re: [XMLog] 756 PRO 3

Oh yeah..works great with Writelog.

In a message dated 11/14/2007 12:11:26 A.M. Central Standard Time,
n7mal@... writes:

The obvious question for every Icom owner: Do you have the level converter?

********** See what's new at http://www.aol.com

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2362. Re: [XMLog] Problem solved

Yahoo group: XMLog
Date: 2007-11-14 16:54:41 UTC
From: WILLIS COOKE
Topic: 2360 Message: 2362

Joe, take a look at N1MM. It is down loadable from the Internet and is shareware, so if you don't like it, nothing lost. I find it easy to use for contests, but don't use all the automatic features that are available. If you do 1010 contests, Win1010 seems to be the most popular. You do have to buy it, but you can download a trial version which will let you log 20 contacts to see how it works. I used CT back in the DOS days and liked it for that era. I think it is updated for Windows, but I have not tried it lately. N3FJP software also works for 1010 but does not have quite as many features as Win1010. I like XMLog for the award and QSO tracking features and it is easy to transfer my contest logs with an ADIF. It is a little more trouble to interface with Win1010 because I need regular 10 meter contacts both places for award tracking.

I am looking forward to the LOTW features of XMLog to be fully functional. I have been tracking LOTW in the notes with manual entries and the new features look very promising for saving a lot of work.

Cookie, K5EWJ

----- Original Message ----
From: Joe Cash <jcash@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 10:24:06 AM
Subject: [XMLog] Problem solved

I certainly appreicate everyones help and sdvice. However ...

A fellow ham volunteered to convert the file for me - and from what
I can tell it took some manual labor in addtion to some technical
expertise!

I am looking at some Windows based COntest Logging software for
future contests. I will however continue to use XM log for "regular"
logging due to it's functionality and ease of use.

BTW - during the contest I operated at another Ham's station - he
has quite a set up, but I was shocked by the contest software he was
using, While the software offered many features and was a true
contest software it was really DOS based and difficult to use when
compared to XM Log! It was really a pleasure to go back to XM Log!!

Thanks again for all the good advice.

73,

Joe
W2OZO

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2363. Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-14 19:54:21 UTC
From: Mike McAmis
Topic: 2286 Message: 2363

> Looks good. One question - if I skip records that show up on the
> validity report, will the LOTW be updated regardless? Most of the
> conflicts and bad data do not really interest me, I only want to
> know if I have the LOTW confirmation.

During an "apply to log" any LOTW records that are skipped will not
have and effect on a log record.

> A suggestion - Reports: Can the reports (DXCC, WAS) indicate that
> BOTH an LOTW and QSL card are received from a station? I am
> getting ready to submit my 160m DXCC and I have 86 cards in hand
> plus 14 LOTW onlyconfirmations. However, I have a total of 57
> confirmations on LOTW, sowhen I submit I will only send in 29
> actual cards, saving more cardsfrom potential loss and also saving
> on postage costs. Perhaps on the LOTW excluded option, those
> stations with both card and LOTW confirmation could be flagged
> with an asterisk or something.

I assume you're mostly interested in the "Checklist" here. I'm more
or less stuck with the 3-column format. Since I previously required
that the case of the wrk/cnf/out be ignored having "cnf" meaning LOTW
and "CNF" meaning a "real" card received seemed like one way out -
but as you see doesn't let you know if you have both. Another
technique would be to do a log search for records that have the LOTW
date set and the QSL Rcvd date set...

Mike - W1ECT

2364. Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-14 20:13:18 UTC
From: Mike McAmis
Topic: 2286 Message: 2364

> My report did not have any "Not in Log" or "Bad Data". As all of
> my LoTW uploads are from XMLog, I would have been surprised to see
> any of these. Out of 619 records, the program flagged 65
> conflicts. I displayed that data in Excel and then sorted by
> problem. One note here, the report has mergedcells and you need
> to un-merge the cells before doing a sort. The breakdown is:
>
> County - 8
> Grid - 37
> Prefix W/KP2 - 3 (3 QSOs, same call, WP2Z)
> State - 8 (4 with same call)
> Zone - 9
>
> I looked at some of the grids. I think that many of them are
> QRZ.com errors. The other likely problems are that people have
> moved (states,counties, grids, etc.). For older contacts, you
> probably do not want to change the data. Also, it would be good to
> flag any of these QSOs that have been previously confirmed,
> submitted, etc. as you probably do not want to touch those.
> Maybe the dreaded "Are Sure" window for these.
>
> It might be nice to have some options like "replace all
> grids/states/counties" etc. for doing the update although this
> could be dangerous. This is only a first time problem thought some
> maybe it is better to "bite the bullet" and go through them one at
> a time. You could elect to change all of the records for one call
> at once though.

I did consider having "always use LOTW data" and "always use current log data" options but I believe this is too dangerous. I think that most everyone would agree that this problem of resolving conflicts has no good solution. For example, if you picked a "always use LOTW data" option that WAS card that you submitted long ago and received credit for could get its' state changed. Now you might say that the option wouldn't be enforced if the record had the WAS accepted field set but I think this is getting a bit too subtle. And also, to make things more confusing I suspect you would get credit for that second state noted in the LOTW record if you did a LOTW WAS submission!

> The log entry screen looks nice, I like the design, however I have
> a problem with the form factor; the window is too wide.

I did a fair amount of diddling of the fields layout and decided to go with a wider window. I couldn't really go with a taller one because the window can already grow pretty tall if you choose one of the "always show xxx fields" options.

Mike - W1ECT

2365. Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-14 20:25:03 UTC
From: Mike McAmis
Topic: 2286 Message: 2365

> 1. The new improved log window is too long for my screen and I can't see the bottom. I have not figures out any way to resize the window to fit on the screen. I deleted the contest windows and that helped some, but I still can't see the bottom where it tells me how many contacts are selected and I use that a lot with a log of about 13,000 QSOs.

What do you have your screen resolution set to? Do you have any of the "always show xxx fields" log window options set?

> 2. When I make an ADIF file to upload, I don't see the option to set LOTW sent to current date.

This feature is on the "to do" list...

> 3. When I download and merge, the LOTW received date does not update.

The current prototype mostly demonstrates the "look and feel" of a future version. It doesn't actually add any new fields to your log files so that means that the data doesn't get saved.

> 4. When I update the LOTW received date manually for one record, it shows that date in all records.

Try the latest version posted at www.xmlog.com/lotw and let me know if you still see this problem.

> 5. When I merge LOTW downloaded data and it does not like the County, I need a drop down window to pick an acceptable county. It is real picky, like when you leave out the hyphen on the Alaska counties that have a hyphen, it rejects them.

OK - I'll check this out...

> 6. The county data base does not include the several city/counties, such as Virginia Beach City, VA and St. Louis City, MO. This goes back to the old program, but now it stops you when you are merging and the only way around that I found is to enter some wrong county. It will not even let you pass by trying to delete the county entirely.

I'll check this out as well...

Mike - W1ECT

2366. Re: eQSL Support?

Yahoo group: XMLog
Date: 2007-11-14 20:27:28 UTC
From: Mike McAmis
Topic: 2294 Message: 2366

> Now that you've gotten LOTW working, do you have any plans to
> support eQSL?

Since eQSL's do not affect DXCC/WAS or any of the awards tracked by
XMLog I don't plan on doing anything but letting you set the three eQSL
date fields.

Mike - W1ECT

2367. Re: bugs

Yahoo group: XMLog
Date: 2007-11-14 20:43:05 UTC
From: Mike McAmis
Topic: 2307 Message: 2367

> The questionable stuff is I got 65 errors when trying to validate from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA: I logged NT and LOTW logged YT. I don't care about it, but unfortunately the program says it won't/can't validate until I resolve those errors. I have uploaded 15,000 QSO and had 65 errors. Not one of the errors is meaningful and even worse some of them are not resolvable. I.E. 3 of the Q's have a county error from different State QSO parties. The error from LOTW said the county doesn't exist even though I logged it correctly because there was a match. I think we need another button that says "I don't care"....hihihihihi

I think that this is going to be the biggest problem with LOTW support, how do you deal with conflicts? Since there's no way that XMLog can automatically make the correct choice the user is going to be stuck with the decision. And like I mentioned before there are going to be times when there is no "right" choice, e.g. when you have a real card-in-hand that says one thing and LOTW says another.

Another weird case for WAS is when you do a LOTW WAS submission and get credit for some QSO and then the guy says "oops I submitted those old QSOs using my new location" and then updates the QSOs. Do you think that you'll lose credit? Not likely...

Mike - W1ECT

2368. Re: Problem - Labels Pull Down Menu

Yahoo group: XMLog
Date: 2007-11-14 20:45:44 UTC
From: Mike McAmis
Topic: 2311 Message: 2368

> Under the Labels Pull Down Menu, please add a 'yes/no' confirmation
> for 'Erase QSL/Mailing Label List'. If you happen to click erase when
> wanting to print, all QSL must be re-entered. I just did it and have
> to re-enter about 25 QSL's. Thanks!

Hi Wayne, I've done this myself... I'll add the change to the next
version.

Mike - W1ECT

2369. Re: Confirmation of LOTW Verification

Yahoo group: XMLog
Date: 2007-11-14 21:06:19 UTC
From: Mike McAmis
Topic: 2349 Message: 2369

Hi Kevin,

This prototype is only there to give a first look at LOTW features. No new fields actually get added to your log files so this means that the LOTW doesn't actually get saved.

Mike - W1ECT

2370. Re: Now I'm unhappy - Zone fill-ins

Yahoo group: XMLog
Date: 2007-11-14 21:15:28 UTC
From: Mike McAmis
Topic: 2327 Message: 2370

XLMog has always done zone fill-ins based on the state/province or DXCC country (if the country only has one zone) and this feature has always been appreciated for manual or ADIF imports. If the state/province or country is correct, the zone will be correct.

If this is really a problem then I suppose I could always include a "disable zone fill-ins" option.

Mike - W1ECT

2371. Re: [XMLog] Re: Confirmation of LOTW Verification

Yahoo group: XMLog
Date: 2001-03-16 13:53:17 UTC
From: Kevin Nathan
Topic: 2349 Message: 2371

Got it. Thanks much for the work though and very 73.

Kevin :)
Amateur Radio: K7RX
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 2:06 PM
Subject: [XMLog] Re: Confirmation of LOTW Verification

Hi Kevin,

This prototype is only there to give a first look at LOTW features. No new fields actually get added to your log files so this means that the LOTW doesn't actually get saved.

Mike - W1ECT

[Non-text portions of this message have been removed]

2372. Re: [XMLog] 756 PRO 3

Yahoo group: XMLog
Date: 2007-11-14 23:32:16 UTC
From: KI9A@aol.com
Topic: 2357 Message: 2372

Yep, going to try that...hey, tnx for the SS CW qso!

73-Chuck

In a message dated 11/14/2007 10:25:35 A.M. Central Standard Time,
n7mal@... writes:

I guess the only solution is to enter the parameters manually.

********** See what's new at http://www.aol.com

[Non-text portions of this message have been removed]

2373. Re: [XMLog] Re: Now I'm unhappy - Zone fill-ins

Yahoo group: XMLog
Date: 2007-11-15 00:09:53 UTC
From: N7MAL
Topic: 2327 Message: 2373

Hi Mike: It's not a problem with DX countries only with USA contacts. I had at least 3 or 4 QSOs, this year during sweepstakes, with W6's somewhere back east. When I try to update/validate I will get those as errors. In my case I really don't care if those Q's have the right zone or not. If I were to ever apply for 5 BandWAS it wouldn't matter what the zone is.
That is why I suggested the 'I don't care' button. Additionally since there are thousands of active hams in the USA zones once you get one or even one per band the rest don't matter.
Just my -2cents worth.
Thanks & 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 21:15
Subject: [XMLog] Re: Now I'm unhappy - Zone fill-ins

XLMog has always done zone fill-ins based on the state/province or DXCC country (if the country only has one zone) and this feature has always been appreciated for manual or ADIF imports. If the state/province or country is correct, the zone will be correct.

If this is really a problem then I suppose I could always include a "disable zone fill-ins" option.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2374. Re: [XMLog] Re: XMLog LOTW Prototype

Yahoo group: XMLog
Date: 2007-11-15 02:08:39 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2374

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 2:25:03 PM
Subject: [XMLog] Re: XMLog LOTW Prototype

> 1. The new improved log window is too long for my screen and I
can't see the bottom. I have not figures out any way to resize the
window to fit on the screen. I deleted the contest windows and that
helped some, but I still can't see the bottom where it tells me how
many contacts are selected and I use that a lot with a log of about
13,000 QSOs.

What do you have your screen resolution set to? Do you have any of
the "always show xxx fields" log window options set?

I was using 1024 X 768. I am now using 1152 X 864 and that solved
my problem. I did have some always show fields set and was not very
aware of the implications of that. I understand it better now and can do
a better job of selecting my options.

> 2. When I make an ADIF file to upload, I don't see the option to
set LOTW sent to current date.

This feature is on the "to do" list...

> 3. When I download and merge, the LOTW received date does not
update.

The current prototype mostly demonstrates the "look and feel" of a
future version. It doesn't actually add any new fields to your log
files so that means that the data doesn't get saved.

I like the look and feel. I was not aware that it would not save the data
and expected it to save it. I look forward to the day when it will save the
data. My work around to record the LOTW data in the notes field is a
real time consumer and not very satisfactory.

> 4. When I update the LOTW received date manually for one record,
it shows that date in all records.

Try the latest version posted at www.xmlog.com/lotw and let me know
if you still see this problem.

I tried it on the version from last Sunday and it is still there. I can't tell if
it records the date in every record or just the ones selected because it
does not save any of the data.

> 5. When I merge LOTW downloaded data and it does not like the
County, I need a drop down window to pick an acceptable county. It
is real picky, like when you leave out the hyphen on the Alaska
counties that have a hyphen, it rejects them.

OK - I'll check this out...
The same drop down that is in the County block of the entry screen will
be great.

> 6. The county data base does not include the several
city/counties, such as Virginia Beach City, VA and St. Louis City,
MO. This goes back to the old program, but now it stops you when you
are merging and the only way around that I found is to enter some
wrong county. It will not even let you pass by trying to delete the
county entirely.

I'll check this out as well...

Mike - W1ECT

Keep up the good work. I know it is a real chore to fix all these bugs, but
it will be a great addition to the program.
73 Cookie K5EWJ

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2375. Re: [XMLog] Re: bugs

Yahoo group: XMLog
Date: 2007-11-15 02:17:08 UTC
From: WILLIS COOKE
Topic: 2307 Message: 2375

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 2:43:05 PM
Subject: [XMLog] Re: bugs

> The questionable stuff is I got 65 errors when trying to validate
from LOTW. Not a 1 of those errors means anything to me. I.E. VY1JA:
I logged NT and LOTW logged YT. I don't care about it, but
unfortunately the program says it won't/can't validate until I
resolve those errors. I have uploaded 15,000 QSO and had 65 errors.
Not one of the errors is meaningful and even worse some of them are
not resolvable. I.E. 3 of the Q's have a county error from different
State QSO parties. The error from LOTW said the county doesn't exist
even though I logged it correctly because there was a match. I think
we need another button that says "I don't care"....hihihihihi

I think that this is going to be the biggest problem with LOTW
support, how do you deal with conflicts? Since there's no way that
XMLog can automatically make the correct choice the user is going to
be stuck with the decision. And like I mentioned before there are
going to be times when there is no "right" choice, e.g. when you have
a real card-in-hand that says one thing and LOTW says another.

Another weird case for WAS is when you do a LOTW WAS submission and
get credit for some QSO and then the guy says "oops I submitted those
old QSOs using my new location" and then updates the QSOs. Do you
think that you'll lose credit? Not likely...

Mike - W1ECT
When the LOTW entry is wrong you have the same options that you do
when you get a QSL card that is not properly filled out. Either contact
the person who sent the confirmation and get a corrected confirmation
or work a new contact and hope the person contacted will confirm
properly. There is just so much that a logging program can do for you!

Cookie, K5EWJ.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2376. Re: [XMLog] Re: Now I'm unhappy - Zone fill-ins

Yahoo group: XMLog
Date: 2007-11-15 02:35:21 UTC
From: WILLIS COOKE
Topic: 2327 Message: 2376

The option of overriding the Zone seems good enough for me and it is
there now. The only place that it seems to be a problem is in Canada
where VO1 is in Zone 5 and VO2 is in Zone 2 but the ARRL Section is
NL for both. VE2 can is usually in Zone 5 but can be in Zone 2 and the
only way to know is call by call or user input. VE8 can be Zone 1 or Zone 2
and as far as I know can only be user input. Russia is pretty hard to sort out.
VK6 is Zone 30 and the rest of VK is Zone 29 so could be sorted by call.
I am not sure how to sort China between Zone 23 and 24.

Since CQ can't access LOTW for the WAZ award, an CQ Zone error in LOTW
should not be a great concern. You will have to get a paper QSL that shows the
correct Zone. Most of the LOTW Zone errors that I saw were in Zones 3,4 &5
with a couple in Zone 14. That shouldn't be a problem for anyone.
Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, November 14, 2007 3:15:28 PM
Subject: [XMLog] Re: Now I'm unhappy - Zone fill-ins

XLMog has always done zone fill-ins based on the state/province or DXCC

country (if the country only has one zone) and this feature has always
been appreciated for manual or ADIF imports. If the state/province or
country is correct, the zone will be correct.

If this is really a problem then I suppose I could always include
a "disable zone fill-ins" option.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2377. Moving Custom QSL/Label Layouts

Yahoo group: XMLog
Date: 2007-11-15 20:44:50 UTC
From: k9mrd
Topic: 2377 Message: 2377

I think this issue has been addressed before, but I did not find an answer in the archive.

I have custom layouts on my laptop and would like to move them to another computer. Which file(s) must I move from the laptop to the new computer? (layouts & layouts.ldb maybe??) All other setups/data/logs were moved with no problems. Thanks!

Wayne

2378. RE: [XMLog] Moving Custom QSL/Label Layouts

Yahoo group: XMLog
Date: 2007-11-16 06:54:47 UTC
From: Craig Bradley
Topic: 2377 Message: 2378

The easy way is just move all of the files. That works.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Thursday, November 15, 2007 12:45 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Moving Custom QSL/Label Layouts

I think this issue has been addressed before, but I did not find an answer in the archive.

I have custom layouts on my laptop and would like to move them to another computer. Which file(s) must I move from the laptop to the new computer? (layouts & layouts.ldb maybe??) All other setups/data/logs were moved with no problems. Thanks!

Wayne

[Non-text portions of this message have been removed]

2379. Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-16 22:09:56 UTC
From: Mike McAmis
Topic: 2286 Message: 2379

Hi Cookie,

> 6. The county data base does not include the several city/counties,
such as Virginia Beach City, VA and St. Louis City, MO. This goes back
to the old program, but now it stops you when you are merging and the
only way around that I found is to enter some wrong county. It will
not even let you pass by trying to delete the county entirely.

XMLog does have "St. Louis City" in the county list. I've checked at:

http://www.countyhunter.com/counties.htm

and I don't see any mention of "Virginia Beach City, VA".

Mike - W1ECT

2380. Re: [XMLog] Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-17 00:45:01 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2380

Thanks for the reply Mike. Take a look at the following:
http://en.wikipedia.org/wiki/List_of_counties_in_Virginia
I remember looking and not finding St. Louis City, but I don't remember which version of the program I was using at the time. It really doesn't matter too much to me because I am not a county hunter but when I tried downloading and adding the LOTW information I found myself in a position where I had logged Virginia Beach City for the county, LOTW had Virginia Beach City for the county and XMLog would not accept it. The only way I could get past the problem was to enter a listed county of Virginia which was wrong. The County Hunter Net web site lists the county for Virginia Beach as City of Virginia Beach. This is the URL http://www.naco.org/Template.cfm?Section=Data_and_Demographics&Template=/cffiles/counties/citiesstateall.cfm

There should not be any traps in the software that you can't get around by entering what you think is correct or leaving the block blank. As far as I have experienced there are none of these situations in the published XMLog, but there are some in the LOTW prototype which I think need to be eliminated.

Keep up the good work, Cookie

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Friday, November 16, 2007 4:09:56 PM
Subject: [XMLog] Re: XMLog LOTW Prototype - Counties

Hi Cookie,

> 6. The county data base does not include the several city/counties,
such as Virginia Beach City, VA and St. Louis City, MO. This goes back

to the old program, but now it stops you when you are merging and the
only way around that I found is to enter some wrong county. It will
not even let you pass by trying to delete the county entirely.

XMLog does have "St. Louis City" in the county list. I've checked at:

http://www.countyhunter.com/counties.htm

and I don't see any mention of "Virginia Beach City, VA".

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2381. Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-17 16:52:22 UTC
From: Mike McAmis
Topic: 2286 Message: 2381

Hi Cookie, It seems as though Virginia Beach, Va is considered to be an "independent city" or "county equivalent" and as such is not included in the list for county hunting.

http://en.wikipedia.org/wiki/List_of_counties_in_Virginia

http://en.wikipedia.org/wiki/County-equivalent

Mike - W1ECT

2382. Re: [XMLog] Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-18 03:46:13 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2382

So, what do I put in the block when XMLog will not accept Virginia Beach City or City of Virginia Beach or a blank block and will not progress until I put some incorrect county in Virginia in the block?

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Saturday, November 17, 2007 10:52:22 AM
Subject: [XMLog] Re: XMLog LOTW Prototype - Counties

Hi Cookie, It seems as though Virginia Beach, Va is considered to be
an "independent city" or "county equivalent" and as such is not
included in the list for county hunting.

http://en.wikipedia.org/wiki/List_of_counties_in_Virginia

http://en.wikipedia.org/wiki/County-equivalent

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2383. Printing QSL labels on Brother QL-500

Yahoo group: XMLog
Date: 2007-11-18 16:47:53 UTC
From: Geir
Topic: 2383 Message: 2383

Having used XMLOG for some time it is time to send out some QSL's.
I have new cards made up with room for labels that can be up to
70 by 70 mm.

I would like to use a dedicated label printer and wonder if anyone
are using Brother QL-500 printer or similar ?
Will it be possible to use any such printer with XMLOG ?

73's de Geir/LA5ZO
Sirdal, Norway

2384. Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-20 16:22:11 UTC
From: Mike McAmis
Topic: 2286 Message: 2384

I've posted version 4 of the prototype at www.xmlog.com/lotw - this version will let you enter anything (include a blank field) so you can get by those cases where the LOTW county data isn't recognized by XMLog and the data in the log file is also not considered a legitimate county.

If you enter a 'bad' county a later "Awards/Counties/County Validation" will discover it.

Mike - W1ECT

2385. Re: Moving Custom QSL/Label Layouts

Yahoo group: XMLog
Date: 2007-11-20 16:41:17 UTC
From: Mike McAmis
Topic: 2377 Message: 2385

Hi Wayne, Custom layout info is saved in layouts.mdb

Mike - W1ECT

2386. Re: [XMLog] Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-20 16:52:43 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2386

Thanks Mike, that is a step forward. I am not into county hunting, so I really don't care a lot what counts for the award, but would like the correct legal information or nothing at all in the block instead of something that is incorrect.

When do you anticipate that the blocks will be available for logging data. Even it it is only manually it would be a big help to have a way to record the LOTW confirmation.
Cookie, K5EWJ

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, November 20, 2007 10:22:11 AM
Subject: [XMLog] Re: XMLog LOTW Prototype - Counties

I've posted version 4 of the prototype at www.xmlog.com/lotw - this version will let you enter anything (include a blank field) so you can get by those cases where the LOTW county data isn't recognized by XMLog

and the data in the log file is also not considered a legitimate county.

If you enter a 'bad' county a later "Awards/Counties/County Validation"

will discover it.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2387. Re: XMLog LOTW Prototype - Manual date updates

Yahoo group: XMLog
Date: 2007-11-20 17:04:18 UTC
From: Mike McAmis
Topic: 2286 Message: 2387

Hi, Cookie, I'm bot sure what you're doing to create this problem.
Here's what I tried:

1) Select some records
2) Double-click on the LOTW Rcvd field to set the date to today
3) Scroll forward to the next record

and it clears the field OK. Can you tell me how to duplicate the
problem here?

Mike - W1ECT

>> 4. When I update the LOTW received date manually for one record,
>> it shows that date in all records.

> Try the latest version posted at www.xmlog.com/lotw and let me know
> if you still see this problem.

I tried it on the version from last Sunday and it is still there. I
can't tell if it records the date in every record or just the ones
selected because it does not save any of the data.

2388. LOTW Returns

Yahoo group: XMLog
Date: 2007-11-20 17:09:12 UTC
From: WILLIS COOKE
Topic: 2388 Message: 2388

My results with LOTW are not so good. I have 12,972 QSOs entered and 1,232 QSOs confirmed for 9.5%. Approximately 8,000 of my QSOs are from the 1988-1993 period when I was active and the other 5,000 are from the most recent 14 months. The confirmation rate from the recent contacts is considerably better than the older contacts. I work a lot of DX and the confirmations from USA contacts are much higher than DX.

I am not sure why there is interest in EQSL. My understanding is that ARRL and CQ will not accept EQSL confirmation for their awards. LOTW is at least good for DXCC, Challenge and WAS awards. I have been told that CQ will accept a printout for their awards, but I have not confirmed that. I am not sure what RSGB will accept for IOTA. I think that EQSL sponsors their own awards. Is anyone working for the EQSL awards? Am I missing something that makes EQSL attractive to some?

Cookie, K5EWJ

[Non-text portions of this message have been removed]

2389. Re: [XMLog] LOTW Returns

Yahoo group: XMLog
Date: 2007-11-20 17:55:17 UTC
From: Dave Sergeant
Topic: 2388 Message: 2389

On 20 Nov 2007 at 9:09, WILLIS COOKE wrote:

> I am not sure why there is interest in EQSL. My understanding is that
> ARRL and CQ will not accept EQSL confirmation for their awards. LOTW
> is at least good for DXCC, Challenge and WAS awards. I have been told
> that CQ will accept a printout for their awards, but I have not
> confirmed that. I am not sure what RSGB will accept for IOTA. I
> think that EQSL sponsors their own awards. Is anyone working for the
> EQSL awards? Am I missing something that makes EQSL attractive to
> some?

As an active user of eQSL and a less active user of LOTW.....

It depends what you want to do with QSLs (paper or otherwise). I have long ago obtained DXCC in my QRO days, and ARRL do not offer a formal QRP version (only a gimmicky certificate that you do not need cards for at all...). Since LOTW at the moment can only be used for DXCC and WAS (for which I have zilch interest) it does nothing for me except a mechanism to verify that my QSOs were valid ones. In any case I no longer chase awards at all.

eQSL offers the same, confirmation that a two way QSO took place, and it can also be handy after a contest or at other times to show that you mistyped a callsign and similar (for which LOTW doesn't help as their checking is more rigorous). I have for what it is worth obtained their eDXCC certificate, it is right that it counts for virtually nothing else but as I said that is immaterial to me. But you do get actual QSL cards, admittedly somewhat bland and non original, which you don't get at all in LOTW.

They are two somewhat different systems serving different needs and it is right that they should both be supported. Whether as LOTW takes off and gets accepted for more awards eQSL bites the dust remains to be seen.

73 Dave G3YMC

http://www.davesergeant.com

2390. Re: [XMLog] Re: XMLog LOTW Prototype - Manual date updates

Yahoo group: XMLog
Date: 2007-11-20 18:07:17 UTC
From: WILLIS COOKE
Topic: 2286 Message: 2390

Mike, I load the XMLog-LOTW. I select K5FP for whom I have 18 entries. When I double click in the LOTW sent or the LOTW received block, I expect today's date, but I get nothing. If I select modify, same thing. If I enter a date in either block it fills that date into all 18 entries. If I go to a different block and enter a date in the other block it fills the block with that date for all entries. If I delete the date in a block for any entry, same or different from where I entered it, the date is deleted for all blocks. Of course, it may be entering it for all contacts in the data base, but since it does not save this data, I can't tell. All the entries go away when I make a different selection. I am using the version that you released a week ago Sunday. I have not downloaded the latest version yet. I am using XP Professional on an older 586 CPU computer.

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, November 20, 2007 11:04:18 AM
Subject: [XMLog] Re: XMLog LOTW Prototype - Manual date updates

Hi, Cookie, I'm bot sure what you're doing to create this problem.
Here's what I tried:

1) Select some records
2) Double-click on the LOTW Rcvd field to set the date to today
3) Scroll forward to the next record

and it clears the field OK. Can you tell me how to duplicate the
problem here?

Mike - W1ECT

>> 4. When I update the LOTW received date manually for one record,
>> it shows that date in all records.

> Try the latest version posted at www.xmlog.com/lotw and let me know
> if you still see this problem.

I tried it on the version from last Sunday and it is still there. I
can't tell if it records the date in every record or just the ones
selected because it does not save any of the data.

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2391. strange CAT behaviour

Yahoo group: XMLog
Date: 2007-11-21 21:25:55 UTC
From: pa4doc
Topic: 2391 Message: 2391

Hello Mike and others.

Today I hooked up an amplifier in my system wich uses CAT
to switch bands.
Well....it doesn't.
What I don't understand is that it works flawlessly with N1MM logger.

Same setup / different program.

Is there a fix for this Mike?

73,

Wilko PA3BWK

2392. Re: [XMLog] Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-22 00:27:29 UTC
From: N7MAL
Topic: 2286 Message: 2392

Mike at what point in time will I get a message that says the validation process was successful.?.?. I have checked the include box for all errors, now including the counties. I still get a screen at the end showing there were still unresolved errors. For whatever it is worth those unresolved errors 'do-not' count for any ARRL awards.
Thanks in advance Mike.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Tuesday, November 20, 2007 16:22
Subject: [XMLog] Re: XMLog LOTW Prototype - Counties

I've posted version 4 of the prototype at www.xmlog.com/lotw - this version will let you enter anything (include a blank field) so you can get by those cases where the LOTW county data isn't recognized by XMLog and the data in the log file is also not considered a legitimate county.

If you enter a 'bad' county a later "Awards/Counties/County Validation" will discover it.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2393. Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-11-24 20:59:45 UTC
From: Mike McAmis
Topic: 2286 Message: 2393

I've posted version 5 of the prototype at www.xmlog.com/lotw - this version will map Alaskan counties from "xxx yyy" to "xxx-yyy" where appropriate.

Mike - W1ECT

2394. XMLog + Vista 64Bit

Yahoo group: XMLog
Date: 2007-11-24 19:51:09 UTC
From: oz8abr
Topic: 2394 Message: 2394

Hi There :)

Spoke briefly to Mike, regarding XMlog and Vista.

He is pretty sure someone in this group has gotten it to work?

I'd really like to hear if any of you have managed to get XMlog running
under 64Bit vista some way or other.

Unfortnaly I'm forced to use Vista at least for the time being, so..

I'd really like to avoid a vmware running xp, more or less just for
XMLog ;)

Thanks in advance ! :)

/Michael Jensen(oz8abr)

2395. Connecting Serial Cable

Yahoo group: XMLog
Date: 2007-11-29 14:47:35 UTC
From: Joe Cash
Topic: 2395 Message: 2395

I connected a serial cable from the rig (TS2000) to my lap top. While XM LOG seems to recognize the rig (in comm 1)I cant get it to complete the Frequency field. I keep getting the following message: " Rig response for get frequency / mode too short: recieved; 2 expected; 38".

Any thoughts?

As always, your assistance is greatly appreciated.

73,

Joe
W2OZO

2396. RE: [XMLog] Connecting Serial Cable

Yahoo group: XMLog
Date: 2007-11-29 16:22:51 UTC
From: Craig Bradley
Topic: 2395 Message: 2396

Hi Joe,

You probably do not have the serial parameters setup to match baud rate, etc.

On the TS-2K goto menu 56 and select 19200.

In XMLog:

Options/HF Rig Port Select

Set default for = Kenwood TS-2000

Comm Port = (the port that you are using, this is probably correct as you are getting something)

Baud Rate = 19200

Data Bits = 8

Stop Bits = 1

Flow Control = None

Parity = None

Data Mode = Data/FSK

Options = RTS Always On

That is how mine is setup.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Joe Cash
Sent: Thursday, November 29, 2007 6:48 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Connecting Serial Cable

I connected a serial cable from the rig (TS2000) to my lap top. While XM LOG seems to recognize the rig (in comm 1)I cant get it to complete the Frequency field. I keep getting the following message: " Rig response for get frequency / mode too short: recieved; 2 expected; 38".

Any thoughts?

As always, your assistance is greatly appreciated.

73,

Joe
W2OZO

[Non-text portions of this message have been removed]

2397. Re: XMLog LOTW Prototype - Counties

Yahoo group: XMLog
Date: 2007-12-01 22:10:14 UTC
From: Mike McAmis
Topic: 2286 Message: 2397

I've posted version 6 of the prototype at www.xmlog.com/lotw - this version includes more changes for LOTW county validation.

When validating counties "near" matches are now ok (for example: St. xxx, St xxx, and Saint xxx).

The final value selected does not have to be a legal county. This is consistent with what happens when you enter the county when creating a new log entry. We assume you will eventually do a "Awards/Counties/County Validation" to catch any bad county entries.

The "conflict resolution" prompt for counties now includes a "select county from list" button.

Mike - W1ECT

2398. Re: XMLog LOTW Prototype - Manual date updates

Yahoo group: XMLog
Date: 2007-12-01 22:12:57 UTC
From: Mike McAmis
Topic: 2286 Message: 2398

OK Cookie, I've just posted version 6 of the prototype at
www.xmlog.com/lotw that has some changes that should fix this problem.

Mike - W1ECT

2399. CAT

Yahoo group: XMLog
Date: 2007-12-03 22:31:42 UTC
From: pa4doc
Topic: 2399 Message: 2399

I posted a question some time ago.
Have not seen a single reaction yet.
Am I alone in this matter?

73 Wilko

2400. Re: [XMLog] CAT

Yahoo group: XMLog
Date: 2007-12-04 05:42:27 UTC
From: WILLIS COOKE
Topic: 2399 Message: 2400

I don't remember seeing your question. Mike usually responds to questions, but not always in the first day or two. Was your question one that another user might answer, on a question for the programmer?
Cookie, K5EWJ

----- Original Message ----
From: pa4doc <ft-2000@...>
To: XMLog@yahoogroups.com
Sent: Monday, December 3, 2007 4:31:42 PM
Subject: [XMLog] CAT

I posted a question some time ago.
Have not seen a single reaction yet.
Am I alone in this matter?

73 Wilko

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2401. Re: CAT

Yahoo group: XMLog
Date: 2007-12-04 12:48:09 UTC
From: pa4doc
Topic: 2399 Message: 2401

Hello Cookie,

This is an issue for Mike I guess.
I did not want to bother him by e-mail.
And yes....normally he responds very quickly.
But I can't complain over response time for something somebody is
giving away for free, stuff wich will eat his personal spare time.

Best regards,

Wilko Hollemans PA3BWK

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> I don't remember seeing your question. Mike usually responds to
questions, but not always in the first day or two. Was your question
one that another user might answer, on a question for the programmer?
> Cookie, K5EWJ
>
> ----- Original Message ----
> From: pa4doc <ft-2000@...>
> To: XMLog@yahoogroups.com
> Sent: Monday, December 3, 2007 4:31:42 PM
> Subject: [XMLog] CAT
>
>
> I posted a question some time ago.
> Have not seen a single reaction yet.
> Am I alone in this matter?
>
> 73 Wilko
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2402. Re: strange CAT behaviour

Yahoo group: XMLog
Date: 2007-12-04 17:43:22 UTC
From: Mike McAmis
Topic: 2391 Message: 2402

Hi Wilko,

XMLog only supports CAT for HF transceivers, not amps...

Mike - W1ECT

> Today I hooked up an amplifier in my system wich uses CAT to switch
bands.

2403. Re: [XMLog] CAT

Yahoo group: XMLog
Date: 2007-12-04 18:17:08 UTC
From: N7MAL
Topic: 2399 Message: 2403

I'm curious why you don't use your rig to control the CAT in your amp and the logging programs control your radio. I just looked at my N1MM and it doesn't have settings for amps, you have to enter manual parameters.
What's your radio and what's your amp?
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: pa4doc
To: XMLog@yahoogroups.com
Sent: Monday, December 03, 2007 22:31
Subject: [XMLog] CAT

I posted a question some time ago.
Have not seen a single reaction yet.
Am I alone in this matter?

73 Wilko

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2404. Re: CAT

Yahoo group: XMLog
Date: 2007-12-09 00:53:43 UTC
From: pa4doc
Topic: 2399 Message: 2404

He
llo Mal,

Can you describe the setup you tried to explain?
Everything is hooked up according to the manuals.

If you have read my post you see that N1MM works great.
It controls the rig and the amp switches flawlessly.

XM-LOG does not behave like N1MM does in controlling the CAT.

Brands of the used equipment is not important because the standard
is known. If you have a 100 Base-T network with a protocol problem
it's obvious it doesn't matter if you have a HP or Dell pc.

best regards,

Wilko Hollemans

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
>
> I'm curious why you don't use your rig to control the CAT in your
amp and the logging programs control your radio. I just looked at my
N1MM and it doesn't have settings for amps, you have to enter manual
parameters.
> What's your radio and what's your amp?
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
>
> ----- Original Message -----
> From: pa4doc
> To: XMLog@yahoogroups.com
> Sent: Monday, December 03, 2007 22:31
> Subject: [XMLog] CAT
>
>
> I posted a question some time ago.
> Have not seen a single reaction yet.
> Am I alone in this matter?
>
> 73 Wilko
>
>

>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2405. Re: CAT

Yahoo group: XMLog
Date: 2007-12-09 03:55:36 UTC
From: k9mrd
Topic: 2399 Message: 2405

Question: are you using Icom CI-V?

--- In XMLog@yahoogroups.com, "pa4doc" <ft-2000@...> wrote:
>
> He
> llo Mal,
>
> Can you describe the setup you tried to explain?
> Everything is hooked up according to the manuals.
>
> If you have read my post you see that N1MM works great.
> It controls the rig and the amp switches flawlessly.
>
> XM-LOG does not behave like N1MM does in controlling the CAT.
>
>
> Brands of the used equipment is not important because the standard
> is known. If you have a 100 Base-T network with a protocol problem
> it's obvious it doesn't matter if you have a HP or Dell pc.
>
> best regards,
>
> Wilko Hollemans
>
>
> --- In XMLog@yahoogroups.com, "N7MAL" <n7mal@> wrote:
> >
> > I'm curious why you don't use your rig to control the CAT in your
> amp and the logging programs control your radio. I just looked at
my
> N1MM and it doesn't have settings for amps, you have to enter
manual
> parameters.
> > What's your radio and what's your amp?
> > 73
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal.com
> >
> > ----- Original Message -----
> > From: pa4doc
> > To: XMLog@yahoogroups.com
> > Sent: Monday, December 03, 2007 22:31

> > Subject: [XMLog] CAT
> >
> >
> > I posted a question some time ago.
> > Have not seen a single reaction yet.
> > Am I alone in this matter?
> >
> > 73 Wilko
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>

2406. Re: [XMLog] Re: CAT

Yahoo group: XMLog
Date: 2007-12-09 05:04:58 UTC
From: N7MAL
Topic: 2399 Message: 2406

Yes Wilko the brands are important. Sometimes parameters are different within different programs. I know it is not supposed to be that way but sometimes it is. It is also important if you are using ICOM.
Try writing the settings down from the configure menu in N1MM and then make sure they are the same in the ports options in XMLOG.
Computers are funny animals. You would think because they are computers they always all work the same way all the time. We have all learned the hard way they don't always work the same.
Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: pa4doc
To: XMLog@yahoogroups.com
Sent: Sunday, December 09, 2007 0:53
Subject: [XMLog] Re: CAT

He
llo Mal,

Can you describe the setup you tried to explain?
Everything is hooked up according to the manuals.

If you have read my post you see that N1MM works great.
It controls the rig and the amp switches flawlessly.

XM-LOG does not behave like N1MM does in controlling the CAT.

Brands of the used equipment is not important because the standard
is known. If you have a 100 Base-T network with a protocol problem
it's obvious it doesn't matter if you have a HP or Dell pc.

best regards,

Wilko Hollemans

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
>
> I'm curious why you don't use your rig to control the CAT in your
amp and the logging programs control your radio. I just looked at my
N1MM and it doesn't have settings for amps, you have to enter manual
parameters.

> What's your radio and what's your amp?
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
>
> ----- Original Message -----
> From: pa4doc
> To: XMLog@yahoogroups.com
> Sent: Monday, December 03, 2007 22:31
> Subject: [XMLog] CAT
>
>
> I posted a question some time ago.
> Have not seen a single reaction yet.
> Am I alone in this matter?
>
> 73 Wilko
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2407. Re: strange CAT behaviour

Yahoo group: XMLog
Date: 2007-12-13 23:27:51 UTC
From: pa4doc
Topic: 2391 Message: 2407

Hello Mike,

I understand your comment but can you explain why XM-LOG
does not function equal to N1MM contest SW.

I have hooked it up the right way but I can't get the TRX follow
a command(mouseclick) using the spots map.
The rest works as normal.

It has something to do with connecting the CAT TX line into the cicuit.
When it is not connected XM-LOG behaves like normal.
I need it to be connected to let the amplifier follow the TRX
That works in N1MM.

It's frustrating because that's the only thing what fails.

Tell me what more info you need please.

Best regards,

Wilko PA3BWK

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wilko,
>
> XMLog only supports CAT for HF transceivers, not amps...
>
> Mike - W1ECT
>
> > Today I hooked up an amplifier in my system wich uses CAT to switch
> bands.
>

2408. Re: strange CAT behaviour

Yahoo group: XMLog
Date: 2007-12-14 16:13:38 UTC
From: pa4doc
Topic: 2391 Message: 2408

Michael!!

I think I have figured it out, but I need your programming skills.

Is it possible to send a 'ask frequency from trx' command AFTER
clicking on a spot 'set transceiver to spot freq.

That must be the case IMHO the fact that N1MM displays the
VFO data nearly in realtime must be the reason that it works with
that SW.

Best regards,

Wilko

--- In XMLog@yahoogroups.com, "pa4doc" <ft-2000@...> wrote:
>
> Hello Mike,
>
> I understand your comment but can you explain why XM-LOG
> does not function equal to N1MM contest SW.
>
> I have hooked it up the right way but I can't get the TRX follow
> a command(mouseclick) using the spots map.
> The rest works as normal.
>
> It has something to do with connecting the CAT TX line into the
cicuit.
> When it is not connected XM-LOG behaves like normal.
> I need it to be connected to let the amplifier follow the TRX
> That works in N1MM.
>
> It's frustrating because that's the only thing what fails.
>
> Tell me what more info you need please.
>
> Best regards,
>
> Wilko PA3BWK
>
>
>
>
> --- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@> wrote:
> >
> > Hi Wilko,

> >
> > XMLog only supports CAT for HF transceivers, not amps...
> >
> > Mike - W1ECT
> >
> > > Today I hooked up an amplifier in my system wich uses CAT to
switch
> > bands.
> >
>

2409. RE: [XMLog] Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-14 16:38:35 UTC
From: Craig Bradley
Topic: 2391 Message: 2409

If you do an Edit/Add New Entry, XMLog reads the frequency from the rig.
Does that control your amplifier?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
pa4doc
Sent: Friday, December 14, 2007 8:14 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: strange CAT behaviour

Michael!!

I think I have figured it out, but I need your programming skills.

Is it possible to send a 'ask frequency from trx' command AFTER
clicking on a spot 'set transceiver to spot freq.

That must be the case IMHO the fact that N1MM displays the
VFO data nearly in realtime must be the reason that it works with
that SW.

Best regards,

Wilko

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "pa4doc"
<ft-2000@...> wrote:
>
> Hello Mike,
>
> I understand your comment but can you explain why XM-LOG
> does not function equal to N1MM contest SW.
>
> I have hooked it up the right way but I can't get the TRX follow
> a command(mouseclick) using the spots map.
> The rest works as normal.
>
> It has something to do with connecting the CAT TX line into the
cicuit.
> When it is not connected XM-LOG behaves like normal.
> I need it to be connected to let the amplifier follow the TRX
> That works in N1MM.
>

> It's frustrating because that's the only thing what fails.
>
> Tell me what more info you need please.
>
> Best regards,
>
> Wilko PA3BWK
>
>
>
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike McAmis" <w1ect@> wrote:
> >
> > Hi Wilko,
> >
> > XMLog only supports CAT for HF transceivers, not amps...
> >
> > Mike - W1ECT
> >
> > > Today I hooked up an amplifier in my system wich uses CAT to switch
> > bands.
> >
>

[Non-text portions of this message have been removed]

2410. Re: [XMLog] Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-14 16:54:14 UTC
From: N7MAL
Topic: 2391 Message: 2410

Craig it doesn't do it with my radio. If I want it to read the freq from my radio I have to right click on the freq field and then click on get freq from radio. XMLOG does not poll my radio. That's the big difference between XMLOG and N1MM. I think that is part of the problem Mr. Wilko is having. When I use N1MM or CT during contests the 'CAT' light on my radio is lit. It is never lit with XMLOG. My radio is a MKV.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Friday, December 14, 2007 16:38
Subject: RE: [XMLog] Re: strange CAT behavior

If you do an Edit/Add New Entry, XMLog reads the frequency from the rig.
Does that control your amplifier?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of pa4doc
Sent: Friday, December 14, 2007 8:14 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: strange CAT behaviour

Michael!!

I think I have figured it out, but I need your programming skills.

Is it possible to send a 'ask frequency from trx' command AFTER
clicking on a spot 'set transceiver to spot freq.

That must be the case IMHO the fact that N1MM displays the
VFO data nearly in realtime must be the reason that it works with
that SW.

Best regards,

Wilko

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "pa4doc"
<ft-2000@...> wrote:
>
> Hello Mike,
>
> I understand your comment but can you explain why XM-LOG
> does not function equal to N1MM contest SW.
>
> I have hooked it up the right way but I can't get the TRX follow
> a command(mouseclick) using the spots map.
> The rest works as normal.
>
> It has something to do with connecting the CAT TX line into the
cicuit.
> When it is not connected XM-LOG behaves like normal.
> I need it to be connected to let the amplifier follow the TRX
> That works in N1MM.
>
> It's frustrating because that's the only thing what fails.
>
> Tell me what more info you need please.
>
> Best regards,
>
> Wilko PA3BWK
>
>
>
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Mike
McAmis" <w1ect@> wrote:
> >
> > Hi Wilko,
> >
> > XMLog only supports CAT for HF transceivers, not amps...
> >
> > Mike - W1ECT
> >
> > > Today I hooked up an amplifier in my system wich uses CAT to
switch
> > bands.
> >
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2411. Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-14 23:26:55 UTC
From: pa4doc
Topic: 2391 Message: 2411

Hello Craig,

No it doesn't, N1MM does

73,

Wilko

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> If you do an Edit/Add New Entry, XMLog reads the frequency from the
rig.
> Does that control your amplifier?
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> -----
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 8:14 AM
> To: XMLog@...m
> Subject: [XMLog] Re: strange CAT behaviour
>
>
>
> Michael!!
>
> I think I have figured it out, but I need your programming skills.
>
> Is it possible to send a 'ask frequency from trx' command AFTER
> clicking on a spot 'set transceiver to spot freq.
>
> That must be the case IMHO the fact that N1MM displays the
> VFO data nearly in realtime must be the reason that it works with
> that SW.
>
> Best regards,
>

> Wilko
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "pa4doc"
> <ft-2000@> wrote:
> >
> > Hello Mike,
> >
> > I understand your comment but can you explain why XM-LOG
> > does not function equal to N1MM contest SW.
> >
> > I have hooked it up the right way but I can't get the TRX follow
> > a command(mouseclick) using the spots map.
> > The rest works as normal.
> >
> > It has something to do with connecting the CAT TX line into the
> cicuit.
> > When it is not connected XM-LOG behaves like normal.
> > I need it to be connected to let the amplifier follow the TRX
> > That works in N1MM.
> >
> > It's frustrating because that's the only thing what fails.
> >
> > Tell me what more info you need please.
> >
> > Best regards,
> >
> > Wilko PA3BWK
> >
> >
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wilko,
> > >
> > > XMLog only supports CAT for HF transceivers, not amps...
> > >
> > > Mike - W1ECT
> > >
> > > > Today I hooked up an amplifier in my system wich uses CAT to
> switch
> > > bands.
> > >
> > >
>
>
>

>
>
> [Non-text portions of this message have been removed]
>

2412. Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-14 23:27:14 UTC
From: pa4doc
Topic: 2391 Message: 2412

Hello Craig,

No it doesn't, N1MM does

73,

Wilko

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> If you do an Edit/Add New Entry, XMLog reads the frequency from the
rig.
> Does that control your amplifier?
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> -----
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 8:14 AM
> To: XMLog@...m
> Subject: [XMLog] Re: strange CAT behaviour
>
>
>
> Michael!!
>
> I think I have figured it out, but I need your programming skills.
>
> Is it possible to send a 'ask frequency from trx' command AFTER
> clicking on a spot 'set transceiver to spot freq.
>
> That must be the case IMHO the fact that N1MM displays the
> VFO data nearly in realtime must be the reason that it works with
> that SW.
>
> Best regards,
>

> Wilko
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "pa4doc"
> <ft-2000@> wrote:
> >
> > Hello Mike,
> >
> > I understand your comment but can you explain why XM-LOG
> > does not function equal to N1MM contest SW.
> >
> > I have hooked it up the right way but I can't get the TRX follow
> > a command(mouseclick) using the spots map.
> > The rest works as normal.
> >
> > It has something to do with connecting the CAT TX line into the
> cicuit.
> > When it is not connected XM-LOG behaves like normal.
> > I need it to be connected to let the amplifier follow the TRX
> > That works in N1MM.
> >
> > It's frustrating because that's the only thing what fails.
> >
> > Tell me what more info you need please.
> >
> > Best regards,
> >
> > Wilko PA3BWK
> >
> >
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wilko,
> > >
> > > XMLog only supports CAT for HF transceivers, not amps...
> > >
> > > Mike - W1ECT
> > >
> > > > Today I hooked up an amplifier in my system wich uses CAT to
> switch
> > > bands.
> > >
> > >
>
>
>

>
>
> [Non-text portions of this message have been removed]
>

2413. Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-14 23:30:01 UTC
From: pa4doc
Topic: 2391 Message: 2413

Spot on Mal!!!

That's my problem.

73,

Wilko PA3BWK

PS. don't call me Mr. I feel I'm getting old ;-)

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
>
> Craig it doesn't do it with my radio. If I want it to read the freq
from my radio I have to right click on the freq field and then click
on get freq from radio. XMLOG does not poll my radio. That's the big
difference between XMLOG and N1MM. I think that is part of the
problem Mr. Wilko is having. When I use N1MM or CT during contests
the 'CAT' light on my radio is lit. It is never lit with XMLOG. My
radio is a MKV.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
>
> ----- Original Message -----
> From: Craig Bradley
> To: XMLog@yahoogroups.com
> Sent: Friday, December 14, 2007 16:38
> Subject: RE: [XMLog] Re: strange CAT behavior
>
>
> If you do an Edit/Add New Entry, XMLog reads the frequency from the
rig.
> Does that control your amplifier?
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____

>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 8:14 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: strange CAT behaviour
>
>
>
> Michael!!
>
> I think I have figured it out, but I need your programming skills.
>
> Is it possible to send a 'ask frequency from trx' command AFTER
> clicking on a spot 'set transceiver to spot freq.
>
> That must be the case IMHO the fact that N1MM displays the
> VFO data nearly in realtime must be the reason that it works with
> that SW.
>
> Best regards,
>
> Wilko
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "pa4doc"
> <ft-2000@> wrote:
> >
> > Hello Mike,
> >
> > I understand your comment but can you explain why XM-LOG
> > does not function equal to N1MM contest SW.
> >
> > I have hooked it up the right way but I can't get the TRX follow
> > a command(mouseclick) using the spots map.
> > The rest works as normal.
> >
> > It has something to do with connecting the CAT TX line into the
> cicuit.
> > When it is not connected XM-LOG behaves like normal.
> > I need it to be connected to let the amplifier follow the TRX
> > That works in N1MM.
> >
> > It's frustrating because that's the only thing what fails.
> >
> > Tell me what more info you need please.
> >
> > Best regards,
> >

> > Wilko PA3BWK
> >
> >
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wilko,
> > >
> > > XMLog only supports CAT for HF transceivers, not amps...
> > >
> > > Mike - W1ECT
> > >
> > > > Today I hooked up an amplifier in my system wich uses CAT to
> switch
> > > bands.
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2414. Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-15 00:10:01 UTC
From: pa4doc
Topic: 2391 Message: 2414

Spot on Mal!!!

That's my problem.

73,

Wilko PA3BWK

PS. don't call me Mr. I feel I'm getting old ;-)

--- In XMLog@yahoogroups.com, "N7MAL" <n7mal@...> wrote:
>
> Craig it doesn't do it with my radio. If I want it to read the freq
from my radio I have to right click on the freq field and then click
on get freq from radio. XMLOG does not poll my radio. That's the big
difference between XMLOG and N1MM. I think that is part of the
problem Mr. Wilko is having. When I use N1MM or CT during contests
the 'CAT' light on my radio is lit. It is never lit with XMLOG. My
radio is a MKV.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
>
> ----- Original Message -----
> From: Craig Bradley
> To: XMLog@yahoogroups.com
> Sent: Friday, December 14, 2007 16:38
> Subject: RE: [XMLog] Re: strange CAT behavior
>
>
> If you do an Edit/Add New Entry, XMLog reads the frequency from the
rig.
> Does that control your amplifier?
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____

>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 8:14 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: strange CAT behaviour
>
>
>
> Michael!!
>
> I think I have figured it out, but I need your programming skills.
>
> Is it possible to send a 'ask frequency from trx' command AFTER
> clicking on a spot 'set transceiver to spot freq.
>
> That must be the case IMHO the fact that N1MM displays the
> VFO data nearly in realtime must be the reason that it works with
> that SW.
>
> Best regards,
>
> Wilko
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "pa4doc"
> <ft-2000@> wrote:
> >
> > Hello Mike,
> >
> > I understand your comment but can you explain why XM-LOG
> > does not function equal to N1MM contest SW.
> >
> > I have hooked it up the right way but I can't get the TRX follow
> > a command(mouseclick) using the spots map.
> > The rest works as normal.
> >
> > It has something to do with connecting the CAT TX line into the
> cicuit.
> > When it is not connected XM-LOG behaves like normal.
> > I need it to be connected to let the amplifier follow the TRX
> > That works in N1MM.
> >
> > It's frustrating because that's the only thing what fails.
> >
> > Tell me what more info you need please.
> >
> > Best regards,
> >

> > Wilko PA3BWK
> >
> >
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wilko,
> > >
> > > XMLog only supports CAT for HF transceivers, not amps...
> > >
> > > Mike - W1ECT
> > >
> > > > Today I hooked up an amplifier in my system wich uses CAT to
> switch
> > > bands.
> > >
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2415. RE: [XMLog] Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-15 18:19:13 UTC
From: Craig Bradley
Topic: 2391 Message: 2415

That is what I was thinking about. Writelog does the same, it polls the radio. When you start a new QSO entry, XMLog reads the frequency, mode, etc. from the radio also. I saw suggesting this as a test to see if it produced the desired result.

A nice feature for XMLog would be to have an option to poll the radio as the contest loggers do. It could also put a cursor on the band map to show the current tuned frequency like Writelog does. It could also update the information in an open "add new QSO window". Of course, this would have follow after Mike finishes LOTW.

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of pa4doc
Sent: Friday, December 14, 2007 4:10 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: strange CAT behavior

Spot on Mal!!!

That's my problem.

73,

Wilko PA3BWK

PS. don't call me Mr. I feel I'm getting old ;-)

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "N7MAL" <n7mal@...> wrote:
>
> Craig it doesn't do it with my radio. If I want it to read the freq from my radio I have to right click on the freq field and then click on get freq from radio. XMLOG does not poll my radio. That's the big difference between XMLOG and N1MM. I think that is part of the problem Mr. Wilko is having. When I use N1MM or CT during contests the 'CAT' light on my radio is lit. It is never lit with XMLOG. My radio is a MKV.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal.com> com

>
> ----- Original Message -----
> From: Craig Bradley
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Sent: Friday, December 14, 2007 16:38
> Subject: RE: [XMLog] Re: strange CAT behavior
>
>
> If you do an Edit/Add New Entry, XMLog reads the frequency from the
rig.
> Does that control your amplifier?
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 8:14 AM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] Re: strange CAT behaviour
>
>
>
> Michael!!
>
> I think I have figured it out, but I need your programming skills.
>
> Is it possible to send a 'ask frequency from trx' command AFTER
> clicking on a spot 'set transceiver to spot freq.
>
> That must be the case IMHO the fact that N1MM displays the
> VFO data nearly in realtime must be the reason that it works with
> that SW.
>
> Best regards,
>
> Wilko
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "pa4doc"
> <ft-2000@> wrote:

> >
> > Hello Mike,
> >
> > I understand your comment but can you explain why XM-LOG
> > does not function equal to N1MM contest SW.
> >
> > I have hooked it up the right way but I can't get the TRX follow
> > a command(mouseclick) using the spots map.
> > The rest works as normal.
> >
> > It has something to do with connecting the CAT TX line into the
> cicuit.
> > When it is not connected XM-LOG behaves like normal.
> > I need it to be connected to let the amplifier follow the TRX
> > That works in N1MM.
> >
> > It's frustrating because that's the only thing what fails.
> >
> > Tell me what more info you need please.
> >
> > Best regards,
> >
> > Wilko PA3BWK
> >
> >
> >
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "Mike
> McAmis" <w1ect@> wrote:
> > >
> > > Hi Wilko,
> > >
> > > XMLog only supports CAT for HF transceivers, not amps...
> > >
> > > Mike - W1ECT
> > >
> > > > Today I hooked up an amplifier in my system wich uses CAT to
> switch
> > > bands.
> > >
> > >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>

>
>
> Yahoo! Groups Links
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2416. Re: strange CAT behavior

Yahoo group: XMLog
Date: 2007-12-17 16:37:39 UTC
From: Mike McAmis
Topic: 2391 Message: 2416

Hi - Most contesting programs constantly poll your radio(s) so that they can maintain a real-time frequency/mode display. Since XMLog doesn't provide a live display no polling is required.

It seems that the way most radios and amps are going is for the radio to provide 'band data' that can be used by an amp (or any other purpose). The advantage of this system is that you don't have to be running any program to have the amp track the radio's band changes or even have your PC powered up...

I haven't been paying attention to how different manufacturers have been implementing these 'band data' schemes - hopefully some standard will emerge.

Mike - W1ECT

2417. Merry Christmas and thanks Mike

Yahoo group: XMLog
Date: 2007-12-19 17:40:17 UTC
From: Dan Shepherd
Topic: 2391 Message: 2417

Mike,
Thanks for all the work you do to keep us happy and
for making a great product.

I made a $10 donation and urge everyone else that can,
to kick a few bucks your way to say thanks!

Even if you can't donate at least say thanks. ;-)

73 es Merry Christmas to all!
Dan, N8IE

Looking for last minute shopping deals?
Find them fast with Yahoo! Search.
http://tools.search.yahoo.com/newsearch/category.php?category=shopping

2418. St. Barthelemy is new DXCC entity

Yahoo group: XMLog
Date: 2007-12-20 03:21:32 UTC
From: Craig Bradley
Topic: 2418 Message: 2418

Hi Mike,

The ARRL DXCC desk announced today that St. Barthelemy is now a DXCC entity (#338)

Info at this link: http://www.arrl.org/news/stories/2007/12/19/100/?nc=1

Looks like we need to add FJ.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2419. Re: St. Barthelemy is new DXCC entity

Yahoo group: XMLog
Date: 2007-12-20 05:00:37 UTC
From: Mike McAmis
Topic: 2418 Message: 2419

Hi - I just got the note about St. Barthelemy this evening and I've posted a new XMLog version (5.43)in www.xmlog.com/beta

This version also includes all the non-LOTW related changes that were made to the LOTW prototype version.

I'll have to make another version of the LOTW prototype to match this version 5.43 - I should have it ready tommorrow.

Mike - W1ECT

2420. RE: [XMLog] Re: St. Barthelemy is new DXCC entity

Yahoo group: XMLog
Date: 2007-12-20 05:11:56 UTC
From: Craig Bradley
Topic: 2418 Message: 2420

Thanks for the quick work Mike!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Wednesday, December 19, 2007 9:01 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: St. Barthelemy is new DXCC entity

Hi - I just got the note about St. Barthelemy this evening and I've posted a new XMLog version (5.43)in www.xmlog.com/beta

This version also includes all the non-LOTW related changes that were made to the LOTW prototype version.

I'll have to make another version of the LOTW prototype to match this version 5.43 - I should have it ready tommorrow.

Mike - W1ECT

[Non-text portions of this message have been removed]

2421. RE: [XMLog] Merry Christmas and thanks Mike

Yahoo group: XMLog
Date: 2007-12-20 05:19:27 UTC
From: Craig Bradley
Topic: 2391 Message: 2421

Great idea Dan!

I have added $25 to the kitty (LoTW download fund?).

Merry Christmas Mike and all!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dan Shepherd
Sent: Wednesday, December 19, 2007 9:40 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Merry Christmas and thanks Mike

Mike,
Thanks for all the work you do to keep us happy and
for making a great product.

I made a $10 donation and urge everyone else that can,
to kick a few bucks your way to say thanks!

Even if you can't donate at least say thanks. ;-)

73 es Merry Christmas to all!
Dan, N8IE

_____
Looking for last minute shopping deals?
Find them fast with Yahoo! Search. http://tools.
<http://tools.search.yahoo.com/newsearch/category.php?category=shopping>
search.yahoo.com/newsearch/category.php?category=shopping

[Non-text portions of this message have been removed]

2422. 5.43 Install Problem

Yahoo group: XMLog
Date: 2007-12-20 22:39:11 UTC
From: n3dd
Topic: 2422 Message: 2422

When installing 5.43 I get an "Setup cannot continue because some files are out of date on your system" error. I am currently running 5.42 with no problem. Anyone have this problem?

Dom - N3DD

2423. RE: [XMLog] 5.43 Install Problem

Yahoo group: XMLog
Date: 2007-12-21 04:30:18 UTC
From: Craig Bradley
Topic: 2422 Message: 2423

No, I installed 5.43 last night with no problems.

I installed on a system with XP, service pack 2 and all current updates from Microsoft.

During the install, the installed complained that one file on my machine was newer than the one that was being installed and ask if I wanted to keep the current file. I said yes and the install completed with no problems and runs good (I now see FJ/OH2AM in red on the band map).

You might want to go to Windows Update and install the latest patches and try it again.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of n3dd
Sent: Thursday, December 20, 2007 2:39 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] 5.43 Install Problem

When installing 5.43 I get an "Setup cannot continue because some files are out of date on your system" error. I am currently running 5.42 with no problem. Anyone have this problem?

Dom - N3DD

[Non-text portions of this message have been removed]

2424. XmLog 5.43 & LOTW

Yahoo group: XMLog
Date: 2007-12-21 15:20:54 UTC
From: wa3bui
Topic: 2424 Message: 2424

After installing 5.43 I can no longer run the LOTW beta version. It says I need 5.42 in order to run XmLog LOTW.
Joe.. W3BUI

2425. Re: 5.43 Install Problem

Yahoo group: XMLog
Date: 2007-12-21 17:12:26 UTC
From: n3dd
Topic: 2422 Message: 2425

Hi Craig

I'm also running XP Pro SP2 with all the current updates. So this morning I double checked that all updates were installed then downloaded 5.43 agsin. I got the same error message again but this time when it asked me if I wanted to update the installer and said yes it apparently did. (Before it would just continually give me the error message). The install continued and asked me about the newer file you stated below then completed without a problem. Now my two FJ QSO's show up just fine.

All's well that end's well I guess!

73 and Merry Xmas

Dom - N3DD

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> No, I installed 5.43 last night with no problems.
>
> I installed on a system with XP, service pack 2 and all current updates from
> Microsoft.
>
> During the install, the installed complained that one file on my machine was
> newer than the one that was being installed and ask if I wanted to keep the
> current file. I said yes and the install completed with no problems and
> runs good (I now see FJ/OH2AM in red on the band map).
>
>
>
> You might want to go to Windows Update and install the latest patches and
> try it again.
>
>
>
> Good luck & 73,
>
> - Craig, AE6RR
>
>

>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of n3dd
> Sent: Thursday, December 20, 2007 2:39 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] 5.43 Install Problem
>
>
>
> When installing 5.43 I get an "Setup cannot continue because some
files
> are out of date on your system" error. I am currently running 5.42
> with no problem. Anyone have this problem?
>
> Dom - N3DD
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2426. RE: [XMLog] Re: 5.43 Install Problem

Yahoo group: XMLog
Date: 2007-12-21 17:55:51 UTC
From: Craig Bradley
Topic: 2422 Message: 2426

Congrats Dom!

FJ still shows up in red on my band map :-(

73 & Merry Christmas also!

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of n3dd
Sent: Friday, December 21, 2007 9:12 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: 5.43 Install Problem

Hi Craig

I'm also running XP Pro SP2 with all the current updates. So this
morning I double checked that all updates were installed then
downloaded 5.43 agsin. I got the same error message again but this
time when it asked me if I wanted to update the installer and said
yes it apparently did. (Before it would just continually give me the
error message). The install continued and asked me about the newer
file you stated below then completed without a problem. Now my two FJ
QSO's show up just fine.

All's well that end's well I guess!

73 and Merry Xmas

Dom - N3DD

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig
Bradley" <craigjb@...> wrote:
>
> No, I installed 5.43 last night with no problems.
>
> I installed on a system with XP, service pack 2 and all current
updates from
> Microsoft.
>
> During the install, the installed complained that one file on my
machine was
> newer than the one that was being installed and ask if I wanted to
keep the
> current file. I said yes and the install completed with no
problems and
> runs good (I now see FJ/OH2AM in red on the band map).

>
>
>
> You might want to go to Windows Update and install the latest
patches and
> try it again.
>
>
>
> Good luck & 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of n3dd
> Sent: Thursday, December 20, 2007 2:39 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] 5.43 Install Problem
>
>
>
> When installing 5.43 I get an "Setup cannot continue because some
files
> are out of date on your system" error. I am currently running 5.42
> with no problem. Anyone have this problem?
>
> Dom - N3DD
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2427. Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 00:17:37 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2427

My WinKeyer USB quit working. I tried messing with the USB expander because I thought that was the trouble, but it turned out to be that the batteries in the WinKeyer needed changing. When I got the Keyer working again, I am unable to get XMLog to recognize it. The trouble seems to be that with my unplugging and replugging the expansion USB ports my WinKeyer has changed from Com4 to Com13 and XMLog will only go up to Com8. I have not been able to reconfigure my USB port to a Com port that will fit XMLog. Does anyone know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries to last about 3 years. Mine last about 6 months, but I do send a lot of CW in 6 months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

2428. Re: St. Barthelemy is new DXCC entity

Yahoo group: XMLog
Date: 2007-12-22 04:54:34 UTC
From: k9mrd
Topic: 2418 Message: 2428

Mike,
I installed 5.43 and all works except Award Tracking. FJ/OH2AM did not increment my country count even though it shows up in the Worked/Confirmed report for 17, 20 & 40 meters.
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi - I just got the note about St. Barthelemy this evening and I've
> posted a new XMLog version (5.43)in www.xmlog.com/beta
>
> This version also includes all the non-LOTW related changes that were
> made to the LOTW prototype version.
>
> I'll have to make another version of the LOTW prototype to match this
> version 5.43 - I should have it ready tommorrow.
>
> Mike - W1ECT
>

2429. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 05:25:47 UTC
From: Craig Bradley
Topic: 2427 Message: 2429

Try right click My Computer, Hardware tab, Device Manager, go to Ports (COM & LPT), expand it, right click on the COM port, Port Settings tab, Advanced, and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander because I thought that was the trouble, but it turned out to be that the batteries in the WinKeyer needed changing. When I got the Keyer working again, I am unable to get XMLog to recognize it. The trouble seems to be that with my unplugging and replugging the expansion USB ports my WinKeyer has changed from Com4 to Com13 and XMLog will only go up to Com8. I have not been able to reconfigure my USB port to a Com port that will fit XMLog. Does anyone know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries to last about 3 years. Mine last about 6 months, but I do send a lot of CW in 6 months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2430. Re: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 05:47:09 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2430

Thanks Craig. I found that, but all the ports said that they were in use and I got a bunch of dire warnings. I finally picked a port and tried it. Of course, it worked, but I wasn't certain that Bill Gates wouldn't pop out of my screen and try to beat me up! (G) Before that everything that I tried raised my port up 4 numbers. I thought for a while that I would have to buy a new computer, or at least reformat my hard drive to get back below Com 8. I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone

know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2431. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 05:54:12 UTC
From: Craig Bradley
Topic: 2427 Message: 2431

Try closing everything first. If that doesn't work, try rebooting. I had a similar problem with my microHAM microKEYER and after trying this a couple of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in use and I got a bunch of dire warnings. I finally picked a port and tried it. Of course, it worked, but I wasn't certain that Bill Gates wouldn't pop out of my screen and try to beat me up! (G) Before that everything that I tried raised my port up 4 numbers. I thought for a while that I would have to buy a new computer, or at least reformat my hard drive to get back below Com 8. I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports (COM
& LPT), expand it, right click on the COM port, Port Settings tab, Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2432. Re: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 05:59:04 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2432

Actually, I predate MS Dos. I can't remember what the DOS in the Trash 80 was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I had a
similar problem with my microHAM microKEYER and after trying this a couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in use and
I got a bunch of dire warnings. I finally picked a port and tried it. Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop out of
my screen and try to beat me up! (G) Before that everything that I tried
raised my port up 4 numbers. I thought for a while that I would have to buy
a new computer, or at least reformat my hard drive to get back below Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2433. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 16:55:53 UTC
From: Craig Bradley
Topic: 2427 Message: 2433

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the COMM port (with the USB device unplugged), reboot, reconnect, etc. and get it on the desired port. I had to try mine a couple of time before I got it to "take". It kept complaining that the port was in use.

Good luck,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash 80 was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I had a
similar problem with my microHAM microKEYER and after trying this a couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.
Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of
my screen and try to beat me up! (G) Before that everything that I
tried
raised my port up 4 numbers. I thought for a while that I would have to
buy
a new computer, or at least reformat my hard drive to get back below
Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander because
I thought that was the trouble, but it turned out to be that the batteries
in the WinKeyer needed changing. When I got the Keyer working again, I am
unable to get XMLog to recognize it. The trouble seems to be that with my
unplugging and replugging the expansion USB ports my WinKeyer has changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been able
to reconfigure my USB port to a Com port that will fit XMLog. Does anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries to
last about 3 years. Mine last about 6 months, but I do send a lot of CW in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2434. Re: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 17:44:02 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2434

I finally got mine with the Device Utility, but it took several tries before I got passed all the warnings and made it work. The initial problem was that the batteries ran down in the keyer. I probably ought to power it from the wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the
COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get
it on
the desired port. I had to try mine a couple of time before I got it
to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I
had a

similar problem with my microHAM microKEYER and after trying this a
couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.
Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of
my screen and try to beat me up! (G) Before that everything that I
tried
raised my port up 4 numbers. I thought for a while that I would have to
buy
a new computer, or at least reformat my hard drive to get back below
Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2435. Re: XmLog 5.43 & LOTW Prototype

Yahoo group: XMLog
Date: 2007-12-22 20:52:05 UTC
From: Mike McAmis
Topic: 2424 Message: 2435

Hi Joe - I've just posted an LOTW prototype version to match version 5.43 of XMLog at www.xmlog.com/beta

Mike - W1ECT

2436. Re: 5.43 Install Problem

Yahoo group: XMLog
Date: 2007-12-22 20:55:56 UTC
From: Mike McAmis
Topic: 2422 Message: 2436

Hi Dom - Another XMLog user had a problem with the installer and it turned out that there is a problem with the 'dependencies' information for a file named scrrun.dll Microsoft has a program to fix this problem but it's easier to delete the bad file (c:\windows\system32\scrrun.dep). Search the archives here for scrrun for more info.

Mike - W1ECT

2437. Re: [XMLog] Re: XmLog 5.43 & LOTW Prototype

Yahoo group: XMLog
Date: 2007-12-22 21:14:05 UTC
From: WILLIS COOKE
Topic: 2424 Message: 2437

For those with a short memory like me the URL to the LOTW prototype is
www.xmlog.com/lotw
The URL below will get you XMLog 5.43

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Saturday, December 22, 2007 2:52:05 PM
Subject: [XMLog] Re: XmLog 5.43 & LOTW Prototype

Hi Joe - I've just posted an LOTW prototype version to match version
5.43 of XMLog at www.xmlog.com/beta

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2438. Re: 5.43 Install Problem

Yahoo group: XMLog
Date: 2007-12-22 21:18:39 UTC
From: n3dd
Topic: 2422 Message: 2438

Hi Mike

Thanks for the info. For me it was "safer" to run the MS patch!!
Hopefully that will take care of future problems.

Dom - N3DD

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Dom - Another XMLog user had a problem with the installer and it
> turned out that there is a problem with the 'dependencies'
information
> for a file named scrrun.dll Microsoft has a program to fix this
> problem but it's easier to delete the bad file (c:\windows\system32
> \scrrun.dep). Search the archives here for scrrun for more info.
>
> Mike - W1ECT
>

2439. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 21:34:56 UTC
From: Kevin Nathan
Topic: 2427 Message: 2439

Does anyone know if there is such a thing as a USB to parallel converter? I'm already using a program to convert one USB to a com port for packet and another com port controls my radio from XMLog so I need to somehow convert my parallel port to keying since XMLog doesn't support the parallel in Windows XP.

Thanks much for any help or suggestions. Very 73 and merry Christmas to all.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Saturday, December 22, 2007 09:44
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries before I got passed all the warnings and made it work. The initial problem was that the batteries ran down in the keyer. I probably ought to power it from the wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <HYPERLINK "mailto:craigjb%40pacbell.net"craigjb@pacbell.-net>
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get it on
the desired port. I had to try mine a couple of time before I got it to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
[mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On
Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I
had a
similar problem with my microHAM microKEYER and after trying this a
couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.
Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of

my screen and try to beat me up! (G) Before that everything that I tried
raised my port up 4 numbers. I thought for a while that I would have to buy
a new computer, or at least reformat my hard drive to get back below Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-net> net>
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports (COM
& LPT), expand it, right click on the COM port, Port Settings tab, Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander because
I thought that was the trouble, but it turned out to be that the batteries
in the WinKeyer needed changing. When I got the Keyer working again, I am
unable to get XMLog to recognize it. The trouble seems to be that with my
unplugging and replugging the expansion USB ports my WinKeyer has changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been able
to reconfigure my USB port to a Com port that will fit XMLog. Does anyone

know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

[Non-text portions of this message have been removed]

2440. Re: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-22 21:44:11 UTC
From: Nelson Wittstock
Topic: 2427 Message: 2440

Kevin,

I am using XP Pro in my PC and wound up adding a new serial board to solve the problem here. The one I added has two connectors on it so I can use another serial output in the future if I have need for it.

Good luck,
Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 3255 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2441. Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-23 00:11:02 UTC
From: k9mrd
Topic: 2441 Message: 2441

Am I the only one with this problem?

I installed 5.43 and all works except Award Tracking. FJ/OH2AM did not increment my country count even though it shows up in the Worked/Confirmed report for 17, 20 & 40 meters.

Wayne

2442. Problem

Yahoo group: XMLog
Date: 2007-12-22 21:46:26 UTC
From: prtzel
Topic: 2442 Message: 2442

I just downloaded version 5.42 and am trying to enter QSO's but the
date field refuses to cooperate. For example, I am entering October
27,2007 as 10/27/07. It keeps telling me to enter it as mm/dd/yy.
Thats what I seem to be doing and it still won't let me enter the QSO
into my log. Can someone tell me what I'm doing wrong?

Thanks,
Tim

2443. Re: XmLog 5.43 & LOTW Prototype

Yahoo group: XMLog
Date: 2007-12-23 15:35:46 UTC
From: Joe Brining
Topic: 2424 Message: 2443

Mike, that worked - Thanks
Joe

2444. Re: Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-23 15:46:59 UTC
From: Mike McAmis
Topic: 2441 Message: 2444

Hi Wayne - I could not duplicate your problem here. I've also worked FJ on 40/20/17 and the Mixed, CW, and band totals seemed to have been incremented ok. I assume your FJ QSOs also show up on the DXCC/Checklist report as "worked".

I don't have any ideas on what might be happening. One thing you might try if you have some time is to make a copy of your log file, open that file, make a DXCC/Totals report (and leave it on the screen), delete the FJ QSOs, make another DXCC/Totals report and compare it to the previous one. If the "worked" count doesn't decrease something very strange is going on.

Mike - W1ECT

2446. Re: [XMLog] Problem

Yahoo group: XMLog
Date: 2007-12-23 17:13:30 UTC
From: WILLIS COOKE
Topic: 2442 Message: 2446

Be sure that you are entering Zero, not Oh for the date. They don't look much different in many fonts.

----- Original Message ----
From: prtzel <prtzel@...>
To: XMLog@yahoogroups.com
Sent: Saturday, December 22, 2007 3:46:26 PM
Subject: [XMLog] Problem

I just downloaded version 5.42 and am trying to enter QSO's but the
date field refuses to cooperate. For example, I am entering October
27,2007 as 10/27/07. It keeps telling me to enter it as mm/dd/yy.
Thats what I seem to be doing and it still won't let me enter the QSO
into my log. Can someone tell me what I'm doing wrong?

Thanks,
Tim

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2447. Re: [XMLog] Re: Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-23 17:19:24 UTC
From: WILLIS COOKE
Topic: 2441 Message: 2447

Wayne didn't say how many countries he has. One thing that could cause the problem is if he does not have another QSO with FS. Then the program would add FJ and delete FS when he made the change.

----- Original Message ----
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Sunday, December 23, 2007 9:46:59 AM
Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem

Hi Wayne - I could not duplicate your problem here. I've also worked FJ

on 40/20/17 and the Mixed, CW, and band totals seemed to have been incremented ok. I assume your FJ QSOs also show up on the DXCC/Checklist report as "worked".

I don't have any ideas on what might be happening. One thing you might try if you have some time is to make a copy of your log file, open that

file, make a DXCC/Totals report (and leave it on the screen), delete the FJ QSOs, make another DXCC/Totals report and compare it to the previous one. If the "worked" count doesn't decrease something very strange is going on.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2448. LOTW

Yahoo group: XMLog
Date: 2007-12-23 17:21:54 UTC
From: WILLIS COOKE
Topic: 711 Message: 2448

Mike, do you have an estimate on when the LOTW Beta will be far enough along that we can start populating the LOTW sent/receive date windows? I am getting anxious to start populating.
Cookie, K5EWJ

[Non-text portions of this message have been removed]

2449. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-23 17:50:14 UTC
From: Craig Bradley
Topic: 2427 Message: 2449

Glad to hear the you got it going. Persistence pays off most of the time.

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Saturday, December 22, 2007 9:44 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries before I got passed all the warnings and made it work. The initial problem was that the batteries ran down in the keyer. I probably ought to power it from the wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get it on
the desired port. I had to try mine a couple of time before I got it to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I
had a
similar problem with my microHAM microKEYER and after trying this a
couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.
Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of
my screen and try to beat me up! (G) Before that everything that I
tried
raised my port up 4 numbers. I thought for a while that I would have to
buy
a new computer, or at least reformat my hard drive to get back below
Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net>

net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2450. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-23 18:03:04 UTC
From: Craig Bradley
Topic: 2427 Message: 2450

I believe that you can get USB printer interfaces. Whether or not they will work for keying is a good question. If they do, there may be delays which would result in poor CW keying.

I would recommend a USB keyer such as the microHAM microKEYER, they send excellent CW. You also get a serial port to control your rig, sound card interface, RTTY keying, rig T/R keying and amplifier keying. There are other units that just do CW keying.

Also, you can add as many USB to serial converters as you want. I found some for $17 each.

Good luck, Happy Holidays & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Saturday, December 22, 2007 1:35 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Com Port for Keyer

Does anyone know if there is such a thing as a USB to parallel converter? I'm already using a program to convert one USB to a com port for packet and another com port controls my radio from XMLog so I need to somehow convert my parallel port to keying since XMLog doesn't support the parallel in Windows XP.

Thanks much for any help or suggestions. Very 73 and merry Christmas to all.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
WILLIS COOKE
Sent: Saturday, December 22, 2007 09:44
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries before I got passed all the warnings and made it work. The initial problem was that

the batteries ran down in the keyer. I probably ought to power it from the wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <HYPERLINK "mailto:craigjb%40pacbell.net"craigjb@pacbell.-net>
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get it on
the desired port. I had to try mine a couple of time before I got it to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

_____

From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com [mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash 80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-net> net>
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I had a
similar problem with my microHAM microKEYER and after trying this a couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.
Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of
my screen and try to beat me up! (G) Before that everything that I
tried
raised my port up 4 numbers. I thought for a while that I would have to
buy
a new computer, or at least reformat my hard drive to get back below
Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2451. Re: Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-23 18:45:19 UTC
From: k9mrd
Topic: 2441 Message: 2451

Mike & Willis,

I do have other FS contacts in the log which are still there and working correctly.

The FJ QSO's are in all reports including the 'Checklist'. In my troubleshooting before my post I simulated your test Mike, but in a different way. I ran the DXCC/Totals report and moved it to the side. Then I ran a search for contacts prior to 12/19/07 which was the date of my first FJ contact. I verified that there were no FJ's in the selected group then ran the DXCC/Totals report by selecting 'Use Currently Selected Entries' option. The two reports are the same. Mixed, Phone, CW and band totals did not change.

I should mention, all of the FJ contacts were made before I downloaded and installed Ver 5.43.

Isn't my test the same as your suggestion Mike? Should I delete and repost the QSO's, reinstall 5.43, or could there be another problem?

(Is there a problem with the DXCC/Totals Report when using the "Use Selected Entries" option?)

Thanks for your help!

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Wayne didn't say how many countries he has. One thing that could cause
> the problem is if he does not have another QSO with FS. Then the program
> would add FJ and delete FS when he made the change.
>
> ----- Original Message ----
> From: Mike McAmis <w1ect@...>
> To: XMLog@yahoogroups.com
> Sent: Sunday, December 23, 2007 9:46:59 AM
> Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem
>
>
> Hi Wayne - I could not duplicate your problem here. I've also worked FJ
>
> on 40/20/17 and the Mixed, CW, and band totals seemed to have been
> incremented ok. I assume your FJ QSOs also show up on the

> DXCC/Checklist report as "worked".
>
> I don't have any ideas on what might be happening. One thing you
might
> try if you have some time is to make a copy of your log file, open
that
>
> file, make a DXCC/Totals report (and leave it on the screen),
delete
> the FJ QSOs, make another DXCC/Totals report and compare it to the
> previous one. If the "worked" count doesn't decrease something
very
> strange is going on.
>
> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2452. Re: Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-23 18:57:43 UTC
From: k9mrd
Topic: 2441 Message: 2452

Problem Fixed!

I removed and reposted the 3 QSO's and now everything works. I don't know why, but the totals are now correct.

Thanks for your help.

Wayne

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> Mike & Willis,
>
> I do have other FS contacts in the log which are still there and
> working correctly.
>
> The FJ QSO's are in all reports including the 'Checklist'. In my
> troubleshooting before my post I simulated your test Mike, but in a
> different way. I ran the DXCC/Totals report and moved it to the
side.
> Then I ran a search for contacts prior to 12/19/07 which was the
date
> of my first FJ contact. I verified that there were no FJ's in the
> selected group then ran the DXCC/Totals report by selecting 'Use
> Currently Selected Entries' option. The two reports are the same.
> Mixed, Phone, CW and band totals did not change.
>
> I should mention, all of the FJ contacts were made before I
> downloaded and installed Ver 5.43.
>
> Isn't my test the same as your suggestion Mike? Should I delete and
> repost the QSO's, reinstall 5.43, or could there be another problem?
>
> (Is there a problem with the DXCC/Totals Report when using the "Use
> Selected Entries" option?)
>
> Thanks for your help!
>
> Wayne
>
>
>
>
>
>
> --- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@> wrote:
> >

> > Wayne didn't say how many countries he has. One thing that could
> cause
> > the problem is if he does not have another QSO with FS. Then the
> program
> > would add FJ and delete FS when he made the change.
> >
> > ----- Original Message ----
> > From: Mike McAmis <w1ect@>
> > To: XMLog@yahoogroups.com
> > Sent: Sunday, December 23, 2007 9:46:59 AM
> > Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem
> >
> >
> > Hi Wayne - I could not duplicate your problem here. I've also
> worked FJ
> >
> > on 40/20/17 and the Mixed, CW, and band totals seemed to have
been
> > incremented ok. I assume your FJ QSOs also show up on the
> > DXCC/Checklist report as "worked".
> >
> > I don't have any ideas on what might be happening. One thing you
> might
> > try if you have some time is to make a copy of your log file,
open
> that
> >
> > file, make a DXCC/Totals report (and leave it on the screen),
> delete
> > the FJ QSOs, make another DXCC/Totals report and compare it to
the
> > previous one. If the "worked" count doesn't decrease something
> very
> > strange is going on.
> >
> > Mike - W1ECT
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]

> >
>

2453. Re: [XMLog] Re: Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-23 18:58:06 UTC
From: WILLIS COOKE
Topic: 2441 Message: 2453

Wayne, did you go back to the FJ contacts and change the country? You have to do that manually for contacts that were in the log prior to switching to 5.43. Version 5.42 would not let you put in St. Barts for FJ. Version 5.43 will identify FJ as St. Barts only for contacts entered after switching.

----- Original Message ----
From: k9mrd <k9mrd@...>
To: XMLog@yahoogroups.com
Sent: Sunday, December 23, 2007 12:45:19 PM
Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem

Mike & Willis,

I do have other FS contacts in the log which are still there and working correctly.

The FJ QSO's are in all reports including the 'Checklist'. In my troubleshooting before my post I simulated your test Mike, but in a different way. I ran the DXCC/Totals report and moved it to the side. Then I ran a search for contacts prior to 12/19/07 which was the date of my first FJ contact. I verified that there were no FJ's in the selected group then ran the DXCC/Totals report by selecting 'Use Currently Selected Entries' option. The two reports are the same. Mixed, Phone, CW and band totals did not change.

I should mention, all of the FJ contacts were made before I downloaded and installed Ver 5.43.

Isn't my test the same as your suggestion Mike? Should I delete and repost the QSO's, reinstall 5.43, or could there be another problem?

(Is there a problem with the DXCC/Totals Report when using the "Use Selected Entries" option?)

Thanks for your help!

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Wayne didn't say how many countries he has. One thing that could cause
> the problem is if he does not have another QSO with FS. Then the program
> would add FJ and delete FS when he made the change.
>
> ----- Original Message ----

> From: Mike McAmis <w1ect@...>
> To: XMLog@yahoogroups.com
> Sent: Sunday, December 23, 2007 9:46:59 AM
> Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem
>
>
> Hi Wayne - I could not duplicate your problem here. I've also
worked FJ
>
> on 40/20/17 and the Mixed, CW, and band totals seemed to have been
> incremented ok. I assume your FJ QSOs also show up on the
> DXCC/Checklist report as "worked".
>
> I don't have any ideas on what might be happening. One thing you
might
> try if you have some time is to make a copy of your log file, open
that
>
> file, make a DXCC/Totals report (and leave it on the screen),
delete
> the FJ QSOs, make another DXCC/Totals report and compare it to the
> previous one. If the "worked" count doesn't decrease something
very
> strange is going on.
>
> Mike - W1ECT
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2454. Re: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-23 19:06:50 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2454

Craig, I am using a WinKeyer USB for the interface. It accepts an ASCII signal from the computer when a message is entered by the logging program either from the keyboard or an F key. XMLog and N1MM both support this interface. My problem was that the batteries in the keyer ran down, but I thought that the Belkin USB expansion port was the problem. I unplugged it and plugged it back in. When I did, it incremented the Com port number to a number higher than Com 8 and I couldn't access it from XMLog. When I looked in Device Manager it said that all the ports up to the one assigned were in use. When I started to change the port to a lower one I got some severe warnings not to do that. I finally decided to change the port anyway and ignore the warnings. That worked. I still don't know how to get the port number counter reset. I have not tried unplugging the expander then deleting the driver and rebooting. That might work. The Windows Help File
is no help at all with this situation.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Sunday, December 23, 2007 12:03:04 PM
Subject: RE: [XMLog] Com Port for Keyer

I believe that you can get USB printer interfaces. Whether or not they
will
work for keying is a good question. If they do, there may be delays
which
would result in poor CW keying.

I would recommend a USB keyer such as the microHAM microKEYER, they
send
excellent CW. You also get a serial port to control your rig, sound
card
interface, RTTY keying, rig T/R keying and amplifier keying. There are
other units that just do CW keying.

Also, you can add as many USB to serial converters as you want. I
found
some for $17 each.

Good luck, Happy Holidays & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Kevin Nathan
Sent: Saturday, December 22, 2007 1:35 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Com Port for Keyer

Does anyone know if there is such a thing as a USB to parallel
converter?
I'm already using a program to convert one USB to a com port for packet
and
another com port controls my radio from XMLog so I need to somehow
convert
my parallel port to keying since XMLog doesn't support the parallel in
Windows XP.

Thanks much for any help or suggestions. Very 73 and merry Christmas to
all.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
Of
WILLIS COOKE
Sent: Saturday, December 22, 2007 09:44
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries
before
I got passed all the warnings and made it work. The initial problem was
that
the batteries ran down in the keyer. I probably ought to power it from
the
wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <HYPERLINK
"mailto:craigjb%40pacbell.net"craigjb@pacbell.-net>
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the
COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get
it on
the desired port. I had to try mine a couple of time before I got it
to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
[mailto:HYPERLINK
"mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On
Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I
had a
similar problem with my microHAM microKEYER and after trying this a
couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.

Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of
my screen and try to beat me up! (G) Before that everything that I
tried
raised my port up 4 numbers. I thought for a while that I would have to
buy
a new computer, or at least reformat my hard drive to get back below
Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been

able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
13:17

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
13:17

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2455. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-23 22:22:40 UTC
From: Kevin Nathan
Topic: 2427 Message: 2455

thanks much Craig. I'll take a look to see what I can find.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Sunday, December 23, 2007 10:03
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Com Port for Keyer

I believe that you can get USB printer interfaces. Whether or not they will work for keying is a good question. If they do, there may be delays which would result in poor CW keying.

I would recommend a USB keyer such as the microHAM microKEYER, they send excellent CW. You also get a serial port to control your rig, sound card interface, RTTY keying, rig T/R keying and amplifier keying. There are other units that just do CW keying.

Also, you can add as many USB to serial converters as you want. I found some for $17 each.

Good luck, Happy Holidays & 73,

- Craig, AE6RR

From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com [mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On Behalf Of Kevin Nathan
Sent: Saturday, December 22, 2007 1:35 PM
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Subject: RE: [XMLog] Com Port for Keyer

Does anyone know if there is such a thing as a USB to parallel converter? I'm already using a program to convert one USB to a com port for packet and another com port controls my radio from XMLog so I need to somehow convert my parallel port to keying since XMLog doesn't support the parallel in Windows XP.

Thanks much for any help or suggestions. Very 73 and merry Christmas to all.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Saturday, December 22, 2007 09:44
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries before
I got passed all the warnings and made it work. The initial problem was that
the batteries ran down in the keyer. I probably ought to power it from the
wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <HYPERLINK
"mailto:craigjb%-40pacbell.-net"craigjb@-pacbell.--net>
To: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the
COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get
it on
the desired port. I had to try mine a couple of time before I got it
to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
[mailto:HYPERLINK
"mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com] On
Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%--40pacbell.--net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I
had a
similar problem with my microHAM microKEYER and after trying this a
couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
[mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in
use and
I got a bunch of dire warnings. I finally picked a port and tried it.
Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop
out of
my screen and try to beat me up! (G) Before that everything that I
tried
raised my port up 4 numbers. I thought for a while that I would have to
buy
a new computer, or at least reformat my hard drive to get back below
Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%--40pacbell.--net>

net>
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
[mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1193 - Release Date: 12/22/2007
14:02

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1193 - Release Date: 12/22/2007
14:02

[Non-text portions of this message have been removed]

2456. RE: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-24 01:01:26 UTC
From: Craig Bradley
Topic: 2427 Message: 2456

Try: http://www.microham-usa.com/

The USB Interface II and USB CW Keyer start at $169.

There are also others. I like the microHAM software, the USB Router gives you a lot of control.

Have fun & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Sunday, December 23, 2007 2:23 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Com Port for Keyer

thanks much Craig. I'll take a look to see what I can find.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
Craig Bradley
Sent: Sunday, December 23, 2007 10:03
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: RE: [XMLog] Com Port for Keyer

I believe that you can get USB printer interfaces. Whether or not they will work for keying is a good question. If they do, there may be delays which would result in poor CW keying.

I would recommend a USB keyer such as the microHAM microKEYER, they send excellent CW. You also get a serial port to control your rig, sound card interface, RTTY keying, rig T/R keying and amplifier keying. There are other units that just do CW keying.

Also, you can add as many USB to serial converters as you want. I found some for $17 each.

Good luck, Happy Holidays & 73,

- Craig, AE6RR

From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
[mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On
Behalf Of
Kevin Nathan
Sent: Saturday, December 22, 2007 1:35 PM
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Subject: RE: [XMLog] Com Port for Keyer

Does anyone know if there is such a thing as a USB to parallel converter?
I'm already using a program to convert one USB to a com port for packet and
another com port controls my radio from XMLog so I need to somehow convert
my parallel port to keying since XMLog doesn't support the parallel in
Windows XP.

Thanks much for any help or suggestions. Very 73 and merry Christmas to
all.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Saturday, December 22, 2007 09:44
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries before
I got passed all the warnings and made it work. The initial problem was that
the batteries ran down in the keyer. I probably ought to power it from the
wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <HYPERLINK
"mailto:craigjb%-40pacbell.-net"craigjb@-pacbell.--net>
To: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the
COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get
it on
the desired port. I had to try mine a couple of time before I got it

to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
[mailto:HYPERLINK
"mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com] On
Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%--40pacbell.--net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I
had a
similar problem with my microHAM microKEYER and after trying this a
couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
[mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com

Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in use and
I got a bunch of dire warnings. I finally picked a port and tried it. Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop out of
my screen and try to beat me up! (G) Before that everything that I tried
raised my port up 4 numbers. I thought for a while that I would have to buy
a new computer, or at least reformat my hard drive to get back below Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%--40pacbell.--net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports (COM
& LPT), expand it, right click on the COM port, Port Settings tab, Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
[mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander because
I thought that was the trouble, but it turned out to be that the batteries
in the WinKeyer needed changing. When I got the Keyer working again, I am

unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date: 12/21/2007
13:17

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.

Version: 7.5.516 / Virus Database: 269.17.6/1193 - Release Date: 12/22/2007
14:02

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1193 - Release Date: 12/22/2007
14:02

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2457. Re: [XMLog] Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-24 01:24:20 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2457

Take a look at www.k1el.com for the WinKeyer USB. It works well and I think is about $70 in kit form.

----- Original Message ----
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Sunday, December 23, 2007 7:01:26 PM
Subject: RE: [XMLog] Com Port for Keyer

Try: http://www.microham-usa.com/

The USB Interface II and USB CW Keyer start at $169.

There are also others. I like the microHAM software, the USB Router gives
you a lot of control.

Have fun & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Sunday, December 23, 2007 2:23 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Com Port for Keyer

thanks much Craig. I'll take a look to see what I can find.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
Craig Bradley
Sent: Sunday, December 23, 2007 10:03
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: RE: [XMLog] Com Port for Keyer

I believe that you can get USB printer interfaces. Whether or not they will
work for keying is a good question. If they do, there may be delays

which
would result in poor CW keying.

I would recommend a USB keyer such as the microHAM microKEYER, they
send
excellent CW. You also get a serial port to control your rig, sound
card
interface, RTTY keying, rig T/R keying and amplifier keying. There are
other units that just do CW keying.

Also, you can add as many USB to serial converters as you want. I found
some for $17 each.

Good luck, Happy Holidays & 73,

- Craig, AE6RR

From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
[mailto:HYPERLINK
"mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On
Behalf Of
Kevin Nathan
Sent: Saturday, December 22, 2007 1:35 PM
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Subject: RE: [XMLog] Com Port for Keyer

Does anyone know if there is such a thing as a USB to parallel
converter?
I'm already using a program to convert one USB to a com port for packet
and
another com port controls my radio from XMLog so I need to somehow
convert
my parallel port to keying since XMLog doesn't support the parallel in
Windows XP.

Thanks much for any help or suggestions. Very 73 and merry Christmas to
all.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
[mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
Of
WILLIS COOKE
Sent: Saturday, December 22, 2007 09:44
To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
Subject: Re: [XMLog] Com Port for Keyer

I finally got mine with the Device Utility, but it took several tries
before
I got passed all the warnings and made it work. The initial problem was
that
the batteries ran down in the keyer. I probably ought to power it from
the
wall wart that runs the USB expansion port.

----- Original Message ----
From: Craig Bradley <HYPERLINK
"mailto:craigjb%-40pacbell.-net"craigjb@-pacbell.--net>
To: HYPERLINK
"mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
Sent: Saturday, December 22, 2007 10:55:53 AM
Subject: RE: [XMLog] Com Port for Keyer

TRSDOS

That's where I started also with a 4K TRS80 and a tape drive.

Anyway, keep poking around at that COMM port, maybe you can delete the
COMM
port (with the USB device unplugged), reboot, reconnect, etc. and get
it on
the desired port. I had to try mine a couple of time before I got it
to
"take". It kept complaining that the port was in use.

Good luck,

- Craig

From: HYPERLINK
"mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
[mailto:HYPERLINK
"mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com] On
Behalf Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:59 PM
To: HYPERLINK
"mailto:XMLog%-40yahoogroups.-com"XMLog@-yahoogroups.--com
Subject: Re: [XMLog] Com Port for Keyer

Actually, I predate MS Dos. I can't remember what the DOS in the Trash
80
was called, but I go back to that.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell.
<mailto:craigjb%--40pacbell.--net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com

Sent: Friday, December 21, 2007 11:54:12 PM
Subject: RE: [XMLog] Com Port for Keyer

Try closing everything first. If that doesn't work, try rebooting. I had a
similar problem with my microHAM microKEYER and after trying this a couple
of times, I did manage to get it back to COMM 4.

Bill stayed inside the computer :-)

Sounds like you are also a MSDOS survivor.

GOOD LUCK and Happy Holidays!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
[mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com] On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 9:47 PM
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Subject: Re: [XMLog] Com Port for Keyer

Thanks Craig. I found that, but all the ports said that they were in use and
I got a bunch of dire warnings. I finally picked a port and tried it. Of
course, it worked, but I wasn't certain that Bill Gates wouldn't pop out of
my screen and try to beat me up! (G) Before that everything that I tried
raised my port up 4 numbers. I thought for a while that I would have to buy
a new computer, or at least reformat my hard drive to get back below Com 8.
I have only been using a PC since 1980 so I guess I am still a Newbie.

----- Original Message ----
From: Craig Bradley <craigjb@pacbell.
<mailto:craigjb%--40pacbell.--net>
net>
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Sent: Friday, December 21, 2007 11:25:47 PM
Subject: RE: [XMLog] Com Port for Keyer

Try right click My Computer, Hardware tab, Device Manager, go to Ports
(COM
& LPT), expand it, right click on the COM port, Port Settings tab,
Advanced,
and then pick the port number that you want.

Good luck and Merry Christmas!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
[mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com]
On
Behalf
Of
WILLIS COOKE
Sent: Friday, December 21, 2007 4:18 PM
To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
Subject: [XMLog] Com Port for Keyer

My WinKeyer USB quit working. I tried messing with the USB expander
because
I thought that was the trouble, but it turned out to be that the
batteries
in the WinKeyer needed changing. When I got the Keyer working again, I
am
unable to get XMLog to recognize it. The trouble seems to be that with
my
unplugging and replugging the expansion USB ports my WinKeyer has
changed
from Com4 to Com13 and XMLog will only go up to Com8. I have not been
able
to reconfigure my USB port to a Com port that will fit XMLog. Does
anyone
know what to do about this?

When I built my WinKeyer the instructions said to expect the batteries
to
last about 3 years. Mine last about 6 months, but I do send a lot of CW
in 6
months.

Thanks, Cookie, K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
13:17

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
13:17

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1193 - Release Date:
12/22/2007
14:02

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.6/1193 - Release Date:
12/22/2007
14:02

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2458. Re: Ver 5.43 And Award Tracking Problem

Yahoo group: XMLog
Date: 2007-12-24 04:05:00 UTC
From: k9mrd
Topic: 2441 Message: 2458

Yes, I had already changed the country code to FJ. I did that after I updated the version to 5.43. The FJ QSOs would have not been in my Award reports under St. Bart if they were incorrect. As I mentioned, everything was correct except the counters. Deleting the 3 QSO's and re-entering them fixed the problem.

I have written a lot of commercial SW over the years and seen some strange things happen....I really don't understand this one, but it now is correct so I am not going to worry about it!

Thanks for your help. I sure appreciate it!!

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Wayne, did you go back to the FJ contacts and change the country? You have to do that manually for contacts that were in the log prior to switching to 5.43. Version 5.42 would not let you put in St. Barts for FJ. Version 5.43 will identify FJ as St. Barts only for contacts entered after switching.
>
> ----- Original Message ----
> From: k9mrd <k9mrd@...>
> To: XMLog@yahoogroups.com
> Sent: Sunday, December 23, 2007 12:45:19 PM
> Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem
>
>
> Mike & Willis,
>
> I do have other FS contacts in the log which are still there and
> working correctly.
>
> The FJ QSO's are in all reports including the 'Checklist'. In my
> troubleshooting before my post I simulated your test Mike, but in a
> different way. I ran the DXCC/Totals report and moved it to the side.
> Then I ran a search for contacts prior to 12/19/07 which was the date
> of my first FJ contact. I verified that there were no FJ's in the
> selected group then ran the DXCC/Totals report by selecting 'Use
> Currently Selected Entries' option. The two reports are the same.
> Mixed, Phone, CW and band totals did not change.
>
> I should mention, all of the FJ contacts were made before I

> downloaded and installed Ver 5.43.
>
> Isn't my test the same as your suggestion Mike? Should I delete and
> repost the QSO's, reinstall 5.43, or could there be another problem?
>
> (Is there a problem with the DXCC/Totals Report when using the "Use
> Selected Entries" option?)
>
> Thanks for your help!
>
> Wayne
>
>
>
>
>
> --- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@> wrote:
> >
> > Wayne didn't say how many countries he has. One thing that could
> cause
> > the problem is if he does not have another QSO with FS. Then the
> program
> > would add FJ and delete FS when he made the change.
> >
> > ----- Original Message ----
> > From: Mike McAmis <w1ect@>
> > To: XMLog@yahoogroups.com
> > Sent: Sunday, December 23, 2007 9:46:59 AM
> > Subject: [XMLog] Re: Ver 5.43 And Award Tracking Problem
> >
> >
> > Hi Wayne - I could not duplicate your problem here. I've also
> worked FJ
> >
> > on 40/20/17 and the Mixed, CW, and band totals seemed to have
been
> > incremented ok. I assume your FJ QSOs also show up on the
> > DXCC/Checklist report as "worked".
> >
> > I don't have any ideas on what might be happening. One thing you
> might
> > try if you have some time is to make a copy of your log file,
open
> that
> >
> > file, make a DXCC/Totals report (and leave it on the screen),
> delete
> > the FJ QSOs, make another DXCC/Totals report and compare it to
the
> > previous one. If the "worked" count doesn't decrease something

> very
> > strange is going on.
> >
> > Mike - W1ECT
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2459. Re: Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-23 21:49:53 UTC
From: Richard Ferch
Topic: 2427 Message: 2459

From what I have read, USB printer interfaces are no good for CW/PTT keying because they do not give bit- or pin-level access to the port, only character-level access for sending complete characters to the printer. Bit-level access is necessary for CW keying.

The microHAM CW interfaces contain a K1EL WinKey chip, so you need to set the CW Port/Keyer type to WinKey with them.

The original K1EL WinKey should work fine through a USB-to-serial adapter, or you can now get a USB version of the WinKey from K1EL with a serial port adapter built in.

The advantage of WinKey-based keyers over PC-generated CW (whether on a parallel, serial or USB-to-serial port) is that the WinKey is almost immune to the "stuttering" often observed with PC-generated CW, which is caused by other asynchronous processes taking over your CPU. With the WinKey, your PC sends a string of ASCII characters to the device and the actual keying is done by a dedicated processor in the WinKey.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I believe that you can get USB printer interfaces. Whether or not
they will
> work for keying is a good question. If they do, there may be
delays which
> would result in poor CW keying.
>
>
>
> I would recommend a USB keyer such as the microHAM microKEYER, they
send
> excellent CW. You also get a serial port to control your rig,
sound card
> interface, RTTY keying, rig T/R keying and amplifier keying. There
are
> other units that just do CW keying.
>
>
>
> Also, you can add as many USB to serial converters as you want. I
found
> some for $17 each.

>
>
>
> Good luck, Happy Holidays & 73,
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> Kevin Nathan
> Sent: Saturday, December 22, 2007 1:35 PM
> To: XMLog@yahoogroups.com
> Subject: RE: [XMLog] Com Port for Keyer
>
>
>
> Does anyone know if there is such a thing as a USB to parallel
converter?
> I'm already using a program to convert one USB to a com port for
packet and
> another com port controls my radio from XMLog so I need to somehow
convert
> my parallel port to keying since XMLog doesn't support the parallel
in
> Windows XP.
>
> Thanks much for any help or suggestions. Very 73 and merry
Christmas to
> all.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
> Of
> WILLIS COOKE
> Sent: Saturday, December 22, 2007 09:44
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Com Port for Keyer

>
> I finally got mine with the Device Utility, but it took several
tries before
> I got passed all the warnings and made it work. The initial problem
was that
> the batteries ran down in the keyer. I probably ought to power it
from the
> wall wart that runs the USB expansion port.
>
> ----- Original Message ----
> From: Craig Bradley <HYPERLINK
> "mailto:craigjb%40pacbell.net"craigjb@...>
> To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...
> Sent: Saturday, December 22, 2007 10:55:53 AM
> Subject: RE: [XMLog] Com Port for Keyer
>
> TRSDOS
>
> That's where I started also with a 4K TRS80 and a tape drive.
>
> Anyway, keep poking around at that COMM port, maybe you can delete
the
> COMM
> port (with the USB device unplugged), reboot, reconnect, etc. and
get
> it on
> the desired port. I had to try mine a couple of time before I got it
> to
> "take". It kept complaining that the port was in use.
>
> Good luck,
>
> - Craig
>
> _____
>
> From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...
> [mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...] On
> Behalf Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 9:59 PM
> To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...
> Subject: Re: [XMLog] Com Port for Keyer
>
> Actually, I predate MS Dos. I can't remember what the DOS in the
Trash
> 80
> was called, but I go back to that.
>
> ----- Original Message ----

> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-
net>
> net>
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Sent: Friday, December 21, 2007 11:54:12 PM
> Subject: RE: [XMLog] Com Port for Keyer
>
> Try closing everything first. If that doesn't work, try rebooting. I
> had a
> similar problem with my microHAM microKEYER and after trying this a
> couple
> of times, I did manage to get it back to COMM 4.
>
> Bill stayed inside the computer :-)
>
> Sounds like you are also a MSDOS survivor.
>
> GOOD LUCK and Happy Holidays!
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> [mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com]
On
> Behalf
> Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 9:47 PM
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Subject: Re: [XMLog] Com Port for Keyer
>
> Thanks Craig. I found that, but all the ports said that they were in
> use and
> I got a bunch of dire warnings. I finally picked a port and tried
it.
> Of
> course, it worked, but I wasn't certain that Bill Gates wouldn't pop
> out of
> my screen and try to beat me up! (G) Before that everything that I
> tried
> raised my port up 4 numbers. I thought for a while that I would
have to
> buy
> a new computer, or at least reformat my hard drive to get back below
> Com 8.
> I have only been using a PC since 1980 so I guess I am still a

Newbie.
>
> ----- Original Message ----
> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-
net>
> net>
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Sent: Friday, December 21, 2007 11:25:47 PM
> Subject: RE: [XMLog] Com Port for Keyer
>
> Try right click My Computer, Hardware tab, Device Manager, go to
Ports
> (COM
> & LPT), expand it, right click on the COM port, Port Settings tab,
> Advanced,
> and then pick the port number that you want.
>
> Good luck and Merry Christmas!
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> [mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com]
On
> Behalf
> Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 4:18 PM
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Subject: [XMLog] Com Port for Keyer
>
> My WinKeyer USB quit working. I tried messing with the USB expander
> because
> I thought that was the trouble, but it turned out to be that the
> batteries
> in the WinKeyer needed changing. When I got the Keyer working
again, I
> am
> unable to get XMLog to recognize it. The trouble seems to be that
with
> my
> unplugging and replugging the expansion USB ports my WinKeyer has
> changed
> from Com4 to Com13 and XMLog will only go up to Com8. I have not
been
> able

> to reconfigure my USB port to a Com port that will fit XMLog. Does
> anyone
> know what to do about this?
>
> When I built my WinKeyer the instructions said to expect the
batteries
> to
> last about 3 years. Mine last about 6 months, but I do send a lot
of CW
> in 6
> months.
>
> Thanks, Cookie, K5EWJ
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
> 13:17
>
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
> 13:17
>
>
> [Non-text portions of this message have been removed]
>
>

>
>
>
> [Non-text portions of this message have been removed]
>

2460. Re: LOTW

Yahoo group: XMLog
Date: 2007-12-23 23:22:21 UTC
From: Richard Ferch
Topic: 711 Message: 2460

On the subject of the LotW prototype, there is a bug in the LotW validation related to date formats.

I have my log set to display in DD/MM/YY format. When I downloaded from LotW, the only records that were recognized were: (a) those with identical DD and MM (e.g. 08/08/99); and (b) those where DD was greater than 12, i.e. where it was impossible to confuse the day and the month. All other records were rejected as not in log, even though they actually were in the log. This resulted in more than half of my LotW confirmations being rejected during validation (8013 confirmations rejected out of 15407).

BTW, the download status indicator stopped working partway into my download from the LotW web site. The progress indicator stopped working after 300+ kB or so out of a 3.9 MB download.

Under normal conditions, the "Not in Log" response should be very unlikely. If another station uploads a QSO to LotW and you have not uploaded a matching QSO, you will never see the QSO from the other station - unlike cards and eQSL, LotW gives you no way to see non-matching QSOs. The only way a "Not in Log" response should be possible should be one of: (a) data corruption during the download; (b) you have uploaded a QSO to LotW that was matched by the other station and you subsequently either deleted the contact from XMLog or edited the call sign, date, time, band or mode in XMLog in such a way as to invalidate the initial match; or (c) you have uploaded a QSO from some other program and you never imported it into XMLog.

Likewise, the "Bad Data" response should be impossible unless the download from the LotW web site was corrupted.

Regarding the algorithm used to match LotW records to records in your log: According to the XMLog prototype documentation, the call will match anything that contains the same "root" call. However, the download from LotW should only contain exact matches unless you have edited your log after doing the upload to LotW. Any difference, no matter how small (e.g. VE3KI/3 vs. VE3KI), will cause a failure to match in LotW and you will never see the record uploaded by the other station. As for the time difference, the time in the ADIF file downloaded from LotW is the time you recorded when you uploaded the QSO, not the time recorded by the other station, so the only way that can fail to match is if you have edited the time in your log after uploading to LotW.

Regarding the proposed features in the documentation:
Exporting the LotW and eQSL sent and received dates as XMLog-specific

ADIF fields (APP_XMLOG_LOTW_SENT, etc.) appears to be the appropriate way to deal with these fields. These should work the same way as the current QSL fields, i.e. a "?" can be used instead of a date if the date is not important to you.

The proposal for options to set LotW sent or eQSL sent fields to the current date during ADIF exports seems reasonable, except that this should not be an "or" operation (radio button) - it should be an "and" operation (checkboxes), so that you can select none, one or both of them. People uploading to both LotW and eQSL will want to use the same ADIF file to upload to both (LotW requires the additional step of signing with TQSL, of course).

The documentation suggests that eQSL sent and received fields can only be set manually. Actually, eQSL sent should work the same way as LotW sent, i.e. either manually or automatically. eQSL also offers an ADIF download capability, so eQSL received should also work similarly to LotW received.

A feature I'd like to suggest is that XMLog could remember the date of the last downloads from LotW and eQSL and use the applicable date as the default for the "posted since" date. In order to avoid gaps, confirmations on the "posted since" date should be included in the download, which means there will be some overlap. The overlap can be reduced by specifying not only the date but also the time (hh:mm), although there will still always be at least one overlapping QSO.

Regarding the checklist reports, the proposal is to use CNF for cards and cnf for LotW-only confirmations. This effectively gives priority to cards, i.e. if you have a card there is no quick way to see whether you also have a LotW confirmation. For people assembling applications to the ARRL DXCC desk, this priority is the reverse of what is wanted, i.e. you would normally want to use LotW confirmations first, and only send a card to the DXCC desk if you do not have a LotW confirmation for that country-band or -mode combination. Therefore I do not think that the proposed method is optimal. I would prefer to be able to see all three modes of confirmation at once (e.g. C for card, L for LotW and e for eQSL, with combinations like CL, Le, Ce, CLe also possible).

I would also suggest that an option to allow data from LotW to automatically overwrite what is already in the log would be a bad idea. That would result in a large number of incorrect zones (swapping CQ and ITU zones in the location data appears to be a common error). Also, QTH-related information recorded during the QSO is almost certainly more accurate than information later uploaded to LotW or eQSL, especially in view of the fact that many people seem to prefer to sign uploads with their current address instead of the address during the QSO.

In my test download of 15407 confirmations, I had 256 conflicts, and apart from a few obvious typos, after checking each one individually I decided in nearly every case that the data in my log was more likely to be accurate than the data recorded in LotW. (e.g. I worked a station

during the ARRL November Sweepstakes, the exchange I recorded was NH, the other station's results were listed under NH, my error file from the ARRL does not indicate an error in logging this QSO, and yet the LoTW record says MA because that happens to be where his home address is - would you change NH to MA in your log on the basis of the LotW confirmation? I certainly wouldn't.)

It is not particularly difficult to use the "location" feature of TQSL to sign QSOs from different locations correctly, but nevertheless a lot of people apparently do not know how or do not bother to use this capability. This is even more true of eQSL, since it is considerably more difficult to manage multiple QSOs with the same call sign in eQSL. Particularly if a download from eQSL is done months or years after the QSO, there is a not insignificant likelihood that the location data (state, county, grid) is wrong.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Mike, do you have an estimate on when the LOTW Beta will be far enough along that we can start populating the LOTW sent/receive date windows? I am getting anxious to start populating.
> Cookie, K5EWJ
>
>
>
> [Non-text portions of this message have been removed]
>

2461. Re: [XMLog] Re: Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-24 16:50:36 UTC
From: WILLIS COOKE
Topic: 2427 Message: 2461

Though I have not tried it to see for myself, I understand from reading several sources that pin level connection to a port does not work will with Windows. The timing and sharing built in to Windows does not allow the proper timing of cw keying from the pin as it did in the DOS days. This is especially true for higher CW speeds and when you are doing a lot of multi-tasking. Today's logging programs do a lot of multi-tasking even when you are not running email and other programs. A smart keyer that can accept ASCII to transmit and cache it until timing is right is required. WinKeyer USB is one device that affords this capability. No doubt there are many others, but I have not attempted to become familiar with them.

----- Original Message ----
From: Richard Ferch <ve3iay@...>
To: XMLog@yahoogroups.com
Sent: Sunday, December 23, 2007 3:49:53 PM
Subject: [XMLog] Re: Com Port for Keyer

From what I have read, USB printer interfaces are no good for CW/PTT keying because they do not give bit- or pin-level access to the port, only character-level access for sending complete characters to the printer. Bit-level access is necessary for CW keying.

The microHAM CW interfaces contain a K1EL WinKey chip, so you need to set the CW Port/Keyer type to WinKey with them.

The original K1EL WinKey should work fine through a USB-to-serial adapter, or you can now get a USB version of the WinKey from K1EL with a serial port adapter built in.

The advantage of WinKey-based keyers over PC-generated CW (whether on a parallel, serial or USB-to-serial port) is that the WinKey is almost immune to the "stuttering" often observed with PC-generated CW, which is caused by other asynchronous processes taking over your CPU. With the WinKey, your PC sends a string of ASCII characters to the device and the actual keying is done by a dedicated processor in the WinKey.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I believe that you can get USB printer interfaces. Whether or not they will
> work for keying is a good question. If they do, there may be delays which
> would result in poor CW keying.
>

>
>
> I would recommend a USB keyer such as the microHAM microKEYER, they
send
> excellent CW. You also get a serial port to control your rig,
sound card
> interface, RTTY keying, rig T/R keying and amplifier keying. There
are
> other units that just do CW keying.
>
>
>
> Also, you can add as many USB to serial converters as you want. I
found
> some for $17 each.
>
>
>
> Good luck, Happy Holidays & 73,
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On
Behalf Of
> Kevin Nathan
> Sent: Saturday, December 22, 2007 1:35 PM
> To: XMLog@yahoogroups.com
> Subject: RE: [XMLog] Com Port for Keyer
>
>
>
> Does anyone know if there is such a thing as a USB to parallel
converter?
> I'm already using a program to convert one USB to a com port for
packet and
> another com port controls my radio from XMLog so I need to somehow
convert
> my parallel port to keying since XMLog doesn't support the parallel
in
> Windows XP.
>
> Thanks much for any help or suggestions. Very 73 and merry
Christmas to
> all.

>
>
> Kevin :)
> Amateur Radio: K7RX
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf
> Of
> WILLIS COOKE
> Sent: Saturday, December 22, 2007 09:44
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Com Port for Keyer
>
> I finally got mine with the Device Utility, but it took several
tries before
> I got passed all the warnings and made it work. The initial problem
was that
> the batteries ran down in the keyer. I probably ought to power it
from the
> wall wart that runs the USB expansion port.
>
> ----- Original Message ----
> From: Craig Bradley <HYPERLINK
> "mailto:craigjb%40pacbell.net"craigjb@...>
> To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...
> Sent: Saturday, December 22, 2007 10:55:53 AM
> Subject: RE: [XMLog] Com Port for Keyer
>
> TRSDOS
>
> That's where I started also with a 4K TRS80 and a tape drive.
>
> Anyway, keep poking around at that COMM port, maybe you can delete
the
> COMM
> port (with the USB device unplugged), reboot, reconnect, etc. and
get
> it on
> the desired port. I had to try mine a couple of time before I got it
> to
> "take". It kept complaining that the port was in use.
>
> Good luck,
>
> - Craig
>
> _____

>
> From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...
> [mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...] On
> Behalf Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 9:59 PM
> To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@...
> Subject: Re: [XMLog] Com Port for Keyer
>
> Actually, I predate MS Dos. I can't remember what the DOS in the
Trash
> 80
> was called, but I go back to that.
>
> ----- Original Message ----
> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-
net>
> net>
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Sent: Friday, December 21, 2007 11:54:12 PM
> Subject: RE: [XMLog] Com Port for Keyer
>
> Try closing everything first. If that doesn't work, try rebooting. I
> had a
> similar problem with my microHAM microKEYER and after trying this a
> couple
> of times, I did manage to get it back to COMM 4.
>
> Bill stayed inside the computer :-)
>
> Sounds like you are also a MSDOS survivor.
>
> GOOD LUCK and Happy Holidays!
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> [mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com]
On
> Behalf
> Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 9:47 PM
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Subject: Re: [XMLog] Com Port for Keyer
>

> Thanks Craig. I found that, but all the ports said that they were in
> use and
> I got a bunch of dire warnings. I finally picked a port and tried
it.
> Of
> course, it worked, but I wasn't certain that Bill Gates wouldn't pop
> out of
> my screen and try to beat me up! (G) Before that everything that I
> tried
> raised my port up 4 numbers. I thought for a while that I would
have to
> buy
> a new computer, or at least reformat my hard drive to get back below
> Com 8.
> I have only been using a PC since 1980 so I guess I am still a
Newbie.
>
> ----- Original Message ----
> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%-40pacbell.-
net>
> net>
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Sent: Friday, December 21, 2007 11:25:47 PM
> Subject: RE: [XMLog] Com Port for Keyer
>
> Try right click My Computer, Hardware tab, Device Manager, go to
Ports
> (COM
> & LPT), expand it, right click on the COM port, Port Settings tab,
> Advanced,
> and then pick the port number that you want.
>
> Good luck and Merry Christmas!
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> [mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com]
On
> Behalf
> Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 4:18 PM
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Subject: [XMLog] Com Port for Keyer
>

> My WinKeyer USB quit working. I tried messing with the USB expander
> because
> I thought that was the trouble, but it turned out to be that the
> batteries
> in the WinKeyer needed changing. When I got the Keyer working
again, I
> am
> unable to get XMLog to recognize it. The trouble seems to be that
with
> my
> unplugging and replugging the expansion USB ports my WinKeyer has
> changed
> from Com4 to Com13 and XMLog will only go up to Com8. I have not
been
> able
> to reconfigure my USB port to a Com port that will fit XMLog. Does
> anyone
> know what to do about this?
>
> When I built my WinKeyer the instructions said to expect the
batteries
> to
> last about 3 years. Mine last about 6 months, but I do send a lot
of CW
> in 6
> months.
>
> Thanks, Cookie, K5EWJ
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> No virus found in this incoming message.

> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
> 13:17
>
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
> 13:17
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2462. Re: LOTW

Yahoo group: XMLog
Date: 2007-12-24 17:16:44 UTC
From: Mike McAmis
Topic: 711 Message: 2462

Hi Rich...

Since there are a lot of subjects here, when responding please start a new thread like "LOTW Prototype - Exact call matches" for each subject.

> On the subject of the LotW prototype, there is a bug in the
> LotW validation related when the date format is set to display
> in DD/MM/YY format.

OK, I'll check this out.

> BTW, the download status indicator stopped working partway
> into my download from the LotW web site. The progress
> indicator stopped working after 300+ kB or so out of a
> 3.9 MB download.

I see that occasionally here as well. Unfortunately there seems to be a bug in the Microsoft control I'm using for the transfer and it's not likely to be fixed.

> Under normal conditions, the "Not in Log" response should be very
> unlikely.

Not so unlikely - all you have to do is enter type in a QSO with a bad call, date, time...

Bad data errors are also not impossible since LOTW does not do a format check on some of the fields you enter when defining your station info. Format errors can also occur because LOTW does not verify the format of all the LOTW fields so if some logger creates an ADIF file with poorly formatted data it doesn't get checked/rejected when you upload it to LOTW.

Regarding "exact call matches". Again, it's possible that you entered HP2/W1ECT in your log because that's the call the guy was using on the air but when he uploaded the LOTW info he might have used W1ECT/HP2. I've got some QSOs like this...

Regarding LOTW date tags. For LOTW, if you've got a field like QSL RCVD set to ? XMLog will just set the QSL_SENT tag to Y and not provide a QSL_SDATE tag. Similarly on an import a QSL_SENT tag without a corresponding QSL_SDATE will set the field to ?.

Regarding eQSL's - I'm not including more support since they don't count for any awards of interest to me. The only reason I included the fields is so that folk could record the info and then switch to some other logger later (assuming that ADIF ever officially supports

an eQSL field).

> Regarding the checklist reports, the proposal is to use CNF,
> cnf...

I agree this isn't a very good solution, I expect that I'll have to add some stupid +, *, ! flagging or whatever to make things more complicated for the casual user.

Regarding auto-overwrites during the "apply LOTW to log" my current thought is that perhaps I should have some options:

1) "Use LOTW values unless you've got the QSL RCVD field set (i.e. you have a paper card)". This would be the default and you'd get the the prompt for log records that had the QSL RCVD field set.

2) Always keep current log values

3) Always overwrite log values with LOTW values

4) Always prompt (current 'technique')

I really adding more options because, again, this adds more complexity for the 'casual' user. However, all this extra crap for LOTW support is probably unavoidable.

Mike - W1ECT

2463. Re: LOTW

Yahoo group: XMLog
Date: 2007-12-24 17:18:06 UTC
From: Mike McAmis
Topic: 711 Message: 2463

Hi Cookie,

I suspect it'll be finished during 2008.

Mike - W1ECT

>
> Mike, do you have an estimate on when the LOTW Beta will be far enough along that we can start populating the LOTW sent/receive date windows? I am getting anxious to start populating.
> Cookie, K5EWJ

2464. Re: Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-24 17:22:46 UTC
From: Mike McAmis
Topic: 2427 Message: 2464

I have both K1EL keyers - the serial port version and the USB version. They both work fine with XP but I prefer the serial port version. I don't remember why I switched back but it had something to do with the keyer features, not with the interface.

Mike - W1ECT

2465. RE: [XMLog] Re: Com Port for Keyer

Yahoo group: XMLog
Date: 2007-12-24 17:43:23 UTC
From: Kevin Nathan
Topic: 2427 Message: 2465

Thanks much Rich. I'll keep this in mind when I go hunting. Very 73 and merry Christmas to you and yours.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Richard Ferch
Sent: Sunday, December 23, 2007 13:50
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Com Port for Keyer

From what I have read, USB printer interfaces are no good for CW/PTT keying because they do not give bit- or pin-level access to the port, only character-level access for sending complete characters to the printer. Bit-level access is necessary for CW keying.

The microHAM CW interfaces contain a K1EL WinKey chip, so you need to set the CW Port/Keyer type to WinKey with them.

The original K1EL WinKey should work fine through a USB-to-serial adapter, or you can now get a USB version of the WinKey from K1EL with a serial port adapter built in.

The advantage of WinKey-based keyers over PC-generated CW (whether on a parallel, serial or USB-to-serial port) is that the WinKey is almost immune to the "stuttering" often observed with PC-generated CW, which is caused by other asynchronous processes taking over your CPU. With the WinKey, your PC sends a string of ASCII characters to the device and the actual keying is done by a dedicated processor in the WinKey.

73,
Rich VE3KI

--- In HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com, "Craig Bradley" <craigjb@...-> wrote:
>
> I believe that you can get USB printer interfaces. Whether or not they will
> work for keying is a good question. If they do, there may be delays which
> would result in poor CW keying.
>
>

>
> I would recommend a USB keyer such as the microHAM microKEYER, they
send
> excellent CW. You also get a serial port to control your rig,
sound card
> interface, RTTY keying, rig T/R keying and amplifier keying. There
are
> other units that just do CW keying.
>
>
>
> Also, you can add as many USB to serial converters as you want. I
found
> some for $17 each.
>
>
>
> Good luck, Happy Holidays & 73,
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
[mailto:HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com] On

Behalf Of
> Kevin Nathan
> Sent: Saturday, December 22, 2007 1:35 PM
> To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
> Subject: RE: [XMLog] Com Port for Keyer
>
>
>
> Does anyone know if there is such a thing as a USB to parallel
converter?
> I'm already using a program to convert one USB to a com port for
packet and
> another com port controls my radio from XMLog so I need to somehow
convert
> my parallel port to keying since XMLog doesn't support the parallel
in
> Windows XP.
>
> Thanks much for any help or suggestions. Very 73 and merry
Christmas to

> all.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> [mailto:XMLog@-yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com] On
Behalf
> Of
> WILLIS COOKE
> Sent: Saturday, December 22, 2007 09:44
> To: XMLog@yahoogroups. <mailto:XMLog%-40yahoogroups.-com> com
> Subject: Re: [XMLog] Com Port for Keyer
>
> I finally got mine with the Device Utility, but it took several
tries before
> I got passed all the warnings and made it work. The initial problem
was that
> the batteries ran down in the keyer. I probably ought to power it
from the
> wall wart that runs the USB expansion port.
>
> ----- Original Message ----
> From: Craig Bradley <HYPERLINK
> "mailto:craigjb%-40pacbell.-net"craigjb@-...>
> To: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-...
> Sent: Saturday, December 22, 2007 10:55:53 AM
> Subject: RE: [XMLog] Com Port for Keyer
>
> TRSDOS
>
> That's where I started also with a 4K TRS80 and a tape drive.
>
> Anyway, keep poking around at that COMM port, maybe you can delete
the
> COMM
> port (with the USB device unplugged), reboot, reconnect, etc. and
get
> it on
> the desired port. I had to try mine a couple of time before I got it
> to
> "take". It kept complaining that the port was in use.
>
> Good luck,
>
> - Craig
>

> _____
>
> From: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-...
> [mailto:HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-...] On
> Behalf Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 9:59 PM
> To: HYPERLINK "mailto:XMLog%-40yahoogroups.-com"XMLog@-...
> Subject: Re: [XMLog] Com Port for Keyer
>
> Actually, I predate MS Dos. I can't remember what the DOS in the
Trash
> 80
> was called, but I go back to that.
>
> ----- Original Message ----
> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%--40pacbell.--
net>
> net>
> To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
> Sent: Friday, December 21, 2007 11:54:12 PM
> Subject: RE: [XMLog] Com Port for Keyer
>
> Try closing everything first. If that doesn't work, try rebooting. I
> had a
> similar problem with my microHAM microKEYER and after trying this a
> couple
> of times, I did manage to get it back to COMM 4.
>
> Bill stayed inside the computer :-)
>
> Sounds like you are also a MSDOS survivor.
>
> GOOD LUCK and Happy Holidays!
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
> [mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com]
On
> Behalf
> Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 9:47 PM
> To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
> Subject: Re: [XMLog] Com Port for Keyer

>
> Thanks Craig. I found that, but all the ports said that they were in
> use and
> I got a bunch of dire warnings. I finally picked a port and tried
it.
> Of
> course, it worked, but I wasn't certain that Bill Gates wouldn't pop
> out of
> my screen and try to beat me up! (G) Before that everything that I
> tried
> raised my port up 4 numbers. I thought for a while that I would
have to
> buy
> a new computer, or at least reformat my hard drive to get back below
> Com 8.
> I have only been using a PC since 1980 so I guess I am still a
Newbie.
>
> ----- Original Message ----
> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%--40pacbell.--
net>
> net>
> To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
> Sent: Friday, December 21, 2007 11:25:47 PM
> Subject: RE: [XMLog] Com Port for Keyer
>
> Try right click My Computer, Hardware tab, Device Manager, go to
Ports
> (COM
> & LPT), expand it, right click on the COM port, Port Settings tab,
> Advanced,
> and then pick the port number that you want.
>
> Good luck and Merry Christmas!
>
> 73,
>
> - Craig, AE6RR
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
> [mailto:XMLog@--yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com]
On
> Behalf
> Of
> WILLIS COOKE
> Sent: Friday, December 21, 2007 4:18 PM
> To: XMLog@yahoogroups. <mailto:XMLog%--40yahoogroups.--com> com
> Subject: [XMLog] Com Port for Keyer

>
> My WinKeyer USB quit working. I tried messing with the USB expander
> because
> I thought that was the trouble, but it turned out to be that the
> batteries
> in the WinKeyer needed changing. When I got the Keyer working
again, I
> am
> unable to get XMLog to recognize it. The trouble seems to be that
with
> my
> unplugging and replugging the expansion USB ports my WinKeyer has
> changed
> from Com4 to Com13 and XMLog will only go up to Com8. I have not
been
> able
> to reconfigure my USB port to a Com port that will fit XMLog. Does
> anyone
> know what to do about this?
>
> When I built my WinKeyer the instructions said to expect the
batteries
> to
> last about 3 years. Mine last about 6 months, but I do send a lot
of CW
> in 6
> months.
>
> Thanks, Cookie, K5EWJ
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
> Yahoo! Groups Links
>
> [Non-text portions of this message have been removed]
>

> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
> 13:17
>
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.17.6/1192 - Release Date:
12/21/2007
> 13:17
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.7/1194 - Release Date: 12/23/2007
17:27

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.17.7/1194 - Release Date: 12/23/2007
17:27

[Non-text portions of this message have been removed]

2466. Merry Christmas

Yahoo group: XMLog
Date: 2007-12-25 00:04:12 UTC
From: pa4doc
Topic: 2466 Message: 2466

Hello Michael,

Thank you for all your efforts this year.
I wish you and yours a merry christmas an a happy new year.

Best 73

Wilko Hollemans PA3BWK

2467. Beta Version 5.43 is now the "current" version

Yahoo group: XMLog
Date: 2008-01-04 20:20:12 UTC
From: Mike McAmis
Topic: 2467 Message: 2467

I've made version 5.43 the "current" version available at www.xmlog.com

This version has FJ (Saint Barthelemy Island) added to the DXCC countries list.

And speaking of Saint Barthelemy Island, there is going to be a DXpediton there using the call TO5FJ which will not automatically be recognized by XMLog. TO5FJ falls into the category of a "special" french callsigns so to have it automatically recognized you'll have to define it using the "View/Show Callsign List" menu item.

Mike - W1ECT

2468. Changing ssb mode to rtty for imports.

Yahoo group: XMLog
Date: 2008-01-06 22:09:31 UTC
From: mefazamy
Topic: 2468 Message: 2468

I must be missing something.I wasnt to import files which have ssb mode indicated because I use soundcard rtty. I want the mode to be rtty, not ssb in the mode.
I've tried "Define default fields for import" menu,and I can get everything else to change except the mode.

2469. Re: Changing ssb mode to rtty for imports.

Yahoo group: XMLog
Date: 2008-01-07 22:00:28 UTC
From: Mike McAmis
Topic: 2468 Message: 2469

Hi, I'm assuming you are importing an ADIF file that has a bunch of QSOs that have the mode set to SSB (or USB, LSB, whatever) that should be RTTY.

Unfortunately you can't use the ADIF default field settings to overwrite existing data in the ADIF file, they are only applied if the data for that field is not provided by the ADIF file.

If all the QSOs in your ADIF file should be RTTY one way to handle this would to just do a global edit on the file to change the mode.

If you look at the ADIF file with something like WordPad you'll see that each entry has the mode defined by something like:

<MODE:3>USB

Note that the "3" defines the length of the field. So, do a global change of <MODE:3>USB to <MODE:4>RTTY and do the same for any mode settings of SSB or LSB or whatever.

Be sure to make a copy of your file before you try hacking it.

Mike - W1ECT

2470. XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 18:49:50 UTC
From: n3ksks
Topic: 2470 Message: 2470

Is there a way to export ADIF files from XMLog that are based on date?
i.e. create and ADIF file that contains QSO's beginning on a specific
date and ending on a specific date?
Thanks - Kam N3KS

2471. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 19:17:12 UTC
From: GerryC
Topic: 2470 Message: 2471

Is there a way to export ADIF files from XMLog that are based on date?
i.e. create and ADIF file that contains QSO's beginning on a specific
date and ending on a specific date?

Sure.
First select the date range*.
Then export only the selected files*.

73 de W3GERry

*Lemme know if you need further help with those.

2472. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 21:41:39 UTC
From: GerryC
Topic: 2470 Message: 2472

> Then export only the selected files*.

Ooops! I meant only the selected entries.

W3GERry

2473. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 22:15:52 UTC
From: WILLIS COOKE
Topic: 2470 Message: 2473

I know how to do a sort of QSOs after a certain date
and how to do a sort of QSOs before a certain date. I
do not know how to sort between two dates without
creating a new data base. Do you know a way?
Cookie, K5EWJ

--- GerryC <GerryC.1@...> wrote:

> Is there a way to export ADIF files from XMLog that
> are based on date?
> i.e. create and ADIF file that contains QSO's
> beginning on a specific
> date and ending on a specific date?
>
> Sure.
> First select the date range*.
> Then export only the selected files*.
>
> 73 de W3GERry
>
>
> *Lemme know if you need further help with those.
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

2474. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 22:36:12 UTC
From: N7MAL
Topic: 2470 Message: 2474

I asked a similar question a long time ago and here is the answer I received from Mike:

""Re: ADIF Help
Hi Mal, I don't have a good way to isolate the last 25 QSOs but here's
a way that will work. Select all records and go to the last record,
make a note of the QSO number. Now do your arithmetic to get the
number of the "first QSO of the last 25", i.e. last-24. Now scroll
back to that QSO (the mouse wheel is nice for this). Make a note of
the date. Now you can do a search for date >= than this QSO.

This might not result in 25 QSOs if this wasn't the first QSO you made
on that date! You'd then have to edit the ADIF file to delete those
first QSOs... What a mess eh?

Well I hope this isn't something you'll need to do very often - I've
never been in a situation where I've needed to do selections by QSO
number.

Mike - W1ECT""

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: n3ksks
To: XMLog@yahoogroups.com
Sent: Tuesday, January 08, 2008 18:49
Subject: [XMLog] XMLog ADIF Export

Is there a way to export ADIF files from XMLog that are based on date?
i.e. create and ADIF file that contains QSO's beginning on a specific
date and ending on a specific date?
Thanks - Kam N3KS

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2475. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 22:41:00 UTC
From: GerryC
Topic: 2470 Message: 2475

> I know how to do a sort of QSOs after a certain date
> and how to do a sort of QSOs before a certain date. I
> do not know how to sort between two dates without
> creating a new data base. Do you know a way?
> Cookie, K5EWJ

Well, for example, to select all the QSO's from 2005, enter this search key in the DATE field:

>=01/01/05,<=12/31/05

73 de W3GERry

2476. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 22:49:20 UTC
From: WILLIS COOKE
Topic: 2470 Message: 2476

Thanks Gerry, thanks to you, I found my problem. Mrs. Thomas taught me in typing class 50 years ago to always put a space after a comma. Obviously the XMLog program did not take Mrs. Thomas's class and gives an error message unless you omit that comma.

--- GerryC <GerryC.1@...> wrote:

> > I know how to do a sort of QSOs after a certain
> date
> > and how to do a sort of QSOs before a certain
> date. I
> > do not know how to sort between two dates without
> > creating a new data base. Do you know a way?
> > Cookie, K5EWJ
>
> Well, for example, to select all the QSO's from
> 2005, enter this search key in the DATE
> field:
>
> >=01/01/05,<=12/31/05
>
> 73 de W3GERry
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

2477. Re: [XMLog] XMLog ADIF Export

Yahoo group: XMLog
Date: 2008-01-08 23:27:27 UTC
From: GerryC
Topic: 2470 Message: 2477

> Thanks Gerry, thanks to you, I found my problem. Mrs.
> Thomas taught me in typing class 50 years ago to
> always put a space after a comma.

I was taught typing 58 years ago by Mr. Grainer. He taught me to always put a double space after a period. Nowadays, that's a no-no. But I still do it.

(Boy, am I GLAD I learned to touch-type-- sure comes in handy now in the computer age!!)

73 de W3GERry

2478. DXCC Country List

Yahoo group: XMLog
Date: 2008-01-14 22:34:55 UTC
From: k9mrd
Topic: 2478 Message: 2478

Hi all!
Is there a way to print the DXCC country list along with prefix AND lat/long used to compute distance to country? VIEW DXCC country list allows viewing country and prefix, but can't print and lat/long is not included.
Wayne
K9MRD

2479. Re: DXCC Country List

Yahoo group: XMLog
Date: 2008-01-15 21:02:43 UTC
From: Mike McAmis
Topic: 2478 Message: 2479

Sorry but the latitude/longitude isn't displayed by any of the XMLog menu items. If you need the data now and then you can just open the "prefixes" file that resides in your XMLog install folder (usually c:\mlog) with a text editor like WordPad.

Mike - W1ECT

2480. Re: DXCC Country List

Yahoo group: XMLog
Date: 2008-01-15 21:47:05 UTC
From: k9mrd
Topic: 2478 Message: 2480

Thanks Mike!
That is just what I was looking for.
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Sorry but the latitude/longitude isn't displayed by any of the XMLog
> menu items. If you need the data now and then you can just open
> the "prefixes" file that resides in your XMLog install folder
(usually
> c:\mlog) with a text editor like WordPad.
>
> Mike - W1ECT
>

2481. Previewing print lists?

Yahoo group: XMLog
Date: 2008-01-16 22:33:00 UTC
From: witstock7
Topic: 2481 Message: 2481

When I prepare a lengthy list of QSL labels I sometimes get interrupted or am just unsure if I have included a particular call. Is there a way to preview the list before I send it to the printer? If not, could it possibly be put into a future release?

Nelson, K8DJC

2482. Re: Previewing print lists?

Yahoo group: XMLog
Date: 2008-01-19 23:37:48 UTC
From: k9mrd
Topic: 2481 Message: 2482

--- In XMLog@yahoogroups.com, "witstock7" <k8djc@...> wrote:
>
> When I prepare a lengthy list of QSL labels I sometimes get
> interrupted or am just unsure if I have included a particular call. Is
> there a way to preview the list before I send it to the printer? If
> not, could it possibly be put into a future release?
>
> Nelson, K8DJC
>

It would also be great to be able to edit the list (delete a record)
and restart printing on any record. If there is a paper jam, out of
ink, etc., it is necessary to either re-enter the QSOs in the print
que, or reprint QSLs that were printed correctly.

Wayne, K9MRD

2483. Re: Previewing print lists?

Yahoo group: XMLog
Date: 2008-01-22 22:54:01 UTC
From: Mike McAmis
Topic: 2481 Message: 2483

Hi, There's currently no facility for editing the QSL Label list but if you want to try some direct hacking just open the "labels.out" file in your XMLog install folder (usually c:\mlog). Since it's just a simple text file you can use WordPad or whatever.

Mike - W1ECT

2484. Re: [XMLog] Re: Previewing print lists?

Yahoo group: XMLog
Date: 2008-01-23 00:57:24 UTC
From: Nelson Wittstock
Topic: 2481 Message: 2484

Thanks, Mike,

Not the most convenient way of doing it but it will allow me to adjust the
list info prior to printing.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 3814 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2485. vista xcw

Yahoo group: XMLog
Date: 2008-01-29 00:07:33 UTC
From: A. Non
Topic: 2485 Message: 2485

I'm having problems getting xcw to run on vista.
XCW loads, but the moment I enter a character to be sent, XCW stops and
tells me "a problem has caused the program to stop working correctly".
Anybody else had the same experience and come up with a solution?
MLog works jusr fine.

Thanks/73
Tom K4RV

2486. Re: vista xcw

Yahoo group: XMLog
Date: 2008-01-31 16:40:44 UTC
From: A. Non
Topic: 2485 Message: 2486

--- In XMLog@yahoogroups.com, "A. Non" <dxhawg@...> wrote:
>
> I'm having problems getting xcw to run on vista.
> XCW loads, but the moment I enter a character to be sent, XCW stops
and
> tells me "a problem has caused the program to stop working correctly".
> Anybody else had the same experience and come up with a solution?
> MLog works jusr fine.
>
> Thanks/73
> Tom K4RV
>

I found a solution.

(1)In the XCW window select "options".
(2)In the CW Sidetone block select "Use sound card/MIDI"

XCW now works using Vista on my Compaq Presario F712NR laptop.

There may be other ways that my problem could have been solved on my
computer and other computers.

73
Tom / K4RV

2487. VE7CC Cluster Software

Yahoo group: XMLog
Date: 2008-02-09 00:02:53 UTC
From: k9mrd
Topic: 2487 Message: 2487

Is anyone using VE7CC's DX Cluster software as a front end for XMLog? I thought I read it could be used as front end filter, but I can't find the information regarding the interface. Any help would be appreciated.
Wayne

2488. Re: VE7CC Cluster Software

Yahoo group: XMLog
Date: 2008-02-09 06:17:41 UTC
From: n7mal
Topic: 2487 Message: 2488

I am having huge email problems with my server. Here was my answer to
K9MRD's question:
Wayne here is the network.nod file I created. It connects the mlog packet
terminal directly to the VE7CC cluster software. Simply create a text
file
named network.nod. Then copy/paste the text below into the network.nod
file.
Then from inside the mlog terminal click on connect/connect node file or
just hit F5. Select the network.nod file you just created and you will
connect directly to the VE7CC software. I have used this for several
years
and it works great.
Good Luck 73

rem
rem Internet AR-PacketCluster at network network
rem
connect 127.0.0.1:7300
match login:

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> Is anyone using VE7CC's DX Cluster software as a front end for XMLog? I
> thought I read it could be used as front end filter, but I can't find
> the information regarding the interface. Any help would be appreciated.
> Wayne
>

2489. Fw: [XMLog] Re: VE7CC Cluster Software

Yahoo group: XMLog
Date: 2008-02-10 20:08:23 UTC
From: N7MAL
Topic: 2489 Message: 2489

This is a test to see if my email problems are fixed.
Sorry for the bandwidth.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: n7mal
To: XMLog@yahoogroups.com
Sent: Saturday, February 09, 2008 6:17
Subject: [XMLog] Re: VE7CC Cluster Software

I am having huge email problems with my server.

2490. New Country

Yahoo group: XMLog
Date: 2008-02-24 19:28:41 UTC
From: Kevin Nathan
Topic: 2490 Message: 2490

Hi Mike,

I just worked YU8A this morning for the new one but, of course, it comes up Serbia. What can I do to make sure I show the right entity when it is not in the list?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.20.9/1294 - Release Date: 2/22/2008 18:39

2491. XMLog with 2 radios

Yahoo group: XMLog
Date: 2008-02-24 19:32:48 UTC
From: Craig Bradley
Topic: 2489 Message: 2491

Mike, et al,

I have setup a second radio in my shack.

The first radio is a Kenwood TS-2000 interfaced with a microHAM microKEYER II.

The second radio is a Yaesu FT-1000MP interfaced with a microHAM microKEYER (original model).

The microHAM USB Router allows you to setup virtual COMM ports to interface the radio. It requires unique COMM ports for each microKEYER/radio.

I have TS-2000 microKEYER setup for CAT on COMM 4, WinKey on COMM 6 and FSK keying on COMM 5.

The FT-1000 microKEYER is setup for CAT on COMM 7, WinKey on COMM 3 and FSK on COMM 8.

As XMLog only supports COMM port from 1 to 8, I am running out of usable COMM ports (the USB Router will assign ports up to 30). The PC uses COMM 1 for the modem.

The other problem is that when I change radios, I have to reselect the ports for CAT and WinKey.

Is there some way to save a setup for each radio and recall it? I don't think that there is.

Also, it would be nice to support more COMM ports as there are other functions that I may need for other programs.

Mike, any plans to add some of these features?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2492. Re: [XMLog] New Country

Yahoo group: XMLog
Date: 2008-02-24 19:34:28 UTC
From: Nelson Wittstock
Topic: 2490 Message: 2492

It is not yet "officially" an entity or country. It needs to have a block
of call letters assigned by the ITU. When it is official I'm sure Mike will
update the listing.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 4474 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2493. Re: [XMLog] New Country

Yahoo group: XMLog
Date: 2008-02-24 19:38:00 UTC
From: Dave Sergeant
Topic: 2490 Message: 2493

On 24 Feb 2008 at 11:28, Kevin Nathan wrote:

> I just worked YU8A this morning for the new one but, of course, it
> comes up Serbia. What can I do to make sure I show the right entity
> when it is not in the list?

YU8 counts as Serbia until it is added to the DXCC list. This will only happen if Kosovo joins the UN (unlikely as Russia intends to use its veto) or the ITU allocates it a prefix block which will take some time. ARRL are fairly clear about Kosovo's DXCC status - see http://www.arrl.org/news/stories/2008/02/20/102/?nc=1

For the moment YU8 counts as Serbia and you should not change anything in XMLog at the moment.

73 Dave G3YMC

http://www.davesergeant.com

2494. RE: [XMLog] New Country

Yahoo group: XMLog
Date: 2008-02-24 19:39:17 UTC
From: Kevin Nathan
Topic: 2490 Message: 2494

Hi,

I've been away from the computer for a few days. So am I correct in understanding that for now, YU8A is still only Serbia in terms of DXCC?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Nelson Wittstock
Sent: Sunday, February 24, 2008 11:34
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] New Country

It is not yet "officially" an entity or country. It needs to have a block of call letters assigned by the ITU. When it is official I'm sure Mike will update the listing.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 4474 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.20.9/1294 - Release Date: 2/22/2008 18:39

No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.20.9/1294 - Release Date: 2/22/2008 18:39

2495. RE: [XMLog] New Country

Yahoo group: XMLog
Date: 2008-02-24 19:47:29 UTC
From: WILLIS COOKE
Topic: 2490 Message: 2495

That is correct. It looks like the Russians and
Chinese will block Kosovo from entering the UN, so
whether or not it will really become separate remains
to be seen. The DXCC desk has not ruled on the
situation one way or another at this time.

--- Kevin Nathan <k7rx@...> wrote:

> Hi,
>
> I've been away from the computer for a few days. So
> am I correct in
> understanding that for now, YU8A is still only
> Serbia in terms of DXCC?
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
> -----Original Message-----
> From: XMLog@yahoogroups.com
> [mailto:XMLog@yahoogroups.com] On Behalf Of
> Nelson Wittstock
> Sent: Sunday, February 24, 2008 11:34
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] New Country
>
> It is not yet "officially" an entity or country. It
> needs to have a block
> of call letters assigned by the ITU. When it is
> official I'm sure Mike will
> update the listing.
>
> Nelson, K8DJC
>
>
> --
> I am using the free version of SPAMfighter for
> private users.
> It has removed 4474 spam emails to date.
> Paying users do not have this message in their

> emails.
> Get the free SPAMfighter here:
> http://www.spamfighter.com/len
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.20.9/1294 -
> Release Date: 2/22/2008
> 18:39
>
>
> No virus found in this outgoing message.
> Checked by AVG Free Edition.
> Version: 7.5.516 / Virus Database: 269.20.9/1294 -
> Release Date: 2/22/2008
> 18:39
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

Willis 'Cookie' Cooke
K5EWJ

2496. Vista and XMLOG?

Yahoo group: XMLog
Date: 2008-03-03 04:08:12 UTC
From: John P Smith
Topic: 2496 Message: 2496

I'm running Vista Home Basic. Whenever I exit XMLOG it seems to cause
an error on the system that indicates that XMLOG shutdown abnormally.
Anyone else seeing this problem?

73
John KI4RO

2497. Re: [XMLog] Vista and XMLOG?

Yahoo group: XMLog
Date: 2008-03-03 04:35:16 UTC
From: WILLIS COOKE
Topic: 2496 Message: 2497

John, do you have it installed under the Programs
directory, or in the base directory?

--- John P Smith <johnki4ro@...> wrote:

> I'm running Vista Home Basic. Whenever I exit XMLOG
> it seems to cause
> an error on the system that indicates that XMLOG
> shutdown abnormally.
> Anyone else seeing this problem?
>
> 73
> John KI4RO
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

Willis 'Cookie' Cooke
K5EWJ

2498. Re: [XMLog] Vista and XMLOG?

Yahoo group: XMLog
Date: 2008-03-03 20:13:08 UTC
From: Lynton Towler
Topic: 2496 Message: 2498

John,
I had exactly the same problem and found by forcing the program to run
in Windows 98/Me compatibility mode the problem was/is solved.
I bet you find the CW console and cluster consoles crash as well ??

Hope that helps.

Lynton G7JJP

----- Original Message -----
From: "John P Smith" <johnki4ro@...>
To: <XMLog@yahoogroups.com>
Sent: Monday, March 03, 2008 4:08 AM
Subject: [XMLog] Vista and XMLOG?

> I'm running Vista Home Basic. Whenever I exit XMLOG it seems to cause
> an error on the system that indicates that XMLOG shutdown abnormally.
> Anyone else seeing this problem?
>
> 73
> John KI4RO

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.516 / Virus Database: 269.21.3/1308 - Release Date: 03/03/2008 10:01

2499. Re: Vista and XMLOG?

Yahoo group: XMLog
Date: 2008-03-04 00:44:14 UTC
From: John KI4RO
Topic: 2496 Message: 2499

Thanks Lynton...that got it. I tried running it in XP compatibility mode but that didn't change anything so I did it your way and now it shuts down normally.

73
John

"In times like these, it helps to recall that there have always been times like these."
-- Paul Harvey

[Non-text portions of this message have been removed]

2500. Turks and Caicos VP5

Yahoo group: XMLog
Date: 2008-03-05 09:44:52 UTC
From: Dave Sergeant
Topic: 2500 Message: 2500

Nigel G3TXF will be operating this weekend as VQ5 in Turks and Caicos (primarily in the RSGB Commonwealth contest but guess he will be making some non-Commonwealth contests before and after).

I found XMLog did not recognise the VQ5 prefix and have just added it to my 'prefix' file:

VP5,Turks/Caicos Is.,NA,8,[22/72],ADIF=089,
VP5,VQ5,!,

Perhaps Mike would like to update the published version in due course.

73 Dave G3YMC

http://www.davesergeant.com

2501. Turks and Caicos VP5

Yahoo group: XMLog
Date: 2008-03-05 09:48:30 UTC
From: Dave Sergeant
Topic: 2500 Message: 2501

Sorry, Nigel's call will be VQ5XF

****
Nigel G3TXF will be operating this weekend as VQ5 in Turks and Caicos

(primarily in the RSGB Commonwealth contest but guess he will be
making some non-Commonwealth contests before and after).

I found XMLog did not recognise the VQ5 prefix and have just added it

to my 'prefix' file:

VP5,Turks/Caicos Is.,NA,8,[22/72],ADIF=089,
VP5,VQ5,!,

Perhaps Mike would like to update the published version in due
course.

73 Dave G3YMC

http://www.davesergeant.com

2502. Windows 2000

Yahoo group: XMLog
Date: 2008-03-07 06:09:45 UTC
From: dani.voteen
Topic: 2502 Message: 2502

I have found an excellent resource providing adequate knowledge on Windows clustering, network environment, network security, upgrade kit ..

http://dev-sphere.com/microsoft/mcse/win2000.htm

2503. Re: Turks and Caicos VP5

Yahoo group: XMLog
Date: 2008-03-07 15:41:48 UTC
From: Mike McAmis
Topic: 2500 Message: 2503

Hi Dave,

I'll add this change to the next version.

Mike - W1ECT

> I found XMLog did not recognise the VQ5 prefix and have just added it
> to my 'prefix' file:
>
> VP5,Turks/Caicos Is.,NA,8,[22/72],ADIF=089,
> VP5,VQ5,!,

2504. Re: XMLog with 2 radios

Yahoo group: XMLog
Date: 2008-03-07 15:52:47 UTC
From: Mike McAmis
Topic: 2489 Message: 2504

Hi Craig,

I don't have any plans for adding support for multiple radios (or for radio 'profiles') in the near future.

You could maintain two versions of mlog.ini, one with each radio definition, but it would be somewhat of a pain to keep the two files in sync with each other for the non-rig settings.

I suppose you could write a program to hack the mlog.ini file back and forth if you were a real glutton for punishment!

There are a couple of undocumented commands avaialable on the XMLog command line. One of them lets you specify the options file, e.g.:

c:\mlog\mlog.exe -ini c:\mlog\mlog-1.ini

Mike - W1ECT

2505. RE: [XMLog] Re: XMLog with 2 radios

Yahoo group: XMLog
Date: 2008-03-07 16:17:26 UTC
From: Craig Bradley
Topic: 2489 Message: 2505

Hi Mike,

Thanks for the info. Maybe I can setup two links and use the command line option.

I am also fighting this with other software and looking at the problem of multiple programs getting data from the same radio.

There is a program called OmniRig (http://www.dxatlas.com/OmniRig/) that claims to solve this problem. It also supports multiple radios. The documentation is a bit sparse, but I plan to look into it. I am not clear about how an application connects to OmniRig. Do you have any knowledge of this program? There is some sample code on the web site but I haven't had time to look at it yet. It might be useful for XMLog.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, March 07, 2008 7:53 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog with 2 radios

Hi Craig,

I don't have any plans for adding support for multiple radios (or for radio 'profiles') in the near future.

You could maintain two versions of mlog.ini, one with each radio definition, but it would be somewhat of a pain to keep the two files in sync with each other for the non-rig settings.

I suppose you could write a program to hack the mlog.ini file back and forth if you were a real glutton for punishment!

There are a couple of undocumented commands avaialable on the XMLog command line. One of them lets you specify the options file, e.g.:

c:\mlog\mlog.exe -ini c:\mlog\mlog-1.ini

Mike - W1ECT

[Non-text portions of this message have been removed]

2506. Re: strange CAT behavior

Yahoo group: XMLog
Date: 2008-03-09 15:45:34 UTC
From: dquick
Topic: 2391 Message: 2506

I agree. I too wish that XL Log continuously polled the rig in the way that MixW, WriteLog, etc., do.

As it is now in order for me to get XM Log to control my SteppIR antenna I have to go into the log entry window, right-click on the Freq. field, the select "Get Frequency from rig." When I do this the SteppIR controller "overhears" the data transmitted from the rig to XMLog and sets the antenna's operation frequency to match.

It would be much more convienient if XM Log was polling the rig for frequency every second or so. That way when I tune from the top of 20m to the bottom of the band, or QSY from 20m to 40m my antenna will be able to detect the change in operating frequency and automatically QSY.

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> That is what I was thinking about. Writelog does the same, it polls the
> radio. When you start a new QSO entry, XMLog reads the frequency, mode,
> etc. from the radio also. I saw suggesting this as a test to see if it
> produced the desired result.
>
>
>
> A nice feature for XMLog would be to have an option to poll the radio as the
> contest loggers do. It could also put a cursor on the band map to show the
> current tuned frequency like Writelog does. It could also update the
> information in an open "add new QSO window". Of course, this would have
> follow after Mike finishes LOTW.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On

Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 4:10 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: strange CAT behavior
>
>
>
> Spot on Mal!!!
>
> That's my problem.
>
> 73,
>
> Wilko PA3BWK
>
> PS. don't call me Mr. I feel I'm getting old ;-)
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "N7MAL"
> <n7mal@> wrote:
> >
> > Craig it doesn't do it with my radio. If I want it to read the
freq
> from my radio I have to right click on the freq field and then
click
> on get freq from radio. XMLOG does not poll my radio. That's the
big
> difference between XMLOG and N1MM. I think that is part of the
> problem Mr. Wilko is having. When I use N1MM or CT during contests
> the 'CAT' light on my radio is lit. It is never lit with XMLOG. My
> radio is a MKV.
> > 73
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal. <http://www.n7mal.com> com
> >
> > ----- Original Message -----
> > From: Craig Bradley
> > To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> > Sent: Friday, December 14, 2007 16:38
> > Subject: RE: [XMLog] Re: strange CAT behavior
> > >
> > >
> > If you do an Edit/Add New Entry, XMLog reads the frequency from
the
> rig.
> > Does that control your amplifier?

> >
> >
> >
> > 73,
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
> Behalf Of
> > pa4doc
> > Sent: Friday, December 14, 2007 8:14 AM
> > To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> > Subject: [XMLog] Re: strange CAT behaviour
> >
> >
> >
> > Michael!!
> >
> > I think I have figured it out, but I need your programming skills.
> >
> > Is it possible to send a 'ask frequency from trx' command AFTER
> > clicking on a spot 'set transceiver to spot freq.
> >
> > That must be the case IMHO the fact that N1MM displays the
> > VFO data nearly in realtime must be the reason that it works with
> > that SW.
> >
> > Best regards,
> >
> > Wilko
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "pa4doc"
> > <ft-2000@> wrote:
> > >
> > > Hello Mike,
> > >
> > > I understand your comment but can you explain why XM-LOG
> > > does not function equal to N1MM contest SW.
> > >
> > > I have hooked it up the right way but I can't get the TRX follow
> > > a command(mouseclick) using the spots map.
> > > The rest works as normal.
> > >
> > > It has something to do with connecting the CAT TX line into the

> > cicuit.
> > > When it is not connected XM-LOG behaves like normal.
> > > I need it to be connected to let the amplifier follow the TRX
> > > That works in N1MM.
> > >
> > > It's frustrating because that's the only thing what fails.
> > >
> > > Tell me what more info you need please.
> > >
> > > Best regards,
> > >
> > > Wilko PA3BWK
> > >
> > >
> > >
> > >
> > > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "Mike
> > McAmis" <w1ect@> wrote:
> > > >
> > > > Hi Wilko,
> > > >
> > > > XMLog only supports CAT for HF transceivers, not amps...
> > > >
> > > > Mike - W1ECT
> > > >
> > > > > Today I hooked up an amplifier in my system wich uses CAT
to
> > switch
> > > > > bands.
> > > >
> > >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >

>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2507. Another item for the wish list

Yahoo group: XMLog
Date: 2008-03-09 15:55:22 UTC
From: dquick
Topic: 2507 Message: 2507

Along with the option to have XMLog continuously poll the rig for it's operating frequency (which I mentioned in another thread), I think it would be nice to see a list of all contacts made with a country (DXCC entity) when right-clicking on a spot in the Spots Map.

For example, if I right-click on a spot for P40V, one of the options I can currently select is "Display all entries for P40V". I think it would be nice to have the option to also select "Display all entries for P40" or "Display all entries for Aruba" or something like that.

Thanks.

2508. RE: [XMLog] Re: strange CAT behavior

Yahoo group: XMLog
Date: 2008-03-09 18:09:57 UTC
From: Craig Bradley
Topic: 2391 Message: 2508

I am using a microHAM microKEYER in my setup. It has a software package called USB Router. The USB Router allows you to create virtual COMM ports, one of them is the CAT COMM port (the microKEYER has a RS-232 port in it for CAT). You can also set a mode where the USB Router polls the rig when the logging program is not talking to the radio. This would solve the problem with your SteppIR and other items such as some of the new amplifiers that monitor the rig frequency. Of course you need a microHAM product to do this.

One related feature that I would like to see is a mode or button to have the log entry window update time/date, frequency, mode, signal report (59 vs. 599) without changing the entered call or have it do it when the ADD button is pushed to save the QSO. When chasing a DXpedition station like TX5C, I frequently changed bands to see if the signals have improved on that band or to see if they are done with "EU Only". I have occasionally logged a QSO with the wrong data that way. Also I usually have the log entry window started with the call entered when working a pileup. When I make the Q, I have to double click on the time field to update it before clicking the ADD button or the Q is logged with a "stale" time.

BTW, I don't know if everyone knows this, but you can just double click on a field in the Log Entry window to update it (before you save it of course).

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of dquick
Sent: Sunday, March 09, 2008 8:46 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: strange CAT behavior

I agree. I too wish that XL Log continuously polled the rig in the way that MixW, WriteLog, etc., do.

As it is now in order for me to get XM Log to control my SteppIR antenna I have to go into the log entry window, right-click on the Freq. field, the select "Get Frequency from rig." When I do this the SteppIR controller "overhears" the data transmitted from the rig to XMLog and sets the antenna's operation frequency to match.

It would be much more convienient if XM Log was polling the rig for frequency every second or so. That way when I tune from the top of 20m to the bottom of the band, or QSY from 20m to 40m my antenna will be able to detect the change in operating frequency and automatically QSY.

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig Bradley" <craigjb@...> wrote:
>
> That is what I was thinking about. Writelog does the same, it polls the
> radio. When you start a new QSO entry, XMLog reads the frequency, mode,
> etc. from the radio also. I saw suggesting this as a test to see if it
> produced the desired result.
>
>
>
> A nice feature for XMLog would be to have an option to poll the radio as the
> contest loggers do. It could also put a cursor on the band map to show the
> current tuned frequency like Writelog does. It could also update the
> information in an open "add new QSO window". Of course, this would have
> follow after Mike finishes LOTW.
>
>
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
> pa4doc
> Sent: Friday, December 14, 2007 4:10 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] Re: strange CAT behavior
>
>
>
> Spot on Mal!!!
>
> That's my problem.
>
> 73,
>
> Wilko PA3BWK
>
> PS. don't call me Mr. I feel I'm getting old ;-)
>

> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
com, "N7MAL"
> <n7mal@> wrote:
> >
> > Craig it doesn't do it with my radio. If I want it to read the
freq
> from my radio I have to right click on the freq field and then
click
> on get freq from radio. XMLOG does not poll my radio. That's the
big
> difference between XMLOG and N1MM. I think that is part of the
> problem Mr. Wilko is having. When I use N1MM or CT during contests
> the 'CAT' light on my radio is lit. It is never lit with XMLOG. My
> radio is a MKV.
> > 73
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal. <http://www.n7mal. <http://www.n7mal.com> com> com
> >
> > ----- Original Message -----
> > From: Craig Bradley
> > To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> > Sent: Friday, December 14, 2007 16:38
> > Subject: RE: [XMLog] Re: strange CAT behavior
> >
> >
> > If you do an Edit/Add New Entry, XMLog reads the frequency from
the
> rig.
> > Does that control your amplifier?
> >
> >
> >
> > 73,
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
> Behalf Of
> > pa4doc
> > Sent: Friday, December 14, 2007 8:14 AM
> > To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> > Subject: [XMLog] Re: strange CAT behaviour

> >
> >
> >
> > Michael!!
> >
> > I think I have figured it out, but I need your programming skills.
> >
> > Is it possible to send a 'ask frequency from trx' command AFTER
> > clicking on a spot 'set transceiver to spot freq.
> >
> > That must be the case IMHO the fact that N1MM displays the
> > VFO data nearly in realtime must be the reason that it works with
> > that SW.
> >
> > Best regards,
> >
> > Wilko
> >
> > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "pa4doc"
> > <ft-2000@> wrote:
> > >
> > > Hello Mike,
> > >
> > > I understand your comment but can you explain why XM-LOG
> > > does not function equal to N1MM contest SW.
> > >
> > > I have hooked it up the right way but I can't get the TRX follow
> > > a command(mouseclick) using the spots map.
> > > The rest works as normal.
> > >
> > > It has something to do with connecting the CAT TX line into the
> > cicuit.
> > > When it is not connected XM-LOG behaves like normal.
> > > I need it to be connected to let the amplifier follow the TRX
> > > That works in N1MM.
> > >
> > > It's frustrating because that's the only thing what fails.
> > >
> > > Tell me what more info you need please.
> > >
> > > Best regards,
> > >
> > > Wilko PA3BWK
> > >
> > >
> > >
> > >
> > >
> > > --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com>
> com, "Mike

> > McAmis" <w1ect@> wrote:
> > > >
> > > > Hi Wilko,
> > > >
> > > > XMLog only supports CAT for HF transceivers, not amps...
> > > >
> > > > Mike - W1ECT
> > > >
> > > > > Today I hooked up an amplifier in my system wich uses CAT
to
> > switch
> > > > > bands.
> > > > >
> > > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >

[Non-text portions of this message have been removed]

2509. FT-2000 Rig Control (Mode) Issue

Yahoo group: XMLog
Date: 2008-03-15 15:09:34 UTC
From: Pat Atwood
Topic: 2509 Message: 2509

Hi All,

I just recently purchased an FT-2000 and discovered that when I double-click on a call sign in the XMLog spots map, the rig will go to the correct frequency but will not change modes to match the spot. I'm using v5.43. I verified that the packet spots have for instance, "RTTY" in the comment so that the rig should go into RTTY and LSB mode, but it will stay in the current mode instead.

I used XMLog with an FT-990 before this and the mode change worked fine. I've read both the XMLog help file and the FT-2000 manual and can't find how to fix this. Any suggestions?

73,
Pat, NG1G

2510. Re: FT-2000 Rig Control (Mode) Issue

Yahoo group: XMLog
Date: 2008-03-16 15:50:23 UTC
From: Mike McAmis
Topic: 2509 Message: 2510

Hi Pat, When I first added support for the FT-2000 I checked out the CAT documentation and was pleasantly surprised to find that they had just copied the Kenwood protocol. I thought this would make things easy but on closer inspection I now see that they didn't copy it exactly. So this means I'll have to make some changes to deal with Yaesu's normal way of doing things (make sure no two Yaesu rigs use compatible protocols).

Mike - W1ECT

2511. QRZ.COM CALLBOOK AND VISTA

Yahoo group: XMLog
Date: 2008-03-16 15:39:54 UTC
From: Robert Wilson
Topic: 2511 Message: 2511

I am installing XMLog on my notebook which uses to Vista OS
Also use Norton Protection center for fire wall

Have used XMLog as my log book for quite a while.

I set up the callbook options the same as on my windows 98 and XP pro computers BUT

When I click the call box to get callbook info I am told

Network error connecting to 'www.qrz.com' Connection forcefully rejected.

Any Ideas?

Rob in Calgary VE6CCL

2512. Re: FT-2000 Rig Control (Mode) Issue

Yahoo group: XMLog
Date: 2008-03-16 17:16:47 UTC
From: Pat Atwood
Topic: 2509 Message: 2512

Thanks Mike. Now that you mention it I see that Yaesu added a provision to set the mode on either VFO, whereas Kenwood didn't. It's always something.

Thank you for an excellent piece of software.

73,
Pat, NG1G

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Pat, When I first added support for the FT-2000 I checked out the
> CAT documentation and was pleasantly surprised to find that they had
> just copied the Kenwood protocol. I thought this would make things
easy
> but on closer inspection I now see that they didn't copy it exactly.
So
> this means I'll have to make some changes to deal with Yaesu's normal
> way of doing things (make sure no two Yaesu rigs use compatible
> protocols).
>
> Mike - W1ECT
>

2513. Re: FT-2000 Rig Control (Mode) Issue

Yahoo group: XMLog
Date: 2008-03-18 02:54:49 UTC
From: Mike McAmis
Topic: 2509 Message: 2513

Hi Pat, Yes - you've hit the nail on the head there. I think you'll find that the "get info from rig" function has problems too because they've diddled the layout of the data returned from the "IF" command. At least it seems that the FT-2000 and FT-450 use this same modified command set.

Mike - W1ECT

2514. Re: FT-2000 Rig Control (Mode) Issue

Yahoo group: XMLog
Date: 2008-03-19 00:45:37 UTC
From: Pat Atwood
Topic: 2509 Message: 2514

When I add a new entry the software is getting the frequency from the rig. The only thing odd about it is that it doesn't seem to round the frequency properly. 10.144.99 on the display is reported as 10.144 in the log entry window. I certainly can live with that.

I read somewhere that the FT-2000 and FT-9000 family of transceivers use the same command set as well, which makes sense. Although I haven't verified it, I know that in the version of WriteLog I use only the FTDX-9000 is listed and it works perfectly fine with my '2000.

Pat, NG1G

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Pat, Yes - you've hit the nail on the head there. I think you'll
> find that the "get info from rig" function has problems too because
> they've diddled the layout of the data returned from the "IF"
command.
> At least it seems that the FT-2000 and FT-450 use this same modified
> command set.
>
> Mike - W1ECT
>

2515. Next Version change request

Yahoo group: XMLog
Date: 2008-03-19 18:25:38 UTC
From: Puck
Topic: 2515 Message: 2515

If would be nice if "Display all entries for call" under the Display section included the notes field. In a rag chew it's nice to be able to easily look back to see what we talked about on the last QSO. As it works now this function gives you nothing more than you can get leaving the "Show QSO's + Check Call" window open under the View section.

Puck, W4PM

2516. [XMLog] Next Version change request

Yahoo group: XMLog
Date: 2008-03-19 18:46:09 UTC
From: Sain'T Tom
Topic: 2515 Message: 2516

----- Original Message -----
From: Puck
To: XMLog@yahoogroups.com
Sent: Wednesday, March 19, 2008 2:25 PM
Subject: [XMLog] Next Version change request

For those of us using more than one log; when entering qsos it would be great to have the name of whichever log is being currently used to be displayed.

Thank you/73

tom K4RV

[Non-text portions of this message have been removed]

2517. Re: [XMLog] Next Version change request

Yahoo group: XMLog
Date: 2008-03-19 18:54:41 UTC
From: WILLIS COOKE
Topic: 2515 Message: 2517

--- Sain'T Tom <dxhawg@...> wrote:

>
> ----- Original Message -----
> From: Puck
> To: XMLog@yahoogroups.com
> Sent: Wednesday, March 19, 2008 2:25 PM
> Subject: [XMLog] Next Version change request
>
>
> For those of us using more than one log; when
> entering qsos it would be great to have the name of
> whichever log is being currently used to be
> displayed.
>
> Thank you/73
>
> tom K4RV
>
The Log File is shown at the bottom of the main
logging page. It is not real big, but as big as
everything else.

Willis 'Cookie' Cooke
K5EWJ

2518. QRZ.COM

Yahoo group: XMLog
Date: 2008-03-19 20:24:26 UTC
From: Puck
Topic: 2250 Message: 2518

It has appears QRZ.COM has made some changes again so the lookup
feature no longer works.

Puck, W4PM

2519. Re: [XMLog] QRZ.COM

Yahoo group: XMLog
Date: 2008-03-19 20:33:10 UTC
From: Dave Sergeant
Topic: 2250 Message: 2519

On 19 Mar 2008 at 20:24, Puck wrote:

> It has appears QRZ.COM has made some changes again so the lookup
> feature no longer works.
>
> Puck, W4PM

Um, you seem to be right. Just sits there trying to contact qrz.com
and nothing happens till it times out. The QRZ site itself is working
OK.

73 Dave G3YMC

http://www.davesergeant.com

2520. Access Error while installing 5.44

Yahoo group: XMLog
Date: 2008-03-19 22:30:56 UTC
From: jhg_2
Topic: 2520 Message: 2520

Mike,

I have tried 2 different ways of installing 5.44. Letting ultimate zip unpack to a temp file & unpacking onto my Desktop. In both cases, I get an access error popup, and the install fails. I was installing to 5.42 & OS is Win 98 SE. I have the ST6unst files if needed.

John
WA1JG

2521. Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-20 15:44:39 UTC
From: Howard Baker
Topic: 2250 Message: 2521

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 19 Mar 2008 at 20:24, Puck wrote:
>
> > It has appears QRZ.COM has made some changes again so the lookup
> > feature no longer works.
> >
> > Puck, W4PM
>
> Um, you seem to be right. Just sits there trying to contact qrz.com
> and nothing happens till it times out. The QRZ site itself is working
> OK.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
I checked out Ham Radio Deluxe and their QRZ.com lookup still works
well. What happened here?

2522. Re: [XMLog] Next Version change request

Yahoo group: XMLog
Date: 2008-03-21 01:34:06 UTC
From: Sain'T Tom
Topic: 2515 Message: 2522

Thanks, Cookie.

73,
tom K4RV

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, March 19, 2008 2:54 PM
Subject: Re: [XMLog] Next Version change request

--- Sain'T Tom <dxhawg@...> wrote:

>
> ----- Original Message -----
> From: Puck
> To: XMLog@yahoogroups.com
> Sent: Wednesday, March 19, 2008 2:25 PM
> Subject: [XMLog] Next Version change request
>
>
> For those of us using more than one log; when
> entering qsos it would be great to have the name of
> whichever log is being currently used to be
> displayed.
>
> Thank you/73
>
> tom K4RV
>
The Log File is shown at the bottom of the main
logging page. It is not real big, but as big as
everything else.

Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

2523. Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 15:37:28 UTC
From: Mike McAmis
Topic: 2250 Message: 2523

XMLog looks for the trailing </html> tag to indicate the end of the data from the look-up request. QRZ.COM seems to have made changes such that the look-up page is now missing the closing </body> and </html> tags. If you're curious you can go to the main QRZ.COM page and do a right-click and pick "view source" and you'll see the tags at the end. If you then do a call look-up and view the source you'll see that the tags are missing. I guess I'll have to implement some other technique of determining when all the data has been received, what a pain.

Mike - W1ECT

2524. Re: Access Error while installing 5.44

Yahoo group: XMLog
Date: 2008-03-21 15:49:07 UTC
From: Mike McAmis
Topic: 2520 Message: 2524

Hi John, When are you seeing this Access Error message. Were you able to un-zip the files ok? Was it when you ran setup.exe? Was there any more info in the message?

Mike - W1ECT

2525. Re: [XMLog] Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 16:11:16 UTC
From: Dave Sergeant
Topic: 2250 Message: 2525

On 21 Mar 2008 at 15:37, Mike McAmis wrote:

> XMLog looks for the trailing </html> tag to indicate the end of the
> data from the look-up request. QRZ.COM seems to have made changes such
> that the look-up page is now missing the closing </body> and </html>
> tags. If you're curious you can go to the main QRZ.COM page and do a
> right-click and pick "view source" and you'll see the tags at the end.
> If you then do a call look-up and view the source you'll see that the
> tags are missing. I guess I'll have to implement some other technique
> of determining when all the data has been received, what a pain.
>
> Mike - W1ECT

Thanks Mike, guess that explains it.

I would hope they will correct that obvious error on their website.
HTML pages without closing </body> and </html> tags are simply not
valid web code, sloppy coding which they should be ashamed of...

I have just made a posting on their forums -
http://forums.qrz.com/showthread.php?p=1172834#post1172834

73 Dave G3YMC

http://www.davesergeant.com

2526. Re: [XMLog] Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 17:52:40 UTC
From: Howard Baker
Topic: 2250 Message: 2526

Mike McAmis wrote:
>
> XMLog looks for the trailing </html> tag to indicate the end of the
> data from the look-up request. QRZ.COM seems to have made changes such
> that the look-up page is now missing the closing </body> and </html>
> tags. If you're curious you can go to the main QRZ.COM page and do a
> right-click and pick "view source" and you'll see the tags at the end.
> If you then do a call look-up and view the source you'll see that the
> tags are missing. I guess I'll have to implement some other technique
> of determining when all the data has been received, what a pain.
>
> Mike - W1ECT
>
>
Mike, maybe you can look at how Simon does it on Ham Radio Deluxe and DM780.
His is still working for the lookup. This might save some work on your
part.

[Non-text portions of this message have been removed]

2527. Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 20:03:24 UTC
From: k9mrd
Topic: 2250 Message: 2527

Most applications access QRZ.com via XML data port. Specifications
and access method is here: http://online.qrz.com/specifications.html

Wayne

--- In XMLog@yahoogroups.com, Howard Baker <k8nhr@...> wrote:
>
> Mike McAmis wrote:
> >
> > XMLog looks for the trailing </html> tag to indicate the end of
the
> > data from the look-up request. QRZ.COM seems to have made changes
such
> > that the look-up page is now missing the closing </body> and
</html>
> > tags. If you're curious you can go to the main QRZ.COM page and
do a
> > right-click and pick "view source" and you'll see the tags at the
end.
> > If you then do a call look-up and view the source you'll see that
the
> > tags are missing. I guess I'll have to implement some other
technique
> > of determining when all the data has been received, what a pain.
> >
> > Mike - W1ECT
> >
> >
> Mike, maybe you can look at how Simon does it on Ham Radio Deluxe
and DM780.
> His is still working for the lookup. This might save some work on
your
> part.
>
>
>
> [Non-text portions of this message have been removed]
>

2528. Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 20:23:02 UTC
From: Mike McAmis
Topic: 2250 Message: 2528

Hi Wayne, I did look at this method a while back but I assumed that most people wouldn't want to be bothered with having to set up a QRZ account/password.

Mike - W1ECT

> Most applications access QRZ.com via XML data port. Specifications
> and access method is here: http://online.qrz.com/specifications.html

2529. Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 20:44:17 UTC
From: k9mrd
Topic: 2250 Message: 2529

Hi Mike,
You make a good point regarding account/password requirements, but it does seem to run a little faster and once set up it could minimize problems of the ever changing qrz file format. Thanks for all of your efforts Mike!
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wayne, I did look at this method a while back but I assumed that
> most people wouldn't want to be bothered with having to set up a QRZ
> account/password.
>
> Mike - W1ECT
>
> > Most applications access QRZ.com via XML data port. Specifications
> > and access method is here: http://online.qrz.com/specifications.html
>

2530. Re: [XMLog] Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 21:15:07 UTC
From: Tim Wright
Topic: 2250 Message: 2530

I'm sure that the most of us hams already have user names and passwords set up for qrz.com.. I have no problem with logging in (if it was being done automaticly from the program) to receive my logging data from QRZ.

Tim KD4OVM

k9mrd <k9mrd@...> wrote:
Hi Mike,
You make a good point regarding account/password requirements, but it does seem to run a little faster and once set up it could minimize problems of the ever changing qrz file format. Thanks for all of your efforts Mike!
Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wayne, I did look at this method a while back but I assumed that
> most people wouldn't want to be bothered with having to set up a QRZ
> account/password.
>
> Mike - W1ECT
>
> > Most applications access QRZ.com via XML data port. Specifications
> > and access method is here: http://online.qrz.com/specifications.html
>

Be a better friend, newshound, and know-it-all with Yahoo! Mobile. Try it now.

[Non-text portions of this message have been removed]

2531. Re: [XMLog] Re: QRZ.COM

Yahoo group: XMLog
Date: 2008-03-21 23:53:30 UTC
From: GerryC
Topic: 2250 Message: 2531

> I'm sure that the most of us hams already have user names and passwords set up for qrz.com...

I too think it's a universal.

73 de W3GERry

2532. QRZ Problem

Yahoo group: XMLog
Date: 2008-03-22 04:05:49 UTC
From: john vernaleken
Topic: 2532 Message: 2532

What is status of problem? I am a blind Ham and am lost without the ability to use XMLOG.

John KC2QJB

[Non-text portions of this message have been removed]

2533. RE: [XMLog] QRZ Problem

Yahoo group: XMLog
Date: 2008-03-22 15:15:34 UTC
From: Kevin Nathan
Topic: 2532 Message: 2533

It's been a long time but I wonder if any of the other call book look sources might work instead of QRZ.com? Has anyone tried that? I too am a blind ham and would hate to see this feature go since XMLog seems to be the best at reading field titles and the like for us who use screen readers.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Friday, March 21, 2008 21:06
To: xmlog@yahoogroups.com
Subject: [XMLog] QRZ Problem

What is status of problem? I am a blind Ham and am lost without the ability to use XMLOG.

John KC2QJB

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1338 - Release Date: 3/21/2008 17:52

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1338 - Release Date: 3/21/2008 17:52

[Non-text portions of this message have been removed]

2534. *NO* to using qrz.com XML data port!

Yahoo group: XMLog
Date: 2008-03-22 16:45:10 UTC
From: David Spoelstra
Topic: 2534 Message: 2534

I guess all of you pushing to use the QRZ.com XML Data Port are happy to pay the $30/year charge to QRZ.com? If you read the spec, it says, " Access to the QRZ XML port requires a valid subscriber login consisting of a username and password, and a *current, active subscription with QRZ*.

From their website:
XML Data Access
$29.95 per year for access to our high-speed XML data port for live callsign lookup integration with popular logbook programs.

I for one would rather just have Mike do it the old way. I don't lookup enough callsigns to justify $30/year...

-David

2535. Re: [XMLog] *NO* to using qrz.com XML data port!

Yahoo group: XMLog
Date: 2008-03-22 18:04:46 UTC
From: GerryC
Topic: 2534 Message: 2535

> $29.95 per year for access to our high-speed XML data port

Hmmm....no, I don't consider that a universal.

73 de W3GERry

2536. Re: QRZ Problem

Yahoo group: XMLog
Date: 2008-03-22 15:39:39 UTC
From: Sparrow
Topic: 2532 Message: 2536

--- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@...> wrote:
>
> It's been a long time but I wonder if any of the other call book look
> sources might work instead of QRZ.com? Has anyone tried that? I
too am a
> blind ham and would hate to see this feature go since XMLog seems to
be the
> best at reading field titles and the like for us who use screen readers.
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX

I'm sure Mike is working on the problem. I do find however that today
his website xmlog.com seems to be down? Perhaps we've all crashed it
looking for updates :)

2537. QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 17:17:23 UTC
From: Mike McAmis
Topic: 2537 Message: 2537

I've posted version 5.45 at www.xmlog.com/beta - this should fix the QRZ.COM lookup problems.

Mike - W1ECT

2538. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 17:34:29 UTC
From: Dave Sergeant
Topic: 2537 Message: 2538

On 22 Mar 2008 at 17:17, Mike McAmis wrote:

> 've posted version 5.45 at www.xmlog.com/beta - this should fix the
> QRZ.COM lookup problems.
>
> Mike - W1ECT

Thanks Mike, that seems to have done the trick. No response to my
posting on the QRZ.COM forums yet... And your site worked fine here.

73 Dave G3YMC

http://www.davesergeant.com

2539. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 18:06:21 UTC
From: john vernaleken
Topic: 2537 Message: 2539

Mike,

A special thanks from a blind ham.

John KC2QJB

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, March 22, 2008 1:17 PM
Subject: [XMLog] QRZ.COM lookup fix

I've posted version 5.45 at www.xmlog.com/beta - this should fix the
QRZ.COM lookup problems.

Mike - W1ECT

[Non-text portions of this message have been removed]

2540. RE: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 18:31:21 UTC
From: Kevin Nathan
Topic: 2537 Message: 2540

Hi Mike and All,

I downloaded and installed 5.45 beta but it still doesn't seem to want to hit QRZ.com. Do I need to do anything special to get it to do so, other than choose QRZ as the callbook type?

Thanks much.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Saturday, March 22, 2008 11:06
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] QRZ.COM lookup fix

Mike,

A special thanks from a blind ham.

John KC2QJB

----- Original Message -----
From: Mike McAmis
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Sent: Saturday, March 22, 2008 1:17 PM
Subject: [XMLog] QRZ.COM lookup fix

I've posted version 5.45 at www.xmlog.com/-beta - this should fix the QRZ.COM lookup problems.

Mike - W1ECT

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1338 - Release Date: 3/21/2008 17:52

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1338 - Release Date: 3/21/2008 17:52

[Non-text portions of this message have been removed]

2541. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 18:40:30 UTC
From: john vernaleken
Topic: 2537 Message: 2541

The new version worked the first time I used it.. After I closed XMLOG and opened again it started to fail on QRZ lookup again.

John KC2QJB

----- Original Message -----
From: Kevin Nathan
To: XMLog@yahoogroups.com
Sent: Saturday, March 22, 2008 2:31 PM
Subject: RE: [XMLog] QRZ.COM lookup fix

Hi Mike and All,

I downloaded and installed 5.45 beta but it still doesn't seem to want to hit QRZ.com. Do I need to do anything special to get it to do so, other than choose QRZ as the callbook type?

Thanks much.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Saturday, March 22, 2008 11:06
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] QRZ.COM lookup fix

Mike,

A special thanks from a blind ham.

John KC2QJB

----- Original Message -----
From: Mike McAmis
To: HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com
Sent: Saturday, March 22, 2008 1:17 PM
Subject: [XMLog] QRZ.COM lookup fix

I've posted version 5.45 at www.xmlog.com/-beta - this should fix the QRZ.COM lookup problems.

Mike - W1ECT

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1338 - Release Date: 3/21/2008
17:52

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1338 - Release Date: 3/21/2008
17:52

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2542. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 19:50:46 UTC
From: GerryC
Topic: 2537 Message: 2542

> The new version worked the first time I used it.. After I closed XMLOG and opened again it started to fail on QRZ lookup again.

It worked for me on the first and the second opens.

Is it possible that your second open was through an old link to an old version?

73 de W3GERry

2543. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 18:58:31 UTC
From: Dave Sergeant
Topic: 2537 Message: 2543

On 22 Mar 2008 at 14:40, john vernaleken wrote:

> The new version worked the first time I used it.. After I closed XMLOG
> and opened again it started to fail on QRZ lookup again.
>
> John KC2QJB

There does seem to be an issue. It works with most callsigns but
fails with others. A quick look at the corresponding search results
on QRZ.COM site seems to indicate it is OK with those who have
accounts and added information, but fails on those which have only
the bare callbook information. The presence or absence of the line
'QSL via' seems to be relevant.

eg G3YMC, G4DYO, G4DDL work consistently
G3NCN, G4DDN fail everytime.

73 Dave G3YMC

http://www.davesergeant.com

2544. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 20:11:53 UTC
From: GerryC
Topic: 2537 Message: 2544

> G3NCN, G4DDN fail everytime.

Hmmm....same here.
(I checked whether G4DDN could be looked up right on QRZ.COM......he can.)

73 de W3GERry

2545. Re: [XMLog] QRZ.COM lookup fix

Yahoo group: XMLog
Date: 2008-03-22 19:18:25 UTC
From: john vernaleken
Topic: 2537 Message: 2545

I tried the following call signs:

KE7EYN - Failed

OM2VL -- Worked

John KC2QJB

----- Original Message -----
From: GerryC
To: XMLog@yahoogroups.com
Sent: Saturday, March 22, 2008 4:11 PM
Subject: Re: [XMLog] QRZ.COM lookup fix

> G3NCN, G4DDN fail everytime.

Hmmm....same here.
(I checked whether G4DDN could be looked up right on QRZ.COM......he can.)

73 de W3GERry

[Non-text portions of this message have been removed]

2546. QRZ.COM lookup fix #2

Yahoo group: XMLog
Date: 2008-03-22 20:23:07 UTC
From: Mike McAmis
Topic: 2546 Message: 2546

It turns out what I looked for in lieu of the </html> wasn't always there. Let's try again, version 4.56 at www.xmlog.com/beta

Mike - W1ECT

2547. 4.56

Yahoo group: XMLog
Date: 2008-03-22 20:32:27 UTC
From: n3dd
Topic: 2547 Message: 2547

4.56 works like a charm so far! Thanks Mike!

Dom, N3DD

2548. Re: [XMLog] 4.56

Yahoo group: XMLog
Date: 2008-03-22 21:06:46 UTC
From: john vernaleken
Topic: 2547 Message: 2548

Adding my thanks.

John KC2QJB

----- Original Message -----
From: n3dd
To: XMLog@yahoogroups.com
Sent: Saturday, March 22, 2008 4:32 PM
Subject: [XMLog] 4.56

4.56 works like a charm so far! Thanks Mike!

Dom, N3DD

[Non-text portions of this message have been removed]

2549. Version 5.46 Problem with Installation.

Yahoo group: XMLog
Date: 2008-03-22 21:32:24 UTC
From: k2qmf@juno.com
Topic: 2549 Message: 2549

Hello Mike et al,

I just downloaded the new version and it seems to
install properly. But when I try to run it I get the welcome info screen
and that screen freezes up! I have to end it with the Task Manager..

Please help! Any suggestions very welcome..

Thanks in advance and 73,

Ted K2QMF

2550. RE: [XMLog] QRZ.COM lookup fix #2

Yahoo group: XMLog
Date: 2008-03-22 23:00:49 UTC
From: Kenneth Moorman
Topic: 2546 Message: 2550

When I attempt to run the Setup program to install this version on my Windows XP system, I am getting a box that tells me that Setup can't be run until some system files are updated and the system restarted. I've twice now tried to let Setup update these files(as the box offers to do) and restart the system, but am still getting the same message box that repeats the same statement after the files are supposedly updated. Any idea what is going on here and how I can get this to install??

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Saturday, March 22, 2008 4:23 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ.COM lookup fix #2

It turns out what I looked for in lieu of the </html> wasn't always there. Let's try again, version 4.56 at www.xmlog.com/beta

Mike - W1ECT

Yahoo! Groups Links

2551. Re: QRZ.COM lookup fix #2

Yahoo group: XMLog
Date: 2008-03-23 00:33:12 UTC
From: dakotaphotog
Topic: 2546 Message: 2551

Yes! Me too. (Below) Exactly what I've run into on my XP system.
The windows 2000 worked without a hitch.
Craig WB0GFZ

--- In XMLog@yahoogroups.com, "Kenneth Moorman" <nu4i@...> wrote:
>
> When I attempt to run the Setup program to install this version on my
> Windows XP system, I am getting a box that tells me that Setup can't
be run
> until some system files are updated and the system restarted. I've
twice
> now tried to let Setup update these files(as the box offers to do) and
> restart the system, but am still getting the same message box that
repeats
> the same statement after the files are supposedly updated. Any idea
what is
> going on here and how I can get this to install??
>
> 73,
>
> Ken, NU4I
>
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf
Of Mike
> McAmis
> Sent: Saturday, March 22, 2008 4:23 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] QRZ.COM lookup fix #2
>
> It turns out what I looked for in lieu of the </html> wasn't always
> there. Let's try again, version 4.56 at www.xmlog.com/beta
>
> Mike - W1ECT
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>

2552. Thanks Mike

Yahoo group: XMLog
Date: 2008-03-23 08:50:31 UTC
From: Geir
Topic: 2552 Message: 2552

Thank you very much for the fix.
Speed and service - as always.

Best 73's
Geir/LA5ZO

2553. Install Problems

Yahoo group: XMLog
Date: 2008-03-23 15:15:57 UTC
From: Mike McAmis
Topic: 2553 Message: 2553

There seems to be some lingering Microsoft bug that effects programs
that use the system file scrrun.dll

There's a "dependency file" named scrrun.dep that contains incorrect
info. You can delete this file or you can download and run a program
provided by Microsoft that edits the file and fixes this problem.

This doesn't affect everyone that tries to do the install, I suspect
it's related to what software you have previously installed.

For more info you can do a search here for scrrun to see what people
have done or if you don't want to look through all these posts the one
that talks about the download-able program from Microsoft is:

http://groups.yahoo.com/group/XMLog/message/2284

Mike - W1ECT

2554. Re: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-23 16:05:15 UTC
From: k2qmf@juno.com
Topic: 2553 Message: 2554

Hi Mike,

I did a search on my computer for "scrrun"
the .dll file is present but there is no .dep file...

I am using Windows XP. The new XMLog still not running...

73,
Ted K2QMF

On Sun, 23 Mar 2008 15:15:57 -0000 "Mike McAmis" <w1ect@...>
writes:
> There seems to be some lingering Microsoft bug that effects programs
>
> that use the system file scrrun.dll
>
> There's a "dependency file" named scrrun.dep that contains incorrect
>
> info. You can delete this file or you can download and run a program
>
> provided by Microsoft that edits the file and fixes this problem.
>
> This doesn't affect everyone that tries to do the install, I suspect
>
> it's related to what software you have previously installed.
>
> For more info you can do a search here for scrrun to see what people
>
> have done or if you don't want to look through all these posts the
> one
> that talks about the download-able program from Microsoft is:
>
> http://groups.yahoo.com/group/XMLog/message/2284
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

2555. Re: Thanks Mike

Yahoo group: XMLog
Date: 2008-03-23 18:14:56 UTC
From: Howard Baker
Topic: 2552 Message: 2555

--- In XMLog@yahoogroups.com, "Geir" <la5zo@...> wrote:
>
> Thank you very much for the fix.
> Speed and service - as always.
>
> Best 73's
> Geir/LA5ZO
>
Is it my imagination or it the lookup running much faster now after the fix. Now my lookup call answers are IMMEDIATE. No pauses what so ever as it used to be.
Howard, K8NHR

2556. RE: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-23 21:37:03 UTC
From: Kevin Nathan
Topic: 2553 Message: 2556

Hi Mike,I

did the scrrun fix and now the install went fine for 5.46. But, as a blind ham I noticed a problem with the new version I wanted to ask you about. Before, as I tabbed through the fields of XMLog, they all read the field title to me. Now, only certain fields do such as power, mode and some of the others but critical ones like call and so on do not. Did you make any changes which might cause these not to read any more?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Sunday, March 23, 2008 08:16
To: XMLog@yahoogroups.com
Subject: [XMLog] Install Problems

There seems to be some lingering Microsoft bug that effects programs that use the system file scrrun.dll

There's a "dependency file" named scrrun.dep that contains incorrect info. You can delete this file or you can download and run a program provided by Microsoft that edits the file and fixes this problem.

This doesn't affect everyone that tries to do the install, I suspect it's related to what software you have previously installed.

For more info you can do a search here for scrrun to see what people have done or if you don't want to look through all these posts the one that talks about the download-able program from Microsoft is:

HYPERLINK "http://groups.yahoo.com/group/XMLog/message/2284"http://groups.-yahoo.com/-group/XMLog/-message/2284

Mike - W1ECT

No virus found in this incoming message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1339 - Release Date: 3/22/2008 16:43

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1339 - Release Date: 3/22/2008
16:43

[Non-text portions of this message have been removed]

2557. Re: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-23 22:47:11 UTC
From: Steve Forst
Topic: 2553 Message: 2557

Hi Kevin,

I just installed the new version and am running the JAWS screen reader. For what it's worth, it is working fine and all fields are being spoken by JAWS. Over the years and with various versions, I have seen the problem you mentioned at odd times. Doing an f-5 or a insert-escape (JAWS refresh) would solve the problem.

73, Steve KW3A
----- Original Message -----
From: "Kevin Nathan" <k7rx@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, March 23, 2008 5:37 PM
Subject: RE: [XMLog] Install Problems

> Hi Mike,I
>
> did the scrrun fix and now the install went fine for 5.46. But, as a
> blind
> ham I noticed a problem with the new version I wanted to ask you about.
> Before, as I tabbed through the fields of XMLog, they all read the field
> title to me. Now, only certain fields do such as power, mode and some of
> the others but critical ones like call and so on do not. Did you make any
> changes which might cause these not to read any more?
>
> thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>

2558. RE: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-23 22:59:35 UTC
From: Kenneth Moorman
Topic: 2553 Message: 2558

Thanks for the info on this problem, Mike. Fixed it in a jiffy and XMLog responding to QRZ.com as before!

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Sunday, March 23, 2008 11:16 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Install Problems

There seems to be some lingering Microsoft bug that effects programs that use the system file scrrun.dll

There's a "dependency file" named scrrun.dep that contains incorrect info. You can delete this file or you can download and run a program provided by Microsoft that edits the file and fixes this problem.

This doesn't affect everyone that tries to do the install, I suspect it's related to what software you have previously installed.

For more info you can do a search here for scrrun to see what people have done or if you don't want to look through all these posts the one that talks about the download-able program from Microsoft is:

http://groups.yahoo.com/group/XMLog/message/2284

Mike - W1ECT

Yahoo! Groups Links

2559. RE: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-24 01:55:42 UTC
From: Kevin Nathan
Topic: 2553 Message: 2559

Hi Steve,

Yes, I noticed that after the first time I ran it, things read ok now.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Forst
Sent: Sunday, March 23, 2008 15:47
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Install Problems

Hi Kevin,

I just installed the new version and am running the JAWS screen reader. For what it's worth, it is working fine and all fields are being spoken by JAWS. Over the years and with various versions, I have seen the problem you mentioned at odd times. Doing an f-5 or a insert-escape (JAWS refresh) would solve the problem.

73, Steve KW3A
----- Original Message -----
From: "Kevin Nathan" <HYPERLINK "mailto:k7rx%40comcast.net"k7rx@comcast.-net>
To: <HYPERLINK "mailto:XMLog%40yahoogroups.com"XMLog@yahoogroups.-com>
Sent: Sunday, March 23, 2008 5:37 PM
Subject: RE: [XMLog] Install Problems

> Hi Mike,I
>
> did the scrrun fix and now the install went fine for 5.46. But, as a
> blind
> ham I noticed a problem with the new version I wanted to ask you about.
> Before, as I tabbed through the fields of XMLog, they all read the field
> title to me. Now, only certain fields do such as power, mode and some of
> the others but critical ones like call and so on do not. Did you make any
> changes which might cause these not to read any more?
>
> thanks much and very 73.
>
>
> Kevin :)

> Amateur Radio: K7RX
>
>

No virus found in this incoming message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1339 - Release Date: 3/22/2008
16:43

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.519 / Virus Database: 269.21.8/1339 - Release Date: 3/22/2008
16:43

[Non-text portions of this message have been removed]

2560. Sorting & Printing QSL Labels

Yahoo group: XMLog
Date: 2008-03-24 18:21:40 UTC
From: Don Nesbitt
Topic: 2560 Message: 2560

Using Version 5.46 (and as I recall pretty much any
previous version).

Is there a way to change the default sorting of a
lable list FROM being: "sorted by Country, Callsign,
Date, and Time" TO: just being sorted by Callsign?

This would be handy for me as I did a little
dxpedition and find it easier to put the incoming
cards in alphabetical order by callsign without regard
to country, date, etc.

So far the statements in the Help file would indicate
that it is not possible within the program. Yes, I
could take it out to Excel, etc. but it would be nice
not to have to. Thanks for suggestions. 73 -- Don
N4HH

From the Help File: "Whenever you create a label it is
added to a list of labels waiting to be printed. To
print a list choose Labels/Print QSL Labels List or
Labels/Print Mailing Labels List. When label lists
are printed the labels will be sorted by Country,
Callsign, Date, and Time."

Never miss a thing. Make Yahoo your home page.
http://www.yahoo.com/r/hs

2561. Re: Sorting & Printing QSL Labels

Yahoo group: XMLog
Date: 2008-03-25 23:42:40 UTC
From: Mike McAmis
Topic: 2560 Message: 2561

If you're going to do a log search by date or whatever to isolate the QSOs that need labels try this:

1) Use the "Display/Sort By" menu item to have entries selected by a log search sorted by callsign.

2) Do a log search with the appropriate search keys to isolate the log entries that need labels.

3) Use the "Labels/Add QSL Labels For All Selected Entries" menu item. This will do the job since the labels are added in the same order that they were returned by the log search.

Mike - W1ECT

2562. Re: Cabrillo?

Yahoo group: XMLog
Date: 2008-03-26 10:55:18 UTC
From: pa4doc
Topic: 1716 Message: 2562

Hello Mike,

Cabrillo input would be appreciated to import your contest log into your
'normal' logging program.
I just spoke about this with a fellow ham with the same experiences.

Best 73,

Wilko

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK Puck, Well now that I have optional "Contest In/Out" fields that
> can be displayed perhaps it's time I reconsidered Cabrillo support.
>
> Mike - W1ECT
>

2563. New Version Problem solved.

Yahoo group: XMLog
Date: 2008-03-26 15:08:43 UTC
From: k2qmf@juno.com
Topic: 2563 Message: 2563

Hello again Mike et al,

I reinstalled Version 5.46 for the third time.
After the third try I was able to get passed
the intro screen and all is working fine business...

73,
Ted K2QMF

2564. Re: [XMLog] Re: Cabrillo?

Yahoo group: XMLog
Date: 2008-03-26 15:37:09 UTC
From: N7mal
Topic: 1716 Message: 2564

Almost all contest logging programs output both cab & adif files. For the very programs that don't AD1C, Jim, has written a small program that converts cab to adif.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: pa4doc
To: XMLog@yahoogroups.com
Sent: Wednesday, March 26, 2008 10:55
Subject: [XMLog] Re: Cabrillo?

Hello Mike,

Cabrillo input would be appreciated to import your contest log into your 'normal' logging program.
I just spoke about this with a fellow ham with the same experiences.

Best 73,

Wilko

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK Puck, Well now that I have optional "Contest In/Out" fields that
> can be displayed perhaps it's time I reconsidered Cabrillo support.
>
> Mike - W1ECT
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2565. Re: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-27 07:21:00 UTC
From: N7mal
Topic: 2553 Message: 2565

WOW I'm almost dizzy from all the problems/weirdness this new install has created. W.O.W.
First: In order to get it running I had to bring it up twice in a row. The only way I could close out one instance was with ctrl-alt-del. I brought up 2 instances by accident. Now the program starts just fine every time.
Second: QRZ lookup still doesn't work '''''sort-of''''''. I get the MS dialogue box with error 40006,,,,,, BUT,,,,, it looks it up and gets the info after I click OK on the box that says it doesn't work......
I tried the easy stuff like deleting and reinstalling but the results are still the same.
Any suggestions.?.?.?.?.
TKS....73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
The wisest men follow their own direction.
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, March 23, 2008 15:15
Subject: [XMLog] Install Problems

There seems to be some lingering Microsoft bug that effects programs that use the system file scrrun.dll

There's a "dependency file" named scrrun.dep that contains incorrect info. You can delete this file or you can download and run a program provided by Microsoft that edits the file and fixes this problem.

This doesn't affect everyone that tries to do the install, I suspect it's related to what software you have previously installed.

For more info you can do a search here for scrrun to see what people have done or if you don't want to look through all these posts the one that talks about the download-able program from Microsoft is:

http://groups.yahoo.com/group/XMLog/message/2284

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

2566. Re: [XMLog] Install Problems

Yahoo group: XMLog
Date: 2008-03-30 23:50:17 UTC
From: N7mal
Topic: 2553 Message: 2566

After much teeth gnashing and about 4 or 5 hours of work, spread over several days, I resolved the problem. I'm not quite finished cleaning up the messes around the edges but I'm close. XMLOG is working perfectly and looking up QRZ just fine.
I seriously doubt anyone else will have the problems I had but just in case: Be careful installing 'Linksys' advisor. Also be careful with Firefox 3 beta 4. I had to replace/update several dll's that became corrupted with the installations of various software's over the last few months.
At any rate my computer is working almost 100%.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Thursday, March 27, 2008 7:21
Subject: Re: [XMLog] Install Problems

WOW I'm almost dizzy from all the problems/weirdness this new install has created. W.O.W.
First: In order to get it running I had to bring it up twice in a row. The only way I could close out one instance was with ctrl-alt-del. I brought up 2 instances by accident. Now the program starts just fine every time.
Second: QRZ lookup still doesn't work '''''sort-of''''''. I get the MS dialogue box with error 40006,,,,,, BUT,,,,, it looks it up and gets the info after I click OK on the box that says it doesn't work......
I tried the easy stuff like deleting and reinstalling but the results are still the same.
Any suggestions.?.?.?.?.
TKS....73

[Non-text portions of this message have been removed]

2567. Re: Sorting & Printing QSL Labels

Yahoo group: XMLog
Date: 2008-04-07 20:28:29 UTC
From: Mike McAmis
Topic: 2560 Message: 2567

Hi, Sorry to have mis-spoken but it turns out that setting
the "Display/Sort By" order does not affect the order that QSL labels
are printed. It does change the order in which they are added to
the "labels.out" file but these entries are re-sorted at print time in
case multiple groups of QSLs had been added to the print list.
Currently there is no way to change the "Country, Call, ... " sort
order for labels.

Mike - W1ECT

2568. disappearing spots.

Yahoo group: XMLog
Date: 2008-04-20 14:56:35 UTC
From: Terry Wassell
Topic: 2568 Message: 2568

I have suffered from the "disappearing spots" problem in the Spots Map. I tried different things and could never solve this strange problem where the spots briefly appear and then suddenly disappear. I played with the settings "spot timers" in the options, Spots Map menu. I have also "fiddled" with options to show unneeded spots and inhibited spots, etc. but never could solve the problem.

Recently, when adjusting my computer clock, I hit upon the solution, which seems to involve the clock and maybe some internal time keeping part of XMLog. The problem was solved when I changed the Windows clock time zone to "(GMT) Casablanca, Monrovia" instead of "(GMT) Greenwich Mean Time : Dublin, Edinburgh, Lisbon, London" at that point everything worked fine. Maybe the problem has something to do with the daylight savings time adjustment.

more info: operating system WIN98SE (yes, I know it's no longer supported but it works for me).
computer: Dell Latitude CPx, Pentium III, 500Mhz, 40GB HD, 256MB RAM. (old but still works, oK).
XMLog version: 5.46

I keep my computer on GMT not local time.
I hope this note may help others who have suffered from this problem.
I love XMLog, and have 92,564 QSOs in the log from 1968 to present including many contests.

73, Terry K3JT, V26JT, 5X1X

No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.2/1387 - Release Date: 4/19/08 11:31 AM

2569. Wish List item.

Yahoo group: XMLog
Date: 2008-04-20 15:09:12 UTC
From: Terry Wassell
Topic: 2569 Message: 2569

It sure would be nice to see the "DXCC Status" information without having to wait for a "spot".
For example, if I am wondering if I need ZS on RTTY or on 12M, I have to use the log window, search for ZS in the "country" window, then scroll through the QSOs to find the answer. I know, I can create a DXCC checklist or "worked / confirmed" list and scroll through that to answer my question, too. But it sure would be nice to have a "shortcut" that quickly lets me see the "DXCC status" information for a particular country, just like the packet window info.

It's a small improvement that, I think, others might find useful, too.

73, Terry K3JT, V26JT, 5X1X
No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.2/1387 - Release Date: 4/19/08 11:31 AM

2570. RE: [XMLog] Wish List item.

Yahoo group: XMLog
Date: 2008-04-21 16:35:58 UTC
From: Craig Bradley
Topic: 2569 Message: 2570

Try using the QSOs window, just put in ZS and you will see the modes and bands you need it on.

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Terry Wassell
Sent: Sunday, April 20, 2008 8:09 AM
To: xmlog@yahoogroups.com
Subject: [XMLog] Wish List item.

It sure would be nice to see the "DXCC Status" information without having to wait for a "spot".
For example, if I am wondering if I need ZS on RTTY or on 12M, I have to use the log window, search for ZS in the "country" window, then scroll through the QSOs to find the answer. I know, I can create a DXCC checklist or "worked / confirmed" list and scroll through that to answer my question, too. But it sure would be nice to have a "shortcut" that quickly lets me see the "DXCC status" information for a particular country, just like the packet window info.

It's a small improvement that, I think, others might find useful, too.

73, Terry K3JT, V26JT, 5X1X
No virus found in this outgoing message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.2/1387 - Release Date: 4/19/08 11:31 AM

[Non-text portions of this message have been removed]

2571. Re: Wish List item.

Yahoo group: XMLog
Date: 2008-04-21 21:28:30 UTC
From: Mike McAmis
Topic: 2569 Message: 2571

Hi Terry, The "QSOs + Check Call Window" is useful for this kind of thing (if you have a little more screen space left). Use the F4 shortcut or the "View/Show QSOs + Check Call Window" menu item. You can update the info (which includes the needed bands/modes) by typing in a prefix or a full callsign. The info is also updated when you move to a new log window entry, type a callsign into a new log window entry, or click on a callsign within any of the packet windows.

Mike - W1ECT

2572. Re: Problem with generating DXCC Submission Form

Yahoo group: XMLog
Date: 2008-04-22 16:54:42 UTC
From: Mike McAmis
Topic: 2238 Message: 2572

Hi Ken, This problem should be fixed in the current beta version located at www.xmlog.com/beta

Mike - W1ECT

> I am attempting to create a Submission form for DXCC using only my CW QSO
> submissions. In the "DXCC Submission Form Options" window that comes up
> where I would select a date range (No Filter selected), Bands (No band
> filter selected), and Modes, the form is created if I select "No mode
> filter". If I try to select "Phone", "CW", or "Data", then after a long
> delay a window appears with "Can't create report. (6) Overflow." Has anyone
> else had this problem, and what can I do to get around the problem? I would
> like to create separate lists of my phone and cw submissions. I am using
> v5.40. Thanks for any help.
>
> 73, Ken, NU4I

2573. QSL Label Question

Yahoo group: XMLog
Date: 2008-04-25 16:30:56 UTC
From: Bob Daniels
Topic: 2573 Message: 2573

Is there anyway to put multiple QSO's for the sane station on a single label.

Bob K8KWT

2574. Re: QSL Label Question

Yahoo group: XMLog
Date: 2008-04-25 21:36:26 UTC
From: Mike McAmis
Topic: 2573 Message: 2574

Hi Bob, Yes - Check the supplied custom demo label "Demo-QSL-4-Small".
The label print menu item will automatically group QSOs with the same
callsign together...

Mike - W1ECT

2575. Re: QSL Label Question

Yahoo group: XMLog
Date: 2008-04-25 22:04:24 UTC
From: Bob Daniels
Topic: 2573 Message: 2575

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Bob, Yes - Check the supplied custom demo label "Demo-QSL-4-Small".
> The label print menu item will automatically group QSOs with the same
> callsign together...
>
> Mike - W1ECT
>
Thanks for the quick answer Mike. This is the best general purpose logging program I've ever used. Easy to use an lots of features. I've switched all of my logging to XMlog - now that I know I can print multiple QSO's on one label - even better

73

Bob K8KWT

2576. Re: [XMLog] Re: QSL Label Question

Yahoo group: XMLog
Date: 2008-04-25 22:13:55 UTC
From: Nelson Wittstock
Topic: 2573 Message: 2576

Bob,

If you play around with the setup in Mike's sample you can do as I did and print up to five qso's on a label.

Have fun,
Nelson - K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 6031 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2577. Re: QSL Label Question

Yahoo group: XMLog
Date: 2008-04-26 15:03:38 UTC
From: Bob Daniels
Topic: 2573 Message: 2577

--- In XMLog@yahoogroups.com, "Nelson Wittstock" <k8djc@...> wrote:
>
> Bob,
>
> If you play around with the setup in Mike's sample you can do as I
did and
> print up to five qso's on a label.
>
> Have fun,
> Nelson - K8DJC
>
>
> --
> I am using the free version of SPAMfighter for private users.
> It has removed 6031 spam emails to date.
> Paying users do not have this message in their emails.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
>
Thanks Nelson I did get five to print on one label. At first I
thought it wasn't working, then I figured out I had to erase my label
list - change label definition - then recreate my label list,
otherwise I just kept geting 1 QSO per label.

Bob K8KWT

2578. Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-08 01:37:35 UTC
From: Bob
Topic: 2578 Message: 2578

I am using XM 5.47 I used to be able to use the Next/ Previous arrows on the bar at the bottom of the log entry page to scroll back through your log file. I find that this no loger works. Is this a new issue with version 5.47?
Bob
K1LAX

2579. Re: [XMLog] Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-08 15:41:25 UTC
From: Stan Gantz
Topic: 2578 Message: 2579

I am also using V5.47, and I have noticed (with this version) that the arrows on the bar of the log page sometimes start to scroll for no apparent reason. Sometimes the only way to stop the rapid scrolling through log entries, is to just totally stop the program, and start over. Then all is ok, usually for a long period, then it happens again . I am using an "ME" machine. Other than that, all works FB ...Beats me !!!!!!

Stan W5GZ
.....
At 07:37 PM 5/7/2008, you wrote:

>I am using XM 5.47 I used to be able to use the Next/ Previous arrows
>on the bar at the bottom of the log entry page to scroll back through
>your log file. I find that this no loger works. Is this a new issue
>with version 5.47?
>Bob
>K1LAX
>
>

[Non-text portions of this message have been removed]

2580. Re: Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-09 20:30:33 UTC
From: Mike McAmis
Topic: 2578 Message: 2580

Hi Bob, I've seen this happen now and then so I've changed the way I handle the scroll bar and posted version 5.48 at www.xmlog.com/beta

Mike - W1ECT

2581. Re: Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-09 20:49:23 UTC
From: Howard Baker
Topic: 2578 Message: 2581

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Bob, I've seen this happen now and then so I've changed the way I
> handle the scroll bar and posted version 5.48 at www.xmlog.com/beta
>
> Mike - W1ECT
>
I just tried to open the zip file and it is "Invalid" according to
winzip?????

2582. Re: [XMLog] Re: Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-09 22:56:30 UTC
From: N7mal
Topic: 2578 Message: 2582

The Zip file is definitely broken.
Here is what I've found to make the next/previous arrows work: Click on the 'select' box until the bottom left status bar shows how many QSO's are in your log.
In other words if you have 25,000 QSO's in your log that number needs to be showing in the left side of the status bar. Then the next/previous arrows work just fine.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Howard Baker
To: XMLog@yahoogroups.com
Sent: Friday, May 09, 2008 20:49
Subject: [XMLog] Re: Next /Previous arrows bottom log Bar

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Bob, I've seen this happen now and then so I've changed the way I
> handle the scroll bar and posted version 5.48 at www.xmlog.com/beta
>
> Mike - W1ECT
>
I just tried to open the zip file and it is "Invalid" according to winzip?????

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.11/1422 - Release Date: 5/8/2008 5:24 PM

[Non-text portions of this message have been removed]

2583. Re: [XMLog] Re: Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-09 23:07:23 UTC
From: Howard Baker
Topic: 2578 Message: 2583

I always double click the select box immediately when I start XMLog
therefore I never have the problem. I was pretty sure the new zip file
was broken.

N7mal wrote:
>
> The Zip file is definitely broken.
> Here is what I've found to make the next/previous arrows work: Click
> on the
> 'select' box until the bottom left status bar shows how many QSO's are in
> your log.
> In other words if you have 25,000 QSO's in your log that number needs
> to be
> showing in the left side of the status bar. Then the next/previous arrows
> work just fine.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com <http://www.n7mal.com>
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: Howard Baker
> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Sent: Friday, May 09, 2008 20:49
> Subject: [XMLog] Re: Next /Previous arrows bottom log Bar
>
> --- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>, "Mike
> McAmis" <w1ect@...> wrote:
> >
> > Hi Bob, I've seen this happen now and then so I've changed the way I
> > handle the scroll bar and posted version 5.48 at www.xmlog.com/beta
> >
> > Mike - W1ECT
> >
> I just tried to open the zip file and it is "Invalid" according to
> winzip?????
>
> ------------------------------------
>
> Yahoo! Groups Links

>
> --
> No virus found in this incoming message.
> Checked by AVG.
> Version: 7.5.524 / Virus Database: 269.23.11/1422 - Release Date:
> 5/8/2008
> 5:24 PM
>
> [Non-text portions of this message have been removed]
>
>

2584. Re: Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-10 12:59:25 UTC
From: Mike McAmis
Topic: 2578 Message: 2584

I had some problems uploading the latest beta but it should now be available at www.xmlog.com/beta

Mike - W1ECT

2585. Re: [XMLog] Re: Next /Previous arrows bottom log Bar

Yahoo group: XMLog
Date: 2008-05-10 14:06:55 UTC
From: Howard Baker
Topic: 2578 Message: 2585

Works perfectly now thanks.

Mike McAmis wrote:
>
> I had some problems uploading the latest beta but it should now be
> available at www.xmlog.com/beta
>
> Mike - W1ECT
>
>

2586. Small Tiny Problem

Yahoo group: XMLog
Date: 2008-05-13 11:26:39 UTC
From: N7mal
Topic: 2586 Message: 2586

I just noticed a small problem in the packet terminal window. There are currently some Japanese guys vacationing on the island of Ogasawara. I entered JA0AEK/JD1 in the callsign window as Ogasawara. Someone just spotted JD1/JA0AEK and the packet terminal showed him as Minami Torishima. As I said this is a small problem. I'm just surprised I've never noticed it before.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

2587. Re: Small Tiny Problem

Yahoo group: XMLog
Date: 2008-05-13 19:51:57 UTC
From: Mike McAmis
Topic: 2586 Message: 2587

Hi Mal, Ogasawara is one of the countries that doesn't have a unique prefix that can be guessed by XMLog (like 3D2, TX, and VP8). You'll need to use the "View/Show Callsign List" menu item to set their explict call as Ogasawara.

Mike - W1ECT

2588. Re: [XMLog] Re: Small Tiny Problem

Yahoo group: XMLog
Date: 2008-05-13 23:02:58 UTC
From: N7mal
Topic: 2586 Message: 2588

Hi Mike: Yes that's what I did but I had to do it both ways JA0AEK/JD1 and JD1/JA0AEK. I was surprised that I had never noticed it before. The only reason I noticed it all is because of my imbalance between JD1/O & JD1/M LOTW QSL's received.
Thanks Mike
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Tuesday, May 13, 2008 19:51
Subject: [XMLog] Re: Small Tiny Problem

Hi Mal, Ogasawara is one of the countries that doesn't have a unique prefix that can be guessed by XMLog (like 3D2, TX, and VP8). You'll need to use the "View/Show Callsign List" menu item to set their explict call as Ogasawara.

Mike - W1ECT

Yahoo! Groups Links

--
No virus found in this incoming message.
Checked by AVG.
Version: 7.5.524 / Virus Database: 269.23.16/1429 - Release Date: 5/12/2008 6:14 PM

[Non-text portions of this message have been removed]

2589. Re: Small Tiny Problem

Yahoo group: XMLog
Date: 2008-05-14 14:03:02 UTC
From: Mike McAmis
Topic: 2586 Message: 2589

OK Mal, I'll check into changing this. As you discovered the format of a portable designation has to match what the guy is using. Fortunately most folk tend to be consistent (but I guess spotters may not be).

Mike - W1ECT

2590. Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-05-22 07:51:26 UTC
From: g0lgj
Topic: 2590 Message: 2590

Hi anyway to get XMLOG to open Open Office rather than Excel which I do not have ?
If I select File I get Problem creating Excel Report, can't start Excel (429) ActiveX component can't create object.

when I had excel it would open the spreadsheet for me without selecting File.

Any thoughts.

Regards Mark
G0LGJ

2591. Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-05-23 19:36:14 UTC
From: Mike McAmis
Topic: 2590 Message: 2591

Hi Mark, Microsoft Excel is part of the Microsoft Office package.
Perhaps you didn't install Excel when you installed Office or you have
some limited version of Office that doesn't include Excel?

Mike - W1ECT

2592. Re: [XMLog] Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-05-23 19:52:31 UTC
From: Dave Sergeant
Topic: 2590 Message: 2592

On 23 May 2008 at 19:36, Mike McAmis wrote:

> Hi Mark, Microsoft Excel is part of the Microsoft Office package.
> Perhaps you didn't install Excel when you installed Office or you have
> some limited version of Office that doesn't include Excel?
>
> Mike - W1ECT

You misunderstood Mark, Mike.

Many of us these days use OPEN OFFICE (http://www.openoffice.org) instead of MS Office. But the Excel export functions of XMLog rely on routines which are part of MSOffice so don't work. Mark (and myself for that matter) are looking for a way of using the Excel export facility with Open Office.

We have never ever installed any part of MS Office!!

I wrote a small utility to produce a CSV file version of my DXCC countries worked (from a DXCC checklist saved to file) which can then be pasted into an Excel spreadsheet (MS Office or OOo) and used to print a nice checksheet of my countries worked. Find it at http://www.davesergeant.com/bbcbasic/bbcbasic.htm (program xmlog1). As with all my programs they tend to be written to fulfill my own needs though some may find them useful.

73 Dave G3YMC

http://www.davesergeant.com

2593. Re: [XMLog] Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-05-23 22:50:52 UTC
From: W3GER
Topic: 2590 Message: 2593

> Hi Mark, Microsoft Excel is part of the Microsoft Office package.
> Perhaps you didn't install Excel when you installed Office or you have
> some limited version of Office that doesn't include Excel?

I just upgraded to a new computer.

I did not enrich Bill Gates by purchasing Microsoft Office.

I instead downloaded Sun's free Open Office.

I believe there are many like me, and will be many more.

73 de W3GERry

2594. RE: [XMLog] Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-05-25 15:19:52 UTC
From: Craig Bradley
Topic: 2590 Message: 2594

You might try creating a text report and saving it to disk as a txt file, then import that into open office. I have had luck importing files into Excel that way.

If you don't want to pay the full fare, you might look into the Students and Teachers edition of MS Office. You can get it for $98 on Amazon. http://www.amazon.com/Microsoft-Office-Home-Student-2007/dp/B000HCZ8EO/ref=dp_ob_title/102-6436315-2884166. You can also get it at Fry's and other computer stores. This is what I have, it comes with a license for 3 computers also.

I find it easier to use the real thing.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of W3GER
Sent: Friday, May 23, 2008 3:51 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: Display Excel no Office using Open Office

> Hi Mark, Microsoft Excel is part of the Microsoft Office package.
> Perhaps you didn't install Excel when you installed Office or you have
> some limited version of Office that doesn't include Excel?

I just upgraded to a new computer.

I did not enrich Bill Gates by purchasing Microsoft Office.

I instead downloaded Sun's free Open Office.

I believe there are many like me, and will be many more.

73 de W3GERry

[Non-text portions of this message have been removed]

2595. Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-05-26 21:13:57 UTC
From: Mike McAmis
Topic: 2590 Message: 2595

OK Mark, XMLog uses an interface provided by Microsoft that allows third-party programs to export records to an Excel spreadsheet. I'm not aware of any equivalent DLL/OCX (or whatever) for Open Office. If you find one, let me know.

Mike - W1ECT

2596. qrz look-ups

Yahoo group: XMLog
Date: 2008-06-08 10:09:20 UTC
From: N7mal
Topic: 2596 Message: 2596

What was the fix/work-around for QRZ.com look-ups.?.?. I haven't been able to look-ups from mlog since QRZ.com had the fire. Other programs like VE7CC work just fine.
Thanks in advance....73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

2597. Re: [XMLog] qrz look-ups

Yahoo group: XMLog
Date: 2008-06-08 15:55:53 UTC
From: W3GER
Topic: 2596 Message: 2597

> What was the fix/work-around for QRZ.com look-ups

Upgrade to 5.46 or higher.

73 de W3GERry

2598. Re: [XMLog] qrz look-ups

Yahoo group: XMLog
Date: 2008-06-08 22:29:30 UTC
From: N7mal
Topic: 2596 Message: 2598

Gerry just for info only mine was working fine until last weekend when QRZ had the fire in their servers. They were basically disabled on/off for 4 days.
Thanks...73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: W3GER
To: XMLog@yahoogroups.com
Sent: Sunday, June 08, 2008 15:55
Subject: Re: [XMLog] qrz look-ups

> What was the fix/work-around for QRZ.com look-ups

Upgrade to 5.46 or higher.

73 de W3GERry

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.100 / Virus Database: 270.0.0/1489 - Release Date: 6/7/2008 11:17 AM

[Non-text portions of this message have been removed]

2599. Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-06-10 21:42:35 UTC
From: g0lgj
Topic: 2590 Message: 2599

Hi thanks all for the response.
Dave is correct I have not got MS office installed and am using Open Office :)

Will try the basic prog Dave.
Will also try the txt import and search for a DLL :)

Thanks again and sorry for delay in replying been on my hols !!

73 de Mark g0lgj

--- In XMLog@yahoogroups.com, "g0lgj" <yahoo@...> wrote:
>
> Hi anyway to get XMLOG to open Open Office rather than Excel which I
> do not have ?
> If I select File I get Problem creating Excel Report, can't start
> Excel (429) ActiveX component can't create object.
>
> when I had excel it would open the spreadsheet for me without
> selecting File.
>
> Any thoughts.
>
> Regards Mark
> G0LGJ
>

2600. Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-06-12 16:35:05 UTC
From: g0lgj
Topic: 2590 Message: 2600

Hi Mike I could only find :-

http://wiki.services.openoffice.org/wiki/Base_New_Driver_Tutorial

What are the dll's or the interface called ?

Mark
--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK Mark, XMLog uses an interface provided by Microsoft that allows
> third-party programs to export records to an Excel spreadsheet. I'm
> not aware of any equivalent DLL/OCX (or whatever) for Open Office. If
> you find one, let me know.
>
> Mike - W1ECT
>

2601. A way to speedup importing?

Yahoo group: XMLog
Date: 2008-06-18 06:21:12 UTC
From: David Spoelstra
Topic: 2601 Message: 2601

Hi Mike!

I do lots of importing of club logs and have to dedupe them. I always have the QRZ option on because I want the address info filled in on QSOs that get imported. It appears that even if it's a duplicate QSO, it goes out and fetches the info from QRZ. If that's true, it would be faster if it did the dupe check on the QSO first, and only go out to QRZ if it's a dupe.

Thanks for such a great logging program!
-David, N9KT

2602. Re: A way to speedup importing?

Yahoo group: XMLog
Date: 2008-06-18 20:39:49 UTC
From: Mike McAmis
Topic: 2601 Message: 2602

Hi David, Actually XMLog does cache the info from the last callbook lookup so if you could sort the entries by callsign when you create the ADIF file this should help a bit.

Mike - W1ECT

2603. QRZ Time Out

Yahoo group: XMLog
Date: 2008-06-26 00:50:06 UTC
From: john vernaleken
Topic: 2603 Message: 2603

Is anyone having a problem with QRZ timing out?

John KC2QJB

[Non-text portions of this message have been removed]

2604. RE: [XMLog] QRZ Time Out

Yahoo group: XMLog
Date: 2008-06-26 03:36:29 UTC
From: Craig Bradley
Topic: 2603 Message: 2604

No it is working fine with version 5.47.

If you have an older version, you may need to upgrade as there was a previous problem that has been fixed. Check the release notes on the web site for details.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Wednesday, June 25, 2008 5:50 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ Time Out

Is anyone having a problem with QRZ timing out?

John KC2QJB

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2605. XMLog LoTW Prototype v10

Yahoo group: XMLog
Date: 2008-06-26 18:58:52 UTC
From: Mike McAmis
Topic: 2605 Message: 2605

I've posted a new beta version of XMLog (5.50) at www.xmlog.com/beta
and an associated LoTW prototype at www.xmlog.com/lotw

All LoTW features have been enabled including the "Import/Apply LoTW
Data to Log" menu item.

The major project remaining is deciding how to modify all the DXCC/WAS
reports to provide breakdowns of QSL card vs. LoTW confirmations. In
this version the DXCC/WAS reports do not differentiate between
confirmations from cards or LoTW. You can get this information by brute
force by doing log searches that select log entries confirmed by LoTW
or non-LoTW (of course some QSOs may contribute to both totals...).

See the updated documentation in the zip file for more info.

Be sure to back up your log file before playing with the "Import/Apply
LoTW Data to Log" menu item.

Mike - W1ECT

2606. Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-06-28 01:04:01 UTC
From: Gerry
Topic: 2590 Message: 2606

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK Mark, XMLog uses an interface provided by Microsoft that allows
> third-party programs to export records to an Excel spreadsheet. I'm
> not aware of any equivalent DLL/OCX (or whatever) for Open Office. If
> you find one, let me know.

Can you provide any identification of that Interface provided by
Microsoft? I participate in OpenOffice support forums, and I'll
inquire there if they have anything comparable.

73 de W3GERry

2607. Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-06-28 15:50:48 UTC
From: Mike McAmis
Topic: 2590 Message: 2607

Hi Gerry, I'm not sure what the official name of the interface is but I've seen it identified as the "Microsoft Excel Object Library".

Basically it provides a library of function calls to create a new spreadsheet, define fields, set field attributes, add records, etc.

Mike - W1ECT

2608. Re: [XMLog] Re: Display Excel no Office using Open Office

Yahoo group: XMLog
Date: 2008-06-28 18:16:56 UTC
From: W3GER
Topic: 2590 Message: 2608

> Hi Gerry, I'm not sure what the official name of the interface is but
> I've seen it identified as the "Microsoft Excel Object Library".
>
> Basically it provides a library of function calls to create a new
> spreadsheet, define fields, set field attributes, add records, etc.

Okay-- FWIW--

In a thread at
http://forums.msdn.microsoft.com/en/csharpgeneral/thread/ea144fef-0c7f-4204-aa02-125bfec81600/
someone asked on Feb 5
"I need someone's help to teach how to create, open and save OpenOffice Calc programatically, by using either C# 2005 or C++ 2005 (CLR). I am very new to OpenOffice."

Several replies, including this one on Feb 7
"... To do the same with OOCalc, you'd need an "OpenOffice Calc Object LIbrary COM object".
The problem is, that doesn't exist, and as OOCalc is written in Java, and doesn't use COM objects, there is never going to be such a library."

But then this one on April 2
"Actually, there is a way to do this in OpenOffice calc, and c#.
See this link. There you will find how to open file, and how to read/write content of particular cell..
http://www.openoffice.org/servlets/ReadMsg?listName=dev&msgNo=18569
For writing file, add this code to example from the link above.
XStorable2 xs = (XStorable2)mxDocument;
xs.storeToURL("file:///C:/oo.xls", new unoidl.com.sun.star.beans.PropertyValue[0]);
You will need to add reference in your project to this files.
C:\Program Files\OpenOffice.org 2.1\program\cli_uno.dll
and every file from this folder:
C:\Program Files\OpenOffice.org 2.1\program\assembly"

As I say, "FWIW"
73 de W3GERry

2609. LOTW Beta

Yahoo group: XMLog
Date: 2008-07-04 15:43:53 UTC
From: WILLIS COOKE
Topic: 2609 Message: 2609

I am trying to install the latest lotw beta edition,
but when I try to extract the files it asks for a
password. Anybody know what is going on or what the
password is that I need?

Willis 'Cookie' Cooke
K5EWJ

2610. Re: [XMLog] LOTW Beta

Yahoo group: XMLog
Date: 2008-07-04 16:01:19 UTC
From: N7mal
Topic: 2609 Message: 2610

I am going to take a very, very, wild guess it's your LOTW password.....

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Friday, July 04, 2008 15:43
Subject: [XMLog] LOTW Beta

I am trying to install the latest lotw beta edition,
but when I try to extract the files it asks for a
password. Anybody know what is going on or what the
password is that I need?

Willis 'Cookie' Cooke
K5EWJ

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.135 / Virus Database: 270.4.5/1533 - Release Date: 7/3/2008
7:19 PM

[Non-text portions of this message have been removed]

2611. Re: [XMLog] LOTW Beta

Yahoo group: XMLog
Date: 2008-07-04 16:26:25 UTC
From: WILLIS COOKE
Topic: 2609 Message: 2611

Thanks Mal, but I don't think so. Why would the
program need that to unzip the files? How would it
know that one of the throw down passwords that I tried
was not my LOTW password? I tried a few things like
"password", lotw, xmlog, etc. but it rejected them.

Has anyone installed the LOTW beta successfully? Did
it ask you for a password, or is this unique to my
situation?

Cookie, K5EWJ

--- N7mal <n7mal@...> wrote:

> I am going to take a very, very, wild guess it's
> your LOTW password.....
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Friday, July 04, 2008 15:43
> Subject: [XMLog] LOTW Beta
>
>
> I am trying to install the latest lotw beta edition,
> but when I try to extract the files it asks for a
> password. Anybody know what is going on or what
> the
> password is that I need?
>
>
>
> Willis 'Cookie' Cooke
> K5EWJ
>
> ------------------------------------
>

> Yahoo! Groups Links
>
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG.
> Version: 8.0.135 / Virus Database: 270.4.5/1533 -
> Release Date: 7/3/2008
> 7:19 PM
>
>
>
>
> [Non-text portions of this message have been
> removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>

2612. Re: [XMLog] LOTW Beta

Yahoo group: XMLog
Date: 2008-07-04 18:50:08 UTC
From: N7mal
Topic: 2609 Message: 2612

I just tried mine and it doesn't work at all. It says files are missing.
When I click "OK" WinZip shuts down. I've never unzipped it because I have
'issues' with mlog & LOTW.
Good luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Friday, July 04, 2008 16:26
Subject: Re: [XMLog] LOTW Beta

Thanks Mal, but I don't think so. Why would the
program need that to unzip the files? How would it
know that one of the throw down passwords that I tried
was not my LOTW password? I tried a few things like
"password", lotw, xmlog, etc. but it rejected them.

Has anyone installed the LOTW beta successfully? Did
it ask you for a password, or is this unique to my
situation?

Cookie, K5EWJ

--- N7mal <n7mal@...> wrote:

> I am going to take a very, very, wild guess it's
> your LOTW password.....
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----

> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Friday, July 04, 2008 15:43
> Subject: [XMLog] LOTW Beta
>
>
> I am trying to install the latest lotw beta edition,
> but when I try to extract the files it asks for a
> password. Anybody know what is going on or what
> the
> password is that I need?
>
>
>
> Willis 'Cookie' Cooke
> K5EWJ
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG.
> Version: 8.0.135 / Virus Database: 270.4.5/1533 -
> Release Date: 7/3/2008
> 7:19 PM
>
>
>
>
> [Non-text portions of this message have been
> removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.135 / Virus Database: 270.4.5/1533 - Release Date: 7/3/2008
7:19 PM

[Non-text portions of this message have been removed]

2613. Running 5.50

Yahoo group: XMLog
Date: 2008-07-05 18:06:18 UTC
From: Dennis Jacobson
Topic: 2613 Message: 2613

I unzipped and installed 5.50 without a hitch.
No password and no problems. Installed right
on top of the old version as usual...

Dennis N6NG

2614. Re: [XMLog] Running 5.50

Yahoo group: XMLog
Date: 2008-07-05 20:02:32 UTC
From: WILLIS COOKE
Topic: 2613 Message: 2614

I had no problem with 5.50 either. What I had a
problem with was the XMLog-LOTW Beta add on.

Cookie, K5EWJ

--- Dennis Jacobson <n6ng@...> wrote:

> I unzipped and installed 5.50 without a hitch.
> No password and no problems. Installed right
> on top of the old version as usual...
>
> Dennis N6NG
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>

Willis 'Cookie' Cooke
K5EWJ

2615. Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-05 20:04:20 UTC
From: Dave Sparks
Topic: 2615 Message: 2615

I'm having a problem installing XMLOG on my desktop computer. When I try to install it, I'm told:

"Setup cannot continue because some system files are out of date. Click OK if you would like setup to update these files for you now. You will need to restart Windows before you can run setup again."

After I click OK, I'm told "Do you want to restart Windows now?" and I click YES. But after I click YES, Windows reboots and when I try to rerun Setup, I get the same thing. It still tells me that my system files are out of date.

What am I doing wrong? The computer is running Windows XP Media Center edition.

Thanks and 73.

--
Dave Sparks
AF6AS

2616. Re: [XMLog] Running 5.50

Yahoo group: XMLog
Date: 2008-07-05 20:49:03 UTC
From: N7mal
Topic: 2613 Message: 2616

I just want to second what Willis said. 5.5 installed as a normal upgrade/install. It's the LOTW thingee that won't install. It tells me I'm missing files and stops even when I click 'OK'.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Saturday, July 05, 2008 20:02
Subject: Re: [XMLog] Running 5.50

I had no problem with 5.50 either. What I had a problem with was the XMLog-LOTW Beta add on.

Cookie, K5EWJ

--- Dennis Jacobson <n6ng@...> wrote:

> I unzipped and installed 5.50 without a hitch.
> No password and no problems. Installed right
> on top of the old version as usual...
>
> Dennis N6NG
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

Willis 'Cookie' Cooke
K5EWJ

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.5/1535 - Release Date: 7/4/2008
5:03 PM

[Non-text portions of this message have been removed]

2617. Re: [XMLog] Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-05 23:28:36 UTC
From: WILLIS COOKE
Topic: 2615 Message: 2617

Try Ignore Dave. I am not sure that it will work, but
seems that I have read that it works for some people.

Cookie, K5EWJ

--- Dave Sparks <dsparks@...> wrote:

> I'm having a problem installing XMLOG on my desktop
> computer. When I try to
> install it, I'm told:
>
> "Setup cannot continue because some system files are
> out of date. Click OK
> if you would like setup to update these files for
> you now. You will need to
> restart Windows before you can run setup again."
>
> After I click OK, I'm told "Do you want to restart
> Windows now?" and I click
> YES. But after I click YES, Windows reboots and
> when I try to rerun Setup,
> I get the same thing. It still tells me that my
> system files are out of
> date.
>
> What am I doing wrong? The computer is running
> Windows XP Media Center
> edition.
>
> Thanks and 73.
>
> --
> Dave Sparks
> AF6AS
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

Willis 'Cookie' Cooke
K5EWJ

2618. Re: [XMLog] Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-05 23:35:06 UTC
From: Dave Sparks
Topic: 2615 Message: 2618

----- Original Message -----
From: "WILLIS COOKE" <wrcooke@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, July 05, 2008 4:28 PM
Subject: Re: [XMLog] Install Problem on Win XP

> Try Ignore Dave. I am not sure that it will work, but
> seems that I have read that it works for some people.
>
> Cookie, K5EWJ

Hi Cookie,

I just ran through the install procedure again. "OK" and "Cancel" are the only two options offered, and "Cancel" seems to do just that.

--
Dave Sparks
AF6AS

2619. Re: [XMLog] Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-05 23:41:50 UTC
From: N7mal
Topic: 2615 Message: 2619

What version are you trying to install and what existing version are you
currently using.?.?.?.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Dave Sparks
To: XMLog@yahoogroups.com
Sent: Saturday, July 05, 2008 23:35
Subject: Re: [XMLog] Install Problem on Win XP

----- Original Message -----
From: "WILLIS COOKE" <wrcooke@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, July 05, 2008 4:28 PM
Subject: Re: [XMLog] Install Problem on Win XP

> Try Ignore Dave. I am not sure that it will work, but
> seems that I have read that it works for some people.
>
> Cookie, K5EWJ

Hi Cookie,

I just ran through the install procedure again. "OK" and "Cancel" are the
only two options offered, and "Cancel" seems to do just that.

--
Dave Sparks
AF6AS

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.5/1535 - Release Date: 7/4/2008
5:03 PM

[Non-text portions of this message have been removed]

2620. Re: [XMLog] Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-05 23:48:24 UTC
From: Dave Sparks
Topic: 2615 Message: 2620

----- Original Message -----
From: "N7mal" <n7mal@...>
To: <XMLog@yahoogroups.com>
Sent: Saturday, July 05, 2008 4:41 PM
Subject: Re: [XMLog] Install Problem on Win XP

> What version are you trying to install and what existing version are you
> currently using.?.?.?.

This is actually a first time installation for this computer. I've tried
installing both 4.49 as well as the newer 4.50 beta version, with similar
results.

--
Dave Sparks
AF6AS

2621. RE: [XMLog] Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-06 17:12:31 UTC
From: Craig Bradley
Topic: 2615 Message: 2621

You may need the Visual Basic runtime files.

You can search the Microsoft web site and download them. Many programs require these files.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dave Sparks
Sent: Saturday, July 05, 2008 4:48 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Install Problem on Win XP

----- Original Message -----
From: "N7mal" <n7mal@citlink. <mailto:n7mal%40citlink.net> net>
To: <XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com>
Sent: Saturday, July 05, 2008 4:41 PM
Subject: Re: [XMLog] Install Problem on Win XP

> What version are you trying to install and what existing version are you
> currently using.?.?.?.

This is actually a first time installation for this computer. I've tried installing both 4.49 as well as the newer 4.50 beta version, with similar results.

--
Dave Sparks
AF6AS

[Non-text portions of this message have been removed]

2622. Re: Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-06 16:50:35 UTC
From: jaxs.pixs
Topic: 2615 Message: 2622

Hi David,

I was having the same problem when trying to install XMLOG on my XP machine. I decided to check with the Windows XP updates site to see if I'd missed something (though I receive "automatic" updates) and found that there is now a Service Pack 3 available. After I installed the SP3 on my machine (which took a looooong time, by the way) I had no more problems getting XMLOG to install.

73,
Jack, WA9AZA

--- In XMLog@yahoogroups.com, "Dave Sparks" <dsparks@...> wrote:
>
> I'm having a problem installing XMLOG on my desktop computer. When I try to
> install it, I'm told:
>
> "Setup cannot continue because some system files are out of date. Click OK
> if you would like setup to update these files for you now. You will need to
> restart Windows before you can run setup again."
>
> After I click OK, I'm told "Do you want to restart Windows now?" and I click
> YES. But after I click YES, Windows reboots and when I try to rerun Setup,
> I get the same thing. It still tells me that my system files are out of
> date.
>
> What am I doing wrong? The computer is running Windows XP Media Center
> edition.
>
> Thanks and 73.
>
> --
> Dave Sparks
> AF6AS
>

2623. Re: Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-06 21:52:40 UTC
From: Mike McAmis
Topic: 2615 Message: 2623

Hi Dave,

There seems to be some lingering Microsoft bug that effects programs that use the system file scrrun.dll

There's a "dependency file" named scrrun.dep that contains incorrect info. You can delete this incorrect file or you can download and run a program provided by Microsoft that edits the file and fixes this problem.

This doesn't affect everyone that tries to do the install, I suspect it's related to what software you have previously installed.

For more info on this go to http://groups.yahoo.com/group/XMLog/ and search for scrrun to see what people have done.

If you don't want to peruse all these posts the one that talks about the download-able program from Microsoft is:

http://groups.yahoo.com/group/XMLog/message/2284

Mike - W1ECT

2624. Re: LOTW Beta

Yahoo group: XMLog
Date: 2008-07-06 21:57:32 UTC
From: Mike McAmis
Topic: 2609 Message: 2624

Hi Willis, I wasn't able to reproduce the problem you'e seeing. However I'm making some LoTW changes based on feedback from WC1M and I should be posting a new beta version 5.51 and the associated LoTW prototype sometime this week.

Mike - W1ECT

2625. Re: [XMLog] Re: LOTW Beta

Yahoo group: XMLog
Date: 2008-07-06 22:24:27 UTC
From: N7mal
Topic: 2609 Message: 2625

Mike were you able to reproduce the problem I'm seeing.?.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, July 06, 2008 21:57
Subject: [XMLog] Re: LOTW Beta

Hi Willis, I wasn't able to reproduce the problem you'e seeing. However
I'm making some LoTW changes based on feedback from WC1M and I should
be posting a new beta version 5.51 and the associated LoTW prototype
sometime this week.

Mike - W1ECT

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.5/1537 - Release Date: 7/6/2008
5:26 AM

[Non-text portions of this message have been removed]

2626. Re: [XMLog] Re: Install Problem on Win XP

Yahoo group: XMLog
Date: 2008-07-06 23:35:28 UTC
From: Dave Sparks
Topic: 2615 Message: 2626

```
----- Original Message -----
From: "Mike McAmis" <w1ect@...>
To: <XMLog@yahoogroups.com>
Sent: Sunday, July 06, 2008 2:52 PM
Subject: [XMLog] Re: Install Problem on Win XP

> Hi Dave,
>
> There seems to be some lingering Microsoft bug that effects programs
> that use the system file scrrun.dll
>
> There's a "dependency file" named scrrun.dep that contains incorrect
> info. You can delete this incorrect file or you can download and run
> a program provided by Microsoft that edits the file and fixes this
> problem.
>
> This doesn't affect everyone that tries to do the install, I suspect
> it's related to what software you have previously installed.
>
> For more info on this go to http://groups.yahoo.com/group/XMLog/ and
> search for scrrun to see what people have done.
>
> If you don't want to peruse all these posts the one that talks about
> the download-able program from Microsoft is:
>
> http://groups.yahoo.com/group/XMLog/message/2284
>
> Mike - W1ECT

Thanks, Mike. It worked perfectly.

--
Dave Sparks
AF6AS
```

2627. Re: [XMLog] Re: LOTW Beta

Yahoo group: XMLog
Date: 2008-07-07 02:34:46 UTC
From: WILLIS COOKE
Topic: 2609 Message: 2627

Thanks Mike, I will try it when you get it posted.
Willis

--- Mike McAmis <w1ect@...> wrote:

> Hi Willis, I wasn't able to reproduce the problem
> you'e seeing. However
> I'm making some LoTW changes based on feedback from
> WC1M and I should
> be posting a new beta version 5.51 and the
> associated LoTW prototype
> sometime this week.
>
> Mike - W1ECT
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>

Willis 'Cookie' Cooke
K5EWJ

2628. Screenshot

Yahoo group: XMLog
Date: 2008-07-07 05:29:50 UTC
From: N7mal
Topic: 2628 Message: 2628

I have recently been having a few issues with mlog. This is the least irritating. Wait till you see the biggee.....
I am running ver 5.5 and I try to keep my country/callsigns up-to-date. Any explanation would be helpful.... Thanks in advance...73....
http://n7mal.com/SCREEN.HTM

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
The wisest men follow their own direction.

[Non-text portions of this message have been removed]

2629. Re: [XMLog] Screenshot

Yahoo group: XMLog
Date: 2008-07-07 17:33:17 UTC
From: N6NG
Topic: 2628 Message: 2629

Maybe I'm missing something Mal but it appears to me that
you just need an updated prefix list. If you want me to send
you the one I have, let me know. It has E7 and PJ (ST. Barts)
as new prefixes...

Dennis
N6NG@...

N7mal wrote:
> I have recently been having a few issues with mlog. This is the least
> irritating. Wait till you see the biggee.............
> I am running ver 5.5 and I try to keep my country/callsigns up-to-date. Any
> explanation would be helpful.... Thanks in advance...73....
> http://n7mal.com/SCREEN.HTM
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> The wisest men follow their own direction.
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>

--
Dennis N6NG
http://pages.sbcglobal.net/n6ng/
" Bigamy is having one wife too many. Monogamy is the same." Oscar Wilde

2630. Re: [XMLog] Screenshot

Yahoo group: XMLog
Date: 2008-07-07 17:35:32 UTC
From: WILLIS COOKE
Topic: 2628 Message: 2630

PJ is St. Barts, E7 is Bosnia.

--- N6NG <n6ng@...> wrote:

> Maybe I'm missing something Mal but it appears to me
> that
> you just need an updated prefix list. If you want
> me to send
> you the one I have, let me know. It has E7 and PJ
> (ST. Barts)
> as new prefixes...
>
> Dennis
> N6NG@...
>
>
> N7mal wrote:
> > I have recently been having a few issues with
> mlog. This is the least
> > irritating. Wait till you see the
> biggee.............
> > I am running ver 5.5 and I try to keep my
> country/callsigns up-to-date. Any
> > explanation would be helpful.... Thanks in
> advance...73....
> > http://n7mal.com/SCREEN.HTM
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal.com
> > The wisest men follow their own direction.
> >
> >
> > [Non-text portions of this message have been
> removed]
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >

> >
>
>
> --
> Dennis N6NG
> http://pages.sbcglobal.net/n6ng/
> " Bigamy is having one wife too many. Monogamy is
> the same." Oscar Wilde
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

2631. Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-07 21:33:55 UTC
From: Mike McAmis
Topic: 2628 Message: 2631

Hi Mal, It looks like at some point the prefixes file has gotton out of sync with the version of XMLog you're running. If you go to your XMLog install folder (usually c:\mlog) and open the file "prefixes" with WordPad you'll find a line near the top giving the prefix file version number. The most recent file has the line:

PrefixesVersion=5.47

This file should have been installed along with XMLog version 5.47 or later. It's possible that the file was not updated if you had edited it or otherwise caused the file's "last updated" date to be changed.

In any case you can always do a brute force install by just extracting the prefix file from the xmlog.zip file and replacing the copy in the XMLog install folder.

Once the correct file is in place check to be sure that all those St. Barts log entries have the correct prefix/country (FJ) and the Bosnia log entries should be E7 (not T9).

If either group has the wrong prefix let me know and we can easily deal with that problem.

Mike - W1ECT

2632. Re: [XMLog] Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-07 22:26:51 UTC
From: N7mal
Topic: 2628 Message: 2632

The file was created: Friday, April 18, 2008, 14:14:35
The file size is 24K

Here is the important line from inside the file:

The PrefixesVersion indicates the most recent XMLog
; version that had changes to to this file.
;
PrefixesVersion=5.47

Mike might this problem I'm seeing also explain the error message when I try to install the LOTW beta.?.?.?

Thanks for the reply and Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, July 07, 2008 21:33
Subject: [XMLog] Re: Screenshot

Hi Mal, It looks like at some point the prefixes file has gotton out of sync with the version of XMLog you're running. If you go to your XMLog install folder (usually c:\mlog) and open the file "prefixes" with WordPad you'll find a line near the top giving the prefix file version number. The most recent file has the line:

PrefixesVersion=5.47

This file should have been installed along with XMLog version 5.47 or later. It's possible that the file was not updated if you had edited it or otherwise caused the file's "last updated" date to be changed.

In any case you can always do a brute force install by just extracting the prefix file from the xmlog.zip file and replacing the copy in the XMLog install folder.

Once the correct file is in place check to be sure that all those St. Barts log entries have the correct prefix/country (FJ) and the Bosnia log entries should be E7 (not T9).

If either group has the wrong prefix let me know and we can easily
deal with that problem.

Mike - W1ECT

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008
7:40 AM

[Non-text portions of this message have been removed]

2633. Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-07 23:09:09 UTC
From: Mike McAmis
Topic: 2628 Message: 2633

Hi Mal, Very strange then... If you use the "View/Show DXCC Country List" menu item are the FJ and E7 prefixes in the list as St Barts and Bosnia? If you go to the log entries noted in the error message are the Prefix/Country fields set correctly?

And by the way, what action did you take that caused the message to be displayed? (That "Create Summary" routine is called in lots of places, mostly the report generators).

Mike - W1ECT

2634. Re: [XMLog] Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-08 04:05:42 UTC
From: N7mal
Topic: 2628 Message: 2634

Hi Mike: I just looked up one of the calls:TO6T
On the country line it says FJ and in the country name it says st
barts.......
There are 2 ways I've found to get that error message: The first is to start
mlog and the second is to update packet status.
Neither E7 or FJ is in the country list and none of the calls I've entered
are in the callsign list including one I asked you about recently
JA8MBK/JD1. If you recall I had to enter it both ways JD1/ and /JD1.
The only thing I've done recently is to upgrade to 5.5

Thanks again 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, July 07, 2008 23:09
Subject: [XMLog] Re: Screenshot

Hi Mal, Very strange then... If you use the "View/Show DXCC Country
List" menu item are the FJ and E7 prefixes in the list as St Barts and
Bosnia? If you go to the log entries noted in the error message are the
Prefix/Country fields set correctly?

And by the way, what action did you take that caused the message to be
displayed? (That "Create Summary" routine is called in lots of places,
mostly the report generators).

Mike - W1ECT

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008
7:40 AM

[Non-text portions of this message have been removed]

2635. Re: [XMLog] Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-08 09:30:21 UTC
From: N7mal
Topic: 2628 Message: 2635

I am replying to my own reply..... I just installed the LOTW beta. I don't know why it just seemed like a good idea. Now E7 & FJ are there in fact all my callsigns are there.
I didn't do anything more than install the beta.....
I give-up, I surrender.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Tuesday, July 08, 2008 4:05
Subject: Re: [XMLog] Re: Screenshot

Hi Mike: I just looked up one of the calls:TO6T
On the country line it says FJ and in the country name it says st barts.....
There are 2 ways I've found to get that error message: The first is to start mlog and the second is to update packet status.
Neither E7 or FJ is in the country list and none of the calls I've entered are in the callsign list including one I asked you about recently JA8MBK/JD1. If you recall I had to enter it both ways JD1/ and /JD1.
The only thing I've done recently is to upgrade to 5.5

Thanks again 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, July 07, 2008 23:09
Subject: [XMLog] Re: Screenshot

Hi Mal, Very strange then... If you use the "View/Show DXCC Country List" menu item are the FJ and E7 prefixes in the list as St Barts and Bosnia? If you go to the log entries noted in the error message are the Prefix/Country fields set correctly?

And by the way, what action did you take that caused the message to be displayed? (That "Create Summary" routine is called in lots of places, mostly the report generators).

Mike - W1ECT

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008 7:40 AM

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008 7:40 AM

[Non-text portions of this message have been removed]

2636. Re: [XMLog] Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-08 17:48:38 UTC
From: N7mal
Topic: 2628 Message: 2636

One of the benefits of being an 'ole-fart' is when you screw things up as badly as I have I can blame it on 'Senility'. (that's my story and I'm stickin to it).
A couple of months ago I had to modify the mlog icons. When I changed the icons for 'senility' reasons I changed the shortcut directory to my mlog backup directory, even though I was getting the icon from the mlog directory. I discovered all these 'screw-ups' when I ran the LOTW beta. I have everything now pointing to the mlog directory and even changed the name of the back-up directory.
The long/short of all this is I was my own worst enemy in all this and for that I apologize for all the bandwidth.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Tuesday, July 08, 2008 9:30
Subject: Re: [XMLog] Re: Screenshot

I am replying to my own reply..... I just installed the LOTW beta. I don't know why it just seemed like a good idea. Now E7 & FJ are there in fact all my callsigns are there.
I didn't do anything more than install the beta.........
I give-up, I surrender.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Tuesday, July 08, 2008 4:05

Subject: Re: [XMLog] Re: Screenshot

Hi Mike: I just looked up one of the calls:TO6T
On the country line it says FJ and in the country name it says st
barts.......
There are 2 ways I've found to get that error message: The first is to start
mlog and the second is to update packet status.
Neither E7 or FJ is in the country list and none of the calls I've entered
are in the callsign list including one I asked you about recently
JA8MBK/JD1. If you recall I had to enter it both ways JD1/ and /JD1.
The only thing I've done recently is to upgrade to 5.5

Thanks again 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, July 07, 2008 23:09
Subject: [XMLog] Re: Screenshot

Hi Mal, Very strange then... If you use the "View/Show DXCC Country
List" menu item are the FJ and E7 prefixes in the list as St Barts and
Bosnia? If you go to the log entries noted in the error message are the
Prefix/Country fields set correctly?

And by the way, what action did you take that caused the message to be
displayed? (That "Create Summary" routine is called in lots of places,
mostly the report generators).

Mike - W1ECT

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008
7:40 AM

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008
7:40 AM

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.6/1540 - Release Date: 7/8/2008
6:33 AM

[Non-text portions of this message have been removed]

2637. Re: [XMLog] Re: Screenshot

Yahoo group: XMLog
Date: 2008-07-08 18:33:06 UTC
From: N6NG
Topic: 2628 Message: 2637

We've all done something similar Mal...
Welcome to the club...

Dennis N6NG

N7mal wrote:
> One of the benefits of being an 'ole-fart' is when you screw things up as
> badly as I have I can blame it on 'Senility'. (that's my story and I'm
> stickin to it).
> A couple of months ago I had to modify the mlog icons. When I changed the
> icons for 'senility' reasons I changed the shortcut directory to my mlog
> backup directory, even though I was getting the icon from the mlog
> directory. I discovered all these 'screw-ups' when I ran the LOTW beta. I
> have everything now pointing to the mlog directory and even changed the name
> of the back-up directory.
> The long/short of all this is I was my own worst enemy in all this and for
> that I apologize for all the bandwidth.
> Best 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: N7mal
> To: XMLog@yahoogroups.com
> Sent: Tuesday, July 08, 2008 9:30
> Subject: Re: [XMLog] Re: Screenshot
>
>
> I am replying to my own reply..... I just installed the LOTW beta. I don't
> know why it just seemed like a good idea. Now E7 & FJ are there in fact all
> my callsigns are there.
> I didn't do anything more than install the beta.........
> I give-up, I surrender.
> 73
>
>
> MAL
> N7MAL

> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: N7mal
> To: XMLog@yahoogroups.com
> Sent: Tuesday, July 08, 2008 4:05
> Subject: Re: [XMLog] Re: Screenshot
>
>
> Hi Mike: I just looked up one of the calls:TO6T
> On the country line it says FJ and in the country name it says st
> barts.......
> There are 2 ways I've found to get that error message: The first is to start
> mlog and the second is to update packet status.
> Neither E7 or FJ is in the country list and none of the calls I've entered
> are in the callsign list including one I asked you about recently
> JA8MBK/JD1. If you recall I had to enter it both ways JD1/ and /JD1.
> The only thing I've done recently is to upgrade to 5.5
>
> Thanks again 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Monday, July 07, 2008 23:09
> Subject: [XMLog] Re: Screenshot
>
>
> Hi Mal, Very strange then... If you use the "View/Show DXCC Country
> List" menu item are the FJ and E7 prefixes in the list as St Barts and
> Bosnia? If you go to the log entries noted in the error message are the
> Prefix/Country fields set correctly?
>
> And by the way, what action did you take that caused the message to be
> displayed? (That "Create Summary" routine is called in lots of places,
> mostly the report generators).
>

> Mike - W1ECT
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG.
> Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008
> 7:40 AM
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG.
> Version: 8.0.138 / Virus Database: 270.4.6/1538 - Release Date: 7/7/2008
> 7:40 AM
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> No virus found in this incoming message.

> Checked by AVG.
> Version: 8.0.138 / Virus Database: 270.4.6/1540 - Release Date: 7/8/2008
> 6:33 AM
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>

--
Dennis N6NG
http://pages.sbcglobal.net/n6ng/
" Bigamy is having one wife too many. Monogamy is the same." Oscar Wilde

2638. utility program

Yahoo group: XMLog
Date: 2008-07-11 00:09:59 UTC
From: N7mal
Topic: 2638 Message: 2638

I am looking for some sort-of utility program that I can clean up the mess I've made with my logbook and LOTW.
Here's what I need: In the last 5 years I've worked HC8N(during contests) 25 times. I've imported my LOTW QSL's and now I have 50 contacts with HC8N. There are hundreds of other examples in my log and I want a utility to clean it up. I can't/won't do it manually by hand.
Fortunately award credit submissions are not based on my logbook but it would be nice to clean up the mess I've made.
Thanks in advance.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

2639. Re: utility program

Yahoo group: XMLog
Date: 2008-07-11 20:19:51 UTC
From: Adam
Topic: 2638 Message: 2639

Hi MAL,

I'm not quite sure what you mean by "mess I'v made". If you've worked a station 25 times you should have 25 LoTW entries for that station, and hopefully he has 25 for you. If you can elaborate a bit on what "the mess" is your tryingto clean up it may be easier to get more specific help to clean up "the mess.

Adam WK4P

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> I am looking for some sort-of utility program that I can clean up the mess
> I've made with my logbook and LOTW.
> Here's what I need: In the last 5 years I've worked HC8N(during contests) 25
> times. I've imported my LOTW QSL's and now I have 50 contacts with HC8N.
> There are hundreds of other examples in my log and I want a utility to clean
> it up. I can't/won't do it manually by hand.
> Fortunately award credit submissions are not based on my logbook but it
> would be nice to clean up the mess I've made.
> Thanks in advance.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
> [Non-text portions of this message have been removed]
>

2640. Re: [XMLog] Re: utility program

Yahoo group: XMLog
Date: 2008-07-11 20:24:14 UTC
From: Nelson Wittstock
Topic: 2638 Message: 2640

As I understand it, his log now shows each contact twice after the importing of LoTW. He needs to show on his original log that the contact has been confirmed through LoTW.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 7669 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

2641. Re: [XMLog] Re: utility program

Yahoo group: XMLog
Date: 2008-07-11 20:29:43 UTC
From: Tim Wright
Topic: 2638 Message: 2641

I think I will hold off on an XMLOG upgrade until you folks figure out what bugs need fixing and get them fixed.

Tim KD4OVM

om: Nelson Wittstock <k8djc@...>
Subject: Re: [XMLog] Re: utility program
To: XMLog@yahoogroups.com
Date: Friday, July 11, 2008, 4:24 PM

As I understand it, his log now shows each contact twice after the
importing of LoTW. He needs to show on his original log that the contact
has been confirmed through LoTW.

Nelson, K8DJC

--
I am using the free version of SPAMfighter for private users.
It has removed 7669 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfigh ter.com/len

[Non-text portions of this message have been removed]

2642. Re: [XMLog] Re: utility program

Yahoo group: XMLog
Date: 2008-07-11 21:09:55 UTC
From: N7mal
Topic: 2638 Message: 2642

Yes Adam I'll be happy to elaborate: Using the HC8N example again I have 25 contacts with him. I imported the LOTW file and now my logbook shows I have 50 contacts. At no time during the input process was I prompted about duplicate entry. I now have 25 duplicate entries. This same problem has happened with many contacts in my log that were confirmed on LOTW. Approx 25% of the contacts in my logbook have been confirmed on LOTW and that 25% is how much bigger my logbook has grown with duplicate contacts.
I hope that answers your question.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Adam
To: XMLog@yahoogroups.com
Sent: Friday, July 11, 2008 20:19
Subject: [XMLog] Re: utility program

Hi MAL,

I'm not quite sure what you mean by "mess I'v made". If you've worked a station 25 times you should have 25 LoTW entries for that station, and hopefully he has 25 for you. If you can elaborate a bit on what "the mess" is your tryingto clean up it may be easier to get more specific help to clean up "the mess.

Adam WK4P

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> I am looking for some sort-of utility program that I can clean up the mess
> I've made with my logbook and LOTW.
> Here's what I need: In the last 5 years I've worked HC8N(during contests) 25
> times. I've imported my LOTW QSL's and now I have 50 contacts with HC8N.
> There are hundreds of other examples in my log and I want a utility to clean
> it up. I can't/won't do it manually by hand.

> Fortunately award credit submissions are not based on my logbook
but it
> would be nice to clean up the mess I've made.
> Thanks in advance.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.7/1546 - Release Date: 7/11/2008
6:47 AM

[Non-text portions of this message have been removed]

2643. Re: [XMLog] Re: utility program

Yahoo group: XMLog
Date: 2008-07-11 23:08:32 UTC
From: Jim Roller
Topic: 2638 Message: 2643

Uhhhh, you did back up your log before you did the LotW thing?

73/GL,

Jim, N4IR

[Non-text portions of this message have been removed]

2644. Re: utility program

Yahoo group: XMLog
Date: 2008-07-12 15:17:52 UTC
From: Mike McAmis
Topic: 2638 Message: 2644

Hi Mal, Unless you have disabled backups XMLog will do a log backup before any ADIF import or a "Apply LoTW to Log" operation. The backup files are saved in folder name "Backups" in your XMLog install folder.

Mike - W1ECT

2645. RE: [XMLog] Re: utility program

Yahoo group: XMLog
Date: 2008-07-13 16:57:39 UTC
From: Craig Bradley
Topic: 2638 Message: 2645

Hi Mal,

Are you exporting and uploading Qs from your contest logger (WriteLog?) directly into LoTW? If so, the "mess" may be in LoTW. Check for duplicates there. WriteLog keeps the QSO time in HH:MM:SS format, XMLog keeps it in HH:MM only. If you upload the same Q with both formats, LoTW will consider them separate Qs and you will have duplicates in LoTW, then if you download from LoTW to XMLog, you will replicate them there also.

I did this ONCE and I found out that there is no way to delete the Qs from LoTW, they are in there forever. Now I always import the Qs into XMLog first and then upload to LoTW. XMLog either truncates the seconds or rounds them up, I am not sure, then you are always uploading to LoTW in the same format.

Unfortunately if the mess is in LoTW, cleaning up XMLog will not help as you will get them back again.

Mike,

Maybe you can check for this type of a duplicate during the import process, which would probably be a good idea.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7mal
Sent: Friday, July 11, 2008 2:10 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: utility program

Yes Adam I'll be happy to elaborate: Using the HC8N example again I have 25 contacts with him. I imported the LOTW file and now my logbook shows I have 50 contacts. At no time during the input process was I prompted about duplicate entry. I now have 25 duplicate entries. This same problem has happened with many contacts in my log that were confirmed on LOTW. Approx 25% of the contacts in my logbook have been confirmed on LOTW and that 25% is how much bigger my logbook has grown with duplicate contacts.
I hope that answers your question.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ

http://www.n7mal. <http://www.n7mal.com> com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Adam
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, July 11, 2008 20:19
Subject: [XMLog] Re: utility program

Hi MAL,

I'm not quite sure what you mean by "mess I'v made". If you've
worked a station 25 times you should have 25 LoTW entries for that
station, and hopefully he has 25 for you. If you can elaborate a bit
on what "the mess" is your tryingto clean up it may be easier to get
more specific help to clean up "the mess.

Adam WK4P

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "N7mal"
<n7mal@...> wrote:
>
> I am looking for some sort-of utility program that I can clean up
the mess
> I've made with my logbook and LOTW.
> Here's what I need: In the last 5 years I've worked HC8N(during
contests) 25
> times. I've imported my LOTW QSL's and now I have 50 contacts with
HC8N.
> There are hundreds of other examples in my log and I want a utility
to clean
> it up. I can't/won't do it manually by hand.
> Fortunately award credit submissions are not based on my logbook
but it
> would be nice to clean up the mess I've made.
> Thanks in advance.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. <http://www.n7mal.com> com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
> [Non-text portions of this message have been removed]

>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG.
Version: 8.0.138 / Virus Database: 270.4.7/1546 - Release Date: 7/11/2008
6:47 AM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2646. Re: utility program, LoTW record matching

Yahoo group: XMLog
Date: 2008-07-13 23:33:24 UTC
From: Mike McAmis
Topic: 2638 Message: 2646

Hi Craig, Actually the "Apply LoTW Data to Log" function already does a search using a time window of +/- three minutes. (If this gets multiple results, the one with the closest time gets used). If this doesn't get any result a "fuzzier" search is used with a +/- ten minute window along with "fuzzier" mode matching criteria (all Phone modes equivalent, all Data modes equivalent, etc.)

The ADIF import doesn't do this since I assume that the only reason there would be a dupe here is if you are re-importing the same ADIF file. Perhaps this LoTW fuzzy log entry matcher would be appropriate for ADIF imports to catch the problem you had with WriteLog - I'll have to try to duplicate that here since XMLog should chop the date/times to the same value on a subsequent re-import of an ADIF file.

Mike - W1ECT

2647. Re: [XMLog] Re: utility program, LoTW record matching

Yahoo group: XMLog
Date: 2008-07-14 05:04:20 UTC
From: N7mal
Topic: 2638 Message: 2647

Let me add a little maybe to help undo some of the misunderstanding(since I asked the original question)
Mike long before you started working on the LOTW interface I downloaded my LOTW QSL Rcvd file as an ADIF format. I then imported that file into xmlog. I ass/u/me/d(assumed) xmlog would query me about the duplicate entries. Since there were no queries I again assumed xmlog had dealt with the duplicates. I had an even higher degree of confidence xmlog dealt with it because the QSO count remained the same, it neither increased or decreased. I would naturally have expected that because I wasn't importing any new QSO's, only LOTW QSL's.
As a result I have a significantly larger log than the QSO count reflects. I am aware of the problems so it's not critical to any awards. I only apply for awards based solely on LOTW QSL's as posted on the ARRL page using their format. Xmlog is not in any way involved in the award process.
A little background: I've never been interested in awards in 50 years as a ham. I've been the rarest DX in the world, have won contests, etc etc. Awards have never been a priority. With the advent of LOTW the ARRL has made the award process almost idiot proof(with me in mind). Now my only interest is in cleaning up my logbook.
Hope this added light from a slightly different direction.
Vy Best 73....

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, July 13, 2008 23:33
Subject: [XMLog] Re: utility program, LoTW record matching

Hi Craig, Actually the "Apply LoTW Data to Log" function already does a search using a time window of +/- three minutes. (If this gets multiple results, the one with the closest time gets used). If this doesn't get any result a "fuzzier" search is used with a +/- ten minute window along with "fuzzier" mode matching criteria (all Phone modes equivalent, all Data modes equivalent, etc.)

The ADIF import doesn't do this since I assume that the only reason there would be a dupe here is if you are re-importing the same ADIF file. Perhaps this LoTW fuzzy log entry matcher would be appropriate

for ADIF imports to catch the problem you had with WriteLog - I'll have to try to duplicate that here since XMLog should chop the date/times to the same value on a subsequent re-import of an ADIF file.

Mike - W1ECT

[Non-text portions of this message have been removed]

2648. Re: [XMLog] Re: utility program, LoTW record matching MORE

Yahoo group: XMLog
Date: 2008-07-14 05:13:22 UTC
From: N7mal
Topic: 2648 Message: 2648

Here is an ADIF record of just one of the entries in question. This
may/may-not help in the head-scratching process:

<QSO_DATE:8:D>20071124 <TIME_ON:4>0942 <CALL:4>HC8N <FREQ:5>7.000
<BAND:3>40M
<MODE:2>CW <CQZ:2>10 <DXCC:2>71 <QSLRDATE:8:D>20071130 <QSL_RCVD:1>Y
<GRIDSQUARE:4>EI59 <IOTA:6>SA-004
<STATION_CALLSIGN:5>N7MAL <OPERATOR:5>N7MAL <MY_CQ_ZONE:2>03
<MY_GRIDSQUARE:4>DM25 <MY_LAT:11>N035 00.000 <MY_LONG:11>W114 10.000
<MY_STATE:2>AZ <MY_COUNTRY:3>291 <EOR>

<QSO_DATE:8:D>20071124 <TIME_ON:4>0942 <CALL:4>HC8N <FREQ:5>7.019
<BAND:3>40M
<RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>CW <CQZ:2>10 <DXCC:2>71
<COMMENT:24>CQ WORLD WIDE DX CONTEST
<STATION_CALLSIGN:5>N7MAL <OPERATOR:5>N7MAL <MY_CQ_ZONE:2>03
<MY_GRIDSQUARE:4>DM25 <MY_LAT:11>N035 00.000 <MY_LONG:11>W114 10.000
<MY_STATE:2>AZ <MY_COUNTRY:3>291 <EOR>

The first record is what was received from the ARRL. The second record is
what I imported into xmlog, as an ADIF, immediately after the contest. In
other words the first entry was received several months after the second
entry....
Hope it helps.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Monday, July 14, 2008 5:04
Subject: Re: [XMLog] Re: utility program, LoTW record matching

Let me add a little maybe to help undo some of the misunderstanding(since I
asked the original question)
Mike long before you started working on the LOTW interface I downloaded my
LOTW QSL Rcvd file as an ADIF format. I then imported that file into xmlog.
I ass/u/me/d(assumed) xmlog would query me about the duplicate entries.
Since there were no queries I again assumed xmlog had dealt with the

duplicates. I had an even higher degree of confidence xmlog dealt with it because the QSO count remained the same, it neither increased or decreased. I would naturally have expected that because I wasn't importing any new QSO's, only LOTW QSL's.
As a result I have a significantly larger log than the QSO count reflects. I am aware of the problems so it's not critical to any awards. I only apply for awards based solely on LOTW QSL's as posted on the ARRL page using their format. Xmlog is not in any way involved in the award process.
A little background: I've never been interested in awards in 50 years as a ham. I've been the rarest DX in the world, have won contests, etc etc. Awards have never been a priority. With the advent of LOTW the ARRL has made the award process almost idiot proof(with me in mind). Now my only interest is in cleaning up my logbook.
Hope this added light from a slightly different direction.
Vy Best 73....

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Sunday, July 13, 2008 23:33
Subject: [XMLog] Re: utility program, LoTW record matching

Hi Craig, Actually the "Apply LoTW Data to Log" function already does a search using a time window of +/- three minutes. (If this gets multiple results, the one with the closest time gets used). If this doesn't get any result a "fuzzier" search is used with a +/- ten minute window along with "fuzzier" mode matching criteria (all Phone modes equivalent, all Data modes equivalent, etc.)

The ADIF import doesn't do this since I assume that the only reason there would be a dupe here is if you are re-importing the same ADIF file. Perhaps this LoTW fuzzy log entry matcher would be appropriate for ADIF imports to catch the problem you had with WriteLog - I'll have to try to duplicate that here since XMLog should chop the date/times to the same value on a subsequent re-import of an ADIF file.

Mike - W1ECT

[Non-text portions of this message have been removed]

2649. Re: utility program, LoTW record matching vs ADIF

Yahoo group: XMLog
Date: 2008-07-14 23:03:58 UTC
From: Mike McAmis
Topic: 2648 Message: 2649

Hi Mal, When doing an ADIF import XMLog checks the Date/Time/Frequency/Mode when looking for dupes (no fuzzy checks here). Since the Frequency in the LoTW entry just has the band (7.000 rather than 7.019) the dupe check failed and the record was added as a new log entry.

A bit strange that the full frequency info was lost. Perhaps that info isn't taken from the log info you provide to LoTW and is taken from the info provided by the other guy? Or since LoTW is done by band and not frequency the detail is lost? Or maybe it was (is) a bug in LoTW...

In any case since you did the operation long ago there's no way to undo it. I can't believe that the log entry count didn't reflect any added entries.

One result of this is that I made a change to check the file header to see if a "ProgramID=LoTW" is present. If the file is flagged as LoTW I won't let you specify it for a ADIF import. If the file is not flagged as LoTW and you try a LoTW Apply or Validate operation I'll display a message noting that the file doesn't appear to be an "official" LoTW file and give you the option on continuing anyway.

Still working on the LoTW edit updates so it will be a few more days until a new version appears.

Mike - W1ECT

2650. RE: [XMLog] Re: utility program, LoTW record matching

Yahoo group: XMLog
Date: 2008-07-16 05:50:29 UTC
From: Craig Bradley
Topic: 2638 Message: 2650

Hi Mike,

I haven't had this problem myself. I do have dupes in LoTW, but I haven't played with the new software enough to see if they are coming back from LoTW. It doesn't look like that will be a problem. I was just throwing out an idea.

I have one QSL duplicated in LoTW from VP6DX on 80m. They both have the same time and frequency (in the CW band) but one has CW for the mode and the other has SSB. This error came from their log, not mine and they are both QSL'd with my one QSO on 80 CW. Fortunately, I also have a 80m SSB confirmed too.

One question: If for some reason, you lost your log file, can you download it (the whole log) from LoTW with the new XMLog? This happened to someone that I know and he said that his logging program (I don't remember what he is using) recovered the whole log back from LoTW. It is nice to know that your log is backed up there!

One thought on QSLs from LoTW with differing data, if you have say a station logged with one state, grid, etc. (probably from QRZ.com) and LoTW gives you a different record, how about an option to duplicate the QSO and save both in the log. That way you would not lose the information as the station could have moved and you don't know which is correct. Just a thought.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Sunday, July 13, 2008 4:33 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: utility program, LoTW record matching

Hi Craig, Actually the "Apply LoTW Data to Log" function already does a search using a time window of +/- three minutes. (If this gets multiple results, the one with the closest time gets used). If this doesn't get any result a "fuzzier" search is used with a +/- ten minute window along with "fuzzier" mode matching criteria (all Phone modes equivalent, all Data modes equivalent, etc.)

The ADIF import doesn't do this since I assume that the only reason there would be a dupe here is if you are re-importing the same ADIF file. Perhaps this LoTW fuzzy log entry matcher would be appropriate

for ADIF imports to catch the problem you had with WriteLog - I'll have to try to duplicate that here since XMLog should chop the date/times to the same value on a subsequent re-import of an ADIF file.

Mike - W1ECT

[Non-text portions of this message have been removed]

2651. Re: [XMLog] Re: utility program, LoTW record matching

Yahoo group: XMLog
Date: 2008-07-16 06:24:13 UTC
From: N7mal
Topic: 2638 Message: 2651

Hi Craig: In my case the dupes on LOTW are not the problem. I keep using HC8N as a reference and I started out with 13 QSO's in my log, I now have 25.Every QSO in my log with 1 exception matches perfectly what I downloaded. So now for 12 HC8N contacts I have 12 duplicate LOTW QSL entries.

I can answer your second question: The public answer is no or 'h'-no. But if you ask very nicely and act really pathetic they will do it for you. I had it explained why they really really frown on it. They will not allow a user to go in and get their log, someone from the ARRL must do it from their server. The only thing a user can download is their QSL's and even then they prefer you use the short form instead of the long form.

Good Luck...73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Wednesday, July 16, 2008 5:50
Subject: RE: [XMLog] Re: utility program, LoTW record matching

Hi Mike,

I haven't had this problem myself. I do have dupes in LoTW, but I haven't played with the new software enough to see if they are coming back from LoTW. It doesn't look like that will be a problem. I was just throwing out an idea.

I have one QSL duplicated in LoTW from VP6DX on 80m. They both have the same time and frequency (in the CW band) but one has CW for the mode and the other has SSB. This error came from their log, not mine and they are both QSL'd with my one QSO on 80 CW. Fortunately, I also have a 80m SSB confirmed too.

One question: If for some reason, you lost your log file, can you download it (the whole log) from LoTW with the new XMLog? This happened to someone that I know and he said that his logging program (I don't remember what he is using) recovered the whole log back from LoTW. It is nice to know that your log is backed up there!

One thought on QSLs from LoTW with differing data, if you have say a station logged with one state, grid, etc. (probably from QRZ.com) and LoTW gives you a different record, how about an option to duplicate the QSO and save both in the log. That way you would not lose the information as the station could have moved and you don't know which is correct. Just a thought.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2652. New Beta 5.51 - OmniRig

Yahoo group: XMLog
Date: 2008-07-24 19:55:48 UTC
From: Mike McAmis
Topic: 2652 Message: 2652

Hi, I've just posted a new XMLog version at www.xmlog.com/beta

This version includes support for an alternate rig control interface from VE3NEA called "OmniRig". This freeware package is available at www.dxatlas.com and allows multiple applications that use the OmniRig interface to access the rig port at the same time. At this point the only other application I know using OmniRig is CWSkimmer (also available at www.dxatlas.com). Support for XMLog's built-in rig interface is still available so you won't have to install OmniRig unless you want to play around with it.

One side effect of using OmniRig is that it uses a rig polling scheme and periodically gets the frequency and mode from the rig. For those of you who have been asking for a rig polling feature, this should do the trick.

Those of you who have been playing around with CWSkimmer might try enabling the CWSkimmer Telenet node support. At this point you can connect to CWSkimmer as though it were a normal Internet PacketCluster node (address "localhost 7300"). Now CWSkimmer will start sending out info on the stations it identifies as DX spots! (and you can double-click on them in any of the Packet display windows).

I've also posted a matching LoTW prototype version at www.xmlog.com/lotw Hopefully this version addresses most of the remaining LoTW support issues (except for upgrading the reports created by the Awards menu items to provide seperate LoTW/non-LoTW info).

Mike - W1ECT

2653. My Latitude entry

Yahoo group: XMLog
Date: 2008-07-25 02:35:32 UTC
From: bobragman
Topic: 2653 Message: 2653

I am unable to get the program to accept my latitude numbers entry no matter what format I have tried. Can someone please help me out with this problem ?

Thanking you all in advance BRM >>>

2654. Re: My Latitude entry

Yahoo group: XMLog
Date: 2008-07-25 03:31:14 UTC
From: Mike McAmis
Topic: 2653 Message: 2654

Hi, Values are degrees and minutes (and the minutes can have a fractional part). For example...

Lat: 43 43.79 N
Long: 72 11.38 W

Mike - W1ECT

2655. cw keyboard for K3

Yahoo group: XMLog
Date: 2008-07-27 18:19:28 UTC
From: zamba0321
Topic: 2655 Message: 2655

Hi

I tried selecting the same COM1 port I'm using
for rig control as for the CW keyboard and XMLOG does not allow it.

The K3 can use the RTS or DTR line as the key-in line ...
any way for XMLOG to do that ?

thanks
Joe

2656. Re: cw keyboard for K3

Yahoo group: XMLog
Date: 2008-07-27 19:25:27 UTC
From: Mike McAmis
Topic: 2655 Message: 2656

Hi Joe - XMLog still requires a unique COM port for CW, Packet TNCs, Rotor control, and Rig control.

You can free up the CW COM port if you use a K1EL WinKey USB which is supported by XMLog and most other logging/contest programs.

Mike - W1ECT

2657. LoTW Prototype - Version 5.52

Yahoo group: XMLog
Date: 2008-08-11 17:47:21 UTC
From: Mike McAmis
Topic: 2657 Message: 2657

Hi, I've just posted beta version 5.52 at www.xmlog.com/beta and the associated LoTW prototype at www.xmlog.com/lotw

The "Summary" and "Checklist" reports now include a "Show Confirmation Sources" option...

- When this option is enabled for the "Summary" report two additional columns are displayed which show the total number of QSL card and LoTW confirmations for each band/mode. Note that the sum of these two columns can be greater than the value in the "Confirmed" column when you have both a QSL card and a LoTW confirmation for a country (or state) for that band/mode.

- When this option is enabled for the "Checklist" report an additional line for each country (or state) is displayed that indicates the confirmation sources for each band/mode (card, LoTW, or eQSL).

This version also implements a new "Include LoTW Confirmations" option for the DXCC and WAS reports that allow you to either include or ignore LoTW confirmations. Note that this option is now also displayed when you choose the "DX/Update Packet DXCC Status" menu item (sorry, I know this used to be an option-less operation).

I don't have any plans to add any other LoTW functionality so if you feel something else is needed, let me know.

Mike - W1ECT

2658. Making A new log entry

Yahoo group: XMLog
Date: 2008-08-17 00:48:51 UTC
From: bobragman
Topic: 2658 Message: 2658

How do I get to where I can enter a new contact and save it into my log book ? If I open my imported log how do I add new entries into the same log ?

I am new to this program and very ignorant of how it works even with the use of the help file. Any and all help will be appreciated.

Thanking all of you in advance , K8RAG >>>

2659. Re: [XMLog] Making A new log entry

Yahoo group: XMLog
Date: 2008-08-17 01:03:29 UTC
From: W3GER
Topic: 2658 Message: 2659

>How do I get to where I can enter a new contact and save it into my
log book ?

Control-A.

After you've filled in all the fields for the entry, click ADD down at the bottom. Then the prog. is ready to take the next entry until you click STOP.

When starting a session, you may wish to pull down the EDIT menu and EDIT DEFAULTS... . You can enter values for the band, mode, power, etc., and specify automatic insertion of the date and time. Click USE DEFAULTS and they'll be filled in to each entry.

73 de W3GERry

[Non-text portions of this message have been removed]

2660. RE: [XMLog] Making A new log entry

Yahoo group: XMLog
Date: 2008-08-17 19:47:45 UTC
From: Craig Bradley
Topic: 2658 Message: 2660

You can also use Edit/Add new entry.

You should also go to Options/Station info and fill that in before added QSOs if you haven't done so.

If you want the stations address imported from QRZ.com or another database, set that up under Options/Callbook setup too.

If you haven't set these options up, you may want to start over, set them up and then import your old logs so the fields will be filled for each entry.

73 & have fun!

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of W3GER
Sent: Saturday, August 16, 2008 6:03 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Making A new log entry

>How do I get to where I can enter a new contact and save it into my log book ?

Control-A.

After you've filled in all the fields for the entry, click ADD down at the bottom. Then the prog. is ready to take the next entry until you click STOP.

When starting a session, you may wish to pull down the EDIT menu and EDIT DEFAULTS... . You can enter values for the band, mode, power, etc., and specify automatic insertion of the date and time. Click USE DEFAULTS and they'll be filled in to each entry.

73 de W3GERry

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2661. LoTW Prototype - Ready for prime time?

Yahoo group: XMLog
Date: 2008-09-08 23:54:33 UTC
From: Mike McAmis
Topic: 2661 Message: 2661

Hi - I'm considering making the "LoTW prototype" version the normal beta version to give it more exposure. Is there anything you feel needs to be done before this happens?

Mike - W1ECT

2662. Creating reports

Yahoo group: XMLog
Date: 2008-09-15 06:30:49 UTC
From: Tim
Topic: 2662 Message: 2662

Hey all,

What I want to do is creat a report that will show all entries
with/with out QSL information so I can figure which ones I have
sent/received or both.

I have tried everything that I can find. I'm running ver 5.49.

I am thinking about converting over to LOTW but I'm unable to dl some
of the necessary files do to MS not accepting my OS as a true MS OS.
Running WinXP PRO

I'll wait on the LOTW until I upgrade systems.

2663. Re: Creating reports

Yahoo group: XMLog
Date: 2008-09-17 14:14:10 UTC
From: Mike McAmis
Topic: 2662 Message: 2663

Hi Tim, Not sure what you are looking for... Have you tried the various reports under the Awards/DXCC menu item?

Mike - W1ECT

2664. Re: [XMLog] Re: Creating reports

Yahoo group: XMLog
Date: 2008-09-18 00:07:12 UTC
From: Tim Wright
Topic: 2662 Message: 2664

I think I have it figured out. All I need now is about 3 reems of paper and about 4 black and color ink carts

Thanks

EVERYONE GOES HOME!!

Tim Wright KD4OVM

To join the Greenup County Fire Fighters Association's GROUPS Listing,
Sponsored by YAHOO, send a request to:

gcffa-subscribe@yahoogroups.com

You Must be a member of a fire department in Greenup County Kentucky to
join this list.

--- On Wed, 9/17/08, Mike McAmis <w1ect@xmlog.com> wrote:

From: Mike McAmis <w1ect@...>
Subject: [XMLog] Re: Creating reports
To: XMLog@yahoogroups.com
Date: Wednesday, September 17, 2008, 10:14 AM

Hi Tim, Not sure what you are looking for... Have you tried the various
reports under the Awards/DXCC menu item?

Mike - W1ECT

[Non-text portions of this message have been removed]

2665. CW credit

Yahoo group: XMLog
Date: 2008-10-01 21:40:33 UTC
From: witstock7
Topic: 2665 Message: 2665

I have a problem with XMLog not giving me credit for one of my CW contacts. The QSL Sent and QSL Received boxes both have dates in them as do the Signal Report boxes. I have tried the Packet Update multiple times and still when the "entity" is posted on packet the listing shows that I need the credit for CW. I do have many other recognized CW credits but this refuses to accept the qso. How do I get the program to recognize my qso?

Nelson, K8DJC

2666. Re: CW credit

Yahoo group: XMLog
Date: 2008-10-02 20:49:16 UTC
From: Mike McAmis
Topic: 2665 Message: 2666

Hi Nelson, One thing to check before we did deeper - was the QSO date on or after 01/01/75? The ARRL CW DXCC awards don't credit QSOs before this date (they do count for Mixed however).

Mike - W1ECT

2667. Re: [XMLog] Re: CW credit

Yahoo group: XMLog
Date: 2008-10-02 22:10:01 UTC
From: Nelson Wittstock
Topic: 2665 Message: 2667

That explains it, Mike. The contact was from 1958. It will be no problem
to make another but until now I saw no reason to. I guess I'm just too much
of an old-timer. Thanks for the explanation.

Nelson, K8DJC
(Since 1956)

--
I am using the free version of SPAMfighter for Personal use.
SPAMfighter has removed 13379 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Trial and Professional version does not have this message in the email

2668. XMLog 6.01 and RTTY with the FT100MP

Yahoo group: XMLog
Date: 2008-10-11 23:49:31 UTC
From: Matt
Topic: 2668 Message: 2668

I just acquired an FT1000MP and set up rig control with MLog 6.01. However, when I select a 20 Meter RTTY packet spot from the list of real-time spots in the packet window, the mode sent to the rig is FSK (U) (FSK-USB) rather than FSK(L) {FSK-LSB} - [here is the HEX stream sent to the rig: 00 00 00 09 0C 40 86 40 01 0A]. I verified this by sniffing the serial port and validated that the data sent included the FSK(U) command. The mode should be FSK(L). Clicking on 40 Meter RTTY packet spots results in the correct mode being sent FSK (L) [here is the HEX stream sent to the rig: 00 00 00 08 0C 40 34 70 00 0A].

Clicking on historical RTTY packet spots in the packet window (generated via sh/dx sent to the cluster) actually sent CW as the mode rather than FSK(L) [02 0C]. This also occurs in Mlog 5.49.

Testing with WriteLog demonstrates the FSK(L) for the same spots.

Does anyome know how to fix this?

Thanks!

Matt, WE1H

2669. Re: XMLog 6.01 and RTTY with the FT100MP

Yahoo group: XMLog
Date: 2008-10-12 02:15:13 UTC
From: Mike McAmis
Topic: 2668 Message: 2669

Hi Matt, Go to the "Options/HF Rig Port Options" menu item and select the appropriate "Data Mode" option.

Mike - W1ECT

2670. RE: [XMLog] Re: XMLog 6.01 and RTTY with the FT100MP

Yahoo group: XMLog
Date: 2008-10-12 10:27:41 UTC
From: Matt Atwood
Topic: 2668 Message: 2670

Thanks for the quick reply Mike. I knew I forgot to add something to the post! The "Data/FSK" radio button is selected. With RTTY, I would expect the rig to go to FSK-LSB when this is set since LSB is the RTTY standard. Is there a different setting for that?

Matt, WE1H

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Saturday, October 11, 2008 22:15 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog 6.01 and RTTY with the FT100MP

Hi Matt, Go to the "Options/HF Rig Port Options" menu item and select the appropriate "Data Mode" option.

Mike - W1ECT

[Non-text portions of this message have been removed]

2671. Re: XMLog 6.01 and RTTY with the FT100MP

Yahoo group: XMLog
Date: 2008-10-12 14:32:17 UTC
From: Mike McAmis
Topic: 2668 Message: 2671

Hi Matt, The "FSK" setting is there for rigs that have an explicit FSK mode that shifts the carrier within the transmitter (e.g., does not use audio from your PC and is only for RTTY, not PSK, etc). If you want to drive your rig from your sound card, pick the appropriate USB, LSB, or USB/LSB modes.

Also, if a spot does not contain RTTY, PSK31, or some other indicator in the comment XMLog will not treat it as a data mode spot.

Mike - W1ECT

2672. RE: [XMLog] Re: XMLog 6.01 and RTTY with the FT100MP

Yahoo group: XMLog
Date: 2008-10-12 17:00:49 UTC
From: Matt Atwood
Topic: 2668 Message: 2672

Hmmm... I am using FSK, not AFSK, and the spots do have RTTY as an in-line comment with them, and the FT-1000MP has an explicit FSK mode setting. According to the FT-1000MP manual, there are two HEX commands that can be sent to the rig for the RTTY mode; RTTY-LSB (the 'standard' which is 0C 08) and RTTY-USB (which is 0C 09). Mlog sends the HEX command for RTTY-USB when I click on a real-time RTTY spot (or it sends the HEX for CW (0C 02) when I click on a historical RTTY spot). Using a serial port sniffer, I followed the comms between MLog, my COM port and the rig... when I click on a real-time RTTY spot for 14.086.40 MHz, the application sends the following HEX to the rig:
00 00 00 09 0C 40 86 40 01 0A

which corresponds to

Freq: 14.086.40
Mode: RTTY-USB

What should be sent (according to my understanding of rig control and RTTY operating parameters) is:
00 00 00 08 0C 40 86 40 01 0A

Freq: 14.086.40
Mode: RTTY-LSB

In order for me to work a RTTY Q when I click on a spot and MLog sends the RTTY-USB command to the rig, I have to change the mode to RTTY-LSB and I lose the operating frequency. I have looked at all of the settings in the MP's manual and cannot find anything to fix this. It seems software related. I checked with some other rig control s/w as well and they send RTTY-LSB which corresponds to what I would expect.

Thanks,

- Matt, WE1H

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Sunday, October 12, 2008 10:32 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog 6.01 and RTTY with the FT100MP

Hi Matt, The "FSK" setting is there for rigs that have an explicit FSK mode that shifts the carrier within the transmitter (e.g., does not use audio from your PC and is only for RTTY, not PSK, etc). If you want to drive your rig from your sound card, pick the appropriate USB, LSB, or USB/LSB modes.

Also, if a spot does not contain RTTY, PSK31, or some other indicator in the comment XMLog will not treat it as a data mode spot.

Mike - W1ECT

[Non-text portions of this message have been removed]

2673. "Import/Export XMLog Text File" Feature

Yahoo group: XMLog
Date: 2008-10-13 18:20:45 UTC
From: Mike McAmis
Topic: 2673 Message: 2673

Hi - I think it's about time to get rid of the old "Import/Export XMLog Text File" feature. It was implemented long before ADIF came along and I think it's about time for retirement (just to remove some menu clutter). Anybody out there still using it?

I'll also remove the old "Import CT .res" file.

Mike - W1ECT

2674. Re: [XMLog] "Import/Export XMLog Text File" Feature

Yahoo group: XMLog
Date: 2008-10-14 00:03:35 UTC
From: N7mal
Topic: 2673 Message: 2674

Hi Mike: While you're at it how about a simple way to export to ADIF by date.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, October 13, 2008 18:20
Subject: [XMLog] "Import/Export XMLog Text File" Feature

Hi - I think it's about time to get rid of the old "Import/Export XMLog Text File" feature. It was implemented long before ADIF came along and I think it's about time for retirement (just to remove some menu clutter). Anybody out there still using it?

I'll also remove the old "Import CT .res" file.

Mike - W1ECT

[Non-text portions of this message have been removed]

2675. multiple text string searches

Yahoo group: XMLog
Date: 2008-10-23 11:13:05 UTC
From: Bill
Topic: 2675 Message: 2675

I am trying to search the address 4 line with multiple terms. One search term will work, but when you try to use the and/or operators, I get no results.

I keep my skcc and fists numbers in address 4. I want to search for skcc numbers that end with C and T. This should work:
=*[c];*[t]
or this one:
=*skcc*,*[c],*[t]

I tried using every combination that I could think of. Is this just a bug or am I doing something wrong? I am using the latest version.
Thanks for any help.
73, Bill NT9K
http://www.nt9k.com

2676. adding entry

Yahoo group: XMLog
Date: 2008-10-22 17:27:06 UTC
From: Barry
Topic: 2676 Message: 2676

i need help guys, i see no add or edit or the control A dont add entry

i have filled in my station info mostly some of it i dont no

barry

2677. Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-23 16:16:50 UTC
From: Mike McAmis
Topic: 2675 Message: 2677

```
--- In XMLog@yahoogroups.com, "Bill" <Bill@...> wrote:
>
> I am trying to search the address 4 line with multiple terms. One
> search term will work, but when you try to use the and/or operators, I
> get no results.
>
> I keep my skcc and fists numbers in address 4. I want to search for
> skcc numbers that end with C and T. This should work:
> =*[c];*[t]
> or this one:
> =*skcc*,*[c],*[t]
>
> I tried using every combination that I could think of. Is this just a
> bug or am I doing something wrong? I am using the latest version.
> Thanks for any help.
> 73, Bill NT9K
> http://www.nt9k.com
>
```

2678. Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-23 16:21:14 UTC
From: Mike McAmis
Topic: 2675 Message: 2678

Hi Bill,

I think the problem is that the [and] are used for specifiying a
ranges of values for search keys. For example:

=*[a-c]

would find all fields ending in a, b or c.

It could be that the [a] and [b] are being treated as range values...
(a to a? and b to b?), I'll check...

Mike - W1ECT

>
> I am trying to search the address 4 line with multiple terms. One
> search term will work, but when you try to use the and/or operators, I
> get no results.
>
> I keep my skcc and fists numbers in address 4. I want to search for
> skcc numbers that end with C and T. This should work:
> =*[c];*[t]
> or this one:
> =*skcc*,*[c],*[t]
>
> I tried using every combination that I could think of. Is this just a
> bug or am I doing something wrong? I am using the latest version.
> Thanks for any help.
> 73, Bill NT9K
> http://www.nt9k.com
>

2679. Re: [XMLog] adding entry

Yahoo group: XMLog
Date: 2008-10-23 17:50:49 UTC
From: WILLIS COOKE
Topic: 2676 Message: 2679

Barry, to enter a new record click on Edit and the first option is Add New Entry. Fill in the info and then click the Add button. To edit a previous entry click on the Stop button if you are in the ADD mode, then click on Select, enter what you know about the entry then click Select. Scroll to find the entry you want to change then click Modify and change your data.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 10/22/08, Barry <k8tkf@...> wrote:

> From: Barry <k8tkf@...>
> Subject: [XMLog] adding entry
> To: XMLog@yahoogroups.com
> Date: Wednesday, October 22, 2008, 10:27 AM
> i need help guys, i see no add or edit or the control A dont
> add entry
>
> i have filled in my station info mostly some of it i dont
> no
>
> barry
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2680. Re: [XMLog] multiple text string searches

Yahoo group: XMLog
Date: 2008-10-23 17:55:37 UTC
From: WILLIS COOKE
Topic: 2675 Message: 2680

Bill, your problem may be the way you enter the multiple strings. If you separate them with a comma DO NOT use a space after the comma. Many of us learned to put a space after the comma in typing class, but that does not work in XMLog.

Willis 'Cookie' Cooke
K5EWJ

--- On Thu, 10/23/08, Bill <Bill@...> wrote:

> From: Bill <Bill@...>
> Subject: [XMLog] multiple text string searches
> To: XMLog@yahoogroups.com
> Date: Thursday, October 23, 2008, 4:13 AM
> I am trying to search the address 4 line with multiple
> terms. One
> search term will work, but when you try to use the and/or
> operators, I
> get no results.
>
> I keep my skcc and fists numbers in address 4. I want to
> search for
> skcc numbers that end with C and T. This should work:
> =*[c];*[t]
> or this one:
> =*skcc*,*[c],*[t]
>
> I tried using every combination that I could think of. Is
> this just a
> bug or am I doing something wrong? I am using the latest
> version.
> Thanks for any help.
> 73, Bill NT9K
> http://www.nt9k.com
>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2681. Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-23 18:56:29 UTC
From: Bill
Topic: 2675 Message: 2681

I figure out part of this puzzle. You can't use comma or semicolon for
text string searches. To string multiple text string search criteria
just use no separator. For example
to pull skcc and all numbers ending with T
=*skcc**[t]

that will work, but when I add the C, it fails
=*skcc**[t]*[c]

I tried this too:
=*skcc**t*c

What happens is it strings my criteria as AND instead of OR. So, the
above example only returns records with all criteria.(skcc, c and t).
I want to say if contains skcc or c or t, then pull the record.

I'll figure it out, thanks for the help.
73, Bill NT9K
http://www.nt9k.com

2682. Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-23 19:48:14 UTC
From: Bill
Topic: 2675 Message: 2682

Syntax was the problem. This was the correct search string:
=*skcc* *[c-t]
The space is the and operator. This worked.
Thanks guys for helping me think it through.
73, Bill NT9K..

2683. Re: [XMLog] "Import/Export XMLog Text File" Feature

Yahoo group: XMLog
Date: 2008-10-23 23:30:42 UTC
From: N7mal
Topic: 2673 Message: 2683

Hi Mike: Someone just about an hour ago commented on the CADXA mailing list
if "txt" was still available for import/export in any modern logging
program. I referred him to you....
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Monday, October 13, 2008 18:20
Subject: [XMLog] "Import/Export XMLog Text File" Feature

Hi - I think it's about time to get rid of the old "Import/Export XMLog
Text File" feature. It was implemented long before ADIF came along and
I think it's about time for retirement (just to remove some menu
clutter). Anybody out there still using it?

I'll also remove the old "Import CT .res" file.

Mike - W1ECT

[Non-text portions of this message have been removed]

2684. Re: "Import/Export XMLog Text File" Feature

Yahoo group: XMLog
Date: 2008-10-24 02:57:14 UTC
From: Richard Ferch
Topic: 2673 Message: 2684

Mal,

Was the person on the CADXA list commenting about old-fashioned fixed-column human-readable text files, like the old pre-Cabrillo ARRL contest format or the TR log format?

If so, many modern logging programs have this capability. In fact, all of the logging programs I have readily at hand here can export human-readable fixed-column text files:

DXKeeper can export the fields you have displayed on its main log display (which is fully configurable) in tab-delimited format

Ham Radio Deluxe has an Export to ASCII menu item on its Logbook menu that produces a fixed-column human-readable text file

MixW can export a user-selectable set of fields in fixed-column text format

N1MM Logger has an Export (Generic) file format which is a fixed-column human-readable text format

Writelog exports ASCII files in fixed-column human-readable format

XMLog's Display short, medium and long formats are fixed-column human-readable text files

MixW, N1MM Logger and Writelog can also export to Cabrillo, which is a fixed-column human-readable text format

The "XMLog text file" format Mike is proposing to do away with is also fixed-column, but the rows are so wide (466 characters) that this format does not appear to be useful for anything except importing into another copy of XMLog.

Personally I don't see any reason to keep the old XMLog text file format; as far as I can see ADIF appears to serve the same purposes equally well or better.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> Hi Mike: Someone just about an hour ago commented on the CADXA mailing list
> if "txt" was still available for import/export in any modern logging

> program. I referred him to you....
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
>
>
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Monday, October 13, 2008 18:20
> Subject: [XMLog] "Import/Export XMLog Text File" Feature
>
>
> Hi - I think it's about time to get rid of the old "Import/Export
XMLog
> Text File" feature. It was implemented long before ADIF came along
and
> I think it's about time for retirement (just to remove some menu
> clutter). Anybody out there still using it?
>
> I'll also remove the old "Import CT .res" file.
>
> Mike - W1ECT
>
>
>
> [Non-text portions of this message have been removed]
>

2685. Re: [XMLog] Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-27 17:41:53 UTC
From: john vernaleken
Topic: 2675 Message: 2685

Hello Bill,

Search strings still confuse me. How would I set up a search for all Call Signs starting with 9? How would a search for all records that do not have a QSL Received Date?

John KC2QJB

----- Original Message -----
From: Bill
To: XMLog@yahoogroups.com
Sent: Thursday, October 23, 2008 3:48 PM
Subject: [XMLog] Re: multiple text string searches

Syntax was the problem. This was the correct search string:
=*skcc* *[c-t]
The space is the and operator. This worked.
Thanks guys for helping me think it through.
73, Bill NT9K..

[Non-text portions of this message have been removed]

2686. No download page for 5.55 beta

Yahoo group: XMLog
Date: 2008-10-29 23:01:05 UTC
From: jhg_2
Topic: 2686 Message: 2686

Am I doing something incorrectly? When I click on the beta download,
all I get is a page not found. Has the current Beta been pulled?

John G.
WA1JG

2687. Re: [XMLog] No download page for 5.55 beta

Yahoo group: XMLog
Date: 2008-10-30 04:15:28 UTC
From: robert wilson
Topic: 2686 Message: 2687

There has not been any changes to software for some time.

VE6CCL
Rob in Calgary

--- On Wed, 29/10/08, jhg_2 <jh.graves@...> wrote:

From: jhg_2 <jh.graves@...>
Subject: [XMLog] No download page for 5.55 beta
To: XMLog@yahoogroups.com
Date: Wednesday, 29 October, 2008, 5:01 PM

Am I doing something incorrectly? When I click on the beta download,
all I get is a page not found. Has the current Beta been pulled?

John G.
WA1JG

[Non-text portions of this message have been removed]

2688. Re: [XMLog] No download page for 5.55 beta

Yahoo group: XMLog
Date: 2008-10-30 04:19:37 UTC
From: robert wilson
Topic: 2686 Message: 2688

sorry
wrong group.

Rob

--- On Wed, 29/10/08, robert wilson <ve6ccl@...> wrote:

From: robert wilson <ve6ccl@...>
Subject: Re: [XMLog] No download page for 5.55 beta
To: XMLog@yahoogroups.com
Date: Wednesday, 29 October, 2008, 10:15 PM

There has not been any changes to software for some time.

VE6CCL
Rob in Calgary

--- On Wed, 29/10/08, jhg_2 <jh.graves@verizon. net> wrote:

From: jhg_2 <jh.graves@verizon. net>
Subject: [XMLog] No download page for 5.55 beta
To: XMLog@yahoogroups. com
Date: Wednesday, 29 October, 2008, 5:01 PM

Am I doing something incorrectly? When I click on the beta download,
all I get is a page not found. Has the current Beta been pulled?

John G.
WA1JG

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2689. Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-31 11:20:11 UTC
From: Bill
Topic: 2675 Message: 2689

Hi John, to find all calls with 9:
In the call box enter =*9*

For null qsl received date:
In the QSL rcvd box enter =

73, Bill NT9K
http://www.nt9k.com

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
>
> Hello Bill,
>
> Search strings still confuse me. How would I set up a search for all
Call Signs starting with 9? How would a search for all records that do
not have a QSL Received Date?
>
> John KC2QJB
>
> ----- Original Message -----
> From: Bill
> To: XMLog@yahoogroups.com
> Sent: Thursday, October 23, 2008 3:48 PM
> Subject: [XMLog] Re: multiple text string searches
>
>
> Syntax was the problem. This was the correct search string:
> =*skcc* *[c-t]
> The space is the and operator. This worked.
> Thanks guys for helping me think it through.
> 73, Bill NT9K..
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2690. Re: [XMLog] Re: multiple text string searches

Yahoo group: XMLog
Date: 2008-10-31 21:19:57 UTC
From: john vernaleken
Topic: 2675 Message: 2690

Thanks

----- Original Message -----
From: Bill
To: XMLog@yahoogroups.com
Sent: Friday, October 31, 2008 7:20 AM
Subject: [XMLog] Re: multiple text string searches

Hi John, to find all calls with 9:
In the call box enter =*9*

For null qsl received date:
In the QSL rcvd box enter =

73, Bill NT9K
http://www.nt9k.com

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
>
> Hello Bill,
>
> Search strings still confuse me. How would I set up a search for all
Call Signs starting with 9? How would a search for all records that do
not have a QSL Received Date?
>
> John KC2QJB
>
> ----- Original Message -----
> From: Bill
> To: XMLog@yahoogroups.com
> Sent: Thursday, October 23, 2008 3:48 PM
> Subject: [XMLog] Re: multiple text string searches
>
>
> Syntax was the problem. This was the correct search string:
> =*skcc* *[c-t]
> The space is the and operator. This worked.
> Thanks guys for helping me think it through.
> 73, Bill NT9K..
>
>
>
>
>
>

> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2691. Will it work on Vista?

Yahoo group: XMLog
Date: 2008-11-12 03:07:27 UTC
From: Jeff
Topic: 2691 Message: 2691

Is anyone using XMLog with the Vista OS? If so, how's it working for you
and any advise?

Jeff Wheeler
w7jw@...

[Non-text portions of this message have been removed]

2692. Re: [XMLog] Will it work on Vista?

Yahoo group: XMLog
Date: 2008-11-12 04:33:42 UTC
From: WILLIS COOKE
Topic: 2691 Message: 2692

Jeff, I use XMLog and have installed it on Vista but usually use my XP computer for logging. A problem that I have run into with Vista is programs that will not work in the program directory because of the way Vista handles data files. You need to be administrator on the computer which probably you are and install XMLog in the MLog directory in the root list rather than under the Programs directory.

Willis 'Cookie' Cooke
K5EWJ

--- On Tue, 11/11/08, Jeff <w7jw@...> wrote:

> From: Jeff <w7jw@...>
> Subject: [XMLog] Will it work on Vista?
> To: XMLog@yahoogroups.com
> Date: Tuesday, November 11, 2008, 7:07 PM
> Is anyone using XMLog with the Vista OS? If so, how's
> it working for you
> and any advise?
>
>
> Jeff Wheeler
> w7jw@...
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2693. LOTW participation

Yahoo group: XMLog
Date: 2008-12-08 22:10:38 UTC
From: ki5t_1
Topic: 2693 Message: 2693

Is there a way to get the cluster window to show LOTW participation?
I am using Version 6.03.

2694. Re: LOTW participation

Yahoo group: XMLog
Date: 2008-12-08 22:50:27 UTC
From: Mike McAmis
Topic: 2693 Message: 2694

Hi, As far as I know there's no list of LoTW participants available. This is info only the ARRL could provide. And also, it would be tough to define at what level people were 'participating' - did they only dump in info on some of their QSOs (a dx-pedition perhaps) or do they carefully upload info on all their QSOs.

Mike - W1ECT

> Is there a way to get the cluster window to show LOTW participation?

2695. Re: LOTW participation

Yahoo group: XMLog
Date: 2008-12-08 23:07:56 UTC
From: ki5t_1
Topic: 2693 Message: 2695

OK, thanks for the reply.
I was just wondering if xmlog did this.
There are list available.(http://www.hb9bza.net/lotw/)
I know a few other programs that show if the station uses lotw.
I was just hoping xmlog had this feature.
As far as the participation level, I don't think it matters to most
folk. A qsl confirmation in lotw is all that matters.

Thanks again Mike for the info.
Great job on xmlog!!!

73
Wade, KI5T

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi, As far as I know there's no list of LoTW participants available.
> This is info only the ARRL could provide. And also, it would be tough
> to define at what level people were 'participating' - did they only
> dump in info on some of their QSOs (a dx-pedition perhaps) or do they
> carefully upload info on all their QSOs.
>
> Mike - W1ECT
>
> > Is there a way to get the cluster window to show LOTW participation?
>

2696. Re: [XMLog] Re: LOTW participation

Yahoo group: XMLog
Date: 2008-12-08 23:08:23 UTC
From: WILLIS COOKE
Topic: 2693 Message: 2696

Mike, the cluster window that I run under XMLog does indicate participation in LOTW. It is a function of the cluster that I am logged into rather than XMLog. All that XMLog furnished is the connection and the window. I have found the information displayed to not be very useful because it seems unreliable.

Last year you were working on a download from LOTW for confirmed QSOs. Did you finish that and add it to the current version? I have not downloaded for a while and am using version 5.50

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 12/8/08, Mike McAmis <w1ect@...> wrote:

> From: Mike McAmis <w1ect@...>
> Subject: [XMLog] Re: LOTW participation
> To: XMLog@yahoogroups.com
> Date: Monday, December 8, 2008, 2:50 PM
> Hi, As far as I know there's no list of LoTW
> participants available.
> This is info only the ARRL could provide. And also, it
> would be tough
> to define at what level people were 'participating'
> - did they only
> dump in info on some of their QSOs (a dx-pedition perhaps)
> or do they
> carefully upload info on all their QSOs.
>
> Mike - W1ECT
>
> > Is there a way to get the cluster window to show LOTW
> participation?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2697. Re: LOTW participation

Yahoo group: XMLog
Date: 2008-12-08 23:37:35 UTC
From: ki5t_1
Topic: 2693 Message: 2697

I find the info very useful and reliable.
I have been using cluster software for over a year that provides this info.
ARRL provides the list. They spotted station is either listed or not.
Kinda hard to be unreliable.

After saying that, I guess your next question will be, "Why did I change software?"

Cause I like the layout and functions of xmlog better.

73
Wade, KI5T

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Mike, the cluster window that I run under XMLog does indicate participation in LOTW. It is a function of the cluster that I am logged into rather than XMLog. All that XMLog furnished is the connection and the window. I have found the information displayed to not be very useful because it seems unreliable.
>
> Last year you were working on a download from LOTW for confirmed QSOs. Did you finish that and add it to the current version? I have not downloaded for a while and am using version 5.50
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Mon, 12/8/08, Mike McAmis <w1ect@...> wrote:
>
> > From: Mike McAmis <w1ect@...>
> > Subject: [XMLog] Re: LOTW participation
> > To: XMLog@yahoogroups.com
> > Date: Monday, December 8, 2008, 2:50 PM
> > Hi, As far as I know there's no list of LoTW
> > participants available.
> > This is info only the ARRL could provide. And also, it
> > would be tough
> > to define at what level people were 'participating'
> > - did they only
> > dump in info on some of their QSOs (a dx-pedition perhaps)
> > or do they
> > carefully upload info on all their QSOs.
> >

> > Mike - W1ECT
> >
> > > Is there a way to get the cluster window to show LOTW
> > participation?
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

2698. Re: [XMLog] Re: LOTW participation

Yahoo group: XMLog
Date: 2008-12-09 00:16:23 UTC
From: WILLIS COOKE
Topic: 2693 Message: 2698

Wade, I usually connect to the K5DX cluster using XMLog. I use XMLog for regular logging and N1MM for big contests. I use a couple of specialty logging programs for Ten-Ten and SKCC contests. When I say unreliable I mean that some stations that show to be LOTW users on the cluster do not show any uploads when I do a find call search on LOTW. I have not investigated the reason.

I have been using XMLog for over two years and like it a lot. I need to upgrade to the current version. The version that I am using does not download the LOTW QSL Info from the site and I think that the current version may do that.

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 12/8/08, ki5t_1 <ki5t_1@...> wrote:

> From: ki5t_1 <ki5t_1@...>
> Subject: [XMLog] Re: LOTW participation
> To: XMLog@yahoogroups.com
> Date: Monday, December 8, 2008, 3:37 PM
> I find the info very useful and reliable.
> I have been using cluster software for over a year that
> provides this
> info.
> ARRL provides the list. They spotted station is either
> listed or not.
> Kinda hard to be unreliable.
>
> After saying that, I guess your next question will be,
> "Why did I
> change software?"
>
> Cause I like the layout and functions of xmlog better.
>
> 73
> Wade, KI5T
>
>
>

2699. Re: LOTW participation

Yahoo group: XMLog
Date: 2008-12-09 00:29:14 UTC
From: ki5t_1
Topic: 2693 Message: 2699

Yeah, I can understand that.
I have had a couple like that as well.
I guess I'll use two different software then.
I really like xmlog for logging and reports.
It does a fantastic job!!
The lotw import it a wonderful new feature.

73 Cookie
Wade, KI5T

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Wade, I usually connect to the K5DX cluster using XMLog. I use XMLog for regular logging and N1MM for big contests. I use a couple of specialty logging programs for Ten-Ten and SKCC contests. When I say unreliable I mean that some stations that show to be LOTW users on the cluster do not show any uploads when I do a find call search on LOTW. I have not investigated the reason.
>
> I have been using XMLog for over two years and like it a lot. I need to upgrade to the current version. The version that I am using does not download the LOTW QSL Info from the site and I think that the current version may do that.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Mon, 12/8/08, ki5t_1 <ki5t_1@...> wrote:
>
> > From: ki5t_1 <ki5t_1@...>
> > Subject: [XMLog] Re: LOTW participation
> > To: XMLog@yahoogroups.com
> > Date: Monday, December 8, 2008, 3:37 PM
> > I find the info very useful and reliable.
> > I have been using cluster software for over a year that
> > provides this
> > info.
> > ARRL provides the list. They spotted station is either
> > listed or not.
> > Kinda hard to be unreliable.
> >
> > After saying that, I guess your next question will be,
> > "Why did I
> > change software?"

> >
> > Cause I like the layout and functions of xmlog better.
> >
> > 73
> > Wade, KI5T
> >
> >
> >
>

2700. QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 10:12:20 UTC
From: Bill
Topic: 2700 Message: 2700

I hope xmlog can be made to work again. What a shame.
Guess its time to log on paper for awhile. Bummer.
73, Bill NT9K
http://www.nt9k.com

2701. Re: [XMLog] QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 15:31:39 UTC
From: N7mal
Topic: 2700 Message: 2701

Please excuse our dust! We are updating our website software. Please be patient with any error messages, etc., that appear while this message is on the website.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Bill
To: XMLog@yahoogroups.com
Sent: Wednesday, December 10, 2008 10:12
Subject: [XMLog] QRZ changed the lookup format again

I hope xmlog can be made to work again. What a shame.
Guess its time to log on paper for awhile. Bummer.
73, Bill NT9K
http://www.nt9k.com

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.16/1840 - Release Date: 12/9/2008 4:53 PM

[Non-text portions of this message have been removed]

2702. Re: [XMLog] QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 15:44:47 UTC
From: N7mal
Topic: 2700 Message: 2702

OK Bill I'll bite. Why can't you use your logbook just because QRZ is making some changes.?.?.?.
I just finished logging a contact with no problems.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Bill
To: XMLog@yahoogroups.com
Sent: Wednesday, December 10, 2008 10:12
Subject: [XMLog] QRZ changed the lookup format again

I hope xmlog can be made to work again. What a shame.
Guess its time to log on paper for awhile. Bummer.
73, Bill NT9K
http://www.nt9k.com

[Non-text portions of this message have been removed]

2703. Re: [XMLog] QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 15:46:53 UTC
From: N7mal
Topic: 2700 Message: 2703

This was supposed have been QRZ's explanation.... It got sent prematurely.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Wednesday, December 10, 2008 15:31
Subject: Re: [XMLog] QRZ changed the lookup format again

Please excuse our dust! We are updating our website software. Please be
patient with any error messages, etc., that appear while this message is on
the website.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Bill
To: XMLog@yahoogroups.com
Sent: Wednesday, December 10, 2008 10:12
Subject: [XMLog] QRZ changed the lookup format again

I hope xmlog can be made to work again. What a shame.
Guess its time to log on paper for awhile. Bummer.
73, Bill NT9K
http://www.nt9k.com

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - http://www.avg.com

Version: 8.0.176 / Virus Database: 270.9.16/1840 - Release Date: 12/9/2008
4:53 PM

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.16/1840 - Release Date: 12/9/2008
4:53 PM

[Non-text portions of this message have been removed]

2704. Re: [XMLog] QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 16:51:52 UTC
From: WILLIS COOKE
Topic: 2700 Message: 2704

It looks to me like something is wrong with QRZ.COM. It does not work with XMLog and it does not work right when contacted directly. QRZ.Com and XMLog are both good about fixing things when they go wrong, so don't give up so easily. XMLog still works except for the QRZ data so I think this is just a temporary hick-up that will pass.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 12/10/08, Bill <Bill@...> wrote:

> From: Bill <Bill@...>
> Subject: [XMLog] QRZ changed the lookup format again
> To: XMLog@yahoogroups.com
> Date: Wednesday, December 10, 2008, 2:12 AM
> I hope xmlog can be made to work again. What a shame.
> Guess its time to log on paper for awhile. Bummer.
> 73, Bill NT9K
> http://www.nt9k.com
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2705. Re: QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 18:51:42 UTC
From: Bill
Topic: 2700 Message: 2705

I could use it, but it will not let you double click on the call sign
and fill in the information for you. This happens every now and then
when QRZ changes the layout of the search results page.

Most programs key off the location of each field based on its position
on the QRZ results page. For example, the looked up calls address
should be at character 479, but if they change the layout. The address
is no longer at character 479, so the program cannot match up the
fields it is looking to scrape off.

So, you suggestion to continue to use xmlog is ok. Once the patch is
written, we can all go back and modify each new record that didn't get
looked up. The rest of the qso data will be there. That will be
logging on paper.

In the past when this has happened, the fine folks who maintain xmlog
have usually had a patch out within a week or sooner. Good luck to them.

73, Bill NT9K
http://www.nt9k.com

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> OK Bill I'll bite. Why can't you use your logbook just because QRZ
is making
> some changes.?.?.?.
> I just finished logging a contact with no problems.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: Bill
> To: XMLog@yahoogroups.com
> Sent: Wednesday, December 10, 2008 10:12
> Subject: [XMLog] QRZ changed the lookup format again
>
>
> I hope xmlog can be made to work again. What a shame.

> Guess its time to log on paper for awhile. Bummer.
> 73, Bill NT9K
> http://www.nt9k.com
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2706. RE: [XMLog] QRZ changed the lookup format again

Yahoo group: XMLog
Date: 2008-12-10 15:49:42 UTC
From: Craig Bradley
Topic: 2700 Message: 2706

Go to the Options menu on XMLog, select Callbook Setup and select none.
This is still much better than paper and pencil. Unless your pencil knows
all.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
N7mal
Sent: Wednesday, December 10, 2008 7:32 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] QRZ changed the lookup format again

Please excuse our dust! We are updating our website software. Please be
patient with any error messages, etc., that appear while this message is on
the website.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Bill
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Wednesday, December 10, 2008 10:12
Subject: [XMLog] QRZ changed the lookup format again

I hope xmlog can be made to work again. What a shame.
Guess its time to log on paper for awhile. Bummer.
73, Bill NT9K
http://www.nt9k. <http://www.nt9k.com> com

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - http://www.avg. <http://www.avg.com> com
Version: 8.0.176 / Virus Database: 270.9.16/1840 - Release Date: 12/9/2008

4:53 PM

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2707. Patch

Yahoo group: XMLog
Date: 2008-12-11 22:20:38 UTC
From: n8dad
Topic: 2707 Message: 2707

anyidea how long it will take to make a patch for this

Barry - n8dad

2708. QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-11 22:49:52 UTC
From: Mike McAmis
Topic: 2708 Message: 2708

Hi Guys, It not going to be a quick fix, here's the details...

QRZ.COM provides an XML interface to their database which is used by other logging programs to download info from QRZ.COM. To use this interface you must be a subscriber to QRZ.COM ($30/year for this XML interface feature). Instead of using this interface XMLog has been downloading the same web page you would see when you do a callsign lookup and then select "display details". This meant that XMLog had to search through the text of the returned web page to find the appropriate info among all the other junk. This made XMLog sensitive to any changes in the format of that web page.

The latest changes to the QRZ.COM web page makes it impractical to continue to use this backdoor method of circumventing subscriptions. The main data no longer has identifiers (Name, Address, State, etc.) and a Google map image is also displayed which greatly increases the time to create the page and then to download the results.

This means adding support for the XML interface in XMLog. The up-side is that it will be faster and won't have to be diddled whenever the web page format is changed. The down-side is that you'll have to subscribe to QRZ.COM.

Mike - W1ECT

2709. Re: [XMLog] QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-11 23:08:20 UTC
From: Craig Bradley
Topic: 2708 Message: 2709

Mike,

I assume that it means that every user will need to subscribe. If so, XMLog will need to enter our logon info for every lookup or session, correct?

In any case, I think that QRZ.com is a great service and I have no problem with $30/yr. The other choice is to buy CD Roms and update them periodically. I prefer an online service as DXpeditions will have current QSL info. The CD will not be.

I am in favor of the upgrade required for XMLog.

Thanks again for a great program!

73,
- Craig, AE6RR

From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Thursday, December 11, 2008 2:49:52 PM
Subject: [XMLog] QRZ.COM problems

Hi Guys, It not going to be a quick fix, here's the details...

QRZ.COM provides an XML interface to their database which is used by other logging programs to download info from QRZ.COM. To use this interface you must be a subscriber to QRZ.COM ($30/year for this XML interface feature). Instead of using this interface XMLog has been downloading the same web page you would see when you do a callsign lookup and then select "display details". This meant that XMLog had to search through the text of the returned web page to find the appropriate info among all the other junk. This made XMLog sensitive to any changes in the format of that web page.

The latest changes to the QRZ.COM web page makes it impractical to continue to use this backdoor method of circumventing subscriptions. The main data no longer has identifiers (Name, Address, State, etc.) and a Google map image is also displayed which greatly increases the time to create the page and then to download the results.

This means adding support for the XML interface in XMLog. The up-side is that it will be faster and won't have to be diddled whenever the web page format is changed. The down-side is that you'll have to subscribe to QRZ.COM.

Mike - W1ECT

[Non-text portions of this message have been removed]

2710. Re: [XMLog] QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-11 23:32:44 UTC
From: john vernaleken
Topic: 2708 Message: 2710

Mike,

I agree with what Craig said. XMLOG is a great program and I would pay the ! $30 to QRZ.

John KC2QJB

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Thursday, December 11, 2008 6:08 PM
Subject: Re: [XMLog] QRZ.COM problems

Mike,

I assume that it means that every user will need to subscribe. If so, XMLog will need to enter our logon info for every lookup or session, correct?

In any case, I think that QRZ.com is a great service and I have no problem with $30/yr. The other choice is to buy CD Roms and update them periodically. I prefer an online service as DXpeditions will have current QSL info. The CD will not be.

I am in favor of the upgrade required for XMLog.

Thanks again for a great program!

73,
- Craig, AE6RR

_____
From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Thursday, December 11, 2008 2:49:52 PM
Subject: [XMLog] QRZ.COM problems

Hi Guys, It not going to be a quick fix, here's the details...

QRZ.COM provides an XML interface to their database which is used by other logging programs to download info from QRZ.COM. To use this interface you must be a subscriber to QRZ.COM ($30/year for this XML interface feature). Instead of using this interface XMLog has been downloading the same web page you would see when you do a callsign lookup and then select "display details". This meant that XMLog had to search through the text of the returned web page to find the appropriate info among all the other junk. This made XMLog sensitive to any changes in the format of that web page.

The latest changes to the QRZ.COM web page makes it impractical to continue to use this backdoor method of circumventing subscriptions.

The main data no longer has identifiers (Name, Address, State, etc.) and a Google map image is also displayed which greatly increases the time to create the page and then to download the results.

This means adding support for the XML interface in XMLog. The up-side is that it will be faster and won't have to be diddled whenever the web page format is changed. The down-side is that you'll have to subscribe to QRZ.COM.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2711. Re: [XMLog] QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-11 23:44:55 UTC
From: Barry Fisher
Topic: 2708 Message: 2711

QRZ ALWAYS HAS TO SCREW A GOOD THING UP
CANT LEAVE IT SIMPLE, I WOULDNT PAY QRZ NOTHING
NEXT IT WILL BE SOMETHING ELSE AND HAVE TO PAY OUT MORE
AND GUESS I WONT BE USING NO LOGGIN PROGRAM

BARRY

[Non-text portions of this message have been removed]

2712. RE: [XMLog] QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-12 01:22:27 UTC
From: Kevin Nathan
Topic: 2708 Message: 2712

Hi Mike,

I guess I don't remember, is QRZ the only game in town as far as call book lookups? If so, I can do without. I'm not going to be forced into paying them for that simple service. I wonder if they would consider letting the authors of logging programs such as yourself join for a somewhat larger fee that we, the users of your program could offset?

thanks and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Thursday, December 11, 2008 14:50
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ.COM problems

Hi Guys, It not going to be a quick fix, here's the details...

QRZ.COM provides an XML interface to their database which is used by other logging programs to download info from QRZ.COM. To use this interface you must be a subscriber to QRZ.COM ($30/year for this XML interface feature). Instead of using this interface XMLog has been downloading the same web page you would see when you do a callsign lookup and then select "display details". This meant that XMLog had to search through the text of the returned web page to find the appropriate info among all the other junk. This made XMLog sensitive to any changes in the format of that web page.

The latest changes to the QRZ.COM web page makes it impractical to continue to use this backdoor method of circumventing subscriptions. The main data no longer has identifiers (Name, Address, State, etc.) and a Google map image is also displayed which greatly increases the time to create the page and then to download the results.

This means adding support for the XML interface in XMLog. The up-side is that it will be faster and won't have to be diddled whenever the web page format is changed. The down-side is that you'll have to subscribe to QRZ.COM.

Mike - W1ECT

No virus found in this incoming message.
Checked by AVG - http://www.avg.com

Version: 8.0.176 / Virus Database: 270.9.16/1843 - Release Date: 12/11/2008 08:36

[Non-text portions of this message have been removed]

2713. RE: [XMLog] QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-12 06:58:12 UTC
From: Dave Sergeant
Topic: 2708 Message: 2713

On 11 Dec 2008 at 17:22, Kevin Nathan wrote:

> I guess I don't remember, is QRZ the only game in town as far as call
> book lookups? If so, I can do without. I'm not going to be forced into
> paying them for that simple service. I wonder if they would consider
> letting the authors of logging programs such as yourself join for a
> somewhat larger fee that we, the users of your program could offset?

I accept why QRZ has done this, however I am rather non impressed
myself. AA7BQ has an explanation at
http://forums.qrz.com/showthread.php?t=185694
It is no great hassle to visit the website to do a callsign lookup for
the occasional time I use this facility, I am not interested in
continual updates which some of you like. However I feel he has taken
the advert supported approach too far in that I find the ads on the
site are VERY intrusive, with a mixture of jpg and Adobe flash and
configured such that you cannot block them by the common means
(hosts/browser block). Also the totally unnecessary Google Earth
lookup, never been a fan of that myself. As such I don't feel I could
justify $30/year (effectively 30UKP soon at the current exchange
rates...) for this sort of facility.

But thanks to Mike for providing this facility in the past.

73 Dave G3YMC

http://www.davesergeant.com

2714. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 01:10:57 UTC
From: k9mrd
Topic: 2708 Message: 2714

When you subscribe to QRZ, you don't see any of the ads - that is one
of the subscription advantages.

Integrated QRZ lookups are VERY important to me. I would be hard
pressed to continue using XMLog if this function is not available.

My 2 cents worth.....

Wayne

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 11 Dec 2008 at 17:22, Kevin Nathan wrote:
>
> > I guess I don't remember, is QRZ the only game in town as far as
call
> > book lookups? If so, I can do without. I'm not going to be
forced into
> > paying them for that simple service. I wonder if they would
consider
> > letting the authors of logging programs such as yourself join for
a
> > somewhat larger fee that we, the users of your program could
offset?
>
> I accept why QRZ has done this, however I am rather non impressed
> myself. AA7BQ has an explanation at
> http://forums.qrz.com/showthread.php?t=185694
> It is no great hassle to visit the website to do a callsign lookup
for
> the occasional time I use this facility, I am not interested in
> continual updates which some of you like. However I feel he has
taken
> the advert supported approach too far in that I find the ads on the
> site are VERY intrusive, with a mixture of jpg and Adobe flash and
> configured such that you cannot block them by the common means
> (hosts/browser block). Also the totally unnecessary Google Earth
> lookup, never been a fan of that myself. As such I don't feel I
could
> justify $30/year (effectively 30UKP soon at the current exchange
> rates...) for this sort of facility.
>
> But thanks to Mike for providing this facility in the past.
>
> 73 Dave G3YMC
>

> http://www.davesergeant.com
>

2715. XMLOG USER GROUP DOESNT WORK ANY BETTER THAN QRZ.COM

Yahoo group: XMLog
Date: 2008-12-13 03:40:58 UTC
From: Benny Owens
Topic: 2715 Message: 2715

HOW DO I REPLY TO MESSAGES ON THE USER GROUP?

WHY DO WE HAVE TO USE QRZ.COM.. WE HAVE MULTIPLE CALL SIGN SERVERS LIKE WM7D, HAMCALL, U OF ARK, FCC ETC. HAMCALL HAS DX CALLS AND OTHERS MUST EXIST.

73
BENNY K5KV

[Non-text portions of this message have been removed]

2716. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 03:18:21 UTC
From: k5kv
Topic: 2708 Message: 2716

THIS YAHOO THING HAS NEVER WORKED FOR ME. FOR THE TENTH TIME I HAVE
TRIED TO ASK ABOUT OTHER CALL SERVERS. WHAT ABOUT WM7D, HAMCALL OR
FCC DATABASE? MUST WE USE QRZ.COM AND NO OTHER?

WHY WASTE MORE TIME, WITH THIS NO ONE WILL SEE THIS ANYWAY.

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
>
> When you subscribe to QRZ, you don't see any of the ads - that is
one
> of the subscription advantages.
>
> Integrated QRZ lookups are VERY important to me. I would be hard
> pressed to continue using XMLog if this function is not available.
>
> My 2 cents worth.....
>
> Wayne
>
>
> --- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@> wrote:
> >
> > On 11 Dec 2008 at 17:22, Kevin Nathan wrote:
> >
> > > I guess I don't remember, is QRZ the only game in town as far
as
> call
> > > book lookups? If so, I can do without. I'm not going to be
> forced into
> > > paying them for that simple service. I wonder if they would
> consider
> > > letting the authors of logging programs such as yourself join
for
> a
> > > somewhat larger fee that we, the users of your program could
> offset?
> >
> > I accept why QRZ has done this, however I am rather non impressed
> > myself. AA7BQ has an explanation at
> > http://forums.qrz.com/showthread.php?t=185694
> > It is no great hassle to visit the website to do a callsign
lookup
> for
> > the occasional time I use this facility, I am not interested in

> > continual updates which some of you like. However I feel he has
> taken
> > the advert supported approach too far in that I find the ads on
the
> > site are VERY intrusive, with a mixture of jpg and Adobe flash
and
> > configured such that you cannot block them by the common means
> > (hosts/browser block). Also the totally unnecessary Google Earth
> > lookup, never been a fan of that myself. As such I don't feel I
> could
> > justify $30/year (effectively 30UKP soon at the current exchange
> > rates...) for this sort of facility.
> >
> > But thanks to Mike for providing this facility in the past.
> >
> > 73 Dave G3YMC
> >
> > http://www.davesergeant.com
> >
>

2717. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 05:44:33 UTC
From: WILLIS COOKE
Topic: 2708 Message: 2717

Yahoo is working for you. We all see your question but only Mike, W1ECT who writes the code and owns XMLog can give you an answer. Mike has come through for us in the past, but these things take time and it has only been two days. Writing code like this is a lot harder than it seems at first glance.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 12/12/08, k5kv <k5kv@...> wrote:

> From: k5kv <k5kv@...>
> Subject: [XMLog] Re: QRZ.COM problems
> To: XMLog@yahoogroups.com
> Date: Friday, December 12, 2008, 7:18 PM
> THIS YAHOO THING HAS NEVER WORKED FOR ME. FOR THE TENTH
> TIME I HAVE
> TRIED TO ASK ABOUT OTHER CALL SERVERS. WHAT ABOUT WM7D,
> HAMCALL OR
> FCC DATABASE? MUST WE USE QRZ.COM AND NO OTHER?
>
> WHY WASTE MORE TIME, WITH THIS NO ONE WILL SEE THIS ANYWAY.
>
> --- In XMLog@yahoogroups.com, "k9mrd"
> <k9mrd@...> wrote:
> >
> >
> > When you subscribe to QRZ, you don't see any of
> the ads - that is
> one
> > of the subscription advantages.
> >
> > Integrated QRZ lookups are VERY important to me. I
> would be hard
> > pressed to continue using XMLog if this function is
> not available.
> >
> > My 2 cents worth.....
> >
> > Wayne
> >
> >
> > --- In XMLog@yahoogroups.com, "Dave
> Sergeant" <dave@> wrote:
> > >
> > > On 11 Dec 2008 at 17:22, Kevin Nathan wrote:
> > >

> > > > I guess I don't remember, is QRZ the
> only game in town as far
> as
> > call
> > > > > book lookups? If so, I can do without.
> I'm not going to be
> > forced into
> > > > > paying them for that simple service. I
> wonder if they would
> > consider
> > > > > letting the authors of logging programs such
> as yourself join
> for
> > a
> > > > > somewhat larger fee that we, the users of
> your program could
> > offset?
> > > >
> > > > I accept why QRZ has done this, however I am
> rather non impressed
> > > myself. AA7BQ has an explanation at
> > > http://forums.qrz.com/showthread.php?t=185694
> > > It is no great hassle to visit the website to do
> a callsign
> lookup
> > for
> > > > the occasional time I use this facility, I am not
> interested in
> > > continual updates which some of you like. However
> I feel he has
> > taken
> > > > the advert supported approach too far in that I
> find the ads on
> the
> > > > site are VERY intrusive, with a mixture of jpg
> and Adobe flash
> and
> > > > configured such that you cannot block them by the
> common means
> > > (hosts/browser block). Also the totally
> unnecessary Google Earth
> > > lookup, never been a fan of that myself. As such
> I don't feel I
> > could
> > > > justify $30/year (effectively 30UKP soon at the
> current exchange
> > > rates...) for this sort of facility.
> > >
> > > But thanks to Mike for providing this facility in
> the past.

> > >
> > > 73 Dave G3YMC
> > >
> > > http://www.davesergeant.com
> > >
> >
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2718. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 06:21:52 UTC
From: N7mal
Topic: 2708 Message: 2718

Willis the way I read the what the owner of QRZ posted it sounds like he is locking out all logbook software. It's not just XMLog but he seems upset with all the logbook lookups. It almost sounds like his goal is to only allow lookups to paying members of his QRZ site
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Saturday, December 13, 2008 5:44
Subject: Re: [XMLog] Re: QRZ.COM problems

Yahoo is working for you. We all see your question but only Mike, W1ECT who writes the code and owns XMLog can give you an answer. Mike has come through for us in the past, but these things take time and it has only been two days. Writing code like this is a lot harder than it seems at first glance.

Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

2719. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 13:16:31 UTC
From: Puck
Topic: 2708 Message: 2719

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:

> This means adding support for the XML interface in XMLog. The up-side
> is that it will be faster and won't have to be diddled whenever the
> web page format is changed. The down-side is that you'll have to
> subscribe to QRZ.COM.
>
> Mike - W1ECT
>
Will you add this "XML interface" to XMLog in the future. I have no
problem with paying the subscription to QRZ.com to be able to get the
information in a manner similiar to what I've been getting from within
XMLog in the past.

73,
Puck W4PM

2720. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 14:34:26 UTC
From: WILLIS COOKE
Topic: 2708 Message: 2720

That may very well be the case Mal. He has improved some things about QRZ.COM and will still let you look up addresses on the site for free at the present time. If he is tired of many people using the service and not paying I can't say that I blame him. Another person that is providing a valuable service free for many and with volunteer contributions for the rest is Mike. XMLog is a fine piece of software for shareware. The only people that can do anything meaningful about the situation are the QRZ owner and Mike. We have seen what QRZ is doing and we need to allow Mike some time to plan what he is going to do, write the code, test the code and tell us the result. The rest of us can complain or make suggestions, we can read Benny's and others suggestions but our options are only to use XMLog as it is or to change to some other logging program which may have the same problem.

I am confident that Mike is working on the problem. My observation is that he usually does. But, he can't fix the problem while writing responses to the many posts here.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 12/12/08, N7mal <n7mal@...> wrote:

> From: N7mal <n7mal@...>
> Subject: Re: [XMLog] Re: QRZ.COM problems
> To: XMLog@yahoogroups.com
> Date: Friday, December 12, 2008, 10:21 PM
> Willis the way I read the what the owner of QRZ posted it
> sounds like he is
> locking out all logbook software. It's not just XMLog
> but he seems upset
> with all the logbook lookups. It almost sounds like his
> goal is to only
> allow lookups to paying members of his QRZ site
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com

> Sent: Saturday, December 13, 2008 5:44
> Subject: Re: [XMLog] Re: QRZ.COM problems
>
>
> Yahoo is working for you. We all see your question but
> only Mike, W1ECT who
> writes the code and owns XMLog can give you an answer.
> Mike has come
> through for us in the past, but these things take time and
> it has only been
> two days. Writing code like this is a lot harder than it
> seems at first
> glance.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2721. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 17:06:27 UTC
From: Tim
Topic: 2708 Message: 2721

Mal,

If this is what you suspect, then e-mail Fred (owner of QRZ.COM) and ask him direct if this is what he is going to do. I use XMLOG daily and I am standing by until I hear something from Mike.

I like some of the changes that QRZ is trying to do but until all the bugs are worked out I'll just bide my time. I'm in no hurry so why should you.

As for LOTW, It sucks and I do not like it.

Tim KD4OVM

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> Willis the way I read the what the owner of QRZ posted it sounds like he is
> locking out all logbook software. It's not just XMLog but he seems upset
> with all the logbook lookups. It almost sounds like his goal is to only
> allow lookups to paying members of his QRZ site
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Saturday, December 13, 2008 5:44
> Subject: Re: [XMLog] Re: QRZ.COM problems
>
>
> Yahoo is working for you. We all see your question but only Mike, W1ECT who
> writes the code and owns XMLog can give you an answer. Mike has

come
> through for us in the past, but these things take time and it has
only been
> two days. Writing code like this is a lot harder than it seems at
first
> glance.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> [Non-text portions of this message have been removed]
>

2722. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 17:08:59 UTC
From: Barry Fisher
Topic: 2708 Message: 2722

id be glad to pay any amounth for xmlog but dam qrz messed shit up good this time

barry - n8dad

[Non-text portions of this message have been removed]

2723. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 17:45:35 UTC
From: Bob
Topic: 2708 Message: 2723

Mike

XM log has been a great logging program for me, but running it
without a look up function is driving me crazy! I hate the thought
of subcribing to QRZ at $30. per year. Or changing to another loffer.
Are there any other alternative look up functions that could be
brought to XM log cheaper and quicker?

Bob
K1LAX

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
>
> Hi Guys, It not going to be a quick fix, here's the details...
>
> QRZ.COM provides an XML interface to their database which is used
by
> other logging programs to download info from QRZ.COM. To use this
> interface you must be a subscriber to QRZ.COM ($30/year for this
XML
> interface feature). Instead of using this interface XMLog has been
> downloading the same web page you would see when you do a callsign
> lookup and then select "display details". This meant that XMLog had
> to search through the text of the returned web page to find the
> appropriate info among all the other junk. This made XMLog
sensitive
> to any changes in the format of that web page.
>
> The latest changes to the QRZ.COM web page makes it impractical to
> continue to use this backdoor method of circumventing
subscriptions.
> The main data no longer has identifiers (Name, Address, State,
etc.)
> and a Google map image is also displayed which greatly increases
the
> time to create the page and then to download the results.
>
> This means adding support for the XML interface in XMLog. The up-
side
> is that it will be faster and won't have to be diddled whenever the
> web page format is changed. The down-side is that you'll have to
> subscribe to QRZ.COM.
>
> Mike - W1ECT
>

2724. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 18:46:10 UTC
From: Don Jones
Topic: 2708 Message: 2724

I have been an active ham for 55 years, am a DXer (DXCC Honor Roll and 5BDXCC), and a rag-chewer at times. I have used XMLOG exclusively (except for specialized contest logging programs) for about 6 years. I use XMLOG to keep my log , maintain my DXCC and other award records, print my QSL cards, upload my logs to the superb LOTW and provide access to to the DX Cluster. I am getting old and senile and undoubtedly am thereby missing the point entirely, but I simply can not comprehend what activities within hamming would raise the necessity for immediate QRZ lookup within a logging program. To be able to do so seems to me like a nicety rather than a necessity. How the absence of this feature could drive one crazy or cause one to change loggers totally escapes me.

Mike is a one-man operation and provides this excellent and powerful logging tool with absolutely no requirement for compensation for its use. My biggest fear is that he will grow weary of this ungrateful, petty whining and the empty threats of some to take their free-of-charge business elsewhere. Mike, I hope you realize that the vast majority of us appreciate everything that you do, and that we realize that forces external to XMLOG may occasionally prevent you from maintaining an "all things to all people" capability.

Keep up the great work. My check is in the mail.

73 - Don Jones N4TN

2725. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 19:55:21 UTC
From: WILLIS COOKE
Topic: 2708 Message: 2725

Well said Don! I like the look up feature, but I will survive without it. And it has only been gone a couple of days. I hope you all have a Merry Christmas, especially Mike. I also hope that Mike does not get so concerned about this problem that he forgets to buy the XYLs Christmas Present. We will all regret that! (G)

Willis 'Cookie' Cooke
K5EWJ, 5BDXCC, 5BWAS, just short of Honor Roll, 52 years a ham.

--- On Sat, 12/13/08, Don Jones <n4tn@...> wrote:

> From: Don Jones <n4tn@...>
> Subject: [XMLog] Re: QRZ.COM problems
> To: XMLog@yahoogroups.com
> Date: Saturday, December 13, 2008, 10:46 AM
> I have been an active ham for 55 years, am a DXer (DXCC
> Honor Roll and
> 5BDXCC), and a rag-chewer at times. I have used XMLOG
> exclusively
> (except for specialized contest logging programs) for about
> 6 years. I
> use XMLOG to keep my log , maintain my DXCC and other award
> records,
> print my QSL cards, upload my logs to the superb LOTW and
> provide access
> to to the DX Cluster. I am getting old and senile and
> undoubtedly am
> thereby missing the point entirely, but I simply can not
> comprehend what
> activities within hamming would raise the necessity for
> immediate QRZ
> lookup within a logging program. To be able to do so seems
> to me like a
> nicety rather than a necessity. How the absence of this
> feature could
> drive one crazy or cause one to change loggers totally
> escapes me.
>
> Mike is a one-man operation and provides this excellent and
> powerful
> logging tool with absolutely no requirement for
> compensation for its
> use. My biggest fear is that he will grow weary of this
> ungrateful,
> petty whining and the empty threats of some to take their
> free-of-charge
> business elsewhere. Mike, I hope you realize that the vast

> majority of
> us appreciate everything that you do, and that we realize
> that forces
> external to XMLOG may occasionally prevent you from
> maintaining an "all
> things to all people" capability.
>
> Keep up the great work. My check is in the mail.
>
> 73 - Don Jones N4TN
>
>
>
>
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>

2726. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 18:56:35 UTC
From: Barry Fisher
Topic: 2708 Message: 2726

i agree with Don Jones

Barry

[Non-text portions of this message have been removed]

2727. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 20:41:16 UTC
From: Mike McAmis
Topic: 2708 Message: 2727

OK settle down guys. Yes I do plan to add the QRZ.COM support using the XML interface. I've got a good start into it and I should have a beta ready in a week or two.

Mike - W1ECT

2728. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 22:42:30 UTC
From: Larry Fravel
Topic: 2708 Message: 2728

I agree with the sentiments below. I have used Mikes wonderful program for all my logging for a pong time now and appreciate everything he has done - and continues to do with it. For the life of me I don't understand why you just can't open QRZ yourself and look up what you need. I do and guess what - It doesn't hurt me me a bit to do it! If this is all you have a problem with then quit whining and tell MIke thanks for all the work he puts into the program.

Mike, as soon as I'm able the check will also be in the mail.

Larry N4SEA
Shinnston, WV

< I have been an active ham for 55 years, am a DXer (DXCC Honor Roll and 5BDXCC), and a rag-chewer at times. I have used XMLOG exclusively (except for specialized contest logging programs) for about 6 years. I Use XMLOG to keep my log , maintain my DXCC and other award records, Print my QSL cards, upload my logs to the superb LOTW and provide access To to the DX Cluster. I am getting old and senile and undoubtedly am Thereby missing the point entirely, but I simply can not comprehend what Activities within hamming would raise the necessity for immediate QRZ Lookup within a logging program. To be able to do so seems to me like a Nicety rather than a necessity. How the absence of this feature could Drive one crazy or cause one to change loggers totally escapes me.

Mike is a one-man operation and provides this excellent and powerful Logging tool with absolutely no requirement for compensation for its Use. My biggest fear is that he will grow weary of this ungrateful, Petty whining and the empty threats of some to take their free-of-charge Business elsewhere. Mike, I hope you realize that the vast majority of Us appreciate everything that you do, and that we realize that forces External to XMLOG may occasionally prevent you from maintaining an "all Things to all people" capability.

Keep up the great work. My check is in the mail.

73 - Don Jones N4TN >

[Non-text portions of this message have been removed]

2729. QRZ.com

Yahoo group: XMLog
Date: 2008-12-13 21:14:03 UTC
From: jwyoung030240
Topic: 2729 Message: 2729

I would like to use the online QRZ.com instead of the QRZ CDROM that I use now but when I go to QRZ.com it takes a long long time to finish the first screen and then it says that "a newer reader needs to be installed" and offers to install the reader. I answer OK and then it says again "a newer reader needs to be installed" and offers to install the reader. This continues in a loop until I close out the page.
Anyone have any idea the problem is?
Thanks fre Joe W6RLL.

2730. RE: [XMLog] QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-12 16:44:44 UTC
From: Craig Bradley
Topic: 2708 Message: 2730

For those that do not want to subscribe to QRZ.com, if Mike changes XMLog to work with their format, you do not have to subscribe, you can just turn off the call book lookup or choose another option such as buy a CD ROM callbook.

For those of us that want to use the feature, we can choose to subscribe if we wish.

We all have choices and we can vote with our feet and dollars. If QRZ.com starts to loose "clicks", they will not be able to charge as much for ads and they may rethink this. If they get enough subscribers, maybe they can reduce the price.

In any case, XMLog is still a great program with or without QRZ lookup; there is no need to go back to paper.

Just my 2 cents worth.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dave Sergeant
Sent: Thursday, December 11, 2008 10:58 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] QRZ.COM problems

On 11 Dec 2008 at 17:22, Kevin Nathan wrote:

> I guess I don't remember, is QRZ the only game in town as far as call
> book lookups? If so, I can do without. I'm not going to be forced into
> paying them for that simple service. I wonder if they would consider
> letting the authors of logging programs such as yourself join for a
> somewhat larger fee that we, the users of your program could offset?

I accept why QRZ has done this, however I am rather non impressed myself. AA7BQ has an explanation at http://forums. <http://forums.qrz.com/showthread.php?t=185694> qrz.com/showthread.php?t=185694
It is no great hassle to visit the website to do a callsign lookup for the occasional time I use this facility, I am not interested in continual updates which some of you like. However I feel he has taken the advert supported approach too far in that I find the ads on the site are VERY intrusive, with a mixture of jpg and Adobe flash and configured such that you cannot block them by the common means (hosts/browser block). Also the totally unnecessary Google Earth

lookup, never been a fan of that myself. As such I don't feel I could justify $30/year (effectively 30UKP soon at the current exchange rates...) for this sort of facility.

But thanks to Mike for providing this facility in the past.

73 Dave G3YMC

http://www.daveserg <http://www.davesergeant.com> eant.com

[Non-text portions of this message have been removed]

2731. RE: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 01:29:23 UTC
From: Kevin Nathan
Topic: 2708 Message: 2731

It would be interesting to learn how other logging programs are dealing with this. I don't imagine Mike is the only author to face this situation.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Friday, December 12, 2008 17:11
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QRZ.COM problems

When you subscribe to QRZ, you don't see any of the ads - that is one of the subscription advantages.

Integrated QRZ lookups are VERY important to me. I would be hard pressed to continue using XMLog if this function is not available.

My 2 cents worth.....

Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Dave Sergeant" <dave@...> wrote:
>
> On 11 Dec 2008 at 17:22, Kevin Nathan wrote:
>
> > I guess I don't remember, is QRZ the only game in town as far as call
> > book lookups? If so, I can do without. I'm not going to be forced into
> > paying them for that simple service. I wonder if they would consider
> > letting the authors of logging programs such as yourself join for a
> > somewhat larger fee that we, the users of your program could offset?
>
> I accept why QRZ has done this, however I am rather non impressed
> myself. AA7BQ has an explanation at
> http://forums. <http://forums.qrz.com/showthread.php?t=185694> qrz.com/showthread.php?t=185694
> It is no great hassle to visit the website to do a callsign lookup for
> the occasional time I use this facility, I am not interested in

> continual updates which some of you like. However I feel he has
taken
> the advert supported approach too far in that I find the ads on the
> site are VERY intrusive, with a mixture of jpg and Adobe flash and
> configured such that you cannot block them by the common means
> (hosts/browser block). Also the totally unnecessary Google Earth
> lookup, never been a fan of that myself. As such I don't feel I
could
> justify $30/year (effectively 30UKP soon at the current exchange
> rates...) for this sort of facility.
>
> But thanks to Mike for providing this facility in the past.
>
> 73 Dave G3YMC
>
> http://www.daveserg <http://www.davesergeant.com> eant.com
>

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.17/1845 - Release Date: 12/12/2008
09:02

[Non-text portions of this message have been removed]

2732. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 01:17:30 UTC
From: john vernaleken
Topic: 2708 Message: 2732

Agree

John KC2QJB

----- Original Message -----
From: k9mrd
To: XMLog@yahoogroups.com
Sent: Friday, December 12, 2008 8:10 PM
Subject: [XMLog] Re: QRZ.COM problems

When you subscribe to QRZ, you don't see any of the ads - that is one
of the subscription advantages.

Integrated QRZ lookups are VERY important to me. I would be hard
pressed to continue using XMLog if this function is not available.

My 2 cents worth.....

Wayne

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 11 Dec 2008 at 17:22, Kevin Nathan wrote:
>
> > I guess I don't remember, is QRZ the only game in town as far as
call
> > book lookups? If so, I can do without. I'm not going to be
forced into
> > paying them for that simple service. I wonder if they would
consider
> > letting the authors of logging programs such as yourself join for
a
> > somewhat larger fee that we, the users of your program could
offset?
>
> I accept why QRZ has done this, however I am rather non impressed
> myself. AA7BQ has an explanation at
> http://forums.qrz.com/showthread.php?t=185694
> It is no great hassle to visit the website to do a callsign lookup
for
> the occasional time I use this facility, I am not interested in
> continual updates which some of you like. However I feel he has
taken
> the advert supported approach too far in that I find the ads on the
> site are VERY intrusive, with a mixture of jpg and Adobe flash and
> configured such that you cannot block them by the common means
> (hosts/browser block). Also the totally unnecessary Google Earth

> lookup, never been a fan of that myself. As such I don't feel I
could
> justify $30/year (effectively 30UKP soon at the current exchange
> rates...) for this sort of facility.
>
> But thanks to Mike for providing this facility in the past.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>

[Non-text portions of this message have been removed]

2733. RE: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 15:16:46 UTC
From: Kevin Nathan
Topic: 2708 Message: 2733

Hi,

Your posts are coming through. I was wondering about the other callbook types listed in XMLog and so I tried them this morning. It appears QRZ.com is the only one with an on line facility. the others all want a file on the computer. I guess we could always buy a callbook CD and have it ourselves but I liked the DX lookups on QRZ. Perhaps some of the other suggestions will turn out effective.

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k5kv
Sent: Friday, December 12, 2008 19:18
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QRZ.COM problems

THIS YAHOO THING HAS NEVER WORKED FOR ME. FOR THE TENTH TIME I HAVE TRIED TO ASK ABOUT OTHER CALL SERVERS. WHAT ABOUT WM7D, HAMCALL OR FCC DATABASE? MUST WE USE QRZ.COM AND NO OTHER?

WHY WASTE MORE TIME, WITH THIS NO ONE WILL SEE THIS ANYWAY.

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "k9mrd" <k9mrd@...> wrote:
>
>
> When you subscribe to QRZ, you don't see any of the ads - that is one
> of the subscription advantages.
>
> Integrated QRZ lookups are VERY important to me. I would be hard
> pressed to continue using XMLog if this function is not available.
>
> My 2 cents worth.....
>
> Wayne
>
>
> --- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Dave Sergeant" <dave@> wrote:
> >
> > On 11 Dec 2008 at 17:22, Kevin Nathan wrote:

> >
> > > I guess I don't remember, is QRZ the only game in town as far
as
> call
> > > book lookups? If so, I can do without. I'm not going to be
> forced into
> > > paying them for that simple service. I wonder if they would
> consider
> > > letting the authors of logging programs such as yourself join
for
> a
> > > somewhat larger fee that we, the users of your program could
> offset?
> >
> > I accept why QRZ has done this, however I am rather non impressed
> > myself. AA7BQ has an explanation at
> > http://forums. <http://forums.qrz.com/showthread.php?t=185694>
qrz.com/showthread.php?t=185694
> > It is no great hassle to visit the website to do a callsign
lookup
> for
> > the occasional time I use this facility, I am not interested in
> > continual updates which some of you like. However I feel he has
> taken
> > the advert supported approach too far in that I find the ads on
the
> > site are VERY intrusive, with a mixture of jpg and Adobe flash
and
> > configured such that you cannot block them by the common means
> > (hosts/browser block). Also the totally unnecessary Google Earth
> > lookup, never been a fan of that myself. As such I don't feel I
> could
> > justify $30/year (effectively 30UKP soon at the current exchange
> > rates...) for this sort of facility.
> >
> > But thanks to Mike for providing this facility in the past.
> >
> > 73 Dave G3YMC
> >
> > http://www.daveserg <http://www.davesergeant.com> eant.com
> >
>

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.17/1846 - Release Date: 12/12/2008
18:59

[Non-text portions of this message have been removed]

2734. Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 23:26:44 UTC
From: Tim
Topic: 2708 Message: 2734

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> OK settle down guys. Yes I do plan to add the QRZ.COM support using
> the XML interface. I've got a good start into it and I should have a
> beta ready in a week or two.
>
> Mike - W1ECT
>

Hey Guys re-read what Mike posted.

Give him a while. It is not the end of the world.

Tim KD4OVM

2735. Re: [XMLog] Re: QRZ.COM problems

Yahoo group: XMLog
Date: 2008-12-13 23:43:54 UTC
From: N7mal
Topic: 2708 Message: 2735

Hi Mike thanks for your comments. For whatever it is worth the VE7CC terminal software still looks up QRZ just fine. If I need/want info on a station, the DX or the spotter, I can still get it, by clicking on the call. I connect the XMlog terminal to the VE7CC terminal 24/7. The reason I do that is because it is much easier to control your local cluster parameters from inside VE7CC,(you just use check marks not commands).
Just my -2cents worth
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, December 13, 2008 20:41
Subject: [XMLog] Re: QRZ.COM problems

OK settle down guys. Yes I do plan to add the QRZ.COM support using the XML interface. I've got a good start into it and I should have a beta ready in a week or two.

Mike - W1ECT

[Non-text portions of this message have been removed]

2736. Re: [XMLog] QRZ.com

Yahoo group: XMLog
Date: 2008-12-14 06:29:19 UTC
From: Dave Sergeant
Topic: 2729 Message: 2736

On 13 Dec 2008 at 21:14, jwyoung030240 wrote:

> I would like to use the online QRZ.com instead of the QRZ CDROM that I
> use now but when I go to QRZ.com it takes a long long time to finish the
> first screen and then it says that "a newer reader needs to be
> installed" and offers to install the reader. I answer OK and then it
> says again "a newer reader needs to be installed" and offers to install
> the reader. This continues in a loop until I close out the page. Anyone
> have any idea the problem is? Thanks fre Joe W6RLL.

Some of the ads on the site are Adobe Flash ones so you need Adobe
Flash Player to be installed to see them. If you don't want to see the
ads then you don't need it.

For what it is worth, here using Opera I have disabled plugins on
QRZ.COM - and also used 'block content' to block all the other ads. So
I am afraid they won't be able to get any 'click' revenue from me.

Seriously chaps stop all the whinging, not having XMLog lookup is not
the end of the world. I am sorry Mike will only be doing the XML
interface for his program so I will no longer have the feature in the
future, but accept that is the way ahead.

73 Dave G3YMC

http://www.davesergeant.com

2737. Get frequence/mode rig respose too short

Yahoo group: XMLog
Date: 2008-12-15 20:29:03 UTC
From: mefazamy
Topic: 2737 Message: 2737

I've been using v 5.37 for a couple of years successfully, so you haven't heard from me in a while. I downloaded some freeware that was to create one virtual com port. According to the software log the com port #3 was created successfully. I'm trying to operated 5.37 on this virtual port. I get the this message when I try to operate 5.37 on this virtual port: "Get frequency/mode rig response too short."

1. Am I safe to assume there is some communication between the rig and this virtual port?
2. If so, how can I get the proper response? (The TS-480 received 3, but expected 38.)

Seasons Greetings to all & 73.
Evan

2738. Very odd problem

Yahoo group: XMLog
Date: 2008-12-16 01:44:47 UTC
From: n5pht
Topic: 2738 Message: 2738

Hello,

I have used XMLog for many years and never encountered something like this. (I have over 40,000 qso in XMLog). I was going thru a stack of QSL cards from the Buro (about 50 or 60 cards) and when I tried to search for a particular call (OE5REL) the program would stop responding and I would have to click the microsoft error box (I put 'don't send report')and then restart the program. I duplicated the problem about 7 times. I cannot get this to happen until the "L" is put in the call. That is, I can search for "OE5RE" and that is no problem (just does not find that call because it is not in my log) but the searching is fine. But as soon as I type the L - as in OE5REL it locks up XMLog. I have not tried it with some other OE calls and no problem. But the combination of OE4REL locks it up. Very strange? I don't believe that I have any hot keys set up with the letter L (actually I was using - as I always do - small not caps, like: oe2rel - but I tried it in caps and small with same result) Can anyone else duplicate this? I am using Windows XP. 73 de N5PHT, Gary

2739. Re: Very odd problem

Yahoo group: XMLog
Date: 2008-12-16 01:55:39 UTC
From: k5kv
Topic: 2738 Message: 2739

WORKED OK FOR ME USING XP AND VER 5.49. GOOD LUCK.

73
BENNY K5KV

--- In XMLog@yahoogroups.com, "n5pht" <n5pht@...> wrote:
>
> Hello,
>
> I have used XMLog for many years and never encountered something
like
> this. (I have over 40,000 qso in XMLog). I was going thru a stack
of
> QSL cards from the Buro (about 50 or 60 cards) and when I tried to
> search for a particular call (OE5REL) the program would stop
> responding and I would have to click the microsoft error box (I put
> 'don't send report')and then restart the program. I duplicated the
> problem about 7 times. I cannot get this to happen until the "L"
is
> put in the call. That is, I can search for "OE5RE" and that is no
> problem (just does not find that call because it is not in my log)
but
> the searching is fine. But as soon as I type the L - as in OE5REL
it
> locks up XMLog. I have not tried it with some other OE calls and
no
> problem. But the combination of OE4REL locks it up. Very strange?
I
> don't believe that I have any hot keys set up with the letter L
> (actually I was using - as I always do - small not caps, like:
oe2rel
> - but I tried it in caps and small with same result) Can anyone
else
> duplicate this? I am using Windows XP. 73 de N5PHT, Gary
>

2740. Re: Very odd problem

Yahoo group: XMLog
Date: 2008-12-16 23:59:28 UTC
From: n5pht
Topic: 2738 Message: 2740

Hello,

OK - for those in the group that likes a mystery. This thing has gotten more interesting. I finally just deleted my entry for OE2REL and thought I would log the qso again and try that. Well, now I cannot log that entry. When I get to the 'L' on the call the program freezes. I even tried a sneaky thing and that has strange results too: I made an entry for OE2RE and then tried to 'modify' the entry to include the L and it locked up. I then exported my entry for OE2RE as an .adi file and then used notepad and modified the .adi file to include the L so the call was correct: OE2REL. Then when I tried to export it back to XMLog a box came up and said it ignored the 'duplicate' entry. I then tried the same thing and told it to NOT ignore duplicate entries and it imported the entry (remember I modified it with the correct call OE2REL) and then searched for the call and it shows only OE2RE and not OE2REL. So, the only conclusion I have reached so far is that I can't log an entry for OE2REL! Very strange. And, for the what it is worth department, I have 109 OE* logs (Austria) so it handles OE just fine. I tried lots of other calls with REL on the end: G2REL, W5REL, etc. and that is fine - no problem and no freeze. I also searched for any call with REL on the end and I actually have a real call in data base: K7REL. (the G2REL and W5REL I made up to try).
Lastly, (I know I have gotten obsessive about this thing) I tried to search for OE2RE_ with _ different letters of the alphabet and all other 25 letters work fine - but as soon as I type in the L - it freezes!

Oh well, not worth worrying about much - just curious.

73 de N5PHT, Gary

--- In XMLog@yahoogroups.com, "n5pht" <n5pht@...> wrote:
>
> Hello,
>
> I have used XMLog for many years and never encountered something
like
> this. (I have over 40,000 qso in XMLog). I was going thru a stack of
> QSL cards from the Buro (about 50 or 60 cards) and when I tried to
> search for a particular call (OE5REL) the program would stop
> responding and I would have to click the microsoft error box (I put
> 'don't send report')and then restart the program. I duplicated the
> problem about 7 times. I cannot get this to happen until the "L" is
> put in the call. That is, I can search for "OE5RE" and that is no
> problem (just does not find that call because it is not in my log)

but
> the searching is fine. But as soon as I type the L - as in OE5REL
it
> locks up XMLog. I have not tried it with some other OE calls and
no
> problem. But the combination of OE4REL locks it up. Very strange?
I
> don't believe that I have any hot keys set up with the letter L
> (actually I was using - as I always do - small not caps, like:
oe2rel
> - but I tried it in caps and small with same result) Can anyone
else
> duplicate this? I am using Windows XP. 73 de N5PHT, Gary
>

2741. RE: [XMLog] Get frequence/mode rig respose too short

Yahoo group: XMLog
Date: 2008-12-17 00:31:26 UTC
From: Craig Bradley
Topic: 2737 Message: 2741

Evan,

Make sure that the communications parameters (baud rate, bits, parity, etc.) match. I have seen this message when the parameters are not the same or the first time after changing them. If you start and new QSO and see the message, click Clear and see if it reads the correct frequency, mode, etc.

When you change the baud rate on the TS-480, exit the menu and then cycle the power on and off.

Use 8 data bits, 1 stop bit, parity none, Flow Control None, for Kenwoods. I use 19200 baud, but the default for the 480 is 9600.

I hope this helps.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Monday, December 15, 2008 12:29 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Get frequence/mode rig respose too short

I've been using v 5.37 for a couple of years successfully, so you haven't heard from me in a while. I downloaded some freeware that was to create one virtual com port. According to the software log the com port #3 was created successfully. I'm trying to operated 5.37 on this virtual port. I get the this message when I try to operate 5.37 on this virtual port: "Get frequency/mode rig response too short."

1. Am I safe to assume there is some communication between the rig and this virtual port?
2. If so, how can I get the proper response? (The TS-480 received 3, but expected 38.)

Seasons Greetings to all & 73.
Evan

[Non-text portions of this message have been removed]

2742. simple question

Yahoo group: XMLog
Date: 2008-12-17 03:47:42 UTC
From: n5pht
Topic: 2742 Message: 2742

Greetings,

I just know this must be in the help files but can't find the proper setting. When I right click on a packet cluster call and then left click on 'start new log entry' the mode and frequency from the packet cluster is entered into my log entry. That is perfect. But where is the settings to control that feature? It is not in the 'edit defaults for new entries' settings (The setting to get those from the rig is there but I do not have rig control).

I was helping a friend set up XMLog for the first time and when he clicks on a cluster entry and starts a log entry the mode and frequency do not show up. It does with me (even if my rig is turned off) and that is good - how do I set this up? Again, I do not have 'get mode from rig' or 'get freq from rig' because I do not have rig control set up.

Thanks,

Gary, N5PHT

2743. Re: simple question

Yahoo group: XMLog
Date: 2008-12-17 09:50:36 UTC
From: k5kv
Topic: 2742 Message: 2743

YOU WANT TO CLICK THE RADIO BUTTONS ON THE "EDIT DEFAULTS FOR NEW ENTRIES SCREEN". IT IS LOCATED UNDER "FILE" ON THE MAIN LOG SCREEN. "USE DEFAULTS FOR NEW ENTRIES" MUST BE CHECKED ALSO.

GOOD LUCK

BENNY K5KV

-- In XMLog@yahoogroups.com, "n5pht" <n5pht@...> wrote:
>
> Greetings,
>
> I just know this must be in the help files but can't find the proper
> setting. When I right click on a packet cluster call and then left
> click on 'start new log entry' the mode and frequency from the packet
> cluster is entered into my log entry. That is perfect. But where is
> the settings to control that feature? It is not in the 'edit defaults
> for new entries' settings (The setting to get those from the rig is
> there but I do not have rig control).
>
> I was helping a friend set up XMLog for the first time and when he
> clicks on a cluster entry and starts a log entry the mode and
> frequency do not show up. It does with me (even if my rig is turned
> off) and that is good - how do I set this up? Again, I do not have
> 'get mode from rig' or 'get freq from rig' because I do not have rig
> control set up.
>
> Thanks,
>
> Gary, N5PHT
>

2744. Re: Get frequence/mode rig respose too short

Yahoo group: XMLog
Date: 2008-12-18 13:32:35 UTC
From: mefazamy
Topic: 2737 Message: 2744

Craig,

TU for the suggestion, however it didn't work. I think the problem
was with that virtual port because I can't get any other communication
type software to run on it either.

I wanted to see if the freeware would work before I spend $$ on a
commercial product. I guess I have to figure out something else with
the situation.

Seasons Greetings,
Evan
KB2AMY
>

2745. Packet Cluster Problem

Yahoo group: XMLog
Date: 2008-12-18 16:33:53 UTC
From: Kevin Nathan
Topic: 2745 Message: 2745

Hi All,

I'm hoping someone here who has used packet clusters a lot might be able to help me. I keep getting disconnected from my local packet cluster. I thought it might be XMLog doing it because it happens on more than one cluster I've tried but I also tried telnetting into my local cluster and got the same result. Can anyone suggest why this might be happening and what I could do to cure it?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

2746. Rig Response 3 Revisited

Yahoo group: XMLog
Date: 2008-12-18 19:48:25 UTC
From: mefazamy
Topic: 2746 Message: 2746

I get this message when I try to run XMLog on a so-called virtual com port.

Rig Response For Get Freq/Mode too short, received:3, expected: 38.
1. If the response is 3, then the rig received 3 what?
2. How can the rig attain 38? 38 what?
Can someone please explain the concept?

Seasons Greetings,
Evan

2747. Re: [XMLog] Packet Cluster Problem

Yahoo group: XMLog
Date: 2008-12-18 21:12:08 UTC
From: WILLIS COOKE
Topic: 2745 Message: 2747

I don't know about you, but my ISP is totally unreliable. Since the cluster sends packets every time there is a new report, if you are not connected at that time you will disconnect. Since I am on Comcast and my local cluster is on Comcast, I think it is Comcast doing it.

Willis 'Cookie' Cooke
K5EWJ

--- On Thu, 12/18/08, Kevin Nathan <k7rx@...> wrote:

> From: Kevin Nathan <k7rx@...>
> Subject: [XMLog] Packet Cluster Problem
> To: XMLog@yahoogroups.com
> Date: Thursday, December 18, 2008, 8:33 AM
> Hi All,
>
> I'm hoping someone here who has used packet clusters a
> lot might be able to
> help me. I keep getting disconnected from my local packet
> cluster. I
> thought it might be XMLog doing it because it happens on
> more than one
> cluster I've tried but I also tried telnetting into my
> local cluster and got
> the same result. Can anyone suggest why this might be
> happening and what I
> could do to cure it?
>
> thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2748. RE: [XMLog] Packet Cluster Problem

Yahoo group: XMLog
Date: 2008-12-18 21:42:16 UTC
From: Kevin Nathan
Topic: 2745 Message: 2748

That is the situation here too with both me and the cluster on Comcast.
Hmm, I wonder.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
WILLIS COOKE
Sent: Thursday, December 18, 2008 13:12
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Packet Cluster Problem

I don't know about you, but my ISP is totally unreliable. Since the cluster
sends packets every time there is a new report, if you are not connected at
that time you will disconnect. Since I am on Comcast and my local cluster is
on Comcast, I think it is Comcast doing it.

Willis 'Cookie' Cooke
K5EWJ

--- On Thu, 12/18/08, Kevin Nathan <k7rx@comcast.
<mailto:k7rx%40comcast.net> net> wrote:

> From: Kevin Nathan <k7rx@comcast. <mailto:k7rx%40comcast.net> net>
> Subject: [XMLog] Packet Cluster Problem
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Date: Thursday, December 18, 2008, 8:33 AM
> Hi All,
>
> I'm hoping someone here who has used packet clusters a
> lot might be able to
> help me. I keep getting disconnected from my local packet
> cluster. I
> thought it might be XMLog doing it because it happens on
> more than one
> cluster I've tried but I also tried telnetting into my
> local cluster and got
> the same result. Can anyone suggest why this might be
> happening and what I
> could do to cure it?
>
> thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX

>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.19/1855 - Release Date: 12/18/2008
10:16

[Non-text portions of this message have been removed]

2749. Re: Packet Cluster Problem

Yahoo group: XMLog
Date: 2008-12-19 17:46:26 UTC
From: Mike McAmis
Topic: 2745 Message: 2749

Hi Kevin, Some PacketCluster nodes are configured to disconnect you after a certain period of inactivity on your part - perhaps your cluster is set up this way. To deal with this problem XMLog has a "Keep Alive" timer that can be set up from the "Options/Packet Options and Port Select" menu item. This feature justs sends something to the cluster every once in a while to keep it happy.

Mike - W1ECT

2750. Re: Very odd problem

Yahoo group: XMLog
Date: 2008-12-19 17:56:05 UTC
From: Mike McAmis
Topic: 2738 Message: 2750

Hi Gary, I must admit this has to be the strangest problem ever (and thanks for checking out all the variations). As you might have guessed I can't duplicate the problem here. If you have any other XMLog windows besides the log window open you can try shutting them all down before entering the call (esp. the Show QSOs... window).

If that's not it the only other things to try would be creating a temporary new log file and try entering the call there. If that works ok then you might try a "File/Repair Log" on your main log.

Other than that perhaps a re-install of XMLog?

Mike - W1ECT

2751. Re: simple question

Yahoo group: XMLog
Date: 2008-12-19 18:01:49 UTC
From: Mike McAmis
Topic: 2742 Message: 2751

Hi Gary, XMLog extracts the frequency and mode from from the cluster spot when you right-click on the spot and pick "Start New Log Entry for ...". There's no way to toggle this feature on/off so it should always do this. I don't know why it didn't work for the other installation. Perhaps the cluster he connected to formatted the spots differently? Doesn't sound too likely though.

Mike - W1ECT

2752. QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 18:15:27 UTC
From: Mike McAmis
Topic: 2752 Message: 2752

Hi, I created a version of XMLog the uses QRZ.COM's "XML Data Access" feature. Unfortunately the installer I use for XMLog can't seem to handle the Windows module I use (MSXML).

So, I'm looking into using another installer and this could take some time (finding one and getting it to work with XMLog). In the meantime there is something some of you might want to try.

If you check your \Windows\System32 folder and find you already have msxml4.dll installed you can try my beta version. It's not unusual to find it already installed since it was included with various versions of Internet Explorer and other MS applications. Note that it has to be msxml4.dll, not msxml3.dll, etc.

If you want to give it a try I've posted the zip file in the beta area but I didn't put any link to the file there (I didn't want the general public to see it). So you can get it directly from:

www.xmlog.com/beta/xmlog605.zip

To enable the XML feature go to QRZ.COM and first create a User-ID and password for yourself (remember that passwords are case sensitive). After logging into QRZ.COM with your id/password pick "Subscriptions" from the list on the left of the QRZ.COM home page. Then you need to subscribe to "XML Data Access" ($30/year) or any other option that includes XML Data Access.

Now start up XMLog and use the "Options/Callbook Options" and enter your QRZ.COM id/password.

Mike - W1ECT

2753. Re: [XMLog] QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 18:57:49 UTC
From: Barry Fisher
Topic: 2752 Message: 2753

ok so let me get this right we will still have to pay qrz.com /$30 bucks a year.
were do we find there dumb link to pay if we wanted to but again i dont care
about lookin there address info later im not that big a dx'er

Barry- N8DAD

[Non-text portions of this message have been removed]

2754. Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 19:45:34 UTC
From: k9mrd
Topic: 2752 Message: 2754

Hi Mike,

I had msxml4.dll in my system32 folder so I installed the new version. It works just fine. I stepped through my log file doing Ctrl F's to force lookups for the missing info. Everything is up to date now.

Using XML should eleminate any problem if (when) QRZ changes formats in the future. Thanks for the quick and seamless fix!

Wayne
K9mrd

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi, I created a version of XMLog the uses QRZ.COM's "XML Data Access"
> feature. Unfortunately the installer I use for XMLog can't seem to
> handle the Windows module I use (MSXML).
>
> So, I'm looking into using another installer and this could take some
> time (finding one and getting it to work with XMLog). In the
> meantime there is something some of you might want to try.
>
> If you check your \Windows\System32 folder and find you already have
> msxml4.dll installed you can try my beta version. It's not unusual to
> find it already installed since it was included with various versions
> of Internet Explorer and other MS applications. Note that it has to
> be msxml4.dll, not msxml3.dll, etc.
>
> If you want to give it a try I've posted the zip file in the beta
> area but I didn't put any link to the file there (I didn't want the
> general public to see it). So you can get it directly from:
>
> www.xmlog.com/beta/xmlog605.zip
>
> To enable the XML feature go to QRZ.COM and first create a User-ID
> and password for yourself (remember that passwords are case
> sensitive). After logging into QRZ.COM with your id/password
> pick "Subscriptions" from the list on the left of the QRZ.COM home
> page. Then you need to subscribe to "XML Data Access" ($30/year) or
> any other option that includes XML Data Access.

>
> Now start up XMLog and use the "Options/Callbook Options" and enter
> your QRZ.COM id/password.
>
> Mike - W1ECT
>

2755. Re: [XMLog] Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 20:10:04 UTC
From: W3GER
Topic: 2752 Message: 2755

I had msxml4.dll in my system32 folder

I don't...I have 2, 2r, 3, 3r, 6, and 6r.
Anybody know whether 6 (dated 09/09/2008) or 63 (dated 04/13/2008) will work?

73 de W3GERry

[Non-text portions of this message have been removed]

2756. Re: [XMLog] Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 20:13:58 UTC
From: Barry Fisher
Topic: 2752 Message: 2756

ok i had that dll in my system folder, but found out u still have to pay qrz money
what a joke..

Barry

Recent Activity
* 3
New MembersVisit Your Group
Sell Online
Start selling with
our award-winning
e-commerce tools.
Check out the
Y! Groups blog
Stay up to speed
on all things Groups!
Yahoo! Groups
Going Green Zone
Learn to go green.
Save energy. Save the planet.

[Non-text portions of this message have been removed]

2757. Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 21:28:55 UTC
From: Mike McAmis
Topic: 2752 Message: 2757

Hi, Sorry, the way Microsoft has things set up for MSXML is wierd. Each version is unique and there's no way (as far as I know) to access the 'latest' version. I picked version 4 since supposedly it's the most universally available. If you're motivated enough I'm sure you can scrounge around Microsoft's site and find an install download for MSXML 4...

Mike - W1ECT

2758. Re: [XMLog] QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 22:08:17 UTC
From: john vernaleken
Topic: 2752 Message: 2758

Hello Mike,

I installed XMLOG605 and it works great. Since I am a blind ham I was having problems without the QRZ information added automatically.

Thanks again for the quick fix.

John KC2QJB

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Friday, December 19, 2008 1:15 PM
Subject: [XMLog] QRZ.COM feature - Almost

Hi, I created a version of XMLog the uses QRZ.COM's "XML Data Access" feature. Unfortunately the installer I use for XMLog can't seem to handle the Windows module I use (MSXML).

So, I'm looking into using another installer and this could take some time (finding one and getting it to work with XMLog). In the meantime there is something some of you might want to try.

If you check your \Windows\System32 folder and find you already have msxml4.dll installed you can try my beta version. It's not unusual to find it already installed since it was included with various versions of Internet Explorer and other MS applications. Note that it has to be msxml4.dll, not msxml3.dll, etc.

If you want to give it a try I've posted the zip file in the beta area but I didn't put any link to the file there (I didn't want the general public to see it). So you can get it directly from:

www.xmlog.com/beta/xmlog605.zip

To enable the XML feature go to QRZ.COM and first create a User-ID and password for yourself (remember that passwords are case sensitive). After logging into QRZ.COM with your id/password pick "Subscriptions" from the list on the left of the QRZ.COM home page. Then you need to subscribe to "XML Data Access" ($30/year) or any other option that includes XML Data Access.

Now start up XMLog and use the "Options/Callbook Options" and enter your QRZ.COM id/password.

Mike - W1ECT

[Non-text portions of this message have been removed]

2759. Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-19 22:27:49 UTC
From: k9mrd
Topic: 2752 Message: 2759

XMLog Group:

I did not find the dll on the MS site, but I am sure it is there somewhere.

Here is another link to download MSXML4.dll:

http://www.dll-files.com/dllindex/dll-files.shtml?msxml4

This is from dll-files.com. I did not download or install this dll from here. So use with caution!!

Wayne

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi, Sorry, the way Microsoft has things set up for MSXML is wierd. Each
> version is unique and there's no way (as far as I know) to access
> the 'latest' version. I picked version 4 since supposedly it's the most
> universally available. If you're motivated enough I'm sure you can
> scrounge around Microsoft's site and find an install download for MSXML
> 4...
>
> Mike - W1ECT
>

2760. QRZ revisited

Yahoo group: XMLog
Date: 2008-12-19 23:14:52 UTC
From: N7mal
Topic: 2760 Message: 2760

Last week I posted this comment regarding the QRZ fiasco: ""For whatever it is worth the VE7CC terminal software still looks up QRZ just fine.""
Well I wondered why because there was no up-date to VE7CC software. I did some investigating and chatting with fellow DXers who, daily, use VE7CC software. The answer, of course, immediately jumped out at me.
I am not a programmer and don't pretend to be. But I think, in my simple mind, it only takes a small modification to only one line of code and all will be well again.
Here's what I found: When you go to QRZ you can no longer immediately type in the call you want to look-up. You have to wait about 5 or 6 seconds. The VE7CC software has always been a little bit slow looking up calls and it still is,,, but it hasn't gotten any slower. The way my system/house is configured we connect all the computers through a router and then on to the i'net. I watched the ''''idiot'''' lites on the router. VE7CC makes 2 transmissions to get to QRZ. I assume (ass/u/me) one is the connect to QRZ and the
second, several seconds later, is the call to be looked up. XMLOG makes only one
transmission. I have to assume (ass/u/me) that is the problem, XMLOG is asking for the call look-up at the very same it connects to QRZ.
Again just my -2cents worth
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
The wisest men follow their own direction.

2761. Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-20 01:54:26 UTC
From: kd2mx_nj
Topic: 2752 Message: 2761

I didn't have a copy of msxml4.dll but I DL'd it from dll-files.com and dropped it into the system32 directory. Installed the update (ignored the registry error), paid my dues and it works like a charm.

The QRZ lookup is a very important feature to me and I don't mind paying a fee for the service. I didn't mind it being free either but once the feature was gone, its value was immediately apparent. I also made a donation to Mike in thanks for his quick response (again) in putting out an update for a QRZ change.

Paul/kd2mx

2762. RE: [XMLog] Re: Packet Cluster Problem

Yahoo group: XMLog
Date: 2008-12-20 03:36:47 UTC
From: Kevin Nathan
Topic: 2745 Message: 2762

Hi Mike,

I do have it set to send an enter every five minutes. it still does the same thing.

Thanks an d very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Friday, December 19, 2008 09:46
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Packet Cluster Problem

Hi Kevin, Some PacketCluster nodes are configured to disconnect you after a certain period of inactivity on your part - perhaps your cluster is set up this way. To deal with this problem XMLog has a "Keep Alive" timer that can be set up from the "Options/Packet Options and Port Select" menu item. This feature justs sends something to the cluster every once in a while to keep it happy.

Mike - W1ECT

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.19/1857 - Release Date: 12/19/2008 10:09

[Non-text portions of this message have been removed]

2763. Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-20 16:00:49 UTC
From: Mike McAmis
Topic: 2752 Message: 2763

Try looking for msxml4.msi - Here's one I found...

http://www.microsoft.com/downloads/details.aspx?familyid=3144B72B-B4F2-46DA-B4B6-C5D7485F2B42&displaylang=en

Mike - W1ECT

> I did not find the dll on the MS site, but I am sure it is there
> somewhere.
>

2764. Re: [XMLog] Re: QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-20 16:33:02 UTC
From: john vernaleken
Topic: 2752 Message: 2764

Mike,

I am using the Beta 605. Since I am blind am using a screen reader and not really sure how the display has changed. How do i get the name and address to display? The connection to QRZ is working great.

John KC2QJB

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, December 20, 2008 11:00 AM
Subject: [XMLog] Re: QRZ.COM feature - Almost

Try looking for msxml4.msi - Here's one I found...

http://www.microsoft.com/downloads/details.aspx?familyid=3144B72B-B4F2-46DA-B4B6-C5D7485F2B42&displaylang=en

Mike - W1ECT

> I did not find the dll on the MS site, but I am sure it is there
> somewhere.
>

[Non-text portions of this message have been removed]

2765. qrz question

Yahoo group: XMLog
Date: 2008-12-20 22:35:34 UTC
From: Barry Fisher
Topic: 2765 Message: 2765

Question, i see that u can, get either 1 month or 6months, or 1 yr, its reaccuring so if i try this for
lets say a month then next month it will come off my plastic card, thats fine but what if i wanted
to cancel in a month , two months were do i do this at email editor@... or where i dont see were to stop a subscription???

any one can help me would be great

barry- n8dad

[Non-text portions of this message have been removed]

2766. Re: [XMLog] QRZ.COM feature - Almost

Yahoo group: XMLog
Date: 2008-12-20 22:45:21 UTC
From: Barry Fisher
Topic: 2752 Message: 2766

The XML Data Access, is what im wondering how to stop a subscription if u want too

were do i get this info at

Barry

[Non-text portions of this message have been removed]

2767. latest Version

Yahoo group: XMLog
Date: 2008-12-21 00:29:34 UTC
From: Kevin Nathan
Topic: 2767 Message: 2767

Hi All,

I've been reading the threads on the fix for QRZ.com but have some questions. I installed the latest MSXML4 service pack as recommended and then went to the beta sight to get the latest version of XMLog. I though I read in this group that it was 6.05 but the latest I saw there was 6.04. Where do I find 6.05 and should it now work with the update I downloaded for MSXML4?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

2768. Re: latest Version

Yahoo group: XMLog
Date: 2008-12-21 17:54:18 UTC
From: k9mrd
Topic: 2767 Message: 2768

Use this address:

www.xmlog.com/beta/xmlog605.zip

This does not show on the web site.

Wayne

--- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@...> wrote:
>
> Hi All,
>
> I've been reading the threads on the fix for QRZ.com but have some
> questions. I installed the latest MSXML4 service pack as
recommended and
> then went to the beta sight to get the latest version of XMLog. I
though I
> read in this group that it was 6.05 but the latest I saw there was
6.04.
> Where do I find 6.05 and should it now work with the update I
downloaded for
> MSXML4?
>
> thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>

2769. Re: [XMLog] Re: latest Version

Yahoo group: XMLog
Date: 2008-12-21 18:33:50 UTC
From: john vernaleken
Topic: 2767 Message: 2769

Wayne,
Are you using XMLOG605? If you are, is the Name field being filled in and is there a area for address and city?

John KC2QJB

----- Original Message -----
From: k9mrd
To: XMLog@yahoogroups.com
Sent: Sunday, December 21, 2008 12:54 PM
Subject: [XMLog] Re: latest Version

Use this address:

www.xmlog.com/beta/xmlog605.zip

This does not show on the web site.

Wayne

--- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@...> wrote:
>
> Hi All,
>
> I've been reading the threads on the fix for QRZ.com but have some
> questions. I installed the latest MSXML4 service pack as
recommended and
> then went to the beta sight to get the latest version of XMLog. I
though I
> read in this group that it was 6.05 but the latest I saw there was
6.04.
> Where do I find 6.05 and should it now work with the update I
downloaded for
> MSXML4?
>
> thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>

[Non-text portions of this message have been removed]

2770. Re: [XMLog] Re: latest Version

Yahoo group: XMLog
Date: 2008-12-21 19:04:51 UTC
From: Barry Fisher
Topic: 2767 Message: 2770

QUESTION : on loggin 60meter contacts xmlog will not allow u to put in lets say 5.366.5 it will only work as 5.366 is there a way to fix this

Barry

[Non-text portions of this message have been removed]

2771. LOTW and multiple callsigns / v 6.05 log screen

Yahoo group: XMLog
Date: 2008-12-22 00:14:24 UTC
From: hamman992003
Topic: 2771 Message: 2771

I was playing with the new LOTW features in V6.04 (i see there is a version V6.05 but have not tried it yet). I did a download/validate LOTW data and got a huge adi file (3,730Kb)and a report file (278KB). I have a lot of QSOs on LOTW and I have 3 callsigns (two from DX operations). well, the adi file includes qsos from all 3 callsigns. the error report is huge, because every qso with the other dx callsigns is marked as "No matching entry in log". I read that if I try "apply LOTW data to log" I'll have to respond to each instance of no match. It seems that the fields in the adi file "<APP_LoTW_OWNCALL:4>xxxx OR <STATION_CALLSIGN:4>xxxx" should be checked to see if they agree with the callsign in the xmlog log file.

I have to offer my opinion on the new layout of the xmlog screen. the QSO/qSL info box takes up way too much room for my taste. I'm using an older laptop. Why is the name field so long? eqsl is of very limited interest to me. I confirm eqsl only when asked or if i see others have sent me their eqsl, so the extra space taken by that is not worth it in my opinion. i put the packet window side-by-side with the log window and keep the bandmap below these two. now with the bigger log window, i cant see everything like i could in the earlier versions. i will probably go back to the "pre LOTW" version. maybe everything from "QSL sent" to "qSL via" could be moved to another screen, like the "Show Award Info" screen ? and just keep the old familiar log window.

I love xmlog and have been using it for years. my log file has over 95,000 qSOs, starting in 1968 (I put in old data from old qsls). I recommend it to all my friends. 73 and thanks for a great program.

Terry K3JT, 5X1X, V26JT

2772. RE: [XMLog] Re: latest Version

Yahoo group: XMLog
Date: 2008-12-21 22:28:52 UTC
From: Kevin Nathan
Topic: 2767 Message: 2772

Thanks much Wayne.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Sunday, December 21, 2008 09:54
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: latest Version

Use this address:

www.xmlog.com/beta/xmlog605.zip

This does not show on the web site.

Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Kevin Nathan" <k7rx@...> wrote:
>
> Hi All,
>
> I've been reading the threads on the fix for QRZ.com but have some
> questions. I installed the latest MSXML4 service pack as recommended and
> then went to the beta sight to get the latest version of XMLog. I though I
> read in this group that it was 6.05 but the latest I saw there was 6.04.
> Where do I find 6.05 and should it now work with the update I downloaded for
> MSXML4?
>
> thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.9.19/1860 - Release Date: 12/21/2008 15:08

[Non-text portions of this message have been removed]

2773. QRZ.COM Support - Beta version 6.06

Yahoo group: XMLog
Date: 2008-12-22 15:50:25 UTC
From: Mike McAmis
Topic: 2773 Message: 2773

I've just posted version 6.06 at www.xmlog.com/beta

This version does not try to install MSXML but now should be able to use the most recent version you have installed (msxml6.dll, msxml5.dll, etc.).

Mike - W1ECT

2774. Re: [XMLog] QRZ.COM Support - Beta version 6.06

Yahoo group: XMLog
Date: 2008-12-22 16:24:52 UTC
From: Howard Baker
Topic: 2773 Message: 2774

It appears to work well. It seems much faster than the old way of
doing things.
Howard, K8NHR

Mike McAmis wrote:
>
> I've just posted version 6.06 at www.xmlog.com/beta
>
> This version does not try to install MSXML but now should be able to
> use the most recent version you have installed (msxml6.dll, msxml5.dll,
> etc.).
>
> Mike - W1ECT
>
>

[Non-text portions of this message have been removed]

2775. Re: latest Version

Yahoo group: XMLog
Date: 2008-12-22 16:34:45 UTC
From: k9mrd
Topic: 2767 Message: 2775

John - KC2QJB,

Yes, I am using ver 605. The name, address, and city are being filled on the screen that has a box titled 'Address'. In the lower left corner of the screen, click the button and it changes the lower half of the screen to display Address or QSO/QSL Info or Awards Tracking.

I just noticed that under the QSO/QSL Info box, Name is NOT being filled as it was in prior versions. Also at the top of the screen QTH is also not being filled and I think it was before. As I mentioned above, the Name and mailing info is being filled when the Address button is selected.

Hope this helps John.

Wayne

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
> Wayne,
> Are you using XMLOG605? If you are, is the Name field being filled in and is there a area for address and city?
>
> John KC2QJB
>
> ----- Original Message -----
> From: k9mrd
> To: XMLog@yahoogroups.com
> Sent: Sunday, December 21, 2008 12:54 PM
> Subject: [XMLog] Re: latest Version
>
>
> Use this address:
>
> www.xmlog.com/beta/xmlog605.zip
>
> This does not show on the web site.
>
> Wayne
>
> --- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@> wrote:
> >
> > Hi All,
> >
> > I've been reading the threads on the fix for QRZ.com but have some

> > questions. I installed the latest MSXML4 service pack as
> recommended and
> > then went to the beta sight to get the latest version of XMLog.
I
> though I
> > read in this group that it was 6.05 but the latest I saw there
was
> 6.04.
> > Where do I find 6.05 and should it now work with the update I
> downloaded for
> > MSXML4?
> >
> > thanks much and very 73.
> >
> > Kevin :)
> > Amateur Radio: K7RX
> >
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2776. RE: [XMLog] Re: Get frequence/mode rig respose too short

Yahoo group: XMLog
Date: 2008-12-22 17:44:42 UTC
From: Craig Bradley
Topic: 2737 Message: 2776

Evan,

I am using the microHAM USB router that creates virtual comm ports with no problem. It may be the particular software that you have. Anyway the message that you got indicates that XMLog did not get a proper message with rig parameters and a communication problem will cause this.

What software are you using?

Good luck & Happy Hollidays.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Thursday, December 18, 2008 5:33 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Get frequence/mode rig respose too short

Craig,

TU for the suggestion, however it didn't work. I think the problem was with that virtual port because I can't get any other communication type software to run on it either.

I wanted to see if the freeware would work before I spend $$ on a commercial product. I guess I have to figure out something else with the situation.

Seasons Greetings,
Evan
KB2AMY
>

[Non-text portions of this message have been removed]

2777. RE: [XMLog] Rig Response 3 Revisited

Yahoo group: XMLog
Date: 2008-12-22 17:51:53 UTC
From: Craig Bradley
Topic: 2746 Message: 2777

Evan,

XMLog is complaining about the number of characters received on the serial port. A complete message should have 38 characters. The message is an ASCII text message (human readable). I don't have my 480 manual handy but it think that there is a section in it that talks about serial commands and responses.

XMLog sends a command that asks for the frequency, mode, etc. and expects a predefined response message. There is also a command that you can send that will cause the rig to output this data periodically or when it is changed. You can use the Windows program HyperTerminal to try these out if you want.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Thursday, December 18, 2008 11:48 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Rig Response 3 Revisited

I get this message when I try to run XMLog on a so-called virtual com port.

Rig Response For Get Freq/Mode too short, received:3, expected: 38.
1. If the response is 3, then the rig received 3 what?
2. How can the rig attain 38? 38 what?
Can someone please explain the concept?

Seasons Greetings,
Evan

[Non-text portions of this message have been removed]

2778. RE: [XMLog] QRZ.COM Support - Beta version 6.06

Yahoo group: XMLog
Date: 2008-12-22 19:21:44 UTC
From: Kevin Nathan
Topic: 2773 Message: 2778

Am I correct in assuming that one needs to pay QRZ.com? I tried a lookup with6.05 but was told it needed my name and password.

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Howard Baker
Sent: Monday, December 22, 2008 08:25
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] QRZ.COM Support - Beta version 6.06

It appears to work well. It seems much faster than the old way of doing things.
Howard, K8NHR

Mike McAmis wrote:
>
> I've just posted version 6.06 at www.xmlog.com/beta
>
> This version does not try to install MSXML but now should be able to
> use the most recent version you have installed (msxml6.dll, msxml5.dll,
> etc.).
>
> Mike - W1ECT
>
>

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.10.0/1861 - Release Date: 12/22/2008 11:23

[Non-text portions of this message have been removed]

2779. Re: Frequency entry

Yahoo group: XMLog
Date: 2008-12-22 19:36:38 UTC
From: Mike McAmis
Topic: 2767 Message: 2779

Hi Barry, Frequencies can be entred as 5.3665 but are only displayed down to the kilohertz.

Mike - W1ECT

> QUESTION : on loggin 60meter contacts xmlog will not allow u to put in lets say 5.366.5
> it will only work as 5.366 is there a way to fix this

2780. Re: latest Version

Yahoo group: XMLog
Date: 2008-12-22 19:38:15 UTC
From: Mike McAmis
Topic: 2767 Message: 2780

Hi, The QRZ.COM lookup feature was not filling in all the fields for
new log entries. I'll be posting a fix soon (6.07)

Mike - W1ECT

2781. Re: [XMLog] QRZ.COM Support - Beta version 6.06

Yahoo group: XMLog
Date: 2008-12-22 19:37:56 UTC
From: Howard Baker
Topic: 2773 Message: 2781

You have to have a name and password.

Kevin Nathan wrote:
>
> Am I correct in assuming that one needs to pay QRZ.com? I tried a lookup
> with6.05 but was told it needed my name and password.
>
> thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
> _____
>
> From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On
> Behalf Of
> Howard Baker
> Sent: Monday, December 22, 2008 08:25
> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Subject: Re: [XMLog] QRZ.COM Support - Beta version 6.06
>
> It appears to work well. It seems much faster than the old way of
> doing things.
> Howard, K8NHR
>
> Mike McAmis wrote:
> >
> > I've just posted version 6.06 at www.xmlog.com/beta
> >
> > This version does not try to install MSXML but now should be able to
> > use the most recent version you have installed (msxml6.dll, msxml5.dll,
> > etc.).
> >
> > Mike - W1ECT
> >
> >
>
> [Non-text portions of this message have been removed]
>
> No virus found in this incoming message.
> Checked by AVG - http://www.avg.com <http://www.avg.com>
> Version: 8.0.176 / Virus Database: 270.10.0/1861 - Release Date:
> 12/22/2008

> 11:23
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

2782. Re: QRZ.COM Support - Beta version 6.06

Yahoo group: XMLog
Date: 2008-12-22 19:58:53 UTC
From: k9mrd
Topic: 2773 Message: 2782

Kevin (K7RX),

Yes, you are correct. You must be a 'subscriber' or paying member of QRZ.com to access info via XML lookup. After subscribing, enter your QRZ username/ID and password in XMLog under 'Options' - 'Callbook Setup'. Click the radio button 'QRZ.com' and enter your personal information. Click 'Save' and you are in business:)

Display any entry on the XMLog screen and then press 'CTRL F' to force a QRZ.com name lookup. This will fill in any blank fields on QSO's made while XMLog was not working with QRZ.

Good Luck!

Wayne

--- In XMLog@yahoogroups.com, "Kevin Nathan" <k7rx@...> wrote:
>
> Am I correct in assuming that one needs to pay QRZ.com? I tried a lookup
> with6.05 but was told it needed my name and password.
>
> thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> Howard Baker
> Sent: Monday, December 22, 2008 08:25
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] QRZ.COM Support - Beta version 6.06
>
>
>
> It appears to work well. It seems much faster than the old way of
> doing things.

> Howard, K8NHR
>
> Mike McAmis wrote:
> >
> > I've just posted version 6.06 at www.xmlog.com/beta
> >
> > This version does not try to install MSXML but now should be able
to
> > use the most recent version you have installed (msxml6.dll,
msxml5.dll,
> > etc.).
> >
> > Mike - W1ECT
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG - http://www.avg.com
> Version: 8.0.176 / Virus Database: 270.10.0/1861 - Release Date:
12/22/2008
> 11:23
>
>
>
>
> [Non-text portions of this message have been removed]
>

2783. PAST VERSION

Yahoo group: XMLog
Date: 2008-12-23 01:22:06 UTC
From: N7mal
Topic: 2783 Message: 2783

I am really a 'dummy. I broke every rule about downloading/installing beta software. I need to be able to go back 2 versions ago, 6.04 I think.
Is there anyone who can send it to me at n7mal@...
Thanks in advance.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

2784. 6.07 beta

Yahoo group: XMLog
Date: 2008-12-23 03:07:43 UTC
From: k1laxradio
Topic: 2784 Message: 2784

I downloaded the 6.07 beta version of XM and the msxml4. It works great with QRZ!
It will be so nice to get back in my old logging routine the last few weeks have been logging nightmare for me! Thanks Mike you do a great job!
Bob
K1LAX

2785. Re: [XMLog] Re: Frequency entry

Yahoo group: XMLog
Date: 2008-12-23 13:49:58 UTC
From: Barry Fisher
Topic: 2767 Message: 2785

hi mike

were talkin about 60meters here when entering 5.3665 it rounds it to 5.367 which isnt what is rite
do u need to add another digit more or what i have tried to do 5.3665 it goes 5.367

Barry

__.-,-.-
d

[Non-text portions of this message have been removed]

2786. RE: [XMLog] 6.07 beta

Yahoo group: XMLog
Date: 2008-12-23 14:48:30 UTC
From: Kenneth Moorman
Topic: 2784 Message: 2786

Thanks so much, Mike. It now works great. Merry Christmas!

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k1laxradio
Sent: Monday, December 22, 2008 10:08 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] 6.07 beta

I downloaded the 6.07 beta version of XM and the msxml4. It works great with QRZ!
It will be so nice to get back in my old logging routine the last few weeks have been logging nightmare for me! Thanks Mike you do a great job!
Bob
K1LAX

Yahoo! Groups Links

2787. XMLog 6.08 beta

Yahoo group: XMLog
Date: 2008-12-23 19:40:04 UTC
From: Craig Bradley
Topic: 2787 Message: 2787

Hi Mike,

I downloaded 6.06 yesterday and did the LoTW update, all went well. This was the first time that I had done this as I have been too busy for the last few months. My last version was 4.56.

Today I downloaded 6.08 and subscribed to QRZ.com, that worked well also, although it is hard to find where to sign up on the QRZ site, you would think that they would have that "up front".

I felt bad sending QRZ money and not to you after all of your hard work, so I sent you a small donation via PayPal.

Happy Holidays and keep up the great work!

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2788. Re: XMLog 6.08 beta

Yahoo group: XMLog
Date: 2008-12-23 21:59:40 UTC
From: Mike McAmis
Topic: 2787 Message: 2788

Hi, I've been in contact with Fred LLoyd at QRZ.COM and mentioned the same thing - that he should make it easier for people to give him their money. Apparently it's on his 'todo' list.

Mike - W1ECT

> Today I downloaded 6.08 and subscribed to QRZ.com, that worked well also,
> although it is hard to find where to sign up on the QRZ site, you would
> think that they would have that "up front".

2789. RE: [XMLog] Re: QRZ.COM Support - Beta version 6.06

Yahoo group: XMLog
Date: 2008-12-22 21:07:21 UTC
From: Kevin Nathan
Topic: 2773 Message: 2789

Thanks Wayne,

I just have to decide I'm going to pay the fee for QRZ. <GRIN>

I do appreciate the tips on setting it up. Very 73 and best seasons greetings to you and yours.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Monday, December 22, 2008 11:59
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QRZ.COM Support - Beta version 6.06

Kevin (K7RX),

Yes, you are correct. You must be a 'subscriber' or paying member of QRZ.com to access info via XML lookup. After subscribing, enter your QRZ username/ID and password in XMLog under 'Options' - 'Callbook Setup'. Click the radio button 'QRZ.com' and enter your personal information. Click 'Save' and you are in business:)

Display any entry on the XMLog screen and then press 'CTRL F' to force a QRZ.com name lookup. This will fill in any blank fields on QSO's made while XMLog was not working with QRZ.

Good Luck!

Wayne

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Kevin Nathan" <k7rx@...> wrote:
>
> Am I correct in assuming that one needs to pay QRZ.com? I tried a lookup
> with6.05 but was told it needed my name and password.
>
> thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>

>
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On
Behalf Of
> Howard Baker
> Sent: Monday, December 22, 2008 08:25
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] QRZ.COM Support - Beta version 6.06
>
>
>
> It appears to work well. It seems much faster than the old way of
> doing things.
> Howard, K8NHR
>
> Mike McAmis wrote:
> >
> > I've just posted version 6.06 at www.xmlog.com/beta
> >
> > This version does not try to install MSXML but now should be able
to
> > use the most recent version you have installed (msxml6.dll,
msxml5.dll,
> > etc.).
> >
> > Mike - W1ECT
> >
> >
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG - http://www.avg. <http://www.avg.com> com
> Version: 8.0.176 / Virus Database: 270.10.0/1861 - Release Date:
12/22/2008
> 11:23
>
>
>
>
> [Non-text portions of this message have been removed]

>

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.10.0/1861 - Release Date: 12/22/2008
11:23

[Non-text portions of this message have been removed]

2790. Re: LOTW and multiple callsigns / v 6.05 log screen

Yahoo group: XMLog
Date: 2008-12-23 22:18:08 UTC
From: Mike McAmis
Topic: 2771 Message: 2790

Hi Terry, You wrote:

I was playing with the new LOTW features in V6.04 I have a lot of QSOs on LOTW and I have 3 callsigns (two from DX operations). Well, the adi file includes qsos from all 3 callsigns. the error report is huge, because every qso with the other dx callsigns is marked as "No matching entry in log". I read that if I try "apply LOTW data to log" I'll have to respond to each instance of no match.

I'm very far from an expert in using LoTW, I've just dabbled with it and have let others guide me as to what's needed. Does the ARRL download let you do any filtering that would allow you to download an LoTW/ADIF file without the callsigns that don't appear in your log? You're not required to use LoTW/ADIF files downloaded using XMLog's menu item - it can validate/apply files downloaded via the ARRL web pages.

If not, perhaps I need to add a callsign filter to the LoTW validate/apply menu items?

I have to offer my opinion on the new layout of the xmlog screen. the QSO/qSL info box takes up way too much room for my taste. I'm using an older laptop.

I must say I also liked the older/smaller screen layout better (space is the final frontier). I did lot's of experimenting with screen layouts when the push for LoTW support became to strong to resist. Going to a bigger monitor here has helped a bit but I think I'll bite the bullet at some point and add a second monitor. Perhaps you can try that on your laptop, I've seen that there are USB 2.0->VGA adapters that are pretty inexpensive (don't know anyone who has tried one, and if your laptop isn't fairly new it will only have a USB 1.1 port).

Mike - W1ECT

[Non-text portions of this message have been removed]

2791. Hello

Yahoo group: XMLog
Date: 2008-12-24 00:38:27 UTC
From: Frank Warren
Topic: 438 Message: 2791

Just a first e-mail to introduce myself. Call sign is AB5WJ and in New Mexico. More information may be found on my page on QRZ. I am looking to setup to go for the Triple WAS

that starts in January 2009. Trying to figure out ARRL software for logging the contacts for this award in. Confusing so far.. Thanks for letting me join the group

Frank Warren Sr AB5WJ

[Non-text portions of this message have been removed]

2792. Re: Rig Response 3 Revisited

Yahoo group: XMLog
Date: 2008-12-24 22:52:07 UTC
From: mefazamy
Topic: 2746 Message: 2792

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>

>
Craig,

TU so much for the info. I knew somebody would be able to explain
this to me.

73 & Happy Holidays
Evan

2793. Error Code for Packet Cluster disconnects

Yahoo group: XMLog
Date: 2008-12-26 05:45:23 UTC
From: Kevin Nathan
Topic: 2793 Message: 2793

Hi all,

the other day I asked a question of the group regarding being disconnected involuntarily from the local packet cluster via the internet. the code I get is Error Code 1053. Does that shed an light on what might be happening?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

2794. VISTA - working!

Yahoo group: XMLog
Date: 2008-12-30 11:32:00 UTC
From: n5pht
Topic: 2794 Message: 2794

Hello,

I have had some success with using VISTA OS and XMLog and after reading several posts on this group and a little tweaking myself it seems to be working all ok:

1- install in root directory (not sure how I finally managed to do that)
2- right click on the icon and use 'run as administrator'
3- right click on the icon and run as Windows ME (running as XP did not work for me)

After the above I am using the packet window and the log and qso windows with no problem. I don't know about other windows. Before the above I could not close the program without going to task manager each time. Now it closes just fine.

Thanks for the past post on this - really helped.

Mike - any more ideas on the interface progress for the XML option for QRZ.com?

Gary, N5PHT

2795. Upgrading from V 5.49 to Latest Beta Version

Yahoo group: XMLog
Date: 2009-01-05 00:57:49 UTC
From: jwyoung030240
Topic: 2795 Message: 2795

What is the proper procedure to do this upgrade? Will the latest Beta Version install over V5.49?
Thanks and 73 de Joe/W6RLL

2796. Re: [XMLog] Upgrading from V 5.49 to Latest Beta Version

Yahoo group: XMLog
Date: 2009-01-05 17:13:52 UTC
From: Nelson Wittstock
Topic: 2795 Message: 2796

I just downloaded the newest version . It will install wherever you direct it to go. I also saved the version I was using in case there was a problem.

HTH
Nelson, K8DJC

--
I am using the free version of SPAMfighter.
We are a community of 5.8 million users fighting spam.
SPAMfighter has removed 15787 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2797. Re: Upgrading from V 5.49 to Latest Beta Version

Yahoo group: XMLog
Date: 2009-01-05 17:24:01 UTC
From: k9mrd
Topic: 2795 Message: 2797

It is ALWAYS a good idea to backup before upgrading too!

Wayne

--- In XMLog@yahoogroups.com, "Nelson Wittstock" <k8djc@...> wrote:
>
> I just downloaded the newest version . It will install wherever you
direct
> it to go. I also saved the version I was using in case there was a
> problem.
>
> HTH
> Nelson, K8DJC
>
>
> --
> I am using the free version of SPAMfighter.
> We are a community of 5.8 million users fighting spam.
> SPAMfighter has removed 15787 of my spam emails to date.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
>
> The Professional version does not have this message
>

2798. Continent field for Display/Excel

Yahoo group: XMLog
Date: 2009-01-07 07:34:20 UTC
From: Craig Bradley
Topic: 2798 Message: 2798

Mike,

How much trouble would it be to add a continent field to the selection for the Display/Excel report field selection? I think that you once said that the continent is in the entity database. This would be useful for 5-band WAC.

73 & Happy New Year!

- Craig, AE6RR

[Non-text portions of this message have been removed]

2799. Upgrading - More

Yahoo group: XMLog
Date: 2009-01-07 16:43:17 UTC
From: jwyoung030240
Topic: 2799 Message: 2799

I have the latest version of xmlog installed and it looks ok. I have my backup of v 5.49 on a zip disk. What files from the backup set do I need to move over to the new installation of xmlog? Thanks de Joe W6RLL.

2800. Re: [XMLog] Upgrading - More

Yahoo group: XMLog
Date: 2009-01-07 17:09:13 UTC
From: Nelson Wittstock
Topic: 2799 Message: 2800

Unless you have deleted or uninstalled the old files you don't have to do anything. I just installed the latest version on top of the old one after saving a copy of the old version. The new version is working FB for me now.

Nelson
K8DJC

--
I am using the free version of SPAMfighter.
We are a community of 5.8 million users fighting spam.
SPAMfighter has removed 15818 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2801. Re: [XMLog] Upgrading - More

Yahoo group: XMLog
Date: 2009-01-07 17:51:07 UTC
From: Joe Young
Topic: 2799 Message: 2801

Thanks Nelson. That is what I was looking for. de Joe.

--- On Wed, 1/7/09, Nelson Wittstock <k8djc@...> wrote:

From: Nelson Wittstock <k8djc@...>
Subject: Re: [XMLog] Upgrading - More
To: XMLog@yahoogroups.com
Date: Wednesday, January 7, 2009, 10:09 AM

Unless you have deleted or uninstalled the old files you don't have to do
anything. I just installed the latest version on top of the old one after
saving a copy of the old version. The new version is working FB for me now.

Nelson
K8DJC

--
I am using the free version of SPAMfighter.
We are a community of 5.8 million users fighting spam.
SPAMfighter has removed 15818 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfigh ter.com/len

The Professional version does not have this message

[Non-text portions of this message have been removed]

2802. Exporting to Excel File

Yahoo group: XMLog
Date: 2009-01-12 17:36:49 UTC
From: WILLIS COOKE
Topic: 2802 Message: 2802

I used to be able to do a sort and export the results to an Excel file for manipulating the data. I don't seem to be able to do that with version 6.04. Did that utility get removed, or did I forget how to find it? I need to be able to do that for my number club wallpaper activities.

Willis 'Cookie' Cooke
K5EWJ

2803. Lookups

Yahoo group: XMLog
Date: 2009-01-12 19:24:32 UTC
From: Kevin Nathan
Topic: 2803 Message: 2803

Hi Mike,

At present I haven't paid my fee to QRZ.com and so can't look up a station's info. I can somewhat live with this but, the real frustrating thing I have happening is I get the little box from XMLog that tells me I need to join QRZ.com and then set up info in XMLog regarding name, password and so on. the problem is that I can't seem to get past this to see if I have worked a station before or not. Is there any way you could build the ability into XMLog to let you see if you have worked a station before or is it already there and I just don't know how to do it?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

2804. Re: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-01-12 19:57:37 UTC
From: Nelson Wittstock
Topic: 2803 Message: 2804

In the VIEW box there is an option "Show qso's + check call window F4".
When you enter a call in the call box a window will show any previous qso's.

HTH
Nelson, K8DJC

--
I am using the free version of SPAMfighter.
We are a community of 5.8 million users fighting spam.
SPAMfighter has removed 15999 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2805. Re: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-01-12 20:48:15 UTC
From: N7mal
Topic: 2803 Message: 2805

Nelson that function is broke, on my computer.(ver 6.06)
The only thing that works, on my computer, is to click on 'Display all
entries for ...'

73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Nelson Wittstock
To: XMLog@yahoogroups.com
Sent: Monday, January 12, 2009 19:57
Subject: Re: [XMLog] Lookups

In the VIEW box there is an option "Show qso's + check call window F4".
When you enter a call in the call box a window will show any previous qso's.

HTH
Nelson, K8DJC

[Non-text portions of this message have been removed]

2806. Auto Logon Using Telnet

Yahoo group: XMLog
Date: 2009-01-12 20:49:18 UTC
From: jwyoung030240
Topic: 2806 Message: 2806

I have read the information in the help file about "Auto Logon" using a TNC. It talks about F5 and node files, etc. I would like to have an Auto Logon occur using Telnet. Can this be done? Is the procedure similar to what I find in the Help file? I guess I just don't understand all I know about the subject. :-)
Thanks and 73 de Joe W6RLL.

2807. Re: Lookups

Yahoo group: XMLog
Date: 2009-01-12 22:23:34 UTC
From: Mike McAmis
Topic: 2803 Message: 2807

Hi Kevin, Yes - I should make that callbook lookup feature still let you get at the QSOs list even if you can't do a QRZ lookup. For the time being you can use the "View/Show QSOs and Check Call" menu item (shortcut F4).

Mike - W1ECT

2808. RE: [XMLog] Re: Lookups

Yahoo group: XMLog
Date: 2009-01-12 22:45:31 UTC
From: Kevin Nathan
Topic: 2803 Message: 2808

Hi Mike,

I never even realized that was there. I love it. I am using 6.05 and it worked to perfection. thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Monday, January 12, 2009 14:24
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Lookups

Hi Kevin, Yes - I should make that callbook lookup feature still let you get at the QSOs list even if you can't do a QRZ lookup. For the time being you can use the "View/Show QSOs and Check Call" menu item (shortcut F4).

Mike - W1ECT

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.10.6/1888 - Release Date: 1/12/2009 07:04

[Non-text portions of this message have been removed]

2809. Re: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-01-12 22:51:12 UTC
From: Nelson Wittstock
Topic: 2803 Message: 2809

I am using version 6.08 and it works FB for me. I just entered TS7C in the log window and another little window popped up showing my two contacts with them.

Maybe you should try an update.

Nelson

--
I am using the free version of SPAMfighter.
We are a community of 5.8 million users fighting spam.
SPAMfighter has removed 15999 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2810. RE: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-01-12 22:56:38 UTC
From: Kevin Nathan
Topic: 2803 Message: 2810

Hi nelson,

How are you doing that? I pressed F4 from the main log screen without an entry entered and it asks for a call. I put it in and the info comes up. What did you do to get it to display as you entered the call?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Nelson Wittstock
Sent: Monday, January 12, 2009 14:51
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Lookups

I am using version 6.08 and it works FB for me. I just entered TS7C in the log window and another little window popped up showing my two contacts with them.

Maybe you should try an update.

Nelson

--
I am using the free version of SPAMfighter.
We are a community of 5.8 million users fighting spam.
SPAMfighter has removed 15999 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfigh
<http://www.spamfighter.com/len> ter.com/len

The Professional version does not have this message

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.10.6/1888 - Release Date: 1/12/2009 07:04

[Non-text portions of this message have been removed]

2811. Re: Exporting to Excel File

Yahoo group: XMLog
Date: 2009-01-12 23:49:04 UTC
From: Mike McAmis
Topic: 2802 Message: 2811

Hi Willis, I've tried doing a couple of reports and listings to Excel without a problem. What operation are you trying to do?

Mike - W1ECT

2812. Re: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-01-13 00:16:40 UTC
From: N7mal
Topic: 2803 Message: 2812

Nelson you didn't understand what I was saying because I didn't explain myself.
BUT & However I did just install ver 6.09 and that other problem has disappeared. When I ask for QSO + lookup everything is just fine now and works like it did before all this QRZ confusion started......
Thanks Mike
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Nelson Wittstock
To: XMLog@yahoogroups.com
Sent: Monday, January 12, 2009 22:51
Subject: Re: [XMLog] Lookups

I am using version 6.08 and it works FB for me. I just entered TS7C in the log window and another little window popped up showing my two contacts with them.

Maybe you should try an update.

Nelson

[Non-text portions of this message have been removed]

2813. Re: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-01-13 00:19:08 UTC
From: WILLIS COOKE
Topic: 2803 Message: 2813

Go to Options-Call Book Setup and check the none block. This will stop it from trying to look up the information.

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 1/12/09, Kevin Nathan <k7rx@...> wrote:

> From: Kevin Nathan <k7rx@...>
> Subject: [XMLog] Lookups
> To: XMLog@yahoogroups.com
> Date: Monday, January 12, 2009, 11:24 AM
> Hi Mike,
>
> At present I haven't paid my fee to QRZ.com and so
> can't look up a station's
> info. I can somewhat live with this but, the real
> frustrating thing I have
> happening is I get the little box from XMLog that tells me
> I need to join
> QRZ.com and then set up info in XMLog regarding name,
> password and so on.
> the problem is that I can't seem to get past this to
> see if I have worked a
> station before or not. Is there any way you could build
> the ability into
> XMLog to let you see if you have worked a station before or
> is it already
> there and I just don't know how to do it?
>
> thanks much and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2814. Re: [XMLog] Re: Exporting to Excel File

Yahoo group: XMLog
Date: 2009-01-13 00:36:59 UTC
From: WILLIS COOKE
Topic: 2802 Message: 2814

Mike, I am trying to do a search of the comments box and the frequency box then dump the data to an Excel file to sort the data for awards that are not supported by XMLog and not common enough to expect you to write code. I may be just having a brain lock and forgetting which menus I used to get the dump. Could you just tell me which menus I need to look at?

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 1/12/09, Mike McAmis <w1ect@...> wrote:

> From: Mike McAmis <w1ect@...>
> Subject: [XMLog] Re: Exporting to Excel File
> To: XMLog@yahoogroups.com
> Date: Monday, January 12, 2009, 3:49 PM
> Hi Willis, I've tried doing a couple of reports and
> listings to Excel
> without a problem. What operation are you trying to do?
>
> Mike - W1ECT
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2815. Re: [XMLog] Re: Exporting to Excel File

Yahoo group: XMLog
Date: 2009-01-13 00:37:54 UTC
From: WILLIS COOKE
Topic: 2802 Message: 2815

I forgot to add that the search works just fine, it is just the Excel dump that is giving me a problem.

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 1/12/09, Mike McAmis <w1ect@...> wrote:

> From: Mike McAmis <w1ect@...>
> Subject: [XMLog] Re: Exporting to Excel File
> To: XMLog@yahoogroups.com
> Date: Monday, January 12, 2009, 3:49 PM
> Hi Willis, I've tried doing a couple of reports and
> listings to Excel
> without a problem. What operation are you trying to do?
>
> Mike - W1ECT
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2816. XMLOG AND QRZ WITHOUT PAYING ANNUAL FEE

Yahoo group: XMLog
Date: 2009-01-13 04:24:44 UTC
From: Benny Owens
Topic: 2816 Message: 2816

HI

I FOUND AN OLD QRZ CD. I INSTALLED IT AND IT STILL WORKED AND IT ACTIVATES THE LOGBOOK WINDOW MAIL LABEL BUTTON WHEN YOU LOOKUP A VALID CALL. JUST FOLLOW INSTRUCTIONS TO COPY DATABASE TO HARDDRIVE AND PUT THE CD BACK IN THE DRAWER. YOU CAN VERIFY THE ADDRESS AT QRZ.COM FOR FREE AND CUT & PASTE A NEWER ADDRESS IF NEEDED. THOSE WHO HAVE MORE TIME THAN MONEY MAY WANT TO TRY THIS METHOD. I WAS ALSO TOLD THAT YOU COULD DOWNLOAD A COPY FOR ABOUT $20 BUT HAVE NOT CHECKED OUT THIS OPTION YET.

WITH LOTW MAILING LABELS MAY NOT BE USED AS MUCH IN THE FUTURE.

73
BENNY K5KV

[Non-text portions of this message have been removed]

2817. LoTW and version 6.09

Yahoo group: XMLog
Date: 2009-01-13 18:30:12 UTC
From: Mike McAmis
Topic: 2817 Message: 2817

It seems that the new 6.09 feature that checks to see if an LoTW file has QSOs you've made using multiple callsigns broke things for the normal case - If you only used a single callsign all the data in the file was ignored. I've posted version 6.10 with a fix at:

www.xmlog.com/beta

Mike - W1ECT

2818. Lookups Revisited

Yahoo group: XMLog
Date: 2009-01-14 00:07:35 UTC
From: N7mal
Topic: 2818 Message: 2818

Well the lookups are broken again.....
Here is exactly step-by-step what I am doing and what I am seeing:
I am in the packet-cluster terminal window.....
I right click on a callsign that has been spotted.
For example W1ECT was spotted. I right click on W1ECT. A dialogue box pops up with several options. I then click on this option:
"Show QSOs+Check Call for W1ECT"
I get W1ECT for about 2 seconds then it reverts to the last call I logged in the logbook, in this case it shows G4AMN. It gives me all my previous QSOs etc for G4AMN.
Now if I click on the option "Display all entries for W1ECT" I get all my previous QSOs for W1ECT. That option still works perfectly.
Also if I click on the option "Start Log Entry for W1ECT" it still works.
The only function that is broken is "Show QSOs+Check Call for W1ECT"

These functions all worked perfectly before the QRZ stuff started.

I hope this time I've explained myself. I will gladly proved screenshots etc if it would be helpful.

Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

2819. Another lookup service

Yahoo group: XMLog
Date: 2009-01-14 01:05:44 UTC
From: Tim Wright
Topic: 2819 Message: 2819

My question is this: Why can't XMLOG use the FCC data base or a program like pathfinder to lookup calls and insert the info into the logs?

I'm not a programmer but would be interesting, to me, to find out why other online lookup engines couldn't be used.

Tim Wright KD4OVM

[Non-text portions of this message have been removed]

2820. QRZ.com lookup

Yahoo group: XMLog
Date: 2009-01-14 00:34:40 UTC
From: dp47va
Topic: 2820 Message: 2820

I'm new to the group although been using XMLog on and off for some years...I've noticed recently the QRZ.com call look-up seems non-functional...any help with a possible 'work-around?'
Thanks
Dave
KB7ZZ

2821. Re: [XMLog] QRZ.com lookup

Yahoo group: XMLog
Date: 2009-01-14 16:19:50 UTC
From: Barry Fisher
Topic: 2820 Message: 2821

ya u must pay qrz 30 USA dollars a year to get it to work

barry

[Non-text portions of this message have been removed]

2822. RE: [XMLog] QRZ.com lookup

Yahoo group: XMLog
Date: 2009-01-14 16:20:56 UTC
From: Kevin Nathan
Topic: 2820 Message: 2822

Hi Dave,

QRZ.com recently went to a format where you have to join them for $30 a year. Otherwise, without a user name and password, lookups don't work any more. Sorry to tell you that.

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of dp47va
Sent: Tuesday, January 13, 2009 16:35
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ.com lookup

I'm new to the group although been using XMLog on and off for some years...I've noticed recently the QRZ.com call look-up seems non-functional...any help with a possible 'work-around?'
Thanks
Dave
KB7ZZ

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.10.7/1893 - Release Date: 1/14/2009 06:59

[Non-text portions of this message have been removed]

2823. Re: Auto Logon Using Telnet

Yahoo group: XMLog
Date: 2009-01-14 20:55:02 UTC
From: Mike McAmis
Topic: 2806 Message: 2823

Hi,

To automatically sign on to a PacketCluster node when you start XMLog:

Choose the "Packet Options and Port Select" menu item and

Under the "Options" Tab: Set "Show Packet Window when XMLog starts"

Under the "Port" Tab: Fill in the address of your PacketCluster
node - or - enter the filename of your login script (node file).

A sample of a node file (netk1ea.nod) would be:

```
rem
rem Internet DXSpider PacketCluster at K1EA
rem
connect dxc.k1ea.com 7300
match login:
send #me
match de K1EA
send set/page 0
send dir/new
```

Check the help file for more on node files and setting up your
PacketCluster login options.

Mike - W1ECT

2824. Re: Continent field for Display/Excel

Yahoo group: XMLog
Date: 2009-01-14 20:58:00 UTC
From: Mike McAmis
Topic: 2798 Message: 2824

Hi Craig, XMLog doesn't track the continent and there is no Continent field in the database (log file).

Mike - W1ECT

2825. Re: Exporting to Excel File

Yahoo group: XMLog
Date: 2009-01-14 20:59:50 UTC
From: Mike McAmis
Topic: 2802 Message: 2825

Hi Willis, What kind of problem do you see - any error message, etc?

Mike - W1ECT

2826. Re: Lookups Revisited

Yahoo group: XMLog
Date: 2009-01-14 21:07:59 UTC
From: Mike McAmis
Topic: 2818 Message: 2826

Hi Mal, This seems to be an old bug, I'll post a fix sometime soon. It only happens when the Show QSOs... window is first displayed with that pop-up menu. If the Show QSOs... window is already showing the problem doesn't occur. And by the way, if the Show QSOs... window is already displayed a normal single-click on a call in the Packet Window is all that's needed to update the Show QSOs... info.

Check the Show QSOs... help info for a list of the myriad ways that this window is updated.

Mike - W1ECT

2827. Re: [XMLog] Re: Continent field for Display/Excel

Yahoo group: XMLog
Date: 2009-01-15 00:29:25 UTC
From: Craig Bradley
Topic: 2798 Message: 2827

Hi Mike,

I realize that the continent is not in the log file, but I thought that the continent was in the country (entity) database. If so, could it be looked up and included in an Excel report? Is the the country in the log file database or does XMLog index/lookup the country name from the prefix when reports are generated? If a lookup is done during the report generation, it seems that picking up that field would be easy. If it just generates the report from the log file database, then I understand that this would be more difficult.

BTW, IOTA requires a contact from each continent, does XMLog check that in the IOTA reports?

73,
- Craig, AE6RR

From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, January 14, 2009 12:58:00 PM
Subject: [XMLog] Re: Continent field for Display/Excel

Hi Craig, XMLog doesn't track the continent and there is no Continent field in the database (log file).

Mike - W1ECT

[Non-text portions of this message have been removed]

2828. Re: [XMLog] Re: Continent field for Display/Excel

Yahoo group: XMLog
Date: 2009-01-15 00:29:10 UTC
From: Craig Bradley
Topic: 2798 Message: 2828

Hi Mike,

I realize that the continent is not in the log file, but I thought that the continent was in the country (entity) database. If so, could it be looked up and included in an Excel report? Is the the country in the log file database or does XMLog index/lookup the country name from the prefix when reports are generated? If a lookup is done during the report generation, it seems that picking up that field would be easy. If it just generates the report from the log file database, then I understand that this would be more difficult.

BTW, IOTA requires a contact from each continent, does XMLog check that in the IOTA reports?

73,
- Craig, AE6RR

From: Mike McAmis <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, January 14, 2009 12:58:00 PM
Subject: [XMLog] Re: Continent field for Display/Excel

Hi Craig, XMLog doesn't track the continent and there is no Continent field in the database (log file).

Mike - W1ECT

[Non-text portions of this message have been removed]

2829. Re: Continent field for Display/Excel

Yahoo group: XMLog
Date: 2009-01-20 18:04:20 UTC
From: Mike McAmis
Topic: 2798 Message: 2829

Hi Craig, You're right - the continent is in the Prefixes file but it's currently ignored when the Prefixes file is read. Perhaps in some future version I could add some WAC award menu items.

The IOTA award menu items don't do any continent checks.

Mike - W1ECT

2830. Beta version 6.12 - QRZ.COM via HTML

Yahoo group: XMLog
Date: 2009-01-20 18:15:35 UTC
From: Mike McAmis
Topic: 2830 Message: 2830

OK, I've re-instated support for QRZ.COM lookups via HTML (properly referred to as a "screen-scraper" I'm told). This change is implemented in version 6.12 currently available at www.xmlog.com/beta

There is a new callbook type "QRZ.COM via HTML" available by using the "Options/Callbook Setup" menu. People like myself that previously opted for QRZ.COM lookups via XML will have to go to this menu and set the callbook type to "QRZ.COM via XML".

FWIW the XML lookups are noticeably faster that the HTML lookups (using my dial-up Internet connection).

I'm not 100% confident that the new HTML code handles all variations so if there is a call that can be looked up at the QRZ.COM web page but not via XMLog/HTML, let me know the call.

Mike - W1ECT

2831. Re: Beta version 6.12 - QRZ.COM via HTML

Yahoo group: XMLog
Date: 2009-01-20 21:40:46 UTC
From: David Spoelstra
Topic: 2830 Message: 2831

> OK, I've re-instated support for QRZ.COM lookups via HTML (properly

Thank you! Thank you! Thank you!

I had moved to DXLabs since they continued to do screen scraping. I'm
so glad that you fixed the screen scraping so I can use XMLog again!
Thank you!

-David, N9KT

2832. RE: [XMLog] Re: Continent field for Display/Excel

Yahoo group: XMLog
Date: 2009-01-20 23:41:57 UTC
From: Craig Bradley
Topic: 2798 Message: 2832

Mike,

Thanks for the explanation. I don't need anything fancy, a continent field in an Excel report would do. Then I could sort on the fields.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Tuesday, January 20, 2009 10:04 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Continent field for Display/Excel

Hi Craig, You're right - the continent is in the Prefixes file but it's currently ignored when the Prefixes file is read. Perhaps in some future version I could add some WAC award menu items.

The IOTA award menu items don't do any continent checks.

Mike - W1ECT

[Non-text portions of this message have been removed]

2833. Re: [XMLog] Beta version 6.12 - QRZ.COM via HTML

Yahoo group: XMLog
Date: 2009-01-21 04:21:50 UTC
From: N7mal
Topic: 2830 Message: 2833

Mike the delay is exactly the same delay that is in VE7CC cluster software.
It is apparently the delay QRZ has built-in to discourage lookups from
logging software "screen-scraper".(even though there is advertising in every
corner of QRZ)
GOOD JOB OM
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Tuesday, January 20, 2009 18:15
Subject: [XMLog] Beta version 6.12 - QRZ.COM via HTML

OK, I've re-instated support for QRZ.COM lookups via HTML (properly
referred to as a "screen-scraper" I'm told). This change is implemented
in version 6.12 currently available at www.xmlog.com/beta

There is a new callbook type "QRZ.COM via HTML" available by using
the "Options/Callbook Setup" menu. People like myself that previously
opted for QRZ.COM lookups via XML will have to go to this menu and set
the callbook type to "QRZ.COM via XML".

FWIW the XML lookups are noticeably faster that the HTML lookups (using
my dial-up Internet connection).

I'm not 100% confident that the new HTML code handles all variations so
if there is a call that can be looked up at the QRZ.COM web page but
not via XMLog/HTML, let me know the call.

Mike - W1ECT

[Non-text portions of this message have been removed]

2834. Re: [XMLog] Beta version 6.12 - QRZ.COM via HTML

Yahoo group: XMLog
Date: 2009-01-21 15:59:44 UTC
From: k2qmf@juno.com
Topic: 2830 Message: 2834

Hi Mike, et al,

I cannot get either version (HTML, XML) to work.

With the HTML, when I double click on a call in the packet window
it just times out !!!!!

Any help or suggestions Please???

Thanks in advance and 73,
Ted K2QMF

On Wed, 21 Jan 2009 04:21:50 -0000 "N7mal" <n7mal@...> writes:
> Mike the delay is exactly the same delay that is in VE7CC cluster
> software.
> It is apparently the delay QRZ has built-in to discourage lookups
> from
> logging software "screen-scraper".(even though there is advertising
> in every
> corner of QRZ)
> GOOD JOB OM
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>
> ----- Original Message -----
> From: Mike McAmis
> To: XMLog@yahoogroups.com
> Sent: Tuesday, January 20, 2009 18:15
> Subject: [XMLog] Beta version 6.12 - QRZ.COM via HTML
>
>
>
> OK, I've re-instated support for QRZ.COM lookups via HTML (properly
> referred to as a "screen-scraper" I'm told). This change is
> implemented
> in version 6.12 currently available at www.xmlog.com/beta
>
> There is a new callbook type "QRZ.COM via HTML" available by using

> the "Options/Callbook Setup" menu. People like myself that
> previously
> opted for QRZ.COM lookups via XML will have to go to this menu and
> set
> the callbook type to "QRZ.COM via XML".
>
> FWIW the XML lookups are noticeably faster that the HTML lookups
> (using
> my dial-up Internet connection).
>
> I'm not 100% confident that the new HTML code handles all variations
> so
> if there is a call that can be looked up at the QRZ.COM web page
> but
> not via XMLog/HTML, let me know the call.
>
> Mike - W1ECT
>
>
>
> [Non-text portions of this message have been removed]
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

Are your credit card rates too high? Click here for help with your credit cards.
http://thirdpartyoffers.juno.com/TGL2141/fc/PnY6rw2Om1pkNgeJN4iKwOg6nKdMf82wusYARydT5yS5Mg
freED3c/

2835. Re: [XMLog] Beta version 6.12 - QRZ.COM via HTML

Yahoo group: XMLog
Date: 2009-01-21 23:41:11 UTC
From: k2qmf@juno.com
Topic: 2830 Message: 2835

Hi Mike,

The HTML selection does not work at all for me!!!

When I double click on any call in the packet window
it just times out!!

Any suggestions ??? Thank in Advance for your help..

73,
Ted K2QMF

On Tue, 20 Jan 2009 18:15:35 -0000 "Mike McAmis" <w1ect@...>
writes:
> OK, I've re-instated support for QRZ.COM lookups via HTML (properly
> referred to as a "screen-scraper" I'm told). This change is
> implemented
> in version 6.12 currently available at www.xmlog.com/beta
>
> There is a new callbook type "QRZ.COM via HTML" available by using
> the "Options/Callbook Setup" menu. People like myself that
> previously
> opted for QRZ.COM lookups via XML will have to go to this menu and
> set
> the callbook type to "QRZ.COM via XML".
>
> FWIW the XML lookups are noticeably faster that the HTML lookups
> (using
> my dial-up Internet connection).
>
> I'm not 100% confident that the new HTML code handles all variations
> so
> if there is a call that can be looked up at the QRZ.COM web page but
>
> not via XMLog/HTML, let me know the call.
>
> Mike - W1ECT
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

>

Tired of your day job? Love design & style? Train to be an interior decorator. Click Now.
http://thirdpartyoffers.juno.com/TGL2141/fc/PnY6rw2N0VSjZGYpxaijI7QxGAVlxvecFd3exVlNH9NUOlEHLD9eq/

2836. Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 18:33:22 UTC
From: k2qmf@juno.com
Topic: 2836 Message: 2836

Hello All,

I downloaded the new V6.12 and set it up
for QRZ.com using HTML...

I am not able to get any info from QRZ.com

When I double click on any call in the packet window
it just waits and then says "Request Timed Out"..

Does anyone else have this problem??
Does anyone have info or suggestions on a fix???

Many Thanks in advance for any information...

73,
Ted K2QMF

_____
Click here for great prices on a wide selection of keyboards!
http://thirdpartyoffers.juno.com/TGL2141/fc/PnY6rw2VpefbsQlfjJOWsy8BIhCCWSWjJrBG0epjSKpdarTMZqnc2/

2837. Re: [XMLog] Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 18:49:37 UTC
From: Nelson Wittstock
Topic: 2836 Message: 2837

It works FB for me. You did click on the "save" button after selecting the
via HTML version didn't you?

Nelson

--
I am using the free version of SPAMfighter.
We are a community of 5.9 million users fighting spam.
SPAMfighter has removed 224 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2838. Re: [XMLog] Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 19:16:22 UTC
From: Barry Fisher
Topic: 2836 Message: 2838

after i paid for xml dang

barry

[Non-text portions of this message have been removed]

2839. Re: [XMLog] Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 19:46:38 UTC
From: k2qmf@juno.com
Topic: 2836 Message: 2839

Hi Nelson,

YES I did click "save". It still does not work for me!!!

73,
Ted K2QMF

On Sun, 25 Jan 2009 18:49:37 -0000 "Nelson Wittstock"
<k8djc@...> writes:
> It works FB for me. You did click on the "save" button after
> selecting the
> via HTML version didn't you?
>
> Nelson
>
>
> --
> I am using the free version of SPAMfighter.
> We are a community of 5.9 million users fighting spam.
> SPAMfighter has removed 224 of my spam emails to date.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
>
> The Professional version does not have this message
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

Now hear this! Click now for great prices on high quality outdoor speakers!
http://thirdpartyoffers.juno.com/TGL2141/fc/PnY6rw1wADpFz5y328BKxDUmObrPBpGjyhfH6WOPe1P4XxDbGSH5A/

2840. Re: [XMLog] Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 19:53:28 UTC
From: Nelson Wittstock
Topic: 2836 Message: 2840

The only other thought I have, Ted, would be to do another install. Maybe some component of the program didn't install properly. Mine worked right from the gitgo.

Good luck,
Nelson

--
I am using the free version of SPAMfighter.
We are a community of 5.9 million users fighting spam.
SPAMfighter has removed 224 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2841. Re: [XMLog] Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 21:25:24 UTC
From: k2qmf@juno.com
Topic: 2836 Message: 2841

Hello All,

I found out what was causing my problem with QRZ.com / HTML.

When I turn off my Kaspersky Internet Security Program XMLog works
great!!!
With it on the look up just times out...

But I have no idea how to fix it!!
It is not the firewall. I can turn off the firewall and still
not be able to look up any calls. I have to disable the complete
security program to get it to work...

Any suggestions much appreciated...

73,
Ted K2QMF

On Sun, 25 Jan 2009 18:49:37 -0000 "Nelson Wittstock"
<k8djc@...> writes:
> It works FB for me. You did click on the "save" button after
> selecting the
> via HTML version didn't you?
>
> Nelson
>
>
> --
> I am using the free version of SPAMfighter.
> We are a community of 5.9 million users fighting spam.
> SPAMfighter has removed 224 of my spam emails to date.
> Get the free SPAMfighter here: http://www.spamfighter.com/len
>
> The Professional version does not have this message
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

Hotel pics, info and virtual tours. Click here to book a hotel online.
http://thirdpartyoffers.juno.com/TGL2141/fc/PnY6rw2iLraDPfDEJGiJWrUwkleyULNA6OkfrkJ3qEFqKECBG8dZ4/

2842. Re: Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-25 23:59:43 UTC
From: Mike McAmis
Topic: 2836 Message: 2842

Hi Ted, I was just about to post a message here suggesting that perhaps the problem might be due to some security software. A lot of the programs let you configure your firewall to give access on a program-by-program basis. But also, the programs I've used at least give you a dialog box letting you know that the program has been blocked.

Mike - W1ECT

2843. Re: Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-26 00:11:09 UTC
From: Mike McAmis
Topic: 2836 Message: 2843

Hi Barry, Well one thing - I've done some more testing here and found the XML is a LOT faster than the HTML. Really obvious on my dial-up line. Very useful if you use the "fill in log entry values from callbook" option.

Mike - W1ECT

2844. Re: [XMLog] Re: Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-26 00:19:16 UTC
From: Barry Fisher
Topic: 2836 Message: 2844

i do have to say XML is much faster, thats the way i have mine set up also

seems to work good

barry

[Non-text portions of this message have been removed]

2845. RE: [XMLog] Re: Version 6.12 with QRZ.com set up for HTML

Yahoo group: XMLog
Date: 2009-01-26 00:48:43 UTC
From: Kevin Nathan
Topic: 2836 Message: 2845

Hi Mike,

Personally, I didn't pay QRZ.com and I'm glad to see the HTML back. It doesn't seem any slower than things used to be here and works very nicely for me. It's also nice not to be held at the mercy of QRZ.com.

thanks again and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Sunday, January 25, 2009 16:11
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Version 6.12 with QRZ.com set up for HTML

Hi Barry, Well one thing - I've done some more testing here and found the XML is a LOT faster than the HTML. Really obvious on my dial-up line. Very useful if you use the "fill in log entry values from callbook" option.

Mike - W1ECT

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.176 / Virus Database: 270.10.13/1914 - Release Date: 1/24/2009 20:40

[Non-text portions of this message have been removed]

2846. Re: Recording QSO with Correct Time on Enter

Yahoo group: XMLog
Date: 2009-01-30 17:09:34 UTC
From: wb6cyk
Topic: 2846 Message: 2846

When using the Date and Time default from my computer after entering control-A and the station I am calling, is there an automated way to have the program change the time field to the current time when I exit the record? I have been entering the time manually on receiving the callback. This would work a lot faster for general logging if I didn't have to use the mouse. This is only a problem for me when I am working CW.

Burton- wb6cyk

2847. Re: [XMLog] Re: Recording QSO with Correct Time on Enter

Yahoo group: XMLog
Date: 2009-01-30 18:16:07 UTC
From: WILLIS COOKE
Topic: 2846 Message: 2847

Burton, if you double click on a time or date box it will enter the current time or date as indicated by your computer clock and the offset that you have selected. Or you can use Control D to set the Date and time to current date and time.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 1/30/09, wb6cyk <wb6cyk@...> wrote:

> From: wb6cyk <wb6cyk@...>
> Subject: [XMLog] Re: Recording QSO with Correct Time on Enter
> To: XMLog@yahoogroups.com
> Date: Friday, January 30, 2009, 9:09 AM
> When using the Date and Time default from my computer after
> entering
> control-A and the station I am calling, is there an
> automated way to
> have the program change the time field to the current time
> when I exit
> the record? I have been entering the time manually on
> receiving the
> callback. This would work a lot faster for general logging
> if I
> didn't have to use the mouse. This is only a problem
> for me when I am
> working CW.
>
> Burton- wb6cyk
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2848. XMLog - Close Sound Card Window

Yahoo group: XMLog
Date: 2009-01-30 22:27:42 UTC
From: jwyoung030240
Topic: 2848 Message: 2848

Lately the above named window has been popping up saying:
"Couldn't close wave device, Status = 33"

I click "OK" and the window goes away only to appear
again a short while later.

What do I do to correct this minor problem?

73 de Joe/W6RLL.

2849. LOTW QUESTION

Yahoo group: XMLog
Date: 2009-01-31 01:54:52 UTC
From: john vernaleken
Topic: 2849 Message: 2849

When Exporting a file you are asked if you want to update the LOTW Date Sent Date. If I check Yes it deletes the QSL Sent an Received fields. I don't know if I did something wrong , I would really would like them to remain. There are times I still want the QSL Card. Did I do something wrong?

John KC2QJB

[Non-text portions of this message have been removed]

2850. Re: LOTW QUESTION

Yahoo group: XMLog
Date: 2009-01-31 19:32:07 UTC
From: Mike McAmis
Topic: 2849 Message: 2850

Hi John, I wasn't able to duplicate your problem here, what version of XMLog are you using?

Mike - W1ECT

2851. Re: XMLog - Close Sound Card Window

Yahoo group: XMLog
Date: 2009-01-31 19:45:19 UTC
From: Mike McAmis
Topic: 2848 Message: 2851

Hi Joe, This seems to be related to the CW sidetone. Try changing the sidetone from Soundcard/Wave to PC Speaker and see if this helps. Meanwhile I'll check and see what I can do about the error. What version of Windows are you running?

Mike - W1ECT

2852. Re: [XMLog] Re: XMLog - Close Sound Card Window

Yahoo group: XMLog
Date: 2009-01-31 22:16:28 UTC
From: Joe Young
Topic: 2848 Message: 2852

Hi Mike. I am using Windows XP. I rebooted my computer and I no longer see the problem. Let me play with it for a while before you waste your time trying to fix a problem that may have gone away, hi. 73 de Joe.

--- On Sat, 1/31/09, Mike McAmis <w1ect@...> wrote:

From: Mike McAmis <w1ect@...>
Subject: [XMLog] Re: XMLog - Close Sound Card Window
To: XMLog@yahoogroups.com
Date: Saturday, January 31, 2009, 12:45 PM

Hi Joe, This seems to be related to the CW sidetone. Try changing the sidetone from Soundcard/Wave to PC Speaker and see if this helps. Meanwhile I'll check and see what I can do about the error. What version of Windows are you running?

Mike - W1ECT

[Non-text portions of this message have been removed]

2853. Re: [XMLog] Re: LOTW QUESTION

Yahoo group: XMLog
Date: 2009-02-02 00:51:57 UTC
From: john vernaleken
Topic: 2849 Message: 2853

Hello Mike,

Since I am blind the version number could be a problem, I thought the version was read to me in the past with my screen reader not hearing it anymore. The best that I can tell you is that the version is the one you first fixed the QRZ problem and asked that people try it.
Should I download your latest version and try again?

John KC2QJB

----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Saturday, January 31, 2009 2:32 PM
Subject: [XMLog] Re: LOTW QUESTION

Hi John, I wasn't able to duplicate your problem here, what version of
XMLog are you using?

Mike - W1ECT

[Non-text portions of this message have been removed]

2854. Serial USB Ports

Yahoo group: XMLog
Date: 2009-02-02 17:34:35 UTC
From: WILLIS COOKE
Topic: 2854 Message: 2854

XM Log does not allow connection to a serial port above 8. My USB Hub has assigned Com 10 to my USB adaptor. I had this trouble with Vista before and now I have it on XP Pro. I can't remember where I found the list of assigned Com ports so that I could delete the unused ports and go back to a low numbered Com port for my converter. Anybody remember how to do that?

Willis 'Cookie' Cooke
K5EWJ

2855. Re: LOTW QUESTION

Yahoo group: XMLog
Date: 2009-02-05 21:21:49 UTC
From: Mike McAmis
Topic: 2849 Message: 2855

Hi John, The version number can be displayed by the "Help/About XMLog" menu item. If you have a version with the QRZ.COM fix you have a fairly recent version and no changes have been made recently in this area. I have not been able to reproduce your problem here.

Sorry, Mike - W1ECT

2856. Version 6.13 is now the "official" version.

Yahoo group: XMLog
Date: 2009-02-05 21:25:58 UTC
From: Mike McAmis
Topic: 2856 Message: 2856

I've finally made the XMLog LoTW features available to the general public by moving the most recent beta version (6.13) to www.xmlog.com

Yes, it is the same as the beta version so if you already have 6.13 installed there's no need to install this "official" version.

Mike - W1ECT

2857. Re: [XMLog] Re: LOTW QUESTION

Yahoo group: XMLog
Date: 2009-02-06 00:06:45 UTC
From: john vernaleken
Topic: 2849 Message: 2857

Thanks Mike. I will save the log and try again and let you know what happens.

John Kc2QJB
.
----- Original Message -----
From: Mike McAmis
To: XMLog@yahoogroups.com
Sent: Thursday, February 05, 2009 4:21 PM
Subject: [XMLog] Re: LOTW QUESTION

Hi John, The version number can be displayed by the "Help/About XMLog"
menu item. If you have a version with the QRZ.COM fix you have a fairly
recent version and no changes have been made recently in this area. I
have not been able to reproduce your problem here.

Sorry, Mike - W1ECT

[Non-text portions of this message have been removed]

2858. Search String Question

Yahoo group: XMLog
Date: 2009-02-10 02:49:31 UTC
From: john vernaleken
Topic: 2858 Message: 2858

Hello All,

I am trying to search on a date field. I would like to select dates starting with 2 and ending with 09. Month Feb and Year 09. I am doing something wrong, can someone provide correct search string?

Thanks

John KC2QJB

[Non-text portions of this message have been removed]

2859. RE: [XMLog] Search String Question

Yahoo group: XMLog
Date: 2009-02-10 03:54:24 UTC
From: Kevin Nathan
Topic: 2858 Message: 2859

Hi John,

I can't remember right now how to do it either. I believe you would write it something like:

>=2/*/09

There is a whole section in the docs for XMLog that talks about how to write search strings. I usually have to refer to this before I do a log search preparatory to uploading to LOTW. <GRIN>

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Monday, February 09, 2009 18:50
To: XMLog@yahoogroups.com
Subject: [XMLog] Search String Question

Hello All,

I am trying to search on a date field. I would like to select dates starting with 2 and ending with 09. Month Feb and Year 09. I am doing something wrong, can someone provide correct search string?

Thanks

John KC2QJB

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.233 / Virus Database: 270.10.19/1941 - Release Date: 02/09/09 06:50:00

[Non-text portions of this message have been removed]

2860. RE: [XMLog] Search String Question

Yahoo group: XMLog
Date: 2009-02-10 04:24:36 UTC
From: Craig Bradley
Topic: 2858 Message: 2860

Just use >=2/1/09 and you will get all of the QSOs from Feb 1 on (I assume that you don't have any March QSOs yet :-)).

Or if you just want one month use >=12/01/08,<=12/31/08.

See the help file under Numeric Field Search Keys - Using Ranges.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Monday, February 09, 2009 7:54 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Search String Question

Hi John,

I can't remember right now how to do it either. I believe you would write it something like:

>=2/*/09

There is a whole section in the docs for XMLog that talks about how to write search strings. I usually have to refer to this before I do a log search preparatory to uploading to LOTW. <GRIN>

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of john
vernaleken
Sent: Monday, February 09, 2009 18:50
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Search String Question

Hello All,

I am trying to search on a date field. I would like to select dates starting with 2 and ending with 09. Month Feb and Year 09. I am doing something

wrong, can someone provide correct search string?

Thanks

John KC2QJB

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.233 / Virus Database: 270.10.19/1941 - Release Date: 02/09/09
06:50:00

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2861. Re: [XMLog] Search String Question

Yahoo group: XMLog
Date: 2009-02-10 04:26:16 UTC
From: N7mal
Topic: 2858 Message: 2861

I am a very active contester so I do this routine several times a year. At the end of every contest I import my contest log into XMLOG. After I do all the rest of the contest housekeeping I export from XMLOG to upload to LOTW. Last weekend after the sprint contest was over I needed to export for upload to LOTW. The last contest was the 25th of Jan. In between I've worked a bunch of DX so I needed to also uploaded it to LOTW.
To make a long explanation even longer in the search I typed the following into the date field:
=>01/26/09

I exported an ADIF file with everything from the 26th of Jan to the 8th of Feb.

Hope that helps.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Kevin Nathan
To: XMLog@yahoogroups.com
Sent: Tuesday, February 10, 2009 3:54
Subject: RE: [XMLog] Search String Question

Hi John,

I can't remember right now how to do it either. I believe you would write it something like:

>=2/*/09

There is a whole section in the docs for XMLog that talks about how to write search strings. I usually have to refer to this before I do a log search preparatory to uploading to LOTW. <GRIN>

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Monday, February 09, 2009 18:50
To: XMLog@yahoogroups.com
Subject: [XMLog] Search String Question

Hello All,

I am trying to search on a date field. I would like to select dates starting with 2 and ending with 09. Month Feb and Year 09. I am doing something wrong, can someone provide correct search string?

Thanks

John KC2QJB

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2862. Re: Search String Question

Yahoo group: XMLog
Date: 2009-02-10 19:37:48 UTC
From: g3zoh
Topic: 2858 Message: 2862

John, To answer your question directly, try the following :-

>=02/02/09,<=02/09/09

Hopefully it will work. Note the use of a comma separator - not a
semi-colon.

73

Brian
G3ZOH

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
>
> Hello All,
>
> I am trying to search on a date field. I would like to select
dates starting with 2 and ending with 09. Month Feb and Year 09. I
am doing something wrong, can someone provide correct search string?
>
> Thanks
>
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>

2863. Re: [XMLog] Re: Search String Question

Yahoo group: XMLog
Date: 2009-02-10 23:09:33 UTC
From: N7mal
Topic: 2858 Message: 2863

I'm curious why you are entering a stop date when the stop date is the same as the day you are working on. When you are searching from some date to the present date to only need to put in the start date.
I.E. all he need enter in the date field is =>02/02/09
Just my -2cents worth

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: g3zoh
To: XMLog@yahoogroups.com
Sent: Tuesday, February 10, 2009 19:37
Subject: [XMLog] Re: Search String Question

John, To answer your question directly, try the following :-

>=02/02/09,<=02/09/09

Hopefully it will work. Note the use of a comma separator - not a semi-colon.

73

Brian
G3ZOH

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
>
> Hello All,
>
> I am trying to search on a date field. I would like to select dates starting with 2 and ending with 09. Month Feb and Year 09. I am doing something wrong, can someone provide correct search string?
>
> Thanks
>
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]

>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - http://www.avg.com
Version: 8.0.233 / Virus Database: 270.10.19/1942 - Release Date: 2/9/2009
5:40 PM

[Non-text portions of this message have been removed]

2864. Re: [XMLog] Re: Search String Question

Yahoo group: XMLog
Date: 2009-02-10 23:43:47 UTC
From: john vernaleken
Topic: 2858 Message: 2864

Thanks, Works great.

John KC2QJB

----- Original Message -----
From: g3zoh
To: XMLog@yahoogroups.com
Sent: Tuesday, February 10, 2009 2:37 PM
Subject: [XMLog] Re: Search String Question

John, To answer your question directly, try the following :-

>=02/02/09,<=02/09/09

Hopefully it will work. Note the use of a comma separator - not a
semi-colon.

73

Brian
G3ZOH

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
>
> Hello All,
>
> I am trying to search on a date field. I would like to select
dates starting with 2 and ending with 09. Month Feb and Year 09. I
am doing something wrong, can someone provide correct search string?
>
> Thanks
>
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2865. Re: Search String Question

Yahoo group: XMLog
Date: 2009-02-11 19:47:42 UTC
From: g3zoh
Topic: 2858 Message: 2865

Hi Mal, You are right. Perhaps my suggestion to John was an "over-kill". I just wanted to be as helpful as possible by making sure the selection criteria would work at any time.

73

Brian
G3ZOH

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> I'm curious why you are entering a stop date when the stop date is the same
> as the day you are working on. When you are searching from some date to the
> present date to only need to put in the start date.
> I.E. all he need enter in the date field is =>02/02/09
> Just my -2cents worth
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: g3zoh
> To: XMLog@yahoogroups.com
> Sent: Tuesday, February 10, 2009 19:37
> Subject: [XMLog] Re: Search String Question
>
>
> John, To answer your question directly, try the following :-
>
>
> >=02/02/09,<=02/09/09
>
> Hopefully it will work. Note the use of a comma separator - not a
> semi-colon.
>
> 73
>
> Brian

> G3ZOH

2866. cw keyboard window won't close

Yahoo group: XMLog
Date: 2009-02-13 14:05:13 UTC
From: Bruce Winkelman
Topic: 2866 Message: 2866

Good morning from a new member. I was poking around the XMLog program last evening, exploring those areas I haven't used. I opened the CW keyboard window even tho I don't have a keyboard, sending only with a keyer. When I try to close the window either using the "X" in the upper right corner or unchecking the "CW Keyboard Window" from the "View" drop-down menu, I get a "XMLog stopped working" window, asking me to close the program. Last evening I was using an older version 5.49, when I was poking around. I downloaded and installed 6.13 this morning with the same result. I am running Vista, not XP. My guess is that XMLog is looking for the keyboard when I try to close the window but can't find it so the program crashes. Any suggestions or fixes? Thanks in advance!

Bruce Winkelman AA5CO
Tulsa, OK

2867. Re: Serial USB Ports

Yahoo group: XMLog
Date: 2009-02-09 23:11:07 UTC
From: k9mrd
Topic: 2854 Message: 2867

Take this path:

Control Panel/System/Hardware/Device Manager/Ports

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> XM Log does not allow connection to a serial port above 8. My USB Hub has assigned Com 10 to my USB adaptor. I had this trouble with Vista before and now I have it on XP Pro. I can't remember where I found the list of assigned Com ports so that I could delete the unused ports and go back to a low numbered Com port for my converter. Anybody remember how to do that?
>
>
> Willis 'Cookie' Cooke
> K5EWJ
>

2868. Re: [XMLog] cw keyboard window won't close

Yahoo group: XMLog
Date: 2009-02-13 16:12:38 UTC
From: W3GER
Topic: 2866 Message: 2868

>... I don't have a keyboard

>...I downloaded and installed 6.13 ...

One of us is confused. How do you do that without a keyboard?

73 de W3GERry

[Non-text portions of this message have been removed]

2869. Re: [XMLog] cw keyboard window won't close

Yahoo group: XMLog
Date: 2009-02-13 23:01:08 UTC
From: N7mal
Topic: 2866 Message: 2869

Along with GERry I to am confused. How do you "poke around" without a keyboard????? How did you send the email without a keyboard?????

Inquiring minds want to know
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: W3GER
To: XMLog@yahoogroups.com
Sent: Friday, February 13, 2009 16:12
Subject: Re: [XMLog] cw keyboard window won't close

>... I don't have a keyboard

>...I downloaded and installed 6.13 ...

One of us is confused. How do you do that without a keyboard?

73 de W3GERry

[Non-text portions of this message have been removed]

2870. Re: [XMLog] Re: Serial USB Ports

Yahoo group: XMLog
Date: 2009-02-13 19:45:26 UTC
From: Sain'T Tom
Topic: 2854 Message: 2870

Try this:

control panel
system
hardware
device manager
ports
com (your choice)
port settings
advanced
com port number

hope that works
73
Tom K4RV

----- Original Message -----
From: k9mrd
To: XMLog@yahoogroups.com
Sent: Monday, February 09, 2009 6:11 PM
Subject: [XMLog] Re: Serial USB Ports

Take this path:

Control Panel/System/Hardware/Device Manager/Ports

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> XM Log does not allow connection to a serial port above 8. My USB
Hub has assigned Com 10 to my USB adaptor. I had this trouble with
Vista before and now I have it on XP Pro. I can't remember where I
found the list of assigned Com ports so that I could delete the
unused ports and go back to a low numbered Com port for my
converter. Anybody remember how to do that?
>
>
> Willis 'Cookie' Cooke
> K5EWJ
>

2871. Re: [XMLog] cw keyboard window won't close

Yahoo group: XMLog
Date: 2009-02-14 00:14:35 UTC
From: Bruce Winkelman
Topic: 2866 Message: 2871

Well, I meant to say that I do not have a connection between my computer and transceiver (TenTec Jupiter) that would allow me to send cw via the keyboard. Sorry for the confusion.....

Bruce

2872. Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-15 17:10:05 UTC
From: Michael McCarthy
Topic: 2872 Message: 2872

I am running XMlog 6.13 and I am trying to import an ADIF from DXKeeper. First I modify the adif by changing all occurances of "<QSL_Rcvd:1>V" to "<QSL_RCVD:1>Y <DXCC_SUBMIT:8:D>19930216 <DXCC_ACCEPT:8:D>19930216". Everything appears to go well but none of the awards info gets updated. Please help. I want to get back on XMlog and don't want to have to enter the awards info by hand (again!).

Mike, W1NR

2873. Re: [XMLog] Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-15 17:18:31 UTC
From: WILLIS COOKE
Topic: 2872 Message: 2873

Mike, I have noticed that the QSLs entered into the LOTW block do not seem to update the awards. I notice that your QSL RCVD is Y. XM Log expects a date. Maybe that is the problem.

Willis 'Cookie' Cooke
K5EWJ

--- On Sun, 2/15/09, Michael McCarthy <w1nr@...> wrote:

> From: Michael McCarthy <w1nr@...>
> Subject: [XMLog] Problem importing from DX keeper
> To: XMLog@yahoogroups.com
> Date: Sunday, February 15, 2009, 9:10 AM
> I am running XMlog 6.13 and I am trying to import an ADIF
> from
> DXKeeper. First I modify the adif by changing all
> occurances of
> "<QSL_Rcvd:1>V" to
> "<QSL_RCVD:1>Y <DXCC_SUBMIT:8:D>19930216
> <DXCC_ACCEPT:8:D>19930216".
> Everything appears to go well but none of the awards info
> gets
> updated. Please help. I want to get back on XMlog and
> don't want to
> have to enter the awards info by hand (again!).
>
> Mike, W1NR
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2874. Control-D

Yahoo group: XMLog
Date: 2009-02-15 17:28:01 UTC
From: WILLIS COOKE
Topic: 2874 Message: 2874

I now have communication between my K3 and XM Log. XM Log does not communicate automatically with the K3, ie, when I tune or change bands, it requires a double click to update the frequency and mode information. The date and time also do not update automatically, but stay the same as when when Add New Entry was selected or the last contact was added. Control-D will update the date and time block, but another action, such as double click is required to update the frequency and another double click is required to update the mode. I think it would be a good thing to have the program read the K3 when Control-D is used to update the date, time, frequency and mode.

Willis 'Cookie' Cooke
K5EWJ

2875. Re: [XMLog] Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-15 17:53:20 UTC
From: Michael McCarthy
Topic: 2872 Message: 2875

No, it still needs <QSL_RCVD:1> Y. Date is optional and changing it this way doesn't account for some of the entries that have QSLRDATE's set already. Importing an old ADIF file I saved from XMLOG long ago is formatted as above and seems to work, so there is something else in the file that is messing things up.

For instance, the following line (from modified DXkeeper export) doesn't import the awards info as well as EQSL or LOTW (which I don't care about right now)...

<Band:3>20M <Call:5>G4WNE <DXCCPrefix:1>G <DXCC:3>223 <Freq:6>14.000 <Mode:3>SSB <Operator:6>WA1UAR <QSL_RCVD:1>Y <DXCC_SUBMIT:8:D>19930216 <DXCC_ACCEPT:8:D>19930216 <QSL_Sent:1>Y <QSO_DATE:8>19850807 <TIME_OFF:6>234000 <TIME_ON:6>234000 <QTH:5>HOME, <RST_Rcvd:2>58 <RST_Sent:2>59 <TX_Power:3>100 <CQZ:2>14 <STATION_CALLSIGN:6>WA1UAR <OWNER_CALLSIGN:6>WA1UAR <EQSL_QSL_SENT:1>R <LOTW_QSL_SENT:1>Y <LOTW_QSLSDATE:10>2007-05-29 <EOR>

But this one does (from old XMlog export)

<QSO_DATE:8:D>19850807 <TIME_ON:4>2340 <CALL:5>G4WNE <FREQ:6>14.000 <BAND:3>20M <RST_SENT:2>59 <RST_RCVD:2>58 <MODE:3>SSB <TX_PWR:3>100 <CQZ:2>14 <QTH:5>HOME, <DXCC:3>223 <QSL_SENT:1>Y <QSL_RCVD:1>Y <DXCC_SUBMIT:8:D>19930216 <DXCC_ACCEPT:8:D>19930216 <EOR>

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Sun, 2/15/09, WILLIS COOKE <wrcooke@...> wrote:
From: WILLIS COOKE <wrcooke@...>
Subject: Re: [XMLog] Problem importing from DX keeper
To: XMLog@...m
Date: Sunday, February 15, 2009, 12:18 PM

Mike, I have noticed that the QSLs entered into the LOTW block do not seem to update the awards. I notice that your QSL RCVD is Y. XM Log expects a date. Maybe that is the problem.

Willis 'Cookie' Cooke

K5EWJ

--- On Sun, 2/15/09, Michael McCarthy <w1nr@...> wrote:

> From: Michael McCarthy <w1nr@...>

> Subject: [XMLog] Problem importing from DX keeper

> To: XMLog@yahoogroups. com

> Date: Sunday, February 15, 2009, 9:10 AM

> I am running XMlog 6.13 and I am trying to import an ADIF

> from

> DXKeeper. First I modify the adif by changing all

> occurances of

> "<QSL_Rcvd:1> V" to

> "<QSL_RCVD:1> Y <DXCC_SUBMIT: 8:D>19930216

> <DXCC_ACCEPT: 8:D>19930216" .

> Everything appears to go well but none of the awards info

> gets

> updated. Please help. I want to get back on XMlog and

> don't want to

> have to enter the awards info by hand (again!).

>

> Mike, W1NR

>

>

>

> ------------ --------- --------- ------

>

> Yahoo! Groups Links

>

>

>

[Non-text portions of this message have been removed]

2876. Re: [XMLog] Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-15 18:06:30 UTC
From: WILLIS COOKE
Topic: 2872 Message: 2876

Did you do an Update Packet DXCC status?
Did you try filling in the blocks manually to find which one was causing the trouble?

Willis 'Cookie' Cooke
K5EWJ

--- On Sun, 2/15/09, Michael McCarthy <w1nr@...> wrote:

> From: Michael McCarthy <w1nr@...>
> Subject: Re: [XMLog] Problem importing from DX keeper
> To: XMLog@yahoogroups.com
> Date: Sunday, February 15, 2009, 9:53 AM
> No, it still needs <QSL_RCVD:1> Y. Date is optional
> and changing it this way doesn't account for some of the
> entries that have QSLRDATE's set already. Importing an
> old ADIF file I saved from XMLOG long ago is formatted as
> above and seems to work, so there is something else in the
> file that is messing things up.
>
> For instance, the following line (from modified DXkeeper
> export) doesn't import the awards info as well as EQSL
> or LOTW (which I don't care about right now)...
>
> <Band:3>20M <Call:5>G4WNE <DXCCPrefix:1>G
> <DXCC:3>223 <Freq:6>14.000 <Mode:3>SSB
> <Operator:6>WA1UAR <QSL_RCVD:1>Y
> <DXCC_SUBMIT:8:D>19930216
> <DXCC_ACCEPT:8:D>19930216 <QSL_Sent:1>Y
> <QSO_DATE:8>19850807 <TIME_OFF:6>234000
> <TIME_ON:6>234000 <QTH:5>HOME,
> <RST_Rcvd:2>58 <RST_Sent:2>59
> <TX_Power:3>100 <CQZ:2>14
> <STATION_CALLSIGN:6>WA1UAR
> <OWNER_CALLSIGN:6>WA1UAR <EQSL_QSL_SENT:1>R
> <LOTW_QSL_SENT:1>Y <LOTW_QSLSDATE:10>2007-05-29
> <EOR>
>
> But this one does (from old XMlog export)
>
> <QSO_DATE:8:D>19850807 <TIME_ON:4>2340
> <CALL:5>G4WNE <FREQ:6>14.000 <BAND:3>20M
> <RST_SENT:2>59 <RST_RCVD:2>58 <MODE:3>SSB
> <TX_PWR:3>100 <CQZ:2>14 <QTH:5>HOME,
> <DXCC:3>223 <QSL_SENT:1>Y <QSL_RCVD:1>Y
> <DXCC_SUBMIT:8:D>19930216
> <DXCC_ACCEPT:8:D>19930216 <EOR>

>
>
>
>
> *** Tabhair gach fear a drucht ***
>
> *** Give Every Man His Dew! ***
>
> Michael A. McCarthy, W1NR
>
> --- On Sun, 2/15/09, WILLIS COOKE <wrcooke@...>
> wrote:
> From: WILLIS COOKE <wrcooke@...>
> Subject: Re: [XMLog] Problem importing from DX keeper
> To: XMLog@yahoogroups.com
> Date: Sunday, February 15, 2009, 12:18 PM
>
>
>
>
>
>
>
>
>
>
>
>
>
> Mike, I have noticed that the QSLs entered into
> the LOTW block do not seem to update the awards. I notice
> that your QSL RCVD is Y. XM Log expects a date. Maybe that
> is the problem.
>
>
>
> Willis 'Cookie' Cooke
>
> K5EWJ
>
>
>
> --- On Sun, 2/15/09, Michael McCarthy
> <w1nr@...> wrote:
>
>
>
> > From: Michael McCarthy <w1nr@...>
>
> > Subject: [XMLog] Problem importing from DX keeper
>

> > To: XMLog@yahoogroups. com
>
> > Date: Sunday, February 15, 2009, 9:10 AM
>
> > I am running XMlog 6.13 and I am trying to import an
> ADIF
>
> > from
>
> > DXKeeper. First I modify the adif by changing all
>
> > occurances of
>
> > "<QSL_Rcvd:1> V" to
>
> > "<QSL_RCVD:1> Y <DXCC_SUBMIT:
> 8:D>19930216
>
> > <DXCC_ACCEPT: 8:D>19930216" .
>
> > Everything appears to go well but none of the awards
> info
>
> > gets
>
> > updated. Please help. I want to get back on XMlog
> and
>
> > don't want to
>
> > have to enter the awards info by hand (again!).
>
> >
>
> > Mike, W1NR
>
> >
>
> >
>
> >
>
> > ------------ --------- --------- ------
>
> >
>
> > Yahoo! Groups Links
>
> >
>

> >
>
> >
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2877. Re: Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-16 20:04:48 UTC
From: Mike McAmis
Topic: 2872 Message: 2877

--- In XMLog@yahoogroups.com, "Michael McCarthy" <w1nr@...> wrote:
>
> I am running XMlog 6.13 and I am trying to import an ADIF from
> DXKeeper. First I modify the adif by changing all occurances of
> "<QSL_Rcvd:1>V" to
> "<QSL_RCVD:1>Y <DXCC_SUBMIT:8:D>19930216
<DXCC_ACCEPT:8:D>19930216".
> Everything appears to go well but none of the awards info gets
> updated. Please help. I want to get back on XMlog and don't want
to
> have to enter the awards info by hand (again!).
>
> Mike, W1NR
>

First a few notes about the ADIF fields "QSL_RCVD" and "QSLRDATE".
If "QSL_RCVD"="Y" or a date is provided by "QSLRDATE" this will
result in XMLog setting the QSL Rcvd field for the log entry. If no
date is provided by "QSLRDATE" but "QSL_RCVD"="Y" then the date will
be set to "?".

The same logic applies to "QSL_SENT" and "QSLSDATE" (as well as all
the LOTW/eQSL counterparts "LOTW_QSL_RCVD"... and "eQSL_QSL_RCVD"...).

DXCC_SUBMIT and DXCC_ACCEPT are only used for tracking DXCC award
submissions to the ARRL.

Once either the QSL Rcvd or the LoTW Rcvd field is set the associated
QSO should be treated as confirmed. *** However in the case of LoTW
confirmations be sure to set "Include LoTW Confirmations" when the
various reports display their options dialog.

Mike - W1ECT

2878. Re: [XMLog] Re: Serial USB Ports

Yahoo group: XMLog
Date: 2009-02-14 04:04:36 UTC
From: WILLIS COOKE
Topic: 2854 Message: 2878

It does work, it already has!

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 2/13/09, Sain'T Tom <dxhawg@...> wrote:

> From: Sain'T Tom <dxhawg@...>
> Subject: Re: [XMLog] Re: Serial USB Ports
> To: XMLog@yahoogroups.com
> Date: Friday, February 13, 2009, 11:45 AM
> Try this:
>
> control panel
> system
> hardware
> device manager
> ports
> com (your choice)
> port settings
> advanced
> com port number
>
>
> hope that works
> 73
> Tom K4RV
>
> ----- Original Message -----
> From: k9mrd
> To: XMLog@yahoogroups.com
> Sent: Monday, February 09, 2009 6:11 PM
> Subject: [XMLog] Re: Serial USB Ports
>
>
>
>
>
> Take this path:
>
> Control Panel/System/Hardware/Device Manager/Ports
>
> Wayne
>
> --- In XMLog@yahoogroups.com, WILLIS COOKE
> <wrcooke@...> wrote:
> >

> > XM Log does not allow connection to a serial port
> above 8. My USB
> Hub has assigned Com 10 to my USB adaptor. I had this
> trouble with
> Vista before and now I have it on XP Pro. I can't
> remember where I
> found the list of assigned Com ports so that I could delete
> the
> unused ports and go back to a low numbered Com port for my
> converter. Anybody remember how to do that?
> >
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2879. Re: [XMLog] Re: Serial USB Ports

Yahoo group: XMLog
Date: 2009-02-14 03:15:17 UTC
From: WILLIS COOKE
Topic: 2854 Message: 2879

I was making that path Wayne. What I was not doing was to select the port that my USB adapter was using then select Change Ports, then change the port to a lower one and ignore all the warnings that my computer would self destruct if I went any further.

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 2/9/09, k9mrd <k9mrd@...> wrote:

> From: k9mrd <k9mrd@...>
> Subject: [XMLog] Re: Serial USB Ports
> To: XMLog@yahoogroups.com
> Date: Monday, February 9, 2009, 3:11 PM
> Take this path:
>
> Control Panel/System/Hardware/Device Manager/Ports
>
> Wayne
>
>
>
> --- In XMLog@yahoogroups.com, WILLIS COOKE
> <wrcooke@...> wrote:
> >
> > XM Log does not allow connection to a serial port
> above 8. My USB
> Hub has assigned Com 10 to my USB adaptor. I had this
> trouble with
> Vista before and now I have it on XP Pro. I can't
> remember where I
> found the list of assigned Com ports so that I could delete
> the
> unused ports and go back to a low numbered Com port for my
> converter. Anybody remember how to do that?
> >
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links

>
>
>

2880. Re: [XMLog] Re: Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-16 20:47:00 UTC
From: Michael McCarthy
Topic: 2872 Message: 2880

I understand, but why don't the Submit and Accept fields get updated? Again, an ADIF generated by XMLog updates the fields but the one from DXKeeper does not. I have massaged the files every which way and cannot get XMLog to set the SUBMIT and ACCEPT fields.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Mon, 2/16/09, Mike McAmis <w1ect@...> wrote:
From: Mike McAmis <w1ect@xmlog.com>
Subject: [XMLog] Re: Problem importing from DX keeper
To: XMLog@yahoogroups.com
Date: Monday, February 16, 2009, 3:04 PM

--- In XMLog@yahoogroups. com, "Michael McCarthy" <w1nr@...> wrote:

>

> I am running XMlog 6.13 and I am trying to import an ADIF from

> DXKeeper. First I modify the adif by changing all occurances of

> "<QSL_Rcvd:1> V" to

> "<QSL_RCVD:1> Y <DXCC_SUBMIT: 8:D>19930216

<DXCC_ACCEPT: 8:D>19930216" .

> Everything appears to go well but none of the awards info gets

> updated. Please help. I want to get back on XMlog and don't want

to

> have to enter the awards info by hand (again!).

>

> Mike, W1NR

>

First a few notes about the ADIF fields "QSL_RCVD" and "QSLRDATE".

If "QSL_RCVD"=" Y" or a date is provided by "QSLRDATE" this will

result in XMLog setting the QSL Rcvd field for the log entry. If no

date is provided by "QSLRDATE" but "QSL_RCVD"=" Y" then the date will be set to "?".

The same logic applies to "QSL_SENT" and "QSLSDATE" (as well as all the LOTW/eQSL counterparts "LOTW_QSL_RCVD" ... and "eQSL_QSL_RCVD" ...).

DXCC_SUBMIT and DXCC_ACCEPT are only used for tracking DXCC award submissions to the ARRL.

Once either the QSL Rcvd or the LoTW Rcvd field is set the associated QSO should be treated as confirmed. *** However in the case of LoTW confirmations be sure to set "Include LoTW Confirmations" when the various reports display their options dialog.

Mike - W1ECT

[Non-text portions of this message have been removed]

2881. Re: Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-16 22:30:24 UTC
From: Mike McAmis
Topic: 2872 Message: 2881

OK, I thought you meant that the QSOs were not being treated as confirmed.

I've checked the code and I think I see what's going on. The DXCC_SUBMIT/ACCEPT fields are not standard ADIF fields. XMLog assumed they had to be from a file created by an XMLog ADIF export. So, it was checking for the XMLog version that is contained in the header area of ADIF files created by XMLog. When it saw no version it ignored this XMLog-specific info. I think for the moment you can hack in:

ADIF Export from XMLog Version 6.13

before the <EOH> section of the file and that should do it. I'll see about removing the version check altogether for the next release.

Mike

2882. Re: Control-D

Yahoo group: XMLog
Date: 2009-02-16 22:38:45 UTC
From: Mike McAmis
Topic: 2874 Message: 2882

Hi Willis, I don't think I'd want to change the action for Control-D but perhaps a new menu item "Edit/Apply Defaults to Current Entry" would make sense (grouped with "Edit/Use+Edit Defaults for New Entries"). And yet another shortcut?

Mike - W1ECT

2884. Re: [XMLog] Re: Control-D

Yahoo group: XMLog
Date: 2009-02-16 22:51:17 UTC
From: WILLIS COOKE
Topic: 2874 Message: 2884

I don't think another menu item would help me. I just found out about Control-D after two years of double clicking on the time and sometimes the date. Drop down menus are not very convenient for things that need to be done for every QSO. Double clicking on the box is more convenient than a menu item. I was hoping for a single Control key function that would take care of all four things that need to be updated frequently. The time and frequency need an update for almost every QSO.

Willis 'Cookie' Cooke
K5EWJ

--- On Mon, 2/16/09, Mike McAmis <w1ect@...> wrote:

> From: Mike McAmis <w1ect@...>
> Subject: [XMLog] Re: Control-D
> To: XMLog@yahoogroups.com
> Date: Monday, February 16, 2009, 2:38 PM
> Hi Willis, I don't think I'd want to change the
> action for Control-D
> but perhaps a new menu item "Edit/Apply Defaults to
> Current Entry"
> would make sense (grouped with "Edit/Use+Edit Defaults
> for New
> Entries"). And yet another shortcut?
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2885. Re: [XMLog] Re: Problem importing from DX keeper

Yahoo group: XMLog
Date: 2009-02-17 18:26:08 UTC
From: Michael McCarthy
Topic: 2872 Message: 2885

That makes perfect sense. That was one thing I thought about trying and didn't get to it. By the way, to be consistent with the spec, custom application specific data should begin with APP_XMLOG_.....

Thanks and 73,

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Mon, 2/16/09, Mike McAmis <w1ect@...> wrote:
From: Mike McAmis <w1ect@...>
Subject: [XMLog] Re: Problem importing from DX keeper
To: XMLog@yahoogroups.com
Date: Monday, February 16, 2009, 5:30 PM

OK, I thought you meant that the QSOs were not being treated as

confirmed.

I've checked the code and I think I see what's going on. The

DXCC_SUBMIT/ ACCEPT fields are not standard ADIF fields. XMLog assumed

they had to be from a file created by an XMLog ADIF export. So, it was

checking for the XMLog version that is contained in the header area of

ADIF files created by XMLog. When it saw no version it ignored this

XMLog-specific info. I think for the moment you can hack in:

ADIF Export from XMLog Version 6.13

before the <EOH> section of the file and that should do it. I'll see

about removing the version check altogether for the next release.

Mike

[Non-text portions of this message have been removed]

2886. Help Needed: Undelete contacts

Yahoo group: XMLog
Date: 2009-02-17 21:26:35 UTC
From: Matt
Topic: 2886 Message: 2886

All,

I just did something very stupid. I had selected a QSO in my log and ** thought ** I clicked on "Delete current entry" but I actually selected "Delete selected entries" and deleted all of the QSO's in the entire log. I have a backup from yesterday but I lost all of my QSO's from today (Including several K5D QSO's for which I do not know the times). I looked at the backup that seems to have been created at the same time I did the delete and I can see that the log data looks ike it is still in there, I just cannot get to it from MLog. Any help would be appreciated.

Or am I just toast?

Thanks in advance,

- Matt, WE1H

2887. Re: Help Needed: Undelete contacts

Yahoo group: XMLog
Date: 2009-02-18 18:29:32 UTC
From: Mike McAmis
Topic: 2886 Message: 2887

Hi Matt, You need to copy the backup of your log file from
the "Backups" folder located within the XMLog install folder (usually
c:\mlog) - copy the file from there to the install folder. Then delete
the trashed log file and re-name the backup to the appropriate name

Mike - W1ECT

2888. RE: [XMLog] Re: Help Needed: Undelete contacts

Yahoo group: XMLog
Date: 2009-02-18 18:50:27 UTC
From: Matt Atwood
Topic: 2886 Message: 2888

Thanks Mike, I tried that, but I am obviously thick ;-) ... here is the deal.

I seem to have deleted the contacts at 1615 Local yesterday and a backup file was created at the exact time. The backup file is 4.9MB just like the log file (so I presume that all of the QSO's are still in there, but just flagged as deleted maybe). When I look at the backup file in "notepad" it looks like there are a bunch of QSO's (including those from yesterday - presumably that is since I cannot see the date and time). if I try and open that file im MLog, it states that there are no QSO's in it. My goal is to get the QSO's I made between the previous backup date 2/16 at 1629 local and when I deleted the QSO's on 2/17 at 1615 Local. Following your directions did not seem to yield that result.

Is it even possible to get them back?

Matt, WE1H
-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of Mike McAmis
Sent: Wednesday, February 18, 2009 13:30 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Help Needed: Undelete contacts

Hi Matt, You need to copy the backup of your log file from the "Backups" folder located within the XMLog install folder (usually c:\mlog) - copy the file from there to the install folder. Then delete the trashed log file and re-name the backup to the appropriate name

Mike - W1ECT

[Non-text portions of this message have been removed]

2889. Re: Help Needed: Undelete contacts

Yahoo group: XMLog
Date: 2009-02-18 21:22:06 UTC
From: Mike McAmis
Topic: 2886 Message: 2889

Hi Matt, Yes - the file size won't be reduced unless you do a "File/Compact Log". The log files are Microsoft Access databases (Access 95 format). You can open them using later versions of Access but you will get a complaint saaying that the database can't be updated. What that really means is that you can't change the field definitions, etc., you can change the data (although bad formatted data entered this way can cause problems for XMLog). You also may be asked if you want to update to a later format, don't... There may be some utility out there that can restore deleted records but Access itself doesn't seem to have that facility. It seems as though you are stuck with going to a previous backup.

Mike - W1ECT

2890. Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-20 17:26:48 UTC
From: Kevin Nathan
Topic: 2890 Message: 2890

Hi All,

I have mentioned this problem once before but have since done some experimentation and am looking for feedback. First, the setup. I am running a home network using a Belkin router with three machines connected, two via hard wire.

Second, the problem. I keep getting randomly disconnected from my packet cluster. I have tried two different clusters with XMLog and also with Telnet with the same result. The error I get is an Error 1053 that the connection has been lost. This might happen a few minutes into the connect or sometimes a few hours after the initial login. There is no pattern to it I can detect. I am now under the suspicion that the problem is perhaps my router.

Has anyone on the list experienced these random disconnects? if so, what might I need to change in my router settings to prevent them?

thanks much for your assistance and very 73.

Kevin :)
Amateur Radio: K7RX

2891. Re: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-20 17:32:48 UTC
From: WILLIS COOKE
Topic: 2890 Message: 2891

Absolutely Kevin. I don't think it has anything to do with XMLog or your computer. I experience frequent disconnects from the cluster which I access through XMLog and Yahoo and other connections. I am certain that it is my service provider, Comcast, a terrible company. Some of the disconnects from the cluster are probably from the cluster also being connected to Comcast at a different location. I also have frequent interruption to my television cable, also from Comcast. I had some of this trouble before Comcast bought out Time-Warner, but I got a quantum increase in the months after the buyout. Don't blame XMLog, it is not the culprit.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 2/20/09, Kevin Nathan <k7rx@...> wrote:

> From: Kevin Nathan <k7rx@...>
> Subject: [XMLog] Packet Cluster Disconnects
> To: XMLog@yahoogroups.com
> Date: Friday, February 20, 2009, 9:26 AM
> Hi All,
>
> I have mentioned this problem once before but have since
> done some
> experimentation and am looking for feedback. First, the
> setup. I am
> running a home network using a Belkin router with three
> machines connected,
> two via hard wire.
>
> Second, the problem. I keep getting randomly disconnected
> from my packet
> cluster. I have tried two different clusters with XMLog
> and also with
> Telnet with the same result. The error I get is an Error
> 1053 that the
> connection has been lost. This might happen a few minutes
> into the connect
> or sometimes a few hours after the initial login. There is
> no pattern to it
> I can detect. I am now under the suspicion that the
> problem is perhaps my
> router.
>
> Has anyone on the list experienced these random
> disconnects? if so, what
> might I need to change in my router settings to prevent
> them?

>
> thanks much for your assistance and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2892. RE: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-20 18:21:43 UTC
From: Kevin Nathan
Topic: 2890 Message: 2892

Hi,

Yes, I am on Comcast as well. Any idea what we might say to them to help prevent this?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, February 20, 2009 09:33
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Packet Cluster Disconnects

Absolutely Kevin. I don't think it has anything to do with XMLog or your computer. I experience frequent disconnects from the cluster which I access through XMLog and Yahoo and other connections. I am certain that it is my service provider, Comcast, a terrible company. Some of the disconnects from the cluster are probably from the cluster also being connected to Comcast at a different location. I also have frequent interruption to my television cable, also from Comcast. I had some of this trouble before Comcast bought out Time-Warner, but I got a quantum increase in the months after the buyout. Don't blame XMLog, it is not the culprit.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast. <mailto:k7rx%40comcast.net> net> wrote:

> From: Kevin Nathan <k7rx@comcast. <mailto:k7rx%40comcast.net> net>
> Subject: [XMLog] Packet Cluster Disconnects
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Date: Friday, February 20, 2009, 9:26 AM
> Hi All,
>
> I have mentioned this problem once before but have since
> done some
> experimentation and am looking for feedback. First, the
> setup. I am
> running a home network using a Belkin router with three
> machines connected,
> two via hard wire.

>
> Second, the problem. I keep getting randomly disconnected
> from my packet
> cluster. I have tried two different clusters with XMLog
> and also with
> Telnet with the same result. The error I get is an Error
> 1053 that the
> connection has been lost. This might happen a few minutes
> into the connect
> or sometimes a few hours after the initial login. There is
> no pattern to it
> I can detect. I am now under the suspicion that the
> problem is perhaps my
> router.
>
> Has anyone on the list experienced these random
> disconnects? if so, what
> might I need to change in my router settings to prevent
> them?
>
> thanks much for your assistance and very 73.
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release Date: 02/20/09
07:26:00

[Non-text portions of this message have been removed]

2893. RE: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-20 18:36:12 UTC
From: WILLIS COOKE
Topic: 2890 Message: 2893

Kevin, I have written every address that I can find and called every number that I can find. I have talked to upper management and written them by both snail mail and email. I have said every mean, derogatory thing I can think of. Their poor service seems to be a calculated effort to minimize service and maximize revenue. They would rather spend a lot on advertising to get new customers than fix their lousy system to keep current customers. The line at their complaint office ia always 20 or 30 people long. I would move my service, but they have the only hi-speed franchise in the area. I will protest their franchise renewal if I get a chance, but that is unlikely.

What can I say. Any thing that I have not done will get me arrested.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 2/20/09, Kevin Nathan <k7rx@...> wrote:

> From: Kevin Nathan <k7rx@...>
> Subject: RE: [XMLog] Packet Cluster Disconnects
> To: XMLog@yahoogroups.com
> Date: Friday, February 20, 2009, 10:21 AM
> Hi,
>
> Yes, I am on Comcast as well. Any idea what we might say
> to them to help
> prevent this?
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
> On Behalf Of
> WILLIS COOKE
> Sent: Friday, February 20, 2009 09:33
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] Packet Cluster Disconnects
>

>
>
> Absolutely Kevin. I don't think it has anything to do
> with XMLog or your
> computer. I experience frequent disconnects from the
> cluster which I access
> through XMLog and Yahoo and other connections. I am certain
> that it is my
> service provider, Comcast, a terrible company. Some of the
> disconnects from
> the cluster are probably from the cluster also being
> connected to Comcast at
> a different location. I also have frequent interruption to
> my television
> cable, also from Comcast. I had some of this trouble before
> Comcast bought
> out Time-Warner, but I got a quantum increase in the months
> after the
> buyout. Don't blame XMLog, it is not the culprit.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
> --- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast.
> <mailto:k7rx%40comcast.net>
> net> wrote:
>
> > From: Kevin Nathan <k7rx@comcast.
> <mailto:k7rx%40comcast.net> net>
> > Subject: [XMLog] Packet Cluster Disconnects
> > To: XMLog@yahoogroups.
> <mailto:XMLog%40yahoogroups.com> com
> > Date: Friday, February 20, 2009, 9:26 AM
> > Hi All,
> > >
> > I have mentioned this problem once before but have
> since
> > done some
> > experimentation and am looking for feedback. First,
> the
> > setup. I am
> > running a home network using a Belkin router with
> three
> > machines connected,
> > two via hard wire.
> > >
> > Second, the problem. I keep getting randomly
> disconnected
> > from my packet
> > cluster. I have tried two different clusters with

> XMLog
> > and also with
> > Telnet with the same result. The error I get is an
> Error
> > 1053 that the
> > connection has been lost. This might happen a few
> minutes
> > into the connect
> > or sometimes a few hours after the initial login.
> There is
> > no pattern to it
> > I can detect. I am now under the suspicion that the
> > problem is perhaps my
> > router.
> >
> > Has anyone on the list experienced these random
> > disconnects? if so, what
> > might I need to change in my router settings to
> prevent
> > them?
> >
> > thanks much for your assistance and very 73.
> >
> > Kevin :)
> > Amateur Radio: K7RX
> >
> >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release
> Date: 02/20/09
> 07:26:00
>
>
>
>
> [Non-text portions of this message have been removed]

>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2894. RE: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-20 19:45:19 UTC
From: Kevin Nathan
Topic: 2890 Message: 2894

I may have to look at an RF connection. Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, February 20, 2009 10:36
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Packet Cluster Disconnects

Kevin, I have written every address that I can find and called every number that I can find. I have talked to upper management and written them by both snail mail and email. I have said every mean, derogatory thing I can think of. Their poor service seems to be a calculated effort to minimize service and maximize revenue. They would rather spend a lot on advertising to get new customers than fix their lousy system to keep current customers. The line at their complaint office ia always 20 or 30 people long. I would move my service, but they have the only hi-speed franchise in the area. I will protest their franchise renewal if I get a chance, but that is unlikely.

What can I say. Any thing that I have not done will get me arrested.

Willis 'Cookie' Cooke
K5EWJ

--- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast. <mailto:k7rx%40comcast.net> net> wrote:

> From: Kevin Nathan <k7rx@comcast. <mailto:k7rx%40comcast.net> net>
> Subject: RE: [XMLog] Packet Cluster Disconnects
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Date: Friday, February 20, 2009, 10:21 AM
> Hi,
>
> Yes, I am on Comcast as well. Any idea what we might say
> to them to help
> prevent this?
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>

>
>
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com]
> On Behalf Of
> WILLIS COOKE
> Sent: Friday, February 20, 2009 09:33
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: Re: [XMLog] Packet Cluster Disconnects
>
>
>
> Absolutely Kevin. I don't think it has anything to do
> with XMLog or your
> computer. I experience frequent disconnects from the
> cluster which I access
> through XMLog and Yahoo and other connections. I am certain
> that it is my
> service provider, Comcast, a terrible company. Some of the
> disconnects from
> the cluster are probably from the cluster also being
> connected to Comcast at
> a different location. I also have frequent interruption to
> my television
> cable, also from Comcast. I had some of this trouble before
> Comcast bought
> out Time-Warner, but I got a quantum increase in the months
> after the
> buyout. Don't blame XMLog, it is not the culprit.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
> --- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast.
> <mailto:k7rx%40comcast.net>
> net> wrote:
>
> > From: Kevin Nathan <k7rx@comcast.
> <mailto:k7rx%40comcast.net> net>
> > Subject: [XMLog] Packet Cluster Disconnects
> > To: XMLog@yahoogroups.
> <mailto:XMLog%40yahoogroups.com> com
> > Date: Friday, February 20, 2009, 9:26 AM
> > Hi All,
> >

> > I have mentioned this problem once before but have
> since
> > done some
> > experimentation and am looking for feedback. First,
> the
> > setup. I am
> > running a home network using a Belkin router with
> three
> > machines connected,
> > two via hard wire.
> >
> > Second, the problem. I keep getting randomly
> disconnected
> > from my packet
> > cluster. I have tried two different clusters with
> XMLog
> > and also with
> > Telnet with the same result. The error I get is an
> Error
> > 1053 that the
> > connection has been lost. This might happen a few
> minutes
> > into the connect
> > or sometimes a few hours after the initial login.
> There is
> > no pattern to it
> > I can detect. I am now under the suspicion that the
> > problem is perhaps my
> > router.
> >
> > Has anyone on the list experienced these random
> > disconnects? if so, what
> > might I need to change in my router settings to
> prevent
> > them?
> >
> > thanks much for your assistance and very 73.
> >
> > Kevin :)
> > Amateur Radio: K7RX
> >
> >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >

> >
>
>
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release
> Date: 02/20/09
> 07:26:00
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release Date: 02/20/09
07:26:00

[Non-text portions of this message have been removed]

2895. Re: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-21 00:16:09 UTC
From: N7mal
Topic: 2890 Message: 2895

How often do you 'PING' the cluster.?.?.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Kevin Nathan
To: XMLog@yahoogroups.com
Sent: Friday, February 20, 2009 17:26
Subject: [XMLog] Packet Cluster Disconnects

Hi All,

I have mentioned this problem once before but have since done some
experimentation and am looking for feedback. First, the setup. I am
running a home network using a Belkin router with three machines connected,
two via hard wire.

Second, the problem. I keep getting randomly disconnected from my packet
cluster. I have tried two different clusters with XMLog and also with
Telnet with the same result. The error I get is an Error 1053 that the
connection has been lost. This might happen a few minutes into the connect
or sometimes a few hours after the initial login. There is no pattern to it
I can detect. I am now under the suspicion that the problem is perhaps my
router.

Has anyone on the list experienced these random disconnects? if so, what
might I need to change in my router settings to prevent them?

thanks much for your assistance and very 73.

Kevin :)
Amateur Radio: K7RX

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release Date: 02/20/09

07:26:00

[Non-text portions of this message have been removed]

2896. RE: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-21 00:23:03 UTC
From: Kevin Nathan
Topic: 2890 Message: 2896

About every 5 minutes if I remember right.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7mal
Sent: Friday, February 20, 2009 16:16
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Packet Cluster Disconnects

How often do you 'PING' the cluster.?.?.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. <http://www.n7mal.com> com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Kevin Nathan
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Friday, February 20, 2009 17:26
Subject: [XMLog] Packet Cluster Disconnects

Hi All,

I have mentioned this problem once before but have since done some experimentation and am looking for feedback. First, the setup. I am running a home network using a Belkin router with three machines connected, two via hard wire.

Second, the problem. I keep getting randomly disconnected from my packet cluster. I have tried two different clusters with XMLog and also with Telnet with the same result. The error I get is an Error 1053 that the connection has been lost. This might happen a few minutes into the connect or sometimes a few hours after the initial login. There is no pattern to it I can detect. I am now under the suspicion that the problem is perhaps my router.

Has anyone on the list experienced these random disconnects? if so, what might I need to change in my router settings to prevent them?

thanks much for your assistance and very 73.

Kevin :)
Amateur Radio: K7RX

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release Date: 02/20/09
07:26:00

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release Date: 02/20/09
07:26:00

[Non-text portions of this message have been removed]

2897. XMLOG TELNET DROP OUT

Yahoo group: XMLog
Date: 2009-02-21 02:48:58 UTC
From: Benny Owens
Topic: 2897 Message: 2897

I HAVE THIS PROBLEM WITH ONE OF MY PROVIDERS. THEY TRIED THEIR HIGHEST SPEED AND MOST EXPENSIVE PACKAGE AND IT FIXED MY PROBLEM ON THAT DSL CONNECTION. I FOUGHT IT WITH SEVERAL TELNET PROGRAMS BEFORE FOUND OUT IT WAS THE PHONE COMPANY. IT GOT SO BAD THAT WE ARE PAYING TWICE AS MUCH FOR THE CONNECTION BUT AT LEAST IT WORKS. DONT KNOW IF THIS HELPS ANYONE BUT IT HAPPENED TO ME.

73
BENNY K5KV

[Non-text portions of this message have been removed]

2898. RE: [XMLog] XMLOG TELNET DROP OUT

Yahoo group: XMLog
Date: 2009-02-21 03:46:01 UTC
From: Kevin Nathan
Topic: 2897 Message: 2898

Thanks Benny. this is definitely something to consider.

Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Benny Owens
Sent: Friday, February 20, 2009 18:49
To: XMLog@yahoogroups.com
Subject: [XMLog] XMLOG TELNET DROP OUT

I HAVE THIS PROBLEM WITH ONE OF MY PROVIDERS. THEY TRIED THEIR HIGHEST SPEED AND MOST EXPENSIVE PACKAGE AND IT FIXED MY PROBLEM ON THAT DSL CONNECTION. I FOUGHT IT WITH SEVERAL TELNET PROGRAMS BEFORE FOUND OUT IT WAS THE PHONE COMPANY. IT GOT SO BAD THAT WE ARE PAYING TWICE AS MUCH FOR THE CONNECTION BUT AT LEAST IT WORKS. DONT KNOW IF THIS HELPS ANYONE BUT IT HAPPENED TO ME.

73
BENNY K5KV

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.1/1962 - Release Date: 02/20/09 07:26:00

[Non-text portions of this message have been removed]

2899. Re: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-22 17:05:16 UTC
From: Michael McCarthy
Topic: 2890 Message: 2899

I have delt with this numerous times and each and every one can be blamed on the router. At W1BK, the ISP is Comcast. Lightning took out the modem/router and it got replaced. The first Dlink router wouldn't keep Telnet or SSH connections up for more than a few hours. It got replaced with an old Belkin. A new Belkin showed the same disconnect issues. This issue seems to be getting worse as the router vendors in Taiwan keep shoving cheeper and less reliable crap on us all the time. I used to be able to recommend a router that would work but from what I have seen, it is a hit or miss as to wether or not the firmware will work correctly.

The problem stems from the improper handling of NAT and PAT (address translation) state tables in the router.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Fri, 2/20/09, WILLIS COOKE <wrcooke@...> wrote:
From: WILLIS COOKE <wrcooke@...>
Subject: Re: [XMLog] Packet Cluster Disconnects
To: XMLog@yahoogroups.com
Date: Friday, February 20, 2009, 12:32 PM

Absolutely Kevin. I don't think it has anything to do with XMLog or your computer. I experience frequent disconnects from the cluster which I access through XMLog and Yahoo and other connections. I am certain that it is my service provider, Comcast, a terrible company. Some of the disconnects from the cluster are probably from the cluster also being connected to Comcast at a different location. I also have frequent interruption to my television cable, also from Comcast. I had some of this trouble before Comcast bought out Time-Warner, but I got a quantum increase in the months after the buyout. Don't blame XMLog, it is not the culprit.

Willis 'Cookie' Cooke

K5EWJ

--- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast. net> wrote:

> From: Kevin Nathan <k7rx@comcast. net>

> Subject: [XMLog] Packet Cluster Disconnects

> To: XMLog@yahoogroups. com

> Date: Friday, February 20, 2009, 9:26 AM

> Hi All,

>

> I have mentioned this problem once before but have since

> done some

> experimentation and am looking for feedback. First, the

> setup. I am

> running a home network using a Belkin router with three

> machines connected,

> two via hard wire.

>

> Second, the problem. I keep getting randomly disconnected

> from my packet

> cluster. I have tried two different clusters with XMLog

> and also with

> Telnet with the same result. The error I get is an Error

> 1053 that the

> connection has been lost. This might happen a few minutes

> into the connect

> or sometimes a few hours after the initial login. There is

> no pattern to it

> I can detect. I am now under the suspicion that the

> problem is perhaps my

> router.

>

> Has anyone on the list experienced these random

> disconnects? if so, what

> might I need to change in my router settings to prevent

> them?

>

> thanks much for your assistance and very 73.

>

> Kevin :)

> Amateur Radio: K7RX

>

>

>

>

>

> ------------ --------- --------- ------

>

> Yahoo! Groups Links

>

>

>

[Non-text portions of this message have been removed]

2900. RE: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-22 18:16:39 UTC
From: Kevin Nathan
Topic: 2890 Message: 2900

Hi Michael,

Are there any settings that can be changed to facilitate better handling of these?

thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Michael McCarthy
Sent: Sunday, February 22, 2009 09:05
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Packet Cluster Disconnects

I have delt with this numerous times and each and every one can be blamed on the router. At W1BK, the ISP is Comcast. Lightning took out the modem/router and it got replaced. The first Dlink router wouldn't keep Telnet or SSH connections up for more than a few hours. It got replaced with an old Belkin. A new Belkin showed the same disconnect issues. This issue seems to be getting worse as the router vendors in Taiwan keep shoving cheeper and less reliable crap on us all the time. I used to be able to recommend a router that would work but from what I have seen, it is a hit or miss as to wether or not the firmware will work correctly.

The problem stems from the improper handling of NAT and PAT (address translation) state tables in the router.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Fri, 2/20/09, WILLIS COOKE <wrcooke@flash. <mailto:wrcooke%40flash.net> net> wrote:
From: WILLIS COOKE <wrcooke@flash. <mailto:wrcooke%40flash.net> net>
Subject: Re: [XMLog] Packet Cluster Disconnects
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Date: Friday, February 20, 2009, 12:32 PM

Absolutely Kevin. I don't think it has anything to do with XMLog or your computer. I experience frequent disconnects from the cluster which I access through XMLog and Yahoo and other connections. I am certain that it is my service provider, Comcast, a terrible company. Some of the disconnects from

the cluster are probably from the cluster also being connected to Comcast at a different location. I also have frequent interruption to my television cable, also from Comcast. I had some of this trouble before Comcast bought out Time-Warner, but I got a quantum increase in the months after the buyout. Don't blame XMLog, it is not the culprit.

Willis 'Cookie' Cooke

K5EWJ

--- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast. net> wrote:

> From: Kevin Nathan <k7rx@comcast. net>

> Subject: [XMLog] Packet Cluster Disconnects

> To: XMLog@yahoogroups. com

> Date: Friday, February 20, 2009, 9:26 AM

> Hi All,

>

> I have mentioned this problem once before but have since

> done some

> experimentation and am looking for feedback. First, the

> setup. I am

> running a home network using a Belkin router with three

> machines connected,

> two via hard wire.

>

> Second, the problem. I keep getting randomly disconnected

> from my packet

> cluster. I have tried two different clusters with XMLog

> and also with

> Telnet with the same result. The error I get is an Error

> 1053 that the

> connection has been lost. This might happen a few minutes

> into the connect

> or sometimes a few hours after the initial login. There is

> no pattern to it

> I can detect. I am now under the suspicion that the

> problem is perhaps my

> router.

>

> Has anyone on the list experienced these random

> disconnects? if so, what

> might I need to change in my router settings to prevent

> them?

>

> thanks much for your assistance and very 73.

>

> Kevin :)

> Amateur Radio: K7RX

>

>

>

>

>

> ------------ --------- --------- ------

>

> Yahoo! Groups Links

>

>

>

[Non-text portions of this message have been removed]

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.0.237 / Virus Database: 270.11.2/1965 - Release Date: 02/21/09
15:36:00

[Non-text portions of this message have been removed]

2901. RE: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-22 18:48:57 UTC
From: Michael McCarthy
Topic: 2890 Message: 2901

Not really. Sometimes a "keepalive" or ping every 60 seconds or so keeps the connections up, but I found that with this particular Dlink, the SSH "keepalives" didn't seem to work at keeping the connection up.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Sun, 2/22/09, Kevin Nathan <k7rx@...> wrote:
From: Kevin Nathan <k7rx@...>
Subject: RE: [XMLog] Packet Cluster Disconnects
To: XMLog@yahoogroups.com
Date: Sunday, February 22, 2009, 1:16 PM

Hi Michael,

Are there any settings that can be changed to facilitate better handling of

these?

thanks much and very 73.

Kevin :)

Amateur Radio: K7RX

[Non-text portions of this message have been removed]

2902. Re: [XMLog] Packet Cluster Disconnects

Yahoo group: XMLog
Date: 2009-02-22 21:05:36 UTC
From: WILLIS COOKE
Topic: 2890 Message: 2902

Comcast will not admit it, I am sure, but my theory is that they dump everyone routinely to keep the bandwidth down from the continuous connects. Bandwidth costs money and we usually pay a fixed amount for 24/7 connect, but we get usually 22/7 or there about. I can predict a dump around 11 AM and 4 PM then about 11 PM. Sometimes they last only a few minutes, sometimes for an hour or two. Lately, my TV signal goes out about 11 PM and sometimes does not come back until about 7 AM. Comcast, you got to love em because they don't care if you hate em.

Willis 'Cookie' Cooke
K5EWJ

--- On Sun, 2/22/09, Michael McCarthy <w1nr@...> wrote:

> From: Michael McCarthy <w1nr@...>
> Subject: Re: [XMLog] Packet Cluster Disconnects
> To: XMLog@yahoogroups.com
> Date: Sunday, February 22, 2009, 9:05 AM
> I have delt with this numerous times and each and every one
> can be blamed on the router. At W1BK, the ISP is
> Comcast. Lightning took out the modem/router and it got
> replaced. The first Dlink router wouldn't keep Telnet
> or SSH connections up for more than a few hours. It got
> replaced with an old Belkin. A new Belkin showed the same
> disconnect issues. This issue seems to be getting worse as
> the router vendors in Taiwan keep shoving cheeper and less
> reliable crap on us all the time. I used to be able to
> recommend a router that would work but from what I have
> seen, it is a hit or miss as to wether or not the firmware
> will work correctly.
>
> The problem stems from the improper handling of NAT and PAT
> (address translation) state tables in the router.
>
> *** Tabhair gach fear a drucht ***
>
> *** Give Every Man His Dew! ***
>
> Michael A. McCarthy, W1NR
>
> --- On Fri, 2/20/09, WILLIS COOKE <wrcooke@...>
> wrote:
> From: WILLIS COOKE <wrcooke@...>
> Subject: Re: [XMLog] Packet Cluster Disconnects
> To: XMLog@yahoogroups.com
> Date: Friday, February 20, 2009, 12:32 PM
>

>
>
>
>
>
>
>
>
>
>
>
> Absolutely Kevin. I don't think it has
> anything to do with XMLog or your computer. I experience
> frequent disconnects from the cluster which I access through
> XMLog and Yahoo and other connections. I am certain that it
> is my service provider, Comcast, a terrible company. Some
> of the disconnects from the cluster are probably from the
> cluster also being connected to Comcast at a different
> location. I also have frequent interruption to my
> television cable, also from Comcast. I had some of this
> trouble before Comcast bought out Time-Warner, but I got a
> quantum increase in the months after the buyout. Don't
> blame XMLog, it is not the culprit.
>
>
>
> Willis 'Cookie' Cooke
>
> K5EWJ
>
>
>
> --- On Fri, 2/20/09, Kevin Nathan <k7rx@comcast. net>
> wrote:
>
>
>
> > From: Kevin Nathan <k7rx@comcast. net>
>
> > Subject: [XMLog] Packet Cluster Disconnects
>
> > To: XMLog@yahoogroups. com
>
> > Date: Friday, February 20, 2009, 9:26 AM
>
> > Hi All,
>
> > >
>
> > I have mentioned this problem once before but have

> since
>
> > done some
>
> > experimentation and am looking for feedback. First,
> the
>
> > setup. I am
>
> > running a home network using a Belkin router with
> three
>
> > machines connected,
>
> > two via hard wire.
>
> >
>
> > Second, the problem. I keep getting randomly
> disconnected
>
> > from my packet
>
> > cluster. I have tried two different clusters with
> XMLog
>
> > and also with
>
> > Telnet with the same result. The error I get is an
> Error
>
> > 1053 that the
>
> > connection has been lost. This might happen a few
> minutes
>
> > into the connect
>
> > or sometimes a few hours after the initial login.
> There is
>
> > no pattern to it
>
> > I can detect. I am now under the suspicion that the
>
> > problem is perhaps my
>
> > router.
>
> >

>
> > Has anyone on the list experienced these random
>
> > disconnects? if so, what
>
> > might I need to change in my router settings to
> prevent
>
> > them?
>
> >
>
> > thanks much for your assistance and very 73.
>
> >
>
> > Kevin :)
>
> > Amateur Radio: K7RX
>
> >
>
> >
>
> >
>
> >
>
> >
>
> > ------------ --------- --------- ------
>
> >
>
> > Yahoo! Groups Links
>
> >
>
> >
>
> >
>
> >
>
>
>
>
>
>
>
>
>
>
>

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2903. Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-25 21:01:58 UTC
From: k9mrd
Topic: 2903 Message: 2903

T27OU, Tuvulu, and K5D log the country as USA.

Wayne

2904. Re: [XMLog] Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-25 21:18:52 UTC
From: WILLIS COOKE
Topic: 2903 Message: 2904

Wayne, when you find this type of thing select View, Show Callsign List and add the station call and country to the list. Call assignments these days can give a programmer heartburn and new special events calls come out every few days.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 2/25/09, k9mrd <k9mrd@...> wrote:

> From: k9mrd <k9mrd@...>
> Subject: [XMLog] Wrong Country Logged
> To: XMLog@yahoogroups.com
> Date: Wednesday, February 25, 2009, 1:01 PM
> T27OU, Tuvulu, and K5D log the country as USA.
>
> Wayne
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2905. Re: [XMLog] Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-25 21:20:23 UTC
From: Nelson Wittstock
Topic: 2903 Message: 2905

Go into "View" and then "Call sign list" and type in the callsign. Then
select the country you want that call assigned to.

HTH,
Nelson

--
I am using the free version of SPAMfighter.
We are a community of 6 million users fighting spam.
SPAMfighter has removed 1971 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

2906. Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 00:41:05 UTC
From: k9mrd
Topic: 2903 Message: 2906

Thanks for replys. I know how to add to list and I can understand how K5d would be wrong. However, T27OU (T2) is a valid prefix in XMLog's country list.

Wayne

--- In XMLog@yahoogroups.com, "k9mrd" <k9mrd@...> wrote:
>
> T27OU, Tuvulu, and K5D log the country as USA.
>
> Wayne
>

2907. Re: [XMLog] Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 01:23:00 UTC
From: WILLIS COOKE
Topic: 2903 Message: 2907

T27OU comes up as Tuvulu for me Wayne. K5D is a US special event call that has been assigned to the Desecheo event. Desecheo is a US Possession.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 2/25/09, k9mrd <k9mrd@...> wrote:

> From: k9mrd <k9mrd@...>
> Subject: [XMLog] Re: Wrong Country Logged
> To: XMLog@yahoogroups.com
> Date: Wednesday, February 25, 2009, 4:41 PM
> Thanks for replys. I know how to add to list and I can
> understand how
> K5d would be wrong. However, T27OU (T2) is a valid prefix
> in XMLog's
> country list.
>
> Wayne
>
>
>
> --- In XMLog@yahoogroups.com, "k9mrd"
> <k9mrd@...> wrote:
> >
> > T27OU, Tuvulu, and K5D log the country as USA.
> >
> > Wayne
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2908. Re: [XMLog] Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 04:29:45 UTC
From: N7mal
Topic: 2903 Message: 2908

This K5D problem has been discussed on several other mailing lists. It is one of those crazy government regulations that if you try to understand you will end up on the 'funnie' farm. The FCC callsign assigned prefix for Desecho Island is KP5. All logging programs would see KP5 and know exactly where it is. The FCC cannot issue a KP5 call basically because there are no permanent residents there. There are no permanent residents because the Government has designated it a protected territory. In other words there are no addresses on the island.

This has come up before with other islands. The only option for the users is to edit the data base in their particular logging program.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, February 26, 2009 1:23
Subject: Re: [XMLog] Re: Wrong Country Logged

T27OU comes up as Tuvulu for me Wayne. K5D is a US special event call that has been assigned to the Desecheo event. Desecheo is a US Possession.

Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

2909. Re: [XMLog] Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 07:08:52 UTC
From: Dave Sergeant
Topic: 2903 Message: 2909

On 26 Feb 2009 at 4:29, N7mal wrote:

> This K5D problem has been discussed on several other mailing lists. It
> is one of those crazy government regulations that if you try to
> understand you will end up on the 'funnie' farm. The FCC callsign
> assigned prefix for Desecho Island is KP5. All logging programs would
> see KP5 and know exactly where it is. The FCC cannot issue a KP5 call
> basically because there are no permanent residents there. There are no
> permanent residents because the Government has designated it a protected
> territory. In other words there are no addresses on the island.
>
> This has come up before with other islands. The only option for the
> users is to edit the data base in their particular logging program. 73

The K5D issue is unfortunate, and a DXCC nightmare, but is not my problem because despite numerous attempts I have no K5D QSO to log - the European zoo pileups are simply too much for my QRP station and I admit defeat (with just a few hours of operation left).

But the inability of logging programs to work out the correct country from the callsign has hit home to me much in the past few weeks. I have been typing in all my old log books dating back to 1969. In many cases you have to manually change the country from what XMLog sets it from the current prefix list - all the old OK, Y2 and Russian prefixes have to changed to their older selves (*OK, *Y2 and an assortment of UA, UR, UH etc calls). The old 4K1 Russian Antarctic calls have to be researched to find their actual location, and even things like ZK1 North/South Cook need sorting into their new E5 calls. Some logging programs look at the QSO date to set the prefix but XMLog is not one of them.

But I am not complaining. 21,000 QSOs from 7 log books input and a couple more to go. And fascinating to see what I was working in the early 1980s when conditions were fantastic compared with the current doldrums. Spending a few minutes each batch correcting the countries is the least of my problems.

(by the way, why does XMLog insist on Antarctica being KC4 and not VP8 which everybody else uses for it?)

73 Dave G3YMC

http://www.davesergeant.com

2910. Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 16:27:44 UTC
From: k9mrd
Topic: 2903 Message: 2910

Hi Willis,

I have run some more checks here. T27A works, but T27OU does not. T27OU shows a U.S. mailing address so I am thinking that is the problem.

I am using Ver 6.13 and have tried QRZ lookups via both HTML and XML. Same results for both. It looks like the mailing address trumps the call sign here!? I sure thought I had worked DX with U.S. Mailing address in the past with no problems, but my memory is not as good as it used to be!

K5D was a pain here because I was lucky to get a number of band/mode fills and had to change each one. (7 Bands & 15 Band/modes)

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> T27OU comes up as Tuvulu for me Wayne. K5D is a US special event call that has been assigned to the Desecheo event. Desecheo is a US Possession.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 2/25/09, k9mrd <k9mrd@...> wrote:
>
> > From: k9mrd <k9mrd@...>
> > Subject: [XMLog] Re: Wrong Country Logged
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, February 25, 2009, 4:41 PM
> > Thanks for replys. I know how to add to list and I can
> > understand how
> > K5d would be wrong. However, T27OU (T2) is a valid prefix
> > in XMLog's
> > country list.
> >
> > Wayne
> >
> >
> >
> > --- In XMLog@yahoogroups.com, "k9mrd"
> > <k9mrd@> wrote:
> > >

> > > T27OU, Tuvulu, and K5D log the country as USA.
> > >
> > > Wayne
> > >
> >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

2911. Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 21:53:37 UTC
From: Mike McAmis
Topic: 2903 Message: 2911

Hi, Yes - If you do a "Set Fields from Callbook" (QRZ.COM) you wind up
with the info for the guy as though he was in Oregon.

Mike - W1ECT

> I have run some more checks here. T27A works, but T27OU does not.
> T27OU shows a U.S. mailing address so I am thinking that is the
> problem.

2912. Re: [XMLog] Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 22:42:00 UTC
From: WILLIS COOKE
Topic: 2903 Message: 2912

You don't have to change each one. Just put the call in the Country list and the rest of the countries come out right. I have QRZ turned off and don't look up an address until I need it for a card. Then I have another window to look up the address on QRZ. I had QRZ running until the last QRZ change and never noticed that its address had anything to do with the Country block.

Willis 'Cookie' Cooke
K5EWJ

--- On Thu, 2/26/09, k9mrd <k9mrd@...> wrote:

> From: k9mrd <k9mrd@...>
> Subject: [XMLog] Re: Wrong Country Logged
> To: XMLog@yahoogroups.com
> Date: Thursday, February 26, 2009, 8:27 AM
> Hi Willis,
>
> I have run some more checks here. T27A works, but T27OU
> does not.
> T27OU shows a U.S. mailing address so I am thinking that is
> the
> problem.
>
> I am using Ver 6.13 and have tried QRZ lookups via both
> HTML and XML.
> Same results for both. It looks like the mailing address
> trumps the
> call sign here!? I sure thought I had worked DX with U.S.
> Mailing
> address in the past with no problems, but my memory is not
> as good as
> it used to be!
>
>
> K5D was a pain here because I was lucky to get a number of
> band/mode
> fills and had to change each one. (7 Bands & 15
> Band/modes)
>
> Wayne
>
>
>
>
>
> --- In XMLog@yahoogroups.com, WILLIS COOKE

> <wrcooke@...> wrote:
> >
> > T27OU comes up as Tuvulu for me Wayne. K5D is a US
> special event
> call that has been assigned to the Desecheo event.
> Desecheo is a US
> Possession.
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Wed, 2/25/09, k9mrd <k9mrd@...> wrote:
> >
> > > From: k9mrd <k9mrd@...>
> > > Subject: [XMLog] Re: Wrong Country Logged
> > > To: XMLog@yahoogroups.com
> > > Date: Wednesday, February 25, 2009, 4:41 PM
> > > Thanks for replys. I know how to add to list and
> I can
> > > understand how
> > > K5d would be wrong. However, T27OU (T2) is a
> valid prefix
> > > in XMLog's
> > > country list.
> > >
> > > Wayne
> > >
> > >
> > >
> > > --- In XMLog@yahoogroups.com, "k9mrd"
> > > <k9mrd@> wrote:
> > > >
> > > > T27OU, Tuvulu, and K5D log the country as
> USA.
> > > >
> > > > Wayne
> > > >
> > >
> > >
> > >
> > >
> > > ------------------------------------
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> >
>

>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2913. Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 22:50:58 UTC
From: k9mrd
Topic: 2903 Message: 2913

If you have QRZ lookup turned on, that over-rides a call in the Call Sign list.
Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> You don't have to change each one. Just put the call in the Country list and the rest of the countries come out right. I have QRZ turned off and don't look up an address until I need it for a card. Then I have another window to look up the address on QRZ. I had QRZ running until the last QRZ change and never noticed that its address had anything to do with the Country block.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Thu, 2/26/09, k9mrd <k9mrd@...> wrote:
>
> > From: k9mrd <k9mrd@...>
> > Subject: [XMLog] Re: Wrong Country Logged
> > To: XMLog@yahoogroups.com
> > Date: Thursday, February 26, 2009, 8:27 AM
> > Hi Willis,
> >
> > I have run some more checks here. T27A works, but T27OU
> > does not.
> > T27OU shows a U.S. mailing address so I am thinking that is
> > the
> > problem.
> >
> > I am using Ver 6.13 and have tried QRZ lookups via both
> > HTML and XML.
> > Same results for both. It looks like the mailing address
> > trumps the
> > call sign here!? I sure thought I had worked DX with U.S.
> > Mailing
> > address in the past with no problems, but my memory is not
> > as good as
> > it used to be!
> >
> >
> > K5D was a pain here because I was lucky to get a number of
> > band/mode
> > fills and had to change each one. (7 Bands & 15

> > Band/modes)
> >
> > Wayne
> >
> >
> >
> >
> >
> > --- In XMLog@yahoogroups.com, WILLIS COOKE
> > <wrcooke@> wrote:
> > >
> > > T27OU comes up as Tuvulu for me Wayne. K5D is a US
> > special event
> > call that has been assigned to the Desecheo event.
> > Desecheo is a US
> > Possession.
> > >
> > > Willis 'Cookie' Cooke
> > > K5EWJ
> > >
> > >
> > > --- On Wed, 2/25/09, k9mrd <k9mrd@> wrote:
> > >
> > > > From: k9mrd <k9mrd@>
> > > > Subject: [XMLog] Re: Wrong Country Logged
> > > > To: XMLog@yahoogroups.com
> > > > Date: Wednesday, February 25, 2009, 4:41 PM
> > > > Thanks for replys. I know how to add to list and
> > I can
> > > > understand how
> > > > K5d would be wrong. However, T27OU (T2) is a
> > valid prefix
> > > > in XMLog's
> > > > country list.
> > > >
> > > > Wayne
> > > >
> > > >
> > > >
> > > > --- In XMLog@yahoogroups.com, "k9mrd"
> > > > <k9mrd@> wrote:
> > > > >
> > > > > T27OU, Tuvulu, and K5D log the country as
> > USA.
> > > > >
> > > > > Wayne
> > > > >
> > > >
> > > >
> > > >
> > > >

> > > >
> > > > ------------------------------------
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

2914. Re: [XMLog] Re: Wrong Country Logged

Yahoo group: XMLog
Date: 2009-02-26 23:03:22 UTC
From: WILLIS COOKE
Topic: 2903 Message: 2914

I guess that is a good reason to keep QRZ turned off. Wonder why that is?

Willis 'Cookie' Cooke
K5EWJ

--- On Thu, 2/26/09, k9mrd <k9mrd@...> wrote:

> From: k9mrd <k9mrd@...>
> Subject: [XMLog] Re: Wrong Country Logged
> To: XMLog@yahoogroups.com
> Date: Thursday, February 26, 2009, 2:50 PM
> If you have QRZ lookup turned on, that over-rides a call in
> the Call
> Sign list.
> Wayne
>
>
>
>
> --- In XMLog@yahoogroups.com, WILLIS COOKE
> <wrcooke@...> wrote:
> >
> > You don't have to change each one. Just put the
> call in the
> Country list and the rest of the countries come out right.
> I have
> QRZ turned off and don't look up an address until I
> need it for a
> card. Then I have another window to look up the address on
> QRZ. I
> had QRZ running until the last QRZ change and never noticed
> that its
> address had anything to do with the Country block.
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Thu, 2/26/09, k9mrd <k9mrd@...> wrote:
> >
> > > From: k9mrd <k9mrd@...>
> > > Subject: [XMLog] Re: Wrong Country Logged
> > > To: XMLog@yahoogroups.com
> > > Date: Thursday, February 26, 2009, 8:27 AM
> > > Hi Willis,
> > >

> > > I have run some more checks here. T27A works, but
> T27OU
> > > does not.
> > > T27OU shows a U.S. mailing address so I am
> thinking that is
> > > the
> > > problem.
> > >
> > > I am using Ver 6.13 and have tried QRZ lookups
> via both
> > > HTML and XML.
> > > Same results for both. It looks like the mailing
> address
> > > trumps the
> > > call sign here!? I sure thought I had worked DX
> with U.S.
> > > Mailing
> > > address in the past with no problems, but my
> memory is not
> > > as good as
> > > it used to be!
> > >
> > >
> > > K5D was a pain here because I was lucky to get a
> number of
> > > band/mode
> > > fills and had to change each one. (7 Bands &
> 15
> > > Band/modes)
> > >
> > > Wayne
> > >
> > >
> > >
> > >
> > >
> > > --- In XMLog@yahoogroups.com, WILLIS COOKE
> > > <wrcooke@> wrote:
> > > >
> > > > T27OU comes up as Tuvulu for me Wayne. K5D
> is a US
> > > special event
> > > call that has been assigned to the Desecheo
> event.
> > > Desecheo is a US
> > > Possession.
> > > >
> > > > Willis 'Cookie' Cooke
> > > > K5EWJ
> > > >

> > > >
> > > > --- On Wed, 2/25/09, k9mrd <k9mrd@>
> wrote:
> > > >
> > > > > From: k9mrd <k9mrd@>
> > > > > Subject: [XMLog] Re: Wrong Country
> Logged
> > > > > To: XMLog@yahoogroups.com
> > > > > Date: Wednesday, February 25, 2009,
> 4:41 PM
> > > > > Thanks for replys. I know how to add to
> list and
> > > I can
> > > > > understand how
> > > > > K5d would be wrong. However, T27OU (T2)
> is a
> > > valid prefix
> > > > > in XMLog's
> > > > > country list.
> > > > >
> > > > > Wayne
> > > > >
> > > > >
> > > > >
> > > > > --- In XMLog@yahoogroups.com,
> "k9mrd"
> > > > > <k9mrd@> wrote:
> > > > > >
> > > > > > T27OU, Tuvulu, and K5D log the
> country as
> > > USA.
> > > > > >
> > > > > > Wayne
> > > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > ------------------------------------
> > > > >
> > > > > Yahoo! Groups Links
> > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > >
> > >
> > >
> > >
> > > ------------------------------------

> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2915. RE:Missing State Data On Uploading SD Logger "adi" 160 SSB Data

Yahoo group: XMLog
Date: 2009-03-03 22:50:01 UTC
From: wb6cyk
Topic: 2915 Message: 2915

What do I need to do to have XMLog read the state abbreviation from the *adi file into the correct field when uploading from SD Logger. The data is in column 9 on the *.csv and *.prt files created in SDCheck.

Burton - wb6cyk

2916. Re: [XMLog] RE:Missing State Data On Uploading SD Logger "adi" 160 SSB Data

Yahoo group: XMLog
Date: 2009-03-04 05:05:49 UTC
From: N7mal
Topic: 2915 Message: 2916

You might try this link. I know Jim, AD1C, make several conversion utilities to fix things in ADIF files.....
Good luck....73
http://software.ad1c.us/#County

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: wb6cyk
To: XMLog@yahoogroups.com
Sent: Tuesday, March 03, 2009 22:50
Subject: [XMLog] RE:Missing State Data On Uploading SD Logger "adi" 160 SSB Data

What do I need to do to have XMLog read the state abbreviation from the *adi file into the correct field when uploading from SD Logger. The data is in column 9 on the *.csv and *.prt files created in SDCheck.

Burton - wb6cyk

[Non-text portions of this message have been removed]

2917. Re: RE:Missing State Data On Uploading SD Logger "adi" 160 SSB Data

Yahoo group: XMLog
Date: 2009-03-05 01:42:43 UTC
From: Mike McAmis
Topic: 2915 Message: 2917

Hi Burton, Can you copy and paste a typical record that isn't being imported correctly and show it here? Or, just send an email to Support@... and include the whole ADIF file as an email attachment (give me enough info to identify an entry that's not being handled correctly).

Mike - W1ECT

2918. Date formats - 60m band specs

Yahoo group: XMLog
Date: 2009-03-06 14:29:35 UTC
From: Dave Sergeant
Topic: 2918 Message: 2918

A couple of things.

Firstly many thanks for 6.13, I am now using this fine for importing and validating my LOTW confirmations. What are the plans on doing something similar for eQSL, I still keep a seperate log file for my eQSL confirmations - I already use my own program to generate an ADIF file from my eQSL inbox which I could modify to put a suitable field to mark the XMLog eQSL received box.

1. I have noticed that now and again when I start XMLog it has set the date format to the USA M/D/Y format (which is totally incomprehensible to those of use this side of the Atlantic...). There seems no reason, I suddenly find it has changed and I have to close the log and reset it, whereupon it stays until it does it again a week or so later.

2. More serious, the band limits for 60M are incorrectly set in XMLog and appear to use the USA channel definitions rather than the proper ones specified in the ADIF spec (5.2-5.5).

I first noticed that when importing an ADIF file with the Band field set to 60M that XMLog translated it to 5.332 - the bottom of your channels and not a UK channel allocation at all - I would be illegal operating there! Next I had a confirmation from LOTW which would not verify in XMLog - I had set the frequency for the QSO as 5.279, within one of our channels (and a CW QSO so it could be anywhere in the channel), which of course is below your 5.332.

Can you please check that XMLog uses the correct ADIF range and will accept any frequency between 5.2 and 5.5.

73 Dave G3YMC

http://www.davesergeant.com

2919. Re: Date formats - 60m band specs

Yahoo group: XMLog
Date: 2009-03-08 19:43:40 UTC
From: Mike McAmis
Topic: 2918 Message: 2919

Hi Dave, I'll make the changes to increase the limits for the 60m band in the next version. For ADIF input, if the "Band" field is set but the frequency field is not supplied XMLog just picks the low end of the band (in the case of 60m the low end was defined as 5.332). No doubt I can't pick a default frequency that would be good for everyone. If the frequency field was being ignored because it was "out-of-band" changing the 60m limits should fix this problem.

I've checked the date format option code and I can't see where the value might get changed/lost. If you can figure out what action you're doing that causes it to revert to the default (U.S.) mode, let me know. No doubt something you only do once in a while.

I don't have any plans for eQSL changes. You can still use the eQSL fields to select log entries and create ADIF files. Perhaps I'll have to do something now that CQ is accepting eQSL's for their awards.

Mike - W1ECT

2920. Re: [XMLog] Re: Date formats - 60m band specs

Yahoo group: XMLog
Date: 2009-03-08 20:43:06 UTC
From: Dave Sergeant
Topic: 2918 Message: 2920

On 8 Mar 2009 at 19:43, Mike McAmis wrote:

> Hi Dave, I'll make the changes to increase the limits for the 60m band
> in the next version. For ADIF input, if the "Band" field is set but the
> frequency field is not supplied XMLog just picks the low end of the band
> (in the case of 60m the low end was defined as 5.332). No doubt I can't
> pick a default frequency that would be good for everyone. If the
> frequency field was being ignored because it was "out-of-band" changing
> the 60m limits should fix this problem.

Thanks Mike. Perhaps you should set the limits for 60m to what is shown in the ADIF 2.2 spec (http://www.adif.org/adif222.htm) which is 5.102-5.404, but even that does not cover the whole UK band whose highest channel is 5.405 centre. As for the default for 60M from an ADIF file that is a tricky one - in my case all the QSOs I have entered into XMLog myself will have the exact frequency logged, so it is only if I subsequently get a LOTW or eQSL confirmation which sets it to 60M in its ADIF. I keep a seperate log just for the eQSL confirmations so that is the only place where I will see the 5.332 appear, guess I can live with it...

Further to the ADIF spec I notice that it gives the limits for 136kHz (2190M) as 136-137 whereas in the UK we have 135.7-137.8 so even the ADIF spec people haven't got it right! It will get even more complicated when more countries get a 500kHz allocation - and I will be trying to add my 500kHz QSOs into XMLog when I get round to it, no idea what will appear in the ADIFs produced from those!

> I've checked the date format option code and I can't see where the value
> might get changed/lost. If you can figure out what action you're doing
> that causes it to revert to the default (U.S.) mode, let me know. No
> doubt something you only do once in a while.

Well it hasn't done it again yet, I will watch and try to see what triggers it.

> I don't have any plans for eQSL changes. You can still use the eQSL
> fields to select log entries and create ADIF files. Perhaps I'll have to
> do something now that CQ is accepting eQSL's for their awards.

OK, I guess I will have to carry on with a seperate log file for eQSL confirmations, I have over 4000 of them, too many to do manually!

73 Dave G3YMC

http://www.davesergeant.com

2921. Re: [XMLog] Re: Date formats - 60m band specs

Yahoo group: XMLog
Date: 2009-03-09 02:04:55 UTC
From: WILLIS COOKE
Topic: 2918 Message: 2921

Mike, I had my format change once also. I think it is when I did a software upgrade. I never changed it back because I am an American and I am supposed to be confused by European date systems and Metric.

Willis 'Cookie' Cooke
K5EWJ

--- On Sun, 3/8/09, Mike McAmis <w1ect@...> wrote:

> From: Mike McAmis <w1ect@...>
> Subject: [XMLog] Re: Date formats - 60m band specs
> To: XMLog@yahoogroups.com
> Date: Sunday, March 8, 2009, 12:43 PM
> Hi Dave, I'll make the changes to increase the limits
> for the 60m band in the next version. For ADIF input, if
> the "Band" field is set but the frequency field is
> not supplied XMLog just picks the low end of the band (in
> the case of 60m the low end was defined as 5.332). No doubt
> I can't pick a default frequency that would be good for
> everyone. If the frequency field was being ignored because
> it was "out-of-band" changing the 60m limits
> should fix this problem.
>
> I've checked the date format option code and I
> can't see where the value might get changed/lost. If you
> can figure out what action you're doing that causes it
> to revert to the default (U.S.) mode, let me know. No doubt
> something you only do once in a while.
>
> I don't have any plans for eQSL changes. You can still
> use the eQSL fields to select log entries and create ADIF
> files. Perhaps I'll have to do something now that CQ is
> accepting eQSL's for their awards.
>
> Mike - W1ECT
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2922. Re: RE:Missing State Data On Uploading SD Logger "adi" 160 SSB Data

Yahoo group: XMLog
Date: 2009-03-09 16:58:43 UTC
From: wb6cyk
Topic: 2915 Message: 2922

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Burton, Can you copy and paste a typical record that isn't being imported correctly and show it here? Or, just send an email to Support@... and include the whole ADIF file as an email attachment (give me enough info to identify an entry that's not being handled correctly).
>
> Mike - W1ECT
>

Mike, thanks for your quick reply. Richard - ve3iay solved the problem. Edit the ADI file using global search and replace. Replace <srx_string: with <STATE: and then import the file to XMLog. It worked!

Burton

2923. Re: Unknown Data String imported in Notes Field when combining logs

Yahoo group: XMLog
Date: 2009-03-09 17:13:56 UTC
From: wb6cyk
Topic: 2923 Message: 2923

When combining SD Logger ADIF files with my DX Log ADIF file I'm getting numerical data strings that are filling up the Notes Field. This creates a problem on the next upload because I get a "Field is full error" and I had to edit out the junk that is a long series of numbers like IN:/010/010/010/010. This did not happen on the ARRL DX contest this past weekend it only added ARRL-DX-SSB to the field. This is the first time I have used Ver. 6.13. My previous version was 5.29.

2924. Re: Date formats - 60m band specs

Yahoo group: XMLog
Date: 2009-03-09 22:06:24 UTC
From: Mike McAmis
Topic: 2918 Message: 2924

OK Dave, I'll define 60m as 5100-5500 and 2190m to 135-138, that ought to take care of it. (I also found/fixed some typos where I referred to 1290m).

I found a bug in the ADIF import that can cause a reset of the date format back to mm/dd/yy - I'll post a fix in 6.14 in the next couple of days.

Mike - W1ECT

2925. Re: Unknown Data String imported in Notes Field when combining logs

Yahoo group: XMLog
Date: 2009-03-09 22:09:39 UTC
From: Mike McAmis
Topic: 2923 Message: 2925

Hi, Send me a copy of the ADIF file as an email attachment to support@xmlog.com

Mike - W1ECT

2926. Re: [XMLog] Re: Date formats - 60m band specs

Yahoo group: XMLog
Date: 2009-03-10 06:44:26 UTC
From: Dave Sergeant
Topic: 2918 Message: 2926

On 9 Mar 2009 at 22:06, Mike McAmis wrote:

> OK Dave, I'll define 60m as 5100-5500 and 2190m to 135-138, that ought
> to take care of it. (I also found/fixed some typos where I referred to
> 1290m).
>
> I found a bug in the ADIF import that can cause a reset of the date
> format back to mm/dd/yy - I'll post a fix in 6.14 in the next couple of
> days.
>
> Mike - W1ECT
>

Thanks Mike, that should sort 136kHz and 60m. OK about the ADIF import problem, that would explain it as I have in the past few weeks been doing a lot of that importing my old paper logs via DF3CB's FLE (Fast Log Entry). I had noticed that when it flagged errors in the imports it showed the dates in US format, but normally still had UK format afterwards.

I did some experiments yesterday on eQSL import and will report in a seperate thread.

73 Dave G3YMC

http://www.davesergeant.com

2927. eQSL import

Yahoo group: XMLog
Date: 2009-03-10 09:17:53 UTC
From: Dave Sergeant
Topic: 2927 Message: 2927

I had a little play in trying to import eQSL generated ADIFs yesterday.

It is perhaps wrong to say that the eQSL Received field can only be set manually at the moment. XMLog recognises the EQSL_QSLRDATE: field in an ADIF field and sets that field correctly. But there are a couple of issues.

There are two ways of getting an ADIF file of your eQSL inbox. Firstly you can click on the link at the bottom of your Inbox while logged into eQSL ('Download entire inbox in ADIF format ...' somewhat hidden). This will produce an ADIF of your complete inbox from day one. It uses the QSLRDATE: field rather than the EQSL_QSLRDATE: which is not quite what we want, but it is easy to globally search and replace to change it.

eQSL do not provide facilities for downloading your new inbox confirmations to ADIF. But I have written a short program to do this - you basically copy all the text of the displayed inbox to your clipboard, paste it into a .txt document, then run my program on that and it magically works out where the QSO fields are and generates an ADIF of those QSOs. I have now modified my program to add the EQSL_QSLRDATE: field in the output (at the moment it also sets the QSLRDATE: field, see later). You can find my program at http://www.davesergeant.com/bbcbasic/bbcbasic.htm and look for the program eqsladif. At the moment this remains the old version which does not set the eQSLReceived field. While you are there note that I have another program for generating nice spreadsheets of DXCC totals from XMLog's output.

So what are the pitfalls in importing eQSL confirmations. Basically because there is no validation process on these like there is for LOTW and times on the eQSL ones may well differ from those in your existing log if you just import them they will not be seen as dupes but as new QSOs, or possibly overwrite existing ones with duff data. When I tried this (on a copy of my log) virtually all the imported QSOs were seen as new ones.... So for it to work the validation and importing process of LOTW needs to be extended to cover eQSL import (it would be trivial to add a line to my ADIF output to indicate it is eQSL data if it can be defined what it is to be). Or the QSO time and frequency/band information can be widened so that these don't appear as new QSOs. I guess the easiest would be to expand the LOTW method to cover eQSL as well.

The other aspect is that at the moment XMLog does not automatically include eQSL confirmations in its DXCC totals worked (but does in the individual countries worked screen) so it is not easy to list eQSL confirmation totals. This could also be addressed.

So at the moment I continue with my old method of eQSL confirmations - a completely seperate log (eqsl.log) which contains just the eQSL ones, with both the QSLReceived and eQSLRecieved fields now filled in. This does me but it would be nice in the future to have one totally integrated log.

73 Dave G3YMC

http://www.davesergeant.com

2928. bug with the 'show no info' button

Yahoo group: XMLog
Date: 2009-03-14 20:10:44 UTC
From: wim_dewilder
Topic: 2928 Message: 2928

Hi

I upgraded from version 6.13 to 6.14 and now when I click on 'show no info' button both the awards info as well as address and QSL portions appear and disappear together. Even though in the Options for log fields I have address info as 'show always'
I have the multiple windows arranged to fill up a screen and now too many portions disappear when I click on 'show no info'
just a minor display issue for now

cheers
de K6TE Wim

2929. Re: bug with the 'show no info' button

Yahoo group: XMLog
Date: 2009-03-14 20:33:05 UTC
From: Mike McAmis
Topic: 2928 Message: 2929

Hi Wim, You weren't supposed to have discovered this new option yet... Anyhow it's mission is to make the smallest log window possible - so when you cycle to "show no info" no info frames will be displayed, including any you've marked as "always show" frames.

For version 6.15 I've changed things a bit so that the Name and Notes field are shown for this "minimal" log window.

Mike - W1ECT

2930. Re: bug with the 'show no info' button

Yahoo group: XMLog
Date: 2009-03-15 19:19:54 UTC
From: wim_dewilder
Topic: 2928 Message: 2930

Ah ok ;-)

great, with the 6.15 version I can just show/hide the award info and
keep the address listed for a medium size log screen..

thanks
- Wim

--- In XMLog@yahoogroups.com, "Mike McAmis" <w1ect@...> wrote:
>
> Hi Wim, You weren't supposed to have discovered this new option yet... Anyhow it's mission is to make the smallest log window possible - so when you cycle to "show no info" no info frames will be displayed, including any you've marked as "always show" frames.
>
> For version 6.15 I've changed things a bit so that the Name and Notes field are shown for this "minimal" log window.
>
> Mike - W1ECT
>

2931. LoTW confirmation in Grid Report

Yahoo group: XMLog
Date: 2009-03-21 19:34:27 UTC
From: Craig Bradley
Topic: 2931 Message: 2931

Mike,

Would it be possible to add a check box for "Include LoTW confirmations" in the Grids Worked/Confirmed and WAZ reports?

Also, it would be nice to run reports such as DXCC and WAS with LoTW confirmation and not include QSL. This would be handy for figuring out what can be applied for on LoTW without card checking.

The new Triple Play WAS award also is for LoTW only QSLs.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2932. Frequency to Band conversion

Yahoo group: XMLog
Date: 2009-03-24 17:33:21 UTC
From: umm88e
Topic: 2932 Message: 2932

Hello, I am new to XMlog and maybe did not set it up properly.
Running XMlog v6.13.

For every log record I enter the actual frequency in KiloHertz.
However, it does not get converted to band.
That creates a three fold problem:
1) eQSL does not like frequencies in KiloHertz. They want either Band or Freq in MegaHertz.
2) When editing the XMlog ADIF output file with XMlog, using LOTW TQSL, all entries are converted to 160m band --by default-- as no Band info is included in the ADIF file, so have to manually correct the band for each entry. Besides, when the LOTW results file is uploaded to XMlog all entries result invalid as the freq/band does not match either.
3) Selecting Awards > DXCC either Totals, Checklist or Worked/Confirmed I get all the Mixed, Phone and CW counts but nothing regarding by band.

Could somebody tell me what am I doing wrong ?
Any help would be greatly appreciated. Thanks in advance for your assistance.

73 es DX de VE3MIZ
S.L. (Leo) Sorkin

2933. Re: Frequency to Band conversion

Yahoo group: XMLog
Date: 2009-03-25 00:00:22 UTC
From: Mike McAmis
Topic: 2932 Message: 2933

Hi Leo, When entering frequencies for new entries in the XMLog Log Window they should be entered in mHz, not kHz (and in this case ADIF file records will include the appropriate BAND info).

Mike - W1ECT

2934. Re: [XMLog] Re: Frequency to Band conversion

Yahoo group: XMLog
Date: 2009-03-25 02:01:52 UTC
From: WILLIS COOKE
Topic: 2932 Message: 2934

Mike, in trying to find an answer to Leo's question I looked at the help files. The Frequency description in the help file says that the frequency can be entered in mHz or kHz or other. Maybe the help file needs editing?

Willis 'Cookie' Cooke
K5EWJ

--- On Tue, 3/24/09, Mike McAmis <w1ect@...> wrote:

> From: Mike McAmis <w1ect@...>
> Subject: [XMLog] Re: Frequency to Band conversion
> To: XMLog@yahoogroups.com
> Date: Tuesday, March 24, 2009, 5:00 PM
> Hi Leo, When entering frequencies for new entries in the
> XMLog Log Window they should be entered in mHz, not kHz (and
> in this case ADIF file records will include the appropriate
> BAND info).
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2935. Re: Frequency to Band conversion

Yahoo group: XMLog
Date: 2009-03-25 13:18:51 UTC
From: umm88e
Topic: 2932 Message: 2935

Mike and Willis, thank you very much for your prompt replies.
Just to explain the reason for me to use KHz: Have an ICOM 756 connected to a PC through the CAT interface. Eventhough I have not tried it yet, it is my plan to read the frequency directly from the rig. I believe it would come in KHz. I'll give it try later today and see what it comes back with.

Again, thanks for your assistance.
73 de VE3MIZ, Leo

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
>
> Mike, in trying to find an answer to Leo's question I looked at the help files. The Frequency description in the help file says that the frequency can be entered in mHz or kHz or other. Maybe the help file needs editing?
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Tue, 3/24/09, Mike McAmis <w1ect@...> wrote:
>
> > From: Mike McAmis <w1ect@...>
> > Subject: [XMLog] Re: Frequency to Band conversion
> > To: XMLog@yahoogroups.com
> > Date: Tuesday, March 24, 2009, 5:00 PM
> > Hi Leo, When entering frequencies for new entries in the
> > XMLog Log Window they should be entered in mHz, not kHz (and
> > in this case ADIF file records will include the appropriate
> > BAND info).
> >
> > Mike - W1ECT
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

2936. Re: Frequency to Band conversion

Yahoo group: XMLog
Date: 2009-03-25 14:00:00 UTC
From: umm88e
Topic: 2932 Message: 2936

Tested the Get Frequency from Rig function and found out that my assumption was wrong. It comes back in MegaHertz.
Should have tested it earlier.... shame on me.

73, Leo

2937. log screen - clock almost all covered

Yahoo group: XMLog
Date: 2009-04-06 23:44:33 UTC
From: Richard_Haire1
Topic: 2937 Message: 2937

Hi,
On my log screen, the background color covers all but one little
block of the clock in the lower right most corner and a similar block in the lower left corner. Do I have a setting wrong? V 6.13. The clock shows perfectly on the packet window. Have not been able to figure it out.
Thank you.
73
Dick
W3LD

2938. UTC Offset

Yahoo group: XMLog
Date: 2009-04-08 22:43:43 UTC
From: WILLIS COOKE
Topic: 2938 Message: 2938

My log time is off by an hour since the change to DST. I have not been able to find how to set/change the offset from the CDST on my computer. How is the offset computed or where is the offset input. I don't remember this problem in past years nor can I find a way to change the offset from 6 hours to 5 hours?

Willis 'Cookie' Cooke
K5EWJ

2939. RE: [XMLog] UTC Offset

Yahoo group: XMLog
Date: 2009-04-11 19:26:07 UTC
From: Craig Bradley
Topic: 2938 Message: 2939

Willis,

What operating system are you using?

Is the computer OS clock in the lower right correct?

Some of older systems don't have patches for the change in the DST start and stop dates that happened a couple of years ago. Those systems should have corrected the clock last weekend though on the old change over date.

On Windows XP, if you right click on the clock time on the bottom right of the screen and select Adjust Date/Time, then select the Time Zone Tab you can select the time zone and there is a check box below the world map for "Automatically adjust clock for daylight savings time".

I still object the calling this "savings time" though. I spend way too much time changing clock every year.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 08, 2009 3:44 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] UTC Offset

My log time is off by an hour since the change to DST. I have not been able to find how to set/change the offset from the CDST on my computer. How is the offset computed or where is the offset input. I don't remember this problem in past years nor can I find a way to change the offset from 6 hours to 5 hours?

Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

2940. RE: [XMLog] UTC Offset

Yahoo group: XMLog
Date: 2009-04-11 21:51:32 UTC
From: WILLIS COOKE
Topic: 2938 Message: 2940

You are absolutely correct Craig. I would swear that I checked that, but when I check it again, I must have been hallucinating because it reads 5:50 PM and it is 4:50 PM at the moment. No wonder I could not find what I was looking for, I was looking at the wrong system. Guess I have too many clocks in the shack.

Willis 'Cookie' Cooke
K5EWJ

--- On Sat, 4/11/09, Craig Bradley <craigjb@...> wrote:

> From: Craig Bradley <craigjb@...>
> Subject: RE: [XMLog] UTC Offset
> To: XMLog@yahoogroups.com
> Date: Saturday, April 11, 2009, 12:26 PM
> Willis,
>
>
>
> What operating system are you using?
>
> Is the computer OS clock in the lower right correct?
>
>
>
> Some of older systems don't have patches for the change
> in the DST start and
> stop dates that happened a couple of years ago. Those
> systems should have
> corrected the clock last weekend though on the old change
> over date.
>
>
>
> On Windows XP, if you right click on the clock time on the
> bottom right of
> the screen and select Adjust Date/Time, then select the
> Time Zone Tab you
> can select the time zone and there is a check box below the
> world map for
> "Automatically adjust clock for daylight savings
> time".
>
>
>
> I still object the calling this "savings time"
> though. I spend way too much

> time changing clock every year.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
> On Behalf Of
> WILLIS COOKE
> Sent: Wednesday, April 08, 2009 3:44 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] UTC Offset
>
>
>
>
>
>
>
>
>
>
> My log time is off by an hour since the change to DST. I
> have not been able
> to find how to set/change the offset from the CDST on my
> computer. How is
> the offset computed or where is the offset input. I
> don't remember this
> problem in past years nor can I find a way to change the
> offset from 6 hours
> to 5 hours?
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>

> Yahoo! Groups Links
>
>
>

2941. RE: [XMLog] UTC Offset

Yahoo group: XMLog
Date: 2009-04-12 02:27:44 UTC
From: Craig Bradley
Topic: 2938 Message: 2941

Glad that you found it.

I will join a movement to ban DST!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Saturday, April 11, 2009 2:52 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] UTC Offset

You are absolutely correct Craig. I would swear that I checked that, but when I check it again, I must have been hallucinating because it reads 5:50 PM and it is 4:50 PM at the moment. No wonder I could not find what I was looking for, I was looking at the wrong system. Guess I have too many clocks in the shack.

Willis 'Cookie' Cooke
K5EWJ

--- On Sat, 4/11/09, Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net> wrote:

> From: Craig Bradley <craigjb@pacbell. <mailto:craigjb%40pacbell.net> net>
> Subject: RE: [XMLog] UTC Offset
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Date: Saturday, April 11, 2009, 12:26 PM
> Willis,
>
>
>
> What operating system are you using?
>
> Is the computer OS clock in the lower right correct?
>
>
>
> Some of older systems don't have patches for the change
> in the DST start and
> stop dates that happened a couple of years ago. Those
> systems should have
> corrected the clock last weekend though on the old change

> over date.
>
>
>
> On Windows XP, if you right click on the clock time on the
> bottom right of
> the screen and select Adjust Date/Time, then select the
> Time Zone Tab you
> can select the time zone and there is a check box below the
> world map for
> "Automatically adjust clock for daylight savings
> time".
>
>
>
> I still object the calling this "savings time"
> though. I spend way too much
> time changing clock every year.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com]
> On Behalf Of
> WILLIS COOKE
> Sent: Wednesday, April 08, 2009 3:44 PM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] UTC Offset
>
>
>
>
>
>
>
>
>
>
>
> My log time is off by an hour since the change to DST. I
> have not been able
> to find how to set/change the offset from the CDST on my
> computer. How is
> the offset computed or where is the offset input. I

> don't remember this
> problem in past years nor can I find a way to change the
> offset from 6 hours
> to 5 hours?
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

2942. Re: LoTW confirmation in Grid Report

Yahoo group: XMLog
Date: 2009-04-13 21:12:36 UTC
From: Mike McAmis
Topic: 2931 Message: 2942

Hi Craig,

> Would it be possible to add a check box
> for "Include LoTW confirmations" in the
> Grids Worked/Confirmed and WAZ reports?

I don't provide that option since for WAZ since LoTW confirmations aren't accepted for WAZ. (And yes, I'll have to add eQSL support for WAZ at some point).

> Also, it would be nice to run reports
> such as DXCC and WAS with LoTW confirmation
> and not include QSL. This would be handy for
> figuring out what can be applied for on LoTW
> without card checking.

You can do this indirectly - Do a log search with a search key for LoTW RCVD set to != or = to select all log entries with/without LoTW confirmations. Then run the reports using the "Selected Entries" option rather than "All Entries" option.

> The new Triple Play WAS award also is for LoTW only QSLs.

Didn't know about this... thanks for the heads up.

Mike - W1ECT

2943. RE: [XMLog] Re: LoTW confirmation in Grid Report

Yahoo group: XMLog
Date: 2009-04-20 02:31:25 UTC
From: Craig Bradley
Topic: 2931 Message: 2943

Hi Mike,

Thanks for the reply.

Although CQ doesn't state that they accept LoTW confirmations, they did accept them on my application for the CQ DX Field Award. I printed the QSLs for each confirmation from the web site for the card checking. ARRL has stated that they will be added support for one of the "outside" awards as the next one that they do, so you might want to add that if you do the eQSL selection.

I tried your suggestion for reporting on the LoTW QSLs only and got interesting results. My XMLog file does not have all of the DXCC accepted fields set to match LoTW, so I got more QSOs listed than I did when I ran it on the whole log. Is there some way that XMLog could download the Accepted fields (and set Submitted) on records from LoTW? My other option is to manually go through each band and set them.

After thinking about how to do a combined LoTW and paper DXCC submission, it would be nice to have the LoTW confirmations marked or flagged on the DXCC Submission Tracking report, and then you could pick the LoTW confirmations first and reduce the number of cards to be checked.

My goal is to do a submittal for all of my band counties and I thing that I have about 140 cards to check (the difference from my total band/countries confirmed and the LoTW Bands/Countries on the DXCC totals report, so I want to minimize the count. The other way to do this would be to do a LoTW only submittal and then update all of the Accepted fields, and then do another paper submittal, but that would require two submittals and fees.

I hope that this makes sense.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Monday, April 13, 2009 2:13 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: LoTW confirmation in Grid Report

Hi Craig,

> Would it be possible to add a check box
> for "Include LoTW confirmations" in the

> Grids Worked/Confirmed and WAZ reports?

I don't provide that option since for WAZ since LoTW confirmations aren't accepted for WAZ. (And yes, I'll have to add eQSL support for WAZ at some point).

> Also, it would be nice to run reports
> such as DXCC and WAS with LoTW confirmation
> and not include QSL. This would be handy for
> figuring out what can be applied for on LoTW
> without card checking.

You can do this indirectly - Do a log search with a search key for LoTW RCVD set to != or = to select all log entries with/without LoTW confirmations. Then run the reports using the "Selected Entries" option rather than "All Entries" option.

> The new Triple Play WAS award also is for LoTW only QSLs.

Didn't know about this... thanks for the heads up.

Mike - W1ECT

[Non-text portions of this message have been removed]

2944. search string

Yahoo group: XMLog
Date: 2009-04-29 07:18:46 UTC
From: N7mal
Topic: 2944 Message: 2944

I thought I understood this search string stuff because I've used it before several times, very successfully. I guess I'm having a total brain lock.
I need to export an ADIF file for this date range: 01/01/98 to 01/01/03
I use the => & =<
The error I get is year must be displayed in "yy"(03 is "yy")
What is it that I'm forgetting to do, or doing wrong.?.?.?.
Thanks in advance
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
The wisest men follow their own direction

[Non-text portions of this message have been removed]

2945. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-04-29 13:10:21 UTC
From: WILLIS COOKE
Topic: 2944 Message: 2945

Mal, use a comma instead of the & sign. No spaces either side of the &

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, N7mal <n7mal@...> wrote:

> From: N7mal <n7mal@...>
> Subject: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 12:18 AM
> I thought I understood this search string stuff because
> I've used it before
> several times, very successfully. I guess I'm having a
> total brain lock.
> I need to export an ADIF file for this date range: 01/01/98
> to 01/01/03
> I use the => & =<
> The error I get is year must be displayed in
> "yy"(03 is "yy")
> What is it that I'm forgetting to do, or doing
> wrong.?.?.?.
> Thanks in advance
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> The wisest men follow their own direction
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2946. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-04-29 16:50:28 UTC
From: WILLIS COOKE
Topic: 2944 Message: 2946

Correct that to no space either side of the comma. Don't use the & sign at all.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, WILLIS COOKE <wrcooke@...> wrote:

> From: WILLIS COOKE <wrcooke@...>
> Subject: Re: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 6:10 AM
> Mal, use a comma instead of the & sign. No spaces
> either side of the &
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 4/29/09, N7mal <n7mal@...> wrote:
>
> > From: N7mal <n7mal@...>
> > Subject: [XMLog] search string
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 12:18 AM
> > I thought I understood this search string stuff
> because
> > I've used it before
> > several times, very successfully. I guess I'm
> having a
> > total brain lock.
> > I need to export an ADIF file for this date range:
> 01/01/98
> > to 01/01/03
> > I use the => & =<
> > The error I get is year must be displayed in
> > "yy"(03 is "yy")
> > What is it that I'm forgetting to do, or doing
> > wrong.?.?.?.
> > Thanks in advance
> > 73
> >
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal.com

> > The wisest men follow their own direction
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2947. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-04-29 23:57:40 UTC
From: N7mal
Topic: 2944 Message: 2947

Let me first fix something: I did not mean this""I use the => & =<"". I
should have used the and word, not the symbol.
No matter what combination I enter, comma or no comma, no spaces etc etc I
get the same error message "QSO date must be mm/dd/yy".
I think""01/01/98 and 01/01/03"" are in mm/dd/yy.
I have extracted the QSO's I needed but did it the hardest way possible.
I would still like to figure out what I'm doing wrong. I think there are 8
combinations for what I trying to do and I've tried all 8 several times and
all I end up with is the 'error' message.
Thanks and very best 73

p.s. As I'm proof reading/spell checking I got a thought that this cannot be
done possibly because of the century change.....
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Wednesday, April 29, 2009 16:50
Subject: Re: [XMLog] search string

Correct that to no space either side of the comma. Don't use the & sign at
all.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, WILLIS COOKE <wrcooke@...> wrote:

> From: WILLIS COOKE <wrcooke@...>
> Subject: Re: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 6:10 AM
> Mal, use a comma instead of the & sign. No spaces
> either side of the &
>
> Willis 'Cookie' Cooke
> K5EWJ
>

>
> --- On Wed, 4/29/09, N7mal <n7mal@...> wrote:
>
> > From: N7mal <n7mal@...>
> > Subject: [XMLog] search string
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 12:18 AM
> > I thought I understood this search string stuff
> because
> > I've used it before
> > several times, very successfully. I guess I'm
> having a
> > total brain lock.
> > I need to export an ADIF file for this date range:
> 01/01/98
> > to 01/01/03
> > I use the => & =<
> > The error I get is year must be displayed in
> > "yy"(03 is "yy")
> > What is it that I'm forgetting to do, or doing
> > wrong.?.?.?.
> > Thanks in advance
> > 73

[Non-text portions of this message have been removed]

2948. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-04-30 00:30:04 UTC
From: WILLIS COOKE
Topic: 2944 Message: 2948

Mal, do not use the and word or the & symbol, just enter
=>01/01/98,=<01/01/03
I just tried it and it works fine. whether you enter the month first or the day depends on what you select for date format. It will be the same as the date in your log.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, N7mal <n7mal@...> wrote:

> From: N7mal <n7mal@...>
> Subject: Re: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 4:57 PM
> Let me first fix something: I did not mean this""I
> use the => & =<"". I
> should have used the and word, not the symbol.
> No matter what combination I enter, comma or no comma, no
> spaces etc etc I
> get the same error message "QSO date must be
> mm/dd/yy".
> I think""01/01/98 and 01/01/03"" are in
> mm/dd/yy.
> I have extracted the QSO's I needed but did it the
> hardest way possible.
> I would still like to figure out what I'm doing wrong.
> I think there are 8
> combinations for what I trying to do and I've tried all
> 8 several times and
> all I end up with is the 'error' message.
> Thanks and very best 73
>
> p.s. As I'm proof reading/spell checking I got a
> thought that this cannot be
> done possibly because of the century change.....
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>

> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Wednesday, April 29, 2009 16:50
> Subject: Re: [XMLog] search string
>
>
>
> Correct that to no space either side of the comma.
> Don't use the & sign at
> all.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 4/29/09, WILLIS COOKE <wrcooke@...>
> wrote:
>
> > From: WILLIS COOKE <wrcooke@...>
> > Subject: Re: [XMLog] search string
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 6:10 AM
> > Mal, use a comma instead of the & sign. No spaces
> > either side of the &
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Wed, 4/29/09, N7mal <n7mal@...>
> wrote:
> >
> > > From: N7mal <n7mal@...>
> > > Subject: [XMLog] search string
> > > To: XMLog@yahoogroups.com
> > > Date: Wednesday, April 29, 2009, 12:18 AM
> > > I thought I understood this search string stuff
> > because
> > > I've used it before
> > > several times, very successfully. I guess I'm
> > having a
> > > total brain lock.
> > > I need to export an ADIF file for this date
> range:
> > 01/01/98
> > > to 01/01/03
> > > I use the => & =<
> > > The error I get is year must be displayed in
> > > "yy"(03 is "yy")

> > > What is it that I'm forgetting to do, or
> doing
> > > wrong.?.?.?.
> > > Thanks in advance
> > > 73
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2949. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-04-30 05:19:22 UTC
From: N7mal
Topic: 2944 Message: 2949

Let me try this again..... I did not/do not use the word and or the &
symbol. I tried to use them to make my point clearer in separating the
dates. There is no and or & except in that descriptive sentence.

Now ""=>01/01/98,=<01/01/03"" does not work on my computer. I've tried
""=>01/01/98,=<01/01/03"" and all the possible iterations and none of it
works. I even tried copy/paste your ""01/01/98,=<01/01/03"" with no luck. My
operating system is XP(home).
As I said I was able to get the info, the hard way, and am open for any/all
other suggestions.
Thanks Willis and best 73

p.s. I apologize for confusing the issue with the and &.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, April 30, 2009 0:30
Subject: Re: [XMLog] search string

Mal, do not use the and word or the & symbol, just enter
=>01/01/98,=<01/01/03
I just tried it and it works fine. whether you enter the month first or the
day depends on what you select for date format. It will be the same as the
date in your log.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, N7mal <n7mal@...> wrote:

> From: N7mal <n7mal@...>
> Subject: Re: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 4:57 PM
> Let me first fix something: I did not mean this""I
> use the => & =<"". I
> should have used the and word, not the symbol.

> No matter what combination I enter, comma or no comma, no
> spaces etc etc I
> get the same error message "QSO date must be
> mm/dd/yy".
> I think""01/01/98 and 01/01/03"" are in
> mm/dd/yy.
> I have extracted the QSO's I needed but did it the
> hardest way possible.
> I would still like to figure out what I'm doing wrong.
> I think there are 8
> combinations for what I trying to do and I've tried all
> 8 several times and
> all I end up with is the 'error' message.
> Thanks and very best 73
>
> p.s. As I'm proof reading/spell checking I got a
> thought that this cannot be
> done possibly because of the century change.....
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Wednesday, April 29, 2009 16:50
> Subject: Re: [XMLog] search string
>
>
>
> Correct that to no space either side of the comma.
> Don't use the & sign at
> all.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 4/29/09, WILLIS COOKE <wrcooke@...>
> wrote:
>
> > From: WILLIS COOKE <wrcooke@...>
> > Subject: Re: [XMLog] search string

> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 6:10 AM
> > Mal, use a comma instead of the & sign. No spaces
> > either side of the &
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Wed, 4/29/09, N7mal <n7mal@...>
> wrote:
> >
> > > From: N7mal <n7mal@...>
> > > Subject: [XMLog] search string
> > > To: XMLog@yahoogroups.com
> > > Date: Wednesday, April 29, 2009, 12:18 AM
> > > I thought I understood this search string stuff
> > because
> > > I've used it before
> > > several times, very successfully. I guess I'm
> > having a
> > > total brain lock.
> > > I need to export an ADIF file for this date
> range:
> > 01/01/98
> > > to 01/01/03
> > > I use the => & =<
> > > The error I get is year must be displayed in
> > > "yy"(03 is "yy")
> > > What is it that I'm forgetting to do, or
> doing
> > > wrong.?.?.?.
> > > Thanks in advance
> > > 73

[Non-text portions of this message have been removed]

2950. Re: search string

Yahoo group: XMLog
Date: 2009-04-30 12:50:33 UTC
From: Richard Ferch
Topic: 2944 Message: 2950

I believe there must be no spaces and no quotation marks; by any chance are you surrounding the search string with quotation marks?

Assuming you are trying to find all QSOs in a 5-calendar-year period, I find the following four possibilities all work identically (using dd/mm/yy order):

>31/12/97,<01/01/03
>=01/01/98,<01/01/03
>31/12/97,<=31/12/02
>=01/01/98,<=31/12/02

The variants with => and/or =< also work here.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> Let me try this again........ I did not/do not use the word and or the &
> symbol. I tried to use them to make my point clearer in separating the
> dates. There is no and or & except in that descriptive sentence.
>
> Now ""=>01/01/98,=<01/01/03"" does not work on my computer. I've tried
> ""=>01/01/98,=<01/01/03"" and all the possible iterations and none of it
> works. I even tried copy/paste your ""01/01/98,=<01/01/03"" with no luck. My
> operating system is XP(home).
> As I said I was able to get the info, the hard way, and am open for any/all
> other suggestions.
> Thanks Willis and best 73
>
> p.s. I apologize for confusing the issue with the and &.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Thursday, April 30, 2009 0:30
> Subject: Re: [XMLog] search string

>
>
>
> Mal, do not use the and word or the & symbol, just enter
> =>01/01/98,=<01/01/03
> I just tried it and it works fine. whether you enter the month first or the
> day depends on what you select for date format. It will be the same as the
> date in your log.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 4/29/09, N7mal <n7mal@...> wrote:
>
> > From: N7mal <n7mal@...>
> > Subject: Re: [XMLog] search string
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 4:57 PM
> > Let me first fix something: I did not mean this""I
> > use the => & =<"". I
> > should have used the and word, not the symbol.
> > No matter what combination I enter, comma or no comma, no
> > spaces etc etc I
> > get the same error message "QSO date must be
> > mm/dd/yy".
> > I think""01/01/98 and 01/01/03"" are in
> > mm/dd/yy.
> > I have extracted the QSO's I needed but did it the
> > hardest way possible.
> > I would still like to figure out what I'm doing wrong.
> > I think there are 8
> > combinations for what I trying to do and I've tried all
> > 8 several times and
> > all I end up with is the 'error' message.
> > Thanks and very best 73
> >
> > p.s. As I'm proof reading/spell checking I got a
> > thought that this cannot be
> > done possibly because of the century change.....
> > 73
> >
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal.com
> > Everyone in the world is
> > entitled to be burdened
> > by my opinion

> >
> > ----- Original Message -----
> > From: WILLIS COOKE
> > To: XMLog@yahoogroups.com
> > Sent: Wednesday, April 29, 2009 16:50
> > Subject: Re: [XMLog] search string
> >
> >
> >
> > Correct that to no space either side of the comma.
> > Don't use the & sign at
> > all.
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Wed, 4/29/09, WILLIS COOKE <wrcooke@...>
> > wrote:
> >
> > > From: WILLIS COOKE <wrcooke@...>
> > > Subject: Re: [XMLog] search string
> > > To: XMLog@yahoogroups.com
> > > Date: Wednesday, April 29, 2009, 6:10 AM
> > > Mal, use a comma instead of the & sign. No spaces
> > > either side of the &
> > >
> > > Willis 'Cookie' Cooke
> > > K5EWJ
> > >
> > >
> > > --- On Wed, 4/29/09, N7mal <n7mal@...>
> > wrote:
> > >
> > > > From: N7mal <n7mal@...>
> > > > Subject: [XMLog] search string
> > > > To: XMLog@yahoogroups.com
> > > > Date: Wednesday, April 29, 2009, 12:18 AM
> > > > I thought I understood this search string stuff
> > > because
> > > > I've used it before
> > > > several times, very successfully. I guess I'm
> > > having a
> > > > total brain lock.
> > > > I need to export an ADIF file for this date
> > range:
> > > > 01/01/98
> > > > to 01/01/03
> > > > I use the => & =<
> > > > The error I get is year must be displayed in

> > > > "yy"(03 is "yy")
> > > > What is it that I'm forgetting to do, or
> > doing
> > > > wrong.?.?.?.
> > > > Thanks in advance
> > > > 73
>
>
> [Non-text portions of this message have been removed]
>

2951. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-04-30 14:40:18 UTC
From: WILLIS COOKE
Topic: 2944 Message: 2951

Well Mal, the mystery gets deeper. I am using XP(Professional) on my computer, so I doubt that the Op System is the problem. You are entering the query in the date block, are you not? I apologize for asking these "slam dunk" questions, but these cases are often caused by a brain lock. I have been on the receiving end, but finding a solution was worth the irritation. Start with the screen that has the Select and Modify blocks. Choose Select. Move the cursor from the Call block to the Date block. Enter the search string in the Date block. Press enter or choose the Search block.

Again, I apologize for the tutorial. I know you have been using XMLog longer than I have. I went through a similar thing a few weeks ago when my date was messed up and it was my computer clock that was wrong because the auto daylight savings time did not get updated with the change in DST start date.

I hope that you find the problem.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, N7mal <n7mal@...> wrote:

> From: N7mal <n7mal@...>
> Subject: Re: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 10:19 PM
> Let me try this again........ I did not/do not use the word
> and or the &
> symbol. I tried to use them to make my point clearer in
> separating the
> dates. There is no and or & except in that descriptive
> sentence.
>
> Now ""=>01/01/98,=<01/01/03""
> does not work on my computer. I've tried
> ""=>01/01/98,=<01/01/03"" and all
> the possible iterations and none of it
> works. I even tried copy/paste your
> ""01/01/98,=<01/01/03"" with no luck.
> My
> operating system is XP(home).
> As I said I was able to get the info, the hard way, and am
> open for any/all
> other suggestions.
> Thanks Willis and best 73
>
> p.s. I apologize for confusing the issue with the and
> &.

> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Thursday, April 30, 2009 0:30
> Subject: Re: [XMLog] search string
>
>
>
> Mal, do not use the and word or the & symbol, just
> enter
> =>01/01/98,=<01/01/03
> I just tried it and it works fine. whether you enter the
> month first or the
> day depends on what you select for date format. It will be
> the same as the
> date in your log.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 4/29/09, N7mal <n7mal@...> wrote:
>
> > From: N7mal <n7mal@...>
> > Subject: Re: [XMLog] search string
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 4:57 PM
> > Let me first fix something: I did not mean
> this""I
> > use the => & =<"". I
> > should have used the and word, not the symbol.
> > No matter what combination I enter, comma or no comma,
> no
> > spaces etc etc I
> > get the same error message "QSO date must be
> > mm/dd/yy".
> > I think""01/01/98 and 01/01/03""
> are in
> > mm/dd/yy.
> > I have extracted the QSO's I needed but did it the

> > hardest way possible.
> > I would still like to figure out what I'm doing
> wrong.
> > I think there are 8
> > combinations for what I trying to do and I've
> tried all
> > 8 several times and
> > all I end up with is the 'error' message.
> > Thanks and very best 73
> >
> > p.s. As I'm proof reading/spell checking I got a
> > thought that this cannot be
> > done possibly because of the century change.....
> > 73
> >
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal.com
> > Everyone in the world is
> > entitled to be burdened
> > by my opinion
> >
> > ----- Original Message -----
> > From: WILLIS COOKE
> > To: XMLog@yahoogroups.com
> > Sent: Wednesday, April 29, 2009 16:50
> > Subject: Re: [XMLog] search string
> >
> >
> >
> > Correct that to no space either side of the comma.
> > Don't use the & sign at
> > all.
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Wed, 4/29/09, WILLIS COOKE
> <wrcooke@...>
> > wrote:
> >
> > > From: WILLIS COOKE <wrcooke@...>
> > > Subject: Re: [XMLog] search string
> > > To: XMLog@yahoogroups.com
> > > Date: Wednesday, April 29, 2009, 6:10 AM
> > > Mal, use a comma instead of the & sign. No
> > spaces

> > > either side of the &
> > >
> > > Willis 'Cookie' Cooke
> > > K5EWJ
> > >
> > >
> > > --- On Wed, 4/29/09, N7mal
> <n7mal@...>
> > wrote:
> > >
> > > > From: N7mal <n7mal@...>
> > > > Subject: [XMLog] search string
> > > > To: XMLog@yahoogroups.com
> > > > Date: Wednesday, April 29, 2009, 12:18 AM
> > > > I thought I understood this search string
> stuff
> > > because
> > > > I've used it before
> > > > several times, very successfully. I guess
> I'm
> > > having a
> > > > total brain lock.
> > > > I need to export an ADIF file for this date
> > range:
> > > > 01/01/98
> > > > to 01/01/03
> > > > I use the => & =<
> > > > The error I get is year must be displayed in
> > > > "yy"(03 is "yy")
> > > > What is it that I'm forgetting to do, or
> > doing
> > > > wrong.?.?.?.
> > > > Thanks in advance
> > > > 73
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

2952. Re: [XMLog] search string

Yahoo group: XMLog
Date: 2009-05-01 05:04:15 UTC
From: N7mal
Topic: 2944 Message: 2952

There is an old saying:""The world is right and God is in his heaven"".
I am now back on line after several hours of frustration. Late last nite my computer took a giant 'krap'. I'm back with my back-up computer. I had to switch hard drives etc etc etc. On top of everything else my DirecTV DVR also arrived today. So I had to split my time between 2 'big' projects. The bottom line is this computer works just fine. The search string was a piece of cake now. Both computers are Dell and both P-4. This system runs 24/7 and has been perfect for 2 years. So if I get 2 years out of the backup I'll be satisfied.
Thanks for all the suggestions.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Thursday, April 30, 2009 14:40
Subject: Re: [XMLog] search string

Well Mal, the mystery gets deeper. I am using XP(Professional) on my computer, so I doubt that the Op System is the problem. You are entering the query in the date block, are you not? I apologize for asking these "slam dunk" questions, but these cases are often caused by a brain lock. I have been on the receiving end, but finding a solution was worth the irritation. Start with the screen that has the Select and Modify blocks. Choose Select. Move the cursor from the Call block to the Date block. Enter the search string in the Date block. Press enter or choose the Search block.

Again, I apologize for the tutorial. I know you have been using XMLog longer than I have. I went through a similar thing a few weeks ago when my date was messed up and it was my computer clock that was wrong because the auto daylight savings time did not get updated with the change in DST start date.

I hope that you find the problem.

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 4/29/09, N7mal <n7mal@...> wrote:

> From: N7mal <n7mal@...>
> Subject: Re: [XMLog] search string
> To: XMLog@yahoogroups.com
> Date: Wednesday, April 29, 2009, 10:19 PM
> Let me try this again..... I did not/do not use the word
> and or the &
> symbol. I tried to use them to make my point clearer in
> separating the
> dates. There is no and or & except in that descriptive
> sentence.
>
> Now ""=>01/01/98,=<01/01/03""
> does not work on my computer. I've tried
> ""=>01/01/98,=<01/01/03"" and all
> the possible iterations and none of it
> works. I even tried copy/paste your
> ""01/01/98,=<01/01/03"" with no luck.
> My
> operating system is XP(home).
> As I said I was able to get the info, the hard way, and am
> open for any/all
> other suggestions.
> Thanks Willis and best 73
>
> p.s. I apologize for confusing the issue with the and
> &.
> 73
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: WILLIS COOKE
> To: XMLog@yahoogroups.com
> Sent: Thursday, April 30, 2009 0:30
> Subject: Re: [XMLog] search string
>
>
>
> Mal, do not use the and word or the & symbol, just
> enter
> =>01/01/98,=<01/01/03
> I just tried it and it works fine. whether you enter the
> month first or the

> day depends on what you select for date format. It will be
> the same as the
> date in your log.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
> --- On Wed, 4/29/09, N7mal <n7mal@...> wrote:
>
> > From: N7mal <n7mal@...>
> > Subject: Re: [XMLog] search string
> > To: XMLog@yahoogroups.com
> > Date: Wednesday, April 29, 2009, 4:57 PM
> > Let me first fix something: I did not mean
> this""I
> > use the => & =<"". I
> > should have used the and word, not the symbol.
> > No matter what combination I enter, comma or no comma,
> no
> > spaces etc etc I
> > get the same error message "QSO date must be
> > mm/dd/yy".
> > I think""01/01/98 and 01/01/03""
> are in
> > mm/dd/yy.
> > I have extracted the QSO's I needed but did it the
> > hardest way possible.
> > I would still like to figure out what I'm doing
> wrong.
> > I think there are 8
> > combinations for what I trying to do and I've
> tried all
> > 8 several times and
> > all I end up with is the 'error' message.
> > Thanks and very best 73
> >
> > p.s. As I'm proof reading/spell checking I got a
> > thought that this cannot be
> > done possibly because of the century change.....
> > 73
> >
> >
> > MAL
> > N7MAL
> > BULLHEAD CITY, AZ
> > http://www.n7mal.com
> > Everyone in the world is
> > entitled to be burdened
> > by my opinion

> >
> > ----- Original Message -----
> > From: WILLIS COOKE
> > To: XMLog@yahoogroups.com
> > Sent: Wednesday, April 29, 2009 16:50
> > Subject: Re: [XMLog] search string
> >
> >
> >
> > Correct that to no space either side of the comma.
> > Don't use the & sign at
> > all.
> >
> > Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> > --- On Wed, 4/29/09, WILLIS COOKE
> <wrcooke@...>
> > wrote:
> >
> > > From: WILLIS COOKE <wrcooke@...>
> > > Subject: Re: [XMLog] search string
> > > To: XMLog@yahoogroups.com
> > > Date: Wednesday, April 29, 2009, 6:10 AM
> > > Mal, use a comma instead of the & sign. No
> spaces
> > > either side of the &
> > >
> > > Willis 'Cookie' Cooke
> > > K5EWJ
> > >
> > >
> > > --- On Wed, 4/29/09, N7mal
> <n7mal@...>
> > wrote:
> > >
> > > > From: N7mal <n7mal@...>
> > > > Subject: [XMLog] search string
> > > > To: XMLog@yahoogroups.com
> > > > Date: Wednesday, April 29, 2009, 12:18 AM
> > > > I thought I understood this search string
> stuff
> > > because
> > > > I've used it before
> > > > several times, very successfully. I guess
> I'm
> > > having a
> > > > total brain lock.
> > > > I need to export an ADIF file for this date

> > range:
> > > 01/01/98
> > > > to 01/01/03
> > > > I use the => & =<
> > > > The error I get is year must be displayed in
> > > > "yy"(03 is "yy")
> > > > What is it that I'm forgetting to do, or
> > doing
> > > > wrong.?.?.?.
> > > > Thanks in advance
> > > > 73
>

[Non-text portions of this message have been removed]

2955. CSV Output instead of Excel

Yahoo group: XMLog
Date: 2009-05-06 00:12:35 UTC
From: ba35junk
Topic: 2955 Message: 2955

Is it possible to add a comma delimited output (CSV) in addition to the Excel output?

I use OpenOffice and when trying to export the Excel report, XMlog wants to have Excel installed on the machine.

I've tried the standard text outputs, trying to import with tabbed or space delimited, however, they do not import into OpenOffice formatted correctly.

Thanks,
Brent

2956. Re: [XMLog] CSV Output instead of Excel

Yahoo group: XMLog
Date: 2009-05-06 14:39:55 UTC
From: Dave Sergeant
Topic: 2955 Message: 2956

Maybe not exactly what you want, but I have written a small program which can take XMLog's DXCC reports, saved as text, and convert them to CSV. I use this for generating nice 'countries worked' check sheets which I use to keep track of my annual totals. You will find this at http://www.davesergeant.com/bbcbasic/bbcbasic.htm and download the file xmlog1.zip. Instructions included, with OpenOffice Excel import details.

73 Dave G3YMC

On 6 May 2009 at 0:12, ba35junk wrote:

> Is it possible to add a comma delimited output (CSV) in addition to the
> Excel output?
>
> I use OpenOffice and when trying to export the Excel report, XMlog wants
> to have Excel installed on the machine.
>
> I've tried the standard text outputs, trying to import with tabbed or
> space delimited, however, they do not import into OpenOffice formatted
> correctly.
>
> Thanks,
> Brent

http://www.davesergeant.com

2957. Re: [XMLog] Digest Number 1183

Yahoo group: XMLog
Date: 2009-05-06 19:59:37 UTC
From: David Spoelstra
Topic: 2957 Message: 2957

> Is it possible to add a comma delimited output (CSV) in addition to the
> Excel output?
>
> I use OpenOffice and when trying to export the Excel report, XMlog wants to
> have Excel installed on the machine.

What a great idea! I have the same issue - I use OpenOffice. In
fact, after the PC Magazine shootout where OpenOffice beat Micro$oft
Office, my whole company switched to OpenOffice rather than pay for
Micro$oft's bloated Office.

CSV, comma separated values, is a universal standard that could be
imported into *any* spreadsheet.

-David, N9KT

2958. Version 6.13 Can't Re-size Log Window

Yahoo group: XMLog
Date: 2009-05-13 18:13:19 UTC
From: Don Nesbitt
Topic: 2958 Message: 2958

I just up-dated both my computers to V 6.13 and noticed that I can no longer re-size my Log input window. All the other windows re-size just fine. Anyone else notice this? -- Don N4HH

2959. Re: Digest Number 1183

Yahoo group: XMLog
Date: 2009-05-14 17:12:12 UTC
From: Mike McAmis
Topic: 2957 Message: 2959

Hi, I'll check into it...

Mike - W1ECT

> CSV, comma separated values, is a universal standard that could be
> imported into *any* spreadsheet.

2960. Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-17 23:38:37 UTC
From: robt.harris
Topic: 2960 Message: 2960

I just installed XMLog v 6.13 (new installation, not an upgrade). I used the zip file as the source. I have gone through all the setup steps, selecting QRZ.COM - html as the lookup method. When I attempt a lookup, I get no response from the QRZ.COM server and a time-out error.

I have verified that Panda Security (my internet security suite) accepts XMLog for outbound messages. I even went so far as to delete Panda Security, reboot the computer, and try a lookup.

With Panda Security's firewall active, the network activity log shows that 68 packets were passed from the computer to the router and no outbound packets were blocked. There were no inbound packets accepted or blocked (thus I conclude none were received).

Panda did not give a message alerting me of any unauthorized attempts.

The router is a DLINK DIR-615. My ISP is Wildblue, the satellite internet service.

Any ideas why I cannot get the lookups to work and what I should do to fix the problem?

2961. Re: CSV Output instead of Excel

Yahoo group: XMLog
Date: 2009-05-19 17:48:47 UTC
From: Mike McAmis
Topic: 2955 Message: 2961

I've just posted version 6.17 at www.xmlog.com/beta - This version has a first cut at creating CSV files. Use the "Import/Export CSV File" menu item.

Mike - W1ECT

2962. Re: [XMLog] Digest Number 1187

Yahoo group: XMLog
Date: 2009-05-19 20:15:21 UTC
From: David Spoelstra
Topic: 2962 Message: 2962

> I've just posted version 6.17 at www.xmlog.com/beta - This version has a
> first cut at creating CSV files. Use the "Import/Export CSV File" menu item.
>
> Mike - W1ECT

Mike-

It works great! Thanks so much. Now I'm totally Micro$oft free since
I'm running XMLog on Ubuntu under Wine with no problems at all. I use
OpenOffice to import the CSV files.

-David, N9KT

2963. Re: Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-20 01:30:44 UTC
From: robt.harris
Topic: 2960 Message: 2963

An update: tonight I took my laptop down to the local library and used their WiFi connection. I was able to look up call signs from within XMLog without difficulty.

Now I have to try to get some technical support from WildBlue and an explanation of why it won't work with their service.

--- In XMLog@yahoogroups.com, "robt.harris" <k9udx@...> wrote:
>
> I just installed XMLog v 6.13 (new installation, not an upgrade). I used the zip file as the source. I have gone through all the setup steps, selecting QRZ.COM - html as the lookup method. When I attempt a lookup, I get no response from the QRZ.COM server and a time-out error.
>
> I have verified that Panda Security (my internet security suite) accepts XMLog for outbound messages. I even went so far as to delete Panda Security, reboot the computer, and try a lookup.
>
> With Panda Security's firewall active, the network activity log shows that 68 packets were passed from the computer to the router and no outbound packets were blocked. There were no inbound packets accepted or blocked (thus I conclude none were received).
>
> Panda did not give a message alerting me of any unauthorized attempts.
>
> The router is a DLINK DIR-615. My ISP is Wildblue, the satellite internet service.
>
> Any ideas why I cannot get the lookups to work and what I should do to fix the problem?
>

2964. RE: [XMLog] Digest Number 1187

Yahoo group: XMLog
Date: 2009-05-20 13:56:20 UTC
From: Craig Bradley
Topic: 2962 Message: 2964

David,

For though of us the just run out of the box Redmond stuff, what are Ubuntu and Wine?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of David Spoelstra
Sent: Tuesday, May 19, 2009 1:15 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Digest Number 1187

> I've just posted version 6.17 at www.xmlog.com/beta - This version has a
> first cut at creating CSV files. Use the "Import/Export CSV File" menu item.
>
> Mike - W1ECT

Mike-

It works great! Thanks so much. Now I'm totally Micro$oft free since I'm running XMLog on Ubuntu under Wine with no problems at all. I use OpenOffice to import the CSV files.

-David, N9KT

[Non-text portions of this message have been removed]

2965. Re: [XMLog] Re: Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-20 01:52:30 UTC
From: R. F. Lindmeier
Topic: 2960 Message: 2965

Hi
I also have wildblue. Could you please post any info you get from them.

R. Lindmeier WB2INP
rflindmeier@...

----- Original Message -----
From: robt.harris
To: XMLog@yahoogroups.com
Sent: Tuesday, May 19, 2009 9:30 PM
Subject: [XMLog] Re: Cannot access QRZ lookup from XMLog

An update: tonight I took my laptop down to the local library and used their WiFi connection. I was able to look up call signs from within XMLog without difficulty.

Now I have to try to get some technical support from WildBlue and an explanation of why it won't work with their service.

--- In XMLog@yahoogroups.com, "robt.harris" <k9udx@...> wrote:
>
> I just installed XMLog v 6.13 (new installation, not an upgrade). I used the zip file as the source. I have gone through all the setup steps, selecting QRZ.COM - html as the lookup method. When I attempt a lookup, I get no response from the QRZ.COM server and a time-out error.
>
> I have verified that Panda Security (my internet security suite) accepts XMLog for outbound messages. I even went so far as to delete Panda Security, reboot the computer, and try a lookup.
>
> With Panda Security's firewall active, the network activity log shows that 68 packets were passed from the computer to the router and no outbound packets were blocked. There were no inbound packets accepted or blocked (thus I conclude none were received).
>
> Panda did not give a message alerting me of any unauthorized attempts.
>
> The router is a DLINK DIR-615. My ISP is Wildblue, the satellite internet service.
>
> Any ideas why I cannot get the lookups to work and what I should do to fix the problem?
>

[Non-text portions of this message have been removed]

2966. Unable to Re-size Log Input Window

Yahoo group: XMLog
Date: 2009-05-20 15:39:25 UTC
From: Don Nesbitt
Topic: 2966 Message: 2966

Hi Mike - using Version 6.13. I can't re-size the Log Input window - all other windows re-size just fine. This is true on two laptops.

Had one other person reply to me off reflector that they were also not able re-size the Log Input window. Any ideas? Thanks -- Don N4HH

2967. Re: [XMLog] Re: Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-20 18:31:43 UTC
From: Bob Harris
Topic: 2960 Message: 2967

Spent an hour on the phone with one of their tech support persons around lunch time. After much discussion (and putting me on hold a couple of times while she contacted others at WildBlue) we made no progress on resolving the problem. The only thought she had was that the latency was the culprit. However, she agreed that the one minute from when I clicked on lookup to when the timeout message appeared was long enough that latency should not be the issue.

A question for Mike: in the handshaking (communication between XMLog and an ISP) is there a step where the latency might be causing the problem?

I tried to sign up for the WildBlue forums so I could ask the question there as well but for some reason I have not received the email with instructions on how to confirm the subscription and thus cannot create any posts. Maybe someone else will have better luck in creating an account and can get an answer.

R. F. Lindmeier wrote:
> Hi
> I also have wildblue. Could you please post any info you get from them.
>
> R. Lindmeier WB2INP
> rflindmeier@...
>
> ----- Original Message -----
> From: robt.harris
> To: XMLog@yahoogroups.com
> Sent: Tuesday, May 19, 2009 9:30 PM
> Subject: [XMLog] Re: Cannot access QRZ lookup from XMLog
>
> An update: tonight I took my laptop down to the local library and used their WiFi connection. I was able to look up call signs from within XMLog without difficulty.
>
> Now I have to try to get some technical support from WildBlue and an explanation of why it won't work with their service.
>
> --- In XMLog@yahoogroups.com, "robt.harris" <k9udx@...> wrote:
> >
> > I just installed XMLog v 6.13 (new installation, not an upgrade). I used the zip file as the source. I have gone through all the setup steps, selecting QRZ.COM - html as the lookup method. When I attempt a lookup, I get no response from the QRZ.COM server and a time-out error.
> >
> > I have verified that Panda Security (my internet security suite) accepts XMLog for outbound messages. I even went so far as to delete Panda Security, reboot the computer, and try a lookup.

> >
> > With Panda Security's firewall active, the network activity log shows that 68 packets were passed from the computer to the router and no outbound packets were blocked. There were no inbound packets accepted or blocked (thus I conclude none were received).
> >
> > Panda did not give a message alerting me of any unauthorized attempts.
> >
> > The router is a DLINK DIR-615. My ISP is Wildblue, the satellite internet service.
> >
> > Any ideas why I cannot get the lookups to work and what I should do to fix the problem?
> >
>

2968. Re: [XMLog] Digest Number 1188

Yahoo group: XMLog
Date: 2009-05-20 20:07:12 UTC
From: David Spoelstra
Topic: 2968 Message: 2968

> For though of us the just run out of the box Redmond stuff, what are Ubuntu
> and Wine?

Ubuntu is the most popular Linux OS replacement for Windows. You can
try it out at www.ubuntu.com

Wine is a program that allows you to run most Windows programs under
Linux or OS X. http://www.winehq.org/

-David, N9KT

2969. Re: [XMLog] Re: Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-20 20:16:55 UTC
From: R. F. Lindmeier
Topic: 2960 Message: 2969

Hi
Tnx for the info. I'm not on any wildblue forums (I did not know there were any). I'm not sure why transet delay should be a problem. It seems like dial up would not work if it were.

R. Lindmeier

----- Original Message -----
From: Bob Harris
To: XMLog@yahoogroups.com
Sent: Wednesday, May 20, 2009 2:31 PM
Subject: Re: [XMLog] Re: Cannot access QRZ lookup from XMLog

Spent an hour on the phone with one of their tech support persons around lunch time. After much discussion (and putting me on hold a couple of times while she contacted others at WildBlue) we made no progress on resolving the problem. The only thought she had was that the latency was the culprit. However, she agreed that the one minute from when I clicked on lookup to when the timeout message appeared was long enough that latency should not be the issue.

A question for Mike: in the handshaking (communication between XMLog and an ISP) is there a step where the latency might be causing the problem?

I tried to sign up for the WildBlue forums so I could ask the question there as well but for some reason I have not received the email with instructions on how to confirm the subscription and thus cannot create any posts. Maybe someone else will have better luck in creating an account and can get an answer.

R. F. Lindmeier wrote:
> Hi
> I also have wildblue. Could you please post any info you get from them.
>
> R. Lindmeier WB2INP
> rflindmeier@...
>
> ----- Original Message -----
> From: robt.harris
> To: XMLog@yahoogroups.com
> Sent: Tuesday, May 19, 2009 9:30 PM
> Subject: [XMLog] Re: Cannot access QRZ lookup from XMLog
>
> An update: tonight I took my laptop down to the local library and used their WiFi connection. I was able to look up call signs from within XMLog without difficulty.
>

> Now I have to try to get some technical support from WildBlue and an explanation of why it won't work with their service.
>
> --- In XMLog@yahoogroups.com, "robt.harris" <k9udx@...> wrote:
> >
> > I just installed XMLog v 6.13 (new installation, not an upgrade). I used the zip file as the source. I have gone through all the setup steps, selecting QRZ.COM - html as the lookup method. When I attempt a lookup, I get no response from the QRZ.COM server and a time-out error.
> >
> > I have verified that Panda Security (my internet security suite) accepts XMLog for outbound messages. I even went so far as to delete Panda Security, reboot the computer, and try a lookup.
> >
> > With Panda Security's firewall active, the network activity log shows that 68 packets were passed from the computer to the router and no outbound packets were blocked. There were no inbound packets accepted or blocked (thus I conclude none were received).
> >
> > Panda did not give a message alerting me of any unauthorized attempts.
> >
> > The router is a DLINK DIR-615. My ISP is Wildblue, the satellite internet service.
> >
> > Any ideas why I cannot get the lookups to work and what I should do to fix the problem?
> >
>

[Non-text portions of this message have been removed]

2970. Re: Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-20 21:41:32 UTC
From: Mike McAmis
Topic: 2960 Message: 2970

XMLog has uses the Windows WinSock control to get the data from QRZ and uses a 30 second timeout value. It opens "www.qrz.com", port 80 and then sends "GET /detail/w1xxx"+CRLF

Don't know why this should be causing a problem with you ISP.

Mike - W1ECT

2971. Re: Unable to Re-size Log Input Window

Yahoo group: XMLog
Date: 2009-05-20 21:43:52 UTC
From: Mike McAmis
Topic: 2966 Message: 2971

Hi Don,

The main log window has never been re-sizeable. You can control which fields get displayed by default by using the Options/Log Fields... menu item and picking the Log Fields tab (which will affect the window size).

Mike - W1ECT

2972. Re: [XMLog] Re: Unable to Re-size Log Input Window

Yahoo group: XMLog
Date: 2009-05-21 00:57:47 UTC
From: Don Nesbitt
Topic: 2966 Message: 2972

Ah ha! Someone wake me up! I should pay better attention.

I never noticed that until I loaded it up on an old machine (couple of weeks ago) with fairly low resolution and wanted to gain some real estate! Thanks Mike -- '73 Don

--- On Wed, 5/20/09, Mike McAmis <w1ect@...> wrote:

From: Mike McAmis <w1ect@...>
Subject: [XMLog] Re: Unable to Re-size Log Input Window
To: XMLog@yahoogroups.com
Date: Wednesday, May 20, 2009, 9:43 PM

Hi Don,

The main log window has never been re-sizeable. You can control which fields get displayed by default by using the Options/Log Fields... menu item and picking the Log Fields tab (which will affect the window size).

Mike - W1ECT

[Non-text portions of this message have been removed]

2973. Callbook Lookup

Yahoo group: XMLog
Date: 2009-05-26 23:57:28 UTC
From: Phil-W6TQG
Topic: 2973 Message: 2973

First, thank you for a great program, Mike!

Would it be possible in a future version of XMLog to provide a way to minimize the Callbook Lookup pane? It would be very convenient to maximize it to lookup calls without maximizing the main XMLog pane.

Thanks!
Phil W6TQG

2974. Re: [XMLog] Re: Cannot access QRZ lookup from XMLog

Yahoo group: XMLog
Date: 2009-05-27 14:30:03 UTC
From: K9UDX
Topic: 2960 Message: 2974

Update Number 2: I have made no progress. Neither tech support at
WildBlue or readers of their forums have been able to help.

However, the problem is not unique to WildBlue. I asked KC0JP who uses
HughesNet -- the other satellite internet provider -- to install XMLog
and try doing a lookup at QRZ.COM. He gets exactly the same timeout
error after thirty seconds. The problem must have something to do with
the latency inherent in the satellite service although thirty seconds
would seem to be plenty long enough. Ah, the benefits of living in rural
America. :-)

robt.harris wrote:
> An update: tonight I took my laptop down to the local library and used their WiFi
connection. I was able to look up call signs from within XMLog without difficulty.
>
> Now I have to try to get some technical support from WildBlue and an explanation of why
it won't work with their service.
>
> --- In XMLog@yahoogroups.com, "robt.harris" <k9udx@...> wrote:
>
>> I just installed XMLog v 6.13 (new installation, not an upgrade). I used the zip file as
the source. I have gone through all the setup steps, selecting QRZ.COM - html as the lookup
method. When I attempt a lookup, I get no response from the QRZ.COM server and a time-out
error.
>>
>> I have verified that Panda Security (my internet security suite) accepts XMLog for
outbound messages. I even went so far as to delete Panda Security, reboot the computer, and
try a lookup.
>>
>> With Panda Security's firewall active, the network activity log shows that 68 packets
were passed from the computer to the router and no outbound packets were blocked. There
were no inbound packets accepted or blocked (thus I conclude none were received).
>>
>> Panda did not give a message alerting me of any unauthorized attempts.
>>
>> The router is a DLINK DIR-615. My ISP is Wildblue, the satellite internet service.
>>
>> Any ideas why I cannot get the lookups to work and what I should do to fix the problem?
>>
>>

--

Bob Harris (K9UDX)
Bath, NH

2975. Re: Callbook Lookup

Yahoo group: XMLog
Date: 2009-05-27 21:43:09 UTC
From: Mike McAmis
Topic: 2973 Message: 2975

Hi Phil, No problem - I'll add this to the next beta version.

Mike - W1ECT

2976. RE: [XMLog] Re: Callbook Lookup

Yahoo group: XMLog
Date: 2009-05-29 05:37:34 UTC
From: Craig Bradley
Topic: 2973 Message: 2976

Good idea Phil, I never thought of that.

Mike, one other feature that I have thought about is; could you add an item to the drop down menu when you right click on a call to display the station's QRZ.com entry in a browser window in addition to the choice to lookup the call?

When QSLing, I find that it is good to read the operator's QRZ page to see if the there are any special instructions such as no IRCs, 2 green stamps, etc.

Thanks & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Mike McAmis
Sent: Wednesday, May 27, 2009 2:43 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Callbook Lookup

Hi Phil, No problem - I'll add this to the next beta version.

Mike - W1ECT

[Non-text portions of this message have been removed]

2977. Auto call check

Yahoo group: XMLog
Date: 2009-06-14 19:25:55 UTC
From: jhg_2
Topic: 2977 Message: 2977

Mike,

Thanks for all the work you have put into the program. I use it as my central log and move my contacts into Xmlog via adif when I use something else (like digilog, my preference for psk)

I have had a few thoughts about the program though.

First: Is it possible to add as a selectable feature, auto call lookup to show previous contacts after the call has been entered. It is nice to have that information, especially when talking with Europe. But there are times when I would not want it. IE, in a contest environhment. I use N1MM for a serious contest but if I am just noodling along, I just want to be able to make the entry and go to the next one.

Second...or maybe 1a: Allow creation of sublogs within the main log. That way I can extract information for a contest and not need to create a seperate log. I know,,,I know...another field can be a headache.

Third, and maybe the hardest: Provide an interface to MMVari so we can stay in our favorite log.

These are nothing more or less than simple suggestions. I like the program and will stay with it anyway. Thanks again.

73,

John/WA1JG

2978. RE: [XMLog] Auto call check

Yahoo group: XMLog
Date: 2009-06-14 19:50:23 UTC
From: Craig Bradley
Topic: 2977 Message: 2978

John,

Are you using the "Show QSOs + Check Call" window?

That will show you all of you past QSOs with a station including the ops name.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of jhg_2
Sent: Sunday, June 14, 2009 12:26 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Auto call check

Mike,

Thanks for all the work you have put into the program. I use it as my central log and move my contacts into Xmlog via adif when I use something else (like digilog, my preference for psk)

I have had a few thoughts about the program though.

First: Is it possible to add as a selectable feature, auto call lookup to show previous contacts after the call has been entered. It is nice to have that information, especially when talking with Europe. But there are times when I would not want it. IE, in a contest environhment. I use N1MM for a serious contest but if I am just noodling along, I just want to be able to make the entry and go to the next one.

Second...or maybe 1a: Allow creation of sublogs within the main log. That way I can extract information for a contest and not need to create a seperate log. I know,,,I know...another field can be a headache.

Third, and maybe the hardest: Provide an interface to MMVari so we can stay in our favorite log.

These are nothing more or less than simple suggestions. I like the program and will stay with it anyway. Thanks again.

73,

John/WA1JG

[Non-text portions of this message have been removed]

2979. Re: Auto call check

Yahoo group: XMLog
Date: 2009-06-14 20:28:16 UTC
From: jhg_2
Topic: 2977 Message: 2979

Craig,

No.. I am not. And I will. Where is this selected?

John / WA1JG
>
>
> Are you using the "Show QSOs + Check Call" window?
>
> That will show you all of you past QSOs with a station including the ops
> name.
>
>
>
> 73,
>
> - Craig, AE6RR
>

2980. Re: Auto call check

Yahoo group: XMLog
Date: 2009-06-15 05:21:40 UTC
From: jhg_2
Topic: 2977 Message: 2980

Craig,

Thanks for the tip. Works great!

John / WA1JG

> Craig,
>
> No.. I am not. And I will. Where is this selected?
>
> John / WA1JG
> >
> >
> > Are you using the "Show QSOs + Check Call" window?
> >

2981. RE: [XMLog] Re: Auto call check

Yahoo group: XMLog
Date: 2009-06-15 06:01:50 UTC
From: Craig Bradley
Topic: 2977 Message: 2981

John,

Sorry that I didn't get back to you sooner but it looks like you found it.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of jhg_2
Sent: Sunday, June 14, 2009 10:22 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Auto call check

Craig,

Thanks for the tip. Works great!

John / WA1JG

> Craig,
>
> No.. I am not. And I will. Where is this selected?
>
> John / WA1JG
> >
> >
> > Are you using the "Show QSOs + Check Call" window?
> >

[Non-text portions of this message have been removed]

2982. LoTW accepted info

Yahoo group: XMLog
Date: 2009-06-15 06:08:26 UTC
From: Craig Bradley
Topic: 2982 Message: 2982

Mike,

Is there any way that the accepted fields could be filled in with LoTW downloads? I hadn't updated those fields for a while and I had done a couple of online LoTW only submissions. I took me a couple of hours to get the records straight so I can prepare for another submission.

Also for the DXCC Submission Tracking, it would be nice to get a report with the LoTW confirmations only with a check box for Include QSL Cards check box, that way you can do all of the LoTW submissions first and minimize the number of cards to find, sort and have checked.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

2983. QRZ access via Keyboard

Yahoo group: XMLog
Date: 2009-07-14 01:06:35 UTC
From: johnwmc52
Topic: 2983 Message: 2983

The only way, I can find, to get QRZ info after you type in callsign into log call box, is to put cursor on the callsign and double click.. Is there a keyboard key which can be press to get to the QRZ info as well? Tnx de John N7MZ

2984. Re: QRZ access via Keyboard

Yahoo group: XMLog
Date: 2009-07-14 16:22:17 UTC
From: Mike McAmis
Topic: 2983 Message: 2984

Hi John, When the log window is your current window you can use Ctrl-L

Mike - W1ECT

2985. RE: [XMLog] LoTW accepted info

Yahoo group: XMLog
Date: 2009-07-15 05:10:26 UTC
From: Craig Bradley
Topic: 2982 Message: 2985

Mike,

Did this get missed?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Sunday, June 14, 2009 11:08 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] LoTW accepted info

Mike,

Is there any way that the accepted fields could be filled in with LoTW downloads? I hadn't updated those fields for a while and I had done a couple of online LoTW only submissions. I took me a couple of hours to get the records straight so I can prepare for another submission.

Also for the DXCC Submission Tracking, it would be nice to get a report with the LoTW confirmations only with a check box for Include QSL Cards check box, that way you can do all of the LoTW submissions first and minimize the number of cards to find, sort and have checked.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2986. Rig control of FT-950

Yahoo group: XMLog
Date: 2009-08-12 08:43:31 UTC
From: HB9MTN/5B4AGV, Ed
Topic: 2986 Message: 2986

Hi all,
I yust bought a YAESU FT-950 and wonder, if the rig control setting for YAESU FT-450 will work.
73, Ed

2987. Re: Rig control of FT-950

Yahoo group: XMLog
Date: 2009-08-15 07:25:00 UTC
From: HB9MTN/5B4AGV, Ed
Topic: 2986 Message: 2987

Mike,
you can add the YAESU FT-950 to the List of the supported radios.
My setup: Rig --> DB9 f/f gender changer --> rs232 to USB-Converter --> PC

73, Ed

2988. Lookups?

Yahoo group: XMLog
Date: 2009-08-24 15:36:54 UTC
From: k2qmf@juno.com
Topic: 2988 Message: 2988

Hello all,

My callsign look ups within XMLog
stopped working! Anyone else having
this problem???

73,
Ted K2QMF

_____
Linux Certification
Earn your Linux certification online from the leading programs.
http://thirdpartyoffers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1CsdET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAAABoNVAAAAAA==

2989. Re: [XMLog] Lookups?

Yahoo group: XMLog
Date: 2009-08-24 15:48:43 UTC
From: Dave Sergeant
Topic: 2988 Message: 2989

On 24 Aug 2009 at 11:36, k2qmf@... wrote:

> My callsign look ups within XMLog
> stopped working! Anyone else having
> this problem???
>
> 73,
> Ted K2QMF

Umm. Looks like they have changed the web code again at QRZ.COM to thwart all those of us who don't want to pay...

73 Dave G3YMC

http://www.davesergeant.com

2990. Re: Lookups?

Yahoo group: XMLog
Date: 2009-08-24 20:55:22 UTC
From: kb9ndl
Topic: 2988 Message: 2990

--- In XMLog@yahoogroups.com, k2qmf@... wrote:
>
> Hello all,
>
> My callsign look ups within XMLog
> stopped working! Anyone else having
> this problem???
>
> 73,
> Ted K2QMF
> _____
> Linux Certification
> Earn your Linux certification online from the leading programs.
> http://thirdpartyoffers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1CsdET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAABoNVAAAAAA==
>
Yes me too.But my other logging program has the same problem.Anyone got any ideas?

2991. RE: [XMLog] Re: Lookups?

Yahoo group: XMLog
Date: 2009-08-25 01:44:02 UTC
From: Craig Bradley
Topic: 2988 Message: 2991

It's not working for me either and I am a subscriber (at least I was).

I don't know if my subscription expired as I can't find account info on the QRZ.com web site.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of kb9ndl
Sent: Monday, August 24, 2009 1:55 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Lookups?

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, k2qmf@... wrote:
>
> Hello all,
>
> My callsign look ups within XMLog
> stopped working! Anyone else having
> this problem???
>
> 73,
> Ted K2QMF
> ~~~~~~
> Linux Certification
> Earn your Linux certification online from the leading programs.
> http://thirdpartyof
<http://thirdpartyoffers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1CsdET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAAABoNVAAAAAA==>
fers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1CsdET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAAABoNVAAAAAA==
>
Yes me too.But my other logging program has the same problem.Anyone got any ideas?

[Non-text portions of this message have been removed]

2992. RE: [XMLog] Re: Lookups?

Yahoo group: XMLog
Date: 2009-08-25 01:49:40 UTC
From: Craig Bradley
Topic: 2988 Message: 2992

OK, it works in the paid mode. For some reason the check box to use the XML version became unchecked in XMLog. When I checked it the lookup started working.

I did find my membership info, you have to go into the area were you subscribe and then log in, not intuitive.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Monday, August 24, 2009 6:44 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Lookups?

It's not working for me either and I am a subscriber (at least I was).

I don't know if my subscription expired as I can't find account info on the QRZ.com web site.

73,

- Craig, AE6RR

From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com [mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf Of
kb9ndl
Sent: Monday, August 24, 2009 1:55 PM
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Subject: [XMLog] Re: Lookups?

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, k2qmf@... wrote:
>
> Hello all,
>
> My callsign look ups within XMLog
> stopped working! Anyone else having
> this problem???
>
> 73,

> Ted K2QMF
> _____
> Linux Certification
> Earn your Linux certification online from the leading programs.
> http://thirdpartyof
<http://thirdpartyof
<http://thirdpartyoffers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1Csd
> fers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1Csd
ET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAAABoNVAAAAAA==>
fers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1CsdET-lTIHmohZ6bUzc1iaA
AQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAAABoNVAAAAAA==
>
Yes me too.But my other logging program has the same problem.Anyone got any
ideas?

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

2993. Re: Lookups?

Yahoo group: XMLog
Date: 2009-08-25 12:13:29 UTC
From: ve3iay
Topic: 2988 Message: 2993

This has happened to many logging programs. To fix the problem, as I understand it the lookup URL will have to be changed, e.g. from
http://www.qrz.com/(callsign) or
http://www.qrz.com/detail/(callsign) to
http://www.qrz.com/db/(callsign)
An explanation for why the change was made is at
<http://forums.qrz.com/showthread.php?t=215302>.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, "kb9ndl" <kb9ndl@...> wrote:
>
> --- In XMLog@yahoogroups.com, k2qmf@ wrote:
> >
> > Hello all,
> >
> > My callsign look ups within XMLog
> > stopped working! Anyone else having
> > this problem???
> >
> > 73,
> > Ted K2QMF
> > _____
> > Linux Certification
> > Earn your Linux certification online from the leading programs.
> > http://thirdpartyoffers.juno.com/TGL2141/c?cp=FB5tbyraZK_XAPWNueyb1AAAJ1CsdET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAALbz_TwAAAAAAAAAAAAAAAAAABoNVAAAAAA==
> >
> Yes me too.But my other logging program has the same problem.Anyone got any ideas?
>

2994. Re: Lookups?

Yahoo group: XMLog
Date: 2009-08-25 12:46:00 UTC
From: hb9mtn
Topic: 2988 Message: 2994

QRZ Website Link Policy Update

see:

http://forums.qrz.com/showthread.php?t=215302

http://www.qrz.com/(your_callsign) has changed to
http://www.qrz.com/db/(your_callsign)

73, Ed

2995. Lookups

Yahoo group: XMLog
Date: 2009-08-25 14:18:58 UTC
From: w4sul
Topic: 2803 Message: 2995

Running the latest version of XMLog, Paid subscriber to QRZ and using the xml interface. When I try to do a lookup, the program searches for a bit, then locks up so bad only task manager can close it... Thanks Mike for any words of wisdom on this problem!

2996. RE: [XMLog] Lookups

Yahoo group: XMLog
Date: 2009-08-25 14:35:48 UTC
From: Craig Bradley
Topic: 2803 Message: 2996

I am running 6.15 and it works great in XML mode (paid). It is very fast, the new changes on the web site may have helped.

I hope that this info helps.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w4sul
Sent: Tuesday, August 25, 2009 7:19 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Lookups

Running the latest version of XMLog, Paid subscriber to QRZ and using the xml interface. When I try to do a lookup, the program searches for a bit, then locks up so bad only task manager can close it... Thanks Mike for any words of wisdom on this problem!

[Non-text portions of this message have been removed]

2997. Re: Lookups

Yahoo group: XMLog
Date: 2009-08-25 14:53:06 UTC
From: w4sul
Topic: 2803 Message: 2997

Went back to 6.15 and it's working again. Strange. I'd been running 6.17 since it was in beta with no problems, just stopped working today. Anyway, back in business. Now, where is some DX!

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> I am running 6.15 and it works great in XML mode (paid). It is very fast,
> the new changes on the web site may have helped.
>
>
>
> I hope that this info helps.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> w4sul
> Sent: Tuesday, August 25, 2009 7:19 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Lookups
>
>
>
>
>
>
> Running the latest version of XMLog, Paid subscriber to QRZ and using the
> xml interface. When I try to do a lookup, the program searches for a bit,
> then locks up so bad only task manager can close it... Thanks Mike for any
> words of wisdom on this problem!
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

2998. RE: [XMLog] Re: Lookups

Yahoo group: XMLog
Date: 2009-08-25 14:59:25 UTC
From: Craig Bradley
Topic: 2803 Message: 2998

Well you fixed the easy one, I can't help with sunspots!

See: http://www.leif.org/EOS/2009EO300001.pdf

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
w4sul
Sent: Tuesday, August 25, 2009 7:53 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Lookups

Went back to 6.15 and it's working again. Strange. I'd been running 6.17
since it was in beta with no problems, just stopped working today. Anyway,
back in business. Now, where is some DX!

--- In XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com, "Craig
Bradley" <craigjb@...> wrote:
>
> I am running 6.15 and it works great in XML mode (paid). It is very fast,
> the new changes on the web site may have helped.
>
>
>
> I hope that this info helps.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
[mailto:XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com] On Behalf
Of
> w4sul
> Sent: Tuesday, August 25, 2009 7:19 AM
> To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
> Subject: [XMLog] Lookups

>
>
>
>
>
> Running the latest version of XMLog, Paid subscriber to QRZ and using the
> xml interface. When I try to do a lookup, the program searches for a bit,
> then locks up so bad only task manager can close it... Thanks Mike for any
> words of wisdom on this problem!
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

2999. Re: Lookups

Yahoo group: XMLog
Date: 2009-08-25 15:02:36 UTC
From: w1ect
Topic: 2803 Message: 2999

OK, I'll check things out and hopefully will have a beta version ready soon...

Mike - W1ECT

3000. Re: Lookups

Yahoo group: XMLog
Date: 2009-08-25 15:57:31 UTC
From: w1ect
Topic: 2803 Message: 3000

OK, I've posted a beta version at www.xmlog.com/beta that should fix the problem.

Mike - W1ECT

3001. Re: Lookups

Yahoo group: XMLog
Date: 2009-08-25 16:24:50 UTC
From: w4sul
Topic: 2803 Message: 3001

That works just fine, Thanks Mike.

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> OK, I've posted a beta version at www.xmlog.com/beta that should fix the problem.
>
> Mike - W1ECT
>

3002. Re: [XMLog] Re: Lookups

Yahoo group: XMLog
Date: 2009-08-25 17:38:21 UTC
From: Nelson Wittstock
Topic: 2803 Message: 3002

Thank you, Mike. It works FB now.

Nelson, K8DJC

--
I am using the free version of SPAMfighter.
We are a community of 6 million users fighting spam.
SPAMfighter has removed 3109 of my spam emails to date.
Get the free SPAMfighter here: http://www.spamfighter.com/len

The Professional version does not have this message

3003. Lookups!

Yahoo group: XMLog
Date: 2009-08-25 17:47:19 UTC
From: k2qmf@juno.com
Topic: 3003 Message: 3003

Mike et al,

The new version 6.18 works great!!

73,
Ted K2QMF

_____
Online Medical Insurance
Get free online medical insurance quotes and save more money today.
http://thirdpartyoffers.juno.com/TGL2141/c?cp=az-DfnT99qBW3_6QgL-_tAAAJ1CsdET-lTIHmohZ6bUzc1iaAAQAAAAFAAAAAJqZGT4AAAAAAAAAAAAAAAAAAElA1AAAAAA==

3004. Re: Lookups!

Yahoo group: XMLog
Date: 2009-08-25 22:32:34 UTC
From: jch39_99
Topic: 3003 Message: 3004

Agree ... good job and quick too.
Tnx/73
Crit/K4BXN
--- In XMLog@yahoogroups.com, k2qmf@... wrote:
>
> Mike et al,
>
> The new version 6.18 works great!!
>
> 73,
> Ted K2QMF
> --
> Online Medical Insurance
> Get free online medical insurance quotes and save more money today.
> http://thirdpartyoffers.juno.com/TGL2141/c?cp=az-DfnT99qBW3_6QgL-_tAAAJ1CsdET-lTIHmohZ6b
Uzc1iaAAQAAAAFAAAAAJqZGT4AAAAAAAAAAAAAAAAAAElA1AAAAAA==
>

3005. XMLog and old countries

Yahoo group: XMLog
Date: 2009-08-26 08:02:00 UTC
From: Dave Sergeant
Topic: 3005 Message: 3005

Thanks for v6.18, QRZ lookup now working again...

I was reminded during the installation of an annoyance I have with the program. It comes up with a prompt telling me that some of the countries have changed and whether I would like it to update my QSOs to the new countries. The answer ALWAYS must be an emphatic NO.

Earlier in the year I input all my old paper logs into XMLog, I now have over 50k QSOs over 40 years of operating. One of the niggles was that I had to painfully go through after importing them (from the excellent FLE Fast Log Entry program) and change the countries for old contacts from what they are on the current lists to what they were at the time of the QSOs - all the old USSR prefixes, deleted DL, YU and loads of others. That was the hard part of the process. A simple click on YES on that prompt screen would have undone all that hard work.

I recommend that the prompt screen is removed, or at least just displayed as a reminder with no buttons. If people really do want to update their old contacts to reflect what they are in the current DXCC list by all means give them the option but make it via a menu option (with a strong warning of what doing it would mean).

73 Dave G3YMC

http://www.davesergeant.com

3006. Re: Lookups

Yahoo group: XMLog
Date: 2009-08-26 11:04:21 UTC
From: hb9mtn
Topic: 2803 Message: 3006

Thanks, Mike, I yust sent you a tip via PayPal
73, Ed

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> OK, I've posted a beta version at www.xmlog.com/beta that should fix the problem.
>
> Mike - W1ECT
>

3007. CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-01 23:13:19 UTC
From: k2qmf@juno.com
Topic: 3007 Message: 3007

Hello again all,

It looks like the darn QRZ.com lookup
is broken again!!!!

73,
Ted K2QMF

_____
Best Weight Loss Program - Click Here!
http://thirdpartyoffers.juno.com/TGL2141/fc/BLSrjpTFoYekQ9mlCwVFeDuYZ8rVcLknnTocLbu5IkjktBmJgMvlvX9aPSI/

3008. Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-02 03:10:32 UTC
From: w1ect
Topic: 3007 Message: 3008

It seems that Fred has been diddling the format again. The last time he had just changed the web address a bit but this time he's changed the HTML such that it's a lot tougher to use the brute force data extraction that XMLog has used in the past. The data following the callsign (csignm) seems to now be qualified by two class defs:

1) some strange hex info which isn't to be displayed
2) another class that has the address data to be displayed

Looking at data returned for several calls I don't see an obvious pattern where the hex lines are placed amid the address data.

Do you suppose this is an explicit attempt to make it tougher for external apps to extract the data?

I really don't want to have to make this "screen scraper" understand HTML class defs!

Mike - W1ECT

3009. RE: [XMLog] Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-02 06:02:57 UTC
From: Craig Bradley
Topic: 3007 Message: 3009

Mike,

At the risk of raising the wrath of others, I would rather see you spend your time adding new features than chasing a moving target like the HTML code. This could go on forever.

I personally think that QRZ.com is a great service to all hams and I support it through my membership fees. The XML interface still works great.

I will now put on my Teflon suit and stand back!

Thanks again for a great program!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, September 01, 2009 8:11 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: CallBook Lookups...

It seems that Fred has been diddling the format again. The last time he had just changed the web address a bit but this time he's changed the HTML such that it's a lot tougher to use the brute force data extraction that XMLog has used in the past. The data following the callsign (csignm) seems to now be qualified by two class defs:

1) some strange hex info which isn't to be displayed
2) another class that has the address data to be displayed

Looking at data returned for several calls I don't see an obvious pattern where the hex lines are placed amid the address data.

Do you suppose this is an explicit attempt to make it tougher for external apps to extract the data?

I really don't want to have to make this "screen scraper" understand HTML class defs!

Mike - W1ECT

[Non-text portions of this message have been removed]

3010. Re: [XMLog] Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-02 18:06:09 UTC
From: Kevin Nathan
Topic: 3007 Message: 3010

Hi,

I would agree with Craig, even though I like the free lookup. Are there any other on-line choices? Also, can you remind me of the yearly fee Craig. I'm starting to think that would be the way to go.

Take care and very 73.

Kevin :)
Amateur Radio: K7RX
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Tuesday, September 01, 2009 11:02 PM
Subject: RE: [XMLog] Re: CallBook Lookups...

Mike,

At the risk of raising the wrath of others, I would rather see you spend your time adding new features than chasing a moving target like the HTML code. This could go on forever.

I personally think that QRZ.com is a great service to all hams and I support it through my membership fees. The XML interface still works great.

I will now put on my Teflon suit and stand back!

Thanks again for a great program!

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, September 01, 2009 8:11 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: CallBook Lookups...

It seems that Fred has been diddling the format again. The last time he had just changed the web address a bit but this time he's changed the HTML such that it's a lot tougher to use the brute force data extraction that XMLog has used in the past. The data following the callsign (csignm) seems to now be qualified by two class defs:

1) some strange hex info which isn't to be displayed
2) another class that has the address data to be displayed

Looking at data returned for several calls I don't see an obvious pattern where the hex lines are placed amid the address data.

Do you suppose this is an explicit attempt to make it tougher for external apps to extract the data?

I really don't want to have to make this "screen scraper" understand HTML class defs!

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3011. Re: [XMLog] Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-02 18:54:45 UTC
From: john vernaleken
Topic: 3007 Message: 3011

I agree.

John KC2QJB

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Wednesday, September 02, 2009 2:02 AM
Subject: RE: [XMLog] Re: CallBook Lookups...

Mike,

At the risk of raising the wrath of others, I would rather see you spend your time adding new features than chasing a moving target like the HTML code. This could go on forever.

I personally think that QRZ.com is a great service to all hams and I support it through my membership fees. The XML interface still works great.

I will now put on my Teflon suit and stand back!

Thanks again for a great program!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, September 01, 2009 8:11 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: CallBook Lookups...

It seems that Fred has been diddling the format again. The last time he had just changed the web address a bit but this time he's changed the HTML such that it's a lot tougher to use the brute force data extraction that XMLog has used in the past. The data following the callsign (csignm) seems to now be qualified by two class defs:

1) some strange hex info which isn't to be displayed
2) another class that has the address data to be displayed

Looking at data returned for several calls I don't see an obvious pattern where the hex lines are placed amid the address data.

Do you suppose this is an explicit attempt to make it tougher for external apps to extract the data?

I really don't want to have to make this "screen scraper" understand HTML class defs!

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3012. Re: [XMLog] Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-02 21:56:54 UTC
From: Phil-W6TQG
Topic: 3007 Message: 3012

The XML Logbook Data Subscription is $29.95 per year. It seems like a fair deal to me, since the XML data does not provide ad revenue.

73,
Phil W6TQG

3013. Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-02 22:44:54 UTC
From: w1ect
Topic: 3007 Message: 3013

OK, Just posted the latest hack at www.xmlog.com/beta - we'll see how long this lasts...

Mike - W1ECT

3014. QRZ Lookups.

Yahoo group: XMLog
Date: 2009-09-02 23:45:25 UTC
From: k2qmf@juno.com
Topic: 3014 Message: 3014

Mike,

Version 6.19 working great again.
In fact now also get county and grid sq info.

Many Thanks Mike....

73,
Ted K2QMF

_____
Best Weight Loss Program - Click Here!
http://thirdpartyoffers.juno.com/TGL2141/fc/BLSrjpTFoYdHflGvpAClbhrIdjdv0dfIfxeIvk7yV3NbQwbuHGzytulWlFW/

3015. RE: [XMLog] Re: CallBook Lookups...

Yahoo group: XMLog
Date: 2009-09-03 04:53:28 UTC
From: Kevin Nathan
Topic: 3007 Message: 3015

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Phil-W6TQG
Sent: Wednesday, September 02, 2009 2:57 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: CallBook Lookups...

The XML Logbook Data Subscription is $29.95 per year. It seems like a fair deal to me, since the XML data does not provide ad revenue.

73,
Phil W6TQG

[Non-text portions of this message have been removed]

3016. XMLOG with Satellite ISPs

Yahoo group: XMLog
Date: 2009-09-04 02:35:27 UTC
From: K9UDX
Topic: 3016 Message: 3016

Some day (when you have nothing better to do) could you make a test version of xmlog with a longer timeout when doing lookups on QRZ? It times out with both Wildblue and HughesNet. It might have something to do with the latency of the satellite services.
--

Bob Harris (K9UDX)
Bath, NH

3017. Re: Callbook Lookups...

Yahoo group: XMLog
Date: 2009-09-04 05:02:40 UTC
From: David Spoelstra
Topic: 3017 Message: 3017

>OK, Just posted the latest hack at www.xmlog.com/beta - we'll see how long this lasts...
>Mike - W1ECT

I know it's a pain, but THANKS!

-David, N9KT

3018. Re: XMLOG with Satellite ISPs

Yahoo group: XMLog
Date: 2009-09-04 16:42:38 UTC
From: w1ect
Topic: 3016 Message: 3018

Hi Bob, The timeout is currently set to 30 seconds. How long does it take to get the results of a QRZ.COM lookup when you do one from your browser (Internet Explorer or whatever)? If it takes less than 30 seconds then diddling the timeout value fix the problem...

Mike - W1ECT

3019. Re: [XMLog] Re: XMLOG with Satellite ISPs

Yahoo group: XMLog
Date: 2009-09-04 17:17:35 UTC
From: K9UDX
Topic: 3016 Message: 3019

Hi Mike,

With Firefox, the results comes back in 5 to 7 seconds. With Internet Explorer, the results sometimes takes over 24 seconds.

I wish I knew of a program that would capture what transpires between my computer and QRZ when using xmlog. That might give a clue why one cannot use the lookup feature of xmlog with the satellite ISPs. I used to have such a program for use with RS-232 communications.

Someday if Fairpoint gets their act together, we might get true high speed internet in this part of the state, but I'm not holding my breath.

w1ect wrote:
> Hi Bob, The timeout is currently set to 30 seconds. How long does it take to get the results of a QRZ.COM lookup when you do one from your browser (Internet Explorer or whatever)? If it takes less than 30 seconds then diddling the timeout value fix the problem...
>
> Mike - W1ECT
>
>

--

Bob Harris (K9UDX)
Bath, NH

3020. UnZip Fails

Yahoo group: XMLog
Date: 2009-09-05 20:51:21 UTC
From: abba_houston
Topic: 3020 Message: 3020

Mike
I downloaded the lates Version 6.19 and the file seems to be corrupted? Could you please check the file?
Glen-WB4KTF

3021. Re: UnZip Fails

Yahoo group: XMLog
Date: 2009-09-05 21:40:18 UTC
From: kb9ndl
Topic: 3020 Message: 3021

--- In XMLog@yahoogroups.com, "abba_houston" <wb4ktf@...> wrote:
>
> Mike
> I downloaded the lates Version 6.19 and the file seems to be corrupted? Could you please check the file?
> Glen-WB4KTF
>
Worked fine for me on both my computers.....

3022. Re: UnZip Fails

Yahoo group: XMLog
Date: 2009-09-06 13:23:45 UTC
From: w4sul
Topic: 3020 Message: 3022

It also fails for me. Win2K sp4 + rollup Winzip could not fix it using zipfix either...

--- In XMLog@yahoogroups.com, "abba_houston" <wb4ktf@...> wrote:
>
> Mike
> I downloaded the lates Version 6.19 and the file seems to be corrupted? Could you please check the file?
> Glen-WB4KTF
>

3023. Re: UnZip Fails

Yahoo group: XMLog
Date: 2009-09-06 16:56:39 UTC
From: w1ect
Topic: 3020 Message: 3023

Hi - It seems the file got truncated during the upload? I've replaced the file so try it again now.

Mike - W1ECT

3024. Re: UnZip Fails

Yahoo group: XMLog
Date: 2009-09-07 00:28:13 UTC
From: w4sul
Topic: 3020 Message: 3024

That fixed it, thanks Mike!

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi - It seems the file got truncated during the upload? I've replaced the file so try it again now.
>
> Mike - W1ECT
>

3025. Ready for Glorioso?

Yahoo group: XMLog
Date: 2009-09-13 14:55:23 UTC
From: w1ect
Topic: 3025 Message: 3025

Get ready by setting FT5GA as FR/G (Glorioso) using the "View/Callsign List" menu item.
This is at the top of my "needs" list. It seems they may be arriving as early as Monday.

Mike - W1ECT

3026. QRZ XML Issue

Yahoo group: XMLog
Date: 2009-09-26 14:51:21 UTC
From: n3dd
Topic: 3026 Message: 3026

All of a sudden when I do a QRZ call search I get an error "Call not found in callbook. QRZ: Invalid session key" for all calls. (I am a QRZ XML subscriber) However, when I switch to QRZ via HTML, the problem disappears.

Anyone else having this issue?

Dom
N3DD

3027. Re: QRZ XML Issue

Yahoo group: XMLog
Date: 2009-09-28 16:27:23 UTC
From: w1ect
Topic: 3026 Message: 3027

Hi Dom, The QRZ.COM XML server requires me to log on a get a "session ID" which is used on subsequent requests for info during that "session". I suppose it's possible that this session ID became invalid at some point and caused the error you're seeing. Do restarts of XMLog or your PC seem to clear this up?

Mike - W1ECT

3028. Re: QRZ XML Issue

Yahoo group: XMLog
Date: 2009-09-28 19:03:15 UTC
From: n3dd
Topic: 3026 Message: 3028

Mike

Restarts of XMOLG and the PC seems to have solved the problem! Thanks for the help.

Dom
N3DD

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Dom, The QRZ.COM XML server requires me to log on a get a "session ID" which is used on subsequent requests for info during that "session". I suppose it's possible that this session ID became invalid at some point and caused the error you're seeing. Do restarts of XMLog or your PC seem to clear this up?
>
> Mike - W1ECT
>

3029. Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-29 22:36:09 UTC
From: Bert - W0RSB
Topic: 3029 Message: 3029

I got tired of my old logging software (ACLOG) and started working with XMLOG 6.19 this afternoon.

I exported the log from ACLOG, imported it into XMLOG and then downloaded and imported my LOTW data.

I only have 173 confirmations in LOTW, but after the import into XMLOG, I got a report of 32 records that have "No matching entry in log."

The LOTW data was created from ACLOG, so I would have expected the data to match.

Comparing ACLOG's ADI file and the LOTW ADI file by eye didn't tell me anything.

What is XMLOG looking at in the two files that's causing it to reject these 32 records?

3030. Re: [XMLog] Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 05:30:49 UTC
From: WILLIS COOKE
Topic: 3029 Message: 3030

Bert, the most common thing I found was that the Zones do not match. A common thing is that whatever your old log used to figure out the Zone was not correct. Another common problem is that the other party entered the ITU Zone instead of the CQ Zone, sometimes the call area instead of the Zone because he did not understand the question. There are other errors that can cause this. The way I did it was to correct each one individually. It will take a bit of time. It sure did for me because I have over 3700 LOTW QSLs.

Willis 'Cookie' Cooke
K5EWJ

--- On Tue, 9/29/09, Bert - W0RSB <bert.hyman@...> wrote:

From: Bert - W0RSB <bert.hyman@...m>
Subject: [XMLog] Debug LOTW "no matching entry" problem?
To: XMLog@yahoogroups.com
Date: Tuesday, September 29, 2009, 3:36 PM

I got tired of my old logging software (ACLOG) and started working with XMLOG 6.19 this afternoon.

I exported the log from ACLOG, imported it into XMLOG and then downloaded and imported my LOTW data.

I only have 173 confirmations in LOTW, but after the import into XMLOG, I got a report of 32 records that have "No matching entry in log."

The LOTW data was created from ACLOG, so I would have expected the data to match.

Comparing ACLOG's ADI file and the LOTW ADI file by eye didn't tell me anything.

What is XMLOG looking at in the two files that's causing it to reject these 32 records?

[Non-text portions of this message have been removed]

3031. Re: Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 14:02:37 UTC
From: Bert - W0RSB
Topic: 3029 Message: 3031

The zones match. There was one entry with a zone mismatch and showed up as a different error, not as "no matching entry".

The LOTW entries don't contain much data and I went through a few line by line and they match what's in the ACLOG's exported data. In a couple of lines (date and sometimes zone) the number of characters in a field will be different when one or the other has leading or trailing zeroes, but I manually changed those entries in the LOTW data and tried re-importing, but still got the "no matching entry" error.

Here's one example, with the LOTW data first:

<APP_LoTW_OWNCALL:5>W0RSB
<STATION_CALLSIGN:5>W0RSB
<CALL:7>4A1DXXE
<BAND:3>17M
<MODE:2>CW
<QSO_DATE:8>20090103
<TIME_ON:6>202800
<QSL_RCVD:1>Y
<QSLRDATE:8>20090105
<DXCC:2>50
<CQZ:1>6
<ITUZ:2>10
<eor>

And now the ACLOG data:

<Call:7>4A1DXXE <Qso_Date:8:d>20090103 <Band:3>17M<Mode:2>CW
<Tx_Pwr:3>100 <Time_On:4>2028 <RST_Sent:3>599 <RST_Rcvd:3>599 <Time_Off:4>2029
<DXCC:2>50 <QSL_Sent:1>Y <QSL_Rcvd:1>Y
<Freq:9>18073.010 <Cont:2>NA <Cqz:2>06 <ITUZ:2>10 <Pfx:3>4A1 <QSLSCB:1>L <QSLRCB:1>L
<eor>

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Bert, the most common thing I found was that the Zones do not match. A common thing is that whatever your old log used to figure out the Zone was not correct. Another common problem is that the other party entered the ITU Zone instead of the CQ Zone, sometimes the call area instead of the Zone because he did not understand the question. There are other errors that can cause this. The way I did it was to correct each one individually. It will take a bit of time. It sure did for me because I have over 3700 LOTW QSLs.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
> --- On Tue, 9/29/09, Bert - W0RSB <bert.hyman@...> wrote:

>
> From: Bert - W0RSB <bert.hyman@...>
> Subject: [XMLog] Debug LOTW "no matching entry" problem?
> To: XMLog@yahoogroups.com
> Date: Tuesday, September 29, 2009, 3:36 PM
>
>
>
>
>
>
>
>
>
>
>
>
>
> I got tired of my old logging software (ACLOG) and started working with XMLOG 6.19 this afternoon.
>
>
>
> I exported the log from ACLOG, imported it into XMLOG and then downloaded and imported my LOTW data.
>
>
>
> I only have 173 confirmations in LOTW, but after the import into XMLOG, I got a report of 32 records that have "No matching entry in log."
>
>
>
> The LOTW data was created from ACLOG, so I would have expected the data to match.
>
>
>
> Comparing ACLOG's ADI file and the LOTW ADI file by eye didn't tell me anything.
>
>
>
> What is XMLOG looking at in the two files that's causing it to reject these 32 records?
>
>
>
>
>
>
>
>
>
>

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

3032. Re: [XMLog] Re: Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 16:20:00 UTC
From: WILLIS COOKE
Topic: 3029 Message: 3032

I don't see anything Bert but the comparison is between the LOTW data and the XMLog file rather than your ACLog ADIF file. Does XMLog show this contact correctly?

Willis 'Cookie' Cooke
K5EWJ

--- On Wed, 9/30/09, Bert - W0RSB <bert.hyman@...> wrote:

From: Bert - W0RSB <bert.hyman@yahoo.com>
Subject: [XMLog] Re: Debug LOTW "no matching entry" problem?
To: XMLog@yahoogroups.com
Date: Wednesday, September 30, 2009, 7:02 AM

The zones match. There was one entry with a zone mismatch and showed up as a different error, not as "no matching entry".

The LOTW entries don't contain much data and I went through a few line by line and they match what's in the ACLOG's exported data. In a couple of lines (date and sometimes zone) the number of characters in a field will be different when one or the other has leading or trailing zeroes, but I manually changed those entries in the LOTW data and tried re-importing, but still got the "no matching entry" error.

Here's one example, with the LOTW data first:

<APP_LoTW_OWNCALL: 5>W0RSB

<STATION_CALLSIGN: 5>W0RSB

<CALL:7>4A1DXXE

<BAND:3>17M

<MODE:2>CW

<QSO_DATE:8> 20090103

<TIME_ON:6>202800

<QSL_RCVD:1> Y

<QSLRDATE:8> 20090105

<DXCC:2>50

<CQZ:1>6

<ITUZ:2>10

<eor>

And now the ACLOG data:

<Call:7>4A1DXXE <Qso_Date:8: d>20090103 <Band:3>17M< Mode:2>CW

<Tx_Pwr:3>100 <Time_On:4>2028 <RST_Sent:3> 599 <RST_Rcvd:3> 599 <Time_Off:4> 2029

<DXCC:2>50 <QSL_Sent:1> Y <QSL_Rcvd:1> Y

<Freq:9>18073. 010 <Cont:2>NA <Cqz:2>06 <ITUZ:2>10 <Pfx:3>4A1 <QSLSCB:1>L <QSLRCB:1>L

<eor>

--- In XMLog@yahoogroups. com, WILLIS COOKE <wrcooke@... > wrote:

>

> Bert, the most common thing I found was that the Zones do not match. A common thing is that whatever your old log used to figure out the Zone was not correct. Another common problem is that the other party entered the ITU Zone instead of the CQ Zone, sometimes the call area instead of the Zone because he did not understand the question. There are other errors that can cause this. The way I did it was to correct each one individually. It will take a bit of time. It sure did for me because I have over 3700 LOTW QSLs.

>

> Willis 'Cookie' Cooke

> K5EWJ

>

> --- On Tue, 9/29/09, Bert - W0RSB <bert.hyman@ ...> wrote:

>

> From: Bert - W0RSB <bert.hyman@ ...>

> Subject: [XMLog] Debug LOTW "no matching entry" problem?

> To: XMLog@yahoogroups. com

> Date: Tuesday, September 29, 2009, 3:36 PM

>

>

>

>

>

>

>

>

>

>

>

>

> I got tired of my old logging software (ACLOG) and started working with XMLOG 6.19 this afternoon.

>

>

>

> I exported the log from ACLOG, imported it into XMLOG and then downloaded and imported my LOTW data.

>

>

>

> I only have 173 confirmations in LOTW, but after the import into XMLOG, I got a report of 32 records that have "No matching entry in log."

>

>

>

> The LOTW data was created from ACLOG, so I would have expected the data to match.

>

>

>

> Comparing ACLOG's ADI file and the LOTW ADI file by eye didn't tell me anything.

>

>

>

> What is XMLOG looking at in the two files that's causing it to reject these 32 records?

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

> [Non-text portions of this message have been removed]

>

[Non-text portions of this message have been removed]

3033. Re: Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 16:29:58 UTC
From: w1ect
Topic: 3029 Message: 3033

Hi Bert, Didn't the LoTW validation report give you any indication of which QSOs didn't match and why? You can re-run this report against the downloaded LoTW data using the "Import/Validate LoTW Data" menu item. Check the LoTW section of the help file for more info.

Mike - W1ECT

3034. Re: Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 17:17:56 UTC
From: Bert - W0RSB
Topic: 3029 Message: 3034

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Bert, Didn't the LoTW validation report give you any indication
> of which QSOs didn't match and why? You can re-run this report
> against the downloaded LoTW data using the "Import/Validate LoTW
> Data" menu item. Check the LoTW section of the help file for more > info.
>

Hi Mike; the LOTW validation report for these entries simply says "No matching entry in log". Of the 173 LOTW confirmations, 32 are bounced this way.

I now notice that there are differences. The data that's there all matches, but the XMLOG entries are missing the "BAND" and "ITUZ" fields, and maybe some more. Also, some of the fields have different precision, like the "TIME_ON" field. Could that be what's throwing things off?

I did an export of the XMLOG log file and here's a record from it, the corresponding record from the LOTW download and the ADIF file exported from my old log program (ACLOG) that was used to populate the XMLOG log:

<QSO_DATE:8:D>20090103 <TIME_ON:4>2028 <TIME_OFF:4>2029 <CALL:7>4A1DXXE
<FREQ:9>18073.010 <RST_SENT:3>599 <RST_RCVD:3>599 <MODE:2>CW <TX_PWR:3>100
<CQZ:2>06 <DXCC:2>50 <QSL_SENT:1>Y <QSL_RCVD:1>Y
<STATION_CALLSIGN:5>W0RSB <OPERATOR:5>W0RSB <MY_GRIDSQUARE:6>EN34jv
<MY_LAT:11>N045 00.000 <MY_LONG:11>W093 15.000 <MY_CITY:10>Saint Paul
<MY_CNTY:9>MN,Ramsey <MY_STATE:2>MN <MY_COUNTRY:3>291 <EOR>

<APP_LoTW_OWNCALL:5>W0RSB
<STATION_CALLSIGN:5>W0RSB
<CALL:7>4A1DXXE
<BAND:3>17M
<MODE:2>CW
<QSO_DATE:8>20090103
<TIME_ON:6>202800
<QSL_RCVD:1>Y
<QSLRDATE:8>20090105
<DXCC:2>50
<CQZ:1>6
<ITUZ:2>10
<eor>

<Call:7>4A1DXXE <Qso_Date:8:d>20090103 <Band:3>17M<Mode:2>CW
<Tx_Pwr:3>100 <Time_On:4>2028 <RST_Sent:3>599 <RST_Rcvd:3>599 <Time_Off:4>2029
<DXCC:2>50 <QSL_Sent:1>Y <QSL_Rcvd:1>Y
<Freq:9>18073.010 <Cont:2>NA <Cqz:2>06 <ITUZ:2>10 <Pfx:3>4A1 <QSLSCB:1>L <QSLRCB:1>L
<eor>

3035. Windows 7

Yahoo group: XMLog
Date: 2009-09-30 17:24:47 UTC
From: tnhamop
Topic: 3035 Message: 3035

Has anyone tested XMLog against Windows 7? I am looking to upgrade soon and am hoping it works ok.

73's
Mark KA4ICK

3036. Re: Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 21:05:28 UTC
From: w1ect
Topic: 3029 Message: 3036

Hi Bert, Here's the logic used by the the "FindMatchingEntry" routine:

1) Callsign: Allow some variants like
PJ4/W1ECT = W1ECT/PJ4,
W1ECT = W1ECT/P = W1ECT/MM, etc.

2) Time: +/- 3 minutes from LoTW data

3) Band

Mike - W1ECT

3037. Re: Debug LOTW "no matching entry" problem?

Yahoo group: XMLog
Date: 2009-09-30 23:08:54 UTC
From: Bert - W0RSB
Topic: 3029 Message: 3037

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Bert, Here's the logic used by the the "FindMatchingEntry" routine:
>
> 1) Callsign: Allow some variants like
> PJ4/W1ECT = W1ECT/PJ4,
> W1ECT = W1ECT/P = W1ECT/MM, etc.
>
> 2) Time: +/- 3 minutes from LoTW data
>
> 3) Band
>
> Mike - W1ECT

OK. I think I've found the problem.

If an old log entry (imported from ACLOG) had a frequency field of the form nnnnn.nn KHz, it was NOT matched. If the old entry had either no frequency field or a frequency of the form nn.nnnn MHz, it WAS matched.

When ACLOG is reading the frequency from my rig, which I only let it do during contests, it makes entries of the nn.nnnn MHz form. Sometimes when I'm in a hurry, I'll not bother entering the frequency. However, most of the time I enter the frequency by hand as nnnnnn.nn KHz, and those entries that have LOTW confirmations are the ones that aren't matched.

Since there's only 32 non-matching entries, I can fix those by hand, and let XMLOG do its own thing in the future.

Sorry to have busted in with this on my first day using the program.

3038. RE: [XMLog] Windows 7

Yahoo group: XMLog
Date: 2009-10-01 05:47:45 UTC
From: Craig Bradley
Topic: 3035 Message: 3038

Mark,

Let us know how you make out. I am still running XP Pro on my shack computer as there are way to many ham radio programs like MMTTY, DigPan, Ham CAP, IonoProbe, DX Atlas, etc. that may have problems and did in the early day of Vista.

I may leapfrog over Vista though and go to Win7 if it gets good reviews.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of tnhamop
Sent: Wednesday, September 30, 2009 10:25 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Windows 7

Has anyone tested XMLog against Windows 7? I am looking to upgrade soon and am hoping it works ok.

73's
Mark KA4ICK

[Non-text portions of this message have been removed]

3039. Re: Windows 7

Yahoo group: XMLog
Date: 2009-10-01 15:42:20 UTC
From: clannom
Topic: 3035 Message: 3039

I'm running XMLog and Windows 7. Works great! No issues.

-73,
Clint - N5MXE

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> Mark,
>
>
>
> Let us know how you make out. I am still running XP Pro on my shack
> computer as there are way to many ham radio programs like MMTTY, DigPan, Ham
> CAP, IonoProbe, DX Atlas, etc. that may have problems and did in the early
> day of Vista.
>
>
>
> I may leapfrog over Vista though and go to Win7 if it gets good reviews.
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> _____
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> tnhamop
> Sent: Wednesday, September 30, 2009 10:25 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Windows 7
>
>
>
>
>
>
> Has anyone tested XMLog against Windows 7? I am looking to upgrade soon and
> am hoping it works ok.
>
> 73's
> Mark KA4ICK

>
>
>
>
>
> [Non-text portions of this message have been removed]
>

3040. Re: Windows 7

Yahoo group: XMLog
Date: 2009-10-03 03:29:25 UTC
From: tnhamop
Topic: 3035 Message: 3040

OK, I loaded it and it brings up the old database fine. I always set my default settings to pick up the date and time on a new entry. It has always worked, but is not now. Is that working for you with Windows 7? I am using xmlog version 6.19

Thanks!

--- In XMLog@yahoogroups.com, "clannom" <clannom@...> wrote:
>
> I'm running XMLog and Windows 7. Works great! No issues.
>
> -73,
> Clint - N5MXE
>
> --- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@> wrote:
> >
> > Mark,
> >
> >
> >
> > Let us know how you make out. I am still running XP Pro on my shack
> > computer as there are way to many ham radio programs like MMTTY, DigPan, Ham
> > CAP, IonoProbe, DX Atlas, etc. that may have problems and did in the early
> > day of Vista.
> >
> >
> >
> > I may leapfrog over Vista though and go to Win7 if it gets good reviews.
> >
> >
> >
> > 73,
> >
> > - Craig, AE6RR
> >
> >
> >
> > _____
> >
> > From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> > tnhamop
> > Sent: Wednesday, September 30, 2009 10:25 AM
> > To: XMLog@yahoogroups.com
> > Subject: [XMLog] Windows 7
> >
> >

> >
> >
> >
> > Has anyone tested XMLog against Windows 7? I am looking to upgrade soon and
> > am hoping it works ok.
> >
> > 73's
> > Mark KA4ICK
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>

3041. Re: Windows 7

Yahoo group: XMLog
Date: 2009-10-03 03:35:52 UTC
From: tnhamop
Topic: 3035 Message: 3041

OK, I found my own error. I needed to check the "Use Default settings". All looks great here for Windows 7!

Thanks,
Mark

--- In XMLog@...m, "tnhamop" <tnhamop@...> wrote:
>
> OK, I loaded it and it brings up the old database fine. I always set my default settings to pick up the date and time on a new entry. It has always worked, but is not now. Is that working for you with Windows 7? I am using xmlog version 6.19
> >
> >
> > Thanks!
> >
> > --- In XMLog@yahoogroups.com, "clannom" <clannom@> wrote:
> > >
> > > I'm running XMLog and Windows 7. Works great! No issues.
> > >
> > > -73,
> > > Clint - N5MXE
> > >
> > > --- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@> wrote:
> > > >
> > > > Mark,
> > > >
> > > >
> > > >
> > > > Let us know how you make out. I am still running XP Pro on my shack
> > > > computer as there are way to many ham radio programs like MMTTY, DigPan, Ham
> > > > CAP, IonoProbe, DX Atlas, etc. that may have problems and did in the early
> > > > day of Vista.
> > > >
> > > >
> > > >
> > > > I may leapfrog over Vista though and go to Win7 if it gets good reviews.
> > > >
> > > >
> > > >
> > > > 73,
> > > >
> > > > - Craig, AE6RR
> > > >
> > > >
> > > >

> > > _____
> > >
> > > From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> > > tnhamop
> > > Sent: Wednesday, September 30, 2009 10:25 AM
> > > To: XMLog@yahoogroups.com
> > > Subject: [XMLog] Windows 7
> > >
> > >
> > >
> > >
> > >
> > > Has anyone tested XMLog against Windows 7? I am looking to upgrade soon and
> > > am hoping it works ok.
> > >
> > > 73's
> > > Mark KA4ICK
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been removed]
> > >
> >
>

3042. E51NOU is South Cook Is.

Yahoo group: XMLog
Date: 2009-10-04 18:08:10 UTC
From: Bert - W0RSB
Topic: 3042 Message: 3042

The file "DXCALLS.INI" has E51NOU hard-coded as 191, North Cook, when he's actually at 234, South Cook.

3043. Re: E51NOU is South Cook Is.

Yahoo group: XMLog
Date: 2009-10-05 15:26:15 UTC
From: w1ect
Topic: 3042 Message: 3043

Thanks for the heads-up Bert... I'll make the change for the next release. Until then folk should use the "View/Show Callsign List" menu option to delete the current entry and add it back with the correct country.

Mike - W1ECT

> The file "DXCALLS.INI" has E51NOU hard-coded as 191, North Cook, when he's actually at 234, South Cook.

3044. Show LOTW status in spot history, map, etc.?

Yahoo group: XMLog
Date: 2009-10-11 15:05:32 UTC
From: Bert - W0RSB
Topic: 3044 Message: 3044

Consider adding some sort of indication if a station is an LOTW user?
[If it's already in there somewhere, please let me know how to find it]

I use "dxpots.com" for my telnet cluster and in the packet window, the derived prefix of calls from folks on LOTW are prefixed with a "+".

Optionally, you could include HB9BZA's "lotw1.txt" file and use it directly, although this would require XMLOG users to periodically download the file themselves.

http://www.hb9bza.net/lotw/

QSL costs being what they are today, I'm much more inclined to work an LOTW user than otherwise.

3045. Re: [XMLog] Show LOTW status in spot history, map, etc.?

Yahoo group: XMLog
Date: 2009-10-11 15:27:51 UTC
From: Dave Sergeant
Topic: 3044 Message: 3045

On 11 Oct 2009 at 15:05, Bert - W0RSB wrote:

> Consider adding some sort of indication if a station is an LOTW user?
> [If it's already in there somewhere, please let me know how to find it]

I cannot see how this can be easily done. OK, when you are logged into the LOTW site you can type any callsign in and it will show you when that station last uploaded data. But there is no way there, when it says 'no log data found' whether that is because he is not a member or whether he is but not got round to uploading yet. The interface between XMLog and the LOTW site would be quite hard, if not impossible, to do.

> QSL costs being what they are today, I'm much more inclined to work an
> LOTW user than otherwise.

Really I find this depressing. Are you really saying you are going to check whether somebody is LOTW before even calling him? And in the case of most DXPeditions they only obtain LOTW approval after the event, so at the time of your contact they will not be recognised and certainly won't have uploaded logs from their desert island.

It is however encouraging that LOTW is now taking off in a big way. I have just run through a batch of paper QSLs and found at least 50% of them had already been confirmed by LOTW.

73 Dave G3YMC

http://www.davesergeant.com

3046. Re: Show LOTW status in spot history, map, etc.?

Yahoo group: XMLog
Date: 2009-10-11 16:33:46 UTC
From: k5kv
Topic: 3044 Message: 3046

I agree with the need for LOTW indication. Most of the DXers I know target DX stations who use LOTW. I have seen them pass on those who dont. I frequently use another program (VE7CC) to show this information and it is a pain to have the extra screen open.

Please let dxpeditions know you donate to those who provide LOTW uploads.

73
Benny K5KV

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 11 Oct 2009 at 15:05, Bert - W0RSB wrote:
>
> > Consider adding some sort of indication if a station is an LOTW user?
> > [If it's already in there somewhere, please let me know how to find it]
>
> I cannot see how this can be easily done. OK, when you are logged into
> the LOTW site you can type any callsign in and it will show you when
> that station last uploaded data. But there is no way there, when it
> says 'no log data found' whether that is because he is not a member or
> whether he is but not got round to uploading yet. The interface between
> XMLog and the LOTW site would be quite hard, if not impossible, to do.
>
> > QSL costs being what they are today, I'm much more inclined to work an
> > LOTW user than otherwise.
>
> Really I find this depressing. Are you really saying you are going to
> check whether somebody is LOTW before even calling him? And in the case
> of most DXPeditions they only obtain LOTW approval after the event, so
> at the time of your contact they will not be recognised and certainly
> won't have uploaded logs from their desert island.
>
> It is however encouraging that LOTW is now taking off in a big way. I
> have just run through a batch of paper QSLs and found at least 50% of
> them had already been confirmed by LOTW.
>
> 73 Dave G3YMC
>
>
>
> http://www.davesergeant.com
>

3047. Re: [XMLog] Show LOTW status in spot history, map, etc.?

Yahoo group: XMLog
Date: 2009-10-11 16:51:18 UTC
From: WILLIS COOKE
Topic: 3044 Message: 3047

It is on the packet window with a plus mark when a user. It is also on LOTW but you have to query call by call. For some reason the two don't always yield the same result.

Willis 'Cookie' Cooke
K5EWJ

--- On Sun, 10/11/09, Bert - W0RSB <bert.hyman@...> wrote:

From: Bert - W0RSB <bert.hyman@...>
Subject: [XMLog] Show LOTW status in spot history, map, etc.?
To: XMLog@yahoogroups.com
Date: Sunday, October 11, 2009, 8:05 AM

Consider adding some sort of indication if a station is an LOTW user?

[If it's already in there somewhere, please let me know how to find it]

I use "dxpots.com" for my telnet cluster and in the packet window, the derived prefix of calls from folks on LOTW are prefixed with a "+".

Optionally, you could include HB9BZA's "lotw1.txt" file and use it directly, although this would require XMLOG users to periodically download the file themselves.

http://www.hb9bza. net/lotw/

QSL costs being what they are today, I'm much more inclined to work an LOTW user than otherwise.

[Non-text portions of this message have been removed]

3048. Yaesu FT-950m?

Yahoo group: XMLog
Date: 2009-10-11 21:15:00 UTC
From: Stan Gantz
Topic: 3048 Message: 3048

Last month my old Yaesu FT-900 got trashed by lightning. I replaced with a new Yaesu FT-950, but now I do not see it listed on the HF rig port select list. What do I do? It is a newer type radio out only 1 year or so. I have used XM now for 10years+ HELP! Also, mail to both addresses for Mike have bounced back?????

Stan Gantz W5GZ

3049. Re: Show LOTW status in spot history, map, etc.?

Yahoo group: XMLog
Date: 2009-10-12 00:46:34 UTC
From: Bert - W0RSB
Topic: 3044 Message: 3049

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 11 Oct 2009 at 15:05, Bert - W0RSB wrote:
>
> > Consider adding some sort of indication if a station is an LOTW user?
> > [If it's already in there somewhere, please let me know how to find it]
>
> I cannot see how this can be easily done.

http://www.hb9bza.net/lotw/

This guy (or guys) collects logs from folks and analyzes them for LOTW confirmations and maintains a file of known LOTW users.

The file can be downloaded and used to mark spots as LOTW.

BandMaster (http://www.dxatlas.com/BandMaster/) among other apps does this.

3050. Is there a problem

Yahoo group: XMLog
Date: 2009-10-13 09:16:14 UTC
From: n7mal
Topic: 3050 Message: 3050

I've tried posting with no success. Is there a problem????
73

3051. Re: [XMLog] Is there a problem

Yahoo group: XMLog
Date: 2009-10-13 16:23:16 UTC
From: WILLIS COOKE
Topic: 3050 Message: 3051

There doesn't seem to be a problem Mal. I see this post OK.

Willis 'Cookie' Cooke
K5EWJ

--- On Tue, 10/13/09, n7mal <n7mal@...> wrote:

From: n7mal <n7mal@...>
Subject: [XMLog] Is there a problem
To: XMLog@yahoogroups.com
Date: Tuesday, October 13, 2009, 2:16 AM

I've tried posting with no success. Is there a problem????

73

[Non-text portions of this message have been removed]

3052. Re: [XMLog] Is there a problem

Yahoo group: XMLog
Date: 2009-10-13 16:39:49 UTC
From: N7mal
Topic: 3050 Message: 3052

Hi Willis: I tried twice to reply to the LOTW thing with no luck. I went to yahoo directly to send that test.
Thanks 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Tuesday, October 13, 2009 16:23
Subject: Re: [XMLog] Is there a problem

There doesn't seem to be a problem Mal. I see this post OK.

Willis 'Cookie' Cooke
K5EWJ

--- On Tue, 10/13/09, n7mal <n7mal@...> wrote:

From: n7mal <n7mal@...>
Subject: [XMLog] Is there a problem
To: XMLog@yahoogroups.com
Date: Tuesday, October 13, 2009, 2:16 AM

I've tried posting with no success. Is there a problem????

73

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.5.421 / Virus Database: 270.14.13/2432 - Release Date: 10/13/09 06:35:00

[Non-text portions of this message have been removed]

3053. Re: [XMLog] Is there a problem

Yahoo group: XMLog
Date: 2009-10-13 17:42:15 UTC
From: WILLIS COOKE
Topic: 3050 Message: 3053

I have been looking for a comment from you about LOTW and don't remember seeing one Mal. Although we don't always agree, I don't feel burdened by your opinion on LOTW as implied by your signature block, HI. While I like to get LOTW confirmation, I still would not pass a DX QSO because the station was not LOTW active. The Burro is slow, but often works and I will spring for the big bucks for a new one. I am 312 current and counting so I can smell Honor Roll in the distance. Glorioso and Mayotte are my recent mark offs with Mellish Reef not too long ago. I am currently listening to K4M on 30 meters working mostly west coast and Europe but too weak for me to get through the curtains. Try again for your LOTW comments, I for one am interested. This message is by email, but I use Yahoo online email, so it might work better than citilink.net.

Willis 'Cookie' Cooke
K5EWJ

--- On Tue, 10/13/09, N7mal <n7mal@...> wrote:

From: N7mal <n7mal@...>
Subject: Re: [XMLog] Is there a problem
To: XMLog@yahoogroups.com
Date: Tuesday, October 13, 2009, 9:39 AM

Hi Willis: I tried twice to reply to the LOTW thing with no luck. I went to

yahoo directly to send that test.

Thanks 73

MAL

N7MAL

BULLHEAD CITY, AZ

http://www.n7mal. com

Everyone in the world is

entitled to be burdened

by my opinion

----- Original Message -----

From: WILLIS COOKE

To: XMLog@yahoogroups. com

Sent: Tuesday, October 13, 2009 16:23

Subject: Re: [XMLog] Is there a problem

There doesn't seem to be a problem Mal. I see this post OK.

Willis 'Cookie' Cooke

K5EWJ

--- On Tue, 10/13/09, n7mal <n7mal@citlink. net> wrote:

From: n7mal <n7mal@citlink. net>

Subject: [XMLog] Is there a problem

To: XMLog@yahoogroups. com

Date: Tuesday, October 13, 2009, 2:16 AM

I've tried posting with no success. Is there a problem????

73

[Non-text portions of this message have been removed]

------------ --------- --------- ------

Yahoo! Groups Links

------------ --------- --------- --------- --------- --------- -

No virus found in this incoming message.

Checked by AVG - www.avg.com

Version: 8.5.421 / Virus Database: 270.14.13/2432 - Release Date: 10/13/09

06:35:00

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3054. Re: [XMLog] Is there a problem

Yahoo group: XMLog
Date: 2009-10-13 22:45:56 UTC
From: N7mal
Topic: 3050 Message: 3054

Hi Willis: This email list is for solving Mlog problems and that was the thrust of the email that keeps getting lost. Your opinion, or mine, is of no function/use on this mailing list.
Again just my -2cents worth
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Tuesday, October 13, 2009 17:42
Subject: Re: [XMLog] Is there a problem

I have been looking for a comment from you about LOTW and don't remember seeing one Mal. Although we don't always agree, I don't feel burdened by your opinion on LOTW as implied by your signature block, HI. While I like to get LOTW confirmation, I still would not pass a DX QSO because the station was not LOTW active. The Burro is slow, but often works and I will spring for the big bucks for a new one. I am 312 current and counting so I can smell Honor Roll in the distance. Glorioso and Mayotte are my recent mark offs with Mellish Reef not too long ago. I am currently listening to K4M on 30 meters working mostly west coast and Europe but too weak for me to get through the curtains. Try again for your LOTW comments, I for one am interested. This message is by email, but I use Yahoo online email, so it might work better than citilink.net.

Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

3055. Show LOTW status

Yahoo group: XMLog
Date: 2009-10-13 22:49:13 UTC
From: n7mal
Topic: 3055 Message: 3055

I tried 4 times now I'm copy/paste via yahoo directly

Subject: Re: Show LOTW status

I've posted this info several times here on this mailing list. It saves so much time and provides exactly what you are looking for. It displays a + before the time
Here is an example, the plus before the time indicates VK6BN uses LOTW...

DX de W2QN: 7006.7 VK6BN Alan on Long Path + 2253Z
VK6BN (Australia, 241) - RTTY 160 30 20+ 17 15+ 12 6

Here's how you get the plus sign. You must download and use the VE7CC terminal software. After you are connected to your favorite AR cluster and have set your preferences, minimize the VE7CC software you no longer need to waste space with it open in a window.

Next create a file in the MLOG directory called network.nod. Copy the following into the network.nod file you just created. If you don't know how send me your email address and I'll email you a network.nod file. Save it to your mlog directory.

rem
rem Internet AR-PacketCluster at network network
rem
connect 127.0.0.1:7300
match login:

Lastly to connect mlog to the ve7cc terminal bring up the mlog terminal and press F5 and click on network.

I have done this for years, as have others, and it works flawlessly.
Good Luck 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

3056. Install Problem

Yahoo group: XMLog
Date: 2009-10-14 01:40:16 UTC
From: n3dd
Topic: 3056 Message: 3056

Mike

I cannot install Beta 6.20 or 6.21. When I click on Setup, the install stops at the first window that says "Copying files, please stand-by" and crashes the computer. Never had any problems before. Running XP SP3.

Any ideas?

Dom
N3DD

3057. Re: Install Problem

Yahoo group: XMLog
Date: 2009-10-15 15:48:05 UTC
From: w1ect
Topic: 3056 Message: 3057

Sorry Dom, I don't know what the problem might be. I haven't changed the installer or any of the system library routines since 6.19. If you can't get things running you can do a back-door install on top of whatever you've installed previously by just replacing the XMLog executable (mlog.exe) from the zip file. Not much else has been changed since then (help file and "Show Callsign List" entries).

Mike - W1ECT

3058. Re: [XMLog] Re: Show LOTW status in spot history, map, etc.?

Yahoo group: XMLog
Date: 2009-10-11 22:48:04 UTC
From: WILLIS COOKE
Topic: 3044 Message: 3058

I think it is a mistake to pass on DX contacts depending on LOTW status. I work the DX whether they are LOTW or not. I currently have 20,170 QSOs listed on LOTW and 3,860 confirmations. This is about a 19% response ratio and it is higher for US stations than for DX stations. I probably get as many DX QSLs unsolicited through the ARRL incoming bureau as I do through LOTW. Also LOTW is good only for ARRL awards. If you are interested in County Hunting, Worked All Zones and other non ARRL awards you will need confirmation through paper QSLs or lately EQSL for CQ awards.

I work DX for the joy of working DX. I am at a point when it is rare to work a new country and I play the DX station game as best I can. I like the LOTW confirmation if I can get it, but I also contribute to well run dxpeditions. It is work $5 to $20 depending on the nature of the dxpedition to me to have them there and get the confirmation. Most of the participants lay out thousands, sometimes tens of thousands to get there and give us the contacts.

For starting DXers, I recommend working lots of DX stations and hope for the confirmations. Send lots of cards through the outgoing ARRL bureau and hope for lots of cards in return. Expect it to take at least a year for round trip and you will see some that take two years or more. I just got an envelope from the incoming bureau with mostly 2007 cards with a few from 2008 and very few from 2009. There are some from 2006.

Look for the --|-- mark before the Phone CW RTTY indicator on the Packet screen for an indicator of LOTW. I am not sure how this is derived, but I have not found it to be 100% reliable, but it is useful.

Willis 'Cookie' Cooke
K5EWJ, Contest Chairman, Texas DX Socitey

--- On Sun, 10/11/09, k5kv <k5kvm5@...> wrote:

From: k5kv <k5kvm5@...>
Subject: [XMLog] Re: Show LOTW status in spot history, map, etc.?
To: XMLog@yahoogroups.com
Date: Sunday, October 11, 2009, 9:33 AM

I agree with the need for LOTW indication. Most of the DXers I know target DX stations who use LOTW. I have seen them pass on those who dont. I frequently use another program (VE7CC) to show this information and it is a pain to have the extra screen open.

Please let dxpeditions know you donate to those who provide LOTW uploads.

73

Benny K5KV

--- In XMLog@yahoogroups. com, "Dave Sergeant" <dave@...> wrote:

>

> On 11 Oct 2009 at 15:05, Bert - W0RSB wrote:

>

> > Consider adding some sort of indication if a station is an LOTW user?

> > [If it's already in there somewhere, please let me know how to find it]

>

> I cannot see how this can be easily done. OK, when you are logged into

> the LOTW site you can type any callsign in and it will show you when

> that station last uploaded data. But there is no way there, when it

> says 'no log data found' whether that is because he is not a member or

> whether he is but not got round to uploading yet. The interface between

> XMLog and the LOTW site would be quite hard, if not impossible, to do.

>

> > QSL costs being what they are today, I'm much more inclined to work an

> > LOTW user than otherwise.

>

> Really I find this depressing. Are you really saying you are going to

> check whether somebody is LOTW before even calling him? And in the case

> of most DXPeditions they only obtain LOTW approval after the event, so

> at the time of your contact they will not be recognised and certainly

> won't have uploaded logs from their desert island.

>

> It is however encouraging that LOTW is now taking off in a big way. I

> have just run through a batch of paper QSLs and found at least 50% of

> them had already been confirmed by LOTW.

>

> 73 Dave G3YMC

>

>

>

> http://www.daveserg eant.com

>

[Non-text portions of this message have been removed]

3059. Re: Show LOTW status

Yahoo group: XMLog
Date: 2009-10-12 00:00:15 UTC
From: N7mal
Topic: 3055 Message: 3059

I've posted this info several times here on this mailing list. It saves so much time and provides exactly what you are looking for. It displays a + before the time
Here is an example, the plus before the time indicates VK6BN uses LOTW...

DX de W2QN: 7006.7 VK6BN Alan on Long Path + 2253Z
VK6BN (Australia, 241) - RTTY 160 30 20+ 17 15+ 12 6

Here's how you get the plus sign. You must download and use the VE7CC terminal software. After you are connected to your favorite AR cluster and have set your preferences, minimize the VE7CC software you no longer need to waste space with it open in a window.

Next create a file in the MLOG directory called network.nod. Copy the following into the network.nod file you just created. If you don't know how send me your email address and I'll email you a network.nod file. Save it to your mlog directory.

rem
rem Internet AR-PacketCluster at network network
rem
connect 127.0.0.1:7300
match login:

Lastly to connect mlog to the ve7cc terminal bring up the mlog terminal and press F5 and click on network.

I have done this for years, as have others, and it works flawlessly.
Good Luck 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

3060. Re: Show LOTW status

Yahoo group: XMLog
Date: 2009-10-12 08:44:47 UTC
From: N7mal
Topic: 3055 Message: 3060

I've posted this info several times here on this mailing list. It saves so much time and provides exactly what you are looking for. It displays a + before the time
Here is an example, the plus before the time indicates VK6BN uses LOTW...

DX de W2QN: 7006.7 VK6BN Alan on Long Path + 2253Z
VK6BN (Australia, 241) - RTTY 160 30 20+ 17 15+ 12 6

Here's how you get the plus sign. You must download and use the VE7CC terminal software. After you are connected to your favorite AR cluster and have set your preferences, minimize the VE7CC software you no longer need to waste space with it open in a window.

Next create a file in the MLOG directory called network.nod. Copy the following into the network.nod file you just created. If you don't know how send me your email address and I'll email you a network.nod file. Save it to your mlog directory.

rem
rem Internet AR-PacketCluster at network network
rem
connect 127.0.0.1:7300
match login:

Lastly to connect mlog to the ve7cc terminal bring up the mlog terminal and press F5 and click on network.

I have done this for years, as have others, and it works flawlessly.
Good Luck 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

3061. Fw: Show LOTW status

Yahoo group: XMLog
Date: 2009-10-13 22:32:46 UTC
From: N7mal
Topic: 3061 Message: 3061

Subject: Re: Show LOTW status

I've posted this info several times here on this mailing list. It saves so much time and provides exactly what you are looking for. It displays a + before the time
Here is an example, the plus before the time indicates VK6BN uses LOTW...

DX de W2QN: 7006.7 VK6BN Alan on Long Path + 2253Z
VK6BN (Australia, 241) - RTTY 160 30 20+ 17 15+ 12 6

Here's how you get the plus sign. You must download and use the VE7CC terminal software. After you are connected to your favorite AR cluster and have set your preferences, minimize the VE7CC software you no longer need to waste space with it open in a window.

Next create a file in the MLOG directory called network.nod. Copy the following into the network.nod file you just created. If you don't know how send me your email address and I'll email you a network.nod file. Save it to your mlog directory.

rem
rem Internet AR-PacketCluster at network network
rem
connect 127.0.0.1:7300
match login:

Lastly to connect mlog to the ve7cc terminal bring up the mlog terminal and press F5 and click on network.

I have done this for years, as have others, and it works flawlessly.
Good Luck 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

3062. Re: Install Problem

Yahoo group: XMLog
Date: 2009-10-15 20:09:41 UTC
From: n3dd
Topic: 3056 Message: 3062

Mike

Found the culprit. Norton AntiVirus 2010 just doesn't like XMLog. Had to do a complete uninstall of Norton and then 6.21 installed just fine. Never had the problem with previous versions of Norton.

Dom - N3DD

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Sorry Dom, I don't know what the problem might be. I haven't changed the installer or any of the system library routines since 6.19. If you can't get things running you can do a back-door install on top of whatever you've installed previously by just replacing the XMLog executable (mlog.exe) from the zip file. Not much else has been changed since then (help file and "Show Callsign List" entries).
>
> Mike - W1ECT
>

3063. Windows 7 and FT1000MP MKv

Yahoo group: XMLog
Date: 2009-10-16 19:19:07 UTC
From: Raymond
Topic: 3063 Message: 3063

Since I have upgraded the OS to W7 I have been unable to access the Rig with XMLog. All I receive is No response from Rig warning. I have checked all the settings and still it does not function with W7 x32, curiously though it works fine with Windows 7 64bit OS, So I am kind of at a loss. The comm. Port is functioning fine as it works with the Rig in HRDeluxe. Serial to USB adapter is being used. Anyone else see this problem?

Thanks

Ray K7FU

3064. Re: [XMLog] Re: Show LOTW status

Yahoo group: XMLog
Date: 2009-10-18 06:18:33 UTC
From: N7mal
Topic: 3055 Message: 3064

On October 13th I posted this: "" I tried 4 times now I'm copy/paste via yahoo directly ""
Somewhere those multiple postings kept getting lost and then magically all showed up at once. Each one was sent more than 24 hours later than the previous one.
I guess I should apologize for the same posting showing up 4 times but I don't know what to apologize for.
I am sorry it happened and if anyone can explain what was going I would sure like to know.
Very best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Hylton Conacher (ZR1HPC)
To: XMLog@yahoogroups.com
Cc: n7mal@...
Sent: Sunday, October 18, 2009 6:07
Subject: Re: [XMLog] Re: Show LOTW status

Hi Hal,

And the group has received it at least three times in the last two days.

N7mal wrote:
> I've posted this info several times here on this mailing list. It saves so
> much time and provides exactly what you are looking for. It displays a +
> before the time

<snip>

73 de ZR1HPC
Hylton
--

[Non-text portions of this message have been removed]

3065. Re: Windows 7 and FT1000MP MKv

Yahoo group: XMLog
Date: 2009-10-22 17:07:31 UTC
From: w1ect
Topic: 3063 Message: 3065

Hi Ray, Sounds pretty mysterious. XMLog uses low-level system calls to directly access the COM port, perhaps your virus/malware software is blocking things? You can try temporarily disabling whatever protection software you use and see if that makes a difference

XMLog also supports the OmniRig rig control system, perhaps this alternative would provide a solution.

Mike - W1ECT

3066. XMLOG and Windows 7 - 64 bit ?

Yahoo group: XMLog
Date: 2009-10-23 17:44:04 UTC
From: tnhamop
Topic: 3066 Message: 3066

XMLOG works great on Windows 7 32 bit. Has anyone tried it on 64 bit yet??

Thanks,
Mark KA4ICK

3067. Assign Site Error message

Yahoo group: XMLog
Date: 2009-10-26 16:19:56 UTC
From: Craig Bradley
Topic: 3067 Message: 3067

Mike, I have been getting this error message a lot lately with version 6.18.

There are many of them stacked up, if I close the window they keep popping up.

I have to use the task manager to close XMLog.

Any ideas?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3068. Re: Assign Site Error message

Yahoo group: XMLog
Date: 2009-10-27 14:28:04 UTC
From: w1ect
Topic: 3067 Message: 3068

Hi Craig, It seems that when the Packet Spot Map window had displayed 32,000+ spots this error occurred. Exiting/Restarting XMLog will reset the counter causing the problem. No doubt this was caused by all the spot activity during this weekends contest. I've posted a fix at www.xmlog.com/beta

Mike - W1ECT

3069. RE: [XMLog] Re: Assign Site Error message

Yahoo group: XMLog
Date: 2009-10-27 16:11:26 UTC
From: Craig Bradley
Topic: 3067 Message: 3069

Thanks Mike,

I will try it out.

As I leave XMLog up and running 24/7 with the Spots Map on top, this can occur if the packet cluster doesn't disconnect me periodically.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, October 27, 2009 7:28 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Assign Site Error message

Hi Craig, It seems that when the Packet Spot Map window had displayed 32,000+ spots this error occurred. Exiting/Restarting XMLog will reset the counter causing the problem. No doubt this was caused by all the spot activity during this weekends contest. I've posted a fix at www.xmlog.com/beta

Mike - W1ECT

[Non-text portions of this message have been removed]

3070. Adventures with Windows 7 and XMLog

Yahoo group: XMLog
Date: 2009-11-05 18:24:34 UTC
From: WILLIS COOKE
Topic: 3070 Message: 3070

My computer running XP Professional, a Pentium 4 and equiped with what was a lot of RAM (384 meg) in 2002 when I bought it has gradually become very slow and ground to a halt. I sought help on the internet from fellow hams and was advised to buy more RAM for the Pentium 4 Machine, but I pretty much wanted to buy a killer machine. So like any good ham would have done, I ordered a HP Pavilion p6230f Desktop with an AMD Phenom X4 processor, 8 Gig of RAM and 684 Gig of Hard Drive. Just in case that is not enough or it will not run some of my favorite programs yet, I ordered 2 Gig of RAM for the XP machine.

The Pavilion is now here and I am trying to get it going with XMLog so I can get back to working DX. I am having a few problems that you should all know about and maybe I will get lucky and someone will have some words of wisdom/

XMLog loads and seems to work. It is really nice to check for Award status and have the program check 22,000 entries for DXCC in about three seconds. I searched the internet for the latest WinKeyer USB driver and the latest Prolific Virtual Com Port driver for my Elecraft K3 connection. The WinKeyer connection appears to work, but the K3 connection does not. It works with the Elecraft firmware upload program, but not XMLog just yet. Both worked with the XP, but sometimes slowly and eradically, presumably due to low RAM.

Now for the wierd part.. When using the CW Keyboard window, if I hit the Esc key to stop a message or accidently the entire XMLog program stops responding and after a while, Windows gives a warning and closes it. The Window says that Windows is looking for a solution, but if it finds it, it keeps it secret.

When I try to close XMLog, either by clicking on the Red X or by choosing the Exit command, the program stops responding and Windows closes it as above. If I try to close it with the Task Manager (CTL-ALT-DEL) eventually Windows takes over and closes it in the same manner.

When I launch XMLog Packet responds with a Network error, Address unknown or no current internet connection. I can close the warning pop-up and open the internet cluster connection normally after that and it works fine except for an occassional uncommanded (by me!) disconnect. (but I had that before!). If I try to close the packet window with the red x then I get the not responding pop up.

So it works, well enough to use it, but really not very well. Any ideas?

I just can;t wait to do this all over with N1MM, Win1010 and the SKCC logger.
 Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

3071. RE: [XMLog] Adventures with Windows 7 and XMLog

Yahoo group: XMLog
Date: 2009-11-06 05:33:00 UTC
From: Craig Bradley
Topic: 3070 Message: 3071

The packet window is probably being blocked by the firewall; you will probably need to specifically allow this program. I haven't tried Win7 yet so that is all I can offer.

Good luck & 73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Thursday, November 05, 2009 10:25 AM
To: XMLog@yahoogroups.com; Elecraft Reflector
Subject: [XMLog] Adventures with Windows 7 and XMLog

My computer running XP Professional, a Pentium 4 and equiped with what was a lot of RAM (384 meg) in 2002 when I bought it has gradually become very slow and ground to a halt. I sought help on the internet from fellow hams and was advised to buy more RAM for the Pentium 4 Machine, but I pretty much wanted to buy a killer machine. So like any good ham would have done, I ordered a HP Pavilion p6230f Desktop with an AMD Phenom X4 processor, 8 Gig of RAM and 684 Gig of Hard Drive. Just in case that is not enough or it will not run some of my favorite programs yet, I ordered 2 Gig of RAM for the XP machine.

The Pavilion is now here and I am trying to get it going with XMLog so I can get back to working DX. I am having a few problems that you should all know about and maybe I will get lucky and someone will have some words of wisdom/

XMLog loads and seems to work. It is really nice to check for Award status and have the program check 22,000 entries for DXCC in about three seconds. I searched the internet for the latest WinKeyer USB driver and the latest Prolific Virtual Com Port driver for my Elecraft K3 connection. The WinKeyer connection appears to work, but the K3 connection does not. It works with the Elecraft firmware upload program, but not XMLog just yet. Both worked with the XP, but sometimes slowly and eradically, presumably due to low RAM.

Now for the wierd part.. When using the CW Keyboard window, if I hit the Esc key to stop a message or accidently the entire XMLog program stops responding and after a while, Windows gives a warning and closes it. The Window says that Windows is looking for a solution, but if it finds it, it keeps it secret.

When I try to close XMLog, either by clicking on the Red X or by choosing the Exit command, the program stops responding and Windows closes it as

above. If I try to close it with the Task Manager (CTL-ALT-DEL) eventually Windows takes over and closes it in the same manner.

When I launch XMLog Packet responds with a Network error, Address unknown or no current internet connection. I can close the warning pop-up and open the internet cluster connection normally after that and it works fine except for an occassional uncommanded (by me!) disconnect. (but I had that before!). If I try to close the packet window with the red x then I get the not responding pop up.

So it works, well enough to use it, but really not very well. Any ideas?

I just can;t wait to do this all over with N1MM, Win1010 and the SKCC logger.
Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3072. RE:Configuring Internet Port to Retreive DX Spots

Yahoo group: XMLog
Date: 2009-11-07 23:56:50 UTC
From: wb6cyk
Topic: 3072 Message: 3072

I am trying to set up XMLog with CWSkimmer and RigSync. I am getting an error on the info I enter (www.dxsummit.if) in the Node File Name Blank in XMLog. Should I be using Telnet? I'm using Win XP Professional.
Any help I can get on this whole process will be greatly appreciated.

Burton - wb6cyk

3073. RE: [XMLog] RE:Configuring Internet Port to Retreive DX Spots

Yahoo group: XMLog
Date: 2009-11-08 00:04:47 UTC
From: Craig Bradley
Topic: 3072 Message: 3073

Yes, you need to use a Telnet.

Try n7od.pentux.net

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of wb6cyk
Sent: Saturday, November 07, 2009 3:57 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] RE:Configuring Internet Port to Retreive DX Spots

I am trying to set up XMLog with CWSkimmer and RigSync. I am getting an error on the info I enter (www.dxsummit.if) in the Node File Name Blank in XMLog. Should I be using Telnet? I'm using Win XP Professional.
Any help I can get on this whole process will be greatly appreciated.

Burton - wb6cyk

[Non-text portions of this message have been removed]

3074. Re: RE:Configuring Internet Port to Retreive DX Spots

Yahoo group: XMLog
Date: 2009-11-08 17:30:38 UTC
From: w1ect
Topic: 3072 Message: 3074

Hi Burton, I know the CWSkimmer package has an add-on that makes it simulate a PacaketCluster node and everything CWSkimmer identifies gets put out looking like a PacketCluster spot. You need to install "CWSkimmer Server" to get this feature to work. I did get it going at one time but I don't remember how difficult it was to set it up.

However, if you're just trying to connect to a normal Internet PacketCluster Node here's one list I found via a Google, don't know how up-to-date it is:

http://www.dxcluster.info/telnet.shtml

Check the XMLog help file sections on Internet Packet Connections and Packet Node Files for more info on logging on to PacketCluster Nodes.

Mike - W1ECT

3075. Beta Version 6.24

Yahoo group: XMLog
Date: 2009-11-11 21:33:28 UTC
From: w1ect
Topic: 3075 Message: 3075

Hi - I've just posted a new beta test version at www.xmlog.com/beta This version includes updates to the runtime package from Microsoft including the COM port controls used by XMLog for Rig Control. These new controls may help with problems people have been having with Windows 7 but the list of updates didn't contain anything that looked promising, but who knows - give it a try.

Hopefully this won't be a step backwards...

Mike - W1ECT

3076. 6.24 and W7

Yahoo group: XMLog
Date: 2009-11-11 23:25:02 UTC
From: Raymond
Topic: 3076 Message: 3076

Still no love with this version either. It appears that a Windows update has occured and has made some changes to how it interacts with xmlog. I had it working on W7 64 bit just fine and it updated and now has the same problem as the W7 32 bit os. Neither see's the rig. Ft1000MP Mark V and I am using a usb/serial adapter. Once again I have no problems with HRDelux seeing the rig with the same adapter, and I have installed the latest drivers that I can find.

K7FU

3077. Re: 6.24 and W7

Yahoo group: XMLog
Date: 2009-11-12 17:27:27 UTC
From: w1ect
Topic: 3076 Message: 3077

OK, Until I have a Windows 7 system to test with or there are some further updates to the runtime package there doesn't seem to be anything more to try.

In the meantime you could try XMLog's OmniRig interface:

http://www.dxatlas.com/omnirig

For more info select "Help" from the "Options/HF Rig Port" dialog box.

Mike - W1ECT

3078. Re: [XMLog] Re: 6.24 and W7

Yahoo group: XMLog
Date: 2009-11-12 19:02:18 UTC
From: WILLIS COOKE
Topic: 3076 Message: 3078

Thanks for your efforts Mike. I have not had time to test your Beta version yet, nor time to install my hardware RS-232 connection but I hope to get to these items soon.

Are you trying to tell us that you don't have 7,000 programmers and 40,000 application developers like Microsoft? Next, you will be telling us that you don't have as much money as Bill Gates!
 Willis 'Cookie' Cooke
K5EWJ

From: w1ect <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Thu, November 12, 2009 11:27:27 AM
Subject: [XMLog] Re: 6.24 and W7

OK, Until I have a Windows 7 system to test with or there are some further updates to the runtime package there doesn't seem to be anything more to try.

In the meantime you could try XMLog's OmniRig interface:

http://www.dxatlas. com/omnirig

For more info select "Help" from the "Options/HF Rig Port" dialog box.

Mike - W1ECT

[Non-text portions of this message have been removed]

3079. Thank you

Yahoo group: XMLog
Date: 2009-11-18 18:09:52 UTC
From: BT Mail
Topic: 3079 Message: 3079

Just a test to confirm. Have just started to look at XMlog.
GI4AAM

[Non-text portions of this message have been removed]

3080. Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-19 18:23:57 UTC
From: rohn45
Topic: 3080 Message: 3080

I need to export only part of an existing XM log to LoTW, for instance, QSOs 697-824. The previous QSOs were already exported. I do not seem to be able to create an adif file with just the selected QSOs.
Thanks,
Doug K4LY

3081. Re: Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-20 17:13:40 UTC
From: w1ect
Topic: 3080 Message: 3081

Hi Doug, There's no way to select QSO's by number but perhaps selecting by date would do the job. For example you could search your log using a date of: >=1/1/09,<=1/31/09 to select all QSO's in January 2009 and then when you create the ADIF file choose the "Use Currently Selected Log Entries" rather than "All Log Entries".

For more info on search keys check the "Searching the log" info in the help file.

If this kind of strategy won't do the trick let me know and I'm sure we can work something out.

Mike - W1ECT

3082. Re: [XMLog] Re: Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-20 18:24:40 UTC
From: Doug Allen
Topic: 3080 Message: 3082

Hi Mike,
Thank you for help. I'll try that next week on my next upload to LoTW.
What I ended up doing was creating the adi text file on wordpad and then
deleting the part I didn't want to upload, saving it, and uploading it. I
have a couple more questions, but let me study and experiment a little while
longer before asking them.
73,
Doug k4LY

On Fri, Nov 20, 2009 at 12:13 PM, w1ect <w1ect@...> wrote:

> Hi Doug, There's no way to select QSO's by number but perhaps selecting by
> date would do the job. For example you could search your log using a date
> of: >=1/1/09,<=1/31/09
> to select all QSO's in January 2009 and then when you create the ADIF file
> choose the "Use Currently Selected Log Entries" rather than "All Log
> Entries".
>
> For more info on search keys check the "Searching the log" info in the help
> file.
>
> If this kind of strategy won't do the trick let me know and I'm sure we can
> work something out.
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

3083. Re: [XMLog] Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-20 19:18:46 UTC
From: WILLIS COOKE
Topic: 3080 Message: 3083

Just sort by dates Doug, ie Select in the date window (>1/1/08,<6/18/09) or just >1/1/08 if you go to the present date. Then when you make the ADIF put the marker in Currently selected entries. If you have a few duplicates mixed in LOTW will sort it out. Just don't send the whole log every time so their software uses a lot of bandwidth sorting out hundreds or thousands of QSOs. Make sense?
 Willis 'Cookie' Cooke
K5EWJ

From: rohn45 <dougk4ly@gmail.com>
To: XMLog@yahoogroups.com
Sent: Thu, November 19, 2009 12:23:57 PM
Subject: [XMLog] Exporting to LoTW

I need to export only part of an existing XM log to LoTW, for instance, QSOs 697-824. The previous QSOs were already exported. I do not seem to be able to create an adif file with just the selected QSOs.
Thanks,
Doug K4LY

[Non-text portions of this message have been removed]

3084. Re: [XMLog] Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-20 23:29:54 UTC
From: Michael McCarthy
Topic: 3080 Message: 3084

Assuming that you set the "LoTW Sent" date field when you previously exported your log, then search for all "LoTW Sent" fields that are blank by just specifying "=" in that field. Then export "Currently Selected" with "Set LoTW Sent" and your all set.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Thu, 11/19/09, rohn45 <dougk4ly@...> wrote:

From: rohn45 <dougk4ly@...>
Subject: [XMLog] Exporting to LoTW
To: XMLog@yahoogroups.com
Date: Thursday, November 19, 2009, 1:23 PM

I need to export only part of an existing XM log to LoTW, for instance, QSOs 697-824. The previous QSOs were already exported. I do not seem to be able to create an adif file with just the selected QSOs.

Thanks,

Doug K4LY

[Non-text portions of this message have been removed]

3085. Re: [XMLog] Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-20 23:34:52 UTC
From: N7mal
Topic: 3080 Message: 3085

I guess the 'logical' question to ask is QSO# 824 the last QSO in your log?
If so then it is a very simple/easy procedure.
You simply scroll back to QSO# 697 and make note of the date. Next click on select and in the date box enter the following:
=>mm/dd/yy and hit the enter key..... (mm/dd/yy is the date of QSO# 697)
In the lower left hand corner you will see: Entry 1 of 127
Next export this as an ADIF file with the name of your choice. Then use the ARRL-LOTW software to convert the ADIF file to a TQ8 file and upload it to LOTW.

I do this exercise at least 2 or 3 times every month because I'm an active contester/DXer. After every contest I import the contest log into Mlog and the export the not only the contest log but also any DX I've worked in between contests. I can probably to this with my eyes closed and 1 hand tied behind my back...hihihihihi
Good Luck & Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: rohn45
To: XMLog@yahoogroups.com
Sent: Thursday, November 19, 2009 18:23
Subject: [XMLog] Exporting to LoTW

I need to export only part of an existing XM log to LoTW, for instance, QSOs 697-824. The previous QSOs were already exported. I do not seem to be able to create an adif file with just the selected QSOs.
Thanks,
Doug K4LY

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.5.425 / Virus Database: 270.14.74/2515 - Release Date: 11/20/09 08:02:00

[Non-text portions of this message have been removed]

3086. Re: [XMLog] Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-21 16:23:25 UTC
From: Doug Allen
Topic: 3080 Message: 3086

Thanks all,
I am having fun with XMlog and am part way up the learning slope! Thanks for the info on uploading a recent part of log to LoTW by selecting date. I did it by editing the adif file on worpad before uploading it, but using the date will cut out a couple of steps.

This morning I was able to use HF Rig Port Select successfully so I can now click on a DX cluster station and my TS-850 goes to that frequency and mode. Is there a way for the station/freq/mode infomation to also appear on the XMlog ?
I haven't figured that one out!

I am now attempting to download LoTW to my XMlog. My LoTW download ended up in wordpad as a "MLog" text file was nor incorporated in so I'll see if I can figure out what I did wrong.
Every one have a good weekend and hope to work you on SS.

Doug K4LY ex-W0AH W2CRS K1UGQ etc.

On Fri, Nov 20, 2009 at 6:34 PM, N7mal <n7mal@...> wrote:

> I guess the 'logical' question to ask is QSO# 824 the last QSO in your log?
> If so then it is a very simple/easy procedure.
> You simply scroll back to QSO# 697 and make note of the date. Next click on
> select and in the date box enter the following:
> =>mm/dd/yy and hit the enter key..... (mm/dd/yy is the date of QSO# 697)
> In the lower left hand corner you will see: Entry 1 of 127
> Next export this as an ADIF file with the name of your choice. Then use the
> ARRL-LOTW software to convert the ADIF file to a TQ8 file and upload it to
> LOTW.
>
> I do this exercise at least 2 or 3 times every month because I'm an active
> contester/DXer. After every contest I import the contest log into Mlog and
> the export the not only the contest log but also any DX I've worked in
> between contests. I can probably to this with my eyes closed and 1 hand
> tied
> behind my back...hihihihihi
> Good Luck & Best 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened

> by my opinion
>
> ----- Original Message -----
> From: rohn45
> To: XMLog@yahoogroups.com
> Sent: Thursday, November 19, 2009 18:23
> Subject: [XMLog] Exporting to LoTW
>
>
> I need to export only part of an existing XM log to LoTW, for instance,
> QSOs
> 697-824. The previous QSOs were already exported. I do not seem to be
> able
> to create an adif file with just the selected QSOs.
> Thanks,
> Doug K4LY
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
> --
>
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 8.5.425 / Virus Database: 270.14.74/2515 - Release Date: 11/20/09
> 08:02:00
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

[Non-text portions of this message have been removed]

3087. Re: [XMLog] Exporting to LoTW

Yahoo group: XMLog
Date: 2009-11-21 17:52:39 UTC
From: WILLIS COOKE
Topic: 3080 Message: 3087

Hi Doug. Go to Edit and open the Edit Defaults for new entries. Fill in the defaults that are approptiate. Get the date and time from the computer. Get the mode and frequency from the transceiver. Fill in the power that you will use most often. Those are the ones that I use most of the time, but they are easy to change if you are doing something different like entering QSOs from an old paper log, or you change your power, or whatever.

Then select Use Defaults for new Entry. You can turn this on and off as well.

When you select Edit, Add New Entry the defaults wil appear. When you are ready to enter a QSO, first his clear and your entries will update. To update a block, like the time after you have a call entered, double click on the block and it will get you a new time. The frequency and mode does not change as you tune your transceiver, only when you select Clear or Add a QSO and get ready to start another.
 Willis 'Cookie' Cooke
K5EWJ

_____
From: Doug Allen <dougk4ly@...>
To: XMLog@yahoogroups.com
Sent: Sat, November 21, 2009 10:23:25 AM
Subject: Re: [XMLog] Exporting to LoTW

Thanks all,
I am having fun with XMlog and am part way up the learning slope! Thanks for the info on uploading a recent part of log to LoTW by selecting date. I did it by editing the adif file on worpad before uploading it, but using the date will cut out a couple of steps.

This morning I was able to use HF Rig Port Select successfully so I can now click on a DX cluster station and my TS-850 goes to that frequency and mode. Is there a way for the station/freq/ mode infomation to also appear on the XMlog ?
I haven't figured that one out!

I am now attempting to download LoTW to my XMlog. My LoTW download ended up in wordpad as a "MLog" text file was nor incorporated in so I'll see if I can figure out what I did wrong.
Every one have a good weekend and hope to work you on SS.

Doug K4LY ex-W0AH W2CRS K1UGQ etc.

On Fri, Nov 20, 2009 at 6:34 PM, N7mal <n7mal@citlink. net> wrote:

> I guess the 'logical' question to ask is QSO# 824 the last QSO in your log?
> If so then it is a very simple/easy procedure.
> You simply scroll back to QSO# 697 and make note of the date. Next click on
> select and in the date box enter the following:

> =>mm/dd/yy and hit the enter key..... (mm/dd/yy is the date of QSO# 697)
> In the lower left hand corner you will see: Entry 1 of 127
> Next export this as an ADIF file with the name of your choice. Then use the
> ARRL-LOTW software to convert the ADIF file to a TQ8 file and upload it to
> LOTW.
>
> I do this exercise at least 2 or 3 times every month because I'm an active
> contester/DXer. After every contest I import the contest log into Mlog and
> the export the not only the contest log but also any DX I've worked in
> between contests. I can probably to this with my eyes closed and 1 hand
> tied
> behind my back...hihihihihi
> Good Luck & Best 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal. com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: rohn45
> To: XMLog@yahoogroups. com
> Sent: Thursday, November 19, 2009 18:23
> Subject: [XMLog] Exporting to LoTW
>
>
> I need to export only part of an existing XM log to LoTW, for instance,
> QSOs
> 697-824. The previous QSOs were already exported. I do not seem to be
> able
> to create an adif file with just the selected QSOs.
> Thanks,
> Doug K4LY
>
>
>
> ------------ --------- --------- ------
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
> ------------ --------- --------- --------- --------- --------- -

>
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 8.5.425 / Virus Database: 270.14.74/2515 - Release Date: 11/20/09
> 08:02:00
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------ --------- --------- ------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3088. Windows 7?

Yahoo group: XMLog
Date: 2009-11-21 18:02:37 UTC
From: Bob
Topic: 3088 Message: 3088

Is there an update for windows 7? When I unzip the file, it tells me it
can't open the setup file?

Bob Cox

[Non-text portions of this message have been removed]

3089. Re: [XMLog] Windows 7?

Yahoo group: XMLog
Date: 2009-11-22 20:34:51 UTC
From: WILLIS COOKE
Topic: 3088 Message: 3089

The setup works fine on my Windows 7 computer. You need to be logged in as an administrator to load anything on Win 7 or Vista. You might try right click and run as administraator. I have to do that on N1MM the first time I ran it, but not on XMlog.
 Willis 'Cookie' Cooke
K5EWJ

From: Bob <rg.cox@...>
To: Xmlog Group <xmlog@yahoogroups.com>
Sent: Sat, November 21, 2009 12:02:37 PM
Subject: [XMLog] Windows 7?

Is there an update for windows 7? When I unzip the file, it tells me it
can't open the setup file?

Bob Cox

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3090. Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-23 18:59:14 UTC
From: rohn45
Topic: 3090 Message: 3090

So many of you were helpful Thanks! Learning curves seem steeper when you are old! Anyway, uploading an ADIF file by selecting date > will work just fine!

I've been using LoTW for 3 weeks and using XMLog for about a week now. I've uploaded over 28,000 contest contacts (mostly from my previous W0AH call) to LoTW from my contest software. Non-contest contacts are on paper logs that I probably won't upload to LoTW any time soon, if at all. I would like to download those 28,000 Qs from LoTW to XMLog, but guess that is impossible? I am aware that "XMlog does NOT create new log entries based on LoTW records." I guess I need to import all those ADIF files to XMLog as I recently did to LoTW. Then I need to download the LoTW data (to establish my QSL confirmations) so that XMLog will track DXCC and WAS awards- and more important- so that Packet Cluster Alerts filter out band-countries already worked. Many hours of work. Can someone confirm this?

In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. The only AWARDS records I plan to keep track of are the LoTW ones (and maybe eQSL in the future). I have a few hundred QSOs already in XMLog and would like to do a global edit to add ? to QSL SENT for those contacts (and any others I download to XMLog) so that the Packet Cluster Alert will filter all countries I've already worked. Is that possible? I only want alerts for unworked band/countries, band/states, and band/zones until I get all those 28,000 contacts downloaded to XMLog and the QSL Data downloaded from LoTW.
Thanks and 73,
Doug K4LY PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations.

3091. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-23 20:20:02 UTC
From: WILLIS COOKE
Topic: 3090 Message: 3091

You do have a lot of QSOs Doug. I just uploaded to LOTW and now have 21,471 up there with 4200 QSLs. Before you decide to only use LOTW, let me warn you that the response is about 20% overall and most of those are USA stations. The big DXpeditions will usually put your contacts on LOTW if you send them a nice PayPal donation. Some of the rarer location stations are holding out to collect the green stamps or find the ARRL rules for proof of license too much trouble. Also some of them don't have such good Internet connections, so I recomment hybred LOTW and paper QSLs. My latest submission was 79 LOTW credits and 50 paper credits.

The way I handle my logs is to download an ADIF file from N1MM then upload it to XMlog. Then I make another ADIF file from LOTW which includes the contest and whatever other QSOs I have. Sometimes for contests where I just make a few Qs and don't go for a big score, I just use XMlog and skip N1MM. You can't easily have N1MM and XMlog running at the same time unless you turn off the serial port connections on one of the logs. You need to do that before you try to load the second log or you will crash something.

The best way to upload QSOs into any logging program is with an ADIF file. LOTW does not record everything you want in a log, so downloading data from LOTW should be restricted to recording the QSLs that are there. I would use the download from LOTW for log building only as a last resort and everything else was lost when my shack burned down and I didn't have any off site storage.

It doesn't matter whether you upload to LOTW before you import into XMlog, but XMlog will mark as sent your LOTW stations. You can also do it by making an ADIF file for the contacts and telling it to mark them whether you send the file to LOTW or not, but then it is up to you to figure out how to make the markings correct.

It is also up to you to keep from sending the same contacts to LOTW over and over. LOTW will keep a record of when you sent more data that you can use to help. LOTW will throw out duplicate contacts and noone will get upset if you make a few errors, but they ask that you don't use their computing power to make the rough cuts.

This is a lot of stuff, but feel free to query on the reflector or direct if I missed a question or you think of something else.

 Willis 'Cookie' Cooke
K5EWJ

From: rohn45 <dougk4ly@...>
To: XMLog@yahoogroups.com
Sent: Mon, November 23, 2009 12:59:14 PM
Subject: [XMLog] Thanks de K4LY and more questions

So many of you were helpful Thanks! Learning curves seem steeper when you are old! Anyway, uploading an ADIF file by selecting date > will work just fine!

I've been using LoTW for 3 weeks and using XMLog for about a week now. I've uploaded over 28,000 contest contacts (mostly from my previous W0AH call) to LoTW from my contest software. Non-contest contacts are on paper logs that I probably won't upload to LoTW any time soon, if at all. I would like to download those 28,000 Qs from LoTW to XMLog, but guess that is impossible? I am aware that "XMlog does NOT create new log entries based on LoTW records." I guess I need to import all those ADIF files to XMLog as I recently did to LoTW. Then I need to download the LoTW data (to establish my QSL confirmations) so that XMLog will track DXCC and WAS awards- and more important- so that Packet Cluster Alerts filter out band-countries already worked. Many hours of work. Can someone confirm this?

In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. The only AWARDS records I plan to keep track of are the LoTW ones (and maybe eQSL in the future). I have a few hundred QSOs already in XMLog and would like to do a global edit to add ? to QSL SENT for those contacts (and any others I download to XMLog) so that the Packet Cluster Alert will filter all countries I've already worked. Is that possible? I only want alerts for unworked band/countries, band/states, and band/zones until I get all those 28,000 contacts downloaded to XMLog and the QSL Data downloaded from LoTW.
Thanks and 73,
Doug K4LY PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations.

[Non-text portions of this message have been removed]

3092. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-23 22:10:36 UTC
From: Doug Allen
Topic: 3090 Message: 3092

Hi Willis,
Thanks for reply. Well you have a lot of LoTW contacts uploaded, too!
I have also been using N1MM contest software recently, but used Writelog for most of the 28,000 contest contacts I uploaded to LoTW. I still have several thousand more contest Qs to upload. I was W0AH in Colorado from 1996 until 2007 when I retired to SC and acquired the K4LY call. My older W2CRS 1990's NA contest logs and WJ2O general logging logs are probably lost. I've used mostly paper general logging the past 50+ years and worked many of the DXpeditions even though I'm not really a DXer. I've always loved contesting, and have had many top 10 North America finishes, but have not chased awards, applied for any, or sent out QSLs (except I QSL to anyone who sends an SASE) since the 1950's and 1960's. I was a fairly enthusiastic QSLer for about 20 years until it became drugery around 1975.

I had no intention to seek awards now until I got on LoTW and found I was fairly close to 6BDXCC and 6BWAS based on those 28,000 uploaded contest contacts alone. That's when I decided to try XMLog and do enough DXing to complete those 6B awards on LoTW. Using the DX Cluster Alerts would be helpful, but I guess I need to upload all those contest ADIF files to XMLog first and then download the LoTW Data? I'm satisfied with my 25% LoTW "return" so I will continue to just put paper QSLs in boxes or give them away to kids. If eQSL is also paperless (I havent checked it out enough except to know I have many thousands of QSLs waiting there) I will maybe try for 5BWAZ and possibly their other awards. In any case, I'll eventually join eQSL and upload my contest logs because I feel a little guilty about not answering most of the bureau QSL cards all these years. I think my competitive contest days are numbered. At age 69, I find it hard to operate 24 hours straight or 35+ hours during a weekend like I once could.

My two questions remain. One, is there any way to download those 28,000 contacts from LoTW to XMLog? Willis, I realize your answer is no unless my shack burns down! Does everyone agree? IF so, I'll probably spend tomorrow downloading ADIF files to XMLog.

Two, is there any way to do a global change to all my XMLog contacts that will indicate that they are QSL'd so that the DX Cluster Alert will filter out all countries and states that I have contacted regardless of QSL received status? Or maybe I will have to wait until I get those 28,000 contacts downloaded to XMLog and the LoTW QSL Data downloaded in which case I can use the DX Cluster Alert to filter out confirmed countries and states?
73,
Doug K4LY

On Mon, Nov 23, 2009 at 3:20 PM, WILLIS COOKE <wrcooke@...> wrote:

> You do have a lot of QSOs Doug. I just uploaded to LOTW and now have
> 21,471 up there with 4200 QSLs. Before you decide to only use LOTW, let me
> warn you that the response is about 20% overall and most of those are USA
> stations. The big DXpeditions will usually put your contacts on LOTW if you
> send them a nice PayPal donation. Some of the rarer location stations are
> holding out to collect the green stamps or find the ARRL rules for proof of
> license too much trouble. Also some of them don't have such good Internet
> connections, so I recomment hybred LOTW and paper QSLs. My latest
> submission was 79 LOTW credits and 50 paper credits.
>
> The way I handle my logs is to download an ADIF file from N1MM then upload
> it to XMlog. Then I make another ADIF file from LOTW which includes the
> contest and whatever other QSOs I have. Sometimes for contests where I just
> make a few Qs and don't go for a big score, I just use XMlog and skip N1MM.
> You can't easily have N1MM and XMlog running at the same time unless you
> turn off the serial port connections on one of the logs. You need to do
> that before you try to load the second log or you will crash something.
>
> The best way to upload QSOs into any logging program is with an ADIF
> file. LOTW does not record everything you want in a log, so downloading
> data from LOTW should be restricted to recording the QSLs that are there. I
> would use the download from LOTW for log building only as a last resort and
> everything else was lost when my shack burned down and I didn't have any off
> site storage.
>
> It doesn't matter whether you upload to LOTW before you import into XMlog,
> but XMlog will mark as sent your LOTW stations. You can also do it by
> making an ADIF file for the contacts and telling it to mark them whether you
> send the file to LOTW or not, but then it is up to you to figure out how to
> make the markings correct.
>
> It is also up to you to keep from sending the same contacts to LOTW over
> and over. LOTW will keep a record of when you sent more data that you can
> use to help. LOTW will throw out duplicate contacts and noone will get
> upset if you make a few errors, but they ask that you don't use their
> computing power to make the rough cuts.
>
> This is a lot of stuff, but feel free to query on the reflector or direct
> if I missed a question or you think of something else.
>
> Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> _____
> From: rohn45 <dougk4ly@...>
> To: XMLog@yahoogroups.com
> Sent: Mon, November 23, 2009 12:59:14 PM
> Subject: [XMLog] Thanks de K4LY and more questions

>
>
> So many of you were helpful Thanks! Learning curves seem steeper when you
> are old! Anyway, uploading an ADIF file by selecting date > will work just
> fine!
>
> I've been using LoTW for 3 weeks and using XMLog for about a week now. I've
> uploaded over 28,000 contest contacts (mostly from my previous W0AH call) to
> LoTW from my contest software. Non-contest contacts are on paper logs that I
> probably won't upload to LoTW any time soon, if at all. I would like to
> download those 28,000 Qs from LoTW to XMLog, but guess that is impossible? I
> am aware that "XMlog does NOT create new log entries based on LoTW records."
> I guess I need to import all those ADIF files to XMLog as I recently did to
> LoTW. Then I need to download the LoTW data (to establish my QSL
> confirmations) so that XMLog will track DXCC and WAS awards- and more
> important- so that Packet Cluster Alerts filter out band-countries already
> worked. Many hours of work. Can someone confirm this?
>
> In the mean time, I would like to use the Packet Cluster Alerts to indicate
> band/countries not worked and wonder how best do that. The only AWARDS
> records I plan to keep track of are the LoTW ones (and maybe eQSL in the
> future). I have a few hundred QSOs already in XMLog and would like to do a
> global edit to add ? to QSL SENT for those contacts (and any others I
> download to XMLog) so that the Packet Cluster Alert will filter all
> countries I've already worked. Is that possible? I only want alerts for
> unworked band/countries, band/states, and band/zones until I get all those
> 28,000 contacts downloaded to XMLog and the QSL Data downloaded from LoTW.
> Thanks and 73,
> Doug K4LY PS I do send out QSLs when I receive an SASE, but any future
> awards for me will be based solely on LoTW (and possibly?
> eQSL)confirmations.
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

3093. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-23 23:25:15 UTC
From: N7mal
Topic: 3090 Message: 3093

Well Doug there is a way to get all your QSO's from LOTW. I had to do it a couple of years ago when my station got wiped out from a lightening strike. Unfortunately the ARRL asked me not to tell anyone how I did it. I will respect that but it can be done. Can you imagine what would happen to the ARRL's server if everyone tried to download 25mb, or more, files.

You asked: "" In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. ""
My XMLOG packet terminal window puts a plus sign + next to a band that I have worked the country on and the plus sign + next to the mode. When a country has been confirmed, by LOTW, then the band is deleted. Below is an example: I've worked Spain on 80/40/20/15/10 on both phone and CW. I have Spain confirmed on 40/20/15/10 and phone and CW. The only band I've worked Spain on and don't have it confirmed via LOTW is 80.

DX de ON3AD: 7036.5 EB3GIE BPSK31 2258Z
EB3GIE (EA - Spain, 46) - RTTY 160 80+ 30 17 12 6

Lastly you said in your P.S.: "" PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations. ""
You need to update/modify your QRZ listing to indicate your only preference is LOTW. I did that and it almost eliminated EQSL's. I still get a big envelope from the buro and my XYL really enjoys looking at them. I go through them and immediately put them in a box.

Very best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: rohn45
To: XMLog@yahoogroups.com
Sent: Monday, November 23, 2009 18:59
Subject: [XMLog] Thanks de K4LY and more questions

So many of you were helpful Thanks! Learning curves seem steeper when you are old! Anyway, uploading an ADIF file by selecting date > will work just fine!

I've been using LoTW for 3 weeks and using XMLog for about a week now. I've uploaded over 28,000 contest contacts (mostly from my previous W0AH call) to LoTW from my contest software. Non-contest contacts are on paper logs that I probably won't upload to LoTW any time soon, if at all. I would like to download those 28,000 Qs from LoTW to XMLog, but guess that is impossible? I am aware that "XMlog does NOT create new log entries based on LoTW records." I guess I need to import all those ADIF files to XMLog as I recently did to LoTW. Then I need to download the LoTW data (to establish my QSL confirmations) so that XMLog will track DXCC and WAS awards- and more important- so that Packet Cluster Alerts filter out band-countries already worked. Many hours of work. Can someone confirm this?

In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. The only AWARDS records I plan to keep track of are the LoTW ones (and maybe eQSL in the future). I have a few hundred QSOs already in XMLog and would like to do a global edit to add ? to QSL SENT for those contacts (and any others I download to XMLog) so that the Packet Cluster Alert will filter all countries I've already worked. Is that possible? I only want alerts for unworked band/countries, band/states, and band/zones until I get all those 28,000 contacts downloaded to XMLog and the QSL Data downloaded from LoTW.
Thanks and 73,
Doug K4LY PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations.

[Non-text portions of this message have been removed]

3094. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-23 23:45:18 UTC
From: N7mal
Topic: 3090 Message: 3094

Willis let me take a minute to post the actual LOTW facts as posted by the ARRL:
There have been 250 million QSOs uploaded to LOTW. Sadly/unfortunately only 24.6 million have matches on LOTW. That is a horrible/disgusting rate of only """"9.8%""""".....
There are, again sadly, only 30,023 LOTW users. You and I are fortunate, I guess: You have a 20% return and I have a 28% return.
You said: "" The big DXpeditions will usually put your contacts on LOTW if you send them a nice PayPal donation. "" That's true, the recent K4M is a good example. However, and this is a big HOWEVER, they are required by the ARRL DXXC Desk to eventually upload the entire log to LOTW.

The bottom line of all this is all MLOG users should be using LOTW. W1ECT has gone to great lengths to make MLOG LOTW user friendly, and it works, and it works well.

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Monday, November 23, 2009 20:20
Subject: Re: [XMLog] Thanks de K4LY and more questions

You do have a lot of QSOs Doug.? I just uploaded to LOTW and now have 21,471 up there with 4200 QSLs.? Before you decide to only use LOTW, let me warn you that the response is about 20% overall and most of those are USA stations.? The? big DXpeditions will usually put your contacts on LOTW if you send them a nice PayPal donation.? Some of the? rarer location stations are? holding out to collect the green stamps or find the ARRL rules for proof of license too much trouble.? Also some of them don't have such good Internet connections, so I recomment hybred LOTW and paper QSLs.? My latest submission was 79? LOTW credits and 50 paper credits.

The way I handle my logs is to download an ADIF file from N1MM then upload it to XMlog.? Then I make another ADIF file from LOTW which includes the contest and whatever other QSOs I have.? Sometimes for contests? where I just make a few Qs and don't go for a big score, I just use? XMlog and skip N1MM.? You can't easily have N1MM and XMlog running at the same time? unless you turn off the serial port connections on one of the logs.? You need to do

that before you try to load the second log or you will crash something.

The best way to upload QSOs into any logging program is with an ADIF file.? ? LOTW does not record everything you want in a log, so downloading data from LOTW should be restricted to recording the QSLs? that are there.? I would use the download from LOTW? for log building only? as a last resort and everything else was lost when my shack burned down and I didn't have any off site storage.

It doesn't matter whether you upload to LOTW before you import into XMlog, but XMlog will mark as sent your LOTW stations.? You can also do it by making an ADIF file for the contacts and telling it to mark them whether you send the file to LOTW or not, but then it is up to you to figure out how to make the markings? correct.

It is also up to you to keep from sending the same contacts to LOTW over and over.? LOTW will keep a record of when you sent more data that you can use to help.? LOTW will throw out duplicate contacts and noone will get upset if you make a few errors, but they ask that you don't use their computing power to make the rough cuts.?

This is a lot of stuff, but feel free to query on the reflector or direct if I missed a question or you think of something else.

? Willis 'Cookie' Cooke
K5EWJ

From: rohn45 <dougk4ly@...>
To: XMLog@yahoogroups.com
Sent: Mon, November 23, 2009 12:59:14 PM
Subject: [XMLog] Thanks de K4LY and more questions

?
So many of you were helpful Thanks! Learning curves seem steeper when you are old! Anyway, uploading an ADIF file by selecting date > will work just fine!

I've been using LoTW for 3 weeks and using XMLog for about a week now. I've uploaded over 28,000 contest contacts (mostly from my previous W0AH call) to LoTW from my contest software. Non-contest contacts are on paper logs that I probably won't upload to LoTW any time soon, if at all. I would like to download those 28,000 Qs from LoTW to XMLog, but guess that is impossible? I am aware that "XMlog does NOT create new log entries based on LoTW records." I guess I need to import all those ADIF files to XMLog as I recently did to LoTW. Then I need to download the LoTW data (to establish my QSL confirmations) so that XMLog will track DXCC and WAS awards- and more important- so that Packet Cluster Alerts filter out band-countries already worked. Many hours of work. Can someone confirm this?

In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. The only AWARDS

records I plan to keep track of are the LoTW ones (and maybe eQSL in the future). I have a few hundred QSOs already in XMLog and would like to do a global edit to add ? to QSL SENT for those contacts (and any others I download to XMLog) so that the Packet Cluster Alert will filter all countries I've already worked. Is that possible? I only want alerts for unworked band/countries, band/states, and band/zones until I get all those 28,000 contacts downloaded to XMLog and the QSL Data downloaded from LoTW.
Thanks and 73,
Doug K4LY PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations.

[Non-text portions of this message have been removed]

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.5.425 / Virus Database: 270.14.78/2521 - Release Date: 11/23/09 07:52:00

[Non-text portions of this message have been removed]

3095. RE: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-24 00:05:45 UTC
From: Dave AA6YQ
Topic: 3090 Message: 3095

Directions for obtaining your uploaded QSOs from LotW in ADIF format are posted on the ARRL's web site:

<http://www.arrl.org/lotw/developer/adifout.html>

73,

Dave, AA6YQ

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7mal
Sent: Monday, November 23, 2009 6:25 PM
To: XMLog@yahoogroups.com
Cc: DougK4LY@gmail.com
Subject: Re: [XMLog] Thanks de K4LY and more questions

Well Doug there is a way to get all your QSO's from LOTW. I had to do it a couple of years ago when my station got wiped out from a lightening strike. Unfortunately the ARRL asked me not to tell anyone how I did it. I will respect that but it can be done. Can you imagine what would happen to the ARRL's server if everyone tried to download 25mb, or more, files.

You asked: "" In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. ""
My XMLOG packet terminal window puts a plus sign + next to a band that I have worked the country on and the plus sign + next to the mode. When a country has been confirmed, by LOTW, then the band is deleted. Below is an example: I've worked Spain on 80/40/20/15/10 on both phone and CW. I have Spain confirmed on 40/20/15/10 and phone and CW. The only band I've worked Spain on and don't have it confirmed via LOTW is 80.

DX de ON3AD: 7036.5 EB3GIE BPSK31 2258Z
EB3GIE (EA - Spain, 46) - RTTY 160 80+ 30 17 12 6

Lastly you said in your P.S.: "" PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations. ""
You need to update/modify your QRZ listing to indicate your only preference is LOTW. I did that and it almost eliminated EQSL's. I still get a big envelope from the buro and my XYL really enjoys looking at them. I go through them and immediately put them in a box.

Very best 73

MAL
N7MAL

BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: rohn45
To: XMLog@yahoogroups.com
Sent: Monday, November 23, 2009 18:59
Subject: [XMLog] Thanks de K4LY and more questions

So many of you were helpful Thanks! Learning curves seem steeper when you are old! Anyway, uploading an ADIF file by selecting date > will work just fine!

I've been using LoTW for 3 weeks and using XMLog for about a week now. I've uploaded over 28,000 contest contacts (mostly from my previous W0AH call) to LoTW from my contest software. Non-contest contacts are on paper logs that I probably won't upload to LoTW any time soon, if at all. I would like to download those 28,000 Qs from LoTW to XMLog, but guess that is impossible? I am aware that "XMlog does NOT create new log entries based on LoTW records." I guess I need to import all those ADIF files to XMLog as I recently did to LoTW. Then I need to download the LoTW data (to establish my QSL confirmations) so that XMLog will track DXCC and WAS awards- and more important- so that Packet Cluster Alerts filter out band-countries already worked. Many hours of work. Can someone confirm this?

In the mean time, I would like to use the Packet Cluster Alerts to indicate band/countries not worked and wonder how best do that. The only AWARDS records I plan to keep track of are the LoTW ones (and maybe eQSL in the future). I have a few hundred QSOs already in XMLog and would like to do a global edit to add ? to QSL SENT for those contacts (and any others I download to XMLog) so that the Packet Cluster Alert will filter all countries I've already worked. Is that possible? I only want alerts for unworked band/countries, band/states, and band/zones until I get all those 28,000 contacts downloaded to XMLog and the QSL Data downloaded from LoTW.
Thanks and 73,
Doug K4LY PS I do send out QSLs when I receive an SASE, but any future awards for me will be based solely on LoTW (and possibly? eQSL)confirmations.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3096. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-24 05:10:47 UTC
From: N7mal
Topic: 3090 Message: 3096

That's a change from their philosophy a few years ago. What I suspect is
that 75% of the guys/gals couldn't understand/follow those instructions.
Thanks 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Dave AA6YQ
To: XMLog@yahoogroups.com
Cc: DougK4LY@...
Sent: Tuesday, November 24, 2009 0:05
Subject: RE: [XMLog] Thanks de K4LY and more questions

Directions for obtaining your uploaded QSOs from LotW in ADIF format are
posted on the ARRL's web site:

<http://www.arrl.org/lotw/developer/adifout.html>

73,

Dave, AA6YQ

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7mal
Sent: Monday, November 23, 2009 6:25 PM
To: XMLog@yahoogroups.com
Cc: DougK4LY@...
Subject: Re: [XMLog] Thanks de K4LY and more questions

Well Doug there is a way to get all your QSO's from LOTW. I had to do it a
couple of years ago when my station got wiped out from a lightening strike.
Unfortunately the ARRL asked me not to tell anyone how I did it. I will
respect that but it can be done. Can you imagine what would happen to the
ARRL's server if everyone tried to download 25mb, or more, files.

[Non-text portions of this message have been removed]

3097. RE: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-24 05:38:56 UTC
From: Dave AA6YQ
Topic: 3090 Message: 3097

Using the ARRL's ADIFout facility, Rick K1MU set up a query mechanism that
makes it very easy to download either your uploaded QSOs or your
LotW-generated QSLs in ADIF:

<http://www.rickmurphy.net/lotwquery.htm>

This has been mentioned many times over the years on the ARRL-LOTW Yahoo
group:

http://groups.yahoo.com/group/ARRL-LOTW/

It is true that the ARRL would prefer that users not rely on LotW as a log
backup mechanism, as they fear that the additional restoration load imposed
on their servers might impact performance for "normal" LotW users. The
strongest argument in their favor is that LotW retains very little of each
QSO: callsign, band, mode, start date/time, LotW confirmation status, and
station callsign. While this is certainly better than nothing, reliable
on-site and off-site backup mechanisms that will protect your entire log
against catastrophe are not very expensive.

73,

Dave, AA6YQ

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7mal
Sent: Tuesday, November 24, 2009 12:11 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Thanks de K4LY and more questions

That's a change from their philosophy a few years ago. What I suspect is
that 75% of the guys/gals couldn't understand/follow those instructions.
Thanks 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Dave AA6YQ
To: XMLog@yahoogroups.com
Cc: DougK4LY@...
Sent: Tuesday, November 24, 2009 0:05

Subject: RE: [XMLog] Thanks de K4LY and more questions

Directions for obtaining your uploaded QSOs from LotW in ADIF format are posted on the ARRL's web site:

<http://www.arrl.org/lotw/developer/adifout.html>

73,

Dave, AA6YQ

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of N7mal
Sent: Monday, November 23, 2009 6:25 PM
To: XMLog@yahoogroups.com
Cc: DougK4LY@...
Subject: Re: [XMLog] Thanks de K4LY and more questions

Well Doug there is a way to get all your QSO's from LOTW. I had to do it a couple of years ago when my station got wiped out from a lightening strike. Unfortunately the ARRL asked me not to tell anyone how I did it. I will respect that but it can be done. Can you imagine what would happen to the ARRL's server if everyone tried to download 25mb, or more, files.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3098. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-24 06:47:00 UTC
From: WILLIS COOKE
Topic: 3090 Message: 3098

Obviously, I agree that LOTW is something we should be using. I think part of our increased return is that we are contesters and the more active hams are more likely to use LOTW. Unfortunately the ARRL has a security system that makes it difficult to use LOTW. The security for LOTW is tighter than for my bank account or brokerage account. It is more difficult for foreign hams whose country will not supply licensing data to ARRL. I just had to renew my certificate and am not in a ARRL loving mood at the moment. My return rate has been climbing as I add recent QSOs. I have 8100 QSOs from the early 90s, was inactive from 93 to 06 playing with airplanes and 13,350 since Sept 06. The older QSOs don't have such a good rate as the later ones, no surprise. I have a few thousand QSOs before 1988 and I am slowly getting them on computer, but I am not ready to upload them just yet.

There are a large number of hams who don't give a hoot or holler about QSLs and Awards, but I don't work too many of them because I spend my time chasing DX, Contesting and with number clubs where the interest in QSLing and awards is high.
 Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

3099. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-24 15:42:14 UTC
From: Doug Allen
Topic: 3090 Message: 3099

Mal,
I'm probably one of the 75%! Actually, I haven't studied it yet so maybe
I can figure it out?

Mal, are those the instructions you used to download all your LoTW QSOs?
Doug K4LY

On Tue, Nov 24, 2009 at 12:10 AM, N7mal <n7mal@...> wrote:

> That's a change from their philosophy a few years ago. What I suspect is
> that 75% of the guys/gals couldn't understand/follow those instructions.
> Thanks 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: Dave AA6YQ
> To: XMLog@yahoogroups.com
> Cc: DougK4LY@...
> Sent: Tuesday, November 24, 2009 0:05
> Subject: RE: [XMLog] Thanks de K4LY and more questions
>
>
> Directions for obtaining your uploaded QSOs from LotW in ADIF format are
> posted on the ARRL's web site:
>
> <http://www.arrl.org/lotw/developer/adifout.html>
>
> 73,
>
> Dave, AA6YQ
>
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
> N7mal
> Sent: Monday, November 23, 2009 6:25 PM
> To: XMLog@yahoogroups.com
> Cc: DougK4LY@...
> Subject: Re: [XMLog] Thanks de K4LY and more questions

>
>
>
> Well Doug there is a way to get all your QSO's from LOTW. I had to do it a
> couple of years ago when my station got wiped out from a lightening strike.
> Unfortunately the ARRL asked me not to tell anyone how I did it. I will
> respect that but it can be done. Can you imagine what would happen to the
> ARRL's server if everyone tried to download 25mb, or more, files.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

[Non-text portions of this message have been removed]

3100. Re: [XMLog] Thanks de K4LY and more questions

Yahoo group: XMLog
Date: 2009-11-25 15:16:29 UTC
From: N7mal
Topic: 3090 Message: 3100

Doug sorry to be so slow in responding. (Had some health issues.)
Dave, AA6YQ, posted this link and it works very well:
http://www.rickmurphy.net/lotwquery.htm

Be sure and read everything on both the left and right side of the boxes.

The answer to your other question is no.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Doug Allen
To: XMLog@yahoogroups.com
Sent: Tuesday, November 24, 2009 15:42
Subject: Re: [XMLog] Thanks de K4LY and more questions

Mal,
I'm probably one of the 75%! Actually, I haven't studied it yet so maybe
I can figure it out?

Mal, are those the instructions you used to download all your LoTW QSOs?
Doug K4LY

On Tue, Nov 24, 2009 at 12:10 AM, N7mal <n7mal@...> wrote:

> That's a change from their philosophy a few years ago. What I suspect is
> that 75% of the guys/gals couldn't understand/follow those instructions.
> Thanks 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: Dave AA6YQ

> To: XMLog@yahoogroups.com
> Cc: DougK4LY@...
> Sent: Tuesday, November 24, 2009 0:05
> Subject: RE: [XMLog] Thanks de K4LY and more questions
>
>
> Directions for obtaining your uploaded QSOs from LotW in ADIF format are
> posted on the ARRL's web site:
>
> <http://www.arrl.org/lotw/developer/adifout.html>
>
> 73,
>
> Dave, AA6YQ
>
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of
> N7mal
> Sent: Monday, November 23, 2009 6:25 PM
> To: XMLog@yahoogroups.com
> Cc: DougK4LY@...
> Subject: Re: [XMLog] Thanks de K4LY and more questions
>
>
>
> Well Doug there is a way to get all your QSO's from LOTW. I had to do it a
> couple of years ago when my station got wiped out from a lightening
> strike.
> Unfortunately the ARRL asked me not to tell anyone how I did it. I will
> respect that but it can be done. Can you imagine what would happen to the
> ARRL's server if everyone tried to download 25mb, or more, files.
>

[Non-text portions of this message have been removed]

3101. PROBLEM WITH UPLOADING ADIF TO EQSL.CC

Yahoo group: XMLog
Date: 2009-12-02 15:56:07 UTC
From: mefazamy
Topic: 3101 Message: 3101

Since Dec 01, 09 I have been unable to upload log to eQSL. I've been uploading several years without any problem after converting .log to adif. (I uploaded sucessfully to LOTW.) I've been getting the following error Message:

Error in Uploaded Log File
YYYYMMDD=20091101 20:20 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091101 21:13 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091101 21:44 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091101 21:55 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091101 22:05 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091101 22:21 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091101 22:59 DATE/TIME outside profile - Login to different account
YYYYMMDD=20091102 16:12 DATE/TIME outside profile - Login to different account
Step #2 - Import Log into Database finished
0 log entries were added out of 8 uploaded

Logger identified as: XMLog
8 log entries contained bad data, and were not uploaded.
They are listed above in the table.
You can make corrections in your logging program and upload the log again.
Any records already uploaded will be ignored when you upload again,
and only the corrected new records will be added.
Step #2 - Import Log into Database

I'm probably overlooking something fundamental. How can I fix this?

Thanks & 73
Evan
KB2AMY

3102. Re: [XMLog] PROBLEM WITH UPLOADING ADIF TO EQSL.CC

Yahoo group: XMLog
Date: 2009-12-02 16:24:22 UTC
From: Dave Sergeant
Topic: 3101 Message: 3102

On 2 Dec 2009 at 15:56, mefazamy wrote:

> YYYYMMDD=20091101 20:20 DATE/TIME outside profile >
> I'm probably overlooking something fundamental. How can I fix this?

Well it is telling you what is wrong, the QSO is outside the range of dates you specified in your eQSL profile, which you can easily see from your 'my accounts' page. When you originally set up an account on eQSL it seems to choose a reasonable 'end' date in the future - mine is currently 1-1-2011. I guess yours is a bit earlier and has been passed...

I can confirm that ADIF's produced by XMLog still upload correctly to eQLS, I uploaded around 700 yesterday.

73 Dave G3YMC

http://www.davesergeant.com

3103. Re: PROBLEM WITH UPLOADING ADIF TO EQSL.CC

Yahoo group: XMLog
Date: 2009-12-02 16:49:38 UTC
From: mefazamy
Topic: 3101 Message: 3103

Dave,

You are the greatest of this great fraternity of ours. I figured it was something fundamental I have overlooked. Thank you, thank you, thank you, many thanks. Seasons greetings to you and yours.

73,
Evan

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> On 2 Dec 2009 at 15:56, mefazamy wrote:
>
> > YYYYMMDD=20091101 20:20 DATE/TIME outside profile >
> > I'm probably overlooking something fundamental. How can I fix this?
>
> Well it is telling you what is wrong, the QSO is outside the range of
> dates you specified in your eQSL profile, which you can easily see from
> your 'my accounts' page. When you originally set up an account on eQSL
> it seems to choose a reasonable 'end' date in the future - mine is
> currently 1-1-2011. I guess yours is a bit earlier and has been
> passed...
>
> I can confirm that ADIF's produced by XMLog still upload correctly to
> eQLS, I uploaded around 700 yesterday.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>

3104. Re: [XMLog] PROBLEM WITH UPLOADING ADIF TO EQSL.CC

Yahoo group: XMLog
Date: 2009-12-02 17:30:15 UTC
From: Tim Wright
Topic: 3101 Message: 3104

These are msgs from EQSL I presume.

You may want to ask for help at EQSL since all of this looks like it is from their servers.

Tim Wright KD4OVM
Dx Helper with QRZ.Com

--- On Wed, 12/2/09, mefazamy <FAZAMY@...> wrote:

From: mefazamy <FAZAMY@...>
Subject: [XMLog] PROBLEM WITH UPLOADING ADIF TO EQSL.CC
To: XMLog@yahoogroups.com
Date: Wednesday, December 2, 2009, 10:56 AM

Since Dec 01, 09 I have been unable to upload log to eQSL. I've been uploading several years without any problem after converting .log to adif. (I uploaded sucessfully to LOTW.)

I've been getting the following error Message:

Error in Uploaded Log File

YYYYMMDD=20091101 20:20 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091101 21:13 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091101 21:44 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091101 21:55 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091101 22:05 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091101 22:21 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091101 22:59 DATE/TIME outside profile - Login to different account

YYYYMMDD=20091102 16:12 DATE/TIME outside profile - Login to different account

Step #2 - Import Log into Database finished

0 log entries were added out of 8 uploaded

Logger identified as: XMLog

8 log entries contained bad data, and were not uploaded.

They are listed above in the table.

You can make corrections in your logging program and upload the log again.

Any records already uploaded will be ignored when you upload again,

and only the corrected new records will be added.

Step #2 - Import Log into Database

I'm probably overlooking something fundamental. How can I fix this?

Thanks & 73

Evan

KB2AMY

[Non-text portions of this message have been removed]

3105. Re: PROBLEM WITH UPLOADING ADIF TO EQSL.CC

Yahoo group: XMLog
Date: 2009-12-02 19:57:02 UTC
From: mefazamy
Topic: 3101 Message: 3105

Dear OM,

Thanks for the suggestion. Dave, G3YMC, hit the nail on the head when he suggested I change my beginning and ending dates on eQSL's profile. My upload was rejected because many years ago I told eQSL
to disregard uploads after 11/30/09.

Evan

--- In XMLog@yahoogroups.com, Tim Wright <smokie231@...> wrote:
>
> These are msgs from EQSL I presume.
>
> You may want to ask for help at EQSL since all of this looks like it is from their servers.
>
> Tim WrightÂ KD4OVM
> Dx Helper with QRZ.Com
>
>
> --- On Wed, 12/2/09, mefazamy <FAZAMY@...> wrote:
>
> From: mefazamy <FAZAMY@...>
> Subject: [XMLog] PROBLEM WITH UPLOADING ADIF TO EQSL.CC
> To: XMLog@yahoogroups.com
> Date: Wednesday, December 2, 2009, 10:56 AM
>
>
>
>
>
>
>
>
> Â
>
>
>
>
>
>
>
>
>
>
>
>
>

>
> Since Dec 01, 09 I have been unable to upload log to eQSL. I've been uploading several years without any problem after converting .log to adif. (I uploaded sucessfully to LOTW.)
>
> I've been getting the following error Message:
>
>
>
> Error in Uploaded Log File
>
> YYYYMMDD=20091101 20:20 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091101 21:13 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091101 21:44 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091101 21:55 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091101 22:05 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091101 22:21 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091101 22:59 DATE/TIME outside profile - Login to different account
>
> YYYYMMDD=20091102 16:12 DATE/TIME outside profile - Login to different account
>
> Step #2 - Import Log into Database finished
>
> 0 log entries were added out of 8 uploaded
>
>
>
> Logger identified as: XMLog
>
> 8 log entries contained bad data, and were not uploaded.
>
> They are listed above in the table.
>
> You can make corrections in your logging program and upload the log again.
>
> Any records already uploaded will be ignored when you upload again,
>
> and only the corrected new records will be added.
>
> Step #2 - Import Log into Database
>
>
>
> I'm probably overlooking something fundamental. How can I fix this?
>

>
>
> Thanks & 73
>
> Evan
>
> KB2AMY
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

3106. Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-02 19:38:37 UTC
From: n3tl@bellsouth.net
Topic: 3106 Message: 3106

Hey everyone,

I wish I would've found XMLog 18 months ago! About 90 percent of my operating since June 2008 has been on the satellites, and I created some user-defined fields in another program to provide places for entries that XMLog includes - specifically Sat name and Sat operating mode.

I have an ADIF file with almost 4,000 contacts that I'd like to export to Excel, edit to conform to XMLog's default fields, then import as my satellite log. Am I right that XMLog will export .csv files, but not import them? If so, I'm not sure how to get from ADIF to .csv, edit in Excel, then get back to ADIF for import into XMLog.

Any suggestions?

I tried creating an ADIF version of the log from the other program and importing it straight to XMLog, but it's too different to be useful. If I can edit in Excel, I can do everything I need to much more quickly than going through almost 4,000 contacts one-by-one to make the necessary changes.

Oh ... I'm presuming that, if I can do the edit, I should reorganize the entry fields from the old contacts into the order that XMLog accepts them.

Thanks in advance for any help.

73,

Tim - N3TL
Athens, Ga. - EM84ha

3107. Re: [XMLog] Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-02 21:26:39 UTC
From: WILLIS COOKE
Topic: 3106 Message: 3107

Tim, try entering a few typical contacts into XMlog the way you would like to see them in the finished log. Download these contacts into an ADIF. Open the file with Notepad to see how the fields are labled. Then make an ADIF dump of the log you want to move, open with Notepad and see what the fields are labled. Then make a back up copy of the dump you are moving so if you goof you can try again. Use the search and replace to modify the ADIF lables to put the data where you want it. I moved about 10,000 QSOs into XM log at the start and regularly massage ADIF files from my contest loggers in this manner. It only takes a few minutes to change thousands of contacts. I don't believe that you can import other formats. You can export CSV and Excel files but as far as I can see you can directly import them.
 Willis 'Cookie' Cooke
K5EWJ

From: "n3tl@..." <n3tl@...>
To: XMLog@yahoogroups.com
Sent: Wed, December 2, 2009 1:38:37 PM
Subject: [XMLog] Formatting old entries for XMLog

Hey everyone,

I wish I would've found XMLog 18 months ago! About 90 percent of my operating since June 2008 has been on the satellites, and I created some user-defined fields in another program to provide places for entries that XMLog includes - specifically Sat name and Sat operating mode.

I have an ADIF file with almost 4,000 contacts that I'd like to export to Excel, edit to conform to XMLog's default fields, then import as my satellite log. Am I right that XMLog will export .csv files, but not import them? If so, I'm not sure how to get from ADIF to .csv, edit in Excel, then get back to ADIF for import into XMLog.

Any suggestions?

I tried creating an ADIF version of the log from the other program and importing it straight to XMLog, but it's too different to be useful. If I can edit in Excel, I can do everything I need to much more quickly than going through almost 4,000 contacts one-by-one to make the necessary changes.

Oh ... I'm presuming that, if I can do the edit, I should reorganize the entry fields from the old contacts into the order that XMLog accepts them.

Thanks in advance for any help.

73,

Tim - N3TL
Athens, Ga. - EM84ha

[Non-text portions of this message have been removed]

3108. Re: Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-02 21:28:29 UTC
From: w1ect
Topic: 3106 Message: 3108

Hi Tim, XMLog imports/exports two satellite-related fields in ADIF files: "SAT-NAME" and "SAT-MODE". By Default any data imported from these ADIF fields isn't displayed - you need to choose the "Options/Log Fields..." menu item, choose the "Log Fields" tab, and then set the "Show Satellite Fields" option.

You're right - XMLog can export log entries directly to Excel or via a .csv file but there is no way to reverse the process. (Although I heard that someone once wrote a csv to ADIF converter).

It would probably be best to write some kind of converter to reformat the ADIF file containing the satellite data that isn't getting imported correctly (but I'm not sure why that would be required since as far as I know XMLog is pretty good at following the ADIF standard).

Mike - W1ECT

3109. Re: [XMLog] Re: Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-02 21:46:32 UTC
From: WILLIS COOKE
Topic: 3106 Message: 3109

Ah, but Mike, XMlog must follow the standard to upload, but unless the other program also follows the standard you will not be successful.

I don't know if you heard, but I solved my comm problem with the K3 by installing an RS-232 card in my computer and using a DB-9 cable. The USB to RS-232 adapter seemed to be the problem. I still have a few issues with Win 7, but mostly XMlog works OK with the most used functions. Of all things, it will not shut down properly. I have to invoke Task Manager or crash it by changing the comm port parameters. I use the CW speed because it does change the parameter before it crashes the program and changing CW default speed by a WPM doesn't hurt anything.
 Willis 'Cookie' Cooke
K5EWJ

From: w1ect <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Wed, December 2, 2009 3:28:29 PM
Subject: [XMLog] Re: Formatting old entries for XMLog

Hi Tim, XMLog imports/exports two satellite-related fields in ADIF files: "SAT-NAME" and "SAT-MODE". By Default any data imported from these ADIF fields isn't displayed - you need to choose the "Options/Log Fields..." menu item, choose the "Log Fields" tab, and then set the "Show Satellite Fields" option.

You're right - XMLog can export log entries directly to Excel or via a .csv file but there is no way to reverse the process. (Although I heard that someone once wrote a csv to ADIF converter).

It would probably be best to write some kind of converter to reformat the ADIF file containing the satellite data that isn't getting imported correctly (but I'm not sure why that would be required since as far as I know XMLog is pretty good at following the ADIF standard).

Mike - W1ECT

[Non-text portions of this message have been removed]

3110. Re: [XMLog] Re: Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-02 23:25:41 UTC
From: Tim - N3TL
Topic: 3106 Message: 3110

Mike,

I think that Mr. Cooke's suggestion will work just fine. I sure intend to try it. Thanks to you and him for the timely responses, and 73 to all.

Tim - N3TL

On 12/02/2009 at 4:28 PM, w1ect <w1ect@...> wrote:

Hi Tim, XMLog imports/exports two satellite-related fields in ADIF files: "SAT-NAME" and "SAT-MODE". By Default any data imported from these ADIF fields isn't displayed - you need to choose the "Options/Log Fields..." menu item, choose the "Log Fields" tab, and then set the "Show Satellite Fields" option.

You're right - XMLog can export log entries directly to Excel or via a .csv file but there is no way to reverse the process. (Although I heard that someone once wrote a csv to ADIF converter).

It would probably be best to write some kind of converter to reformat the ADIF file containing the satellite data that isn't getting imported correctly (but I'm not sure why that would be required since as far as I know XMLog is pretty good at following the ADIF standard).

Mike - W1ECT

--
Mail created using EssentialPIM Free - www.essentialpim.com

[Non-text portions of this message have been removed]

3111. Re: [XMLog] Re: Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-02 23:44:28 UTC
From: WILLIS COOKE
Topic: 3106 Message: 3111

Tim, the rules for ADIF are also on the internet. It might be worth your while to find and download the specification and get an understanding of what it is all about. The ADIF is a text file with a special format, so any text reader will read it. I like NotePad better than WordPad or any more sophisticated program for manipulating ADIF because it does not attempt to save it as a Rich Text file which will not work for import. You can save as a plain text in WordPad, but you need to remember what you are doing and NotePad will only save as plain text, so you don't have to worry. My first log that I translated was written in Quick Basic and logged before the ADIF standard was written, so I had to write a Basic program to translate it.
 Willis 'Cookie' Cooke
K5EWJ

From: Tim - N3TL <n3tl@...>
To: XMLog@yahoogroups.com
Sent: Wed, December 2, 2009 5:25:41 PM
Subject: Re: [XMLog] Re: Formatting old entries for XMLog

Mike,

I think that Mr. Cooke's suggestion will work just fine. I sure intend to try
it. Thanks to you and him for the timely responses, and 73 to all.

Tim - N3TL

On 12/02/2009 at 4:28 PM, w1ect <w1ect@xmlog. com> wrote:

Hi Tim, XMLog imports/exports two satellite-related fields in ADIF files: "SAT-NAME"
and "SAT-MODE". By Default any data imported from these ADIF fields isn't displayed
- you need to choose the "Options/Log Fields..." menu item, choose the "Log Fields"
tab, and then set the "Show Satellite Fields" option.

You're right - XMLog can export log entries directly to Excel or via a .csv file
but there is no way to reverse the process. (Although I heard that someone once
wrote a csv to ADIF converter).

It would probably be best to write some kind of converter to reformat the ADIF
file containing the satellite data that isn't getting imported correctly (but
I'm not sure why that would be required since as far as I know XMLog is pretty
good at following the ADIF standard).

Mike - W1ECT

--
Mail created using EssentialPIM Free - www.essentialpim. com

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3112. Re: Formatting old entries for XMLog

Yahoo group: XMLog
Date: 2009-12-03 02:04:59 UTC
From: ve3iay
Topic: 3106 Message: 3112

If you have some ability and willingness to program formulas in Excel, you can export ADIF files from log data that is stored in an Excel spreadsheet. Here are two web sites with information on how to do it:
<http://www.storm.ca/~ve3iay/spreadsh.html> and
<http://www.g6csy.net/ham/adif.html>.

73,
Rich VE3KI

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
>
> You're right - XMLog can export log entries directly to Excel or via a .csv file but there is no way to reverse the process. (Although I heard that someone once wrote a csv to ADIF converter).
>

3114. Re: cat control yaesu 856d

Yahoo group: XMLog
Date: 2009-12-13 17:44:58 UTC
From: w1ect
Topic: 3113 Message: 3114

Hi, One thing to check is to be sure the baud rate for the rig is still set to the rate you have set in XMLog (hey, and the COM port # as well).

Mike - W1ECT

3115. ALERTS.MDB disk writes

Yahoo group: XMLog
Date: 2009-12-13 22:42:21 UTC
From: Craig Bradley
Topic: 3115 Message: 3115

Mike,

I just purchased a Buffalo DriveStation to backup my computers, it came with backup software from Memeo called AutoBackup. This software backups up files every time they are written to disk. I see that the alerts.mdb file is being backed up every time a new packet spot is received (I have band map on). This then creates a backup action over the network. I can exclude directories from the backup but not files. Is it necessary to write this file to disk every time a new spot is received?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3116. Re: ALERTS.MDB disk writes

Yahoo group: XMLog
Date: 2009-12-14 16:41:31 UTC
From: w1ect
Topic: 3115 Message: 3116

Hi Craig, The alerts.mdb file is a Microsoft Access database that XMLog uses to maintain a history of cluster spots so that they can be maintained across XMLog sessions. If I tried to implement some scheme where this data was cached in memory and only flushed on some schedule not only would this use more memory but it would mean that spots could be lost if the system (or XMLog) crashed.

There must be some way to can make an individual file exempt from real-time backups, you might try e-mailing the company that makes the software.

Mike - W1ECT

3117. Re: cat control yaesu 856d

Yahoo group: XMLog
Date: 2009-12-16 04:17:41 UTC
From: kb9ndl
Topic: 3113 Message: 3117

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi, One thing to check is to be sure the baud rate for the rig is still set to the rate you have set in XMLog (hey, and the COM port # as well).
>
> Mike - W1ECT
>
Thanks for the help.I fixed it .Dont realy know how.Musta been a poor conection at the com port...

3118. RE: [XMLog] Re: ALERTS.MDB disk writes

Yahoo group: XMLog
Date: 2009-12-18 05:31:07 UTC
From: Craig Bradley
Topic: 3115 Message: 3118

Hi Mike,

Thanks for the response. I understand the problem. I just seams like a lot of writes to disk if the spots are busy (like during a contest).

I can disable a backup of a directory but if I do that I am not backing up my log file. I will contact them and see if there is some other way to do it.

Could this file go in a sub directory?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Monday, December 14, 2009 8:42 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: ALERTS.MDB disk writes

Hi Craig, The alerts.mdb file is a Microsoft Access database that XMLog uses to maintain a history of cluster spots so that they can be maintained across XMLog sessions. If I tried to implement some scheme where this data was cached in memory and only flushed on some schedule not only would this use more memory but it would mean that spots could be lost if the system (or XMLog) crashed.

There must be some way to can make an individual file exempt from real-time backups, you might try e-mailing the company that makes the software.

Mike - W1ECT

[Non-text portions of this message have been removed]

3119. Re: ALERTS.MDB disk writes

Yahoo group: XMLog
Date: 2009-12-18 17:48:23 UTC
From: w1ect
Topic: 3115 Message: 3119

Hi Craig, There is an un-documented feature that lets you include all "data" files in a seperate directory but this includes logs, options files, etc. (i.e., any file that can be updated) - so this wouldn't do what you want since none of these files would then be saved by your backup software.

Actually the overhead for maintaining the PacketCluster spot history is very small (a lot less than maintaining the PacketCluster windows themselves).

Mike - W1ECT

3120. RE: [XMLog] Re: ALERTS.MDB disk writes

Yahoo group: XMLog
Date: 2009-12-20 17:45:52 UTC
From: Craig Bradley
Topic: 3115 Message: 3120

Hi Mike,

I do need my log backed up so I think that I will live with this for now. Maybe I can schedule the backups to go less often, now any time that a file is written, it is immediately backed up.

My main concern is wear and tear on the disk drive. I leave XMLog up and running 24/7 with packet cluster/band map so I can just walk in the room and see who's on the bands.

73 & Happy Holidays!

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Friday, December 18, 2009 9:48 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: ALERTS.MDB disk writes

Hi Craig, There is an un-documented feature that lets you include all "data" files in a seperate directory but this includes logs, options files, etc. (i.e., any file that can be updated) - so this wouldn't do what you want since none of these files would then be saved by your backup software.

Actually the overhead for maintaining the PacketCluster spot history is very small (a lot less than maintaining the PacketCluster windows themselves).

Mike - W1ECT

[Non-text portions of this message have been removed]

3121. Install Error - Windows 7

Yahoo group: XMLog
Date: 2009-12-29 01:10:48 UTC
From: abba_houston
Topic: 3121 Message: 3121

I also get an install error in Windows 7, I am logged in as Administrator. This is the exact error that Windows 7 reported:

Invalid line in Setup file
Section: Setup1 Files
@MSINET,ocx,$(WinSysPath),$(DLLSelfRegister),$(shared),3/24/09 12:52:32 PM,6.1.98.16

I tried to install 4 times and get the same error, then Windoows 7 removes the installation files.

Glen-WB4KTF

3122. Re: Install Error - Windows 7

Yahoo group: XMLog
Date: 2009-12-29 18:33:33 UTC
From: w1ect
Topic: 3121 Message: 3122

Hi Glen,

That line from the setup file looks ok... which version of XMLog are you installing?

Mike - W1ECT

3123. Re: Install Error - Windows 7

Yahoo group: XMLog
Date: 2009-12-30 19:40:44 UTC
From: Glen - WB4KTF
Topic: 3121 Message: 3123

Mike,
I was installing the newest version xmlog625.
Glen

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Glen,
>
> That line from the setup file looks ok... which version of XMLog are you installing?
>
> Mike - W1ECT
>

3124. Windows 7 issues

Yahoo group: XMLog
Date: 2009-12-31 16:50:10 UTC
From: n0pfe@sbcglobal.net
Topic: 3124 Message: 3124

I just bought a new Windows 7 machine the other day and have noticed some issues especially when running MXLog with the packet window started.

Looks like XMlog starts up just fine and, I can get many of the features to work. But one issue I ran across is with the packet window not closing down when I exit the program. When I exit XMLog and the packet window is open, I have to use the task manager to kill it. The little message at the bottom of the packet window says "shutting down" but it never does. Aside from the obvious, this has the added annoyance that any changes made don't get saved if you terminate.

I did try this briefly on another Vista machine and I get the same behavior. I did it on anothet Win 7 box also with same results.

I do have the 'User Account Control' Windows feature disabled as that was causing issues with other programs that communicate with each other.

There is a feature that allows one to operate in other OS compatibility modes. The one that comes closest to working and allows me to shutdown the program normally is in Win98/ME mode. However, this is broken as you can't use the menu commands that allow you to save off your log or open another because the file/dir dialog never comes up.

Anyone else see this of have any ideas?

Thanks!
73, Bruce

3125. Re: [XMLog] Windows 7 issues

Yahoo group: XMLog
Date: 2010-01-01 23:16:37 UTC
From: WILLIS COOKE
Topic: 3124 Message: 3125

Bruce, I am running XMlog on an HP Pavilion running Windows 7 64bit in the normal mode with an Elecraft k3.
I had to install a PCIe card with an RS-232 port to get computer control of the K3. I could not get the USB converter cable to accpt data from the K3. To shut down, I open CW Options and Port Select and change the default keying speed then Save. This causes a fault in the program and then it shuts down. If I try to shut down with File-Exit or with the Red X none of the windows close, not just the Packet Window. I can get it to close with the Task Manager, but it is easier to crash it and I have not lost any data. I also find that if I leave my WinKeyer connected through XMlog and the computer enters the sleep mode it will crash Windows and the computer will auto reboot.

My thoughts are that Microsoft really does not care if Windows works with any programs except Microsoft Office and the popular games.
Willis 'Cookie' Cooke
K5EWJ

From: "n0pfe@..." <n0pfe@...>
To: XMLog@yahoogroups.com
Sent: Thu, December 31, 2009 10:50:10 AM
Subject: [XMLog] Windows 7 issues

I just bought a new Windows 7 machine the other day and have noticed some issues especially when running MXLog with the packet window started.

Looks like XMlog starts up just fine and, I can get many of the features to work. But one issue I ran across is with the packet window not closing down when I exit the program. When I exit XMLog and the packet window is open, I have to use the task manager to kill it. The little message at the bottom of the packet window says "shutting down" but it never does. Aside from the obvious, this has the added annoyance that any changes made don't get saved if you terminate.

I did try this briefly on another Vista machine and I get the same behavior. I did it on anothet Win 7 box also with same results.

I do have the 'User Account Control' Windows feature disabled as that was causing issues with other programs that communicate with each other.

There is a feature that allows one to operate in other OS compatibility modes. The one that comes closest to working and allows me to shutdown the program normally is in Win98/ME mode. However, this is broken as you can't use the menu commands that allow you to save off your log or open another because the file/dir dialog never comes up.

Anyone else see this of have any ideas?

Thanks!
73, Bruce

[Non-text portions of this message have been removed]

3126. RE: [XMLog] Windows 7 issues

Yahoo group: XMLog
Date: 2010-01-02 21:07:42 UTC
From: Craig Bradley
Topic: 3124 Message: 3126

Cookie,

Thanks for posting this, I was thinking about upgrading to Win7. I think that I will stay with XP Pro for now. I was not impressed by Vista either.

73 & HNY!

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Friday, January 01, 2010 3:17 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Windows 7 issues

Bruce, I am running XMlog on an HP Pavilion running Windows 7 64bit in the normal mode with an Elecraft k3.
I had to install a PCIe card with an RS-232 port to get computer control of the K3. I could not get the USB converter cable to accpt data from the K3. To shut down, I open CW Options and Port Select and change the default keying speed then Save. This causes a fault in the program and then it shuts down. If I try to shut down with File-Exit or with the Red X none of the windows close, not just the Packet Window. I can get it to close with the Task Manager, but it is easier to crash it and I have not lost any data. I also find that if I leave my WinKeyer connected through XMlog and the computer enters the sleep mode it will crash Windows and the computer will auto reboot.

My thoughts are that Microsoft really does not care if Windows works with any programs except Microsoft Office and the popular games.
Willis 'Cookie' Cooke
K5EWJ

From: "n0pfe@sbcglobal. <mailto:n0pfe%40sbcglobal.net> net" <n0pfe@sbcglobal. <mailto:n0pfe%40sbcglobal.net> net>
To: XMLog@yahoogroups. <mailto:XMLog%40yahoogroups.com> com
Sent: Thu, December 31, 2009 10:50:10 AM
Subject: [XMLog] Windows 7 issues

I just bought a new Windows 7 machine the other day and have noticed some issues especially when running MXLog with the packet window started.

Looks like XMlog starts up just fine and, I can get many of the features to work. But one issue I ran across is with the packet window not closing down

when I exit the program. When I exit XMLog and the packet window is open, I have to use the task manager to kill it. The little message at the bottom of the packet window says "shutting down" but it never does. Aside from the obvious, this has the added annoyance that any changes made don't get saved if you terminate.

I did try this briefly on another Vista machine and I get the same behavior. I did it on anothet Win 7 box also with same results.

I do have the 'User Account Control' Windows feature disabled as that was causing issues with other programs that communicate with each other.

There is a feature that allows one to operate in other OS compatibility modes. The one that comes closest to working and allows me to shutdown the program normally is in Win98/ME mode. However, this is broken as you can't use the menu commands that allow you to save off your log or open another because the file/dir dialog never comes up.

Anyone else see this of have any ideas?

Thanks!
73, Bruce

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3127. multiple different qsl printed on same label

Yahoo group: XMLog
Date: 2010-01-03 12:06:28 UTC
From: pe1oyb
Topic: 3127 Message: 3127

Hi,
I want to print my qsl labels, but the problem is that alle labels are printed on the same label!.
I only want a label for each contact. If i worked the call before, tis contacts must be on the same label.
I created a custum layout, with max 4 qso on a label. When printing my qso's they are printed on one label and not using the 24 labels available. So I get too many pages for 24 labels.
I can't find a option telling to make a new label for a new\different callsign.
What to do?

3128. QRZ Lookup

Yahoo group: XMLog
Date: 2010-01-07 03:13:57 UTC
From: k1laxradio
Topic: 3128 Message: 3128

My request for call sign lookup (QRZ.com) in XM is now just showing:Name and Country

Jim Smith
USA

Did something change??????

Bob

3129. QRZ Lookup

Yahoo group: XMLog
Date: 2010-01-07 03:43:07 UTC
From: k1laxradio
Topic: 3128 Message: 3129

Just answered my own question! My QRZ subscription had expired!!! I renewed and now all the address fields are filled!

Thanks

3130. Re: QRZ Lookup

Yahoo group: XMLog
Date: 2010-01-07 17:30:58 UTC
From: w1ect
Topic: 3128 Message: 3130

Hi, I checked the latest documentation at QRZ.COM and see that Fred is now returning a "non-subscriber" status when you sign on with an expired id/password. I'll add a check for this and display a message.

Mike - W1ECT

3131. XR9JA

Yahoo group: XMLog
Date: 2010-01-08 17:28:07 UTC
From: w1ect
Topic: 3131 Message: 3131

Hi, There's a DXPedition to South Shetland scheduled for January 10 to 24 using the call XR9JA so if you're interested be sure to use the "View/Show Callsign List" menu item and add this special callsign.

Mike - W1ECT

3132. Re: Install Error - Windows 7

Yahoo group: XMLog
Date: 2010-01-17 16:35:48 UTC
From: Glen - WB4KTF
Topic: 3121 Message: 3132

Mike,

I am still unable to install Version 6.25 on my Windows 7 upgraded PC. I get the same error as stated below, every time. Any suggestions what may be wrong?

--- In XMLog@yahoogroups.com, "abba_houston" <wb4ktf@...> wrote:
>
> I also get an install error in Windows 7, I am logged in as Administrator. This is the exact error that Windows 7 reported:
>
> Invalid line in Setup file
> Section: Setup1 Files
> @MSINET,ocx,$(WinSysPath),$(DLLSelfRegister),$(shared),3/24/09 12:52:32 PM,6.1.98.16
>
> I tried to install 4 times and get the same error, then Windoows 7 removes the installation files.
>
> Glen-WB4KTF
>

3133. A request for future change

Yahoo group: XMLog
Date: 2010-01-21 15:41:53 UTC
From: Puck
Topic: 3133 Message: 3133

If at all possible it would be nice if the "Display All Entries for Call" function included the "notes". Even better would be a user selection feature of just what fields were displayed. I do a lot of rag chewing on CW and I like to look back at previous QSO's and see what notes I made. If they were all on screen at the same time it would be much more convienient. Perhaps this is too much to ask but I thought I'd at least ask.

I have used XMlog for a number of years and have about 75K qso's in my log. XMlog works great for me and I appreciate the efforts Mike makes to keep it current and provide it as freeware. It's about time I made another donation to help continue it's development and maintenance.

73,
Puck, W4PM

3134. Importing adif files

Yahoo group: XMLog
Date: 2010-01-21 17:38:30 UTC
From: richcarter03052
Topic: 3134 Message: 3134

I belong to a net that uses netlogger to help manage contacts (http://netlogger.org/). This works great for what they do, but doesn't provide very useful tools for tracking awards. I came across XMLog when searching for logging programs and find it very useful. I imported my log file to XMLog and generated a very useful checklist for WAS. I get some odd behavior however. The state imported by XMLog doesn't always agree with the netlog data base. In one case I get AK instead of NE. While I'd be thrilled to have AK among my contacts, this is not correct. The station once lived in AK, but I verified that the netlogger entry had NE set for state. I can't use a tool that reports state incorrectly. My guess is that XMLog is looking up the state somewhere rather than using what is in the import file. Any idea what might be going on here?

After importing the contacts, I can't see which band was worked. This is very important for WAS awards. Can you please add band to the display and make it sortable?

For some odd reason, the QSL sent field shows "?" instead of "Y". Is this a bug?

I'd be happy to chip in with a small donation if this ends up being my tool of choice.

Regards
Rich KE1EV

3135. Re: [XMLog] Importing adif files

Yahoo group: XMLog
Date: 2010-01-21 19:09:24 UTC
From: WILLIS COOKE
Topic: 3134 Message: 3135

Richard, the QSL field wants a date rather than a Y or N. The AK part comes from Alaska being a country as well as a state. I have not run across that problem, but it may come from the country field not being filled in. The way to tell what is happening to you is to look at the ADI file you are going to import and see what is there. It is a text file, so you can read it. If you are not familiar with the ADIF you might look at the specs (Google ADIF) and get familiar with the format. I import a lot of ADIF files from my contest programs, but I have to work them over with a text editor. I use Note Pad rather than Word Pad or another more capable editor because you don't want Rich Text. Note Pad doesn't do Rich Text, so you can just save without worry. With Word Pad, the default is Rich Text, so you have to remember to save as Plain Text.

The problems come from the fact that there is some flexibility in ADIF to accommodate the variety of programs. You will be lucky not to need an adjustment whatever programs you are using, but by using a bit of thought and search and replace the adjustment is not terribly time consuming.
 Willis 'Cookie' Cooke
K5EWJ

From: richcarter03052 <re.carter@...>
To: XMLog@yahoogroups.com
Sent: Thu, January 21, 2010 11:38:30 AM
Subject: [XMLog] Importing adif files

I belong to a net that uses netlogger to help manage contacts (http://netlogger. org/). This works great for what they do, but doesn't provide very useful tools for tracking awards. I came across XMLog when searching for logging programs and find it very useful. I imported my log file to XMLog and generated a very useful checklist for WAS. I get some odd behavior however. The state imported by XMLog doesn't always agree with the netlog data base. In one case I get AK instead of NE. While I'd be thrilled to have AK among my contacts, this is not correct. The station once lived in AK, but I verified that the netlogger entry had NE set for state. I can't use a tool that reports state incorrectly. My guess is that XMLog is looking up the state somewhere rather than using what is in the import file. Any idea what might be going on here?

After importing the contacts, I can't see which band was worked. This is very important for WAS awards. Can you please add band to the display and make it sortable?

For some odd reason, the QSL sent field shows "?" instead of "Y". Is this a bug?

I'd be happy to chip in with a small donation if this ends up being my tool of choice.

Regards
Rich KE1EV

[Non-text portions of this message have been removed]

3136. Re: [XMLog] Importing adif files

Yahoo group: XMLog
Date: 2010-01-21 18:25:21 UTC
From: Ken Hucksoll
Topic: 3134 Message: 3136

I use a program called ADIF Master (free) to eliminate the column POWER used...this will eleminate a big error when you transfer it to XML Log.....I convert from DM780 to XML...hope this helps Ken N5LYJ......

--- On Thu, 1/21/10, richcarter03052 <re.carter@...> wrote:

From: richcarter03052 <re.carter@...>
Subject: [XMLog] Importing adif files
To: XMLog@yahoogroups.com
Date: Thursday, January 21, 2010, 11:38 AM

I belong to a net that uses netlogger to help manage contacts (http://netlogger. org/). This works great for what they do, but doesn't provide very useful tools for tracking awards. I came across XMLog when searching for logging programs and find it very useful. I imported my log file to XMLog and generated a very useful checklist for WAS. I get some odd behavior however. The state imported by XMLog doesn't always agree with the netlog data base. In one case I get AK instead of NE. While I'd be thrilled to have AK among my contacts, this is not correct. The station once lived in AK, but I verified that the netlogger entry had NE set for state. I can't use a tool that reports state incorrectly. My guess is that XMLog is looking up the state somewhere rather than using what is in the import file. Any idea what might be going on here?

After importing the contacts, I can't see which band was worked. This is very important for WAS awards. Can you please add band to the display and make it sortable?

For some odd reason, the QSL sent field shows "?" instead of "Y". Is this a bug?

I'd be happy to chip in with a small donation if this ends up being my tool of choice.

Regards

Rich KE1EV

[Non-text portions of this message have been removed]

3137. Re: Importing adif files

Yahoo group: XMLog
Date: 2010-01-21 19:45:18 UTC
From: w1ect
Topic: 3134 Message: 3137

Hi Rich, ADIF files are just text files, open your ADIF file with something like Wordpad, search for the record with the callsign that seemed to get the state wrong and check out the data in the record(s). If the state is OK in the ADIF file but wrong in the corresponding XMLog record, let me know.

Also, check an ADIF entry that got the date set as "?". One way this can happen is if the ADIF file says a QSL was received (or sent) but doesn't provide a specific date (there are two seperate ADIF fields, one for the QSL status and another for the date).

Also, don't know why you'd want to skip the "Power" field unless it was badly formatted in the ADIF file?

Mike - W1ECT

3138. Re: Importing adif files

Yahoo group: XMLog
Date: 2010-01-22 14:17:50 UTC
From: richcarter03052
Topic: 3134 Message: 3138

I downloaded ADIF Master and examined my log file. The entry noted earlier is listed in that log as a South Dakota station, "SD". When imported to XMLog, he shows up as Alaska, "AK". I'd be happy to send my log file as an example.
Even if I could sort out the errors in XMLog, I have no way to fix an entry there. XMLog doesn't use adif format, so I can't compare the databases. I exported the XMLog database to an excel spreadsheet and verified that the station state was changed from SD to AK.

Rich KE1EV

--- In XMLog@yahoogroups.com, Ken Hucksoll <skip19755@...> wrote:
>
> I use a program called ADIF Master (free) to eliminate the column POWER used...this will eleminate a big error when you transfer it to XML Log.....I convert from DM780 to XML...hope this helps Ken N5LYJ......
>
>

3139. Re: A request for future change

Yahoo group: XMLog
Date: 2010-01-22 17:55:51 UTC
From: w1ect
Topic: 3133 Message: 3139

Hi Puck, I'll look into this - It's most likely that I could add "Display All Entries for Call" as an option to the "Display/Display Excel" feature since it already provides for field selection, etc.

One thing you can do for now is double-click on any entry in the "Display All Entries for Call" Window and this will move the main Log Window to the corresponding log entry where you can see the Notes info. Many windows allow double-clicking in this manner, for example: all the Display/xxx windows, the Callbook Lookup Window, and the QSOs+Check Call Window (F4).

You might try using "View/QSOs+Check Call Window (F4)" instead of "Display/Display All Entries for Call". It dynamically updates as you cruise your log file or when you single-click on callsigns in the Packet Window(s). As noted above you can then double-click on entries displayed in the Check Call Window to get more info.

Mike - W1ECT

3140. Re: Importing adif files

Yahoo group: XMLog
Date: 2010-01-22 17:59:43 UTC
From: w1ect
Topic: 3134 Message: 3140

Hi Rich, OK - Don't send the log, just send the ADIF file (you can trim it down to the entry in error if you want). Also send me your options file (mlog.ini - located in your install folder, usually c:\mlog).

Mike - W1ECT (w1ect at xmlog dot com)

3141. Re: [XMLog] Re: A request for future change

Yahoo group: XMLog
Date: 2010-01-22 19:55:55 UTC
From: WILLIS COOKE
Topic: 3133 Message: 3141

Mike, a problem with this click (in addition to not knowing about the feature until now) is that it will not work while in the QSO entry mode. It would be dandy if it would open another window and let you keep the editing or searching window intact. It would also be dandy if there was an option for a window that shows the previous QSOs for the day or the session while keeping the QSO entry window open.

I also notice that the Confirmed symbol is not shown for LoTW confirmations. It would be nice to see maybe a third symbol for LoTW confirmed. Some might like to see eQSL also.
 Willis 'Cookie' Cooke
K5EWJ

From: w1ect <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Fri, January 22, 2010 11:55:51 AM
Subject: [XMLog] Re: A request for future change

Hi Puck, I'll look into this - It's most likely that I could add "Display All Entries for Call" as an option to the "Display/Display Excel" feature since it already provides for field selection, etc.

One thing you can do for now is double-click on any entry in the "Display All Entries for Call" Window and this will move the main Log Window to the corresponding log entry where you can see the Notes info. Many windows allow double-clicking in this manner, for example: all the Display/xxx windows, the Callbook Lookup Window, and the QSOs+Check Call Window (F4).

You might try using "View/QSOs+Check Call Window (F4)" instead of "Display/Display All Entries for Call". It dynamically updates as you cruise your log file or when you single-click on callsigns in the Packet Window(s). As noted above you can then double-click on entries displayed in the Check Call Window to get more info.

Mike - W1ECT

[Non-text portions of this message have been removed]

3142. Re: A request for future change

Yahoo group: XMLog
Date: 2010-01-23 21:11:40 UTC
From: w1ect
Topic: 3133 Message: 3142

Hi Willis, The "View/QSOs+Check Call Window (F4)" does dynamically update as you enter/edit the Callsign field for log entries.

I've considered yet more confirm flags to show LoTW status (sigh). It's on the to-do list.

Mike - W1ECT

3143. Re: [XMLog] Re: A request for future change

Yahoo group: XMLog
Date: 2010-01-23 21:53:44 UTC
From: WILLIS COOKE
Topic: 3133 Message: 3143

I know that there is always someone wanting something else. We are patient, so do it when it gets to the top of your list. I guess that I was not clear. I know the check call window updates as a new call is entered in the log window. What I was trying to say is that clicking on a previous QSO in the check call window does not work if the QSO entry window is active. This means that you cannot look at a previous QSO until you finish entering the data, click add then Quit the screen. Also there is no way to look at the previous QSO or QSOs made without quitting the entry screen.
 Willis 'Cookie' Cooke
K5EWJ

From: w1ect <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Sat, January 23, 2010 3:11:40 PM
Subject: [XMLog] Re: A request for future change

Hi Willis, The "View/QSOs+Check Call Window (F4)" does dynamically update as you enter/edit the Callsign field for log entries.

I've considered yet more confirm flags to show LoTW status (sigh). It's on the to-do list.

Mike - W1ECT

[Non-text portions of this message have been removed]

3144. Can't select "use standard mailing labels"

Yahoo group: XMLog
Date: 2010-01-26 18:06:53 UTC
From: wa7cc
Topic: 3144 Message: 3144

I've always used custom label definitions to print envelops. Now I'd like to print some Avery 5260 labels, but clicking on the "Use standard mailing labels" radio button in the "Mailing Label Page Layout" dialog box has no effect, "Use custom mailing layout" stays selected.

Any thoughts? I'm using version 6.25

Thanks

3145. Dxpeditions - VK2ACC/9 and VP8DMN

Yahoo group: XMLog
Date: 2010-01-26 18:58:11 UTC
From: w1ect
Topic: 3145 Message: 3145

Hi, Here's a couple of calls to add to the special calls list using the "View/Show Callsign List" menu item.

VK2ACC/9 - Norfolk I.
VP8DMN - Falkland Is.

Mike - W1ECT

3146. Re: Can't select "use standard mailing labels"

Yahoo group: XMLog
Date: 2010-01-26 20:59:16 UTC
From: w1ect
Topic: 3144 Message: 3146

Hi, I couldn't reproduce the problem here. Are you saying that the option in the dialog box doesn't get selected when you click on it?

Note that any mailing or QSL labels that you previously have queued before you change the layout will not be affected - whatever layout was in force when you did the "Add Label To List" is what gets used.

However, if you want to change the layout for queued labels there is a hack that you can use. The labels queue is kept in a simple text file named "labels.out" for qsl labels and "mailing.out" for mailing labels (the folder is the install folder, usually c:\mlog). If you look at this file with WordPad or some other text editor you'll see that you can globally change the "Layout=xxxx" lines to "Layout=".

Mike - W1ECT

3147. Re: Can't select "use standard mailing labels"

Yahoo group: XMLog
Date: 2010-01-27 05:20:46 UTC
From: wa7cc
Topic: 3144 Message: 3147

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi, I couldn't reproduce the problem here. Are you saying that the option in the dialog box doesn't get selected when you click on it?
>

That's correct. Clicking on the radio button does nothing. I reinstalled mlog in a different directory and it seems to be a corruption in the layouts.mdb/ldb files. Using the default files, the radio button works, copying my old layouts files causes the problem to reoccur.

Can you suggest a repair for the layouts file or am I best to retype all of my definitions?

3148. Re: Importing adif files

Yahoo group: XMLog
Date: 2010-01-27 16:59:04 UTC
From: w1ect
Topic: 3134 Message: 3148

Hi Rich, Normally ADIF files provide a field (DXCC) that specifies the DXCC country for each entry. While this value isn't a required field, without it the program doing the import has to "guess" what the correct DXCC country is from other data. The DXCC value is set to zero for the entries you sent me and since XMLog makes it's "guess" primarily based on the callsign it picked Alaska for the KL7 calls. I'll take a look at my "guesser" and make some improvements so that it also looks to see if any state/province is supplied.

For now you can just search your log for entries where State=AK and fix the ones that had inappropriate guesses.

You can take a look at the rest of your ADIF file and see if all entries have DXCC=0. If it looks like just some of them do perhaps you should ask the NetLogger folk what's going on. And if all of them are zero?

Mike - W1ECT

3149. DXPeditions - TX3D

Yahoo group: XMLog
Date: 2010-01-29 16:11:01 UTC
From: w1ect
Topic: 3149 Message: 3149

Hi, Here's another call to add to the special calls list using the
"View/Show Callsign List" menu item.

TX3D - Austral Is. (FO/A)

Mike - W1ECT

3150. Re: [XMLog] DXPeditions - TX3D

Yahoo group: XMLog
Date: 2010-01-29 16:27:18 UTC
From: WILLIS COOKE
Topic: 3149 Message: 3150

I think you will find that TX3D counts for French Polynesia which is part of the Austral Chain, but not for Austral Island which is rare. Check their web site carefully.
 Willis 'Cookie' Cooke
K5EWJ

From: w1ect <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Fri, January 29, 2010 10:11:01 AM
Subject: [XMLog] DXPeditions - TX3D

Hi, Here's another call to add to the special calls list using the "View/Show Callsign List" menu item.

TX3D - Austral Is. (FO/A)

Mike - W1ECT

[Non-text portions of this message have been removed]

3151. Re: [XMLog] DXPeditions - TX3D

Yahoo group: XMLog
Date: 2010-01-29 16:51:52 UTC
From: N7mal
Topic: 3149 Message: 3151

Time-Out
There are 2 xpeditions going on the same time on that website. FO/DL3APO is the French Polynesia part and counts as FO.
TX3D is 100% definitely on/in the Austral island chain, Raivavae IOTA OC 114, and counts as FO/A.

Here's the IOTA info:
Group Name: Raivavae Island
Main prefix: FO
Location: 23.78S - 23.95S / 147.5W - 147.75W
DXCC: AUSTRAL IS

Hope this clears up any misunderstanding
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Friday, January 29, 2010 16:27
Subject: Re: [XMLog] DXPeditions - TX3D

I think you will find that TX3D counts for French Polynesia which is part of the Austral? Chain, but not for Austral Island which is rare.? Check their web site carefully.
? Willis 'Cookie' Cooke
K5EWJ

From: w1ect <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Fri, January 29, 2010 10:11:01 AM
Subject: [XMLog] DXPeditions - TX3D

?
Hi, Here's another call to add to the special calls list using the "View/Show Callsign List" menu item.

TX3D - Austral Is. (FO/A)

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3152. Re: DXPeditions - TX3D

Yahoo group: XMLog
Date: 2010-01-30 17:10:39 UTC
From: w1ect
Topic: 3149 Message: 3152

OK, Did some searching and couldn't immediately find any documentation on which islands the ARRL considers to constitute the "Austral Islands" DXCC entity. I was just going by their DXCC bulletin and assumed if the call counted for Fiji they would have said so (as they normally do).

"AUSTRAL ISLANDS, FO. A group of operators are QRV as TX3D from
Raivavae Island, IOTA OC-114, until February 4. Activity is mainly
on 160 to 30 meters, and possibly the higher bands, using CW, SSB
and RTTY. QSL via DL1AWI."

Mike - W1ECT

3153. Windows 7 and XMlog ver 6.26 w/usb to serial convertor

Yahoo group: XMLog
Date: 2010-02-10 05:55:29 UTC
From: Raymond
Topic: 3153 Message: 3153

I was unable to run xmlog with my FT1000MP Mark V using the Win 7 OS and a usb to serial convertor. It worked at first but after several updates nothing would work as far as communicating with the rig. However tonight after a new update from Microsoft and a new Aten driver it started working again and now frequency/mode and rig comms are working just fine. So to those with similar issues you might check for new drivers and updates. All seems well.

Settings are:

Port Type-----XMLog
Com Port------Your choice
Baud Rate-----4800
Parity--------None
Data Bits-----8
Stop Bits-----2
Flow Control--None
Data Mode-----Data/FSK
Options-------RTS Always on (Yes)

K7FU

3154. Re: [XMLog] Windows 7 and XMlog ver 6.26 w/usb to serial convertor

Yahoo group: XMLog
Date: 2010-02-11 01:35:56 UTC
From: Bruce, N0PFE
Topic: 3153 Message: 3154

64 bit or 32 bit version?

/Bruce

On 2/9/2010 11:55 PM, Raymond wrote:
>
> I was unable to run xmlog with my FT1000MP Mark V using the Win 7 OS
> and a usb to serial convertor. It worked at first but after several
> updates nothing would work as far as communicating with the rig.
> However tonight after a new update from Microsoft and a new Aten
> driver it started working again and now frequency/mode and rig comms
> are working just fine. So to those with similar issues you might check
> for new drivers and updates. All seems well.
>
> Settings are:
>
> Port Type-----XMLog
> Com Port------Your choice
> Baud Rate-----4800
> Parity--------None
> Data Bits-----8
> Stop Bits-----2
> Flow Control--None
> Data Mode-----Data/FSK
> Options-------RTS Always on (Yes)
>
> K7FU
>
>

[Non-text portions of this message have been removed]

3155. Re: [XMLog] Windows 7 and XMlog ver 6.26 w/usb to serial convertor

Yahoo group: XMLog
Date: 2010-02-11 03:37:58 UTC
From: Raymond Hansmeier
Topic: 3153 Message: 3155

This was on the 32 bit version of Win 7 Ultra, I also have the 64 bit version and I will test it and get back to the group.

K7FU

[Non-text portions of this message have been removed]

3156. Re: [XMLog] Windows 7 and XMlog ver 6.26 w/usb to serial convertor

Yahoo group: XMLog
Date: 2010-02-11 03:56:31 UTC
From: Raymond Hansmeier
Topic: 3153 Message: 3156

I used Windows Update for the 64 bit version and it worked as well. So the new ATEN drivers did the trick for me for both the 32 and 64 bit versions of W7 ultra.

K7FU

[Non-text portions of this message have been removed]

3157. Re: [XMLog] Windows 7 and XMlog ver 6.26 w/usb to serial convertor

Yahoo group: XMLog
Date: 2010-02-11 04:41:58 UTC
From: Bruce, N0PFE
Topic: 3153 Message: 3157

Ok, thanks. I have the 64 bit Win 7 and the issue I have is with
shutting down the program when I have the telnet packet window running.
I have to forcefully close the program via task-manager.

73

On 2/10/2010 9:56 PM, Raymond Hansmeier wrote:
>
> I used Windows Update for the 64 bit version and it worked as well. So the
> new ATEN drivers did the trick for me for both the 32 and 64 bit
> versions of
> W7 ultra.
>
> K7FU
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

3158. XMLOG

Yahoo group: XMLog
Date: 2010-02-15 15:14:03 UTC
From: Glen - WB4KTF
Topic: 3158 Message: 3158

Mike,
Still having problems installing xmlog625 on Windows 7 (64bit), and had the same problem on 32 bit. Everytime I try to install I get a "serious error" :
Invalid line in Setup file
Section Setup1Files
@ MSINET,ocx,$(WinSysPath),$(DLLSelfRegister),$(Shared),3/24/09 12:52:32 PM 136008,6.1.98.19

I actually decided to load the Windows 7 64 bit version after having loaded the 32 bit because of XMLOG, I really used it a lot on XP and need it to work again. Can you please provide some advise as to what is happening?

Glen - WB4KTF

3159. Re: [XMLog] XMLOG

Yahoo group: XMLog
Date: 2010-02-15 15:29:25 UTC
From: WILLIS COOKE
Topic: 3158 Message: 3159

Glen, are you installing XM log in the C:\\ directory or in the Programs directory? Mine is installed in c:\\mlog and it runs fine. I have been running it for about 3 months and the only issue that I have is that the Exit routine does not work and I have to use Task Manager to close it. I am running Windows 7 64 bit on a HP P6230f with AMD Phenom II Quad Processor. When I bought the computer in November I had several issues, most of which have gone away with XMlog and Windows revisions.
 Willis 'Cookie' Cooke
K5EWJ

From: Glen - WB4KTF <wb4ktf@...>
To: XMLog@yahoogroups.com
Sent: Mon, February 15, 2010 9:14:03 AM
Subject: [XMLog] XMLOG

Mike,
Still having problems installing xmlog625 on Windows 7 (64bit), and had the same problem on 32 bit. Everytime I try to install I get a "serious error" :
Invalid line in Setup file
Section Setup1Files
@ MSINET,ocx,$ (WinSysPath) ,$(DLLSelfRegist er),$(Shared) ,3/24/09 12:52:32 PM
136008,6.1.98. 19

I actually decided to load the Windows 7 64 bit version after having loaded the 32 bit because of XMLOG, I really used it a lot on XP and need it to work again. Can you please provide some advise as to what is happening?

Glen - WB4KTF

[Non-text portions of this message have been removed]

3160. Re:XMLOG

Yahoo group: XMLog
Date: 2010-02-16 15:08:50 UTC
From: Joebrining
Topic: 3158 Message: 3160

Glenn, I have Xmlog installed on a Win 7 64 PC and I installed it in the Program Files (X86) directory. It installed w/o any problems and has been running fine. The version of Xmlog is 6.17, so maybe you could try to install an older version of Xmlog.
Joe...
W3BUI...

3161. Re: XMLOG

Yahoo group: XMLog
Date: 2010-02-17 03:30:20 UTC
From: Glen - WB4KTF
Topic: 3158 Message: 3161

I have tried installing XMLOG two ways but both are to C:// exactly as the installer wants to do. In the initial try the installer launches to the dialog box with the INSTALL button, as soon as it starts to run, it fails with the error message stated earlier, then Windows 7 says that it needs to remove the installation files, then after it removes the files, Windows 7 offers 2 choices to try to reinstall "normal" and to reinstall in "recommended" mode. The install fails again no matter which selection I make.

Glen - WB4KTF

3162. Packet DX cluster alerts.

Yahoo group: XMLog
Date: 2010-02-17 16:47:13 UTC
From: Rick
Topic: 3162 Message: 3162

Hi list.

I am trying to setup XMLog to show DX cluster alerts for the general class part of the HF bands.

The help file isn't vary clear to me.

Under options, packet cluster alerts, in the bands edit field, do I type in extra to exclude alerts from the extra portion of the HF bands?

Also in the modes edit field do I type in CW and RTTY to get alerts for phone only?

One more question.

When searching my log, how do I get it to show me all the entries in my log?

Thanks in advance and 7 3.

[Non-text portions of this message have been removed]

3163. Re: Packet DX cluster alerts.

Yahoo group: XMLog
Date: 2010-02-17 20:15:14 UTC
From: w1ect
Topic: 3162 Message: 3163

Hi Rick,

> Under options, packet cluster alerts, in the bands edit field, do I type in extra to exclude alerts from the extra portion of the HF bands?

Yes, include Extra (and Advanced?) in the "Ignore Spots for: Bands" section.

> Also in the modes edit field do I type in CW and RTTY to get alerts for phone only?

Yes, include CW and RTTY in the "Ignore Spots for: Modes" section.

> When searching my log, how do I get it to show me all the entries in my log?

Do a search without filling in any search keys (choose "Select" and then "Search" without filling in any keys).

Mike - W1ECT

3164. Re: [XMLog] Packet DX cluster alerts.

Yahoo group: XMLog
Date: 2010-02-17 21:41:37 UTC
From: WILLIS COOKE
Topic: 3162 Message: 3164

Rick, many of the DXpeditions will transmit in the Extra band and listen in the General band. You may miss some choice spots that are legal for you by not looking at the Extra band.
 Willis 'Cookie' Cooke
K5EWJ

From: Rick <Twelvestrings12@...>
To: XMLog@yahoogroups.com
Sent: Wed, February 17, 2010 10:47:13 AM
Subject: [XMLog] Packet DX cluster alerts.

Hi list.

I am trying to setup XMLog to show DX cluster alerts for the general class part of the HF bands.

The help file isn't vary clear to me.

Under options, packet cluster alerts, in the bands edit field, do I type in extra to exclude alerts from the extra portion of the HF bands?

Also in the modes edit field do I type in CW and RTTY to get alerts for phone only?

One more question.

When searching my log, how do I get it to show me all the entries in my log?

Thanks in advance and 7 3.

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3165. Re:XMLOG

Yahoo group: XMLog
Date: 2010-02-17 23:28:48 UTC
From: Glen - WB4KTF
Topic: 3158 Message: 3165

Joe,

I tried to install Version 6.19 into the Windows x86 section and I still get the critical error, so it still fails to install.

Glen
WB4KTF

3166. Re: [XMLog] Re: Packet DX cluster alerts.

Yahoo group: XMLog
Date: 2010-02-18 15:00:58 UTC
From: Rick
Topic: 3162 Message: 3166

Thanks for your help on DX clusters.
About searching the log, I did what you said.
It only shows me one entry.
I forgot to mention I am blind and using a screenreader.
Maybe the problem is with my screenreader.
Thanks again for your help, and 7 3.
----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Wednesday, February 17, 2010 3:15 PM
Subject: [XMLog] Re: Packet DX cluster alerts.

Hi Rick,

> Under options, packet cluster alerts, in the bands edit field, do I type in extra to exclude alerts from the extra portion of the HF bands?

Yes, include Extra (and Advanced?) in the "Ignore Spots for: Bands" section.

> Also in the modes edit field do I type in CW and RTTY to get alerts for phone only?

Yes, include CW and RTTY in the "Ignore Spots for: Modes" section.

> When searching my log, how do I get it to show me all the entries in my log?

Do a search without filling in any search keys (choose "Select" and then "Search" without filling in any keys).

Mike - W1ECT

[Non-text portions of this message have been removed]

3167. DXPeditions - TX4T

Yahoo group: XMLog
Date: 2010-02-18 16:54:11 UTC
From: w1ect
Topic: 3167 Message: 3167

Hi, Here's another call to add to the special calls list using the
"View/Show Callsign List" menu item.

TX4T - French Polynesia (FO/P)

Mike - W1ECT

3168. TX3D Credit

Yahoo group: XMLog
Date: 2010-02-19 22:09:20 UTC
From: WILLIS COOKE
Topic: 3168 Message: 3168

I raised the question as to whether TX3D was French Polynesia or Austral. Today, my confirmation for LOTW was posted, as credit for AUSTRAIL ISLANDS!
 Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

3169. Re: [XMLog] TX3D Credit

Yahoo group: XMLog
Date: 2010-02-20 01:41:51 UTC
From: N7mal
Topic: 3168 Message: 3169

On 1/29/2010 I posted this answer to your query:

Time-Out
There are 2 xpeditions going on the same time on that website. FO/DL3APO is the French Polynesia part and counts as FO.
TX3D is 100% definitely on/in the Austral island chain, Raivavae IOTA OC 114, and counts as FO/A.

Here's the IOTA info:
Group Name: Raivavae Island
Main prefix: FO
Location: 23.78S - 23.95S / 147.5W - 147.75W
DXCC: AUSTRAL IS

On 1/30/2010 Mike W1ECT posted the following:

OK, Did some searching and couldn't immediately find any documentation on which islands the ARRL considers to constitute the "Austral Islands" DXCC entity. I was just going by their DXCC bulletin and assumed if the call counted for Fiji they would have said so (as they normally do).

"AUSTRAL ISLANDS, FO. A group of operators are QRV as TX3D from Raivavae Island, IOTA OC-114, until February 4. Activity is mainly on 160 to 30 meters, and possibly the higher bands, using CW, SSB and RTTY. QSL via DL1AWI."

So thank you Willis for confirming Mike and I know what we were talking about......
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups.com
Sent: Friday, February 19, 2010 22:09
Subject: [XMLog] TX3D Credit

I raised the question as to whether TX3D was French Polynesia or Austral. Today, my confirmation for LOTW was posted, as credit for AUSTRAIL ISLANDS!
Willis 'Cookie' Cooke

K5EWJ

[Non-text portions of this message have been removed]

3170. Re: [XMLog] TX3D Credit

Yahoo group: XMLog
Date: 2010-02-20 04:55:39 UTC
From: WILLIS COOKE
Topic: 3168 Message: 3170

So you did Mal, but I could find no confirmation and I was not sure. Now I am.
 Willis 'Cookie' Cooke
K5EWJ

From: N7mal <n7mal@...>
To: XMLog@yahoogroups.com
Sent: Fri, February 19, 2010 7:41:51 PM
Subject: Re: [XMLog] TX3D Credit

On 1/29/2010 I posted this answer to your query:

Time-Out
There are 2 xpeditions going on the same time on that website. FO/DL3APO is
the French Polynesia part and counts as FO.
TX3D is 100% definitely on/in the Austral island chain, Raivavae IOTA OC
114, and counts as FO/A.

Here's the IOTA info:
Group Name: Raivavae Island
Main prefix: FO
Location: 23.78S - 23.95S / 147.5W - 147.75W
DXCC: AUSTRAL IS

On 1/30/2010 Mike W1ECT posted the following:

OK, Did some searching and couldn't immediately find any documentation on
which islands the ARRL considers to constitute the "Austral Islands" DXCC
entity. I was just going by their DXCC bulletin and assumed if the call
counted for Fiji they would have said so (as they normally do).

"AUSTRAL ISLANDS, FO. A group of operators are QRV as TX3D from
Raivavae Island, IOTA OC-114, until February 4. Activity is mainly
on 160 to 30 meters, and possibly the higher bands, using CW, SSB
and RTTY. QSL via DL1AWI."

So thank you Willis for confirming Mike and I know what we were talking
about......
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal. com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: WILLIS COOKE
To: XMLog@yahoogroups. com
Sent: Friday, February 19, 2010 22:09
Subject: [XMLog] TX3D Credit

I raised the question as to whether TX3D was French Polynesia or Austral.
Today, my confirmation for LOTW was posted, as credit for AUSTRAIL ISLANDS!
Willis 'Cookie' Cooke
K5EWJ

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3171. Callsign List

Yahoo group: XMLog
Date: 2010-02-23 01:01:40 UTC
From: Puck
Topic: 3171 Message: 3171

After the ARRL DX CW contest I imported the contest log into XM Log. LZ5R, who I worked on 3 bands, was assigned the country Antartica? I checked the callsign list and sure enough it was in there as Antartica.
I just deleted that entry. Any idea why that call was in the list? I sure didn't add it.

Another call you should add though is TO4D who is in Guadaloupe (FG).

73,
Puck W4PM

3172. Re: Callsign List

Yahoo group: XMLog
Date: 2010-02-23 16:15:01 UTC
From: w1ect
Topic: 3171 Message: 3172

Hi Puck, I don't know when LZ5R got added to the callsign list as Antarctica - there was probably a dx-pedition sometime in the past but a web search didn't find anything. It's probably best to delete this callsign from the list so the country for the current station will be set properly. I'll delete the entry from the "official" list that gets distributed but this will only affect those who are doing an initial install of XMLog (since existing entries are never deleted). Everyone else will have to delete this entry themselves.

Thanks for the heads-up on TO4D as FG, I'll add that to the "official" list.

Mike - W1ECT

3173. transfer from cd

Yahoo group: XMLog
Date: 2010-03-03 23:24:59 UTC
From: scuffy
Topic: 3173 Message: 3173

I wonder if anyone can help I had installed xmlog on an old pc and am trying to transfer that log info onto my new pc .Thanks Alan wa2ac

3174. Re: transfer from cd

Yahoo group: XMLog
Date: 2010-03-04 02:20:19 UTC
From: w1ect
Topic: 3173 Message: 3174

Hi Alan, Just copy all the files/folders from your old install location (usually c:\mlog) to the same location on your new system. Then download the latest version from www.xmlog.com or www.xmlog.com/beta and do an install to that location. The install will not reset any options settings from .ini files, etc. that were moved from your old system.

Mike - W1ECT

3175. Re: [XMLog] transfer from cd

Yahoo group: XMLog
Date: 2010-03-04 03:09:19 UTC
From: WILLIS COOKE
Topic: 3173 Message: 3175

Just copy the file to the mlog directory on the new computer. You will need to make it the default log on the new computer or at least call it up. The entire log is in a file called WA2AC.log if you named it with your call sign.
 Willis 'Cookie' Cooke
K5EWJ

From: scuffy <nizac712590@...>
To: XMLog@yahoogroups.com
Sent: Wed, March 3, 2010 5:24:59 PM
Subject: [XMLog] transfer from cd

I wonder if anyone can help I had installed xmlog on an old pc and am trying to transfer that log info onto my new pc .Thanks Alan wa2ac

[Non-text portions of this message have been removed]

3176. Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-04 21:08:12 UTC
From: waltw1
Topic: 3176 Message: 3176

Hi, all,

It has been close to a year since I sent some cards off to the buro. Here's my problem.

My log has a huge number of entries, but I only want to print some of the last 300. I seem to have forgotten how to select large numbers of QSOs without doing it individually, one by one.

I know that this is a stupid question, but can someone refresh my memory?

Thanks, and 73,

Walt KJ4HE

3177. Re: [XMLog] Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-04 22:31:54 UTC
From: WILLIS COOKE
Topic: 3176 Message: 3177

I would guess what the date was about 300 QSOs ago. Click on select and enter >02/27/10 in the date block, select Search. If you don't get the number of QSOs you want, adjust the date.
 Willis 'Cookie' Cooke
K5EWJ

From: waltw1 <waltw1@gmail.com>
To: XMLog@yahoogroups.com
Sent: Thu, March 4, 2010 3:08:12 PM
Subject: [XMLog] Selecting QSOs for label printing

Hi, all,

It has been close to a year since I sent some cards off to the buro. Here's my problem.

My log has a huge number of entries, but I only want to print some of the last 300. I seem to have forgotten how to select large numbers of QSOs without doing it individually, one by one.

I know that this is a stupid question, but can someone refresh my memory?

Thanks, and 73,

Walt KJ4HE

[Non-text portions of this message have been removed]

3178. Re: Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-05 13:50:48 UTC
From: waltw1
Topic: 3176 Message: 3178

Thanks, Willis;

That worked fine, but I need to print the QSOs from over a span of days. Say from 10/12/09 to 03/01/10.

Any ideas?

Walt KJ4HE

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> I would guess whatÂ the date was about 300Â QSOs ago.Â Click on select and enter >02/27/10 in the date block, select Search.Â If you don't get the number of QSOs you want, adjust the date.
> Â Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> _____
> From: waltw1 <waltw1@...>
> To: XMLog@yahoogroups.com
> Sent: Thu, March 4, 2010 3:08:12 PM
> Subject: [XMLog] Selecting QSOs for label printing
>
> Â
> Hi, all,
>
> It has been close to a year since I sent some cards off to the buro. Here's my problem.
>
> My log has a huge number of entries, but I only want to print some of the last 300. I seem to have forgotten how to select large numbers of QSOs without doing it individually, one by one.
>
> I know that this is a stupid question, but can someone refresh my memory?
>
> Thanks, and 73,
>
> Walt KJ4HE
>
>
>
>
>
>
>

>
> [Non-text portions of this message have been removed]
>

3179. Re: [XMLog] Re: Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-05 16:21:26 UTC
From: J. Agius
Topic: 3176 Message: 3179

Use >10/12/09;<03/01/10 in the date field

Joe
W1TW

--- On Fri, 3/5/10, waltw1 <waltw1@...> wrote:

> From: waltw1 <waltw1@...>
> Subject: [XMLog] Re: Selecting QSOs for label printing
> To: XMLog@yahoogroups.com
> Date: Friday, March 5, 2010, 8:50 AM
>
>
> Thanks, Willis;
>
> That worked fine, but I need to print the QSOs from over a
> span of days. Say from 10/12/09 to 03/01/10.
>
> Any ideas?
>
> Walt KJ4HE
>
>
>
> --- In XMLog@yahoogroups.com,
> WILLIS COOKE <wrcooke@...> wrote:
> >
> > I would guess whatÂ the date was about 300Â QSOs
> ago.Â Click on select and enter >02/27/10 in the date
> block, select Search.Â If you don't get the number of
> QSOs you want, adjust the date.
> > Â Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> >
> >
> > _____
> > From: waltw1 <waltw1@...>
> > To: XMLog@yahoogroups.com
> > Sent: Thu, March 4, 2010 3:08:12 PM
> > Subject: [XMLog] Selecting QSOs for label printing
> >
> > Â
> > Hi, all,
> >

> > It has been close to a year since I sent some cards
> off to the buro. Here's my problem.
> >
> > My log has a huge number of entries, but I only want
> to print some of the last 300. I seem to have forgotten how
> to select large numbers of QSOs without doing it
> individually, one by one.
> >
> > I know that this is a stupid question, but can someone
> refresh my memory?
> >
> > Thanks, and 73,
> >
> > Walt KJ4HE
> >
> >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>   XMLog-fullfeatured@yahoogroups.com
>
>
>

3180. Re: [XMLog] Re: Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-05 16:10:25 UTC
From: WILLIS COOKE
Topic: 3176 Message: 3180

Search for >10/11/09,<03/02/10. Note that this starts the day before the first day you want and ends the first day you want to exclude. Do not put a space after the comma, no matter what your typing teacher said.
 Willis 'Cookie' Cooke
K5EWJ

From: waltw1 <waltw1@...>
To: XMLog@yahoogroups.com
Sent: Fri, March 5, 2010 7:50:48 AM
Subject: [XMLog] Re: Selecting QSOs for label printing

Thanks, Willis;

That worked fine, but I need to print the QSOs from over a span of days. Say from 10/12/09 to 03/01/10.

Any ideas?

Walt KJ4HE

--- In XMLog@yahoogroups. com, WILLIS COOKE <wrcooke@... > wrote:
>
> I would guess whatÂ the date was about 300Â QSOs ago.Â Click on select and enter >02/27/10 in the date block, select Search.Â If you don't get the number of QSOs you want, adjust the date.
> Â Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> ---
> From: waltw1 <waltw1@...>
> To: XMLog@yahoogroups. com
> Sent: Thu, March 4, 2010 3:08:12 PM
> Subject: [XMLog] Selecting QSOs for label printing
>
> Â
> Hi, all,
>
> It has been close to a year since I sent some cards off to the buro. Here's my problem.
>
> My log has a huge number of entries, but I only want to print some of the last 300. I seem to have forgotten how to select large numbers of QSOs without doing it individually, one by one.

>
> I know that this is a stupid question, but can someone refresh my memory?
>
> Thanks, and 73,
>
> Walt KJ4HE
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

3181. Re: [XMLog] Re: Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-05 16:28:00 UTC
From: WILLIS COOKE
Topic: 3176 Message: 3181

That will get you 10/13/09 to 2/28/10 Joe.
 Willis 'Cookie' Cooke
K5EWJ

From: J. Agius <jpagius@...>
To: XMLog@yahoogroups.com
Sent: Fri, March 5, 2010 10:21:26 AM
Subject: Re: [XMLog] Re: Selecting QSOs for label printing

Use >10/12/09;<03/ 01/10 in the date field

Joe
W1TW

--- On Fri, 3/5/10, waltw1 <waltw1@gmail. com> wrote:

> From: waltw1 <waltw1@gmail. com>
> Subject: [XMLog] Re: Selecting QSOs for label printing
> To: XMLog@yahoogroups. com
> Date: Friday, March 5, 2010, 8:50 AM
>
>
> Thanks, Willis;
>
> That worked fine, but I need to print the QSOs from over a
> span of days. Say from 10/12/09 to 03/01/10.
>
> Any ideas?
>
> Walt KJ4HE
>
>
>
> --- In XMLog@yahoogroups. com,
> WILLIS COOKE <wrcooke@... > wrote:
> >
> > I would guess whatÂ the date was about 300Â QSOs
> ago.Â Click on select and enter >02/27/10 in the date
> block, select Search.Â If you don't get the number of
> QSOs you want, adjust the date.
> > Â Willis 'Cookie' Cooke
> > K5EWJ
> >
> >
> >

> >
> > _____ _____ _____ __
> > From: waltw1 <waltw1@...>
> > To: XMLog@yahoogroups. com
> > Sent: Thu, March 4, 2010 3:08:12 PM
> > Subject: [XMLog] Selecting QSOs for label printing
> >
> > Â
> > Hi, all,
> >
> > It has been close to a year since I sent some cards
> off to the buro. Here's my problem.
> >
> > My log has a huge number of entries, but I only want
> to print some of the last 300. I seem to have forgotten how
> to select large numbers of QSOs without doing it
> individually, one by one.
> >
> > I know that this is a stupid question, but can someone
> refresh my memory?
> >
> > Thanks, and 73,
> >
> > Walt KJ4HE
> >
> >
> >
> >
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>
>
> ---------- --------- --------- ------
>
> Yahoo! Groups Links
>
>
>   XMLog-fullfeatured@ yahoogroups. com
>
>
>

[Non-text portions of this message have been removed]

3182. Re: [XMLog] Re: Selecting QSOs for label printing

Yahoo group: XMLog
Date: 2010-03-05 16:28:21 UTC
From: J. Agius
Topic: 3176 Message: 3182

sorry that's a comma not semicolon (difference between and and or)
Joe

--- On Fri, 3/5/10, J. Agius <jpagius@...> wrote:

> From: J. Agius <jpagius@...>
> Subject: Re: [XMLog] Re: Selecting QSOs for label printing
> To: XMLog@yahoogroups.com
> Date: Friday, March 5, 2010, 11:21 AM
> Use >10/12/09;<03/01/10 in the
> date field
>
> Joe
> W1TW
>
> --- On Fri, 3/5/10, waltw1 <waltw1@...>
> wrote:
>
> > From: waltw1 <waltw1@gmail.com>
> > Subject: [XMLog] Re: Selecting QSOs for label
> printing
> > To: XMLog@yahoogroups.com
> > Date: Friday, March 5, 2010, 8:50 AM
> >
> >
> > Thanks, Willis;
> >
> > That worked fine, but I need to print the QSOs from
> over a
> > span of days. Say from 10/12/09 to 03/01/10.
> >
> > Any ideas?
> >
> > Walt KJ4HE
> >
> >
> >
> > --- In XMLog@yahoogroups.com,
> > WILLIS COOKE <wrcooke@...> wrote:
> > >
> > > I would guess whatÂ the date was about
> 300Â QSOs
> > ago.Â Click on select and enter >02/27/10 in the
> date
> > block, select Search.Â If you don't get the number

> of
> > QSOs you want, adjust the date.
> > > Â Willis 'Cookie' Cooke
> > > K5EWJ
> > >
> > >
> > >
> > >
> > > _____
> > > From: waltw1 <waltw1@...>
> > > To: XMLog@yahoogroups.com
> > > Sent: Thu, March 4, 2010 3:08:12 PM
> > > Subject: [XMLog] Selecting QSOs for label
> printing
> > >
> > > Â
> > > Hi, all,
> > >
> > > It has been close to a year since I sent some
> cards
> > off to the buro. Here's my problem.
> > >
> > > My log has a huge number of entries, but I only
> want
> > to print some of the last 300. I seem to have
> forgotten how
> > to select large numbers of QSOs without doing it
> > individually, one by one.
> > >
> > > I know that this is a stupid question, but can
> someone
> > refresh my memory?
> > >
> > > Thanks, and 73,
> > >
> > > Walt KJ4HE
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > > [Non-text portions of this message have been
> removed]
> > >
> >
> >
> >
> >

> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >   XMLog-fullfeatured@yahoogroups.com
> >
> >
> >
>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>   XMLog-fullfeatured@yahoogroups.com
>
>
>

3183. RE: Problem of Extra Data added to Notes Field when combining files

Yahoo group: XMLog
Date: 2010-03-08 16:09:26 UTC
From: wb6cyk
Topic: 3183 Message: 3183

I use SD Logger for my contest logs and XMLog for my permanent log. When I combine SD *adi files with my old XM log *adi file I get a lot of trash data added the XMLog notes field. It only happens with CQ Contest logs. I only noticed this last year when my effort to combine ADI files would not work. The message I got was too much data in the Notes Field. Has anyone else had this problem? How do I fix it?

Note: If I could do a global search and replace on the XMLog data it would be and easy fix each time I wanted to combine logs.

Burton

3184. Re: [XMLog] RE: Problem of Extra Data added to Notes Field when combining files

Yahoo group: XMLog
Date: 2010-03-08 16:40:44 UTC
From: Dave Sergeant
Topic: 3183 Message: 3184

On 8 Mar 2010 at 16:09, wb6cyk wrote:

> I use SD Logger for my contest logs and XMLog for my permanent log.
> When I combine SD *adi files with my old XM log *adi file I get a lot of
> trash data added the XMLog notes field. It only happens with CQ Contest
> logs. I only noticed this last year when my effort to combine ADI files
> would not work. The message I got was too much data in the Notes Field.
> Has anyone else had this problem? How do I fix it?
>
> Note: If I could do a global search and replace on the XMLog data it
> would be and easy fix each time I wanted to combine logs.

The information in the notes field of course is added by SD, and it is
Paul EI5DI who you must address the issue, it is probably not an XMLog
issue....

I have never had any problems with this, I import my SD ADI logs all
the time. For instance a sample QSO for last years CQWW contains in the
Notes field:
CQ-WW-CW
and for one of the RSGB CC contests:
IN: 31 OUT: 017
I have never had XMLog complain about too much data in the field, which
many of us might well want to keep in our logs anyway.

By the way, what do you mean by 'combine'? The way to do it is to use
'Import/Import ADIF File'.

73 Dave G3YMC

http://www.davesergeant.com

3185. Re: [XMLog] RE: Problem of Extra Data added to Notes Field when combining files

Yahoo group: XMLog
Date: 2010-03-08 16:55:31 UTC
From: WILLIS COOKE
Topic: 3183 Message: 3185

Burton, look at the ADI file before you combine with Note Pad. Find the offending data that you want to delete. Use Edit, Find and Replace. Type the offending data in the Find block and what ever you want to replace it with (nothing?) in the replace block then select replace all. You can also use it to change the data to some other block. You may need to make a small ADI file from XMlog to determine the block description used by XM log. It is easier than it sounds when you get into it and it only takes minutes to change a big log. Use a copy of the log and if it does not look like you want it to, copy it again into XMlog with an overwrite direction and keep trying until it suits you.
 Willis 'Cookie' Cooke
K5EWJ

From: wb6cyk <wb6cyk@...>
To: XMLog@yahoogroups.com
Sent: Mon, March 8, 2010 10:09:26 AM
Subject: [XMLog] RE: Problem of Extra Data added to Notes Field when combining files

I use SD Logger for my contest logs and XMLog for my permanent log. When I combine SD *adi files with my old XM log *adi file I get a lot of trash data added the XMLog notes field. It only happens with CQ Contest logs. I only noticed this last year when my effort to combine ADI files would not work. The message I got was too much data in the Notes Field. Has anyone else had this problem? How do I fix it?

Note: If I could do a global search and replace on the XMLog data it would be and easy fix each time I wanted to combine logs.

Burton

[Non-text portions of this message have been removed]

3186. Re: Problem of Extra Data added to Notes Field when combining files

Yahoo group: XMLog
Date: 2010-03-09 03:33:41 UTC
From: wb6cyk
Topic: 3183 Message: 3186

Willis, I discovered my problem. I didn't realize that I could amend the basic log I have been building by just importing the new *.adi file from the contest log to it. Some how I got it into my mind that I had to create a new log form and import both *.adi files into it. The junk was coming from exporting the original log into the ADI format and then importing it into the new log.

Thanks for getting back to me so soon.

73 - Burton

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Burton, look at the ADI file before you combine with Note Pad.Â Find the offending data that you want to delete.Â Use Edit, Find and Replace.Â Type the offending data in the Find block and what ever you want to replace it with (nothing?) in the replace block then select replace all.Â You can also use it to change the data to some other block.Â You may need to make a small ADI file from XMlog to determine the block descriptionÂ used by XM log.Â It is easier than it sounds when you get into it and it only takes minutes to change a big log.Â Use a copy of the log and if it does not look like you want it to, copy it again into XMlog with an overwrite direction and keep trying until it suits you.
> Â Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> _____
> From: wb6cyk <wb6cyk@...>
> To: XMLog@yahoogroups.com
> Sent: Mon, March 8, 2010 10:09:26 AM
> Subject: [XMLog] RE: Problem of Extra Data added to Notes Field when combining files
>
> Â
> I use SD Logger for my contest logs and XMLog for my permanent log. When I combine SD *adi files with my old XM log *adi file I get a lot of trash data added the XMLog notes field. It only happens with CQ Contest logs. I only noticed this last year when my effort to combine ADI files would not work. The message I got was too much data in the Notes Field. Has anyone else had this problem? How do I fix it?
>
> Note: If I could do a global search and replace on the XMLog data it would be and easy fix each time I wanted to combine logs.
>
> Burton
>
>
>

>
>
>
>
> [Non-text portions of this message have been removed]
>

3187. Re: [XMLog] Re: Problem of Extra Data added to Notes Field when combining files

Yahoo group: XMLog
Date: 2010-03-09 04:05:36 UTC
From: WILLIS COOKE
Topic: 3183 Message: 3187

I use N1MM for a contest log and can import these logs without modification. I also import a lot of SKCC Sprint Logger Logs and have to work them over with Search and Replace to import the SKCC numbers. Since SKCC numbers can have as few as 1 and as many as 5 digits it takes a few cycles to do it.
 Willis 'Cookie' Cooke
K5EWJ

_____
From: wb6cyk <wb6cyk@...>
To: XMLog@yahoogroups.com
Sent: Mon, March 8, 2010 9:33:41 PM
Subject: [XMLog] Re: Problem of Extra Data added to Notes Field when combining files

Willis, I discovered my problem. I didn't realize that I could amend the basic log I have been building by just importing the new *.adi file from the contest log to it. Some how I got it into my mind that I had to create a new log form and import both *.adi files into it. The junk was coming from exporting the original log into the ADI format and then importing it into the new log.

Thanks for getting back to me so soon.

73 - Burton

--- In XMLog@yahoogroups. com, WILLIS COOKE <wrcooke@... > wrote:
>
> Burton, look at the ADI file before you combine with Note Pad.Â Find the offending data that you want to delete.Â Use Edit, Find and Replace.Â Type the offending data in the Find block and what ever you want to replace it with (nothing?) in the replace block then select replace all.Â You can also use it to change the data to some other block.Â You may need to make a small ADI file from XMlog to determine the block descriptionÂ used by XM log.Â It is easier than it sounds when you get into it and it only takes minutes to change a big log.Â Use a copy of the log and if it does not look like you want it to, copy it again into XMlog with an overwrite direction and keep trying until it suits you.
> Â Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> _____ _____ _____ __
> From: wb6cyk <wb6cyk@...>
> To: XMLog@yahoogroups. com
> Sent: Mon, March 8, 2010 10:09:26 AM
> Subject: [XMLog] RE: Problem of Extra Data added to Notes Field when combining files
>

> Â
> I use SD Logger for my contest logs and XMLog for my permanent log. When I combine SD *adi files with my old XM log *adi file I get a lot of trash data added the XMLog notes field. It only happens with CQ Contest logs. I only noticed this last year when my effort to combine ADI files would not work. The message I got was too much data in the Notes Field. Has anyone else had this problem? How do I fix it?
>
> Note: If I could do a global search and replace on the XMLog data it would be and easy fix each time I wanted to combine logs.
>
> Burton
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

3188. Re: Problem of Extra Data added to Notes Field when combining files

Yahoo group: XMLog
Date: 2010-03-09 14:45:52 UTC
From: Joebrining
Topic: 3183 Message: 3188

I also had problems with moving logs from N1MM to Xmlog.
I use ADIFMaster, free at www.dxshell.com , to edit the ADIF file
before I import it to XMLog. ADIFMaster shows the ADIF file in a
spreadsheet format. For example, the FREQ_RX field always appears in
the XMlog remarks field, so I use ADIFMaster to delete that column in
the ADIF file before the import to XMlog.
Joe... W3BUI...

3189. RE: Problem with validating XMLog entries vs LOTW

Yahoo group: XMLog
Date: 2010-03-13 17:53:34 UTC
From: wb6cyk
Topic: 3189 Message: 3189

After downloading my lotwreport.adi file and comparing the Excel file printout with my log I discovered the I have a number of correct log entries that were not recognized as being valid. Has anyone else experienced this problem?

Burton

3190. RE: Problem with validating XMLog entries vs LOTW

Yahoo group: XMLog
Date: 2010-03-14 16:41:22 UTC
From: wb6cyk
Topic: 3189 Message: 3190

On examination of my XMLog data vs LOTW downloaded data I found that most of the unresolved records were due to XMLog selecting the wrong Zone. How can I resolve this in the future?

Burton

3191. Re: [XMLog] RE: Problem with validating XMLog entries vs LOTW

Yahoo group: XMLog
Date: 2010-03-14 18:52:07 UTC
From: WILLIS COOKE
Topic: 3189 Message: 3191

I have found the opposite Burton. I have found that most of the errors are from LOTW having the wrong zone. Most common is LOTW showing the ITU Zone rather than the CQ Zone. Many LOTW participants are not keenly aware of the CQ Zone. Contest people and WAZ people know, but many others do not know that the CQ Zone is usually the important one. Another common source is stations worked away from their home QTH who do not bother to change their LOTW submittal QTH.

XM seems to calculate zone from the State or Country. For the Countries that have multiple zones other than the US it puts in a question mark. I have not detected any incidence in over 5000 LOTW confirmations where XMlog made a miscalculation of zone without me making an error in entry. The countries that I am aware of being in multiple zones are Canada, Russia and Australia.
 Willis 'Cookie' Cooke
K5EWJ

From: wb6cyk <wb6cyk@...>
To: XMLog@yahoogroups.com
Sent: Sun, March 14, 2010 11:41:22 AM
Subject: [XMLog] RE: Problem with validating XMLog entries vs LOTW

On examination of my XMLog data vs LOTW downloaded data I found that most of the unresolved records were due to XMLog selecting the wrong Zone. How can I resolve this in the future?

Burton

[Non-text portions of this message have been removed]

3192. Re: [XMLog] RE: Problem with validating XMLog entries vs LOTW

Yahoo group: XMLog
Date: 2010-03-14 19:11:32 UTC
From: Dave Sergeant
Topic: 3189 Message: 3192

On 14 Mar 2010 at 11:52, WILLIS COOKE wrote:

> I have found the opposite Burton. I have found that most of the errors
> are from LOTW having the wrong zone. Most common is LOTW showing the
> ITU Zone rather than the CQ Zone. Many LOTW participants are not keenly
> aware of the CQ Zone. Contest people and WAZ people know, but many
> others do not know that the CQ Zone is usually the important one.
> Another common source is stations worked away from their home QTH who do
> not bother to change their LOTW submittal QTH.

I would hope that neither LOTW nor XMLog use the informtion which may
or may not be in the zone fields as a check for the validity of a QSO.
My contest logs when imported into XMLog will have them filled in,
otherwise they are always blank. In any case I always download the
'short' version of my LOTW report file and as far as I am aware that
doesn't include the zone information anyway. The ONLY information
needed to confirm a QSO is valid is call, date, time and band, I would
hope that is all that XMLog looks at when you validate a LOTW ADIF
file.

73 Dave G3YMC

http://www.davesergeant.com

3193. Re: [XMLog] RE: Problem with validating XMLog entries vs LOTW

Yahoo group: XMLog
Date: 2010-03-14 19:34:44 UTC
From: WILLIS COOKE
Topic: 3189 Message: 3193

When you validate a LOTW file the program looks for things that are different in the downloaded data from LOTW and what is present in your XMlog. It does not take any action except when you upload the QSL confirmation to XMlog it stops the upload and gives you the opportunity (requires you) to make a selection between the data you have and the data in the confirmation. The QTH data, State, County, Zone in LOTW comes from the data submitted by the other station. This is extracted from the data that the other station has in his Location file used when uploading his contacts. If it is submitted incorrectly, it will stay incorrect. ARRL does not care about County or CQ Zone for its awards and it does not check any of the data for accuracy, just as it does not check your QSL card for accurate data. The only time that LOTW declares a contact valid or invalid for an award is if you use LOTW to submit for an ARRL award.

XMlog will calculate (lookup?) the zone when it has the data, but if a zone number is entered during the contact, in an ADIF upload or after the contact that zone will not be overridden by the algorithm. The only room for improvement that I see is that it could use a VK6 call sign to calculate Zone 29 and the rest Zone 30. In Canada Zone 2 requires some help and Russia required more data than reasonable to have in the program.

In every case LOTW downloads allow you to select the data you find most likely correct for your Log. It can be a PIA, particularly the first time you download and have lots of QSOs to check. You can use the precheck to either correct your log or decide what to do in advance of the Upload to XMlog, which I find convenient because once you start the upload you need to finish before you log any more contacts.

The judgement of whether a contact is valid or invalid for an award depends on the award sponsors check by whatever method they use. The accuracy of your log is entirely up to you, as it usually is.
 Willis 'Cookie' Cooke
K5EWJ

From: Dave Sergeant <dave@...>
To: XMLog@yahoogroups.com
Sent: Sun, March 14, 2010 2:11:32 PM
Subject: Re: [XMLog] RE: Problem with validating XMLog entries vs LOTW

On 14 Mar 2010 at 11:52, WILLIS COOKE wrote:

> I have found the opposite Burton. I have found that most of the errors
> are from LOTW having the wrong zone. Most common is LOTW showing the
> ITU Zone rather than the CQ Zone. Many LOTW participants are not keenly
> aware of the CQ Zone. Contest people and WAZ people know, but many
> others do not know that the CQ Zone is usually the important one.
> Another common source is stations worked away from their home QTH who do
> not bother to change their LOTW submittal QTH.

I would hope that neither LOTW nor XMLog use the informtion which may or may not be in the zone fields as a check for the validity of a QSO. My contest logs when imported into XMLog will have them filled in, otherwise they are always blank. In any case I always download the 'short' version of my LOTW report file and as far as I am aware that doesn't include the zone information anyway. The ONLY information needed to confirm a QSO is valid is call, date, time and band, I would hope that is all that XMLog looks at when you validate a LOTW ADIF file.

73 Dave G3YMC

http://www.davesergeant.com

[Non-text portions of this message have been removed]

3194. Beta Version 6.27

Yahoo group: XMLog
Date: 2010-03-18 19:57:31 UTC
From: w1ect
Topic: 3194 Message: 3194

Beta version 6.27 of XMLog is now available at www.xmlog.com/beta

This beta version has a new "World Map" window that can display gray line areas (day/twilight/night). Normally the gray line display is keyed to the current time but an optional World Map toolbar allows scrolling the display through the day.

The new World Map can also display a Mercator map as well as the previous Great Circle map.

It seems to be pretty solid now after months of diddling, let me know what you think.

Mike - W1ECT

3195. DXPeditions - CQ8X

Yahoo group: XMLog
Date: 2010-03-24 18:42:21 UTC
From: w1ect
Topic: 3195 Message: 3195

Hi, Here's another call to add to the special calls list using the
"View/Show Callsign List" menu item.

CQ8X- Azores (CU)

Mike - W1ECT

3196. Re: [XMLog] DXPeditions - CQ8X

Yahoo group: XMLog
Date: 2010-03-24 19:32:22 UTC
From: Dave Sergeant
Topic: 3195 Message: 3196

On 24 Mar 2010 at 18:42, w1ect wrote:

> Hi, Here's another call to add to the special calls list using the
> "View/Show Callsign List" menu item.
>
> CQ8X- Azores (CU)
>
> Mike - W1ECT

That surely is not the way to handle this. All callsigns in CT,CT3 and CU changed last year. There will be MANY of these coming on the bands now - for instance I worked CR1Z last night, also in Azores.

These changes should be reflected in XMLog's countries list, the file prefixes. I may have modified my one myself some while ago, I cannot remember, but mine now reads:

CT3,Madeira Is.,AF,33,[33/17],ADIF=256,
CQ2,CQ3,CR3,CS3,CT3,CQ9,CR9,CS9,CT9,XX3,!,
CU,Azores,EU,14,[38/25],ADIF=149,
CU,CQ1,CR1,CR2,CQ8,CR8,CS4,CS8,!,

which includes all the current CT3 and CU changes - and interprets CQ8Z correctly without adding it to the dxpedition list.

73 Dave G3YMC

http://www.davesergeant.com

3197. Re: DXPeditions - CQ8X

Yahoo group: XMLog
Date: 2010-03-25 21:11:01 UTC
From: w1ect
Topic: 3195 Message: 3197

OK Dave, I'll include those changes in the next release. In the mean time it won't hurt to add this guy to the callsign list - he's going to be active in the contest this weekend.

Mike - W1ECT

3198. Problem Updating

Yahoo group: XMLog
Date: 2010-03-28 21:40:22 UTC
From: Puck
Topic: 3198 Message: 3198

I currently use version 6.19. I tried to update with 6.25 and then 6.27 but no luck with either. I get a grey window with the message, "Copying files, please standby" but it apparently locks up at that point. If I try to close the window I get a message that the program is not responding. The only way to get out of it is to reboot the computer. Apparently I have developed a problem with my computer. Any suggestions on what to look for?

Puck W4PM

3199. Re: [XMLog] Problem Updating

Yahoo group: XMLog
Date: 2010-03-29 04:32:21 UTC
From: N7mal
Topic: 3198 Message: 3199

I finally got 6.27 installed after a lot of problems, I'm running XP. During the install process my special mouse configuration magically changed to standard configuration. My screen resolution changed to a point where my screen was useless, it lost sync. I tried a manual restart but didn't solve the problem. I had to restart in the safe mode to correct the problems. I have enough computer knowledge to resolve all the problems and 6.27 appears to be working perfectly now for 3 full days. The problems started when the install program said it needed to update dlls. I had to restart the computer twice to get the setup to run after the dlls were updated. It appears something in the update process became corrupted and caused the problems. Hopefully this info helps Mike troubleshoot the problem......
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Puck
To: XMLog@yahoogroups.com
Sent: Sunday, March 28, 2010 21:40
Subject: [XMLog] Problem Updating

I currently use version 6.19. I tried to update with 6.25 and then 6.27 but no luck with either. I get a grey window with the message, "Copying files, please standby" but it apparently locks up at that point. If I try to close the window I get a message that the program is not responding. The only way to get out of it is to reboot the computer. Apparently I have developed a problem with my computer. Any suggestions on what to look for?

Puck W4PM

[Non-text portions of this message have been removed]

3200. Re: [XMLog] Problem Updating

Yahoo group: XMLog
Date: 2010-03-29 17:13:52 UTC
From: Stan Gantz
Topic: 3198 Message: 3200

I am using XP with v6.26, and now think I best
NOT use v6.27 till I hear further from Mike!

Stan W5GZ

At 10:32 PM 3/28/2010, you wrote:
>
>
>I finally got 6.27 installed after a lot of problems, I'm running XP. During
>the install process my special mouse configuration magically changed to
>standard configuration. My screen resolution changed to a point where my
>screen was useless, it lost sync. I tried a manual restart but didn't solve
>the problem. I had to restart in the safe mode to correct the problems. I
>have enough computer knowledge to resolve all the problems and 6.27 appears
>to be working perfectly now for 3 full days. The problems started when the
>install program said it needed to update dlls. I had to restart the computer
>twice to get the setup to run after the dlls were updated. It appears
>something in the update process became corrupted and caused the problems.
>Hopefully this info helps Mike troubleshoot the problem......
>73
>
>MAL
>N7MAL
>BULLHEAD CITY, AZ
><http://www.n7mal.com>http://www.n7mal.com
>Everyone in the world is
>entitled to be burdened
>by my opinion
>
>----- Original Message -----
>From: Puck
>To: <mailto:XMLog%40yahoogroups.com>XMLog@yahoogroups.com
>Sent: Sunday, March 28, 2010 21:40
>Subject: [XMLog] Problem Updating
>
>I currently use version 6.19. I tried to update with 6.25 and then 6.27 but
>no luck with either. I get a grey window with the message, "Copying files,
>please standby" but it apparently locks up at that point. If I try to close
>the window I get a message that the program is not responding. The only way
>to get out of it is to reboot the computer. Apparently I have developed a
>problem with my computer. Any suggestions on what to look for?
>
>Puck W4PM
>
>[Non-text portions of this message have been removed]

>
>
>
>No virus found in this incoming message.
>Checked by AVG - www.avg.com
>Version: 9.0.791 / Virus Database: 271.1.1/2776
>- Release Date: 03/28/10 12:32:00

[Non-text portions of this message have been removed]

3201. Re: Problem Updating

Yahoo group: XMLog
Date: 2010-04-01 12:11:16 UTC
From: Puck
Topic: 3198 Message: 3201

I tried to update with version 6.19 which is the version I currently have installed. Same problem! It appears my computer has developed a glitch. I use Windows XP pro. Is there some .DLL or program that setup calls when doing it's thing that I can check to see what has happened?

Puck

--- In XMLog@yahoogroups.com, "Puck" <hmmjr@...> wrote:
>
> I currently use version 6.19. I tried to update with 6.25 and then 6.27 but no luck with either. I get a grey window with the message, "Copying files, please standby" but it apparently locks up at that point. If I try to close the window I get a message that the program is not responding. The only way to get out of it is to reboot the computer. Apparently I have developed a problem with my computer. Any suggestions on what to look for?
>
> Puck W4PM
>

3202. Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-15 18:23:05 UTC
From: n0pfe@sbcglobal.net
Topic: 3202 Message: 3202

Anyone seeing an issue with this working? It worked just before the ARRL changed their main web site but I can't say that there is a connection. The error message that this produces is "No LoTW records were downloaded!". Looking at the file that is produced for this looks like a HTML page that shows up because the page was not found.

This is under the Import/Export drop down menu.

Thanks!

3203. Re: [XMLog] Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-15 22:06:33 UTC
From: john vernaleken
Topic: 3202 Message: 3203

I just did a download Tuesday with no problems.

John KC2QJB

----- Original Message -----
From: n0pfe@...
To: xmlog@yahoogroups.com
Sent: Thursday, April 15, 2010 2:23 PM
Subject: [XMLog] Download/Validate LoTW Data feature

Anyone seeing an issue with this working? It worked just before the ARRL changed their main web site but I can't say that there is a connection. The error message that this produces is "No LoTW records were downloaded!". Looking at the file that is produced for this looks like a HTML page that shows up because the page was not found.

This is under the Import/Export drop down menu.

Thanks!

[Non-text portions of this message have been removed]

3204. Re: [XMLog] Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-15 22:13:07 UTC
From: Bruce, N0PFE
Topic: 3202 Message: 3204

Maybe try it now. I think I first noticed at some point on Tuesay. I am using XMLOG version 6.28.

Thanks

On 4/15/2010 5:06 PM, john vernaleken wrote:
>
>
> I just did a download Tuesday with no problems.
>
> John KC2QJB
>
> ----- Original Message -----
> From: n0pfe@... <mailto:n0pfe%40sbcglobal.net>
> To: xmlog@yahoogroups.com <mailto:xmlog%40yahoogroups.com>
> Sent: Thursday, April 15, 2010 2:23 PM
> Subject: [XMLog] Download/Validate LoTW Data feature
>
> Anyone seeing an issue with this working? It worked just before the
> ARRL changed their main web site but I can't say that there is a
> connection. The error message that this produces is "No LoTW records
> were downloaded!". Looking at the file that is produced for this looks
> like a HTML page that shows up because the page was not found.
>
> This is under the Import/Export drop down menu.
>
> Thanks!
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

3205. Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-15 23:24:45 UTC
From: Stan Gantz
Topic: 3202 Message: 3205

This is exactly what is happening to me! I am using a XP machine
with V-6.28. For about 1 week!

Stan W5GZ

To: xmlog@yahoogroups.com
From: "n0pfe@..." <n0pfe@...>
Subject: [XMLog] Download/Validate LoTW Data feature

Anyone seeing an issue with this working? It worked just before the
ARRL changed their main web site but I can't say that there is a
connection. The error message that this produces is "No LoTW records
were downloaded!". Looking at the file that is produced for this
looks like a HTML page that shows up because the page was not found.

This is under the Import/Export drop down menu.

Thanks!

3206. Re: Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-15 23:26:51 UTC
From: n0pfe@sbcglobal.net
Topic: 3202 Message: 3206

I have tried this on several different machines with XP or Win7. All do the same.

/Bruce

--- In XMLog@yahoogroups.com, Stan Gantz <NMMI75@...> wrote:
>
> This is exactly what is happening to me! I am using a XP machine
> with V-6.28. For about 1 week!
>
> Stan W5GZ
>
> To: xmlog@yahoogroups.com
> From: "n0pfe@..." <n0pfe@...>
> Subject: [XMLog] Download/Validate LoTW Data feature
>
>
>
> Anyone seeing an issue with this working? It worked just before the
> ARRL changed their main web site but I can't say that there is a
> connection. The error message that this produces is "No LoTW records
> were downloaded!". Looking at the file that is produced for this
> looks like a HTML page that shows up because the page was not found.
>
> This is under the Import/Export drop down menu.
>
> Thanks!
>

3207. Re: [XMLog] Re: Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-16 01:32:13 UTC
From: john vernaleken
Topic: 3202 Message: 3207

I just tried a download and received the "No Records" message. I guess the LOTW site is still having problems. I belong to another logging software group and the same problem is happening for N3FJP programs.

John KC2QJB

----- Original Message -----
From: n0pfe@...
To: XMLog@yahoogroups.com
Sent: Thursday, April 15, 2010 7:26 PM
Subject: [XMLog] Re: Download/Validate LoTW Data feature

I have tried this on several different machines with XP or Win7. All do the same.

/Bruce

--- In XMLog@yahoogroups.com, Stan Gantz <NMMI75@...> wrote:
>
> This is exactly what is happening to me! I am using a XP machine
> with V-6.28. For about 1 week!
>
> Stan W5GZ
>
> To: xmlog@yahoogroups.com
> From: "n0pfe@..." <n0pfe@...>
> Subject: [XMLog] Download/Validate LoTW Data feature
>
>
>
> Anyone seeing an issue with this working? It worked just before the
> ARRL changed their main web site but I can't say that there is a
> connection. The error message that this produces is "No LoTW records
> were downloaded!". Looking at the file that is produced for this
> looks like a HTML page that shows up because the page was not found.
>
> This is under the Import/Export drop down menu.
>
> Thanks!
>

[Non-text portions of this message have been removed]

3208. Re: [XMLog] Re: Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-16 05:55:30 UTC
From: Dave Sergeant
Topic: 3202 Message: 3208

On 15 Apr 2010 at 21:32, john vernaleken wrote:

> I just tried a download and received the "No Records" message. I guess
> the LOTW site is still having problems. I belong to another logging
> software group and the same problem is happening for N3FJP programs.

It could of course just mean that you have had no new LOTW
confirmations since last time you did a download....

I did a download last night and it worked just fine. The LOTW site is
as far as I can see totally seperate from the new ARRL main site and is
unaffected by the changes.

73 Dave G3YMC

http://www.davesergeant.com

3209. Re: [XMLog] Re: Download/Validate LoTW Data feature

Yahoo group: XMLog
Date: 2010-04-16 14:39:22 UTC
From: Bruce, N0PFE
Topic: 3202 Message: 3209

I don't think so because I see updates for confirmations and still get
no downloads. This is new behavior it seems.

/N0PFE

On 4/16/2010 12:55 AM, Dave Sergeant wrote:
>
> On 15 Apr 2010 at 21:32, john vernaleken wrote:
>
> > I just tried a download and received the "No Records" message. I guess
> > the LOTW site is still having problems. I belong to another logging
> > software group and the same problem is happening for N3FJP programs.
>
> It could of course just mean that you have had no new LOTW
> confirmations since last time you did a download....
>
> I did a download last night and it worked just fine. The LOTW site is
> as far as I can see totally seperate from the new ARRL main site and is
> unaffected by the changes.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com <http://www.davesergeant.com>
>
>

[Non-text portions of this message have been removed]

3210. LoTW Download/Validate

Yahoo group: XMLog
Date: 2010-04-16 23:55:30 UTC
From: w1ect
Topic: 3210 Message: 3210

Hi, It seems that the ARRL changed the connect address used to get LoTW data when they reorganized their web pages. XMLog didn't get a bad status when connecting to the old address, it just didn't get anything in response to it's "GET" request.

There's an update at www.xmlog.com/beta that should fix the problem.

Later I'll make the address configurable so handling this kind of blindside won't be quite such a pain.

Mike - W1ECT

3211. Re: [XMLog] LoTW Download/Validate

Yahoo group: XMLog
Date: 2010-04-17 03:20:59 UTC
From: Stan Gantz
Topic: 3210 Message: 3211

TNX, Mike! LoTW data is back up and working!

Stan W5GZ

At 05:55 PM 4/16/2010, you wrote:
>
>
>Hi, It seems that the ARRL changed the connect
>address used to get LoTW data when they
>reorganized their web pages. XMLog didn't get a
>bad status when connecting to the old address,
>it just didn't get anything in response to it's "GET" request.
>
>There's an update at www.xmlog.com/beta that should fix the problem.
>
>Later I'll make the address configurable so
>handling this kind of blindside won't be quite such a pain.
>
>Mike - W1ECT
>
>
>
>No virus found in this incoming message.
>Checked by AVG - www.avg.com
>Version: 9.0.801 / Virus Database: 271.1.1/2815
>- Release Date: 04/16/10 12:31:00

[Non-text portions of this message have been removed]

3212. Re: LoTW Download/Validate

Yahoo group: XMLog
Date: 2010-04-17 03:54:29 UTC
From: n0pfe@sbcglobal.net
Topic: 3210 Message: 3212

Excellent Mike. Thank you!

73,
Bruce - N0PFE

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi, It seems that the ARRL changed the connect address used to get LoTW data when they reorganized their web pages. XMLog didn't get a bad status when connecting to the old address, it just didn't get anything in response to it's "GET" request.
>
> There's an update at www.xmlog.com/beta that should fix the problem.
>
> Later I'll make the address configurable so handling this kind of blindside won't be quite such a pain.
>
> Mike - W1ECT
>

3213. Updating XMlog

Yahoo group: XMLog
Date: 2010-04-21 14:15:32 UTC
From: Puck
Topic: 3213 Message: 3213

Mike,
Is there any way to update XMLog without using the setup program? Currently I'm using version 6.19. I used to be able to update the program with no problem but apparently my computer has developed a glitch and I can't seem to find the trouble. I'm running Windows XP. If I run the setup program now the computer locks up.

I have no problem updating other programs but this one just no longer works on my computer.

73,
Puck W4PM

3214. Re: Updating XMlog

Yahoo group: XMLog
Date: 2010-04-22 01:48:29 UTC
From: w1ect
Topic: 3213 Message: 3214

Hi Puck, Since you have a working 6.19 version installed you can probably get away with just copying mlog.exe into your XMLog install folder. Also copy the help file mlog.hlp (and if you are going to the beta 6.30 version also copy the xmlog.chm). Save the old files so you can revert if you have problems.

Mike - W1ECT

3215. XMLog Help

Yahoo group: XMLog
Date: 2010-04-26 16:58:52 UTC
From: w1ect
Topic: 3215 Message: 3215

I've just posted version 6.31 at www.xmlog.com/beta

This version has a few bug fixes as well as a new help system. I just recently moved to a Windows 7 system and I was surprised to find that it didn't support the old help file format (.hlp) by default. So starting with version 6.30 XMLog provides a HTML Help (.chm) file. The old file is still provided for pre-XP systems. Hopefully this switch won't cause problems, let me know.

One side effect of this change is that it was easy to put the help file info online - www.xmlog.com/help

Mike - W1ECT

3216. Menu Shortcuts for Win 7 and Vista

Yahoo group: XMLog
Date: 2010-05-12 17:00:00 UTC
From: w1ect
Topic: 3216 Message: 3216

I've recently moved from XP to Windows 7 and noticed that the keyboard shortcuts for menu items were no longer being underlined.

At first I thought this was an XMLog bug but discovered that in Vista and Win 7 this action is now controlled by a "feature". If you like having the shortcuts displayed here's how you can turn them back on:

- Open the Windows Control Panel
- Select "Ease of Access"
- Select "Make the keyboard easier to use"
- Go to the "Make it easier to use keyboard shortcuts" section
- Set "Underline keyboard shortcuts and access keys"

Mike - W1ECT

3217. QRZ

Yahoo group: XMLog
Date: 2010-06-20 13:20:47 UTC
From: n3dd
Topic: 3217 Message: 3217

Has QRZ made another change? Call book look up is no longer working.

Dom, N3DD

3218. Re: [XMLog] QRZ

Yahoo group: XMLog
Date: 2010-06-20 15:38:51 UTC
From: k2qmf@juno.com
Topic: 3217 Message: 3218

QRZ Call Book look up is no longer working
here as well!!!

73,
Ted K2QMF

On Sun, 20 Jun 2010 13:20:47 -0000 "n3dd" <domd1@...> writes:
> Has QRZ made another change? Call book look up is no longer
> working.
>
> Dom, N3DD
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

Project Management Online
Nation's Leading Online PMP Course. Get Certified-Find Out More Now!
http://thirdpartyoffers.juno.com/TGL3141/4c1e3650119374ce009st02vuc

3219. Re: QRZ

Yahoo group: XMLog
Date: 2010-06-20 17:26:05 UTC
From: smokie231
Topic: 3217 Message: 3219

We are experiencing a problem. I have not been notified of any changes preventing any current logging programs from accessing QRZ.COM.

Please stand by QRZ Admin have been notified

Tim Wright KD4OVM
Data Base Manager/Moderator
ARRL Amateur Extra VE
QRZ.COM

Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

Please contact the server administrator, support@... and inform them of the time the error occurred, and anything you might have done that may have caused the error.

More information about this error may be available in the server error log.
Apache/2.2.13 (Unix) mod_ssl/2.2.13 OpenSSL/0.9.7d PHP/5.3.0 mod_perl/2.0.4 Perl/v5.10.0 Server at www.qrz.com Port 80

--- In XMLog@yahoogroups.com, "n3dd" <domd1@...> wrote:
>
> Has QRZ made another change? Call book look up is no longer working.
>
> Dom, N3DD
>

[Non-text portions of this message have been removed]

3220. Re: QRZ

Yahoo group: XMLog
Date: 2010-06-20 23:49:18 UTC
From: n3dd
Topic: 3217 Message: 3220

It looks like QRZ has changed again similar to what happened some months ago where you need an XML subscription to make it work. Other logging programs (e.g.HRD)have the same problem.

Maybe Mike will be able to write a work around like before.

Dom, N3DD

--- In XMLog@yahoogroups.com, k2qmf@... wrote:
>
>
> QRZ Call Book look up is no longer working
> here as well!!!
>
> 73,
> Ted K2QMF
>
> On Sun, 20 Jun 2010 13:20:47 -0000 "n3dd" <domd1@...> writes:
> > Has QRZ made another change? Call book look up is no longer
> > working.
> >
> > Dom, N3DD
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> > --
> Project Management Online
> Nation's Leading Online PMP Course. Get Certified-Find Out More Now!
> http://thirdpartyoffers.juno.com/TGL3141/4c1e3650119374ce009st02vuc
>

3221. Re: [XMLog] QRZ

Yahoo group: XMLog
Date: 2010-06-21 00:11:06 UTC
From: N7mal
Topic: 3217 Message: 3221

QRZ has made some significant changes, but and here's the big BUT: The VE7CC terminal software is still looking up calls on QRZ. VE7CC has made no recent upgrade so it's confusing why some software works but others don't. Now the VE7CC can only see the 1st page of a call lookup. It can't go to the '''detail''' page at QRZ.
I use VE7CC software as my connection to the clusters. I connect MLOG to the VE7CC software via the local host: 127.0., etc etc. It makes changing cluster filters so much easier.
Hope this info helps.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: n3dd
To: XMLog@yahoogroups.com
Sent: Sunday, June 20, 2010 13:20
Subject: [XMLog] QRZ

Has QRZ made another change? Call book look up is no longer working.

Dom, N3DD

[Non-text portions of this message have been removed]

3222. Re: QRZ

Yahoo group: XMLog
Date: 2010-06-21 15:05:25 UTC
From: w1ect
Topic: 3217 Message: 3222

Hi, It seems that QRZ.COM has switched their server. In the past format changes in QRZ.COM's lookup screen caused problems for XMLog but this time the request for data is being rejected. This means that it might not be just a quick fix to get things going again.

Mike - W1ECT

3223. 16 MByte Alerts file

Yahoo group: XMLog
Date: 2010-06-23 05:16:02 UTC
From: Craig Bradley
Topic: 3223 Message: 3223

My Alerts.mdb file has grown to over 16 Mbytes and my backup program is going nuts backing it up every time that it is updated.

Is there some way to limit the size of this file?

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3224. Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 14:34:47 UTC
From: w1ect
Topic: 3217 Message: 3224

Hi - I asked Freq LLoyd, the owner or QRZ.COM, about why lookups were being rejected and here's his response:

"We're discouraging access to port 80 for mechanized callsign retrieval. It's not fair to the interactive users to let logging programs hog the html pages. Without being specific, at times a huge proportion of the HTML traffic is being consumed by automated systems that have no built-in throttle.

While it was okay for a time, the automated lookups have gotten out of hand. We had to do something."

Mike - W1ECT

3225. Re: 16 MByte Alerts file

Yahoo group: XMLog
Date: 2010-06-23 14:50:01 UTC
From: w1ect
Topic: 3223 Message: 3225

Hi Craig, If you can't set up your backup program to ignore the alerts.mdb file you can go to the Spots History Window, choose the "Options/Colors, Fonts, Etc." menu item and set the "Maximum Number of Spots Saved" to zero.

Mike - W1ECT

3226. Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 16:59:26 UTC
From: w1ect
Topic: 3217 Message: 3226

Hi, In response to Fred's last message I asked what he meant by "discouraging access", here's his response:

"Discouraging access" means that we're actively tossing out requests that come from clients that behave in an automated manner. We have developed several techniques to detect the difference between a person using a browser and a logging program.

QRZ's policy on the matter is that we do not support logging programs that take data from our web pages. We have invested considerable time and effort in providing a high speed, reliable and effective interface via XML that all of the major logbook vendors have adopted. It has become an industry standard.

I have absolutely no sympathy for those who won't pony up $30 for a year of service. It's an extraordinarily inexpensive service, when you compare it to just about anything else out there (except for FREE). QRZ's goal is to be the best at what we do, and that costs a little money. Not much, but a little.

Anybody who's actively chasing DX and/or working towards an award spends a lot more than $30 doing so. A refusal to contribute to QRZ in exchange for a useful and reliable service is more often not based on an inability to pay but rather a desire to get something for nothing.

3227. RE: [XMLog] Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 17:22:35 UTC
From: Kenneth Moorman
Topic: 3217 Message: 3227

I joined QRZ.com and have been paying the $30/year for a couple of years now so that I could continue to use XMLog, and have had no problems since then until now. I guess that I thought that this issue had been solved then. Is my version of XMLog, v6.27, somehow set up improperly to take advantage of what Fred is talking about in his reply? Or are we all just out of luck?

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, June 23, 2010 12:59 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QRZ

Hi, In response to Fred's last message I asked what he meant by "discouraging access", here's his response:

"Discouraging access" means that we're actively tossing out requests that come from clients that behave in an automated manner. We have developed several techniques to detect the difference between a person using a browser and a logging program.

QRZ's policy on the matter is that we do not support logging programs that take data from our web pages. We have invested considerable time and effort in providing a high speed, reliable and effective interface via XML that all of the major logbook vendors have adopted. It has become an industry standard.

I have absolutely no sympathy for those who won't pony up $30 for a year of service. It's an extraordinarily inexpensive service, when you compare it to just about anything else out there (except for FREE). QRZ's goal is to be the best at what we do, and that costs a little money. Not much, but a little.

Anybody who's actively chasing DX and/or working towards an award spends a lot more than $30 doing so. A refusal to contribute to QRZ in exchange for a useful and reliable service is more often not based on an inability to pay but rather a desire to get something for nothing.

Yahoo! Groups Links

3228. Re: [XMLog] Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 18:10:39 UTC
From: Dave Sergeant
Topic: 3217 Message: 3228

OK, I guess we have to just accept that and put up with no longer being able to do call lookups from XMLog. After all, it is just a convenience, and I can always do the same from the QRZ site - I don't use XMLog's facility to print address labels myself, but obviously many do.

OK $30/year is not a huge amount but it is just one of the many other annual payments we all have to make these days. I dabble in DXing but send out very very few direct QSLs these days and subscribing to QRZ is one of those payments that I can hardly justify.

73 Dave G3YMC

On 23 Jun 2010 at 16:59, w1ect wrote:

> Hi, In response to Fred's last message I asked what he meant by
> "discouraging access", here's his response:
>
> "Discouraging access" means that we're actively tossing out requests
> that come from clients that behave in an automated manner. We have
> developed several techniques to detect the difference between a person
> using a browser and a logging program.
>
> QRZ's policy on the matter is that we do not support logging programs
> that take data from our web pages. We have invested considerable time
> and effort in providing a high speed, reliable and effective interface
> via XML that all of the major logbook vendors have adopted. It has
> become an industry standard.
>
> I have absolutely no sympathy for those who won't pony up $30 for a year
> of service. It's an extraordinarily inexpensive service, when you
> compare it to just about anything else out there (except for FREE).
> QRZ's goal is to be the best at what we do, and that costs a little
> money. Not much, but a little.
>
> Anybody who's actively chasing DX and/or working towards an award spends
> a lot more than $30 doing so. A refusal to contribute to QRZ in
> exchange for a useful and reliable service is more often not based on an
> inability to pay but rather a desire to get something for nothing.
>

http://www.davesergeant.com

3229. RE: [XMLog] Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 18:51:08 UTC
From: Kenneth Moorman
Topic: 3217 Message: 3229

I just discovered that somewhere along the way the window under 'Options' that deals with Callbook lookups had been changed from an XML user to an HTML user. After resetting this error I seem to be working as before all this latest furor happened. Sorry for the bandwidth wasted!

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kenneth Moorman
Sent: Wednesday, June 23, 2010 1:23 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: QRZ

I joined QRZ.com and have been paying the $30/year for a couple of years now so that I could continue to use XMLog, and have had no problems since then until now. I guess that I thought that this issue had been solved then. Is my version of XMLog, v6.27, somehow set up improperly to take advantage of what Fred is talking about in his reply? Or are we all just out of luck?

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, June 23, 2010 12:59 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: QRZ

Hi, In response to Fred's last message I asked what he meant by "discouraging access", here's his response:

"Discouraging access" means that we're actively tossing out requests that come from clients that behave in an automated manner. We have developed several techniques to detect the difference between a person using a browser and a logging program.

QRZ's policy on the matter is that we do not support logging programs that take data from our web pages. We have invested considerable time and effort in providing a high speed, reliable and effective interface via XML that all of the major logbook vendors have adopted. It has become an industry standard.

I have absolutely no sympathy for those who won't pony up $30 for a year of service. It's an extraordinarily inexpensive service, when you compare it to just about anything else out there (except for FREE). QRZ's goal is to be the best at what we do, and that costs a little money. Not much, but a little.

Anybody who's actively chasing DX and/or working towards an award spends a lot more than $30 doing so. A refusal to contribute to QRZ in exchange for a useful and reliable service is more often not based on an inability to pay but rather a desire to get something for nothing.

Yahoo! Groups Links

Yahoo! Groups Links

3230. Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 18:54:51 UTC
From: w1ect
Topic: 3217 Message: 3230

Hi Ken, The XML access to QRZ.COM (provided with a $30 annual subscription) should still be working - at least it is for me and for several others I've corresponded with.

Be sure you have your "Options/Callbook Setup" set up to use "QRZ.COM via XML".

Mike - W1ECT

3231. Re: [XMLog] Re: QRZ

Yahoo group: XMLog
Date: 2010-06-23 23:38:22 UTC
From: N7mal
Topic: 3217 Message: 3231

Thanks Mike: As soon as I changed it to XML and then got my head out of my butt it works just fine. My username is not the same as my email address......
TKS 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Wednesday, June 23, 2010 18:54
Subject: [XMLog] Re: QRZ

Hi Ken, The XML access to QRZ.COM (provided with a $30 annual subscription) should still be working - at least it is for me and for several others I've corresponded with.

Be sure you have your "Options/Callbook Setup" set up to use "QRZ.COM via XML".

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3232. RE: [XMLog] Re: QRZ

Yahoo group: XMLog
Date: 2010-07-24 04:27:21 UTC
From: Craig Bradley
Topic: 3217 Message: 3232

Mike,

I appreciate your efforts to make the web browsing interface work but if QRZ.com wants to limit access from logging programs then I think that the proper thing to do is respect their wishes and not try to hack into the system.

As a contributor to XMLog I would prefer that you spend your time enhancing the features of XMLog. I am a subscriber to QRZ and my interface works great!

I will be sending another contribution so you can continue your great work! Thanks for a great program.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7mal
Sent: Wednesday, June 23, 2010 4:38 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: QRZ

Thanks Mike: As soon as I changed it to XML and then got my head out of my butt it works just fine. My username is not the same as my email address......
TKS 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, June 23, 2010 18:54
Subject: [XMLog] Re: QRZ

Hi Ken, The XML access to QRZ.COM (provided with a $30 annual subscription) should still be working - at least it is for me and for several others I've corresponded with.

Be sure you have your "Options/Callbook Setup" set up to use "QRZ.COM via XML".

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3233. Upgrading from Version 6.31

Yahoo group: XMLog
Date: 2010-08-05 15:36:40 UTC
From: w1ect
Topic: 3233 Message: 3233

When upgrading from XMLog 6.31 on a Windows XP system you
may receive an error message "File Not Found..." or "Can't Find...".

This seems to be a problem with certain versions of the Windows XP Installer and can be fixed by going to your c:\Windows folder and deleting the file "mlog6.cab".

==========

Here's a description of what I think is happening...

The problem seems to be a bug with the XP Windows Installer which I believe has been fixed with later versions. XMLog gets distributed as multiple .CAB files (which are similar to .ZIP files). As you might expect as time goes by the size of XMLog increases and with version 6.31 the size of XMLog grew enough to go from five to six .CAB files. It grew just enough so that most of the last file was in mlog5.cab but the final chunk of this last file was in mlog6.cab. It seems that the bug occurred because there were no file names associated with mlog6.cab and the Windows Installer didn't bother to delete mlog6.cab after the install was complete. Now, why should this lingering file cause problems on subsequent installs? I don't know but the bug seems occur on just a small minority of XP systems, no doubt depending on the version of the Windows Installer.

Why doesn't the problem happen with later versions of XMLog? Well XMLog has grown again so now mlog6.cab contains some complete files abd all the .CAB files get deleted at the end of the install.

Mike - W1ECT

3234. Change to 6.33 with K2

Yahoo group: XMLog
Date: 2010-08-17 19:02:12 UTC
From: Tom
Topic: 3234 Message: 3234

I changed from 6.31 to 6.33 and computer control with my K2 no longer works fully. I can change frequencies via the spot map, but frequency, mode power - are not filled in on the log. The K2 still works fine with N1MM so I believe it must be something I am doing wrong in xmlog. Any thoughts or suggestions?

Tom - W4CU

3235. Re: Change to 6.33 with K2

Yahoo group: XMLog
Date: 2010-08-18 00:26:38 UTC
From: w1ect
Topic: 3234 Message: 3235

Hi Tom, I didn't think I did anything that would affect this but let me do some testing and I'll get back to you.

Could you send me a copy of your options file as an e-mail attachment to support@... ? It's named "mlog.ini" and is located in your XMLog install folder (usually c:\mlog).

Mike - W1ECT

3236. Re: Change to 6.33 with K2

Yahoo group: XMLog
Date: 2010-08-18 02:20:41 UTC
From: Tom
Topic: 3234 Message: 3236

Mike: Please don't bother. I finally read the help file and simply activating "Use defaults for new messages" got me back to what I was familiar with. Thanks for your help and for the great program.

vy 73 - Tom W4CU

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Tom, I didn't think I did anything that would affect this but let me do some testing and I'll get back to you.
>
> Could you send me a copy of your options file as an e-mail attachment to support@... ? It's named "mlog.ini" and is located in your XMLog install folder (usually c:\mlog).
>
> Mike - W1ECT
>

3237. QRZ

Yahoo group: XMLog
Date: 2010-08-24 00:38:28 UTC
From: k1laxradio
Topic: 3217 Message: 3237

I am a subscriber to QRZ XML> I have that option checked in the XMLog option box . I also have my call and password on XM..

I cant access the QRZ info I keep getting "Cant connect to QRZ (session)" Anyone getting this problem? Any ideas for a solution?

Thanks
K1LAX

Bob

3238. Re: [XMLog] QRZ

Yahoo group: XMLog
Date: 2010-08-24 02:17:25 UTC
From: Tim Wright
Topic: 3217 Message: 3238

If this occurred with in the past 48 hours or so, QRZ suffered a router loss at the host site where the traffic is passed to and from QRZ.

Everything is back up and running other than that I haven't had a problem with my lookups

Tim KD4OVM

--- On Mon, 8/23/10, k1laxradio <Rah632@msn.com> wrote:

From: k1laxradio <Rah632@...>
Subject: [XMLog] QRZ
To: XMLog@yahoogroups.com
Date: Monday, August 23, 2010, 8:38 PM

I am a subscriber to QRZ XML> I have that option checked in the XMLog option box . I also have my call and password on XM..

I cant access the QRZ info I keep getting "Cant connect to QRZ (session)" Anyone getting this problem? Any ideas for a solution?

Thanks

K1LAX

Bob

[Non-text portions of this message have been removed]

3239. QRZ

Yahoo group: XMLog
Date: 2010-08-24 12:17:30 UTC
From: k1laxradio
Topic: 3217 Message: 3239

Thanks for the info. QRZ is working great today! Must have been the QRZ router problem.

Bob
K1LAX

3240. RE: [XMLog] QRZ

Yahoo group: XMLog
Date: 2010-08-27 15:28:26 UTC
From: Craig Bradley
Topic: 3217 Message: 3240

When you "QRZ the router", does it come back with and ID and a signal report?

73 :-)

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k1laxradio
Sent: Tuesday, August 24, 2010 5:17 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ

Thanks for the info. QRZ is working great today! Must have been the QRZ router problem.

Bob
K1LAX

[Non-text portions of this message have been removed]

3241. Counting sideband contacts.

Yahoo group: XMLog
Date: 2010-08-29 15:14:16 UTC
From: mefazamy
Topic: 3241 Message: 3241

I want to get an accurate count of my sideband contacts. They come in three categories -- ssb, lsb, usb. The problem is that some ssb contacts overlap with the lsb and usb contacts. How can I get an accurate count?

3242. Re: [XMLog] Counting sideband contacts.

Yahoo group: XMLog
Date: 2010-08-29 16:17:52 UTC
From: W3GERry
Topic: 3241 Message: 3242

> ... They come in three categories -- ssb, lsb, usb.

???????
A SINGLE sideband contact must be either of UPPER sideband or LOWER
sideband.

73 de W3GERry

[Non-text portions of this message have been removed]

3243. Re: [XMLog] Counting sideband contacts.

Yahoo group: XMLog
Date: 2010-08-29 16:59:41 UTC
From: WILLIS COOKE
Topic: 3241 Message: 3243

Just enter SSB in the Mode Block while in search. It will list all USB, LSB and SSB contacts.
 Willis 'Cookie' Cooke
K5EWJ

From: mefazamy <FAZAMY@...>
To: XMLog@yahoogroups.com
Sent: Sun, August 29, 2010 10:14:16 AM
Subject: [XMLog] Counting sideband contacts.

I want to get an accurate count of my sideband contacts. They come in three categories -- ssb, lsb, usb. The problem is that some ssb contacts overlap with the lsb and usb contacts. How can I get an accurate count?

[Non-text portions of this message have been removed]

3244. Re: Counting sideband contacts.

Yahoo group: XMLog
Date: 2010-08-29 20:39:10 UTC
From: mefazamy
Topic: 3241 Message: 3244

Thanks Cookie.

73, Evan
KB2AMY

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> Just enter SSB in the Mode Block while in search.Â It will list all USB, LSB and
> SSB contacts.
> Â Willis 'Cookie' Cooke
> K5EWJ
>
>
>
>
> _____
> From: mefazamy <FAZAMY@...>
> To: XMLog@yahoogroups.com
> Sent: Sun, August 29, 2010 10:14:16 AM
> Subject: [XMLog] Counting sideband contacts.
>
> Â
> I want to get an accurate count of my sideband contacts. They come in three
> categories -- ssb, lsb, usb. The problem is that some ssb contacts overlap with
> the lsb and usb contacts. How can I get an accurate count?
>
>
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

3245. eqsl

Yahoo group: XMLog
Date: 2010-09-24 05:58:49 UTC
From: glen
Topic: 3245 Message: 3245

hi mike don't know if this has been brought up but i was downloading
a copy of my adi file from eqsl and it doesn't seem to be working..
it has the adi.mhtml attachment

thanks
glen (n1nkc)

3246. New Entities

Yahoo group: XMLog
Date: 2010-09-24 23:04:27 UTC
From: nelson w
Topic: 3246 Message: 3246

Will there be an update in XMLog for the changes that will take place on Oct. 10?

Nelson

3247. Re: New Entities

Yahoo group: XMLog
Date: 2010-09-25 15:19:57 UTC
From: w1ect
Topic: 3246 Message: 3247

Hi Nelson, I will be posting a new version of XMLog to handle these changes but I need the ADIF guys to assign country codes for them and they have to wait for the DXCC guys to define the new countries. As of 9/23/10 they are still talking in terms of a "yet-to-be-determined number of new entities".

Mike - W1ECT

> Will there be an update in XMLog for the changes that will take place on Oct. 10?

3248. Re: [XMLog] Re: New Entities

Yahoo group: XMLog
Date: 2010-09-25 15:24:29 UTC
From: Nelson Wittstock
Topic: 3246 Message: 3248

Thanks, Mike. The cards won't be accepted until January so the changes could be made later and still be ready for card submission before then.

Nelson

[Non-text portions of this message have been removed]

3249. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-02 16:10:29 UTC
From: w1ect
Topic: 3246 Message: 3249

Well I don't know why the ARRL is cutting things so close. Is it possible that they won't have the new PJ countries defined before October 10th? In any case when they do decide the ADIF folk will have to assign new ID's for these new DXCC entities so that will add additional time to the process.

I have the next XMLog version set up so that any PJ QSOs will be updated to the appropriate DXCC country based on the QSO date. If the ARRL and the ADIF group can't get things defined before October 10th it will be annoying that the old XMLog will log PJ QSOs with the old country values, but whenever you run the new XMLog version it will update all PJ QSOS.

Mike - W1ECT

3250. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-03 13:17:45 UTC
From: Michael McCarthy
Topic: 3246 Message: 3250

I believe that the ARRL has stated that any DXCC submissions will not be accepted until after January 1 so they are in no rush to define things before then. Of course, that means contacts before the official numbers and prefixes are defined will require conversion.

Mike, W1NR

"Half a truth is often a great lie."-Ben Franklin

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Sat, 10/2/10, w1ect <w1ect@...> wrote:

From: w1ect <w1ect@...>
Subject: [XMLog] Re: New PJ Entities
To: XMLog@yahoogroups.com
Date: Saturday, October 2, 2010, 12:10 PM

Well I don't know why the ARRL is cutting things so close. Is it possible that they won't have the new PJ countries defined before October 10th? In any case when they do decide the ADIF folk will have to assign new ID's for these new DXCC entities so that will add additional time to the process.

I have the next XMLog version set up so that any PJ QSOs will be updated to the appropriate DXCC country based on the QSO date. If the ARRL and the ADIF group can't get things defined before October 10th it will be annoying that the old XMLog will log PJ QSOs with the old country values, but whenever you run the new XMLog version it will update all PJ QSOS.

Mike - W1ECT

[Non-text portions of this message have been removed]

3251. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-09 21:05:45 UTC
From: w1ect
Topic: 3246 Message: 3251

Until the new countries get defined and I create a new XMLog version you won't be getting alerts for all the forthcoming DXpeditions. Until then I plan to do things the old fashioned way - keep track of them on paper!

The potential new countries that have expeditions planned are:

PJ2 - Curacao Island
PJ4 - Bonaire Island
PJ5 - St. Eustatius Island
PJ6 - Saba Island
PJ7 - St. Maarten Island

Of course, some of these islands may be combined into a single new country... work first, worry later.

Mike - W1ECT

3252. CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-13 17:32:43 UTC
From: Craig - AE6RR
Topic: 3252 Message: 3252

Mike,

My CW Keyboard window is off of the viewable screen, I cannot see any off it. Clicking on it on the task bar causes a quick image to go off of the bottom of the screen.

Any ideas on getting it back on screen?

This is on a remote computer and I will need to use Remote Desktop to work on it. I do have another computer with the program installed. Can I copy a file or would an re-install be best?

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3253. Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-14 15:13:58 UTC
From: w1ect
Topic: 3252 Message: 3253

Hi Craig, There's an app named XMReset that gets installed with XMLog that should do the trick. It should be in the XMLog start menu and if you don't see it there you can run it directly from the XMLog install folder.

Mike - W1ECT

3254. RE: [XMLog] Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-15 07:05:20 UTC
From: Craig Bradley
Topic: 3252 Message: 3254

Hi Mike,

Thanks, I started thinking about how I got it in this mess and tried logging into the system with my hamshack computer that has a monitor with a different aspect ratio and sure enough, I could see the keyboard window down at the bottom of the screen where I could grab it and drag it up some. Problem solved for now but the XMReset app sounds handy. What all does it reset besides the window position?

BTW, it is not in the start menu on my remote system but it is on my home system.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Thursday, October 14, 2010 8:14 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: CW Keyboard window off screen

Hi Craig, There's an app named XMReset that gets installed with XMLog that should do the trick. It should be in the XMLog start menu and if you don't see it there you can run it directly from the XMLog install folder.

Mike - W1ECT

[Non-text portions of this message have been removed]

3255. Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-15 16:04:07 UTC
From: w1ect
Topic: 3252 Message: 3255

Hi Craig, XMReset was added in version 6.28, you can copy xmreset.exe from the XMLog folders on one system to the other and run it from there, or update XMLog on your other system.

Mike - W1ECT

3256. Fw: [DX-NEWS] [dx-check:1295] FW: New DXCC Country Code information

Yahoo group: XMLog
Date: 2010-10-15 17:41:06 UTC
From: N7mal
Topic: 3256 Message: 3256

Is this what you're waiting for Mike..??..
MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Moore, Bill, NC1L (ARRL Awards Branch)
To: DXCC Checkers List
Sent: Friday, October 15, 2010 14:54
Subject: [DX-NEWS] [dx-check:1295] FW: New DXCC Country Code information

[Reflector : dx-check]

This information is provided, in advance, to those who use the DXCC assigned country/entity codes for programming software:

Below are what will be the DXCC assigned country codes for the new entities once they are entered into the DXCC system:

517 ? Curacao

518 ? Sint Maarten

519 ? Saba and St. Eustatius

520 - Bonaire

Note, the country codes for what will be the deleted entities will not change, they will just be flagged as deleted entities.

Online, the only place where these codes are posted is in the text version of the DXCC list. Once we officially add the new entities to the DXCC software this list will then be updated to show the official changes to the DXCC list.

Bill Moore NC1L

Awards Branch Manager

ARRL - The national association for Amateur Radio?

225 Main Street

Newington, CT 06111

Telephone: (860) 594 0234

Fax: (860) 594-0346

email: dxcc@...

DXCC Web Site: www.arrl.org/awards/dxcc

Blog: http://www.arrl.org/awards-blog

To unsubscribe or subscribe to this list. Please send a message to

imailsrv@...

In the message body put either

unsubscribe dx-news

or

subscribe dx-news

This is the DX-NEWS reflector sponsored by the NJDXA http://njdxa.org
----

[Non-text portions of this message have been removed]

3257. RE: [XMLog] Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-16 16:47:58 UTC
From: Craig Bradley
Topic: 3252 Message: 3257

Thanks Mike,

I will update the system once your new "PJ" version is out.

Thanks & 73!

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Friday, October 15, 2010 9:04 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: CW Keyboard window off screen

Hi Craig, XMReset was added in version 6.28, you can copy xmreset.exe from the XMLog folders on one system to the other and run it from there, or update XMLog on your other system.

Mike - W1ECT

[Non-text portions of this message have been removed]

3258. Re: [XMLog] Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-16 17:45:12 UTC
From: Dave Sergeant
Topic: 3252 Message: 3258

On 16 Oct 2010 at 9:47, Craig Bradley wrote:

> I will update the system once your new "PJ" version is out.

I edited the 'prefix' file myself last night, not very difficult...

Just got to work some of them now, much harder from this side of the pond.

73 Dave G3YMC

http://www.davesergeant.com

3259. RE: [XMLog] Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-16 22:55:06 UTC
From: Craig Bradley
Topic: 3252 Message: 3259

Hi Dave,

Yes, I could do that.

Working them from the West Coast is not real easy either, at least you have an over water path!

Good Luck & 73,

- Craig, AE6RR

San Jose, CA

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dave Sergeant
Sent: Saturday, October 16, 2010 10:45 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: CW Keyboard window off screen

On 16 Oct 2010 at 9:47, Craig Bradley wrote:

> I will update the system once your new "PJ" version is out.

I edited the 'prefix' file myself last night, not very difficult...

Just got to work some of them now, much harder from this side of the pond.

73 Dave G3YMC

http://www.davesergeant.com

[Non-text portions of this message have been removed]

3260. Re: [XMLog] Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-17 09:17:10 UTC
From: Gary Stone
Topic: 3252 Message: 3260

Hello,

I am trying to upgrade my xmlog from 6.13. I have a Vista machine.

I get an error message (see attached).

I really love this program. I think I had to run it as an XP program to get
it to work with version 6.13. I may have to delete the old version to
install the new one?

Gary, N5PHT

****** Gary Stone, N5PHT ******
**** 347 CR 1250 ****
**** Savoy, Texas 75479 ****
UNITED STATES OF AMERICA

On Sat, Oct 16, 2010 at 5:55 PM, Craig Bradley <craigjb@...> wrote:

>
>
> Hi Dave,
>
> Yes, I could do that.
>
> Working them from the West Coast is not real easy either, at least you have
> an over water path!
>
> Good Luck & 73,
>
> - Craig, AE6RR
>
> San Jose, CA
>
> -----
>
> From: XMLog@yahoogroups.com <XMLog%40yahoogroups.com> [mailto:
> XMLog@yahoogroups.com <XMLog%40yahoogroups.com>] On Behalf Of Dave
> Sergeant
> Sent: Saturday, October 16, 2010 10:45 AM
> To: XMLog@yahoogroups.com <XMLog%40yahoogroups.com>
> Subject: Re: [XMLog] Re: CW Keyboard window off screen
>
>
> On 16 Oct 2010 at 9:47, Craig Bradley wrote:
>
> > I will update the system once your new "PJ" version is out.

>
> I edited the 'prefix' file myself last night, not very difficult...
>
> Just got to work some of them now, much harder from this side of the
> pond.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
> [Non-text portions of this message have been removed]
>
>
>

[Non-text portions of this message have been removed]

3261. Re: [XMLog] Re: CW Keyboard window off screen

Yahoo group: XMLog
Date: 2010-10-17 09:18:42 UTC
From: Gary Stone
Topic: 3252 Message: 3261

Hello Mike,

I am trying to upgrade my xmlog from 6.13. I have a Vista machine.

I get an error message (see attached).

I really love this program. I think I had to run it as an XP program to get
it to work with version 6.13. I may have to delete the old version to
install the new one?

Gary, N5PHT

****** Gary Stone, N5PHT ******
**** 347 CR 1250 ****
**** Savoy, Texas 75479 ****
UNITED STATES OF AMERICA

On Sat, Oct 16, 2010 at 5:55 PM, Craig Bradley <craigjb@...> wrote:

>
>
> Hi Dave,
>
> Yes, I could do that.
>
> Working them from the West Coast is not real easy either, at least you have
> an over water path!
>
> Good Luck & 73,
>
> - Craig, AE6RR
>
> San Jose, CA
>
> -----
>
> From: XMLog@yahoogroups.com <XMLog%40yahoogroups.com> [mailto:
> XMLog@yahoogroups.com <XMLog%40yahoogroups.com>] On Behalf Of Dave
> Sergeant
> Sent: Saturday, October 16, 2010 10:45 AM
> To: XMLog@yahoogroups.com <XMLog%40yahoogroups.com>
> Subject: Re: [XMLog] Re: CW Keyboard window off screen
>
>
> On 16 Oct 2010 at 9:47, Craig Bradley wrote:
>
> > I will update the system once your new "PJ" version is out.

>
> I edited the 'prefix' file myself last night, not very difficult...
>
> Just got to work some of them now, much harder from this side of the
> pond.
>
> 73 Dave G3YMC
>
> http://www.davesergeant.com
>
> [Non-text portions of this message have been removed]
>
>
>

[Non-text portions of this message have been removed]

3262. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-17 15:11:41 UTC
From: w1ect
Topic: 3246 Message: 3262

OK, Now that I have the official word on the new countries and their ADIF indentifiers I can get to work and build a new XMLog which will be available early this week at www.xmlog.com/beta

If anyone knows how the (non-obvious) prefixes from PJ0...PJ9 are going to be assigned within the new PJ countries, let me know.

Mike - W1ECT

3263. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-17 15:21:17 UTC
From: Dave Sergeant
Topic: 3246 Message: 3263

On 17 Oct 2010 at 15:11, w1ect wrote:

> OK, Now that I have the official word on the new countries and their
> ADIF indentifiers I can get to work and build a new XMLog which will be
> available early this week at www.xmlog.com/beta
>
> If anyone knows how the (non-obvious) prefixes from PJ0...PJ9 are going
> to be assigned within the new PJ countries, let me know.
>
> Mike - W1ECT
>

Mike

I have already edited my prefix file with the new entries. I have set PJ5 to Saba/St Eustatius (wouldn't accept PJ6 for some reason, gave a syntax error?) and PJ2, PJ4 and PJ7 for the others. I have seen nowhere anything about what PJ1,PJ3,PJ8,PJ9 or PJ0 will be if anything so have not put them in at all in the alternative prefixes. Easy to add later.

And don't forget that all your old PJ QSOs now need editing to be *PJ2 and *PJ5 or the DXCC worked gets a bit confused.

73 Dave G3YMC

http://www.davesergeant.com

3264. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-17 15:33:16 UTC
From: N7mal
Topic: 3246 Message: 3264

Yes I have that to Mike:

Curaco PJ2

Bonaire PJ4

St Eustatius PJ5

Saba PJ6

St Maarten PJ7

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Sunday, October 17, 2010 15:11
Subject: [XMLog] Re: New PJ Entities

OK, Now that I have the official word on the new countries and their ADIF
indentifiers I can get to work and build a new XMLog which will be available
early this week at www.xmlog.com/beta

If anyone knows how the (non-obvious) prefixes from PJ0...PJ9 are going to
be assigned within the new PJ countries, let me know.

Mike - W1ECT

3265. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-17 15:43:02 UTC
From: N7mal
Topic: 3246 Message: 3265

OR better yet Mike if you like this format:

Curacao: 09: 11: SA: 12.17: 69.00: 4.0: PJ2:
PJ2;
Bonaire: 09: 11: SA: 12.20: 68.25: 4.0: PJ4:
PJ4;
Saba & St. Eustatius: 08: 11: NA: 17.57: 63.10: 4.0: PJ5:
PJ5,PJ6;
Sint Maarten: 08: 11: NA: 18.07: 63.07: 4.0: PJ7:
PJ7;

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Sunday, October 17, 2010 15:33
Subject: Re: [XMLog] Re: New PJ Entities

Yes I have that to Mike:

Curaco PJ2

Bonaire PJ4

St Eustatius PJ5

Saba PJ6

St Maarten PJ7

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com

Sent: Sunday, October 17, 2010 15:11
Subject: [XMLog] Re: New PJ Entities

OK, Now that I have the official word on the new countries and their ADIF indentifiers I can get to work and build a new XMLog which will be available early this week at www.xmlog.com/beta

If anyone knows how the (non-obvious) prefixes from PJ0...PJ9 are going to be assigned within the new PJ countries, let me know.

Mike - W1ECT

[Non-text portions of this message have been removed]

3266. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-17 23:13:31 UTC
From: w1ect
Topic: 3246 Message: 3266

OK Guys, Don't diddle the prefix file I've got the update at www.xmlog.com/beta

Mike - W1ECT

3267. Re: Problems Updating from version 6.13

Yahoo group: XMLog
Date: 2010-10-17 23:19:24 UTC
From: w1ect
Topic: 3252 Message: 3267

Hi Gary, If you want to send an attachment send me an email with the full text of the error message. It may help if you also attach a copy of your options file "mlog.ini" which can be found in your XMLog install folder.

Mike - W1ECT

> Hello Mike,
>
> I am trying to upgrade my xmlog from 6.13. I have a Vista machine.
>
> I get an error message (see attached).
>
> I really love this program. I think I had to run it as an XP program to get
> it to work with version 6.13. I may have to delete the old version to
> install the new one?
>
> Gary, N5PHT
>

3268. Re: Problems Updating from version 6.13

Yahoo group: XMLog
Date: 2010-10-17 23:20:27 UTC
From: w1ect
Topic: 3252 Message: 3268

Sorry Gary, forgot the email address: support@...

Mike - W1ECT

3269. More New Country stuff

Yahoo group: XMLog
Date: 2010-10-18 04:20:43 UTC
From: N7mal
Topic: 3269 Message: 3269

Here's a list of current and proposed calls in the new countries.....

Curaco PJ2
PJ2A
PJ2T
PJ2/OH1VR
PJ2/OH3KX
PJ2MI

Bonaire PJ4
PJ4B
PJ4D
PJ4I

St Eustatius PJ5
PJ5NA
PJ5/K1XM
PJ5/AA4NC
PJ5/W5MPC
PJ5/AH6HY
PJ5E

St Barthelemy
TO7ZG

Saba PJ6
PJ6A

St Maarten PJ7
PJ7E
PJ7MJ

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

[Non-text portions of this message have been removed]

3270. Is there a wish list?

Yahoo group: XMLog
Date: 2010-10-18 17:08:49 UTC
From: N6NG
Topic: 3270 Message: 3270

Great program.. and Mike continues to update it...
I was wondering if there was a wish list.... If there
was I would put a request to be able to put in
a default Power setting. I seldom use the KW but
have to put type in the power for each contact.

Just a suggestion that won't make or break this
wonderful program....

Thanks again to Mike for all his hard work...

Dennis N6NG

3271. Re: [XMLog] Is there a wish list?

Yahoo group: XMLog
Date: 2010-10-18 17:24:23 UTC
From: W3GERry
Topic: 3270 Message: 3271

From: N6NG
> ... to be able to put in
a default Power setting. I seldom use the KW but
have to put type in the power for each contact.

On the EDIT menu, select EDIT DEFAULTS FOR NEW ENTRIES and enter your
default setting.
Then click USE DEFAULTS FOR NEW ENTRIES.

73 de W3GERry

[Non-text portions of this message have been removed]

3272. Re: [XMLog] Is there a wish list?

Yahoo group: XMLog
Date: 2010-10-18 17:27:50 UTC
From: Dave Sergeant
Topic: 3270 Message: 3272

On 18 Oct 2010 at 10:08, N6NG wrote:

> Great program.. and Mike continues to update it...
> I was wondering if there was a wish list.... If there
> was I would put a request to be able to put in
> a default Power setting. I seldom use the KW but
> have to put type in the power for each contact.
>

You can...

Click edit - ensure 'use defaults for new entries' is checked.
Then under edit, click 'Edit defaults for new entries'. Set them all to
whatever you want....

(all my new entries default to CW 5W).

Dave

http://www.davesergeant.com

3273. Re: More New Country stuff

Yahoo group: XMLog
Date: 2010-10-18 22:16:34 UTC
From: w1ect
Topic: 3269 Message: 3273

Hi Mal, The normal PJ2, PJ4-5, PJ6, and PJ7 prefixes are now handled OK. I was just wondering if the other PJ prefixes that were previously assigned had been allocated yet (PJ0, PJ1, PJ3, PJ8, PJ9).

Mike - W1ECT

3274. Re: [XMLog] Re: More New Country stuff

Yahoo group: XMLog
Date: 2010-10-19 06:32:27 UTC
From: N7mal
Topic: 3269 Message: 3274

Hi Mike: Nothing yet but I get stuff about these new countries every day so
if I see something I'll pass it along.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Monday, October 18, 2010 22:16
Subject: [XMLog] Re: More New Country stuff

Hi Mal, The normal PJ2, PJ4-5, PJ6, and PJ7 prefixes are now handled OK. I
was just wondering if the other PJ prefixes that were previously assigned
had been allocated yet (PJ0, PJ1, PJ3, PJ8, PJ9).

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3275. Latest Update

Yahoo group: XMLog
Date: 2010-10-19 07:52:00 UTC
From: Dave Sergeant
Topic: 3275 Message: 3275

Mike

Many thanks for the latest update. I updated my 6.18 and have a couple of minor issues. I am running it on XP SP3.

1. In the earlier versions I was able to maximise the window from the top menu bar. The 'maximise' button is now greyed out, nor can I resize the window. I imagine this is how it is meant to work?

2. I found in my MLog folder a file 'totals' with a date of 2006. This is basically a list of all the countries, but was as they were in 2006. I manually extracted the current version from the CAB files and replaced it. Why did the installer not update it anyway?

73 Dave G3YMC

http://www.davesergeant.com

3276. How To

Yahoo group: XMLog
Date: 2010-10-19 06:30:09 UTC
From: Allan C
Topic: 3276 Message: 3276

[:)] How to delete or remove XMlog from my computer, can someone tell me?

[Non-text portions of this message have been removed]

3277. Re: How To Delete XMLog

Yahoo group: XMLog
Date: 2010-10-19 13:17:55 UTC
From: w1ect
Topic: 3276 Message: 3277

Hi Allan, Running the XMLog uninstaller should have gotten rid of everything. XMLog doesn't save anything outside of the install folder (usually c:\mlog) so if it's gone you should be ok. I don't know why the shortcut is lingering - did you create it yourself? Anyhow, just go ahead and delete it.

Mike - W1ECT

3278. Re: Latest Update

Yahoo group: XMLog
Date: 2010-10-19 17:05:50 UTC
From: w1ect
Topic: 3275 Message: 3278

Hi Dave,

> 1. In the earlier versions I was able to maximise the window from the top menu bar. The 'maximise' button is now greyed out, nor can I resize the window. I imagine this is how it is meant to work?

I disabled the Maximize button since for the Log Window since it has no effect on the contents of the window. I'll go ahead and turn it back on in the next version if you found it useful.

> 2. I found in my MLog folder a file 'totals' with a date of 2006. This is basically a list of all the countries, but was as they were in 2006. I manually extracted the current version from the CAB files and replaced it. Why did the installer not update it anyway?

This file is where the results of a "DX/Update Packet DXCC Status" are saved. The one in the CAB file is null and is only copied on the initial XMLog install. Since it contains info on your personal DXCC status it doesn't get replaced during subsequent updates. To recreate it just do a "DX/Update Packet DXCC Status" from the Log Window.

Mike - W1ECT

3279. Re: [XMLog] Re: Latest Update

Yahoo group: XMLog
Date: 2010-10-19 17:22:39 UTC
From: Dave Sergeant
Topic: 3275 Message: 3279

On 19 Oct 2010 at 17:05, w1ect wrote:

> Hi Dave,
>
> > 1. In the earlier versions I was able to maximise the window from the
> > top menu bar. The 'maximise' button is now greyed out, nor can I
> > resize the window. I imagine this is how it is meant to work?
>
> I disabled the Maximize button since for the Log Window since it has no
> effect on the contents of the window. I'll go ahead and turn it back on
> in the next version if you found it useful.

Thanks for the explanation. I am a chap who always prefers maximised windows, not loads of little ones all over the screen. So had got used to using XMLog this way, even though most of the screen is white space. When I upgraded I found the window overlapped my taskbar at the bottom, and had to do a XMReset to get it back. Guess if most people are happy with the un-maximised window you should leave it as it is now.

> > 2. I found in my MLog folder a file 'totals' with a date of 2006. This
> > is basically a list of all the countries, but was as they were in
> > 2006. I manually extracted the current version from the CAB files and
> > replaced it. Why did the installer not update it anyway?
>
> This file is where the results of a "DX/Update Packet DXCC Status" are
> saved. The one in the CAB file is null and is only copied on the initial
> XMLog install. Since it contains info on your personal DXCC status it
> doesn't get replaced during subsequent updates. To recreate it just do a
> "DX/Update Packet DXCC Status" from the Log Window.

Ah, I had never known that function existed - but there again I don't normally use the Packet window - once stuff has been spotted it spells the end of trying to work it on QRP... Just done a DX/Update Packet Status, just in case I need it.

Thanks again.

73 Dave G3YMC

http://www.davesergeant.com

3280. Re: How To Delete XMLog

Yahoo group: XMLog
Date: 2010-10-19 18:52:51 UTC
From: Allan
Topic: 3276 Message: 3280

Will not delete, went to control panel then add/remove and clicked remove every thing is gone but in control panel file still there I have run in to this before it is a mess to get rid of I am not a computer whiz and I dis-like programs that do this.

Signed Allan

Click to join NormanOklaGoodBadUgly

[Non-text portions of this message have been removed]

3281. New Radio

Yahoo group: XMLog
Date: 2010-10-21 04:46:48 UTC
From: Kevin Nathan
Topic: 3281 Message: 3281

Hi Mike,

I will be picking up a new Kenwood TS-590S on Friday from HRO in Portland, OR. Do you have a driver for this rig yet in XMLog? If not, what setting would you suggest I use for rig control?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

[Non-text portions of this message have been removed]

3282. Re: [XMLog] Re: How To Delete XMLog

Yahoo group: XMLog
Date: 2010-10-21 07:42:39 UTC
From: Allan
Topic: 3276 Message: 3282

I'm in the control panel/in Add or Remove - Windows XP, I clicked on XMLog and clicked remove it removed some thing but left XMLog in place in the control panel so I clicked it again and get a window that say this (Application Removal - could not open Logfile 'C:\mlog\ST6UNST.UNS')I used control panel because I could not find Uninstall in the XMLog any where. I have run into this problem before and it takes in most case's and act of congrees to get help getting something out.

Signed Allan

Click to join NormanOklaGoodBadUgly

--- On Tue, 10/19/10, w1ect <w1ect@...> wrote:

From: w1ect <w1ect@...>
Subject: [XMLog] Re: How To Delete XMLog
To: XMLog@yahoogroups.com
Date: Tuesday, October 19, 2010, 8:17 AM

Hi Allan, Running the XMLog uninstaller should have gotten rid of everything. XMLog doesn't save anything outside of the install folder (usually c:\mlog) so if it's gone you should be ok. I don't know why the shortcut is lingering - did you create it yourself? Anyhow, just go ahead and delete it.

Mike - W1ECT

[Non-text portions of this message have been removed]

3283. Re: New Radio

Yahoo group: XMLog
Date: 2010-10-21 14:39:37 UTC
From: w1ect
Topic: 3281 Message: 3283

Hi Kevin, So far Kenwood has maintained the same basic rig-control protocol for all of their radios so hopefully this has continued. This means that you should select the generic Kenwood rig type. The only variation that XMLog might be concerned with is the baud rate - older Kenwood rigs had it hard coded at 4800 while the newer rigs provide an adjustable baud rate with the default value sometimes being something other than 4800. So, just be sure you match the speed between XMLog and the rig and go ahead and push the speed up to 9600 or beyond if the 590 provides the option.

Mike - W1ECT

3284. RE: [XMLog] Re: New Radio

Yahoo group: XMLog
Date: 2010-10-21 15:02:14 UTC
From: Kevin Nathan
Topic: 3281 Message: 3284

Thanks Mike,

The 590 does allow higher speeds so I will make sure I match them. I appreciate your quick response.

Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Thursday, October 21, 2010 07:40
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New Radio

Hi Kevin, So far Kenwood has maintained the same basic rig-control protocol for all of their radios so hopefully this has continued. This means that you should select the generic Kenwood rig type. The only variation that XMLog might be concerned with is the baud rate - older Kenwood rigs had it hard coded at 4800 while the newer rigs provide an adjustable baud rate with the default value sometimes being something other than 4800. So, just be sure you match the speed between XMLog and the rig and go ahead and push the speed up to 9600 or beyond if the 590 provides the option.

Mike - W1ECT

[Non-text portions of this message have been removed]

3285. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-22 10:30:19 UTC
From: Dave Sergeant
Topic: 3246 Message: 3285

On 17 Oct 2010 at 23:13, w1ect wrote:

> OK Guys, Don't diddle the prefix file I've got the update at
> www.xmlog.com/beta
>

There is a problem with this prefix list concerning deleted entries. I was amazed to find I had seemed to have worked stations in the deleted OK and DL entries (*OK and *DL). The updated prefix list for most of the deleted entries has the prefix lookup line, eg:

DL,Fed. Rep. of Germany,EU,14,[52.5/-13.4],ADIF=230,
DA-DR,Y2-Y9,!,

*DL,Germany,,,ADIF=081,Deleted=1973-09-16,
DA-DR,!,

If you add a new DL QSO it appears to get changed to DL(deleted) as it finds the lookup in the deleted list first.

I have gone back to my earlier (self modified) version which does not have the prefix line in any of the deleted countries and works correctly.

73 Dave G3YMC

http://www.davesergeant.com

3286. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-22 15:20:31 UTC
From: w1ect
Topic: 3246 Message: 3286

Hi Dave, It seems that version 6.35/6.36 has a problem with the new feature that tries to identify deleted countries based on the QSO date - it doesn't work if the "Options/Log Fields..." Date Format option is set to "DD/MM/YY".

Dave, Do you have the date format set this way?

I have a fix for this problem (version 6.37) that I'm about ready to post at www.xmlog.com/beta

Mike - W1ECT

3287. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-22 15:31:54 UTC
From: Dave Sergeant
Topic: 3246 Message: 3287

Yes indeed, since I am not in the USA I have the date set as
DD/MM/YY.....

73 Dave G3YMC

On 22 Oct 2010 at 15:20, w1ect wrote:

> Hi Dave, It seems that version 6.35/6.36 has a problem with the new
> feature that tries to identify deleted countries based on the QSO date -
> it doesn't work if the "Options/Log Fields..." Date Format option is set
> to "DD/MM/YY".
>
> Dave, Do you have the date format set this way?
>
> I have a fix for this problem (version 6.37) that I'm about ready to
> post at www.xmlog.com/beta
>
> Mike - W1ECT
>

http://www.davesergeant.com

3288. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-22 15:54:33 UTC
From: w1ect
Topic: 3246 Message: 3288

OK Dave, Just posted version 6.37 at www.xmlog.com/beta - see if this does the trick...

Any other users who have their date format set to DD/MM/YY should also install this update.

Mike - W1ECT

3289. Re: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-22 16:38:33 UTC
From: Dave Sergeant
Topic: 3246 Message: 3289

On 22 Oct 2010 at 15:54, w1ect wrote:

> OK Dave, Just posted version 6.37 at www.xmlog.com/beta - see if this
> does the trick...

Thanks Mike. Just installed, and touch wood appears to have done the
job.

73 Dave G3YMC

http://www.davesergeant.com

3290. RE: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-23 18:58:54 UTC
From: Craig Bradley
Topic: 3246 Message: 3290

Mike,

I downloaded 6.37 (first update for me after the PJs) and it appears to work OK. It updated my log and I now have two new deleted entities.

I saw a spot for a PJ4 and it shows in red on the spots map and that I need it for all modes/bands - this is correct.

Then I saw a spot for PJ2DX and it shows in blue and that I only need it on RTTY+, 160, 30, 12 and 6 which is the status for the old PJ2, I have not worked PJ2 since 10/10/10.

I looked at my DXCC checklist and I see *PJ2 with all of the modes/bands worked correctly and the new PJ2 shows no Qs.

Any ideas?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Friday, October 22, 2010 8:55 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New PJ Entities

OK Dave, Just posted version 6.37 at www.xmlog.com/beta - see if this does the trick...

Any other users who have their date format set to DD/MM/YY should also install this update.

Mike - W1ECT

[Non-text portions of this message have been removed]

3291. RE: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-23 21:15:34 UTC
From: Craig Bradley
Topic: 3246 Message: 3291

I had previously done an update packet DXCC status with no luck.

However, I closed XMLog and restarted it, then I did a test spot (yes I hate when people do that but there were no spots). That one worked correctly and showed up in red on the spots map.

Problem solved.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Saturday, October 23, 2010 11:59 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: New PJ Entities

Mike,

I downloaded 6.37 (first update for me after the PJs) and it appears to work OK. It updated my log and I now have two new deleted entities.

I saw a spot for a PJ4 and it shows in red on the spots map and that I need it for all modes/bands - this is correct.

Then I saw a spot for PJ2DX and it shows in blue and that I only need it on RTTY+, 160, 30, 12 and 6 which is the status for the old PJ2, I have not worked PJ2 since 10/10/10.

I looked at my DXCC checklist and I see *PJ2 with all of the modes/bands worked correctly and the new PJ2 shows no Qs.

Any ideas?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of w1ect
Sent: Friday, October 22, 2010 8:55 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>

Subject: [XMLog] Re: New PJ Entities

OK Dave, Just posted version 6.37 at www.xmlog.com/beta - see if this does the trick...

Any other users who have their date format set to DD/MM/YY should also install this update.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3292. Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-23 21:44:25 UTC
From: w1ect
Topic: 3246 Message: 3292

Hi Craig, I think you will need to invoke the
"DX/Update Packet DXCC Status" menu item to bring it up to date. It still has the statuses from the "old" PJ2 prefix.

Mike - W1ECT

3293. RE: [XMLog] Re: New PJ Entities

Yahoo group: XMLog
Date: 2010-10-23 22:41:34 UTC
From: Craig Bradley
Topic: 3246 Message: 3293

Yes, the trick was to get a new spot after doing the update.

Thanks & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Saturday, October 23, 2010 2:44 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: New PJ Entities

Hi Craig, I think you will need to invoke the "DX/Update Packet DXCC Status" menu item to bring it up to date. It still has the statuses from the "old" PJ2 prefix.

Mike - W1ECT

[Non-text portions of this message have been removed]

3294. XMLog Removal Help

Yahoo group: XMLog
Date: 2010-10-24 01:08:36 UTC
From: Allan C
Topic: 3294 Message: 3294

I will ask once more on how to totally remove XMLog from my computer control panel, all but that one thing was deleted I can not get it out of the control panel what do I need to do to get it out. Please help.

[Non-text portions of this message have been removed]

3295. Re: XMLog Removal Help

Yahoo group: XMLog
Date: 2010-10-25 21:39:10 UTC
From: w1ect
Topic: 3294 Message: 3295

Hi Allan, XMLog uses the standard Windows Installer supplied with Visual Studio so I can't provide much help when things like this crop up. I guess the un-install didn't complete for some reason and XMLog didn't get removed from the list of installed applications. If the install folder (usually c:\mlog) and any shortcuts got deleted then all the software was removed but for some reason it didn't get removed from the list of installed apps. Maybe some searching around the web would turn up a hint on how to hack this list directly so you could clean up this little mess that was left behind (in a file somewhere? or perhaps in the registry?). XMLog doesn't create any registry entries itself.

Mike - W1ECT

3296. Finally able to update to 6.37

Yahoo group: XMLog
Date: 2010-10-26 13:35:19 UTC
From: Puck
Topic: 3296 Message: 3296

I have been using version 6.19 and have been unable to update to newer versions. Apparently the setup program calls some Windows XP program or function that is missing or corrupt on my computer. I put the setup file for 6.37 on my wife's computer, installed it, copied the resulting directory full of files to my computer into my mlog directory and all works fine. My PJ contacts are now correct! I did back up my mlog directory prior to doing that just in case. I wish I could figure out what is wrong with my computer but at least I now have a work around.

73,
Puck W4PM

3297. Re: [XMLog] Finally able to update to 6.37

Yahoo group: XMLog
Date: 2010-10-26 17:41:20 UTC
From: Gary Stone
Topic: 3296 Message: 3297

I did the same work-a-round and all is good. And I have Vista Home Edition.

Gary, N5PHT

****** Gary Stone, N5PHT ******
**** 347 CR 1250 ****
**** Savoy, Texas 75479 ****
UNITED STATES OF AMERICA

On Tue, Oct 26, 2010 at 8:35 AM, Puck <hmmjr@...> wrote:

>
>
> I have been using version 6.19 and have been unable to update to newer
> versions. Apparently the setup program calls some Windows XP program or
> function that is missing or corrupt on my computer. I put the setup file for
> 6.37 on my wife's computer, installed it, copied the resulting directory
> full of files to my computer into my mlog directory and all works fine. My
> PJ contacts are now correct! I did back up my mlog directory prior to doing
> that just in case. I wish I could figure out what is wrong with my computer
> but at least I now have a work around.
>
> 73,
> Puck W4PM
>
>
>

[Non-text portions of this message have been removed]

3298. Update

Yahoo group: XMLog
Date: 2010-10-27 21:00:23 UTC
From: wormburner007
Topic: 3298 Message: 3298

I am using version 5.43 of xmlog and would like to update to the current version and was wondering if there is anything I need to know before going ahead with this update. I'm using a HP with XP on it.
Thanks in advance for any and all help on this upgrade.

Phil

3299. Re: Update

Yahoo group: XMLog
Date: 2010-10-27 21:07:51 UTC
From: w1ect
Topic: 3298 Message: 3299

Hi Phil, Probably the most prudent thing would be to make a backup copy of your XMLog install folder (usually c:\mlog). This will include your log files, options settings, etc.

Mike - W1ECT

3300. XMLog install problem when using Windows 7

Yahoo group: XMLog
Date: 2010-10-29 16:39:11 UTC
From: chuckc1101
Topic: 3300 Message: 3300

I keep getting error messages when I try to open and install the log software from the winzip program.Most say theycomputer can't find the temporary file and another says I may have to use the admministrator setting. I am the administrator of my computer and of the home network I'm on. can someone help? Chuck W4CTC.

3301. Re: [XMLog] XMLog install problem when using Windows 7

Yahoo group: XMLog
Date: 2010-10-29 17:29:11 UTC
From: Dave Sergeant
Topic: 3300 Message: 3301

On 29 Oct 2010 at 16:39, chuckc1101 wrote:

> I keep getting error messages when I try to open and install the log
> software from the winzip program.Most say theycomputer can't find the
> temporary file and another says I may have to use the admministrator
> setting. I am the administrator of my computer and of the home network
> I'm on. can someone help? Chuck W4CTC.
>
>

Are you trying to install it directly from inside the WinZip archive?
Far better to extract all the files to a temporary folder (that you
have write permission for) and install from the extracted files.

Dave

http://www.davesergeant.com

3302. Re: [XMLog] XMLog install problem when using Windows 7

Yahoo group: XMLog
Date: 2010-10-30 00:56:38 UTC
From: Gary Stone
Topic: 3300 Message: 3302

Also, you can try what worked for me: Just unzip the files and manually install them.

Gary, N5PHT

****** Gary Stone, N5PHT ******
**** 347 CR 1250 ****
**** Savoy, Texas 75479 ****
UNITED STATES OF AMERICA

On Fri, Oct 29, 2010 at 12:29 PM, Dave Sergeant <dave@...>wrote:

>
>
> On 29 Oct 2010 at 16:39, chuckc1101 wrote:
>
> > I keep getting error messages when I try to open and install the log
> > software from the winzip program.Most say theycomputer can't find the
> > temporary file and another says I may have to use the admministrator
> > setting. I am the administrator of my computer and of the home network
> > I'm on. can someone help? Chuck W4CTC.
> >
> >
>
> Are you trying to install it directly from inside the WinZip archive?
> Far better to extract all the files to a temporary folder (that you
> have write permission for) and install from the extracted files.
>
> Dave
>
> http://www.davesergeant.com
>
>
>

[Non-text portions of this message have been removed]

3303. Installing 6.38 on new system

Yahoo group: XMLog
Date: 2010-11-08 02:12:14 UTC
From: DennisJ
Topic: 3303 Message: 3303

I'm installing 6.38 on a new laptop
and keep getting the following message.

"can't find @... to install"

I searched the messages and didn't find
any reference to this message.

Anyone else run into this or as usual
am I missing something simple..

Thanks
Dennis N6NG

3304. Install Problem

Yahoo group: XMLog
Date: 2010-11-20 21:09:04 UTC
From: john vernaleken
Topic: 3056 Message: 3304

Hello All,

I know this is a problem with my PC and not with XMLOG. I am running Windows XP with Service Pack 3.
When trying to add the latest version of XMLOg I get the message Copying Files Please Wait
I was finally able to minimize the screen and there was a message:
INSTALL program not responding.
I suspect I have a damaged program somewhere.
Does anyone have any hints or suggestions?

Thanks
John KC2QJB

[Non-text portions of this message have been removed]

3305. Re: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-20 21:30:18 UTC
From: Ken Anderson
Topic: 3056 Message: 3305

I had this problem, not with xmlog but other programs, when running
xp. I'm sorry that I don't remember the particulars, but I do remember
that I installed a patch/fix that I downloaded from Microsoft.

I think that the problem is that service pack 3 actually deletes some
files needed by some programs to install correctly. Look for a fix for
the install routine.

Ken, N0AS

On Saturday, November 20, 2010, john vernaleken <jfv508@...> wrote:
> Hello All,
>
> I know this is a problem with my PC and not with XMLOG. I am running Windows XP with
Service Pack 3.
> When trying to add the latest version of XMLOg I get the message Copying Files Please
Wait
> I was finally able to minimize the screen and there was a message:
> INSTALL program not responding.
> I suspect I have a damaged program somewhere.
> Does anyone have any hints or suggestions?
>
> Thanks
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

3306. Re: Install Problem

Yahoo group: XMLog
Date: 2010-11-23 18:03:19 UTC
From: Puck
Topic: 3056 Message: 3306

I have a similiar problem trying to update XMLog. I also use Windows XP SP3. I get the same message but in my case the computer crashes and the only way out is to cut the computer off and reboot. Apparently the install program for XMLog calls a program or function that I no longer have or that is currupt. I've not yet discovered a fix!

My work-around was to load the update onto my wife's computer which also runs Windows XP SP3 and install it there. I then copied all of the files from her "mlog" directory to my computer into my "mlog" directory. I backed it up first just in case. After doing that I had the new version on my computer with no problems.

I wish I could discover why my computer will no longer run the XMLog update installer. It used to work!

73,
Puck W4PM

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
> Hello All,
>
> I know this is a problem with my PC and not with XMLOG. I am running Windows XP with Service Pack 3.
> When trying to add the latest version of XMLOg I get the message Copying Files Please Wait
> I was finally able to minimize the screen and there was a message:
> INSTALL program not responding.
> I suspect I have a damaged program somewhere.
> Does anyone have any hints or suggestions?
>
> Thanks
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>

3307. Re: [XMLog] Re: Install Problem

Yahoo group: XMLog
Date: 2010-11-23 18:37:39 UTC
From: john vernaleken
Topic: 3056 Message: 3307

Thanks for the suggestion I will try it. If I ever get It working I will let you know.

John KC2QJB

----- Original Message -----
From: Puck
To: XMLog@yahoogroups.com
Sent: Tuesday, November 23, 2010 1:03 PM
Subject: [XMLog] Re: Install Problem

I have a similiar problem trying to update XMLog. I also use Windows XP SP3. I get the same message but in my case the computer crashes and the only way out is to cut the computer off and reboot. Apparently the install program for XMLog calls a program or function that I no longer have or that is currupt. I've not yet discovered a fix!

My work-around was to load the update onto my wife's computer which also runs Windows XP SP3 and install it there. I then copied all of the files from her "mlog" directory to my computer into my "mlog" directory. I backed it up first just in case. After doing that I had the new version on my computer with no problems.

I wish I could discover why my computer will no longer run the XMLog update installer. It used to work!

73,
Puck W4PM

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
> Hello All,
>
> I know this is a problem with my PC and not with XMLOG. I am running Windows XP with Service Pack 3.
> When trying to add the latest version of XMLOg I get the message Copying Files Please Wait
> I was finally able to minimize the screen and there was a message:
> INSTALL program not responding.
> I suspect I have a damaged program somewhere.
> Does anyone have any hints or suggestions?
>
> Thanks
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

3308. Re: [XMLog] Re: Install Problem

Yahoo group: XMLog
Date: 2010-11-24 00:37:46 UTC
From: N7mal
Topic: 3056 Message: 3308

Puck I am by no means a computer guru but what you are doing is not completely a good idea, in fact I think it's a bad idea. It is my understanding the install program not only updates the 'mlog' directory but also updates some windows things in order to get the new/updated version 100% compatible with windows.
If I'm wrong I hope somebody corrects me.......please
73

.
MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Puck
To: XMLog@yahoogroups.com
Sent: Tuesday, November 23, 2010 18:03
Subject: [XMLog] Re: Install Problem

I have a similiar problem trying to update XMLog. I also use Windows XP SP3. I get the same message but in my case the computer crashes and the only way out is to cut the computer off and reboot. Apparently the install program for XMLog calls a program or function that I no longer have or that is currupt. I've not yet discovered a fix!

My work-around was to load the update onto my wife's computer which also runs Windows XP SP3 and install it there. I then copied all of the files from her "mlog" directory to my computer into my "mlog" directory. I backed it up first just in case. After doing that I had the new version on my computer with no problems.

I wish I could discover why my computer will no longer run the XMLog update installer. It used to work!

73,
Puck W4PM

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
> Hello All,
>
> I know this is a problem with my PC and not with XMLOG. I am running
> Windows XP with Service Pack 3.

> When trying to add the latest version of XMLOg I get the message Copying
> Files Please Wait
> I was finally able to minimize the screen and there was a message:
> INSTALL program not responding.
> I suspect I have a damaged program somewhere.
> Does anyone have any hints or suggestions?
>
> Thanks
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3309. Re: [XMLog] Re: Install Problem

Yahoo group: XMLog
Date: 2010-11-24 00:47:07 UTC
From: N7mal
Topic: 3056 Message: 3309

I just confirmed what I was saying in previous response. I watched the
install very closely and there are 'windows' things that are extracted to
the windows system 32 directory.
I am also running XP SP3 and had no problem with the install.
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Wednesday, November 24, 2010 00:37
Subject: Re: [XMLog] Re: Install Problem

Puck I am by no means a computer guru but what you are doing is not
completely a good idea, in fact I think it's a bad idea. It is my
understanding the install program not only updates the 'mlog' directory but
also updates some windows things in order to get the new/updated version
100% compatible with windows.
If I'm wrong I hope somebody corrects me.......please
73

.
MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Puck
To: XMLog@yahoogroups.com
Sent: Tuesday, November 23, 2010 18:03
Subject: [XMLog] Re: Install Problem

I have a similiar problem trying to update XMLog. I also use Windows XP
SP3. I get the same message but in my case the computer crashes and the
only way out is to cut the computer off and reboot. Apparently the install

program for XMLog calls a program or function that I no longer have or that is currupt. I've not yet discovered a fix!

My work-around was to load the update onto my wife's computer which also runs Windows XP SP3 and install it there. I then copied all of the files from her "mlog" directory to my computer into my "mlog" directory. I backed it up first just in case. After doing that I had the new version on my computer with no problems.

I wish I could discover why my computer will no longer run the XMLog update installer. It used to work!

73,
Puck W4PM

--- In XMLog@yahoogroups.com, john vernaleken <jfv508@...> wrote:
>
> Hello All,
>
> I know this is a problem with my PC and not with XMLOG. I am running
> Windows XP with Service Pack 3.
> When trying to add the latest version of XMLOg I get the message Copying
> Files Please Wait
> I was finally able to minimize the screen and there was a message:
> INSTALL program not responding.
> I suspect I have a damaged program somewhere.
> Does anyone have any hints or suggestions?
>
> Thanks
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>

Yahoo! Groups Links

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3310. Dxpeditions - TO3A

Yahoo group: XMLog
Date: 2010-11-24 00:51:41 UTC
From: w1ect
Topic: 3310 Message: 3310

Hi, Here's a call to add to the special calls list using the
"View/Show Callsign List" menu item.

TO3A - Saint Barthelemy Island (FJ)

Mike - W1ECT

3311. Re: Install Problem

Yahoo group: XMLog
Date: 2010-11-24 14:42:54 UTC
From: Puck
Topic: 3056 Message: 3311

That may be Mal but my XMLog version 6.37 works fine with no problems. It was the only way I could get my program updated on this computer.

What I need is a computer "guru" to tell me just what XMlog's setup program is calling in Windows to run. I must have a bad windows program or function on my computer.

Puck W4PM

--- In XMLog@yahoogroups.com, "N7mal" <n7mal@...> wrote:
>
> I just confirmed what I was saying in previous response. I watched the
> install very closely and there are 'windows' things that are extracted to
> the windows system 32 directory.
> I am also running XP SP3 and had no problem with the install.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: N7mal
> To: XMLog@yahoogroups.com
> Sent: Wednesday, November 24, 2010 00:37
> Subject: Re: [XMLog] Re: Install Problem
>
>
> Puck I am by no means a computer guru but what you are doing is not
> completely a good idea, in fact I think it's a bad idea. It is my
> understanding the install program not only updates the 'mlog' directory but
> also updates some windows things in order to get the new/updated version
> 100% compatible with windows.
> If I'm wrong I hope somebody corrects me.......please
> 73
>
> .
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is

> entitled to be burdened
> by my opinion
>
>

3312. RE: [XMLog] Re: Install Problem

Yahoo group: XMLog
Date: 2010-11-24 16:43:32 UTC
From: Craig Bradley
Topic: 3056 Message: 3312

I have installed 6.38 on 3 Win XP computers (SP3) with no problems. Two of them are running XP Pro and one is XP Home. They have all of the latest updates from Microsoft.

You might want to go to the Microsoft web site and be sure that you have all of the latest updates.

Good luck & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Puck
Sent: Wednesday, November 24, 2010 6:43 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Install Problem

That may be Mal but my XMLog version 6.37 works fine with no problems. It was the only way I could get my program updated on this computer.

What I need is a computer "guru" to tell me just what XMlog's setup program is calling in Windows to run. I must have a bad windows program or function on my computer.

Puck W4PM

--- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> , "N7mal" <n7mal@...> wrote:
>
> I just confirmed what I was saying in previous response. I watched the
> install very closely and there are 'windows' things that are extracted to
> the windows system 32 directory.
> I am also running XP SP3 and had no problem with the install.
> 73
>
>
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
> ----- Original Message -----
> From: N7mal

> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Sent: Wednesday, November 24, 2010 00:37
> Subject: Re: [XMLog] Re: Install Problem
>
>
> Puck I am by no means a computer guru but what you are doing is not
> completely a good idea, in fact I think it's a bad idea. It is my
> understanding the install program not only updates the 'mlog' directory
but
> also updates some windows things in order to get the new/updated version
> 100% compatible with windows.
> If I'm wrong I hope somebody corrects me.......please
> 73
>
> .
> MAL
> N7MAL
> BULLHEAD CITY, AZ
> http://www.n7mal.com
> Everyone in the world is
> entitled to be burdened
> by my opinion
>
>

[Non-text portions of this message have been removed]

3313. Install Problem

Yahoo group: XMLog
Date: 2010-11-25 13:37:25 UTC
From: john vernaleken
Topic: 3056 Message: 3313

Hello All,

I am still working on my install problem. Would anyone know the name of the Microsoft program that is used to do the install?
Since I am having the same problem when trying to do installs of other software I am sure it is my PC.

Thanks

John KC2QJB

[Non-text portions of this message have been removed]

3314. Re: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-25 15:06:39 UTC
From: Ken Anderson
Topic: 3056 Message: 3314

InstallShield.

On Thursday, November 25, 2010, john vernaleken <jfv508@optonline.net> wrote:
>
> Hello All,
>
> I am still working on my install problem. Would anyone know the name of the Microsoft program that is used to do the install?
> Since I am having the same problem when trying to do installs of other software I am sure it is my PC.
>
> Thanks
>
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

3315. Re: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-25 15:17:37 UTC
From: john vernaleken
Topic: 3056 Message: 3315

Would you happen to know the actual name so I can locate it on my hard drive?

Thanks

John KC2QJB

----- Original Message -----
From: Ken Anderson
To: XMLog@yahoogroups.com
Sent: Thursday, November 25, 2010 10:06 AM
Subject: Re: [XMLog] Install Problem

InstallShield.

On Thursday, November 25, 2010, john vernaleken <jfv508@...> wrote:
>
> Hello All,
>
> I am still working on my install problem. Would anyone know the name of the Microsoft program that is used to do the install?
> Since I am having the same problem when trying to do installs of other software I am sure it is my PC.
>
> Thanks
>
> John KC2QJB
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

[Non-text portions of this message have been removed]

3316. Re: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-25 15:58:39 UTC
From: Ken Anderson
Topic: 3056 Message: 3316

InstallShield setup.exe

this is what I downloaded a fix for, from the Microsoft website. XP SP3 makes some changes to this file that can cause problems when installing some programs. I don't remember the exact details.

Google it, or search the MS xp website for installshield problems.

On Thursday, November 25, 2010, john vernaleken <jfv508@...> wrote:
> Would you happen to know the actual name so I can locate it on my hard drive?
>
> Thanks
>
> John KC2QJB
>
> ----- Original Message -----
> From: Ken Anderson
> To: XMLog@yahoogroups.com
> Sent: Thursday, November 25, 2010 10:06 AM
> Subject: Re: [XMLog] Install Problem
>
>
>
> InstallShield.
>
> On Thursday, November 25, 2010, john vernaleken <jfv508@...> wrote:
> >
> > Hello All,
> >
> > I am still working on my install problem. Would anyone know the name of the Microsoft program that is used to do the install?
> > Since I am having the same problem when trying to do installs of other software I am sure it is my PC.
> >
> > Thanks
> >
> > John KC2QJB
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links

> >
> >
> >
> >
>
> --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

3317. Re: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-27 00:28:25 UTC
From: john vernaleken
Topic: 3056 Message: 3317

Hello All,

I really did not solve the problem with Install Shield but I was able to install the latest version of XMLOG. What I did was:

1. Saved the XMLOG file from the Web Site
2. Opened the SETUP.EXE
3. The normal Install started
4. Completed the normal Install
5. XMLOG is working using latest version

I have no idea why my problems started but I now have a work around.

Thanks to all who sent me possible solutions.

John KC2QJB

----- Original Message -----
From: Ken Anderson
To: XMLog@yahoogroups.com
Sent: Thursday, November 25, 2010 10:58 AM
Subject: Re: [XMLog] Install Problem

InstallShield setup.exe

this is what I downloaded a fix for, from the Microsoft website. XP
SP3 makes some changes to this file that can cause problems when
installing some programs. I don't remember the exact details.

Google it, or search the MS xp website for installshield problems.

On Thursday, November 25, 2010, john vernaleken <jfv508@...> wrote:
> Would you happen to know the actual name so I can locate it on my hard drive?
>
> Thanks
>
> John KC2QJB
>
> ----- Original Message -----
> From: Ken Anderson
> To: XMLog@yahoogroups.com
> Sent: Thursday, November 25, 2010 10:06 AM
> Subject: Re: [XMLog] Install Problem
>
>
>
> InstallShield.

>
> On Thursday, November 25, 2010, john vernaleken <jfv508@...> wrote:
> >
> > Hello All,
> >
> > I am still working on my install problem. Would anyone know the name of the Microsoft program that is used to do the install?
> > Since I am having the same problem when trying to do installs of other software I am sure it is my PC.
> >
> > Thanks
> >
> > John KC2QJB
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>
> --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

[Non-text portions of this message have been removed]

3318. RE: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-27 01:56:12 UTC
From: Craig Bradley
Topic: 3056 Message: 3318

Did you open the SETUP.EXE that comes with XMLog on another version?

Your install sounds like that way that I always do it, is there another way?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Friday, November 26, 2010 4:28 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Install Problem

Hello All,

I really did not solve the problem with Install Shield but I was able to install the latest version of XMLOG. What I did was:

1. Saved the XMLOG file from the Web Site
2. Opened the SETUP.EXE
3. The normal Install started
4. Completed the normal Install
5. XMLOG is working using latest version

I have no idea why my problems started but I now have a work around.

Thanks to all who sent me possible solutions.

John KC2QJB

----- Original Message -----
From: Ken Anderson
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Thursday, November 25, 2010 10:58 AM
Subject: Re: [XMLog] Install Problem

InstallShield setup.exe

this is what I downloaded a fix for, from the Microsoft website. XP SP3 makes some changes to this file that can cause problems when installing some programs. I don't remember the exact details.

Google it, or search the MS xp website for installshield problems.

On Thursday, November 25, 2010, john vernaleken <jfv508@... <mailto:jfv508%40optonline.net> > wrote:

> Would you happen to know the actual name so I can locate it on my hard
drive?
>
> Thanks
>
> John KC2QJB
>
> ----- Original Message -----
> From: Ken Anderson
> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Sent: Thursday, November 25, 2010 10:06 AM
> Subject: Re: [XMLog] Install Problem
>
>
>
> InstallShield.
>
> On Thursday, November 25, 2010, john vernaleken <jfv508@...
<mailto:jfv508%40optonline.net> > wrote:
> >
> > Hello All,
> >
> > I am still working on my install problem. Would anyone know the name of
the Microsoft program that is used to do the install?
> > Since I am having the same problem when trying to do installs of other
software I am sure it is my PC.
> >
> > Thanks
> >
> > John KC2QJB
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>
> --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>

>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3319. Re: [XMLog] Install Problem

Yahoo group: XMLog
Date: 2010-11-27 02:06:27 UTC
From: john vernaleken
Topic: 3056 Message: 3319

I will be honest with everyone, I have been working on this for the past 3 days and I am not sure what I did in the past.

John KC2QJB

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Friday, November 26, 2010 8:56 PM
Subject: RE: [XMLog] Install Problem

Did you open the SETUP.EXE that comes with XMLog on another version?

Your install sounds like that way that I always do it, is there another way?

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of john vernaleken
Sent: Friday, November 26, 2010 4:28 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Install Problem

Hello All,

I really did not solve the problem with Install Shield but I was able to install the latest version of XMLOG. What I did was:

1. Saved the XMLOG file from the Web Site
2. Opened the SETUP.EXE
3. The normal Install started
4. Completed the normal Install
5. XMLOG is working using latest version

I have no idea why my problems started but I now have a work around.

Thanks to all who sent me possible solutions.

John KC2QJB

----- Original Message -----
From: Ken Anderson
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Thursday, November 25, 2010 10:58 AM
Subject: Re: [XMLog] Install Problem

InstallShield setup.exe

this is what I downloaded a fix for, from the Microsoft website. XP SP3 makes some changes to this file that can cause problems when installing some programs. I don't remember the exact details.

Google it, or search the MS xp website for installshield problems.

On Thursday, November 25, 2010, john vernaleken <jfv508@... <mailto:jfv508%40optonline.net> > wrote:
> Would you happen to know the actual name so I can locate it on my hard drive?
>
> Thanks
>
> John KC2QJB
>
> ----- Original Message -----
> From: Ken Anderson
> To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
> Sent: Thursday, November 25, 2010 10:06 AM
> Subject: Re: [XMLog] Install Problem
>
>
>
> InstallShield.
>
> On Thursday, November 25, 2010, john vernaleken <jfv508@... <mailto:jfv508%40optonline.net> > wrote:
> >
> > Hello All,
> >
> > I am still working on my install problem. Would anyone know the name of the Microsoft program that is used to do the install?
> > Since I am having the same problem when trying to do installs of other software I am sure it is my PC.
> >
> > Thanks
> >
> > John KC2QJB
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >

> >
>
> --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3320. Russian prefixes

Yahoo group: XMLog
Date: 2010-11-30 10:32:52 UTC
From: Dave Sergeant
Topic: 3320 Message: 3320

After importing my CQWW log yesterday I found XMlog (6.38) had
incorrectly assigned some of my Russian QSOs. The Russians keep
changing their callsigns and I guess it is hard to keep up..

UA7 etc is in European Russia (UA) and not in Asiatic Russia.
UA2F is the only prefix used for Kaliningrad nowadays, all other UA2
calls are in European Russia (UA).

I have modified my own copy of the 'prefixes' file to reflect this.

I seem to remember I flagged the UA7 one last year, surprised it hasn't
been changed yet.

73 Dave G3YMC

http://www.davesergeant.com

3321. Re: Installing 6.38 on new system

Yahoo group: XMLog
Date: 2010-12-29 20:46:53 UTC
From: n0pfe@sbcglobal.net
Topic: 3303 Message: 3321

Hi Dennis,

Did you ever find a solution to this issue? I am also getting the same message when I try to install. The progam can't finish the install because of this and I am not sure what to do to fix it.

Thanks,
Bruce

--- In XMLog@yahoogroups.com, "DennisJ" <n6ng@...> wrote:
>
> I'm installing 6.38 on a new laptop
> and keep getting the following message.
>
> "can't find @... to install"
>
> I searched the messages and didn't find
> any reference to this message.
>
> Anyone else run into this or as usual
> am I missing something simple..
>
> Thanks
> Dennis N6NG
>

3322. 6.38 problem

Yahoo group: XMLog
Date: 2010-12-30 18:16:34 UTC
From: N6NG
Topic: 3322 Message: 3322

Nope... sorry Bruce...

Have looked several times since I saw the original problem
and haven't found an answer... Still running on 6.33 here
and it seems to be fine.. Would like to catch up but I
just get frustrated..

If you hear anything, let me know if you will... I'll do likewise
but am mostly hoping the next version will install cleaner...

Dennis N6NG

3323. Re: Installing 6.38 on new system

Yahoo group: XMLog
Date: 2011-01-04 19:25:09 UTC
From: DennisJ
Topic: 3303 Message: 3323

Finally got 6.38 installed.. After reading message #3233
I went back and deleted mlog6.cab and then tried to install
6.38 which worked fine.

I then tried to install 6.39 only to find I get a message to
"insert disk 6". Disk 6? I don't have a disk 6. So
on to the next problem. At least I'm up to 6.38 and mostly
up to date.

Good luck Bruce.. I hope it works for you if you
haven't already succeeded....

Dennis N6NG

--- In XMLog@yahoogroups.com, "n0pfe@..." <n0pfe@...> wrote:
>
>
>
> Hi Dennis,
>
> Did you ever find a solution to this issue? I am also getting the same message when I try to install. The progam can't finish the install because of this and I am not sure what to do to fix it.
>
> Thanks,
> Bruce
>
> --- In XMLog@yahoogroups.com, "DennisJ" <n6ng@> wrote:
> >
> > I'm installing 6.38 on a new laptop
> > and keep getting the following message.
> >
> > "can't find @... to install"
> >
> > I searched the messages and didn't find
> > any reference to this message.
> >
> > Anyone else run into this or as usual
> > am I missing something simple..
> >
> > Thanks
> > Dennis N6NG
> >
>

3324. Re: Installing 6.38 on new system

Yahoo group: XMLog
Date: 2011-01-05 22:29:23 UTC
From: w1ect
Topic: 3303 Message: 3324

Hi Dennis, I changed the organization of the XMLog install files such that it only uses one .CAB file now. It previously created multiple .CAB files so that they could be spread over several floppy disks, needless to say this is no longer very useful. Hopefully this will fix the problem although the problem seems to be that the installer has some kind of memory of what has gone before. Deleting that orphaned mlog6.cab file was helpful in some cases and this change might make that unnecessary.

Anyhow, I've posted this new version (6.40) at www.xmlog.com/beta

Mike - W1ECT

3325. Re: Installing verson 6.40

Yahoo group: XMLog
Date: 2011-01-07 01:22:39 UTC
From: DennisJ
Topic: 3303 Message: 3325

Worked perfectly Mike... Thanks for the fix and
thanks for all your hard work.

Dennis N6NG

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Dennis, I changed the organization of the XMLog install files such that it only uses one .CAB file now. It previously created multiple .CAB files so that they could be spread over several floppy disks, needless to say this is no longer very useful. Hopefully this will fix the problem although the problem seems to be that the installer has some kind of memory of what has gone before. Deleting that orphaned mlog6.cab file was helpful in some cases and this change might make that unnecessary.
>
> Anyhow, I've posted this new version (6.40) at www.xmlog.com/beta
>
> Mike - W1ECT
>

3326. Connect menu on Spot Map window?

Yahoo group: XMLog
Date: 2011-01-09 20:19:57 UTC
From: Craig Bradley
Topic: 3326 Message: 3326

Mike,

I usually keep XMLog running on my shack computer with the Spots Map window open on top or the Packet window. Even though I have setup "Keep Alive", I occasionally get disconnected. To reconnect, I need to bring up the Packet window and reconnect. If the Spot Map window had a Connect drop down menu, this would be much simpler. Could this be incorporated in some future version?

Even better would be an "auto reconnect" option that would detect a disconnect and try again after some programmable time. Sometimes the sites go down for a short period of time.

Thanks for a great program and HNY!

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3327. Re: [XMLog] Connect menu on Spot Map window?

Yahoo group: XMLog
Date: 2011-01-10 00:57:47 UTC
From: N7mal
Topic: 3326 Message: 3327

Craig the best of all possible worlds is to use the VE7CC software to connect to whatever node you use and then connect the mlog terminal to the VE7CC software. You will have everything you asked for plus a lot more. I've been doing this for many years and never have any hiccups, but most importantly I'm connected 24/7 365
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Sunday, January 09, 2011 20:19
Subject: [XMLog] Connect menu on Spot Map window?

Mike,

I usually keep XMLog running on my shack computer with the Spots Map window open on top or the Packet window. Even though I have setup "Keep Alive", I occasionally get disconnected. To reconnect, I need to bring up the Packet window and reconnect. If the Spot Map window had a Connect drop down menu, this would be much simpler. Could this be incorporated in some future version?

Even better would be an "auto reconnect" option that would detect a disconnect and try again after some programmable time. Sometimes the sites go down for a short period of time.

Thanks for a great program and HNY!

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3328. RE: [XMLog] Connect menu on Spot Map window?

Yahoo group: XMLog
Date: 2011-01-10 17:36:52 UTC
From: Craig Bradley
Topic: 3326 Message: 3328

Thanks MAL!

This software looks very interesting. I will check it out.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7mal
Sent: Sunday, January 09, 2011 4:58 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Connect menu on Spot Map window?

Craig the best of all possible worlds is to use the VE7CC software to connect to whatever node you use and then connect the mlog terminal to the VE7CC software. You will have everything you asked for plus a lot more. I've been doing this for many years and never have any hiccups, but most importantly I'm connected 24/7 365
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Sunday, January 09, 2011 20:19
Subject: [XMLog] Connect menu on Spot Map window?

Mike,

I usually keep XMLog running on my shack computer with the Spots Map window open on top or the Packet window. Even though I have setup "Keep Alive", I occasionally get disconnected. To reconnect, I need to bring up the Packet window and reconnect. If the Spot Map window had a Connect drop down menu, this would be much simpler. Could this be incorporated in some future version?

Even better would be an "auto reconnect" option that would detect a disconnect and try again after some programmable time. Sometimes the sites

go down for a short period of time.

Thanks for a great program and HNY!

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3329. Problem with Spots Map using 6.38

Yahoo group: XMLog
Date: 2011-01-23 01:17:28 UTC
From: Kenneth Moorman
Topic: 3329 Message: 3329

I just installed v6.38 and now the Spots Map is showing every spot that comes along in red, implying that I have no confirmation for that entity. But, of course, I do for most of them. No other colors are being used. I have opened "Times, Colors, etc" window from "Options" on the Spots Map and have unchecked "Show un-needed spots" and "Show inhibited spots" to no avail. Somehow, the program does not know what entities I have as confirmed. How can I fix this?

Thanks,

Ken, NU4I

3330. RE: [XMLog] Problem with Spots Map using 6.38

Yahoo group: XMLog
Date: 2011-01-23 01:36:48 UTC
From: Kenneth Moorman
Topic: 3329 Message: 3330

I think I found the problem...I needed to Update Packet DXCC Status on the Packet Window. Now I am seeing blue indicating that I need that entity on that band/mode and entities that are confirmed seem to be staying off the spots map entirely. I don't recall having to do this right after installing an update before. Sorry for the extra noise!

73,

Ken, NU4I

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kenneth Moorman
Sent: Saturday, January 22, 2011 8:17 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Problem with Spots Map using 6.38

I just installed v6.38 and now the Spots Map is showing every spot that comes along in red, implying that I have no confirmation for that entity. But, of course, I do for most of them. No other colors are being used. I have opened "Times, Colors, etc" window from "Options" on the Spots Map and have unchecked "Show un-needed spots" and "Show inhibited spots" to no avail. Somehow, the program does not know what entities I have as confirmed. How can I fix this?

Thanks,

Ken, NU4I

Yahoo! Groups Links

3331. XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-26 17:44:49 UTC
From: Craig Bradley
Topic: 3326 Message: 3331

I have recently replaced my broadband router with a new faster unit (Netgear N600 series) and now I am getting frequent disconnects from the packet servers, sometime in only a few minutes.

Has anyone else had this problem?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3332. DXPeditions - VP8ORK

Yahoo group: XMLog
Date: 2011-01-26 23:39:53 UTC
From: w1ect
Topic: 3332 Message: 3332

Hi, Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

VP8ORK - S Orkney Is. (VP8/O)

Mike - W1ECT

3333. RE: [XMLog] XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-27 02:55:42 UTC
From: Kevin Nathan
Topic: 3326 Message: 3333

Hi Craig,

I have the exact same issues and have experienced them for a long time now. I will be anxious to hear of others' problems in this regard and especially if there is a cure.

Thanks for bringing this to the attention of the group. Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Wednesday, January 26, 2011 09:45
To: XMLog@yahoogroups.com
Subject: [XMLog] XMLog Packet Window Disconnects

I have recently replaced my broadband router with a new faster unit (Netgear N600 series) and now I am getting frequent disconnects from the packet servers, sometime in only a few minutes.

Has anyone else had this problem?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3334. RE: [XMLog] XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-27 04:51:57 UTC
From: Craig Bradley
Topic: 3326 Message: 3334

Kevin,

I was getting disconnects once or twice a day before replacing the router but now it won't stay connected for more than an hour, sometimes only 10 minutes.

I have no idea why a new faster router would cause this.

I did change the "Keep Alive" to 1 minute intervals and that helped a little but disconnected in an hour for the first try. I just reconnected before I typed this and it disconnected after 7 minutes. I got 5 spots and 4 "dir/new" from the Keep Alive before it disconnected.

I have tied N7OD and W4UAT packet servers so far with the same results.

My Internet browsing is working much better with the new router, which was the main reason for getting a new one. I was also needing to unplug the old one and restart once a day so it was "broke".

Hopefully someone out there will have an idea.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Wednesday, January 26, 2011 6:56 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] XMLog Packet Window Disconnects

Hi Craig,

I have the exact same issues and have experienced them for a long time now. I will be anxious to hear of others' problems in this regard and especially if there is a cure.

Thanks for bringing this to the attention of the group. Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of

Craig Bradley
Sent: Wednesday, January 26, 2011 09:45
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] XMLog Packet Window Disconnects

I have recently replaced my broadband router with a new faster unit (Netgear N600 series) and now I am getting frequent disconnects from the packet servers, sometime in only a few minutes.

Has anyone else had this problem?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3335. Re: [XMLog] XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-27 08:17:07 UTC
From: N7mal
Topic: 3326 Message: 3335

Hi Craig and all: This subject was recently covered heavily in the VE7CC mailing list with, in my opinion, no real resolution.
I personally use a linksys router and never/ever have a problem. I am connected to the VE7CC node 24/7 365. While, at the same time, 3 or 4 other guys can never stay connected, using linksys routers. I try to keep up with the firmware updates and it appears to have been valuable. One of the lines in last years firmware update contained this line:
"" Resolves issue with router disconnecting from few particular online game servers. ""
When we make a telnet connection via port 23 we are actively interacting with another server, whether it be a game or DX Cluster, port 23 doesn't know the difference, it just see's data on that port.
I also have never 'dinked' around with the settings in the router. They are all factory default because I'm not smart enough to know what I am changing.

I know this didn't solve anything except now you know you're not alone with this problem. It is being discussed on other mailing lists.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Wednesday, January 26, 2011 17:44
Subject: [XMLog] XMLog Packet Window Disconnects

I have recently replaced my broadband router with a new faster unit (Netgear N600 series) and now I am getting frequent disconnects from the packet servers, sometime in only a few minutes.

Has anyone else had this problem?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3336. RE: [XMLog] XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-27 14:48:17 UTC
From: Craig Bradley
Topic: 3326 Message: 3336

Hi MAL,

I posted this on a list that the packet cluster sysops use and I got one reply form an operator that uses the Netgear N600 also both for his server and a client that monitors 24/7 and he doesn't get disconnects nor does he get complaints of any.

He says that the problem might be with XMLog.

I am going to try his service and see how that goes. If I still get disconnects, I will do some testing with another client program.

My router does have the latest firmware.

If I get any more info I will post it here.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7mal
Sent: Thursday, January 27, 2011 12:17 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] XMLog Packet Window Disconnects

Hi Craig and all: This subject was recently covered heavily in the VE7CC mailing list with, in my opinion, no real resolution.
I personally use a linksys router and never/ever have a problem. I am connected to the VE7CC node 24/7 365. While, at the same time, 3 or 4 other guys can never stay connected, using linksys routers. I try to keep up with the firmware updates and it appears to have been valuable. One of the lines in last years firmware update contained this line:
"" Resolves issue with router disconnecting from few particular online game servers. ""
When we make a telnet connection via port 23 we are actively interacting with another server, whether it be a game or DX Cluster, port 23 doesn't know the difference, it just see's data on that port.
I also have never 'dinked' around with the settings in the router. They are all factory default because I'm not smart enough to know what I am changing.

I know this didn't solve anything except now you know you're not alone with this problem. It is being discussed on other mailing lists.
Best 73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, January 26, 2011 17:44
Subject: [XMLog] XMLog Packet Window Disconnects

I have recently replaced my broadband router with a new faster unit (Netgear N600 series) and now I am getting frequent disconnects from the packet servers, sometime in only a few minutes.

Has anyone else had this problem?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3337. ? character appearing in "QSL" field

Yahoo group: XMLog
Date: 2011-01-28 21:30:52 UTC
From: n5ftr@swbell.net
Topic: 3337 Message: 3337

Greetings,

I have been using XMlog for about 10 months now and really like it for all the labels I print for the DX stations I assist. Therein lies the rub: Whenever I import a log file (.adif) that they send me the log ALWAYS shows a ? in the "QSL" field. I would love to be able to remove the ? or, better yet, not have it show in the first place. I have tried everything I know and have had no success. Any assistance would be greatly appreciated.
73,
Buzz - NI5DX

3338. Re: ? character appearing in "QSL" field

Yahoo group: XMLog
Date: 2011-01-28 22:30:34 UTC
From: w1ect
Topic: 3337 Message: 3338

Hi Buzz, The ADIF spec has a couple of fields that apply to QSLs sent or received. There is a flag field that indicates whether a card has been sent or received and a seperate field that specifies the sent or received date. Since XMLog only displays the sent/received dates the way it handles an ADIF file that has the sent/received flag set but no date supplied is to set the date to ? (indicating "unknown"). Correspondly, if the QSL sent/received field is set to ? and you create an ADIF file the "sent/received" flag will be set with no date field.

Here's the ADIF fields:

"QSL_RCVD" = Y, N, R, I (Yes, No, Requested, Ignore)
"QSLRDATE" = yyyymmdd

"QSL_Sent" = Y, N, Q, R, I (Yes, No, Queued, Requested, Ignore)
"QSLSDATE" = yyyymmdd

The spec allows for the setting of QSL_RCVD, without a date and vice versa.

Mike - W1ECT

3339. RE: [XMLog] Re: ? character appearing in "QSL" field

Yahoo group: XMLog
Date: 2011-01-28 23:13:25 UTC
From: Buzz
Topic: 3337 Message: 3339

Mike,

Thanks for the tip. I went into the settings and found I had left the ? in the QSL field. I deleted it, imported a file into a temporary log and all showed up fine WITHOUT the ? in the QSL field.

I knew how the date was displayed when sending via Direct or via the Bureau. For me, who sends thousands of cards through the buro every year, having the date sent shown is great. The previous log program I had used for 20 years showed only D for direct or B for buro. I had no way of telling when the card was sent. That problem is resolved with XMlog.

Thanks again.

73,

Buzz

NI5DX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Friday, January 28, 2011 4:31 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: ? character appearing in "QSL" field

Hi Buzz, The ADIF spec has a couple of fields that apply to QSLs sent or received. There is a flag field that indicates whether a card has been sent or received and a seperate field that specifies the sent or received date. Since XMLog only displays the sent/received dates the way it handles an ADIF file that has the sent/received flag set but no date supplied is to set the date to ? (indicating "unknown"). Correspondly, if the QSL sent/received field is set to ? and you create an ADIF file the "sent/received" flag will be set with no date field.

Here's the ADIF fields:

"QSL_RCVD" = Y, N, R, I (Yes, No, Requested, Ignore)
"QSLRDATE" = yyyymmdd

"QSL_Sent" = Y, N, Q, R, I (Yes, No, Queued, Requested, Ignore)
"QSLSDATE" = yyyymmdd

The spec allows for the setting of QSL_RCVD, without a date and vice versa.

Mike - W1ECT

[Non-text portions of this message have been removed]

3340. Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-29 19:08:44 UTC
From: w1ect
Topic: 3326 Message: 3340

Hi Craig, Have you tried other clusters? Here I use K1EA (connect dxc.k1ea.com 7300) and don't have any problems.

I use Microsoft's "WinSock" interface to open/manage my TCP/IP connections so I don't have any control over any low-level parameters/logic so it's not possible to do any diddling with timeout values, etc.

Mike - W1ECT

3341. Re: [XMLog] Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-30 15:23:31 UTC
From: N7mal
Topic: 3326 Message: 3341

Hi Mike: I just finished the 160 contest so my brain is not all here. I've
been going through all my email, getting caught up.
You said:"" connect dxc.k1ea.com 7300 "". What are you connecting to
internally in your computer? Port 7300 is used for internal 'stuff'. Did you
mean port 23?????
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Saturday, January 29, 2011 19:08
Subject: [XMLog] Re: XMLog Packet Window Disconnects

Hi Craig, Have you tried other clusters? Here I use K1EA (connect
dxc.k1ea.com 7300) and don't have any problems.

I use Microsoft's "WinSock" interface to open/manage my TCP/IP connections
so I don't have any control over any low-level parameters/logic so it's not
possible to do any diddling with timeout values, etc.

Mike - W1ECT

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3342. RE: [XMLog] Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-30 20:06:44 UTC
From: Craig Bradley
Topic: 3326 Message: 3342

Hi Mike,

Yes, I have tried 3 or 4 other clusters. I have been working with n4zkf and he has 3 clusters going. He has been checking his logs to see the disconnects.

So far it looks like I only get disconnected after a period of inactivity. Usually there is one "keep alive" message sent (dir/new) right before the disconnect. I have tried turning off the keep alive but I still get a disconnect after the activity is quiet for a while.

I am currently at a second QTH near Lake Tahoe and I am going to see if I have the same problems here. The frequent disconnects started right after I replaced my board band router at the home QTH. Before that I would get disconnected once or twice a day but now it can be as soon as a few minutes if there isn't much activity.

There are a lot of variables in the equation.

Several people (including MAL) have recommended the VE7CC software as it will auto reconnect. That is why I was wondering if auto reconnect would be possible in XMLog.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Saturday, January 29, 2011 11:09 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog Packet Window Disconnects

Hi Craig, Have you tried other clusters? Here I use K1EA (connect dxc.k1ea.com 7300) and don't have any problems.

I use Microsoft's "WinSock" interface to open/manage my TCP/IP connections so I don't have any control over any low-level parameters/logic so it's not possible to do any diddling with timeout values, etc.

Mike - W1ECT

[Non-text portions of this message have been removed]

3343. RE: [XMLog] Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-31 02:20:14 UTC
From: Kevin Nathan
Topic: 3326 Message: 3343

Hi Mike,

I'm sorry for the delay but I was away for a couple of days. I too have tried several different nodes with the same results Craig reports.

Could you please explain your statement about the winsock application? How is this different from what we already do?

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Saturday, January 29, 2011 11:09
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog Packet Window Disconnects

Hi Craig, Have you tried other clusters? Here I use K1EA (connect dxc.k1ea.com 7300) and don't have any problems.

I use Microsoft's "WinSock" interface to open/manage my TCP/IP connections so I don't have any control over any low-level parameters/logic so it's not possible to do any diddling with timeout values, etc.

Mike - W1ECT

[Non-text portions of this message have been removed]

3344. Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-31 18:14:05 UTC
From: w1ect
Topic: 3326 Message: 3344

Hi Mal,

It's not uncommon for clusters to use this port:

http://www.his.com/~wfeidt/Misc/cluster.html

Mike - W1ECT

> You said: connect dxc.k1ea.com 7300 . What are you connecting to
> internally in your computer? Port 7300 is used for internal 'stuff'. > Did you mean port 23?????

3345. Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-31 18:18:44 UTC
From: w1ect
Topic: 3326 Message: 3345

Hi Kevin, WinSock is an interface provided by Mircosoft and is used internally by XMLog to manage Internet connections to packet clusters. It's not an external application that can be configured.

Mike - W1ECT

> Could you please explain your statement about the winsock application?
> How is this different from what we already do?

3346. RE: [XMLog] Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-31 18:22:08 UTC
From: Kevin Nathan
Topic: 3326 Message: 3346

Thanks Mike,

Any other ideas why some of us are experiencing these disconnects?

Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Monday, January 31, 2011 10:19
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog Packet Window Disconnects

Hi Kevin, WinSock is an interface provided by Mircosoft and is used internally by XMLog to manage Internet connections to packet clusters. It's not an external application that can be configured.

Mike - W1ECT

> Could you please explain your statement about the winsock application?
> How is this different from what we already do?

[Non-text portions of this message have been removed]

3347. RE: [XMLog] Re: XMLog Packet Window Disconnects

Yahoo group: XMLog
Date: 2011-01-31 19:40:19 UTC
From: Craig Bradley
Topic: 3326 Message: 3347

I am running tests on two clusters from my 2nd QTH in Truckee, CA from two computers both with XMLog. So far I have been connected for over 24 hrs with no problems.

I am beginning to believe that it is either the router or the ISP causing the disconnects at my other QTH.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Monday, January 31, 2011 10:22 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: XMLog Packet Window Disconnects

Thanks Mike,

Any other ideas why some of us are experiencing these disconnects?

Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
w1ect
Sent: Monday, January 31, 2011 10:19
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] Re: XMLog Packet Window Disconnects

Hi Kevin, WinSock is an interface provided by Mircosoft and is used internally by XMLog to manage Internet connections to packet clusters. It's not an external application that can be configured.

Mike - W1ECT

> Could you please explain your statement about the winsock application?
> How is this different from what we already do?

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3348. PJ update

Yahoo group: XMLog
Date: 2011-02-28 18:44:33 UTC
From: Nelson Wittstock
Topic: 3348 Message: 3348

I just installed version 6.40 and expected my new PJ confirmations to reflect the country changes but the log entries still say PJ5 is Saba/St. Eustatius. I understood that changing to this version of XMLog would change the country automatically but this did not happen. The display of the DXCC Country list still reads PJ5 as Saba/St. Eustatius. How do I change this to reflect the current country status?

Nelson, K8DJC

3349. Re: [XMLog] PJ update

Yahoo group: XMLog
Date: 2011-02-28 19:00:12 UTC
From: Dave Sergeant
Topic: 3348 Message: 3349

On 28 Feb 2011 at 18:44, Nelson Wittstock wrote:

> I just installed version 6.40 and expected my new PJ confirmations to
> reflect the country changes but the log entries still say PJ5 is
> Saba/St. Eustatius. I understood that changing to this version of XMLog
> would change the country automatically but this did not happen. The
> display of the DXCC Country list still reads PJ5 as Saba/St. Eustatius.
> How do I change this to reflect the current country status?
>
> Nelson, K8DJC
>

But PJ5 IS Saba/St. Eustatius with the new allocations....

73 Dave G3YMC

http://www.davesergeant.com

3350. Re: [XMLog] PJ update

Yahoo group: XMLog
Date: 2011-02-28 19:25:53 UTC
From: Nelson Wittstock
Topic: 3348 Message: 3350

My mistake. In my notes I had written that PJ5 would be St. Eustatius and that Saba would be PJ6. I guess I had the wrong information.

Nelson, K8DJC

[Non-text portions of this message have been removed]

3351. DXPeditions - 3Y8XSA (Antarctica)

Yahoo group: XMLog
Date: 2011-03-03 23:48:25 UTC
From: w1ect
Topic: 3351 Message: 3351

Hi, Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3Y8XSA - Antarctica (KC4)

Mike - W1ECT

3352. K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-08 05:01:48 UTC
From: Craig Bradley
Topic: 3352 Message: 3352

Mike,

I have found that my K3 and my Kenwood radios (TS-480/TS-2000) go to FSKR when I click on a RTTY spot on the band map and I have to set them back to normal FSK. Any idea why?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3353. Trouble entering info

Yahoo group: XMLog
Date: 2011-03-08 15:51:24 UTC
From: SteveS
Topic: 3353 Message: 3353

I just downloaded XMLog and am planning on using it primarily for PSK31. It seems to have downloading ok, the problem is that it won't let me enter any info into any of the fields. I can click on the tool bar at top of screen and open anything there, but can't enter any info into fields. I am relatively new at this, so maybe I am not understanding something or am not doing something right. Hopefully someone out there can fill me in.
Thanks,
Steve, N7JUO

3354. Re: [XMLog] Trouble entering info

Yahoo group: XMLog
Date: 2011-03-09 01:58:03 UTC
From: Ken Anderson
Topic: 3353 Message: 3354

I think that you need to create a log first. Under the File menu. Then
you can add contacts.

Ken, N0AS

On Tuesday, March 8, 2011, SteveS <n7juo@bresnan.net> wrote:
> I just downloaded XMLog and am planning on using it primarily for PSK31. It seems to have downloading ok, the problem is that it won't let me enter any info into any of the fields. I can click on the tool bar at top of screen and open anything there, but can't enter any info into fields. I am relatively new at this, so maybe I am not understanding something or am not doing something right. Hopefully someone out there can fill me in.
> Thanks,
> Steve, N7JUO
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

--
Ken

...for whatever a man sows, that he will also reap. Gal 6:7

3355. Re: [XMLog] Trouble entering info

Yahoo group: XMLog
Date: 2011-03-09 03:46:59 UTC
From: Steve Spier
Topic: 3353 Message: 3355

Ken, Thanks for the info. I tried your suggestion of no avail. When I click on File then create a new log, it shows me a screen entitled New Log File with a folder in it labeled demo. I cannot open that file. I am wondering if I just need to uninstall and reinstall the whole program? Again, thanks for the suggestions and any others would be welcome.
Steve, N7JUO

On Tue, Mar 8, 2011 at 6:58 PM, Ken Anderson <wheels247@...> wrote:

>
>
> I think that you need to create a log first. Under the File menu. Then
> you can add contacts.
>
> Ken, N0AS
>
>
> On Tuesday, March 8, 2011, SteveS <n7juo@...> wrote:
> > I just downloaded XMLog and am planning on using it primarily for PSK31.
> It seems to have downloading ok, the problem is that it won't let me enter
> any info into any of the fields. I can click on the tool bar at top of
> screen and open anything there, but can't enter any info into fields. I am
> relatively new at this, so maybe I am not understanding something or am not
> doing something right. Hopefully someone out there can fill me in.
> > Thanks,
> > Steve, N7JUO
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>

[Non-text portions of this message have been removed]

3356. RE: [XMLog] Trouble entering info

Yahoo group: XMLog
Date: 2011-03-09 12:54:09 UTC
From: John Vernaleken
Topic: 3353 Message: 3356

Create a new log file.

Go to file then select Create New File. I use my Call Sign as file name.

John KC2QJB

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Steve Spier
Sent: Tuesday, March 08, 2011 10:47 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Trouble entering info

Ken, Thanks for the info. I tried your suggestion of no avail. When I click
on File then create a new log, it shows me a screen entitled New Log File
with a folder in it labeled demo. I cannot open that file. I am wondering if
I just need to uninstall and reinstall the whole program? Again, thanks for
the suggestions and any others would be welcome.
Steve, N7JUO

On Tue, Mar 8, 2011 at 6:58 PM, Ken Anderson <wheels247@...> wrote:

>
>
> I think that you need to create a log first. Under the File menu. Then
> you can add contacts.
>
> Ken, N0AS
>
>
> On Tuesday, March 8, 2011, SteveS <n7juo@...> wrote:
> > I just downloaded XMLog and am planning on using it primarily for
PSK31.
> It seems to have downloading ok, the problem is that it won't let me
> enter any info into any of the fields. I can click on the tool bar at
> top of screen and open anything there, but can't enter any info into
> fields. I am relatively new at this, so maybe I am not understanding
> something or am not doing something right. Hopefully someone out there can
fill me in.
> > Thanks,
> > Steve, N7JUO
> >
> >
> >
> > ------------------------------------
> >

> > Yahoo! Groups Links
> >
> >
> >
> >
>
> --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

3357. RE: [XMLog] Trouble entering info

Yahoo group: XMLog
Date: 2011-03-09 13:29:03 UTC
From: John Vernaleken
Topic: 3353 Message: 3357

Steve,
I forgot the last step, Go to Options and set the new Log file as default.

John KC2QJB

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of John Vernaleken
Sent: Wednesday, March 09, 2011 7:54 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Trouble entering info

Create a new log file.

Go to file then select Create New File. I use my Call Sign as file name.

John KC2QJB

-----Original Message-----
From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Steve Spier
Sent: Tuesday, March 08, 2011 10:47 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Trouble entering info

Ken, Thanks for the info. I tried your suggestion of no avail. When I click on File then create a new log, it shows me a screen entitled New Log File with a folder in it labeled demo. I cannot open that file. I am wondering if I just need to uninstall and reinstall the whole program? Again, thanks for the suggestions and any others would be welcome.
Steve, N7JUO

On Tue, Mar 8, 2011 at 6:58 PM, Ken Anderson <wheels247@...
<mailto:wheels247%40gmail.com> > wrote:

>
>
> I think that you need to create a log first. Under the File menu. Then
> you can add contacts.
>
> Ken, N0AS
>
>
> On Tuesday, March 8, 2011, SteveS <n7juo@...
<mailto:n7juo%40bresnan.net> > wrote:
> > I just downloaded XMLog and am planning on using it primarily for

PSK31.
> It seems to have downloading ok, the problem is that it won't let me
> enter any info into any of the fields. I can click on the tool bar at
> top of screen and open anything there, but can't enter any info into
> fields. I am relatively new at this, so maybe I am not understanding
> something or am not doing something right. Hopefully someone out there can
fill me in.
> > Thanks,
> > Steve, N7JUO
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>
> --
> Ken
>
> ...for whatever a man sows, that he will also reap. Gal 6:7
>
>

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3358. RE: trouble entering info (XMLog)

Yahoo group: XMLog
Date: 2011-03-09 14:59:14 UTC
From: SteveS
Topic: 3358 Message: 3358

Problem solved. Thanks to Ken and John for helping me out. Everything seems to be working just great now. I have to do some things 2 or 3 times before it soaks into the old head, but once I do it, it stays with me. Again thanks to all that helped me with my problem. If I have any more "dumb" questions, you will all probably hear from me again.
Steve, N7JUO

3359. RE: [XMLog] RE: trouble entering info (XMLog)

Yahoo group: XMLog
Date: 2011-03-09 15:24:33 UTC
From: John Vernaleken
Topic: 3358 Message: 3359

Glad to help

73, John KC2QJB

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of SteveS
Sent: Wednesday, March 09, 2011 9:59 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] RE: trouble entering info (XMLog)

Problem solved. Thanks to Ken and John for helping me out. Everything seems to be working just great now. I have to do some things 2 or 3 times before it soaks into the old head, but once I do it, it stays with me. Again thanks to all that helped me with my problem. If I have any more "dumb" questions, you will all probably hear from me again.
Steve, N7JUO

[Non-text portions of this message have been removed]

3360. Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-09 18:12:05 UTC
From: w1ect
Topic: 3352 Message: 3360

Hi Craig, Choose the "Options/HF Rig Port Select" and check the "Data Mode" setting. If you're using a PC sound card to drive your rig in AFSK mode you probably want to pick the "LSB or USB" option.

If you pick "FSK" the command sent to both the K3 and the Kenwood is "MD6;" to set FSK mode - this mode is used when you want the rig to provide the frequency shifting, not the PC.

Mike - W1ECT

3361. RE: [XMLog] Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-09 18:38:29 UTC
From: Craig Bradley
Topic: 3352 Message: 3361

Hi Mike,

I am using true FSK with hardware keying via a microHAM microKEYER. The Data Mode is set to Data/FSK in the menu.

I checked the manual for both the K3 and the Kenwood TS-2000 and you are correct that MD6 should be FSK, MD9 would be FSK-R (reverse).

I can set the radio to FSK mode then click a RTTY spot and it goes back to FSK-R mode, very strange.

Are there any differences for 40M and below where you would select LSB instead of USB in the code? I just tried this again on the spot for 4A4A on 12M RTTY with the K3 with both K3 and TS-2000 set as radio types (the K3 uses the Kenwood commands). I am using OmniRig, could that be the problem?

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, March 09, 2011 10:12 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Hi Craig, Choose the "Options/HF Rig Port Select" and check the "Data Mode" setting. If you're using a PC sound card to drive your rig in AFSK mode you probably want to pick the "LSB or USB" option.

If you pick "FSK" the command sent to both the K3 and the Kenwood is "MD6;" to set FSK mode - this mode is used when you want the rig to provide the frequency shifting, not the PC.

Mike - W1ECT

[Non-text portions of this message have been removed]

3362. Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-09 21:57:26 UTC
From: w1ect
Topic: 3352 Message: 3362

Hi Craig,

> I am using OmniRig, could that be the problem?

Yes, it seems OmniRig has it's own idea of how to set FSK modes. Check your OmniRig install folder and you should find a folder named RigIni with a bunch of .ini files that define commands for various rig types. If you open Kenwood.ini you'll find it has a map of mode numbers -> commands. Normally when XMLog builds it's own commands to set "Data/FSK" mode it selects the "normal" versus the "reverse" FSK mode appropriate for the rig. However OmniLog doesn't have a FSK-normal/reverse, just FSK-upper/lower. As a result when setting FSK mode via OmniLog XMLog always selects OmniMode's Digital/Upper (PM_DIG_U) mode. This was an arbitrary choice, I didn't know what the "standard" should be - aways upper, always lower, or band dependent. You can do some experimenting and let me know. For now you can hack the OmniRig files Kenwood.ini and K3.ini such that both PM_DIG_L and MP_DIG_U both send a MD6;

Mike - W1ECT

3363. Using xmlog with tentec orion and n4py control program

Yahoo group: XMLog
Date: 2011-03-11 17:06:03 UTC
From: Vin Santis
Topic: 3363 Message: 3363

Hi,

Been trying to setup xmlog with my Orion and N4PY software. The Orion has a single seriel port and I use a seriel to usb adapter. I've tried setting up a virtual port using com0com and also Omnirig.

I've had no success. I either get message 'port not available' or 'no port'

Does anyone have a solution to this problem?

Thankd,

Vince Santis, N1VS

[Non-text portions of this message have been removed]

3364. Yahoo Message Delivery

Yahoo group: XMLog
Date: 2011-03-11 22:34:02 UTC
From: w1ect
Topic: 3364 Message: 3364

Hi, I was looking through the group membership list and saw that many members have "Individual Emails" as the message delivery mode (the default value). If you want to cut down on the number of email messages you receive log on to your Yahoo Groups account, go to the XMLog group, pick "Edit Membership" (above the XMLog banner) and for Step 2 pick "Daily Digest" instead of "Individual Emails". With this mode set all messages for a day get grouped into a single email.

Mike - W1ECT

3365. RE: [XMLog] Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-13 17:10:06 UTC
From: Craig Bradley
Topic: 3352 Message: 3365

Hi Mike,

Thanks! That solved the problem. There was a Kenwood, a TS-2000 and a K3 file to edit; they all had the same problem. I had to re-boot the computer though to get the changes to take effect. Then I had to wait for another RTTY spot.

I am not a RTTY expert but I believe that standard FSK is used on all bands (not FSK-R). Maybe someone else can chime in on this. I think that Kenwood radios default to reverse FSK keying using the FSK input on the rear panel (it can be changed in a menu) but FSK is the mode required to demodulate the signal. Maybe this is where the confusion originated.

How does XMLog "know" to select RTTY or FSK, does it need to find the word "RTTY" in the spot?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, March 09, 2011 1:57 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Hi Craig,

> I am using OmniRig, could that be the problem?

Yes, it seems OmniRig has it's own idea of how to set FSK modes. Check your OmniRig install folder and you should find a folder named RigIni with a bunch of .ini files that define commands for various rig types. If you open Kenwood.ini you'll find it has a map of mode numbers -> commands. Normally when XMLog builds it's own commands to set "Data/FSK" mode it selects the "normal" versus the "reverse" FSK mode appropriate for the rig. However OmniLog doesn't have a FSK-normal/reverse, just FSK-upper/lower. As a result when setting FSK mode via OmniLog XMLog always selects OmniMode's Digital/Upper (PM_DIG_U) mode. This was an arbitrary choice, I didn't know what the "standard" should be - aways upper, always lower, or band dependent. You can do some experimenting and let me know. For now you can hack the OmniRig files Kenwood.ini and K3.ini such that both PM_DIG_L and MP_DIG_U both send a MD6;

Mike - W1ECT

[Non-text portions of this message have been removed]

3366. Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-14 17:17:05 UTC
From: w1ect
Topic: 3352 Message: 3366

Hi Craig, Yes, XMLog actually looks for for a mode in the spot comments. So not only RTTY will set data mode but also PSK31 etc. This is probably not what you'd want - I'll check in to limiting it to RTTY. The problem is that the mode found in the comment also drives the packet alerts where RTTY/PSK/etc are all equivalent for DXCC - so the current code doesn't bother to save the actual mode, just the mode type.

Mike - W1ECT

3367. Re: Using xmlog with tentec orion and n4py control program

Yahoo group: XMLog
Date: 2011-03-14 19:09:40 UTC
From: w1ect
Topic: 3363 Message: 3367

Hi Vince, If you go to the Windows Control Panal, pick System, then Device Manager, and the expand the Ports (COM&LPT) does the port show up there?

Mike - W1ECT

3368. RE: [XMLog] Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-15 17:30:56 UTC
From: Craig Bradley
Topic: 3352 Message: 3368

Hi Mike,

Yes, this can lead to incomplete of strange results. I saw a spot yesterday the had a typo, the comment said "RTTU" and XMLog set the mode to CW. Does it use frequencies to pick CW vs. phone according to a band plan?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Monday, March 14, 2011 10:17 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Hi Craig, Yes, XMLog actually looks for for a mode in the spot comments. So not only RTTY will set data mode but also PSK31 etc. This is probably not what you'd want - I'll check in to limiting it to RTTY. The problem is that the mode found in the comment also drives the packet alerts where RTTY/PSK/etc are all equivalent for DXCC - so the current code doesn't bother to save the actual mode, just the mode type.

Mike - W1ECT

[Non-text portions of this message have been removed]

3369. RE: [XMLog] Re: Using xmlog with tentec orion and n4py control program

Yahoo group: XMLog
Date: 2011-03-15 18:41:09 UTC
From: Vin Santis
Topic: 3363 Message: 3369

Hi Mike,

Thanks for your response.

The following are my settings in Omnig:

Orig 1 TT Orion

Com 1 (I chode)

Baud 9600

Bits 8

Parity None

Stop bits 1

RTS High

DTR High

Polling 500ms

Time out 4000ms

When I go back to xmog and type in a call and dougle click on any field I
get nothing except for the mode field which gives me a question mark.

Thanks for any help

Vince Santis , N1VS

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
w1ect
Sent: Monday, March 14, 2011 3:10 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Using xmlog with tentec orion and n4py control program

Hi Vince, If you go to the Windows Control Panal, pick System, then Device
Manager, and the expand the Ports (COM&LPT) does the port show up there?

Mike - W1ECT

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1204 / Virus Database: 1435/3506 - Release Date: 03/14/11

[Non-text portions of this message have been removed]

3370. Re: Using xmlog with tentec orion and n4py control program

Yahoo group: XMLog
Date: 2011-03-16 12:16:41 UTC
From: Edward A. Feustel
Topic: 3363 Message: 3370

I use XMLog and HRD with my Orion. You should be using a 56K baud rate.
Ed, N5EI

3371. Re: K3 & Kenwood go to FSKR when clicking RTTY spots

Yahoo group: XMLog
Date: 2011-03-16 17:31:47 UTC
From: w1ect
Topic: 3352 Message: 3371

Hi Craig, XMLog chooses CW vs SSB based on the US band allocations unless the comment contains a data mode, then the normal CW/SSB choice is overridden.

Mike - W1ECT

3372. RE: [XMLog] Re: Using xmlog with tentec orion and n4py control program

Yahoo group: XMLog
Date: 2011-03-16 23:17:46 UTC
From: Vin Santis
Topic: 3363 Message: 3372

Mike,

When I replied to your question yesterday; I neglected to answer .the port does not show up in the list.

Thanks,

Vince Santis, N1VS

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Monday, March 14, 2011 3:10 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Using xmlog with tentec orion and n4py control program

Hi Vince, If you go to the Windows Control Panal, pick System, then Device Manager, and the expand the Ports (COM&LPT) does the port show up there?

Mike - W1ECT

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1204 / Virus Database: 1435/3506 - Release Date: 03/14/11

[Non-text portions of this message have been removed]

3373. Re: Using xmlog with tentec orion and n4py control program

Yahoo group: XMLog
Date: 2011-03-17 21:58:15 UTC
From: w1ect
Topic: 3363 Message: 3373

OK Vince, If the com port does not show up in the Windows Device Manager's list there's something wrong with the way the driver for the device is installed. Check the home page for the company who made the device and make sure you have the latest driver installed (and also that it's the one appropriate for the version of Windows that you are running).

Mike - W1ECT

3374. RE: [XMLog] Re: XMLog Packet Window Disconnects - solved

Yahoo group: XMLog
Date: 2011-03-20 20:09:50 UTC
From: Craig Bradley
Topic: 3326 Message: 3374

All,

The frequent disconnect problem appears to be solved. It was my router.

The other day I logged into the router and it said that there was an upgrade to the firmware available. The message also stated that one of the fixes was a frequent disconnect problem for online games. I upload the new firmware and I have been connected without a problem several days now.

Here is my current version:

<javascript:loadhelp('_info','hard_ver')> Hardware Version

WNDR3700v2

<javascript:loadhelp('_info','firv')> Firmware Version

V1.0.0.8

<javascript:loadhelp('_info','lang_ver')> GUI Language Version

V1.0.0.67

Thanks for all of the suggestions and help!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Monday, January 31, 2011 11:40 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: XMLog Packet Window Disconnects

I am running tests on two clusters from my 2nd QTH in Truckee, CA from two computers both with XMLog. So far I have been connected for over 24 hrs with no problems.

I am beginning to believe that it is either the router or the ISP causing the disconnects at my other QTH.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Kevin Nathan
Sent: Monday, January 31, 2011 10:22 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Re: XMLog Packet Window Disconnects

Thanks Mike,

Any other ideas why some of us are experiencing these disconnects?

Very 73.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of
w1ect
Sent: Monday, January 31, 2011 10:19
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] Re: XMLog Packet Window Disconnects

Hi Kevin, WinSock is an interface provided by Mircosoft and is used
internally by XMLog to manage Internet connections to packet clusters. It's
not an external application that can be configured.

Mike - W1ECT

> Could you please explain your statement about the winsock application?
> How is this different from what we already do?

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3375. DXPeditions - TO11A (Guadeloupe)

Yahoo group: XMLog
Date: 2011-03-20 23:27:49 UTC
From: w1ect
Topic: 3375 Message: 3375

Hi, Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO11A - Guadeloupe (FG)

Mike - W1ECT

3376. Exporting a specific date range

Yahoo group: XMLog
Date: 2011-04-01 12:34:09 UTC
From: n5ftr@swbell.net
Topic: 3376 Message: 3376

Hello,

I cannot find where it is possible to export just log entries from a specific date range. For example, if I want to export ONLY the QSOs in the log from February 7, 2011 through March 23, 2011, is that possible?

When I use the EXPORT function I see only the option to export the entire log or currently selected log entries (which I assume are those for a specific station).

Any assistance on how to export just a certain date range would be greatly appreciated.

73,

Buzz
NI5DX

3377. Re: [XMLog] Exporting a specific date range

Yahoo group: XMLog
Date: 2011-04-01 12:58:04 UTC
From: W3GERry
Topic: 3376 Message: 3377

>When I use the EXPORT function I see only the option to export the entire
>log or currently selected log entries (which I assume are those for a
>specific station).

"Currently selected log entries" are WHATEVER you selected in your last
search (including a date range). See HELP / DISPLAY HELP / USING THE LOG
WINDOW / SEARCHING THE LOG

73 de W3GERry

[Non-text portions of this message have been removed]

3378. Re: [XMLog] Exporting a specific date range

Yahoo group: XMLog
Date: 2011-04-01 13:19:27 UTC
From: N7mal
Topic: 3376 Message: 3378

Hi Buzz: What you want to do is available. I have to do it several times a year whenever I enter a contest log and forget to export the previous QSOs to LOTW...
First you click on the 'select' button
Then in the date field enter >=2/7/11,<= 3/23/11
Then click the 'search' button
The important part when you do this is no spaces

Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: n5ftr@...
To: XMLog@yahoogroups.com
Sent: Friday, April 01, 2011 12:34
Subject: [XMLog] Exporting a specific date range

Hello,

I cannot find where it is possible to export just log entries from a specific date range. For example, if I want to export ONLY the QSOs in the log from February 7, 2011 through March 23, 2011, is that possible?

When I use the EXPORT function I see only the option to export the entire log or currently selected log entries (which I assume are those for a specific station).

Any assistance on how to export just a certain date range would be greatly appreciated.

73,

Buzz
NI5DX

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3379. Re: [XMLog] Exporting a specific date range

Yahoo group: XMLog
Date: 2011-04-01 13:22:50 UTC
From: Gary Stone
Topic: 3376 Message: 3379

First do a search with those dates and export the currently selected

** Gary Stone **
On Apr 1, 2011 7:34 AM, "n5ftr@..." <n5ftr@...> wrote:
> Hello,
>
> I cannot find where it is possible to export just log entries from a specific date range. For example, if I want to export ONLY the QSOs in the log from February 7, 2011 through March 23, 2011, is that possible?
>
> When I use the EXPORT function I see only the option to export the entire log or currently selected log entries (which I assume are those for a specific station).
>
> Any assistance on how to export just a certain date range would be greatly appreciated.
>
> 73,
>
> Buzz
> NI5DX
>

[Non-text portions of this message have been removed]

3380. RE: [XMLog] Exporting a specific date range

Yahoo group: XMLog
Date: 2011-04-01 14:21:08 UTC
From: Buzz
Topic: 3376 Message: 3380

N7MAL, W3GER, and N5PHT,

Thank you for the help.

Mal, your explanation and example was great. I have written the "formula" down so I do not forget it, at least until I do it enough to remember it.

73,

Buzz

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of N7mal
Sent: Friday, April 01, 2011 8:19 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Exporting a specific date range

Hi Buzz: What you want to do is available. I have to do it several times a year whenever I enter a contest log and forget to export the previous QSOs to LOTW...
First you click on the 'select' button
Then in the date field enter >=2/7/11,<= 3/23/11
Then click the 'search' button
The important part when you do this is no spaces

Good Luck
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: n5ftr@... <mailto:n5ftr%40swbell.net>
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Friday, April 01, 2011 12:34
Subject: [XMLog] Exporting a specific date range

Hello,

I cannot find where it is possible to export just log entries from a specific date range. For example, if I want to export ONLY the QSOs in the log from February 7, 2011 through March 23, 2011, is that possible?

When I use the EXPORT function I see only the option to export the entire log or currently selected log entries (which I assume are those for a specific station).

Any assistance on how to export just a certain date range would be greatly appreciated.

73,

Buzz
NI5DX

Yahoo! Groups Links

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3381. DXPeditions - TO2FH (Mayotte)

Yahoo group: XMLog
Date: 2011-04-20 22:41:09 UTC
From: w1ect
Topic: 3381 Message: 3381

Hi, Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO2FH - (Mayotte) (FH)

Mike - W1ECT

3382. DXPeditions - JD1BLY, JD1BMH and JD1BMT (Ogasawara)

Yahoo group: XMLog
Date: 2011-05-11 22:50:58 UTC
From: w1ect
Topic: 3382 Message: 3382

Hi, Here's some new callsigns to add to the special calls list using the
"View/Show Callsign List" menu item.

JD1BLY - (Ogasawara) (JD1/O)
JD1BMH - (Ogasawara) (JD1/O)
JD1BMT - (Ogasawara) (JD1/O)

JD1BLY may aleady be in the list, depending on what version of XMLog you have loaded.

Without these entries the calls are mis-identified as Minami Torishima (JD1/M).

Mike - W1ECT

3383. Call lookup window problem

Yahoo group: XMLog
Date: 2011-05-17 01:15:27 UTC
From: Craig Bradley
Topic: 3383 Message: 3383

Mike,

I am using version 6.44. 6.40 had the same problem.

If I click on a call in the main log window, the call lookup window opens with the QRZ.com info (OK). Then if I leave the window open and click on another call like the QSL via call, the new call listing appears in the call lookup window but the buttons "-> Mail" and "-> Log" disappear. The buttons used to be there in the older versions. I found it handy to "fix" the QRZ entries where there is no QSL address, I could then click on the QSL manager's call and fill in his address in the log entry to print the labels.

Another feature that would be nice when QSLing would be to have an option to open the QRZ.com listing in the browser to check for any special instructions.

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3384. Re: [XMLog] Call lookup window problem

Yahoo group: XMLog
Date: 2011-05-17 02:40:00 UTC
From: Stan Gantz
Topic: 3383 Message: 3384

I have noticed that same problem for years. No
Problem; Just got use to remembering which area
is for "MAIL" and which is for "LOG"!! Just
click on those (Mail or LOG) blank areas! All works OK !!

Stan W5GZ

>At 07:15 PM 5/16/2011, you wrote:
>
>Mike,
>
>I am using version 6.44. 6.40 had the same problem.
>
>If I click on a call in the main log window, the call lookup window opens
>with the QRZ.com info (OK). Then if I leave the window open and click on
>another call like the QSL via call, the new call listing appears in the call
>lookup window but the buttons "-> Mail" and "-> Log" disappear. The buttons
>used to be there in the older versions. I found it handy to "fix" the QRZ
>entries where there is no QSL address, I could then click on the QSL
>manager's call and fill in his address in the log entry to print the labels.
>
>Another feature that would be nice when QSLing would be to have an option to
>open the QRZ.com listing in the browser to check for any special
>instructions.
>
>73,
>
>- Craig, AE6RR
>
>[Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

3385. RE: [XMLog] Call lookup window problem

Yahoo group: XMLog
Date: 2011-05-17 06:32:10 UTC
From: Craig Bradley
Topic: 3383 Message: 3385

Yes, that does work and the button comes back. I never tried clicking there before. They are phantom buttons.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Stan Gantz
Sent: Monday, May 16, 2011 7:40 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Call lookup window problem

I have noticed that same problem for years. No
Problem; Just got use to remembering which area
is for "MAIL" and which is for "LOG"!! Just
click on those (Mail or LOG) blank areas! All works OK !!

Stan W5GZ

>At 07:15 PM 5/16/2011, you wrote:
>
>Mike,
>
>I am using version 6.44. 6.40 had the same problem.
>
>If I click on a call in the main log window, the call lookup window opens
>with the QRZ.com info (OK). Then if I leave the window open and click on
>another call like the QSL via call, the new call listing appears in the
call
>lookup window but the buttons "-> Mail" and "-> Log" disappear. The buttons
>used to be there in the older versions. I found it handy to "fix" the QRZ
>entries where there is no QSL address, I could then click on the QSL
>manager's call and fill in his address in the log entry to print the
labels.
>
>Another feature that would be nice when QSLing would be to have an option
to
>open the QRZ.com listing in the browser to check for any special
>instructions.
>
>73,
>
>- Craig, AE6RR
>

>[Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3386. Re: Call lookup window problem

Yahoo group: XMLog
Date: 2011-05-17 15:25:25 UTC
From: w1ect
Topic: 3383 Message: 3386

Hi Craig, This was a very strange one. I found that a form refresh request was causing the buttons to disappear - shouldn't happen. In any case it will be fixed in the next version.

Mike - W1ECT

3387. RE: [XMLog] Re: Call lookup window problem

Yahoo group: XMLog
Date: 2011-05-17 17:36:36 UTC
From: Craig Bradley
Topic: 3383 Message: 3387

Thanks for looking into this Mike. It does appear strange.

Is there any possibility of adding a feature to open a call in a QRZ browser window? That would be really handy as I have found that many DX stations will only have the full QSL instructions in the info on their QRZ.com page. Things like 3 green stamps, IRC only, etc.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, May 17, 2011 8:25 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Call lookup window problem

Hi Craig, This was a very strange one. I found that a form refresh request was causing the buttons to disappear - shouldn't happen. In any case it will be fixed in the next version.

Mike - W1ECT

[Non-text portions of this message have been removed]

3388. Help

Yahoo group: XMLog
Date: 2011-05-23 23:20:10 UTC
From: S S
Topic: 1055 Message: 3388

I downloaded the program this morning and everything went okay...I have filled in my station info...I have made several attempts to create a new log and I am obviously doing it wrong...I would like to just have a general log that I can use with LoTW...Any help would be appreciated...Thanks, Steve.

3389. RE: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-23 23:59:07 UTC
From: Kevin Nathan
Topic: 1055 Message: 3389

Hi Steve,

I am assuming you are using the "create new log" choice under the file menu. I just looked at this dialog and it seems fairly straight forward. I think you would just type the file name as "callsign" and let the program add the log extension on to it. What happens when you do this?

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
Sent: Monday, May 23, 2011 16:20
To: xmlog@yahoogroups.com
Subject: [XMLog] Help

I downloaded the program this morning and everything went okay...I have filled in my station info...I have made several attempts to create a new log and I am obviously doing it wrong...I would like to just have a general log that I can use with LoTW...Any help would be appreciated...Thanks, Steve.

[Non-text portions of this message have been removed]

3390. RE: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-24 00:24:46 UTC
From: S S
Topic: 1055 Message: 3390

Kevin- If I click on Create New Log and then type a call sign in the file name and then his open, I get boxes that will not accept any info...Steve.

On Mon May 23rd, 2011 6:59 PM CDT Kevin Nathan wrote:

>Hi Steve,
>
>I am assuming you are using the "create new log" choice under the file menu.
>I just looked at this dialog and it seems fairly straight forward. I think
>you would just type the file name as "callsign" and let the program add the
>log extension on to it. What happens when you do this?
>
>Take care and very 73.
>
>
>Kevin :)
>Amateur Radio: K7RX
>
>
>
> _____
>
>From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
>Sent: Monday, May 23, 2011 16:20
>To: xmlog@yahoogroups.com
>Subject: [XMLog] Help
>
>
>
>
>I downloaded the program this morning and everything went okay...I have
>filled in my station info...I have made several attempts to create a new log
>and I am obviously doing it wrong...I would like to just have a general log
>that I can use with LoTW...Any help would be appreciated...Thanks, Steve.
>
>
>
>
>
>[Non-text portions of this message have been removed]
>

3391. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-24 00:47:23 UTC
From: Ken Anderson, N0AS
Topic: 1055 Message: 3391

I haven't manually entered asks for a while, but I think that if you double click on the Callsign "window" it will then allow data entry.

Check the help file - manual entry.

Ken
AR Callsign N0AS

Irritating nearly everyone since 1956.

On May 23, 2011, at 7:24 PM, S S <bgsport1@...> wrote:

> Kevin- If I click on Create New Log and then type a call sign in the file name and then his open, I get boxes that will not accept any info...Steve.
>
> On Mon May 23rd, 2011 6:59 PM CDT Kevin Nathan wrote:
>
>> Hi Steve,
>>
>> I am assuming you are using the "create new log" choice under the file menu.
>> I just looked at this dialog and it seems fairly straight forward. I think
>> you would just type the file name as "callsign" and let the program add the
>> log extension on to it. What happens when you do this?
>>
>> Take care and very 73.
>>
>>
>> Kevin :)
>> Amateur Radio: K7RX
>>
>>
>>
>> _____
>>
>> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
>> Sent: Monday, May 23, 2011 16:20
>> To: xmlog@yahoogroups.com
>> Subject: [XMLog] Help
>>
>>
>>
>>
>> I downloaded the program this morning and everything went okay...I have
>> filled in my station info...I have made several attempts to create a new log
>> and I am obviously doing it wrong...I would like to just have a general log
>> that I can use with LoTW...Any help would be appreciated...Thanks, Steve.

>>
>>
>>
>>
>>
>> [Non-text portions of this message have been removed]
>>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3392. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-24 00:58:20 UTC
From: S S
Topic: 1055 Message: 3392

I am making progress by playing with it...I know I will have more questions for the group...Thanks, Steve. KC9KCQ.

On Mon May 23rd, 2011 7:47 PM CDT Ken Anderson, N0AS wrote:

>I haven't manually entered asks for a while, but I think that if you double click on the Callsign "window" it will then allow data entry.
>
>Check the help file - manual entry.
>
>Ken
>AR Callsign N0AS
>
>Irritating nearly everyone since 1956.
>
>On May 23, 2011, at 7:24 PM, S S <bgsport1@...> wrote:
>
>> Kevin- If I click on Create New Log and then type a call sign in the file name and then his open, I get boxes that will not accept any info...Steve.
>>
>> On Mon May 23rd, 2011 6:59 PM CDT Kevin Nathan wrote:
>>
>>> Hi Steve,
>>>
>>> I am assuming you are using the "create new log" choice under the file menu.
>>> I just looked at this dialog and it seems fairly straight forward. I think
>>> you would just type the file name as "callsign" and let the program add the
>>> log extension on to it. What happens when you do this?
>>>
>>> Take care and very 73.
>>>
>>>
>>> Kevin :)
>>> Amateur Radio: K7RX
>>>
>>>
>>>
>>> _____
>>>
>>> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
>>> Sent: Monday, May 23, 2011 16:20
>>> To: xmlog@yahoogroups.com
>>> Subject: [XMLog] Help
>>>
>>>

>>>
>>>
>>> I downloaded the program this morning and everything went okay...I have
>>> filled in my station info...I have made several attempts to create a new log
>>> and I am obviously doing it wrong...I would like to just have a general log
>>> that I can use with LoTW...Any help would be appreciated...Thanks, Steve.
>>>
>>>
>>>
>>>
>>>
>>> [Non-text portions of this message have been removed]
>>>
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>

3393. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-24 01:14:11 UTC
From: WILLIS COOKE
Topic: 1055 Message: 3393

Steve, after you open your log and have the entry screen you need to click on Edit and then Add New Entry to get started and then every time you leave the Add New Entry mode for something else you need to do it again.
 Willis 'Cookie' Cooke
K5EWJ

From: S S <bgsport1@...>
To: xmlog@yahoogroups.com
Sent: Mon, May 23, 2011 7:58:20 PM
Subject: Re: [XMLog] Help

I am making progress by playing with it...I know I will have more questions for the group...Thanks, Steve. KC9KCQ.

On Mon May 23rd, 2011 7:47 PM CDT Ken Anderson, N0AS wrote:

>I haven't manually entered asks for a while, but I think that if you double
>click on the Callsign "window" it will then allow data entry.
>
>Check the help file - manual entry.
>
>Ken
>AR Callsign N0AS
>
>Irritating nearly everyone since 1956.
>
>On May 23, 2011, at 7:24 PM, S S <bgsport1@yahoo.com> wrote:
>
>> Kevin- If I click on Create New Log and then type a call sign in the file name
>>and then his open, I get boxes that will not accept any info...Steve.
>>
>> On Mon May 23rd, 2011 6:59 PM CDT Kevin Nathan wrote:
>>
>>> Hi Steve,
>>>
>>> I am assuming you are using the "create new log" choice under the file menu.
>>> I just looked at this dialog and it seems fairly straight forward. I think
>>> you would just type the file name as "callsign" and let the program add the
>>> log extension on to it. What happens when you do this?
>>>
>>> Take care and very 73.
>>>
>>>
>>> Kevin :)
>>> Amateur Radio: K7RX

>>>
>>>
>>>
>>> _____
>>>
>>> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
>>> Sent: Monday, May 23, 2011 16:20
>>> To: xmlog@yahoogroups.com
>>> Subject: [XMLog] Help
>>>
>>>
>>>
>>>
>>> I downloaded the program this morning and everything went okay...I have
>>> filled in my station info...I have made several attempts to create a new log
>>> and I am obviously doing it wrong...I would like to just have a general log
>>> that I can use with LoTW...Any help would be appreciated...Thanks, Steve.
>>>
>>>
>>>
>>>
>>>
>>> [Non-text portions of this message have been removed]
>>>
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>

[Non-text portions of this message have been removed]

3394. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-24 01:28:09 UTC
From: S S
Topic: 1055 Message: 3394

Thanks Willis...Thru trial and error I found that out...When it is time for me to export/import files, I will be bothering the group for info...Thanks, Steve. KC9KCQ.

On Mon May 23rd, 2011 8:14 PM CDT WILLIS COOKE wrote:

>Steve, after you open your log and have the entry screen you need to click on
>Edit and then Add New Entry to get started and then every time you leave the Add
>New Entry mode for something else you need to do it again.
> Willis 'Cookie' Cooke
>K5EWJ
>
>
>
>
>_________________________________
>From: S S <bgsport1@...>
>To: xmlog@yahoogroups.com
>Sent: Mon, May 23, 2011 7:58:20 PM
>Subject: Re: [XMLog] Help
>
>
>I am making progress by playing with it...I know I will have more questions for
>the group...Thanks, Steve. KC9KCQ.
>
>On Mon May 23rd, 2011 7:47 PM CDT Ken Anderson, N0AS wrote:
>
>>I haven't manually entered asks for a while, but I think that if you double
>>click on the Callsign "window" it will then allow data entry.
>>
>>Check the help file - manual entry.
>>
>>Ken
>>AR Callsign N0AS
>>
>>Irritating nearly everyone since 1956.
>>
>>On May 23, 2011, at 7:24 PM, S S <bgsport1@...> wrote:
>>
>>> Kevin- If I click on Create New Log and then type a call sign in the file name
>>>and then his open, I get boxes that will not accept any info...Steve.
>>>
>>> On Mon May 23rd, 2011 6:59 PM CDT Kevin Nathan wrote:
>>>
>>>> Hi Steve,
>>>>

>>>> I am assuming you are using the "create new log" choice under the file menu.
>>>> I just looked at this dialog and it seems fairly straight forward. I think
>>>> you would just type the file name as "callsign" and let the program add the
>>>> log extension on to it. What happens when you do this?
>>>>
>>>> Take care and very 73.
>>>>
>>>>
>>>> Kevin :)
>>>> Amateur Radio: K7RX
>>>>
>>>>
>>>>
>>>> _____
>>>>
>>>> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
>>>> Sent: Monday, May 23, 2011 16:20
>>>> To: xmlog@yahoogroups.com
>>>> Subject: [XMLog] Help
>>>>
>>>>
>>>>
>>>>
>>>> I downloaded the program this morning and everything went okay...I have
>>>> filled in my station info...I have made several attempts to create a new log
>>>> and I am obviously doing it wrong...I would like to just have a general log
>>>> that I can use with LoTW...Any help would be appreciated...Thanks, Steve.
>>>>
>>>>
>>>>
>>>>
>>>>
>>>> [Non-text portions of this message have been removed]
>>>>
>>>
>>>
>>>
>>> ------------------------------------
>>>
>>> Yahoo! Groups Links
>>>
>>>
>>>
>>>
>
>
>
>
>[Non-text portions of this message have been removed]
>

3395. Re: [XMLog] Help

Yahoo group: XMLog
Date: 2011-05-24 01:50:58 UTC
From: Ken Anderson, N0AS
Topic: 1055 Message: 3395

Read the help files!!! Importing/exporting is easy and straight forward. Syncing with LOTW is a little confusing the first time or two, but the help file is... well... very helpful! :)

Ken
AR Callsign N0AS

Irritating nearly everyone since 1956.

On May 23, 2011, at 8:28 PM, S S <bgsport1@yahoo.com> wrote:

> Thanks Willis...Thru trial and error I found that out...When it is time for me to export/import files, I will be bothering the group for info...Thanks, Steve. KC9KCQ.
>
> On Mon May 23rd, 2011 8:14 PM CDT WILLIS COOKE wrote:
>
>> Steve, after you open your log and have the entry screen you need to click on
>> Edit and then Add New Entry to get started and then every time you leave the Add
>> New Entry mode for something else you need to do it again.
>> Willis 'Cookie' Cooke
>> K5EWJ
>>
>>
>>
>>
>> _____
>> From: S S <bgsport1@...>
>> To: xmlog@yahoogroups.com
>> Sent: Mon, May 23, 2011 7:58:20 PM
>> Subject: Re: [XMLog] Help
>>
>>
>> I am making progress by playing with it...I know I will have more questions for
>> the group...Thanks, Steve. KC9KCQ.
>>
>> On Mon May 23rd, 2011 7:47 PM CDT Ken Anderson, N0AS wrote:
>>
>>> I haven't manually entered asks for a while, but I think that if you double
>>> click on the Callsign "window" it will then allow data entry.
>>>
>>> Check the help file - manual entry.
>>>
>>> Ken
>>> AR Callsign N0AS
>>>
>>> Irritating nearly everyone since 1956.

>>>
>>> On May 23, 2011, at 7:24 PM, S S <bgsport1@...> wrote:
>>>
>>>> Kevin- If I click on Create New Log and then type a call sign in the file name
>>>> and then his open, I get boxes that will not accept any info...Steve.
>>>>
>>>> On Mon May 23rd, 2011 6:59 PM CDT Kevin Nathan wrote:
>>>>
>>>>> Hi Steve,
>>>>>
>>>>> I am assuming you are using the "create new log" choice under the file menu.
>>>>> I just looked at this dialog and it seems fairly straight forward. I think
>>>>> you would just type the file name as "callsign" and let the program add the
>>>>> log extension on to it. What happens when you do this?
>>>>>
>>>>> Take care and very 73.
>>>>>
>>>>>
>>>>> Kevin :)
>>>>> Amateur Radio: K7RX
>>>>>
>>>>>
>>>>>
>>>>> _____
>>>>>
>>>>> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of S S
>>>>> Sent: Monday, May 23, 2011 16:20
>>>>> To: xmlog@yahoogroups.com
>>>>> Subject: [XMLog] Help
>>>>>
>>>>>
>>>>>
>>>>>
>>>>> I downloaded the program this morning and everything went okay...I have
>>>>> filled in my station info...I have made several attempts to create a new log
>>>>> and I am obviously doing it wrong...I would like to just have a general log
>>>>> that I can use with LoTW...Any help would be appreciated...Thanks, Steve.
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>> [Non-text portions of this message have been removed]
>>>>>
>>>>
>>>>
>>>>
>>>> ------------------------------------
>>>>
>>>> Yahoo! Groups Links

>>>>
>>>>
>>>>
>>
>>
>>
>>
>> [Non-text portions of this message have been removed]
>>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3396. Windows 7 installation problem

Yahoo group: XMLog
Date: 2011-05-29 17:55:25 UTC
From: V. Zugcic
Topic: 3396 Message: 3396

Hi all

I just joined XMLog group, thank you and would like to try XMLog for the first time. OS is Windows 7 and it doesn't let me install this software.

During installation process, in the screen where I have to choose (or accept default) installation directory, I have Exit Setap option only.

Tried to search XMLog group for the answer, but I have found none.

Is there a way to install XMLog into Windows 7? Thank you very much!

Vladimir 9A3CY
http://hamradio.hr/9a3cy

--
V. Zugcic

[Non-text portions of this message have been removed]

3397. Re: [XMLog] Windows 7 installation problem

Yahoo group: XMLog
Date: 2011-05-30 05:25:24 UTC
From: WILLIS COOKE
Topic: 3396 Message: 3397

Vlaimir, you need to install it in the C: directory rather than the program directory
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: V. Zugcic <vzugcic@...>
To: "xmlog@yahoogroups.com" <xmlog@yahoogroups.com>
Sent: Sun, May 29, 2011 12:55:25 PM
Subject: [XMLog] Windows 7 installation problem

Hi all

I just joined XMLog group, thank you and would like to try XMLog for the first time. OS is Windows 7 and it doesn't let me install this software.

During installation process, in the screen where I have to choose (or accept default) installation directory, I have Exit Setap option only.

Tried to search XMLog group for the answer, but I have found none.

Is there a way to install XMLog into Windows 7? Thank you very much!

Vladimir 9A3CY
http://hamradio.hr/9a3cy

--
V. Zugcic

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3398. Re: [XMLog] Windows 7 installation problem

Yahoo group: XMLog
Date: 2011-05-30 08:51:04 UTC
From: V. Zugcic
Topic: 3396 Message: 3398

Thank you Will, it offers me c:\mlog by default, but the button should show Accept or Next, not Exit Setup as it shows in my issue.

Tried to change directory to c:\xmlog and later in my user's folder, but there was always only Exit Setup button.

I'm going to see what I can do later afternoon and the group will be informed, thank you!

--
V. Zugcic

From: WILLIS COOKE <wrcooke@...>
To: XMLog@yahoogroups.com
Sent: Monday, May 30, 2011 7:25 AM
Subject: Re: [XMLog] Windows 7 installation problem

Vlaimir, you need to install it in the C: directory rather than the program
directory
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

3399. Re: [XMLog] Windows 7 installation problem

Yahoo group: XMLog
Date: 2011-05-31 13:38:43 UTC
From: Michael McCarthy
Topic: 3396 Message: 3399

It sounds like you don't have sufficient privileges to install software.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Mon, 5/30/11, V. Zugcic <vzugcic@...> wrote:

From: V. Zugcic <vzugcic@...>
Subject: Re: [XMLog] Windows 7 installation problem
To: "XMLog@yahoogroups.com" <XMLog@yahoogroups.com>
Date: Monday, May 30, 2011, 4:51 AM

Thank you Will, it offers me c:\mlog by default, but the button should show Accept or Next, not Exit Setup as it shows in my issue.

Tried to change directory to c:\xmlog and later in my user's folder, but there was always only Exit Setup button.

I'm going to see what I can do later afternoon and the group will be informed, thank you!

--

V. Zugcic

From: WILLIS COOKE <wrcooke@yahoo.com>

To: XMLog@yahoogroups.com

Sent: Monday, May 30, 2011 7:25 AM

Subject: Re: [XMLog] Windows 7 installation problem

Vlaimir, you need to install it in the C: directory rather than the program

directory

 Willis 'Cookie' Cooke

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3400. Re: [XMLog] Windows 7 installation problem

Yahoo group: XMLog
Date: 2011-05-31 14:45:03 UTC
From: V. Zugcic
Topic: 3396 Message: 3400

Thank you Michael, everything is under control here, since yesterday ;)

73s, Vladimir 9A3CY

--
V. Zugcic

From: Michael McCarthy <w1nr@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, May 31, 2011 3:38 PM
Subject: Re: [XMLog] Windows 7 installation problem

It sounds like you don't have sufficient privileges to install software.

*** Tabhair gach fear a drucht ***

*** Give Every Man His Dew! ***

Michael A. McCarthy, W1NR

--- On Mon, 5/30/11, V. Zugcic <vzugcic@yahoo.com> wrote:

From: V. Zugcic <vzugcic@...>
Subject: Re: [XMLog] Windows 7 installation problem
To: "XMLog@yahoogroups.com" <XMLog@yahoogroups.com>
Date: Monday, May 30, 2011, 4:51 AM

Thank you Will, it offers me c:\mlog by default, but the button should show Accept or Next, not Exit Setup as it shows in my issue.

Tried to change directory to c:\xmlog and later in my user's folder, but there was always only Exit Setup button.

I'm going to see what I can do later afternoon and the group will be informed, thank you!

--

V. Zugcic

From: WILLIS COOKE <wrcooke@...>

To: XMLog@yahoogroups.com

Sent: Monday, May 30, 2011 7:25 AM

Subject: Re: [XMLog] Windows 7 installation problem

Vlaimir, you need to install it in the C: directory rather than the program directory

Willis 'Cookie' Cooke

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3401. HELLO

Yahoo group: XMLog
Date: 2011-06-05 19:45:16 UTC
From: SWL - CE
Topic: 3401 Message: 3401

Hello friends from CHILE

Hector CE3FZL

3402. Re: [XMLog] HELLO

Yahoo group: XMLog
Date: 2011-06-06 13:52:53 UTC
From: V. Zugcic
Topic: 3401 Message: 3402

Hello Hector,

73 de Vladimir 9A3CY

--
V. Zugcic

From: SWL - CE <ce3fzl@...>
To: XMLog@yahoogroups.com
Sent: Sunday, June 5, 2011 9:45 PM
Subject: [XMLog] HELLO

Hello friends from CHILE

Hector CE3FZL

[Non-text portions of this message have been removed]

3403. DXPeditions - HK0NA (Malpelo Island)

Yahoo group: XMLog
Date: 2011-06-13 20:48:32 UTC
From: w1ect
Topic: 3403 Message: 3403

Hi, Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

HK0NA - (Malpelo Island) (HK0/M)

Mike - W1ECT

3404. Importing Adif files

Yahoo group: XMLog
Date: 2011-06-19 14:50:42 UTC
From: Michael P
Topic: 3404 Message: 3404

Hi Imported adif file to XMLog it tells me i have only 150 qso's.I have over 2000 cant figured it out?? thanks mike

3405. Re: Importing Adif files

Yahoo group: XMLog
Date: 2011-06-19 17:05:33 UTC
From: w1ect
Topic: 3404 Message: 3405

Hi, Send a copy of your ADIF file as an email attachment to support@xmlog.com and I'll take a look at it.

Mike - W1ECT

3406. Re: [XMLog] Importing Adif files

Yahoo group: XMLog
Date: 2011-06-19 17:54:14 UTC
From: Ken Anderson, N0AS
Topic: 3404 Message: 3406

When you import, the imported qso's are the "selected" records (might not be quite the right word). Anywho, go to File, and open you're complete log and all qso's should be there.

Ken
Amateur Radio: N0AS

Irritating nearly everyone since 1956.

On Jun 19, 2011, at 9:50 AM, "Michael P" <wm1k@yahoo.com> wrote:

> Hi Imported adif file to XMLog it tells me i have only 150 qso's.I have over 2000 cant figured it out?? thanks mike
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3407. Re: Importing Adif files

Yahoo group: XMLog
Date: 2011-06-23 20:01:07 UTC
From: w1ect
Topic: 3404 Message: 3407

Hi, XMLog was not recognizing an LF (linefeed) as a line break, only carriage returns (CR's) and CR+LF's were being handled. I guess some UNIX apps can use a bare linefeed as a line break. I'll post a fix at www.xmlog.com/beta soon.

Mike - W1ECT

3408. showing solar activity in status bar

Yahoo group: XMLog
Date: 2011-06-27 15:13:02 UTC
From: zamba0321
Topic: 3408 Message: 3408

Howdy Mike

could XMLog show the solar flux/sunspot numbers and A/K indexes in
the status bar somewhere from data pulled from the internet somehow ?

Would be a usefull feature.

thanks
- Joe

3409. Re: [XMLog] showing solar activity in status bar

Yahoo group: XMLog
Date: 2011-06-27 15:49:14 UTC
From: WILLIS COOKE
Topic: 3408 Message: 3409

This information appears on the DX Cluster periodically when you are connected.
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: zamba0321 <zamba0321@yahoo.com>
To: XMLog@yahoogroups.com
Sent: Mon, June 27, 2011 10:13:02 AM
Subject: [XMLog] showing solar activity in status bar

Howdy Mike

could XMLog show the solar flux/sunspot numbers and A/K indexes in
the status bar somewhere from data pulled from the internet somehow ?

Would be a usefull feature.

thanks
- Joe

[Non-text portions of this message have been removed]

3410. Re: [XMLog] showing solar activity in status bar

Yahoo group: XMLog
Date: 2011-06-27 15:50:47 UTC
From: WILLIS COOKE
Topic: 3408 Message: 3410

I forgot to add, if it is not showing when you want to see it input show/wwv and
the latest report will be displayed until it scrolls off.
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: zamba0321 <zamba0321@...>
To: XMLog@yahoogroups.com
Sent: Mon, June 27, 2011 10:13:02 AM
Subject: [XMLog] showing solar activity in status bar

Howdy Mike

could XMLog show the solar flux/sunspot numbers and A/K indexes in
the status bar somewhere from data pulled from the internet somehow ?

Would be a usefull feature.

thanks
- Joe

[Non-text portions of this message have been removed]

3411. RE: [XMLog] showing solar activity in status bar

Yahoo group: XMLog
Date: 2011-06-27 16:35:38 UTC
From: Craig Bradley
Topic: 3408 Message: 3411

I use Ham CAP and IonoProbe and just keep it running in the corner if my desktop.

I get a display like this:

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Monday, June 27, 2011 8:51 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] showing solar activity in status bar

I forgot to add, if it is not showing when you want to see it input show/wwv and
the latest report will be displayed until it scrolls off.
Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: zamba0321 <zamba0321@... <mailto:zamba0321%40yahoo.com> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Mon, June 27, 2011 10:13:02 AM
Subject: [XMLog] showing solar activity in status bar

Howdy Mike

could XMLog show the solar flux/sunspot numbers and A/K indexes in
the status bar somewhere from data pulled from the internet somehow ?

Would be a usefull feature.

thanks
- Joe

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3412. New User

Yahoo group: XMLog
Date: 2011-07-04 14:45:38 UTC
From: kb1ckt
Topic: 3412 Message: 3412

Ok, I wanted to play with electronic logging, and I found this program. I don't have Windows at home, so that may be the issue. I have Ubuntu, and Wine, and the program seems to come up--I haven't tried to connect to my radio, much less anything else.

When I create a log, it tells me it can't create it. No file with the extension of .log is made. However a .mdb with the file name I selected is made; and that file I seem to be able to open and run with.

Is this just a Linux issue? I just haven't felt like buying a new home computer to run Windows (8 year old machine, use Win7 at work, not sure about going back to XP, etc).

Thanks
Shawn KB1CKT

3413. Re: [XMLog] New User

Yahoo group: XMLog
Date: 2011-07-04 17:27:33 UTC
From: WILLIS COOKE
Topic: 3412 Message: 3413

Shawn, I don't know much about Ubuntu or Wine, but I run XMlog on Vista and Win7 as well as my old computer with XT. I recommend that if you are going to buy a Windows machine that you go with Win 7. Win 7 is 1.5 years old now and most of the bugs are gone. Vista is pretty old and XT is over 10 years old so they are way obsolete and not well supported. I run XMlog in C: still rather than the program file, but that problem may not be still with us with the newer versions. Mike, W1ECT maybe will update us with his latest recommendation about that, or maybe the installation instructions cover it.
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: kb1ckt <kb1ckt@...>
To: XMLog@yahoogroups.com
Sent: Mon, July 4, 2011 9:45:38 AM
Subject: [XMLog] New User

Ok, I wanted to play with electronic logging, and I found this program. I don't have Windows at home, so that may be the issue. I have Ubuntu, and Wine, and the program seems to come up--I haven't tried to connect to my radio, much less anything else.

When I create a log, it tells me it can't create it. No file with the extension of .log is made. However a .mdb with the file name I selected is made; and that file I seem to be able to open and run with.

Is this just a Linux issue? I just haven't felt like buying a new home computer to run Windows (8 year old machine, use Win7 at work, not sure about going back to XP, etc).

Thanks
Shawn KB1CKT

[Non-text portions of this message have been removed]

3414. Re: [XMLog] New User

Yahoo group: XMLog
Date: 2011-07-04 18:51:29 UTC
From: Shawn Upton
Topic: 3412 Message: 3414

Oh, I use Win7 at work and am getting used to it. No plans for running XP--that's why I wasn't going to bother with getting XP onto this computer. No sense in going backwards. What might be nice is a new netbook, that way I could take the log with me when portable. Someday...

Anyhow, I'm starting to enter in contacts, now I have to figure out what to do with my FD log (and a bunch of other stuff). Just seemed strange that I couldn't use the *.log file like the help file says--but the *.mdb works. Beats me.

Shawn Upton, KB1CKT

NAQCC 4723

--- On Mon, 7/4/11, WILLIS COOKE <wrcooke@...> wrote:

From: WILLIS COOKE <wrcooke@...>
Subject: Re: [XMLog] New User
To: XMLog@yahoogroups.com
Date: Monday, July 4, 2011, 1:27 PM

Shawn, I don't know much about Ubuntu or Wine, but I run XMlog on Vista and Win7

as well as my old computer with XT. I recommend that if you are going to buy a

Windows machine that you go with Win 7. Win 7 is 1.5 years old now and most of

the bugs are gone. Vista is pretty old and XT is over 10 years old so they are

way obsolete and not well supported. I run XMlog in C: still rather than the

program file, but that problem may not be still with us with the newer versions.

Mike, W1ECT maybe will update us with his latest recommendation about that, or

maybe the installation instructions cover it.

 Willis 'Cookie' Cooke

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

3415. DXPeditions - 3D2ML (Fiji)

Yahoo group: XMLog
Date: 2011-07-06 02:40:51 UTC
From: w1ect
Topic: 3415 Message: 3415

Hi, Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2ML - Fiji (3D2/F)

Active July 6th through July 17th 2011.

Mike - W1ECT

3416. 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-09 12:17:52 UTC
From: kb1ckt
Topic: 3416 Message: 3416

First off, I seem to have the awards turned on, whereas before there was a name and notes section. What did I hit, and how do I turn it off?

Second, looks like I can export a csv as a template (simply export my log, simple enough). But I only see import for ADIF. I don't see import for csv. I have a few years of logs that I'd like to slowly add, and XMLOG is installed on my non-portable machine. Can csv's be imported?

Thanks
Shawn
KB1CKT

3417. Re: 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-09 16:51:46 UTC
From: kb1ckt
Topic: 3416 Message: 3417

Duh, ok I found out what I did on the view.

Question: how do I record *my* QTH? I've operated over the years from at least 5 locations.

Shawn KB1CKT

--- In XMLog@yahoogroups.com, "kb1ckt" <kb1ckt@...> wrote:
>
> First off, I seem to have the awards turned on, whereas before there was a name and notes section. What did I hit, and how do I turn it off?
>
> Second, looks like I can export a csv as a template (simply export my log, simple enough). But I only see import for ADIF. I don't see import for csv. I have a few years of logs that I'd like to slowly add, and XMLOG is installed on my non-portable machine. Can csv's be imported?
>
> Thanks
> Shawn
> KB1CKT
>

3418. RE: [XMLog] 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-09 17:02:10 UTC
From: Craig Bradley
Topic: 3416 Message: 3418

There is a small button in the lower left corner of the main logging window if you are in the mode that shows QSO/QSL info the legend next to the button will say "Show Award Info", you must have clicked that. When you are in Awards Tracking, it will say "Show Address Info". If you click it you will get the address field. Just keep clicking that button until you get back to the field you want.

You can select which Log Field Groups will be displayed by clicking Options, then Log Fields, Fonts, Default File. and select the Log Fields tab in the window that pops up.

You can only import ADIF files, this the standard format used by most logging programs, hopefully your old programs will export in this format.

CSV files are useful if you want to export data to Excel and analyze it.

I hope this helps.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of kb1ckt
Sent: Saturday, July 09, 2011 5:18 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] 2 Questions: CSV and what did I do to the view?

First off, I seem to have the awards turned on, whereas before there was a name and notes section. What did I hit, and how do I turn it off?

Second, looks like I can export a csv as a template (simply export my log, simple enough). But I only see import for ADIF. I don't see import for csv. I have a few years of logs that I'd like to slowly add, and XMLOG is installed on my non-portable machine. Can csv's be imported?

Thanks
Shawn
KB1CKT

[Non-text portions of this message have been removed]

3419. RE: [XMLog] Re: 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-09 17:06:24 UTC
From: Craig Bradley
Topic: 3416 Message: 3419

Use Options/Station Info, you can setup multiple profiles for your different QTHs. When you import logs you can select which profile to use for that log.

73,

- Craig, AE6RR

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of kb1ckt
Sent: Saturday, July 09, 2011 9:52 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: 2 Questions: CSV and what did I do to the view?

Duh, ok I found out what I did on the view.

Question: how do I record *my* QTH? I've operated over the years from at least 5 locations.

Shawn KB1CKT

--- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> , "kb1ckt" <kb1ckt@...> wrote:
>
> First off, I seem to have the awards turned on, whereas before there was a name and notes section. What did I hit, and how do I turn it off?
>
> Second, looks like I can export a csv as a template (simply export my log, simple enough). But I only see import for ADIF. I don't see import for csv. I have a few years of logs that I'd like to slowly add, and XMLOG is installed on my non-portable machine. Can csv's be imported?
>
> Thanks
> Shawn
> KB1CKT
>

[Non-text portions of this message have been removed]

3420. Re: [XMLog] 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-09 19:16:54 UTC
From: WILLIS COOKE
Topic: 3416 Message: 3420

There is not standard for what data in included in a csv or what order that data is sent. I imported a large csv file by writing a basic program to convert the csv to ADIF. You will need a separate program for each type of csv you have. To overcome the different formats used for data storage in the various loggers is the reason for ADIF. You may want to study the specifications for ADIF to understand.
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: kb1ckt <kb1ckt@...>
To: XMLog@yahoogroups.com
Sent: Sat, July 9, 2011 7:17:52 AM
Subject: [XMLog] 2 Questions: CSV and what did I do to the view?

First off, I seem to have the awards turned on, whereas before there was a name and notes section. What did I hit, and how do I turn it off?

Second, looks like I can export a csv as a template (simply export my log, simple enough). But I only see import for ADIF. I don't see import for csv. I have a few years of logs that I'd like to slowly add, and XMLOG is installed on my non-portable machine. Can csv's be imported?

Thanks
Shawn
KB1CKT

[Non-text portions of this message have been removed]

3421. Re: [XMLog] 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-09 19:22:07 UTC
From: Shawn Upton
Topic: 3416 Message: 3421

I'll take a look at ADIF then. It's mostly just trying to figure out a faster way to enter in the data, while on a computer that doesn't have XMLOG installed. No biggie. Thanks all.

Shawn Upton, KB1CKT

NAQCC 4723

--- On Sat, 7/9/11, WILLIS COOKE <wrcooke@...> wrote:

From: WILLIS COOKE <wrcooke@...>
Subject: Re: [XMLog] 2 Questions: CSV and what did I do to the view?
To: XMLog@yahoogroups.com
Date: Saturday, July 9, 2011, 3:16 PM

There is not standard for what data in included in a csv or what order that data

is sent. I imported a large csv file by writing a basic program to convert the

csv to ADIF. You will need a separate program for each type of csv you have.

To overcome the different formats used for data storage in the various loggers

is the reason for ADIF. You may want to study the specifications for ADIF to

understand.

 Willis 'Cookie' Cooke

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

3422. Re: [XMLog] 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-10 00:06:37 UTC
From: WILLIS COOKE
Topic: 3416 Message: 3422

Why are you working on a computer that does not have XMlog installed. The program is share ware so you can use it for free until you have used it enough that your concience bothers you. If you are using someone elses computer, it will run just fine on a thumb drive and I am strongly considering using one all the time to be able to work with my lap top or desk top as I need. The ADIF is the only protocol that identifies the data with the log block and you can include or omit data, or put it in any order, so that all compliant programs can exchange data. It is not a good candidate for fast entry of paper data. The XMlog program itself is much better.
 Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Shawn Upton <kb1ckt@...>
To: XMLog@yahoogroups.com
Sent: Sat, July 9, 2011 2:22:07 PM
Subject: Re: [XMLog] 2 Questions: CSV and what did I do to the view?

I'll take a look at ADIF then. It's mostly just trying to figure out a faster way to enter in the data, while on a computer that doesn't have XMLOG installed. No biggie. Thanks all.

Shawn Upton, KB1CKT

NAQCC 4723

--- On Sat, 7/9/11, WILLIS COOKE <wrcooke@yahoo.com> wrote:

From: WILLIS COOKE <wrcooke@...>
Subject: Re: [XMLog] 2 Questions: CSV and what did I do to the view?
To: XMLog@yahoogroups.com
Date: Saturday, July 9, 2011, 3:16 PM

There is not standard for what data in included in a csv or what order that data

is sent. I imported a large csv file by writing a basic program to convert the

csv to ADIF.   You will need a separate program for each type of csv you have.

To overcome the different formats used for data storage in the various loggers

is the reason for ADIF. You may want to study the specifications for ADIF to

understand.

 Willis 'Cookie' Cooke

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3423. Re: [XMLog] 2 Questions: CSV and what did I do to the view?

Yahoo group: XMLog
Date: 2011-07-10 00:59:10 UTC
From: Shawn Upton
Topic: 3416 Message: 3423

My primary travel computer is a netbook that runs Linux--Xandros if I recall correctly. I looked at it the other night, and tried to figure out how to install Wine on it, so I could run Windows programs; didn't get far. Have to try again, which would take care of that problem.

I did not know XMLog would run on a thumb drive; will have to try that. My work computer isn't supposed to have non-work programs installed on it; and I usually use my breaks for other stuff. But it might be nice to once in a while enter data there. At least that is a windows machine. When I visit the inlaws I can play on their computer, so a thumb drive might work great there, for when I am watching TV and playing on the computer.

Thanks.

Shawn Upton, KB1CKT

NAQCC 4723

--- On Sat, 7/9/11, WILLIS COOKE <wrcooke@yahoo.com> wrote:

From: WILLIS COOKE <wrcooke@...>
Subject: Re: [XMLog] 2 Questions: CSV and what did I do to the view?
To: XMLog@yahoogroups.com
Date: Saturday, July 9, 2011, 8:06 PM

Why are you working on a computer that does not have XMlog installed. The

program is share ware so you can use it for free until you have used it enough

that your concience bothers you. If you are using someone elses computer, it

will run just fine on a thumb drive and I am strongly considering using one all

the time to be able to work with my lap top or desk top as I need. The ADIF is

the only protocol that identifies the data with the log block and you can

include or omit data, or put it in any order, so that all compliant programs can

exchange data. It is not a good candidate for fast entry of paper data. The

XMlog program itself is much better.

 Willis 'Cookie' Cooke

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

[Non-text portions of this message have been removed]

3424. DXPeditions - VK0BFG (Antarctica)

Yahoo group: XMLog
Date: 2011-07-15 00:06:55 UTC
From: w1ect
Topic: 3424 Message: 3424

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

VK0BFG - Antarctica (KC4)

Mike - W1ECT

3425. Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 05:26:45 UTC
From: Stan Gantz
Topic: 3425 Message: 3425

Mike

I had a major meltdown, and even my back ups were fried. What I need to do is download all LoTW records I posted from 1/1/10 to present so as to fix what is missing in my log. 1976 to Jan. 2010 is OK. But from 1/1/10 to present all is gone.
I did upload all to ARRL all just hours before the lightning storm hit, so all is intact there, but I will need to download from ARRL 1/1/10 to present. To be honest, I really don't know how to do this, so any idea's would help.....BUT:

HERE is my MAIN problem: On the DOWNLOAD LoTW PAGE: Under the DESTINATION heading....ALL is now BLANK. Somehow I must have deleted it!? WHAT should be there.

Stan W5GZ

3426. South Sudan - ST0R

Yahoo group: XMLog
Date: 2011-07-20 05:51:35 UTC
From: Craig Bradley
Topic: 3426 Message: 3426

Mike,

South Sudan is about to be activated by ST0R (Sierra Tango Zero Romeo) as a new DXCC entity.

The ITU has issued 211 as a country code.

What do we need to do to add a new entity to XMLog?

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3427. Re: [XMLog] South Sudan - ST0R

Yahoo group: XMLog
Date: 2011-07-20 06:19:36 UTC
From: Dave Sergeant
Topic: 3426 Message: 3427

On 19 Jul 2011 at 22:51, Craig Bradley wrote:

> South Sudan is about to be activated by ST0R (Sierra Tango Zero Romeo)
> as a new DXCC entity.
>
> The ITU has issued 211 as a country code.
>

At the moment do absolutely nothing. ST0R is the call they MAY be using. If IARU allocates a new prefix block before it starts then they will be getting the licences changed to that. Then of course you will have to actually work it - with my 5W and a longwire I don't think it will go in my log before 2012.... In due course it will be added to the countries file in XMLog, or you could add it yourself if you become one of the lucky ones.

I know various folks are getting all excited about this one. Personally I don't really know what the fuss is about.

73 Dave G3YMC

http://www.davesergeant.com

3428. Re: South Sudan - ST0R

Yahoo group: XMLog
Date: 2011-07-20 13:59:34 UTC
From: w1ect
Topic: 3426 Message: 3428

Hi Steve, I'll handle this the same way as the recently added PJx DXCC additions. As soon as the ITU prefix is assigned I'll make a version of XMLog available that will automatically update any ST0R (etc.) log entries to the appropriate new prefix.

Until then XMLog will "guess" the wrong prefix for ST0R and you can manually change these from ST/Sudan to ? if you find that annoying.

Mike - W1ECT

> South Sudan is about to be activated by ST0R (Sierra Tango Zero Romeo) as a new DXCC entity

3429. Re: Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 14:05:43 UTC
From: w1ect
Topic: 3425 Message: 3429

Hi Stan,

Sorry to hear about your PC crash. I've actually had very little experience with LoTW outside of implementing support for XMLog, I don't use it myself.

Hopefully the folk here can give you some advice on how to download your LoTW records. One thing you need to be aware of is that LoTW does not save all the fields that appear in the ADIF file that you uploaded to the ARRL. This means that you will lose some of the original data.

Once you download the LoTW records let me know if you have any problems importing them into XMLog.

I've always been paranoid about catastrophic PC hard drive crashes and I have a couple of external USB hard drives that I use to back up all my important files. I keep these drives stored in a "fire proof" file cabinet. I suppose the next level of prudence would be to keep one of the drives off site.

Mike - W1ECT

3430. Re: [XMLog] Re: Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 14:55:25 UTC
From: Ken Anderson, N0AS
Topic: 3425 Message: 3430

Another option for data file back up is Mozy. Online backup done automatically and/or manually. 2GB account is free.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

On Jul 20, 2011, at 9:05 AM, "w1ect" <w1ect@...> wrote:

> Hi Stan,
>
> Sorry to hear about your PC crash. I've actually had very little experience with LoTW outside of implementing support for XMLog, I don't use it myself.
>
> Hopefully the folk here can give you some advice on how to download your LoTW records. One thing you need to be aware of is that LoTW does not save all the fields that appear in the ADIF file that you uploaded to the ARRL. This means that you will lose some of the original data.
>
> Once you download the LoTW records let me know if you have any problems importing them into XMLog.
>
> I've always been paranoid about catastrophic PC hard drive crashes and I have a couple of external USB hard drives that I use to back up all my important files. I keep these drives stored in a "fire proof" file cabinet. I suppose the next level of prudence would be to keep one of the drives off site.
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3431. Re: [XMLog] Re: Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 15:13:53 UTC
From: Dave Sergeant
Topic: 3425 Message: 3431

On 20 Jul 2011 at 14:05, w1ect wrote:

> Hopefully the folk here can give you some advice on how to download your
> LoTW records.

It is easy to download your QSOs from the LOTW site:

https://p1k.arrl.org/lotwuser/qsos?qsoscmd=adif

Just enter the start date you require, tick the 'Include QSL detail'
and then click 'download report'. This will be an ADIF file that you
can import directly into XMLog.

73 Dave G3YMC

http://www.davesergeant.com

3432. RE: [XMLog] Re: South Sudan - ST0R

Yahoo group: XMLog
Date: 2011-07-20 15:42:11 UTC
From: Craig Bradley
Topic: 3426 Message: 3432

Thanks Mike!

If I hear any news on a new call sign, I will post it here. According to Paul, N6PSE they may operate with the existing call if the ITU does not assign a prefix before the operation.

For anyone that is interested you can find the expedition's web site here:

http://www.dxfriends.com/SouthernSudan2011/

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, July 20, 2011 7:00 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: South Sudan - ST0R

Hi Steve, I'll handle this the same way as the recently added PJx DXCC additions. As soon as the ITU prefix is assigned I'll make a version of XMLog available that will automatically update any ST0R (etc.) log entries to the appropriate new prefix.

Until then XMLog will "guess" the wrong prefix for ST0R and you can manually change these from ST/Sudan to ? if you find that annoying.

Mike - W1ECT

> South Sudan is about to be activated by ST0R (Sierra Tango Zero Romeo) as a new DXCC entity

[Non-text portions of this message have been removed]

3433. [XMLog] Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 16:20:50 UTC
From: Stan Gantz
Topic: 3425 Message: 3433

Mike

HERE is my MAIN problem: On the DOWNLOAD LoTW PAGE: Under the DESTINATION heading....ALL is now BLANK. Somehow I must have deleted it!? WHAT should be there.

Stan W5GZ

3434. Re: [XMLog] Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 17:04:07 UTC
From: Dave Sergeant
Topic: 3425 Message: 3434

On 20 Jul 2011 at 10:20, Stan Gantz wrote:

> HERE is my MAIN problem: On the DOWNLOAD LoTW PAGE: Under the
> DESTINATION heading....ALL is now BLANK. Somehow I must have deleted
> it!? WHAT should be there.

I think you are talking about the download/validateLOTWdata pane within XMLog, nothing to do with the LOTW website (where I suggested you download it from).

On that pane, the destination field here contains c:\mlog\LoTW

73 Dave G3YMC

http://www.davesergeant.com

3435. Re: [XMLog] Re: Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 17:04:30 UTC
From: Stan Gantz
Topic: 3425 Message: 3435

That is exactly what I have been doing, but LoTW
program keeps telling me that it can't be
done. It states it is not an ADIF file States
the file is LoTW file, not ADIF?

Stan W5GZ

At 09:13 AM 7/20/2011, you wrote:
>
>
>On 20 Jul 2011 at 14:05, w1ect wrote:
>
> > Hopefully the folk here can give you some advice on how to download your
> > LoTW records.
>
>It is easy to download your QSOs from the LOTW site:
>
><https://p1k.arrl.org/lotwuser/qsos?qsoscmd=adif>https://p1k.arrl.org/lotwuser/qsos?qsosc
md=adif
>
>Just enter the start date you require, tick the 'Include QSL detail'
>and then click 'download report'. This will be an ADIF file that you
>can import directly into XMLog.
>
>73 Dave G3YMC
>
><http://www.davesergeant.com>http://www.davesergeant.com
>
>

[Non-text portions of this message have been removed]

3436. Re: [XMLog] Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 17:55:51 UTC
From: Stan Gantz
Topic: 3425 Message: 3436

Yea, I am having TWO different problems. One is
trying to download my missing log data from LoTW,
and the other is the missing dialogue in the LoTW
program: On the DOWNLOAD LoTW PAGE: Under the
DESTINATION heading....ALL is now BLANK. Somehow I must have deleted
it!? WHAT should be there.
TNX, I will enter; c:\mlog\LoTW . That is what was missing there!

#2 problem: Still can't get my 'puter to download ADIF file...
It states it is not an ADIF file States
the file is LoTW file, not ADIF?

At 11:04 AM 7/20/2011, you wrote:
>
>
>On 20 Jul 2011 at 10:20, Stan Gantz wrote:
>
> > HERE is my MAIN problem: On the DOWNLOAD LoTW PAGE: Under the
> > DESTINATION heading....ALL is now BLANK. Somehow I must have deleted
> > it!? WHAT should be there.
>
>I think you are talking about the download/validateLOTWdata pane within
>XMLog, nothing to do with the LOTW website (where I suggested you
>download it from).
>
>On that pane, the destination field here contains c:\mlog\LoTW
>
>73 Dave G3YMC
>
><http://www.davesergeant.com>http://www.davesergeant.com
>
>

[Non-text portions of this message have been removed]

3437. Re: Missing entries and...

Yahoo group: XMLog
Date: 2011-07-20 22:38:44 UTC
From: w1ect
Topic: 3425 Message: 3437

Hi, The User ID is probably (always?) your callsign. If you don't have your password written down somewhere you'll have to get it from the ARRL. No doubt the process of getting lost user-id's and passwords is described on the ARRL LoTW web pages somewhere.

Mike - W1ECT

> On the DOWNLOAD LoTW PAGE: Under the
> DESTINATION heading....ALL is now BLANK. Somehow I must have deleted
> it!? WHAT should be there.

3438. How can I get XMLog to accept the qth field from DM780 log?

Yahoo group: XMLog
Date: 2011-07-21 14:55:16 UTC
From: mefazamy
Topic: 3438 Message: 3438

Sometimes I log qsos on DM780 beta 4.1 build 1989. When I import the log which is an ADIF file to XMLog I do not get the qth field. How can I get XMLog to accept the qth field when imported from DM780?

3439. Re: How can I get XMLog to accept the qth field from DM780 log?

Yahoo group: XMLog
Date: 2011-07-21 15:10:57 UTC
From: w1ect
Topic: 3438 Message: 3439

Take a look at the ADIF file with a simple text editor like NotePad. The QTH info should be in a a field named "QTH". If the field is not there it didn't get exported by DM780 for some reason. If the info is there but contained in a field with a non-standard label you can do a global change for that field, for example change all occurences of <WHATEVER: to <QTH: (be sure to save a copy of the original ADIF file before you do any editing).

If there's some other problem send a copy of the ADIF file as an email attachment to support@...

Mike - W1ECT

3440. Re: How can I get XMLog to accept the qth field from DM780 log?

Yahoo group: XMLog
Date: 2011-07-23 14:38:06 UTC
From: w1ect
Topic: 3438 Message: 3440

OK, I got your ADIF files by email. If you open these files using a simple text editor like NotePad or WordPad you will see that the frequency fields have their values set as "0" which is why the XMLog frequency fields wind up as "0.000". The QTH values seem to be being imported OK.

You'll have to check with the people who provide the software that did the ADIF export and ask them what you need to do to get thier program to export the frequency correctly.

In the next version of XMLog I'll make a change such that frequency values of zero wind up as "?" instead of "0.000" (which doesn't solve your problem).

Mike - W1ECT

3441. QSL labels printing problem...

Yahoo group: XMLog
Date: 2011-07-23 22:11:09 UTC
From: Wagner
Topic: 3441 Message: 3441

Hi,

Please, I am having problems when trying to print QSL labels on Xmlog from a old log archive (2009), when is added "strange characters" with the QSO information on label.

Any tip?

Thanks.

Wagner Luis
PY1WS
GG87LE

3442. DXPeditions - VK9HR and VK9IR (Lord Howe Is.)

Yahoo group: XMLog
Date: 2011-07-25 23:58:11 UTC
From: w1ect
Topic: 3442 Message: 3442

Here's a couple of new callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

VK9HR, VK9IR - Lord Howe Island(VK9L)

July 23 to August 2, 2011 - http://www.lordhowe2011.com

Mike - W1ECT

3443. bug report - wrong country guess.

Yahoo group: XMLog
Date: 2011-08-01 08:53:55 UTC
From: Bob Vaughan
Topic: 3443 Message: 3443

I have an entry in my logs for KG6I, who is local to me (SF Bay Area), however XMLog guesses that the country is JD1/M Minami Torishima (formerly Marcus Island).

According to the AC6V website, the previous prefix was actually KG6IF, KG6IG and KG6IJ were Iwo Jima, and KG6 was Guam.

Of course, 2x3's beginning with KG6 was assigned in California starting in 2000, and the 2x2's and 2x1's were long gone by then.

3444. Re: bug report - wrong country guess.

Yahoo group: XMLog
Date: 2011-08-01 15:04:22 UTC
From: w1ect
Topic: 3443 Message: 3444

Hi Bob, Thanks... I'll make the change for the next version which will appear at www.xmlog.com/beta as soon as the South Sudan prefixes are assigned by the ITU.

Mike - W1ECT

3445. bug report - 33cm incorrectly reported as 35cm in exported ADIF

Yahoo group: XMLog
Date: 2011-08-02 11:42:41 UTC
From: Bob Vaughan
Topic: 3445 Message: 3445

I exported a ADIF to upload to eQSL, and when I tried uploading it, eQSL spit out the following error:

YYYYMMDD=20100912 HHMM=2002 Call=WA6KLK BAND bad: 35CM

The ADIF record looks like this:

<QSO_DATE:8:D>20100912 <TIME_ON:4>2002 <CALL:6>WA6KLK <FREQ:7>927.500
<BAND:4>35cm <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:2>fm <TX_PWR:2>35 <DXCC:3>291
<COMMENT:10>specra D37 <GRIDSQUARE:4>CM89
<STATION_CALLSIGN:5>AF6RR <OPERATOR:5>AF6RR <MY_CQ_ZONE:2>03 <MY_ITU_ZONE:2>06
<MY_GRIDSQUARE:6>CM87wj <MY_LAT:11>N037 24.200 <MY_LONG:11>W122 09.940
<MY_CITY:8>Stanford <MY_CNTY:14>CA,Santa Clara <MY_STATE:2>CA <MY_COUNTRY:3>291 <EOR>

Note the <BAND:4>35cm

When I changed it to 33cm, it uploaded without errors.

3446. Re: [XMLog] bug report - 33cm incorrectly reported as 35cm in exported ADIF

Yahoo group: XMLog
Date: 2011-08-02 12:06:04 UTC
From: Dave Sergeant
Topic: 3445 Message: 3446

eQSL seem to be wrong. The official spec at
http://www.hosenose.com/adif/adif.html has your 902MHz band as 35cm
(see table half way down). But at eQSL
(http://www.eqsl.cc/qslcard/adifcontentspecs.cfm) you will see it has
33cm for 902-928. You need to raise it with eQSL.

73 Dave G3YMC

On 2 Aug 2011 at 11:42, Bob Vaughan wrote:

> I exported a ADIF to upload to eQSL, and when I tried uploading it, eQSL
> spit out the following error:
>
> YYYYMMDD=20100912 HHMM=2002 Call=WA6KLK BAND bad: 35CM
>
>
> The ADIF record looks like this:
>
> <QSO_DATE:8:D>20100912 <TIME_ON:4>2002 <CALL:6>WA6KLK <FREQ:7>927.500
> <BAND:4>35cm <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:2>fm <TX_PWR:2>35
> <DXCC:3>291 <COMMENT:10>specra D37 <GRIDSQUARE:4>CM89
> <STATION_CALLSIGN:5>AF6RR <OPERATOR:5>AF6RR <MY_CQ_ZONE:2>03
> <MY_ITU_ZONE:2>06 <MY_GRIDSQUARE:6>CM87wj <MY_LAT:11>N037 24.200
> <MY_LONG:11>W122 09.940 <MY_CITY:8>Stanford <MY_CNTY:14>CA,Santa Clara
> <MY_STATE:2>CA <MY_COUNTRY:3>291 <EOR>
>
>
> Note the <BAND:4>35cm
>
> When I changed it to 33cm, it uploaded without errors.
>
>

http://www.davesergeant.com

3447. RE: [XMLog] bug report - 33cm incorrectly reported as 35cm in exported ADIF

Yahoo group: XMLog
Date: 2011-08-02 12:32:42 UTC
From: Dave AA6YQ
Topic: 3445 Message: 3447

The current version of ADIF is 2.27; this version is employed by both eQSL and LotW.

A copy of the current version can be found in

<http://www.dxlabsuite.com/ADIF.htm>

73,

Dave, AA6YQ

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dave Sergeant
Sent: Tuesday, August 02, 2011 8:06 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] bug report - 33cm incorrectly reported as 35cm in exported ADIF

eQSL seem to be wrong. The official spec at http://www.hosenose.com/adif/adif.html has your 902MHz band as 35cm (see table half way down). But at eQSL (http://www.eqsl.cc/qslcard/adifcontentspecs.cfm) you will see it has 33cm for 902-928. You need to raise it with eQSL.

73 Dave G3YMC

On 2 Aug 2011 at 11:42, Bob Vaughan wrote:

> I exported a ADIF to upload to eQSL, and when I tried uploading it, eQSL
> spit out the following error:
>
> YYYYMMDD=20100912 HHMM=2002 Call=WA6KLK BAND bad: 35CM
>
>
> The ADIF record looks like this:
>
> <QSO_DATE:8:D>20100912 <TIME_ON:4>2002 <CALL:6>WA6KLK <FREQ:7>927.500
> <BAND:4>35cm <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:2>fm <TX_PWR:2>35
> <DXCC:3>291 <COMMENT:10>specra D37 <GRIDSQUARE:4>CM89
> <STATION_CALLSIGN:5>AF6RR <OPERATOR:5>AF6RR <MY_CQ_ZONE:2>03
> <MY_ITU_ZONE:2>06 <MY_GRIDSQUARE:6>CM87wj <MY_LAT:11>N037 24.200
> <MY_LONG:11>W122 09.940 <MY_CITY:8>Stanford <MY_CNTY:14>CA,Santa Clara
> <MY_STATE:2>CA <MY_COUNTRY:3>291 <EOR>
>
>
> Note the <BAND:4>35cm

>
> When I changed it to 33cm, it uploaded without errors.
>
>

http://www.davesergeant.com

[Non-text portions of this message have been removed]

3448. Re: bug report - 33cm incorrectly reported as 35cm in exported ADIF

Yahoo group: XMLog
Date: 2011-08-02 13:10:06 UTC
From: Bob Vaughan
Topic: 3445 Message: 3448

Interesting. This is the first time I have ever heard the 902Mhz band referred to as 35cm..
Everything I have seen shows it as 33cm, including the current (v2.2.7) ADIF spec at
http://www.adif.org

http://www.adif.org/ has the versions going back to 2.1.4 (2003), which also shows 33cm.
The version shown on hosenose is v1.0, which is obsolete.

It looks like eQSL adheres to the current spec, as it should.
WriteLog also appears to adhere to the current spec.

If I search online, most references that I find to 35cm band are referencing pirate radio
in Europe in the 860Mhz range.

http://www.wavelengthcalculator.com shows that 902Mhz is 33.2cm,
and 850Mhz is 35.2cm.

I suspect that the original 35cm designation in v1.0 was in error, and it was corrected in
later revisions.

--- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@...> wrote:
>
> eQSL seem to be wrong. The official spec at
> http://www.hosenose.com/adif/adif.html has your 902MHz band as 35cm
> (see table half way down). But at eQSL
> (http://www.eqsl.cc/qslcard/adifcontentspecs.cfm) you will see it has
> 33cm for 902-928. You need to raise it with eQSL.
>
> 73 Dave G3YMC
>
> On 2 Aug 2011 at 11:42, Bob Vaughan wrote:
>
> > I exported a ADIF to upload to eQSL, and when I tried uploading it, eQSL
> > spit out the following error:
> >
> > YYYYMMDD=20100912 HHMM=2002 Call=WA6KLK BAND bad: 35CM
> >
> >
> > The ADIF record looks like this:
> >
> > <QSO_DATE:8:D>20100912 <TIME_ON:4>2002 <CALL:6>WA6KLK <FREQ:7>927.500
> > <BAND:4>35cm <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:2>fm <TX_PWR:2>35
> > <DXCC:3>291 <COMMENT:10>specra D37 <GRIDSQUARE:4>CM89
> > <STATION_CALLSIGN:5>AF6RR <OPERATOR:5>AF6RR <MY_CQ_ZONE:2>03
> > <MY_ITU_ZONE:2>06 <MY_GRIDSQUARE:6>CM87wj <MY_LAT:11>N037 24.200
> > <MY_LONG:11>W122 09.940 <MY_CITY:8>Stanford <MY_CNTY:14>CA,Santa Clara
> > <MY_STATE:2>CA <MY_COUNTRY:3>291 <EOR>

> >
> >
> > Note the <BAND:4>35cm
> >
> > When I changed it to 33cm, it uploaded without errors.
> >
> >
>
>
> http://www.davesergeant.com
>

3449. bug report - date checking fails to find invalid dates on months < 31 days.

Yahoo group: XMLog
Date: 2011-08-04 16:03:45 UTC
From: Bob Vaughan
Topic: 3449 Message: 3449

I made a typo, and entered a couple of qso's as 4/31/11.

XMlog took the dates, and did not complain. I only noticed it when I tried to upload the ADIF to eQSL, and the upload crashed with an invalid date error.

Further tests show that while XMLog will kick out dates >31, it does not check for months of 30 days or less.. For instance, it allowed me to enter 2/31/11 without complaint.

3450. Re: bug report - date checking fails to find invalid dates on months < 31 days.

Yahoo group: XMLog
Date: 2011-08-05 15:45:14 UTC
From: w1ect
Topic: 3449 Message: 3450

Hi Bob, Thanks for the note. I'll include a fix in the next beta version that will be available at www.xmlog.com/beta as soon as the new Southern Sudan prefixes are assigned (hopefully soon).

Mike - W1ECT

3451. Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-16 00:13:16 UTC
From: pvictorious
Topic: 3451 Message: 3451

Is there a way that the awards tracking within XMlog can also track DXCC and WAS based on confirmed contacts in the LotW fields?

It seems to confirm for awards tracking only the ones I have QSL fields filled in.

Thanks for any assistance you might have.
Mike

3452. Re: [XMLog] Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-16 02:18:06 UTC
From: Ken Anderson, N0AS
Topic: 3451 Message: 3452

Are downloading the file from LOTW? Then applying the data to your log? I wasn't clear if you were or not.

Then when you run the DXCC reports, for instance, you need to check "include LOTW confirmations" box.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

On Aug 15, 2011, at 7:13 PM, "pvictorious" <pvictorious@...> wrote:

> Is there a way that the awards tracking within XMlog can also track DXCC and WAS based on confirmed contacts in the LotW fields?
>
> It seems to confirm for awards tracking only the ones I have QSL fields filled in.
>
> Thanks for any assistance you might have.
> Mike
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3453. Re: [XMLog] Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-16 15:05:15 UTC
From: Robert Dixon
Topic: 3451 Message: 3453

Hi Mike: Glad there are some other wise people using Mlog besides me. I use Mlog exclusively for DX contests, etc. but have a spread sheet using Word to keep track of everything. This might be the simpler route. Once info comes in for paper QSL, LotW they are put in the spreadsheet by band and mode. I use one color highlighted for LotW and another highlight for paper once they are worked. When submitted I place an * in the box and when confirmed I exchange the *with an X. This may seem cumbersome but it works. GL on your search.

73 Bob, W8HGH
----- Original Message -----
From: pvictorious<mailto:pvictorious@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Monday, August 15, 2011 8:13 PM
Subject: [XMLog] Credit for LotW contacts

Is there a way that the awards tracking within XMlog can also track DXCC and WAS based on confirmed contacts in the LotW fields?

It seems to confirm for awards tracking only the ones I have QSL fields filled in.

Thanks for any assistance you might have.
Mike

[Non-text portions of this message have been removed]

3454. Re: [XMLog] Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-16 15:21:03 UTC
From: Robert Dixon
Topic: 3451 Message: 3454

Hi Ken: Tnx fr the tip. I use an old version of Mlog so this might not work. Glad we have this thread to get help from other ops.

73, Bob, W8HGH

----- Original Message -----
From: Ken Anderson, N0AS<mailto:wheels247@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Cc: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Monday, August 15, 2011 10:18 PM
Subject: Re: [XMLog] Credit for LotW contacts

Are downloading the file from LOTW? Then applying the data to your log? I wasn't clear if you were or not.

Then when you run the DXCC reports, for instance, you need to check "include LOTW confirmations" box.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

On Aug 15, 2011, at 7:13 PM, "pvictorious" <pvictorious@...<mailto:pvictorious@...>> wrote:

> Is there a way that the awards tracking within XMlog can also track DXCC and WAS based on confirmed contacts in the LotW fields?
>
> It seems to confirm for awards tracking only the ones I have QSL fields filled in.
>
> Thanks for any assistance you might have.
> Mike
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

3455. Re: Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-16 15:29:41 UTC
From: Dave Sergeant
Topic: 3451 Message: 3455

That seems decidedly cumbersome.

It is easy to get XMLog to just show LOTW confirmations. Assuming you have downloaded all your LOTW confirmations and imported them into XMLog - press select and type a date into the LoTW Rcvd box - I use 1/1/1 which predates when LOTW started. That will grab just the LOTW confirmations, which you can access via the normal Awards menu.

All 57,000 of my QSOs since I started in 1969 are in XMLOg, there is no need to have any separate place for them.

73 Dave G3YMC

On 16 Aug 2011 at 11:05, Robert Dixon wrote:

> Hi Mike: Glad there are some other wise people using Mlog besides me. I
> use Mlog exclusively for DX contests, etc. but have a spread sheet
> using Word to keep track of everything. This might be the simpler
> route. Once info comes in for paper QSL, LotW they are put in the
> spreadsheet by band and mode. I use one color highlighted for LotW and
> another highlight for paper once they are worked. When submitted I place
> an * in the box and when confirmed I exchange the *with an X. This may
> seem cumbersome but it works. GL on your search.
>

http://www.davesergeant.com

3456. Re: Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-17 12:58:13 UTC
From: Michael Pooler
Topic: 3451 Message: 3456

I don't know how I missed that check box all these years but that accomplished what I was looking for.
Thanks for the comments and assistance.

Mike NM5P

>Are downloading the file from LOTW? Then applying the data to your log? I wasn't clear if you were or not.

>Then when you run the DXCC reports, for instance, you need to check "include LOTW confirmations" box.

>Ken
>Amateur Radio Callsign: N0AS

>Irritating nearly everyone since 1956.

[Non-text portions of this message have been removed]

3457. Re: Credit for LotW contacts

Yahoo group: XMLog
Date: 2011-08-17 18:47:44 UTC
From: w1ect
Topic: 3451 Message: 3457

Hi, If you want to create reports for QSOs that have been confirmed by LoTW first do a log search using a key of != for the "LoTW Rcvd" field and then choose the "Currently selected log entries" option from the report dialog box.

You can also generate reports for QSOs that have only be confirmed by LoTW and not by a QSL card by using a key of != for the "LoTW Rcvd" and a key of = for the "QSL Rcvd" field.

Mike - W1ECT

3458. DXPeditions - 3D2R (Rotuma Is.)

Yahoo group: XMLog
Date: 2011-08-18 16:08:22 UTC
From: w1ect
Topic: 3458 Message: 3458

Here's another callsign to add to the special calls list using the
"View/Show Callsign List" menu item:

3D2R - Rotuma Island (3D2/R) - http://www.yt1ad.info/3d2r

Also add these two new FJL callsigns:

RI1FJA, RI1FJL - Franz Josef Land (R1FJ)

Mike - W1ECT

3459. DXPeditions - E51AND (South Cook Is.)

Yahoo group: XMLog
Date: 2011-09-01 19:31:46 UTC
From: w1ect
Topic: 3459 Message: 3459

Here's another callsign to add to the special calls list using the
"View/Show Callsign List" menu item:

E51AND - South Cook Islands (E5/S)

http://dx-world.net/2011/e51and-rarotonga/

Mike - W1ECT

3460. Tempoarary Hack for Southern Sudan

Yahoo group: XMLog
Date: 2011-09-04 18:23:19 UTC
From: w1ect
Topic: 3460 Message: 3460

Since the ITU has yet to assign a prefix block for Southern Sudan I've created a version of XMLog that defines a temporary Main Preix/Country ID of "QQ" for Southern Sudan. This version is available at www.xmlog.com/beta

Any QSOs with ST0R will be automatically updated to this prefix which will allow DXCC tracking for this new country.

When the ITU assigns a prefix block I'll make another XMLog version available that will convert any "QQ" entries to the ITU prefix.

Mike - W1ECT

3461. Rig response issues again.

Yahoo group: XMLog
Date: 2011-09-04 21:53:46 UTC
From: mefazamy
Topic: 3461 Message: 3461

Several times over the past 6 years you helped me with rig response issues- "Rig response to get Freq/Mode too short, received 3 expected 38." Recently, my hard drive failed (with XP) and I now have a Vista OS. I get no communication between my TS-480 and XMLog. I need help with getting XMLog back.

73,
Evan

3462. Re: Rig response issues again.

Yahoo group: XMLog
Date: 2011-09-05 15:10:33 UTC
From: w1ect
Topic: 3461 Message: 3462

Hi Evan, First make sure the baud rate setting for XMLog agrees with the 480 setting. Check the 480's "Com Port" menu item and XMLog's "Options/HF Rig Port Select" menu item. I believe the default value for the 480 is 9600 baud.

Mike - W1ECT

3463. Re: Rig response issues again.

Yahoo group: XMLog
Date: 2011-09-05 16:09:34 UTC
From: mefazamy
Topic: 3461 Message: 3463

Tnx Mike. By trial and error I got it working somewhat. However, I have to click on everything: date, time, freq, mode.

On my old computer every time I started up all that appeared. So, there seems to be communication issues.

>Evan

3464. Re: [XMLog] Re: Rig response issues again.

Yahoo group: XMLog
Date: 2011-09-05 17:14:48 UTC
From: W3GERry
Topic: 3461 Message: 3464

> ...I have to click on everything: date, time, freq, mode.
>On my old computer every time I started up all that appeared. So, there
>seems to be communication issues.

On the EDIT menu, have you selected USE DEFAULTS FOR NEW ENTRIES ?

73 de W3GERry

[Non-text portions of this message have been removed]

3465. RE: [XMLog] Re: Rig response issues again.

Yahoo group: XMLog
Date: 2011-09-06 00:25:31 UTC
From: Kevin Nathan
Topic: 3461 Message: 3465

Hi Evan,

Gerry's question is the same as mine. It sounds as if it's been a while since you had to set up XMLog. Choose use defaults for new entries on the edit menu and th4en edit your defaults items the way you want them.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of mefazamy
Sent: Monday, September 05, 2011 09:10
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Rig response issues again.

Tnx Mike. By trial and error I got it working somewhat. However, I have to click on everything: date, time, freq, mode.

On my old computer every time I started up all that appeared. So, there seems to be communication issues.

>Evan

[Non-text portions of this message have been removed]

3466. Free callbook

Yahoo group: XMLog
Date: 2011-09-10 16:51:52 UTC
From: David Spoelstra
Topic: 3466 Message: 3466

Mike-

I ran across this free callbook (www.hamqth.com) that was developed
when QRZ.com started charging for logging programs to lookup data.
It's now got data for 1,310,456 callsigns in it!

The author has developed a simple XML interface for developers to
query for data (http://www.hamqth.com/developers.php).

I thought that maybe you might be interested in supporting this method
as a free way to get logbook data?

Thank!
-David, N9KT

3467. Re: Free callbook

Yahoo group: XMLog
Date: 2011-09-11 15:46:30 UTC
From: w1ect
Topic: 3466 Message: 3467

Hi David, Thanks for the lead - I'll check it out...

Mike - W1ECT

3468. Newbie question..How to bring in data from qrz with least keystrokes

Yahoo group: XMLog
Date: 2011-09-12 16:09:48 UTC
From: David
Topic: 3468 Message: 3468

Can I set up the program to bring in all of the data from QRZ to fill the fields by just filling in the call field?

Right now I am using the pull down menu, but I have to belive there is a quicker way.

Any help would be welcome.

David

3469. Re: Newbie question..How to bring in data from qrz with least keystrokes

Yahoo group: XMLog
Date: 2011-09-13 16:24:40 UTC
From: w1ect
Topic: 3468 Message: 3469

Hi David, "Ctrl+F" should do the job. You can make this automatic by choosing the "Edit/Edit Defaults For New Entries" menu item and setting the "Get Info From Callbook" option. Then you can control the action by setting/un-setting the "Edit/Use Defaults For New Entries" menu item option (the menu item line will include a checkmark when enabled).

Mike - W1ECT

--- In XMLog@yahoogroups.com, "David" <davidcuttler@...> wrote:
>
> Can I set up the program to bring in all of the data from QRZ to fill the fields by just filling in the call field?
>
> Right now I am using the pull down menu, but I have to belive there is a quicker way.
>
> Any help would be welcome.
>
> David
>

3470. Slashed Zero

Yahoo group: XMLog
Date: 2011-09-13 20:07:41 UTC
From: n5ftr@swbell.net
Topic: 3470 Message: 3470

Greetings,

I have been trying to get my CUSTOM label setup to show a slashed zero when I print my QSL labels. I have ProFontWindows font (it has a slashed zero) installed on my computer and have gone to the place in XMLog where I change the settings for my custom label. I change the settings for the fields to ProFontWindows and save them. When I go back to that place in XMLog they show to still be the slashed zero font. However, when I print a label there is NO change to any fields. Can someone help me out? I am very frustrated as I have been trying to make this change for a while now. Appreciate any help, for sure.

73,
Buzz - NI5DX

3471. help pse

Yahoo group: XMLog
Date: 2011-09-19 19:55:23 UTC
From: Steve Litwins
Topic: 3471 Message: 3471

2 questions...
(1) I forgot how to create a 'node' file whereas one can hit F5 and quickly recover from a telnet dropout. Can somebody pse step me through this?
(2) My 'keep-alive' does not seem to work...any help or suggestions?
steve, k8wk
****

3472. Re: help pse

Yahoo group: XMLog
Date: 2011-09-19 20:21:46 UTC
From: w1ect
Topic: 3471 Message: 3472

Hi Steve, Here's what I use for K1EA

```
rem
rem Internet DXSpider PacketCluster at K1EA
rem
connect dxc.k1ea.com 7300
match login:
send #me
match de K1EA
send set/page 0
send sh/fdx/25
```

Check the documentation for node files for more info.

You can play with the "keep-alive" function using the "Options/Packet Options and Port Selection" menu. Different cluster nodes have different requirements so let us know what kind of problem you have with a specific node.

Mike - W1ECT

3473. Re: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-19 21:06:53 UTC
From: Steve Litwins
Topic: 3471 Message: 3473

Tks Mike;
It's not the format of the node file that I need Mike, it's how to create the file and the process to use (naming and saving) it after creating that has me stumped. I now have xmlog running on 2 PCs in the house. I've done this in order to trouble-shoot and gather data because of a cable drop-out problem I have with ISP that is causing way too many drop-outs which causes telnet to stop. I set the node file up on this PC a long time ago when I first got xmlog and cannot remember how to do it. I think I used notepad (I'm running XP) and saved using 'save as' naming the file k3lr.nod and saved that into mlog folder. That worked ok on this pc but when I attempt to do the same on the 2nd PC even though I saved it in mlog as w9zrx.nod, mlog treats it like it's a text file instead of a *.nod file and I get an error box that says cannot find w9zrx.nod. Any clues as to what I'm doing wrong on that 2nd PC? As far as the keep alive I use "show/wwv/1" on the main PC and that doesn't seem to work. I'm going to try a blank line and see if that does the trick. Any ideas?
steve, k8wk
****
----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Monday, September 19, 2011 15:21
Subject: [XMLog] Re: help pse

Hi Steve, Here's what I use for K1EA

rem
rem Internet DXSpider PacketCluster at K1EA
rem
connect dxc.k1ea.com 7300
match login:
send #me
match de K1EA
send set/page 0
send sh/fdx/25

Check the documentation for node files for more info.

You can play with the "keep-alive" function using the "Options/Packet Options and Port Selection" menu. Different cluster nodes have different requirements so let us know what kind of problem you have with a specific node.

Mike - W1ECT

[Non-text portions of this message have been removed]

3474. Re: help pse

Yahoo group: XMLog
Date: 2011-09-20 14:21:20 UTC
From: w1ect
Topic: 3471 Message: 3474

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

3475. Re: Newbie question..How to bring in data from qrz with least keystrokes

Yahoo group: XMLog
Date: 2011-09-20 17:06:36 UTC
From: David
Topic: 3468 Message: 3475

Mike,

Thanks. That did it. I was looking for a simple (easy to use) logging program, and this looks like it will do all that I will need. I am using an older rig without any computer control, so some of the features are not needed, but that does not detract from its overall utility.

It also runs very well on Vista, and I cannot say that about many other programs.

Thank's again.

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi David, "Ctrl+F" should do the job. You can make this automatic by choosing the "Edit/Edit Defaults For New Entries" menu item and setting the "Get Info From Callbook" option. Then you can control the action by setting/un-setting the "Edit/Use Defaults For New Entries" menu item option (the menu item line will include a checkmark when enabled).
>
> Mike - W1ECT
>
> --- In XMLog@yahoogroups.com, "David" <davidcuttler@> wrote:
> >
> > Can I set up the program to bring in all of the data from QRZ to fill the fields by just filling in the call field?
> >
> > Right now I am using the pull down menu, but I have to belive there is a quicker way.
> >
> > Any help would be welcome.
> >
> > David
> >
>

3476. Re: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-20 21:06:13 UTC
From: Steve Litwins
Topic: 3471 Message: 3476

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable trouble-shoot a cable problem they are having. I even used the same exact wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the node to sync with the 2nd (different) telnet node I was using there...weird... You know Mike, how in mlog folder it calls the *.nod files NOD files...well on the 2nd PC even though its identical to what I have here on this is PC, the mlog folder calls the *.nod file a text file...not NOD! must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

3477. RE: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-21 16:48:12 UTC
From: Craig Bradley
Topic: 3471 Message: 3477

I was having a lot of disconnects also (I am using DSL) and I finally traced it to my broad band router. I upgraded the firmware in the router and the problem went away. The notes for the firmware upgrade said that there was a fix for online gaming disconnects. It seems like the gamers have the same problem.

My router is Netgear N600. You might check to see if there are upgrades for yours. The Netgear's ask if you want to check for upgrades when you log into it.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable trouble-shoot a cable problem they are having. I even used the same exact wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the node to sync with the 2nd (different) telnet node I was using there...weird... You know Mike, how in mlog folder it calls the *.nod files NOD files...well on the 2nd PC even though its identical to what I have here on this is PC, the mlog folder calls the *.nod file a text file...not NOD! must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3478. Re: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-21 17:36:41 UTC
From: Steve Litwins
Topic: 3471 Message: 3478

Hey Craig;
That may be the answer. How did u do the upgrade? My router is a new one. A dlink. But the dongle on the PC is a net gear. I notice that I get disconnects in the evening but not during the day. Ring any bells?
steve, k8wk
****

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Wednesday, September 21, 2011 11:48
Subject: RE: [XMLog] Re: help pse

I was having a lot of disconnects also (I am using DSL) and I finally traced it to my broad band router. I upgraded the firmware in the router and the problem went away. The notes for the firmware upgrade said that there was a fix for online gaming disconnects. It seems like the gamers have the same problem.

My router is Netgear N600. You might check to see if there are upgrades for yours. The Netgear's ask if you want to check for upgrades when you log into it.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable trouble-shoot a cable problem they are having. I even used the same exact wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the node to sync with the 2nd (different) telnet node I was using there...weird... You know Mike, how in mlog folder it calls the *.nod files NOD files...well on the 2nd PC even though its identical to what I have here on this is PC, the mlog folder calls the *.nod file a text file...not NOD! must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21

Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3479. RE: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-21 18:34:18 UTC
From: Benny Owens
Topic: 3471 Message: 3479

PHONE COMPANY REPLACED THE DSL MODEM AND MY PROBLEM WAS FIXED.

73
BENNY K5KV

[Non-text portions of this message have been removed]

3480. RE: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-23 06:19:13 UTC
From: Craig Bradley
Topic: 3471 Message: 3480

Steve,

Log into the router and look for any commands to check for upgrades (there should be something in your manual). Most routers will go to the company's web site and check for upgrades. My Netgear found the upgrade and asked if I wanted to install it. I said yes and it downloaded the file and upgraded itself. If all else fails call their tech support. This is worth a try as it fixed my problem.

There could be more activity on your internet connection in the evenings. I was getting disconnects several times per hour which stated right after I got a new router.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Litwins
Sent: Wednesday, September 21, 2011 10:37 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

Hey Craig;
That may be the answer. How did u do the upgrade? My router is a new one. A dlink. But the dongle on the PC is a net gear. I notice that I get disconnects in the evening but not during the day. Ring any bells?
steve, k8wk
****

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, September 21, 2011 11:48
Subject: RE: [XMLog] Re: help pse

I was having a lot of disconnects also (I am using DSL) and I finally traced it to my broad band router. I upgraded the firmware in the router and the problem went away. The notes for the firmware upgrade said that there was a fix for online gaming disconnects. It seems like the gamers have the same problem.

My router is Netgear N600. You might check to see if there are upgrades for yours. The Netgear's ask if you want to check for upgrades when you log into it.

- Craig

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate
the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable
trouble-shoot a cable problem they are having. I even used the same exact
wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the
node to sync with the 2nd (different) telnet node I was using
there...weird... You know Mike, how in mlog folder it calls the *.nod files
NOD files...well on the 2nd PC even though its identical to what I have here
on this is PC, the mlog folder calls the *.nod file a text file...not NOD!
must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor
like NotePad or WordPad to create them. Save the file in your XMLog install
folder and save it with an extension of .nod and you should see it included
in the list displayed when you do an F5 (Connect/Start Node File) from the
Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3481. Re: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-27 13:50:55 UTC
From: Steve Litwins
Topic: 3471 Message: 3481

Tks Craig;
I'm going to try and up-grade the sw for the new router. I think your suggestion may be the key to the problem. Will get back to u w/info when I do the job. Tnx agn...73/dx
steve, k8wk
****
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Friday, September 23, 2011 01:19
Subject: RE: [XMLog] Re: help pse

Steve,

Log into the router and look for any commands to check for upgrades (there should be something in your manual). Most routers will go to the company's web site and check for upgrades. My Netgear found the upgrade and asked if I wanted to install it. I said yes and it downloaded the file and upgraded itself. If all else fails call their tech support. This is worth a try as it fixed my problem.

There could be more activity on your internet connection in the evenings. I was getting disconnects several times per hour which stated right after I got a new router.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Litwins
Sent: Wednesday, September 21, 2011 10:37 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

Hey Craig;
That may be the answer. How did u do the upgrade? My router is a new one. A dlink. But the dongle on the PC is a net gear. I notice that I get disconnects in the evening but not during the day. Ring any bells?
steve, k8wk
****

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, September 21, 2011 11:48
Subject: RE: [XMLog] Re: help pse

I was having a lot of disconnects also (I am using DSL) and I finally traced it to my broad band router. I upgraded the firmware in the router and the problem went away. The notes for the firmware upgrade said that there was a fix for online gaming disconnects. It seems like the gamers have the same problem.

My router is Netgear N600. You might check to see if there are upgrades for yours. The Netgear's ask if you want to check for upgrades when you log into it.

- Craig

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable trouble-shoot a cable problem they are having. I even used the same exact wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the node to sync with the 2nd (different) telnet node I was using there...weird... You know Mike, how in mlog folder it calls the *.nod files NOD files...well on the 2nd PC even though its identical to what I have here on this is PC, the mlog folder calls the *.nod file a text file...not NOD! must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3482. RE: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-27 14:21:03 UTC
From: Craig Bradley
Topic: 3471 Message: 3482

Good luck Steve!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Steve Litwins
Sent: Tuesday, September 27, 2011 6:51 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

Tks Craig;
I'm going to try and up-grade the sw for the new router. I think your
suggestion may be the key to the problem. Will get back to u w/info when I
do the job. Tnx agn...73/dx
steve, k8wk
****
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Friday, September 23, 2011 01:19
Subject: RE: [XMLog] Re: help pse

Steve,

Log into the router and look for any commands to check for upgrades (there
should be something in your manual). Most routers will go to the company's
web site and check for upgrades. My Netgear found the upgrade and asked if
I wanted to install it. I said yes and it downloaded the file and upgraded
itself. If all else fails call their tech support. This is worth a try as
it fixed my problem.

There could be more activity on your internet connection in the evenings. I
was getting disconnects several times per hour which stated right after I
got a new router.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Wednesday, September 21, 2011 10:37 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>

Subject: Re: [XMLog] Re: help pse

Hey Craig;
That may be the answer. How did u do the upgrade? My router is a new one. A dlink. But the dongle on the PC is a net gear. I notice that I get disconnects in the evening but not during the day. Ring any bells?
steve, k8wk
****

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, September 21, 2011 11:48
Subject: RE: [XMLog] Re: help pse

I was having a lot of disconnects also (I am using DSL) and I finally traced it to my broad band router. I upgraded the firmware in the router and the problem went away. The notes for the firmware upgrade said that there was a fix for online gaming disconnects. It seems like the gamers have the same problem.

My router is Netgear N600. You might check to see if there are upgrades for yours. The Netgear's ask if you want to check for upgrades when you log into it.

- Craig

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable trouble-shoot a cable problem they are having. I even used the same exact wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the node to sync with the 2nd (different) telnet node I was using there...weird... You know Mike, how in mlog folder it calls the *.nod files NOD files...well on the 2nd PC even though its identical to what I have here on this is PC, the mlog folder calls the *.nod file a text file...not NOD! must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3483. Re: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-29 14:47:01 UTC
From: Steve Litwins
Topic: 3471 Message: 3483

That was perfect advice Craig! I called tech help at D-Link and they seemed to know exactly what the problem was... They helped me change a buncha settings on the router, and that seemed (so far) to do the trick! Much obliged sir...73/dx
steve, k8wk
****
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com
Sent: Tuesday, September 27, 2011 09:21
Subject: RE: [XMLog] Re: help pse

Good luck Steve!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Litwins
Sent: Tuesday, September 27, 2011 6:51 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

Tks Craig;
I'm going to try and up-grade the sw for the new router. I think your suggestion may be the key to the problem. Will get back to u w/info when I do the job. Tnx agn...73/dx
steve, k8wk
****
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Friday, September 23, 2011 01:19
Subject: RE: [XMLog] Re: help pse

Steve,

Log into the router and look for any commands to check for upgrades (there should be something in your manual). Most routers will go to the company's web site and check for upgrades. My Netgear found the upgrade and asked if I wanted to install it. I said yes and it downloaded the file and upgraded itself. If all else fails call their tech support. This is worth a try as it fixed my problem.

There could be more activity on your internet connection in the evenings. I was getting disconnects several times per hour which stated right after I got a new router.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Wednesday, September 21, 2011 10:37 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Hey Craig;
That may be the answer. How did u do the upgrade? My router is a new one. A
dlink. But the dongle on the PC is a net gear. I notice that I get
disconnects in the evening but not during the day. Ring any bells?
steve, k8wk
****

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, September 21, 2011 11:48
Subject: RE: [XMLog] Re: help pse

I was having a lot of disconnects also (I am using DSL) and I finally traced
it to my broad band router. I upgraded the firmware in the router and the
problem went away. The notes for the firmware upgrade said that there was a
fix for online gaming disconnects. It seems like the gamers have the same
problem.

My router is Netgear N600. You might check to see if there are upgrades for
yours. The Netgear's ask if you want to check for upgrades when you log
into it.

- Craig

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate
the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable
trouble-shoot a cable problem they are having. I even used the same exact
wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the

node to sync with the 2nd (different) telnet node I was using
there...weird... You know Mike, how in mlog folder it calls the *.nod files
NOD files...well on the 2nd PC even though its identical to what I have here
on this is PC, the mlog folder calls the *.nod file a text file...not NOD!
must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor
like NotePad or WordPad to create them. Save the file in your XMLog install
folder and save it with an extension of .nod and you should see it included
in the list displayed when you do an F5 (Connect/Start Node File) from the
Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3484. RE: [XMLog] Re: help pse

Yahoo group: XMLog
Date: 2011-09-30 05:02:16 UTC
From: Craig Bradley
Topic: 3471 Message: 3484

Good news. The gamers have "paved the way" for us. The router people would never have bothered to figure on the problem just for a few dinosaur hams.

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Steve Litwins
Sent: Thursday, September 29, 2011 7:47 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: help pse

That was perfect advice Craig! I called tech help at D-Link and they seemed to know exactly what the problem was... They helped me change a buncha settings on the router, and that seemed (so far) to do the trick! Much obliged sir...73/dx
steve, k8wk
****
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 27, 2011 09:21
Subject: RE: [XMLog] Re: help pse

Good luck Steve!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Steve Litwins
Sent: Tuesday, September 27, 2011 6:51 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Tks Craig;
I'm going to try and up-grade the sw for the new router. I think your suggestion may be the key to the problem. Will get back to u w/info when I do the job. Tnx agn...73/dx
steve, k8wk
****
----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>

Sent: Friday, September 23, 2011 01:19
Subject: RE: [XMLog] Re: help pse

Steve,

Log into the router and look for any commands to check for upgrades (there should be something in your manual). Most routers will go to the company's web site and check for upgrades. My Netgear found the upgrade and asked if I wanted to install it. I said yes and it downloaded the file and upgraded itself. If all else fails call their tech support. This is worth a try as it fixed my problem.

There could be more activity on your internet connection in the evenings. I was getting disconnects several times per hour which stated right after I got a new router.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Wednesday, September 21, 2011 10:37 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Hey Craig;
That may be the answer. How did u do the upgrade? My router is a new one. A dlink. But the dongle on the PC is a net gear. I notice that I get disconnects in the evening but not during the day. Ring any bells?
steve, k8wk
****

----- Original Message -----
From: Craig Bradley
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, September 21, 2011 11:48
Subject: RE: [XMLog] Re: help pse

I was having a lot of disconnects also (I am using DSL) and I finally traced it to my broad band router. I upgraded the firmware in the router and the problem went away. The notes for the firmware upgrade said that there was a fix for online gaming disconnects. It seems like the gamers have the same problem.

My router is Netgear N600. You might check to see if there are upgrades for yours. The Netgear's ask if you want to check for upgrades when you log into it.

- Craig

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of
Steve Litwins
Sent: Tuesday, September 20, 2011 2:06 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Re: help pse

Yup...Mike; that is exactly what I have done. In fact, I tried to duplicate the set-up on this PC on the 2nd PC in order to help local ISP Cox Cable trouble-shoot a cable problem they are having. I even used the same exact wee prog I wrote in NotePad for this PC on the 2nd PC 'cept I changed the node to sync with the 2nd (different) telnet node I was using there...weird... You know Mike, how in mlog folder it calls the *.nod files NOD files...well on the 2nd PC even though its identical to what I have here on this is PC, the mlog folder calls the *.nod file a text file...not NOD! must be Murphy agn...
steve, k8wk
****

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, September 20, 2011 09:21
Subject: [XMLog] Re: help pse

Hi Steve, Node files are just simple text files so you can use a text editor like NotePad or WordPad to create them. Save the file in your XMLog install folder and save it with an extension of .nod and you should see it included in the list displayed when you do an F5 (Connect/Start Node File) from the Packet Window.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3485. DXCC submission

Yahoo group: XMLog
Date: 2011-10-11 01:09:50 UTC
From: Ken Anderson, N0AS
Topic: 3485 Message: 3485

I'm trying to generate a submission report for new/band countries that are confirmed ONLY by card. That is, there is no LOTW confirmation. So far, no luck.

I'll be making a combined LOTW and card DXCC submission and want to avoid duplicates.

How do I get a "card only" submission report in mlog?

Thanks!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org

3486. Re: [XMLog] DXCC submission

Yahoo group: XMLog
Date: 2011-10-11 01:43:14 UTC
From: WILLIS COOKE
Topic: 3485 Message: 3486

Have you tried doing a sort on the card received date field then a dxcc report? Of course, this field must be accurate to work. If you want only contacts with the LOTW field empty do a sort with the card field date more than your start date and only an equal sign in the LOTW field.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: "Ken Anderson, N0AS" <wheels247@...>
To: "XMLog@yahoogroups.com" <XMLog@yahoogroups.com>
Sent: Monday, October 10, 2011 8:09 PM
Subject: [XMLog] DXCC submission

I'm trying to generate a submission report for new/band countries that are confirmed ONLY by card. That is, there is no LOTW confirmation. So far, no luck.

I'll be making a combined LOTW and card DXCC submission and want to avoid duplicates.

How do I get a "card only" submission report in mlog?

Thanks!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org

[Non-text portions of this message have been removed]

3487. Re: [XMLog] DXCC submission

Yahoo group: XMLog
Date: 2011-10-11 02:11:12 UTC
From: Ken Anderson, N0AS
Topic: 3485 Message: 3487

Got it! Thanks Willis and Benny!

Create a subset using "= " in the LOTW received field and "!= " in the QSL received field.

I wasn't thinking of creating a subset. DUH! I was stuck on the report options screen and trying to do something there.

Thanks!!!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org

On Oct 10, 2011, at 8:43 PM, WILLIS COOKE <wrcooke@...> wrote:

> Have you tried doing a sort on the card received date field then a dxcc report? Of course, this field must be accurate to work. If you want only contacts with the LOTW field empty do a sort with the card field date more than your start date and only an equal sign in the LOTW field.
>
>
> Willis 'Cookie' Cooke
> K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart
>
>
> _____
> From: "Ken Anderson, N0AS" <wheels247@...>
> To: "XMLog@yahoogroups.com" <XMLog@yahoogroups.com>
> Sent: Monday, October 10, 2011 8:09 PM
> Subject: [XMLog] DXCC submission
>
>
>
>
>
>
> I'm trying to generate a submission report for new/band countries that are confirmed ONLY by card. That is, there is no LOTW confirmation. So far, no luck.
>
> I'll be making a combined LOTW and card DXCC submission and want to avoid duplicates.
>
> How do I get a "card only" submission report in mlog?

>
> Thanks!
>
> Ken
> Amateur Radio Callsign: N0AS
>
> Irritating nearly everyone since 1956.
>
> ARRL: arrl.org
> Twin City DX Association: tcdxa.org
> INDEXA: indexa.org
> FISTS: fists.org
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3488. Winusb use in XMLog

Yahoo group: XMLog
Date: 2011-10-11 00:37:50 UTC
From: partrickjerry
Topic: 3488 Message: 3488

I am not very computer literate and some months ago, built the Winusb kit. It seems to work fine in CW but I can't seem to retrieve the Callsign or Frequency when I add a contact and I must do that by hand. I can retreive the time and date by double clicking.

Where must I go from here to learn how to retrieve the Call Sign and Frequency from my Kenwood 940s?

Any help would be much appreciated. Thanks, Jerry, KB4FP

3489. Re: [XMLog] Winusb use in XMLog

Yahoo group: XMLog
Date: 2011-10-11 15:13:34 UTC
From: WILLIS COOKE
Topic: 3488 Message: 3489

On the log screen select Options then the first option on the pull down. This will allow you to have the time and frequency automatically inserted. This is an XMlog function and has nothing to do with Winusb, but requires a serial connection to your transceiver and a transceiver that offers this capability. You can also tune a frequency by clicking on the Telnet screen when you are connected to a cluster. The Winusb will accept an ASCII message from XMlog and translate it into Morse for you and key your transceiver. I am not sure what is required for your 940, but I know you need an outboard serial port for the TS-850S. You may be trying to get functions that will require that you purchase a more modern transceiver. The 940 is almost an antique as is the TS-850. I did purchase the serial add on for the TS-850 and it worked fine with my DOS computer, but I have not been able to sort out the power supplies and cables lately. I purchased a K3 an it works well with the K3.

Transceivers are getting to be like computers. If you want all the modern functions you need new equipment about every five years.

I realize that this message sounds pretty rude, but I don't know how else to state the essentials briefly. I appologize if it is offensive to you. Good luck and 73.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: partrickjerry <partrickjerry@...>
To: XMLog@yahoogroups.com
Sent: Monday, October 10, 2011 7:37 PM
Subject: [XMLog] Winusb use in XMLog

I am not very computer literate and some months ago, built the Winusb kit. It seems to work fine in CW but I can't seem to retrieve the Callsign or Frequency when I add a contact and I must do that by hand. I can retreive the time and date by double clicking.

Where must I go from here to learn how to retrieve the Call Sign and Frequency from my Kenwood 940s?

Any help would be much appreciated. Thanks, Jerry, KB4FP

[Non-text portions of this message have been removed]

3490. Re: Winusb use in XMLog

Yahoo group: XMLog
Date: 2011-10-11 23:14:07 UTC
From: partrickjerry
Topic: 3488 Message: 3490

Not at all abrasive but rather very helpful, clear and appreciated. As I said... I'm old...like my equipment... old also. Thank you. Don't know how I made it to advanced class.... Hope the FCC doesn't read this... they may downgrade me to novice again.

I would like to know if anyone with a ts940s has any experience with this? Thanks, Jerry, KB4FP

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
> On the log screen select Options then the first option on the pull down.Â This will allow you to have the time and frequency automatically inserted.Â This is an XMlog function and has nothing to do with Winusb, but requires a serial connection to your transceiver and a transceiver that offers this capability.Â Â You can also tune a frequency by clicking on the Telnet screen when you are connected to a cluster.Â The Winusb will accept an ASCII message from XMlog and translate it into Morse for you and key your transceiver.Â I am not sure what is required for your 940, but I know you need an outboard serial port for the TS-850S.Â You may be trying to get functions that will require that you purchase a more modern transceiver.Â The 940 is almost an antique as is the TS-850.Â I did purchase the serial add on for the TS-850 and it worked fine with my DOS computer, but I have not been able to sort out the power supplies and cables lately.Â I purchased
> a K3 an it works well with the K3.
> Â
> Transceivers are getting to be like computers.Â If you want all the modern functions you need new equipment about every five years.Â
> Â
> I realize that this message sounds pretty rude, but I don't know how else to state the essentials briefly.Â I appologize if it is offensive to you.Â Good luck and 73.
>
> Willis 'Cookie' Cooke
> K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart
>
>
> _____
> From: partrickjerry <partrickjerry@...>
> To: XMLog@yahoogroups.com
> Sent: Monday, October 10, 2011 7:37 PM
> Subject: [XMLog] Winusb use in XMLog
>
>
>
> Â
>
> I am not very computer literate and some months ago, built the Winusb kit. It seems to work fine in CW but I can't seem to retrieve the Callsign or Frequency when I add a contact

and I must do that by hand. I can retreive the time and date by double clicking.
>
> Where must I go from here to learn how to retrieve the Call Sign and Frequency from my Kenwood 940s?
>
> Any help would be much appreciated. Thanks, Jerry, KB4FP
>
>
>
>
> [Non-text portions of this message have been removed]
>

3491. Re: Winusb use in XMLog

Yahoo group: XMLog
Date: 2011-10-12 14:59:51 UTC
From: w1ect
Topic: 3488 Message: 3491

Hi Jerry, Many older radios didn't include computer control (CAT) as a standard feature and an option had to be installed to support it. I did a bit of checking on the web and it seems the TS-940 falls into this category and requires an optional IF-10B board to be installed. It may be a challenge to find one of these or find someone who makes an equivalent replacement. Once the feature was installed you had to buy an external interface box (an IF-232C) that went between the rig and a serial (COM) port on your PC. Fortunately several companies provide replacements for these devices and they connect to USB ports on your PC rather than serial ports. Here's one I found on eBay but I know there are other companies out there that make equivalents (may someone out there has had experience with another brand):

http://www.ebay.com/itm/6-USB-CAT-cable-Kenwood-TS-440s-TS-940s-TS-850-TS-950-/310346743670?pt=LH_DefaultDomain_2&hash=item48421b7f76

Mike - W1ECT

3492. Re: Winusb use in XMLog

Yahoo group: XMLog
Date: 2011-10-12 23:14:11 UTC
From: partrickjerry
Topic: 3488 Message: 3492

Thanks Mike... One of the problems of gettin' old... both me and the rig.... Jerry

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Jerry, Many older radios didn't include computer control (CAT) as a standard feature and an option had to be installed to support it. I did a bit of checking on the web and it seems the TS-940 falls into this category and requires an optional IF-10B board to be installed. It may be a challenge to find one of these or find someone who makes an equivalent replacement. Once the feature was installed you had to buy an external interface box (an IF-232C) that went between the rig and a serial (COM) port on your PC. Fortunately several companies provide replacements for these devices and they connect to USB ports on your PC rather than serial ports. Here's one I found on eBay but I know there are other companies out there that make equivalents (may someone out there has had experience with another brand):
>
> http://www.ebay.com/itm/6-USB-CAT-cable-Kenwood-TS-440s-TS-940s-TS-850-TS-950-/310346743670?pt=LH_DefaultDomain_2&hash=item48421b7f76
>
> Mike - W1ECT
>

3493. DXPeditions - TX5A, TX7M (Marquesas Is.)

Yahoo group: XMLog
Date: 2011-10-17 22:08:37 UTC
From: w1ect
Topic: 3493 Message: 3493

Here's some callsigns to add to the special calls list using the
"View/Show Callsign List" menu item:

TX5A, TX7M - Marquesas Island (FO/M)

Also: TX7T - Tahiti, French Polynesia (FO/P)

See http://www.tx7m.com/ for more info.

Mike - W1ECT

3494. DXPeditions - 3D2RI (Rotuma Is.)

Yahoo group: XMLog
Date: 2011-10-23 21:03:38 UTC
From: w1ect
Topic: 3494 Message: 3494

Here's a callsign to add to the special calls list using the
"View/Show Callsign List" menu item:

3D2RI - Rotuma Island (3D2/R)

This isn't a DXPedition, it's the Rotuma Island High School station!

Mike - W1ECT

3495. Re: [XMLog] DXPeditions - 3D2RI (Rotuma Is.)

Yahoo group: XMLog
Date: 2011-10-24 00:37:10 UTC
From: Steve Litwins
Topic: 3494 Message: 3495

Tnx agn Mike...73/dx
steve, k8wk
****
----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Sunday, October 23, 2011 16:03
Subject: [XMLog] DXPeditions - 3D2RI (Rotuma Is.)

Here's a callsign to add to the special calls list using the
"View/Show Callsign List" menu item:

3D2RI - Rotuma Island (3D2/R)

This isn't a DXPedition, it's the Rotuma Island High School station!

Mike - W1ECT

[Non-text portions of this message have been removed]

3496. FW: Feedback on upload for AE6RR

Yahoo group: XMLog
Date: 2011-11-01 05:33:03 UTC
From: Craig Bradley
Topic: 3496 Message: 3496

Mike,

I used XMLog in the CQ WW this weekend, uploaded to ClubLog and ended up with the following errors. These prefixes appear to be in the prefixes file, any idea what might have happened? I am using 6.44.

I tried entering new Qs for these calls and XMLog identifies the country correctly in the blue bar at the top of the logging window and in the check QSO window but logs it as 'W' USA.

BTW, this is a great report that ClubLog generates!

73,
- Craig, AE6RR

-----Original Message-----
From: Club Log [mailto:clublog@...] On Behalf Of upload@...
Sent: Monday, October 31, 2011 8:29 AM
To: ae6rr@...
Subject: Feedback on upload for AE6RR

Dear AE6RR,

While processing your ADIF file (AE6RR_30oct2011.adi) for Club Log, the following possible problems were detected. Your log may be correct, but if necessary you can resolve these problems and create a new ADIF. If you make changes, it's recommended that on your next upload you use the option to clear your existing log, to avoid leaving prior records in Club Log.

If you would like to discuss these problems, then please open a discussion on the reflector, or contact Alan 5B4AHJ who maintains the Club log exceptions list. You can disable these emails from the Settings page if you prefer.

Google Groups Reflector: http://groups.google.com/group/clublog
Information on DXCC mappings: http://www.clublog.org/docs/display/DXCC/Home
Email Alan 5B4AHJ: g3pmr@...

73 de Michael G7VJR

* Software detected: XMLOG

Callsign: WP2Z Date: 2011-10-29 07:11:00 Band: 40 QSL: No
Your log claims UNITED STATES. Overriding your choice and using VIRGIN IS..
Note: There are comments about WP2Z in the Club Log database, which may provide further details. See http://www.clublog.org/t.php?c=WP2Z&t=1319872260.

Callsign: ZP8T Date: 2011-10-29 20:13:00 Band: 10 QSL: No
Your log claims UNITED STATES. Overriding your choice and using PARAGUAY.

Callsign: AY5F Date: 2011-10-30 18:48:00 Band: 10 QSL: No
Your log claims UNITED STATES. Overriding your choice and using ARGENTINA.

Callsign: WP2Z Date: 2011-10-30 21:55:00 Band: 10 QSL: No
Your log claims UNITED STATES. Overriding your choice and using VIRGIN IS..
Note: There are comments about WP2Z in the Club Log database, which may
provide further details. See
http://www.clublog.org/t.php?c=WP2Z&t=1320011700.

3497. Re: FW: Feedback on upload for AE6RR

Yahoo group: XMLog
Date: 2011-11-01 17:27:44 UTC
From: w1ect
Topic: 3496 Message: 3497

Hi Craig, If you look at those entries in the log you used to create the ADIF file are the countries correct?

If so you can open the ADIF file with WordPad or NotePad and find those entries. The US calls should have "<DXCC:3>291" (291=US). You can find listings for other country codes if you look around the web, e.g. http://www.hosenose.com/adif/adif.html

If the log entry is correct and the ADIF DXCC value is correct I don't think the problem is with XMLog.

Mike - W1ECT

3498. RE: [XMLog] Re: FW: Feedback on upload for AE6RR

Yahoo group: XMLog
Date: 2011-11-02 05:35:18 UTC
From: Craig Bradley
Topic: 3496 Message: 3498

Hi Mike,

The ADIF file does contain DXCC:3>291 but it agrees with the data in the Log QSO window.

The log entries are wrong. If I start a new entry and type in the call WP2Z (or any of the other ones in my email) I see "WP2Z (Virgin Is...) at the top of the logging window and DXCC: Virgin Is in the check call window. When I click "Add" the logging fields get filled in with the County (Morris), State (NJ) and Country (W). This call has a QSL address in Morristown, NJ which is also appearing in the Address block after the QRZ.com lookup.

If I enter the call WP2ZZ (which is not in QRZ.com), it is logged correctly as KP2 - Virgin Is.

ZP8T is getting logged as in the state of MI and MI appears in the 3rd line of the QRZ address.

AY5F gets logged as in the state of CA and SF appears in the address line 3.

If I turn off the QRZ.com lookup and enter AY5F, I get the Verify Country guess popup window selecting Argentina, if I accept this guess it gets logged OK. Same with the other calls.

Somehow the QRZ.com address appears to be getting used for selecting the country if the program thinks that it needs to guess the country?

I have upgraded to version 6.47 with the same results.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, November 01, 2011 10:28 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: FW: Feedback on upload for AE6RR

Hi Craig, If you look at those entries in the log you used to create the ADIF file are the countries correct?

If so you can open the ADIF file with WordPad or NotePad and find those entries. The US calls should have "<DXCC:3>291" (291=US). You can find listings for other country codes if you look around the web, e.g. http://www.hosenose.com/adif/adif.html

If the log entry is correct and the ADIF DXCC value is correct I don't think the problem is with XMLog.

Mike - W1ECT

[Non-text portions of this message have been removed]

3499. Re: FW: Feedback on upload for AE6RR

Yahoo group: XMLog
Date: 2011-11-02 22:28:24 UTC
From: w1ect
Topic: 3496 Message: 3499

OK Craig - You must have "Use Defaults for New Entries" enabled along with having the "Get Info from Callbook" option set. In this case XMLog uses the callbook info as the primary source for the location. The idea was that the info in the callbook database was always going to be more accurate than any of XMLog's "prefix guessing" techniques.

It seems that lately a lot of DXPedtions are putting the sponsor QTH (or whatever) in QRZ.COM instead of the actual location of the DX station. I don't think there's much I can do to change things - that is, XMLog can't know when QRZ.COM gives an accurate location for the DX station info and when it does not.

Mike - W1ECT

3500. RE: [XMLog] Re: FW: Feedback on upload for AE6RR

Yahoo group: XMLog
Date: 2011-11-03 01:51:20 UTC
From: Craig Bradley
Topic: 3496 Message: 3500

Hi Mike,

Yes, I have "Use Defaults for New Entries" and "Get Info from callbook" in the Set Values for fields set. I have always had those options set. Would it be possible to use the callbook values for Name, Address, County, State/Province, etc. but not for Country or maybe another check box for use Get Country from Callbook? Or even pop up the Country Guess window if there is a conflict?

I would never expect a ZP or an AY to be in the US unless signing /W.

I have seen quite a few stations putting the QSL manager address in QRZ.com lately.

Speaking of the Set Default Value window, a field to set the default "Test Out" field would be nice for casual contest operation. Of course some people might want an incrementing serial number too but for a contest like the CQ WW, I would be happy with "5903"

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, November 02, 2011 3:28 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: FW: Feedback on upload for AE6RR

OK Craig - You must have "Use Defaults for New Entries" enabled along with having the "Get Info from Callbook" option set. In this case XMLog uses the callbook info as the primary source for the location. The idea was that the info in the callbook database was always going to be more accurate than any of XMLog's "prefix guessing" techniques.

It seems that lately a lot of DXPedtions are putting the sponsor QTH (or whatever) in QRZ.COM instead of the actual location of the DX station. I don't think there's much I can do to change things - that is, XMLog can't know when QRZ.COM gives an accurate location for the DX station info and when it does not.

Mike - W1ECT

[Non-text portions of this message have been removed]

3503. DXPeditions - E51NOU (South Cook Is.)

Yahoo group: XMLog
Date: 2011-11-05 15:52:46 UTC
From: w1ect
Topic: 3503 Message: 3503

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

E51NOU - South Cook Islands (E5/S)

Mike - W1ECT

3504. DXPeditions - 3D2SJ (Fiji)

Yahoo group: XMLog
Date: 2011-11-07 19:47:57 UTC
From: w1ect
Topic: 3504 Message: 3504

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

3D2SJ - Fiji (3D2/F)

Mike - W1ECT

3505. RE: [XMLog] DXPeditions - 3D2SJ (Fiji)

Yahoo group: XMLog
Date: 2011-11-08 04:02:54 UTC
From: Kevin Nathan
Topic: 3504 Message: 3505

Thanks Mike for these updates. Very 73.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Monday, November 07, 2011 11:48
To: XMLog@yahoogroups.com
Subject: [XMLog] DXPeditions - 3D2SJ (Fiji)

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2SJ - Fiji (3D2/F)

Mike - W1ECT

[Non-text portions of this message have been removed]

3506. Partial calls check?

Yahoo group: XMLog
Date: 2011-11-12 19:51:27 UTC
From: cbahr
Topic: 3506 Message: 3506

Is there a way to do a poor man's partial call check in XMLog? It doesn't look like it can import Master.dta from WA1Z, and only does call searches on the current log (yes?). I was thinking perhaps one could load a big honking contest log(s) from somewhere and use that. I guess the problem then is how to separate your own Qs as they are recorded.

I sometimes get pile-ups here in TI-land and it would be really nice to get some help on pulling out the call signs this way. I like XMLog because I've used it before and it has enough features. I'm considering moving to N1MM Logger however for the partials check feature.

TIA es 73,

Casey, TI2/NA7U

3507. Re: Partial calls check?

Yahoo group: XMLog
Date: 2011-11-12 21:24:30 UTC
From: w1ect
Topic: 3506 Message: 3507

Hi Casey,

Sorry, no partial check calls feature. The closest thing would be to do a search with a wildcard like =w1a* to find all calls starting W1A but this wouldn't do what you want - it would only find calls you've already logged.

For contests I use N1MM or WriteLog and then import the resulting QSO's into XMLog - not really appropriate for handling day-to-day pileups...

Sorry, Mike - W1ECT

3508. LoTW DXCC submissions

Yahoo group: XMLog
Date: 2011-11-15 17:01:17 UTC
From: Craig Bradley
Topic: 3508 Message: 3508

Mike,

I am preparing to do a combined LoTW and paper cards submission for a mixed endorsement, 15m and CW DXCC. I would like to use as many LoTW QSLs as possible to minimize the number of cards to be checked.

I would like to produce a submission report that uses the LoTW QSLs first then the cards. The submission reports don't indicate which QSLs are LoTW. I could do a report on all then filter on LoTW only QSLs then do a report and go mark up the other one but there must be an easier way to do this. My goal is to get a report that only lists the cards that I need to find and get checked.

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3509. RE: [XMLog] LoTW DXCC submissions

Yahoo group: XMLog
Date: 2011-11-15 17:15:59 UTC
From: Craig Bradley
Topic: 3508 Message: 3509

One other comment. If I do a report for Mixed, CW and 15M I have duplicate calls listed in the 3 sections of the report. For example if I have a QSL for 15M CW and it is a new country, it will be listed on all 3 reports.

When I go to the card checker, he should only have to look at that card once.

Any ideas?

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Tuesday, November 15, 2011 9:01 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] LoTW DXCC submissions

Mike,

I am preparing to do a combined LoTW and paper cards submission for a mixed endorsement, 15m and CW DXCC. I would like to use as many LoTW QSLs as possible to minimize the number of cards to be checked.

I would like to produce a submission report that uses the LoTW QSLs first then the cards. The submission reports don't indicate which QSLs are LoTW. I could do a report on all then filter on LoTW only QSLs then do a report and go mark up the other one but there must be an easier way to do this. My goal is to get a report that only lists the cards that I need to find and get checked.

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3510. DXPeditions - E51MAN (North Cook Is.)

Yahoo group: XMLog
Date: 2011-11-17 18:17:06 UTC
From: w1ect
Topic: 3510 Message: 3510

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

E51MAN - North Cook Islands (E5/N)

Mike - W1ECT

3511. DXPeditions - TX5Q (Clipperton I.)

Yahoo group: XMLog
Date: 2011-11-22 17:57:33 UTC
From: w1ect
Topic: 3511 Message: 3511

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

TX5Q - Clipperton Island (FO/C)

The expedition is scheduled for March, 2012. For details see:

http://www.cordell.org/CI/CI_pages/CI_Main.html

Mike - W1ECT

3512. EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-11-29 18:02:52 UTC
From: k9mrd
Topic: 3512 Message: 3512

EL2LF logs as USA in ver 6.4. The mailing address is AZ, but EL is Liberia. Is this a bug for any DX showing a US address?

Wayne

3513. Re: EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-11-30 22:16:30 UTC
From: w1ect
Topic: 3512 Message: 3513

Hi Wayne,

When you have the "Use Defaults for New Entries" option enabled along with "Get Info from Callbook" XMLog will use the callbook info for any location details (address, country, grid, ...).

It seems that lately a lot of DXPedtions have been putting the sponsor QTH (or whatever) in QRZ.COM instead of the actual location of the DX station. I don't think there's much I can do to change things - that is, XMLog can't know when QRZ.COM gives an accurate location for the DX station info and when it does not.

Mike - W1ECT

3514. Re: EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-11-30 23:38:31 UTC
From: k9mrd
Topic: 3512 Message: 3514

Hi Mike,

Thanks for the quick reply.

WOW, I did not know that's how it works. I thought a call's prefix identified the country, not the QRZ mailing address.

I ran a "Critical QSO" report which showed several countries that I am sure I have worked as "Needed". Now I know why...guess I have to double check my log - maybe I have more worked/confirmed than I thought! (298/297 in past 5 years per XMLog)

Wayne

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Wayne,
>
> When you have the "Use Defaults for New Entries" option enabled along with "Get Info from Callbook" XMLog will use the callbook info for any location details (address, country, grid, ...).
>
> It seems that lately a lot of DXPedtions have been putting the sponsor QTH (or whatever) in QRZ.COM instead of the actual location of the DX station. I don't think there's much I can do to change things - that is, XMLog can't know when QRZ.COM gives an accurate location for the DX station info and when it does not.
>
> Mike - W1ECT
>

3515. RE: [XMLog] Re: EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-12-01 07:38:19 UTC
From: Craig Bradley
Topic: 3512 Message: 3515

If you upload your log to Club Log, it will check everything for you and tell you which ones to fix. I had the same problem and didn't realize it until I got a club log report

http://www.clublog.org/index.php

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of k9mrd
Sent: Wednesday, November 30, 2011 3:39 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: EL2LF Logs as USA

Hi Mike,

Thanks for the quick reply.

WOW, I did not know that's how it works. I thought a call's prefix identified the country, not the QRZ mailing address.

I ran a "Critical QSO" report which showed several countries that I am sure I have worked as "Needed". Now I know why...guess I have to double check my log - maybe I have more worked/confirmed than I thought! (298/297 in past 5 years per XMLog)

Wayne

--- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> , "w1ect" <w1ect@...> wrote:
>
> Hi Wayne,
>
> When you have the "Use Defaults for New Entries" option enabled along with "Get Info from Callbook" XMLog will use the callbook info for any location details (address, country, grid, ...).
>
> It seems that lately a lot of DXPedtions have been putting the sponsor QTH (or whatever) in QRZ.COM instead of the actual location of the DX station. I don't think there's much I can do to change things - that is, XMLog can't know when QRZ.COM gives an accurate location for the DX station info and when it does not.
>
> Mike - W1ECT
>

[Non-text portions of this message have been removed]

3516. Re: EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-12-01 16:27:52 UTC
From: w1ect
Topic: 3512 Message: 3516

Hi Wayne, Normally XMLog will use the callsign to "guess" the country/prefix but the guess will be replaced by the callbook info if you have the "Use Defaults for New Entries" option enabled along with "Get Info from Callbook" option.

XMLog will use the callbook info for any location details (address, country, grid, ...).

I considered making XMLog's "guess" override the country in the callbook info but that would lead to other problems. For instance if the country in the callbook info does not match the "guess" should the grid/state/county info be discarded, etc.

Personally my "fix" to the problem is not to use the "Get Info From Callbook" option but this won't be appealing if you like having state county and grid info filled in for awards tracking.

Mike - W1ECT

3517. Re: EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-12-01 17:45:21 UTC
From: k9mrd
Topic: 3512 Message: 3517

Craig,

Thanks for the 'heads-up' about Club Log. I think I opened an account a couple of years ago, but never uploaded a log. I will do so!

Wayne

--- In XMLog@yahoogroups.com, "Craig Bradley" <craigjb@...> wrote:
>
> If you upload your log to Club Log, it will check everything for you and
> tell you which ones to fix. I had the same problem and didn't realize it
> until I got a club log report
>
> http://www.clublog.org/index.php
>
>
>
>
>
> 73,
>
> - Craig, AE6RR
>
>
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> k9mrd
> Sent: Wednesday, November 30, 2011 3:39 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Re: EL2LF Logs as USA
>
>
>
>
>
>
>
>
>
> Hi Mike,
>
> Thanks for the quick reply.
>
> WOW, I did not know that's how it works. I thought a call's prefix
> identified the country, not the QRZ mailing address.
>
> I ran a "Critical QSO" report which showed several countries that I am sure
> I have worked as "Needed". Now I know why...guess I have to double check my

> log - maybe I have more worked/confirmed than I thought! (298/297 in past 5
> years per XMLog)
>
> Wayne
>
> --- In XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> , "w1ect"
> <w1ect@> wrote:
> >
> > Hi Wayne,
> >
> > When you have the "Use Defaults for New Entries" option enabled along with
> "Get Info from Callbook" XMLog will use the callbook info for any location
> details (address, country, grid, ...).
> >
> > It seems that lately a lot of DXPedtions have been putting the sponsor QTH
> (or whatever) in QRZ.COM instead of the actual location of the DX station. I
> don't think there's much I can do to change things - that is, XMLog can't
> know when QRZ.COM gives an accurate location for the DX station info and
> when it does not.
> >
> > Mike - W1ECT
> >
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

3518. Re: EL2LF Logs as USA

Yahoo group: XMLog
Date: 2011-12-01 17:55:11 UTC
From: k9mrd
Topic: 3512 Message: 3518

Mike,

Since this problem is rare (but difficult to locate when it occurs), how about letting XMLog 'guess' the country from callsign and then pop up a warning message if the guess and callbook don't agree? Or, forget the warning, use the callsign data for country, flag the file and add a 'verification report' which would find all flagged files for manual editing. As a DXer, country is most important, but I suppose that is not the case for all. Just a thought off the top of my head as an out of date programmer. :)

Wayne

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Wayne, Normally XMLog will use the callsign to "guess" the country/prefix but the guess will be replaced by the callbook info if you have the "Use Defaults for New Entries" option enabled along with "Get Info from Callbook" option.
>
> XMLog will use the callbook info for any location details (address, country, grid, ...).
>
> I considered making XMLog's "guess" override the country in the callbook info but that would lead to other problems. For instance if the country in the callbook info does not match the "guess" should the grid/state/county info be discarded, etc.
>
> Personally my "fix" to the problem is not to use the "Get Info From Callbook" option but this won't be appealing if you like having state county and grid info filled in for awards tracking.
>
> Mike - W1ECT
>

3519. DXPeditions - II0ZM (Antarctica)

Yahoo group: XMLog
Date: 2011-12-02 17:49:20 UTC
From: w1ect
Topic: 3519 Message: 3519

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

II0ZM - Antarctica (KC4)

Mike - W1ECT

3520. Interface to Kenwood TS-590

Yahoo group: XMLog
Date: 2011-12-06 23:48:18 UTC
From: Bob Warmke
Topic: 3520 Message: 3520

I kindly request help from anyone in the group on interfacing XMLog with my Kenwood TS-590. After I request frequency or mode data from the transceiver, I receive the response,”too short received 3 expected 38.” I am using the XMLog to interface with the TS 570 since there is no option for the TS-590. I am using 9600 for the com port baud rate on each end. I am using the usb connection with the Silicon Labs driver. My computer does not have a serial port input. The TS-590 interfaces beautifully with the computer when using the Kenwood ARCP-590 virtual front panel control program. Any hints or help from the group would be greatly appreciated.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

3521. Re: Interface to Kenwood TS-590

Yahoo group: XMLog
Date: 2011-12-07 00:00:02 UTC
From: w1ect
Topic: 3520 Message: 3521

Hi Bob, In the past Kenwood has not changed and of the basic functions for rig control but it's possible something has changed for the 950, I'll check any online documentation to be sure.

The only difference that XMLog's various Kenwood selections affect are the baud rate. Check to see if the baud rate (etc.) settings for XMLog match the settings for your 950. There was a time when Kenwood radios had fixed baud rate settings but nowdays they can be selected from menus.

Mike - W1ECT

3522. RE: [XMLog] Interface to Kenwood TS-590

Yahoo group: XMLog
Date: 2011-12-07 02:21:16 UTC
From: Kevin Nathan
Topic: 3520 Message: 3522

Hi Bob,

Try using the generic Kenwood interface choice, not the 570. That is what I use here on my 590 and it works with either RS-232 of USB. It does work better on the USB if you stay at 9600 baud.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Bob Warmke
Sent: Tuesday, December 06, 2011 15:48
To: xmlog@yahoogroups.com
Subject: [XMLog] Interface to Kenwood TS-590

I kindly request help from anyone in the group on interfacing XMLog with my Kenwood TS-590. After I request frequency or mode data from the transceiver, I receive the response,"too short received 3 expected 38." I am using the XMLog to interface with the TS 570 since there is no option for the TS-590. I am using 9600 for the com port baud rate on each end. I am using the usb connection with the Silicon Labs driver. My computer does not have a serial port input. The TS-590 interfaces beautifully with the computer when using the Kenwood ARCP-590 virtual front panel control program. Any hints or help from the group would be greatly appreciated.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3523. TS-590 Interface

Yahoo group: XMLog
Date: 2011-12-07 04:13:29 UTC
From: Bob Warmke
Topic: 3523 Message: 3523

Mike, Benny, and Kevin,
Thank you all very much for your prompt responses. I need to do some digestion and experimentation here with those hints.
Kevin, it looks like you have been successful so that has given me encouragement.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

3524. RE: [XMLog] Interface to Kenwood TS-590

Yahoo group: XMLog
Date: 2011-12-07 05:12:13 UTC
From: Craig Bradley
Topic: 3520 Message: 3524

Kevin,

Are you using 8 data bits, 1 stop bit and no parity or some other settings?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Tuesday, December 06, 2011 6:21 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Interface to Kenwood TS-590

Hi Bob,

Try using the generic Kenwood interface choice, not the 570. That is what I use here on my 590 and it works with either RS-232 of USB. It does work better on the USB if you stay at 9600 baud.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of Bob Warmke
Sent: Tuesday, December 06, 2011 15:48
To: xmlog@yahoogroups.com <mailto:xmlog%40yahoogroups.com>
Subject: [XMLog] Interface to Kenwood TS-590

I kindly request help from anyone in the group on interfacing XMLog with my Kenwood TS-590. After I request frequency or mode data from the transceiver, I receive the response,"too short received 3 expected 38." I am using the XMLog to interface with the TS 570 since there is no option for the TS-590. I am using 9600 for the com port baud rate on each end. I am using the usb connection with the Silicon Labs driver. My computer does not have a serial port input. The TS-590 interfaces beautifully with the computer when using the Kenwood ARCP-590 virtual front panel control program. Any hints or help from the group would be greatly appreciated.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3525. RE: [XMLog] Interface to Kenwood TS-590

Yahoo group: XMLog
Date: 2011-12-07 14:08:20 UTC
From: Kevin Nathan
Topic: 3520 Message: 3525

Hi Craig,

Those are my exact settings using the generic Kenwood setting. I also have no flow control and RTS always on.

I hope that helps a little. Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Tuesday, December 06, 2011 21:12
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Interface to Kenwood TS-590

Kevin,

Are you using 8 data bits, 1 stop bit and no parity or some other settings?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Kevin Nathan
Sent: Tuesday, December 06, 2011 6:21 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Interface to Kenwood TS-590

Hi Bob,

Try using the generic Kenwood interface choice, not the 570. That is what I use here on my 590 and it works with either RS-232 of USB. It does work better on the USB if you stay at 9600 baud.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>

[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of Bob
Warmke
Sent: Tuesday, December 06, 2011 15:48
To: xmlog@yahoogroups.com <mailto:xmlog%40yahoogroups.com>
<mailto:xmlog%40yahoogroups.com>
Subject: [XMLog] Interface to Kenwood TS-590

I kindly request help from anyone in the group on interfacing XMLog with my Kenwood TS-590. After I request frequency or mode data from the transceiver, I receive the response,"too short received 3 expected 38." I am using the XMLog to interface with the TS 570 since there is no option for the TS-590. I am using 9600 for the com port baud rate on each end. I am using the usb connection with the Silicon Labs driver. My computer does not have a serial port input. The TS-590 interfaces beautifully with the computer when using the Kenwood ARCP-590 virtual front panel control program. Any hints or help from the group would be greatly appreciated.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3526. RE: [XMLog] Interface to Kenwood TS-590

Yahoo group: XMLog
Date: 2011-12-07 16:09:25 UTC
From: Craig Bradley
Topic: 3520 Message: 3526

Thanks Kevin, I have been talking with Bob, W6CYX about his problem and I just want to be sure that all of the settings are correct.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Wednesday, December 07, 2011 6:08 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Interface to Kenwood TS-590

Hi Craig,

Those are my exact settings using the generic Kenwood setting. I also have no flow control and RTS always on.

I hope that helps a little. Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of Craig Bradley
Sent: Tuesday, December 06, 2011 21:12
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Interface to Kenwood TS-590

Kevin,

Are you using 8 data bits, 1 stop bit and no parity or some other settings?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of Kevin Nathan
Sent: Tuesday, December 06, 2011 6:21 PM

To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Interface to Kenwood TS-590

Hi Bob,

Try using the generic Kenwood interface choice, not the 570. That is what I use here on my 590 and it works with either RS-232 of USB. It does work better on the USB if you stay at 9600 baud.

Good luck and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of Bob
Warmke
Sent: Tuesday, December 06, 2011 15:48
To: xmlog@yahoogroups.com <mailto:xmlog%40yahoogroups.com>
<mailto:xmlog%40yahoogroups.com>
<mailto:xmlog%40yahoogroups.com>
Subject: [XMLog] Interface to Kenwood TS-590

I kindly request help from anyone in the group on interfacing XMLog with my Kenwood TS-590. After I request frequency or mode data from the transceiver, I receive the response,"too short received 3 expected 38." I am using the XMLog to interface with the TS 570 since there is no option for the TS-590. I am using 9600 for the com port baud rate on each end. I am using the usb connection with the Silicon Labs driver. My computer does not have a serial port input. The TS-590 interfaces beautifully with the computer when using the Kenwood ARCP-590 virtual front panel control program. Any hints or help from the group would be greatly appreciated.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3527. TS-590 to XMLog Interface

Yahoo group: XMLog
Date: 2011-12-07 23:32:31 UTC
From: Bob Warmke
Topic: 3527 Message: 3527

Hi Mike, Benny, Kevin, and Craig,
The subject interface works beautifully now! Thank you all for your help! What a fine group.
I am embarrassed to admit my problem, but for the benefit of others in the future I had been using the incorrect menu in the TS-590 to set the baud rate. I was using menu 61 called the com port baud rate instead of using the correct menu 62 called the USB port baud rate!
73 and Thanks Again
Bob, W6CYX

[Non-text portions of this message have been removed]

3528. RE: [XMLog] TS-590 to XMLog Interface

Yahoo group: XMLog
Date: 2011-12-08 06:34:08 UTC
From: Craig Bradley
Topic: 3527 Message: 3528

Congratulations Bob!

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Bob Warmke
Sent: Wednesday, December 07, 2011 3:33 PM
To: XMLog
Subject: [XMLog] TS-590 to XMLog Interface

Hi Mike, Benny, Kevin, and Craig,
The subject interface works beautifully now! Thank you all for your help!
What a fine group.
I am embarrassed to admit my problem, but for the benefit of others in the future I had been using the incorrect menu in the TS-590 to set the baud rate. I was using menu 61 called the com port baud rate instead of using the correct menu 62 called the USB port baud rate!
73 and Thanks Again
Bob, W6CYX

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3529. FW: [OPDX] Ohio/Penn DX Special Bulletin #1039.2

Yahoo group: XMLog
Date: 2011-12-10 05:01:30 UTC
From: Kevin Nathan
Topic: 3529 Message: 3529

Hi Mike,

Is this information anything you need to include in upcoming versions of XMLog?

Take care and very 73.

Kevin :)
Amateur Radio: K7RX

-----Original Message-----
From: opdx-bounces@... [mailto:opdx-bounces@...] On Behalf Of Tedd Mirgliotta (KB8NW)
Sent: Thursday, December 08, 2011 12:35
To: Ohio/Penn DX Mailing List
Subject: [OPDX] Ohio/Penn DX Special Bulletin #1039.2

SB DX @ WW < KB8NW $OPDX.1039.2
Ohio/Penn DX Special Bulletin No. 1039.2

The Ohio/Penn DX PacketCluster
DX Special Bulletin No. 1039.2
BID: $OPDX.1039.2
December 8, 2011
Editor Tedd Mirgliotta, KB8NW
Provided by BARF80.ORG (Cleveland, Ohio)

Thanks to the Northern Ohio Amateur Radio Society, Northern Ohio DX Association, Ohio/Penn PacketCluster Network, AB5K & the AR TelNet Clusters Network ARRL Awards Blog and K3LP for the following DX information.

DXCC NEWS (DXCC and Russian Prefix Information). The following is from the ARRL Awards Blog Page at: http://www.arrl.org/awards-blog
"The DXCC Desk Clarifies Russian Prefixes Which Count for European Russia
--
For the purposes of the DXCC and WAC awards, the following Russian prefixes count as European Russia:

Any call with the prefixes UA through UI and the numbers 1, 2, 3, 4, 5, 6, 7.

Any call with the prefix U and the numbers 1, 2, 3, 4, 5, 6, 7.

Any call with the prefixes RA through RZ and the numbers 1, 2, 3, 4, 5, 6, 7.

Any call with the prefix R and the numbers 1, 2, 3, 4, 5, 6, 7.

Exception:

Prefixes R, U, UA-UI, and RA-RZ, the number 2, and suffixes beginning with F or K, count as Kaliningrad. Also, some legacy calls such as UA2CZ are in Kaliningrad.

And from 1 December, 2011 forward, any QSO (with any date) with stations using the following prefixes, count for European Russia:

Any call with the prefixes UA through UI, or the prefix U, and the numbers 8, and 9, followed by a suffix beginning with the letters F, G, or X (Perm and Komi).

Any call with the prefixes RA through RZ, or the prefix R, and the numbers 8, and 9, followed by a suffix beginning with the letters F, G, or X (Perm and Komi).

Since Russia joined CEPT, there are stations active with call signs that do not indicate DXCC entity, such as RA/N6TR who operated from Asiatic Russia, and RA/SM6LRR who operates from European Russia. These types of portable call signs will be managed individually in the DXCC system."

ET3, ETHIOPIA (ET3AA Youth Development Project; DX-Pedition 2011).
Dave Collingham, K3LP, sent the following press release to OPDX on December 8th (edited):
"Good Evening DXers:
Our Team, David (K3LP - Team Leader), Paul (N6PSE), Al (K3VN) and Bill (N2WB) arrived at the Addis Ababa, Ethiopia International airport this morning at 7:30 AM, Thursday, December 8, 2011. Our amplifier, 1,000 feet of coax, power meters, 160 and 80 meter antennas and other items were all held in Customs until about 1:30 PM. After paying the required 65% tax fees for electronic equipment and providing a letter from the university, we now have all the equipment in hand.
Paul (N6PSE), Al (K3VN) and Bill (N2WB) arrived at Sid's home, had dinner and headed for bed. They plan to get up early and be on the air around 3:00 AM local time on Friday, December 9th.
I was able to set-up a laptop PC, CW Keyer and other equipment at the ET3AA university station and made about 50 QSOs on 10 meters CW about 1.5 hrs before local sunset. There was a nice opening to EU and NA at the same time. Stations were being heard and worked from W5, W8, W4, W3, W2 and W1 areas. I QRTed after a brief exchange of QSOs in order to complete more enhancements to the station.
On Friday, I plan is to install the 160 meter and 80 meter vertical antennas with the students. In addition, if time permits, we complete a 10 Meter 6 element Vee Beam at 70' that could be used during the 10 meter contest. We will have both the ET3SID and ET3AA stations on for the 10 meter contest.
I'll (K3LP) be on 160 meters Friday at Sunset thru Sunrise, 1.823 MHz for JA and 1.835 MHz. I'll be using the 500w solid-state amp. Depending on the activity, I may bounced to 80 meters CW for a few minutes. We were not able to get a large amp into the country during this time.

We'll see everyone on the band tomorrow.

Take care,
David -K3LP"

-=-
** IMPORTANT NOTICE/REMINDER ** The Ohio/Penn DX Bulletin now has a new
FAX number. Contributors can now send/fax their DX information to the
following number: 1-419-828-7791 (F A X only!)
-=-
SPECIAL NOTE BY EDITOR: If you are having a problem receiving bounced
mail by sending mail to me via " kb8nw@... ", please send
mail to me via " kb8nw@... "...... TNX de Tedd KB8NW
-=-
PLEASE NOTICE (as of February 12th), NEW ADDRESS CHANGES FOR THE
OPDX INTERNET HELP/SUBSCRIBE/UNSUBSCRIBE REQUESTS:
Help: <mailto:opdx-request@...?subject=help>
Subscribe: <mailto:opdx-request@...?subject=subscribe>
Unsubscribe: <mailto:opdx-request@...?subject=unsubscribe>
OPDX WORLD-WIDE WEB HOME PAGE (provided by John, K8YSE):
http://www.papays.com/opdx.html
ALSO VISIT THE NORTHERN OHIO DX ASSOCIATION'S WEB HOME PAGE:
http://www.papays.com/nodxa.html
-=-
Excerpts and distribution of The OPDX Bulletin are granted as long as
KB8NW/OPDX/BARF80 receive credit. To contribute DX info, please send
via InterNet Mail to: kb8nw@... - OR - kb8nw@...
Information can now be faxed to the following "NEW" phone line at:
1-419-828-7791 (F A X only!)

/EXIT
-=-

Tedd Mirgliotta, KB8NW - kb8nw@... --or-- kb8nw@...
Editor of the "Ohio/Penn DX Bulletin" (OPDX - "DXer's Tool of Excellence")
President of the "Northern Ohio DX Association" (NODXA)
DX Chairman for the "Northern Ohio Amateur Radio Society
ARRL Assistant Director of the Great Lakes Division
Sysop of the "Basic Amateur Radio Frequency BBS" (BARF80.ORG)

____
OPDX mailing list
OPDX@...
http://hamnet.org/mailman/listinfo/opdx

3530. QSL label - QSL field

Yahoo group: XMLog
Date: 2011-12-22 04:11:09 UTC
From: n5ftr@swbell.net
Topic: 3530 Message: 3530

I am using a custom label and I somehow blanked out the information that normally shows UNDER the word QSL on the label. That field appears blank. Now, I cannot find where/how to edit that field. Help would be greatly appreciated. Thanks, Buzz - NI5DX

3531. Re: QSL label - QSL field

Yahoo group: XMLog
Date: 2011-12-22 20:00:12 UTC
From: w1ect
Topic: 3530 Message: 3531

Hi Buzz, Which QSL label definition are you using? (one of the standard labels or a custom label?) Perhaps you changed the label height such that it is too small and is getting cut off?

Mike - W1ECT

3532. DXPeditions - CE9VPM (Antarctica)

Yahoo group: XMLog
Date: 2011-12-30 06:34:09 UTC
From: w1ect
Topic: 3532 Message: 3532

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

CE9VPM - Antarctica (KC4)

Mike - W1ECT

3533. Printing QSL labels

Yahoo group: XMLog
Date: 2012-01-02 14:17:19 UTC
From: CHARLES COTTRELL
Topic: 3533 Message: 3533

Is ther a way to print to a file and then priint on a better printer?
My printer does not keep the stickers straight enough. I have permission to print at work using my own supplies.
Cant install the program at work, so would like to save to a file and print on the better machine.

KC4EY
Charley

[Non-text portions of this message have been removed]

3534. Re: [XMLog] Printing QSL labels

Yahoo group: XMLog
Date: 2012-01-02 14:59:11 UTC
From: Robert Dixon
Topic: 3533 Message: 3534

Hi Charley:

Have you tried putting the whole Mlog file on a flash drive and taking it to another site which has a better printer? You could print from the program on the flash drive and not install the program into the machine at work. Are you using the Avery 4013 labels or generic equivalent? They can be set up to print 11 at a time. (I use an HP 1000 that I bought at Wal-Mart for $29.00 and it prints straight using these labels. No bells and whistles but it does a nice job of printing and that's all it does.)

Would be curious to see how you do. It is an unfortunate, but interesting problem.

BTW: Am completely sold on Mlog. I have over 27000 Qs in LoTW and Mlog works perfect in real time. I have been using it for 11 years in DX contests and love it.

73, Bob W8HGH, Harrisonburg, VA

----- Original Message -----
From: CHARLES COTTRELL<mailto:cottrell.c@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Monday, January 02, 2012 9:17 AM
Subject: [XMLog] Printing QSL labels

Is ther a way to print to a file and then priint on a better printer?
My printer does not keep the stickers straight enough. I have permission to
print at work using my own supplies.
Cant install the program at work, so would like to save to a file and print on
the better machine.

KC4EY
Charley

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3535. Printing QSL Labels

Yahoo group: XMLog
Date: 2012-01-03 14:05:59 UTC
From: David Spoelstra
Topic: 3535 Message: 3535

I print to PDF and then later print the PDFs on a better printer. Use
a free app like CutePDF or PDFCreator.
-David, N9KT

3536. DXPeditions - TO5G (French Guiana)

Yahoo group: XMLog
Date: 2012-01-04 20:00:19 UTC
From: w1ect
Topic: 3536 Message: 3536

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO5G - French Guiana (FY)

Mike - W1ECT

3537. Re: [XMLog] Printing QSL Labels

Yahoo group: XMLog
Date: 2012-01-10 02:00:58 UTC
From: CHARLES COTTRELL
Topic: 3535 Message: 3537

Thanks for the info. I will check into itl
Printed using excel to a full page label this time. i had to cut them one at a time but got about 150 done and in the mail

Thanks,
Charley
KC4EY

From: David Spoelstra <davids@...>
To: XMLog@yahoogroups.com
Sent: Tue, January 3, 2012 8:05:59 AM
Subject: [XMLog] Printing QSL Labels

I print to PDF and then later print the PDFs on a better printer. Use a free app like CutePDF or PDFCreator.
-David, N9KT

[Non-text portions of this message have been removed]

3538. Re: [XMLog] Printing QSL Labels

Yahoo group: XMLog
Date: 2012-01-10 03:28:49 UTC
From: Robert Dixon
Topic: 3535 Message: 3538

Glad it worked for you. Ham radio sure isn't what it was way back when for sure!
But...wouldn't trade what we have today for the "good old days."
----- Original Message -----
From: CHARLES COTTRELL<mailto:cottrell.c@sbcglobal.net>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Monday, January 09, 2012 9:00 PM
Subject: Re: [XMLog] Printing QSL Labels

Thanks for the info. I will check into itl
Printed using excel to a full page label this time. i had to cut them one at a
time but got about 150 done and in the mail

Thanks,
Charley
KC4EY

_____
From: David Spoelstra <davids@...<mailto:davids@...>>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Tue, January 3, 2012 8:05:59 AM
Subject: [XMLog] Printing QSL Labels

I print to PDF and then later print the PDFs on a better printer. Use
a free app like CutePDF or PDFCreator.
-David, N9KT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3539. HamQTH.COM Support

Yahoo group: XMLog
Date: 2012-01-19 21:38:05 UTC
From: w1ect
Topic: 3539 Message: 3539

Hi, I've just posted version 6.49 at www.xmlog.com/beta which supports callbook lookups via HamQTH.COM at no cost. The data provided by HamQTH doesn't tend to be as complete as what is provided by QRZ.COM or have info for current dx-peditions, etc. However, if this isn't a problem for you and you find $30/year for QRZ.COM excessive then give it a try.

I've also found a few bugs and reported them to the owner of HamQTH. If you find any problems, post them here. Please don't include problems with individual entries (incomplete, out-of-date, mis-spelled, etc.). What I'm looking for is more generic problems reflecting problems in the data organization or lookups. For example, I've reported a couple of problems for lookups of U.S. possessions (Puerto Rico, Guam, ...)

- The country returned in the address is "Puerto Rico" or "Guam"
rather than "United States".

- The city also gets returned as the county.

Mike - W1ECT

3540. FT-920 data mode selection issue

Yahoo group: XMLog
Date: 2012-01-19 23:31:57 UTC
From: Dave K0EKL
Topic: 3540 Message: 3540

When I double-click a spot for a station working RTTY XMLog sets my FT-920 to Data-LSB mode, which would be correct for true FSK operation but I need the radio to be in Data-USB mode which is the correct selction for AFSK (sound card) mode.

Is there a way I can edit the rig descriptor so that Data-USB is automatically selected?

Thanks.

3541. After update I lost my custom label

Yahoo group: XMLog
Date: 2012-01-19 23:53:23 UTC
From: n5ftr@swbell.net
Topic: 3541 Message: 3541

I just updated to the newest version and when I went to print some labels for cards I need to send out I got a popup window saying my custom label was "empty". I checked it out and, sure enough, it was gone. Is there any way to retrieve that as it took a while to get it set the way I wanted it and I did not write down all the numbers???
Any help is greatly appreciated.
73, Buzz - NI5DX

3542. Re: HamQTH.COM Support

Yahoo group: XMLog
Date: 2012-01-20 13:41:43 UTC
From: davidspoelstra
Topic: 3539 Message: 3542

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi, I've just posted version 6.49 at www.xmlog.com/beta which supports callbook lookups via HamQTH.COM at no cost.

Awesome Mike! Thank you!

-David, N9KT

3543. DXPeditions - VP8DNT (Falkland Islands)

Yahoo group: XMLog
Date: 2012-01-20 15:48:29 UTC
From: w1ect
Topic: 3543 Message: 3543

VP8DNT

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

VP8DNT - Falkland Islands (VP8/F) - January, 21-28 2012

Mike - W1ECT

3544. Re: FT-920 data mode selection issue

Yahoo group: XMLog
Date: 2012-01-21 16:38:41 UTC
From: w1ect
Topic: 3540 Message: 3544

Hi Dave,

XMLog does not have a way to cofigure the set mode commands sent to your rig but there is a roundabout way that you can accomplish this.

XMLog supports a system called OmniRig that be used to access your rig. OmniRig is normally used when you need to share a rig between multiple applications but it does provide a way to change the commands sent to your rig. If you would like to experiment with OmniLog here's how:

- Open "Options/HF Rig Port Select" and open the Help page and check the documentation for OmniRig. If you're still interested go ahead and install OmniRig and get it running with XMLog.

- OmniRig has a file where it defines the commands used to set modes like FSK, etc. Check your OmniRig install folder - usually c:\Program Files (x86)\Afreet\OmniRig) - and you should find a folder named Rigs with a bunch of .ini files that define commands for various rig types. If you open the file for your rig you'll find it has a map of mode types -> commands.

- When XMLog builds its own commands to set "Data/FSK" mode it selects the "normal" versus the "reverse" FSK mode appropriate for the rig. However OmniLog doesn't provide a FSK-normal/reverse, just FSK-upper/lower. As a result when setting FSK mode via OmniLog XMLog always selects OmniMode's Digital/Upper (pmDIG_U) mode.

- That said, you can save a backup of the original FT-920.ini file and then hack the entry for pmDIG_U by replacing it with the pmSSB_U value (or whatever).

Mike - W1ECT

3545. Re: After update I lost my custom label

Yahoo group: XMLog
Date: 2012-01-21 16:45:47 UTC
From: w1ect
Topic: 3541 Message: 3545

Hi Buzz, The install should not have made any changes to your custom labels. These labels are saved in a file named Layouts.mdb (a Microsoft Access Database). If you have done any backups of your hard drive that include the XMLog install folder you can try restoring this file.

Before you try a restore you should double-check by choosing the "Options/QSL Labels Layout" menu item and checking the custom labels list.

If the label is not in the list and you have no backup I'm afraid that the label is lost.

Mike - W1ECT

3546. RE: [XMLog] Re: After update I lost my custom label

Yahoo group: XMLog
Date: 2012-01-21 17:01:19 UTC
From: Buzz
Topic: 3541 Message: 3546

Hi Mike,

I have reconstructed the custom label using the "small 4 QSO" label that is given in the program. I had to make some changes, but have it all good now. I have copied it and don't think I will have an problems in the future.

Since I have the master's attention, I have another question. I am sure it is easily figured out, but thus far I have been using the program mainly for printing labels for all the DX stations I assist. I am going to KG4 land sometime in the next 5 or 6 months and want to use the program for logging while running the pileups. Is there a way to input certain fields with data that will not change so that it does not have to be entered each QSO? For example, the Sent report is going to be 59 or 599 each time, the mode will be the same for long runs and so will the frequency. Can this be made "permanent" until I want to change them?

I figure it can, but have not messed with it yet to see.

By the way, I have convinced KG4AJ to use XMLog as his log program now.

Thanks for the reply and the very nice program.

73,

Buzz

NI5DX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Saturday, January 21, 2012 10:46 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: After update I lost my custom label

Hi Buzz, The install should not have made any changes to your custom labels. These labels are saved in a file named Layouts.mdb (a Microsoft Access Database). If you have done any backups of your hard drive that include the XMLog install folder you can try restoring this file.

Before you try a restore you should double-check by choosing the "Options/QSL Labels Layout" menu item and checking the custom labels list.

If the label is not in the list and you have no backup I'm afraid that the label is lost.

Mike - W1ECT

[Non-text portions of this message have been removed]

3547. DXPeditions - TO3J (Saint Barthelemy Island)

Yahoo group: XMLog
Date: 2012-01-26 22:38:42 UTC
From: w1ect
Topic: 3547 Message: 3547

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

TO3J - Saint Barthelemy Island (FJ) - February 1-7, 2012

Mike - W1ECT

3548. DXPeditions - TO4M (Mayotte)

Yahoo group: XMLog
Date: 2012-01-27 15:38:58 UTC
From: w1ect
Topic: 3548 Message: 3548

Here's a new callsign to add to the special calls list using the
"View/Show Callsign List" menu item.

TO4M - Mayotte (FH) - January 28-February 5, 2012

Detaila at: http://to4m.xoom.it/

Mike - W1ECT

3549. TX Prefix

Yahoo group: XMLog
Date: 2012-02-05 18:57:07 UTC
From: Kevin Nathan
Topic: 3549 Message: 3549

Hi All,

I am running version 6.41 and had something interesting happen today. I worked TX6T/P on 15 meters and when I went to log the contact it didn't show up with a country and I had to go to the list and choose FK/C for the Chesterfields. Yet, when I originally put in just TX in the callsign field, it came up in the title bar and showed the right country and heading.

Any idea what might be happening here? TX does not show up in my list of country prefixes either.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

[Non-text portions of this message have been removed]

3550. Re: [XMLog] TX Prefix

Yahoo group: XMLog
Date: 2012-02-05 23:25:00 UTC
From: Ken Anderson, N0AS
Topic: 3549 Message: 3550

This is FO not FK/C ,isn't it?

Just checking. :) Either way it's a new one for me - but I thought that its an FO.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Feb 5, 2012, at 12:57 PM, "Kevin Nathan" <k7rx@...> wrote:

> Hi All,
>
> I am running version 6.41 and had something interesting happen today. I
> worked TX6T/P on 15 meters and when I went to log the contact it didn't show
> up with a country and I had to go to the list and choose FK/C for the
> Chesterfields. Yet, when I originally put in just TX in the callsign field,
> it came up in the title bar and showed the right country and heading.
>
> Any idea what might be happening here? TX does not show up in my list of
> country prefixes either.
>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>

>

3551. RE: [XMLog] TX Prefix

Yahoo group: XMLog
Date: 2012-02-06 01:06:32 UTC
From: Kevin Nathan
Topic: 3549 Message: 3551

I don't know. I'll have to look it up I guess. Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

_____

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Ken Anderson, N0AS
Sent: Sunday, February 05, 2012 15:25
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] TX Prefix

This is FO not FK/C ,isn't it?

Just checking. :) Either way it's a new one for me - but I thought that its an FO.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Feb 5, 2012, at 12:57 PM, "Kevin Nathan" <k7rx@...
<mailto:k7rx%40comcast.net> > wrote:

> Hi All,
>
> I am running version 6.41 and had something interesting happen today. I
> worked TX6T/P on 15 meters and when I went to log the contact it didn't show
> up with a country and I had to go to the list and choose FK/C for the
> Chesterfields. Yet, when I originally put in just TX in the callsign field,
> it came up in the title bar and showed the right country and heading.
>
> Any idea what might be happening here? TX does not show up in my list of
> country prefixes either.
>
> Thanks much and very 73.
>

>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

3552. RE: [XMLog] TX Prefix

Yahoo group: XMLog
Date: 2012-02-06 01:08:49 UTC
From: Kevin Nathan
Topic: 3549 Message: 3552

Hi Ken,

You're right. I'll have to go in and correct them.

Thanks for reminding me to look. Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Ken Anderson, N0AS
Sent: Sunday, February 05, 2012 15:25
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] TX Prefix

This is FO not FK/C ,isn't it?

Just checking. :) Either way it's a new one for me - but I thought that its an FO.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Feb 5, 2012, at 12:57 PM, "Kevin Nathan" <k7rx@...
<mailto:k7rx%40comcast.net> > wrote:

> Hi All,
>
> I am running version 6.41 and had something interesting happen today. I
> worked TX6T/P on 15 meters and when I went to log the contact it didn't show
> up with a country and I had to go to the list and choose FK/C for the
> Chesterfields. Yet, when I originally put in just TX in the callsign field,
> it came up in the title bar and showed the right country and heading.
>
> Any idea what might be happening here? TX does not show up in my list of
> country prefixes either.

>
> Thanks much and very 73.
>
>
> Kevin :)
> Amateur Radio: K7RX
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

3553. Re: TX Prefix (Dxpeditions - TX6T, TX6T/p)

Yahoo group: XMLog
Date: 2012-02-06 16:48:15 UTC
From: w1ect
Topic: 3549 Message: 3553

Hi Ken, TX6T/p are the Pitcarin I. guys coming home and operating from French Polynesia (FO/P). They also used TX6T on the way out (also FO/P).

You can define both TX6T and TX6T/p as French Polynesia (FO/P) using the "View/Show Callsign List" menu item - this will handle any further entries or imports.

Mike - W1ECT

3554. HamQTH Comments?

Yahoo group: XMLog
Date: 2012-02-09 23:03:58 UTC
From: w1ect
Topic: 3554 Message: 3554

So, has anyone been using the HamQTH Callbook Server available in the current beta version at www.xmlog.com/beta? Any problems?

Mike - W1ECT

3555. Re: HamQTH Comments?

Yahoo group: XMLog
Date: 2012-02-10 10:35:11 UTC
From: ab1dd
Topic: 3554 Message: 3555

Hi Mike,

Couple of observations:
The password shows in plain text in the callbook setup. Might be a problem for some.

If you try to set up the callbook and mistakenly don't put in your call or password, the program crashes.

Otherwise, HOORAY!!!!!

Thanks,

Carl
AB1DD

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> So, has anyone been using the HamQTH Callbook Server available in the current beta version at www.xmlog.com/beta? Any problems?
>
> Mike - W1ECT
>

3559. Re: [XMLog] HamQTH Comments?

Yahoo group: XMLog
Date: 2012-02-10 16:26:42 UTC
From: N7mal
Topic: 3554 Message: 3559

I think there is only one way to describe my experience installing the beta version:

'There is no joy in mudville the mighty Casey(W1ECT) has struck out'

Unfortunately I wasn't prepared to make notes. First my computer is WIN7 up-to-date(according to Microsoft).
The beta install replaced several files because it said they were 'out of date'.
I use a customized mouse pointer and it disappeared. I had to re-install it. That's no big deal but it happened.
The only thing I see from the callbook is the operator name. When I do the label thing the only thing that shows up is the operator name. If I go directly to QRZ I get all the info no problem.

I use VE7CC software for my connection to the i'net clusters. If I click on a call in VE7CC I get all the info from QRZ.

My plan, later today, is to install the beta on my 'XP' machine and take notes. Then I'll go to my XYLs computer and install the beta there. Her computer is exactly the same as my WIN7 machine.(they were both bought, same specs, the same day from Dell). I will take notes. I just made a quick check on the XP machine. It is ver 6.38 and when I do a callbook lookup it displays exactly the same thing as the new beta version.

The beta version functions properly as far as logging and the packet window, there are no problems.
More to follow

73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Thursday, February 09, 2012 23:03
Subject: [XMLog] HamQTH Comments?

So, has anyone been using the HamQTH Callbook Server available in the current beta version at www.xmlog.com/beta? Any problems?

Mike - W1ECT

[Non-text portions of this message have been removed]

3560. Re: [XMLog] HamQTH Comments?

Yahoo group: XMLog
Date: 2012-02-10 16:37:23 UTC
From: Nelson Wittstock
Topic: 3554 Message: 3560

I've been using it with no problems with XP Pro.

Nelson, K8DJC

[Non-text portions of this message have been removed]

3561. Re: [XMLog] HamQTH Comments?

Yahoo group: XMLog
Date: 2012-02-11 06:32:56 UTC
From: N7mal
Topic: 3554 Message: 3561

I am happy to report I finally have everything working.
First I installed the beta on my XP machine. It went 100% smoothly and works 100% smoothly. I setup the QTH lookup and it works perfectly. I can either just lookup a call for my own general info or with 1(one) click add the info to the log entry.

It is also now is working perfectly on my WIN7 machine but it took some work. there is another old saying: ""You have to be smarter than the problem"".
I tried reinstalling the program but it didn't work, I then tried reinstalling with the 'special' WIN7 visual basic plan. It still didn't work.
To make a long story short the install was not overwriting the mlog.exe file. I looked in the directory and all the files were there plus a new file, mlog(1). After I cleaned up the directory everything works perfectly now.
The only problem that still is there is the mouse pointer problem. The install changes my mouse pointer,,,on my machine. WIN7 is a special, very special, animal.
I hope this is all unique to my computer but with WIN7 anything could happen anywhere.

GooD LucK
73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: N7mal
To: XMLog@yahoogroups.com
Sent: Friday, February 10, 2012 16:26
Subject: Re: [XMLog] HamQTH Comments?

I think there is only one way to describe my experience installing the beta version:

'There is no joy in mudville the mighty Casey(W1ECT) has struck out'

Unfortunately I wasn't prepared to make notes. First my computer is WIN7 up-to-date(according to Microsoft).
The beta install replaced several files because it said they were 'out of

date'.
I use a customized mouse pointer and it disappeared. I had to re-install it. That's no big deal but it happened.
The only thing I see from the callbook is the operator name. When I do the label thing the only thing that shows up is the operator name. If I go directly to QRZ I get all the info no problem.

I use VE7CC software for my connection to the i'net clusters. If I click on a call in VE7CC I get all the info from QRZ.

My plan, later today, is to install the beta on my 'XP' machine and take notes. Then I'll go to my XYLs computer and install the beta there. Her computer is exactly the same as my WIN7 machine.(they were both bought, same specs, the same day from Dell). I will take notes. I just made a quick check on the XP machine. It is ver 6.38 and when I do a callbook lookup it displays exactly the same thing as the new beta version.

The beta version functions properly as far as logging and the packet window, there are no problems.
More to follow

73

MAL
N7MAL
BULLHEAD CITY, AZ
http://www.n7mal.com
Everyone in the world is
entitled to be burdened
by my opinion

----- Original Message -----
From: w1ect
To: XMLog@yahoogroups.com
Sent: Thursday, February 09, 2012 23:03
Subject: [XMLog] HamQTH Comments?

So, has anyone been using the HamQTH Callbook Server available in the current beta version at www.xmlog.com/beta? Any problems?

Mike - W1ECT

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

3562. Win7 64

Yahoo group: XMLog
Date: 2012-02-13 21:25:03 UTC
From: Robert
Topic: 3562 Message: 3562

I am trying to get XMLog to work with win7 64 and my FT950. It will work with HRD. Will XMLog work with Win7 64? If it does what are the settings?

3563. Re: Win7 64

Yahoo group: XMLog
Date: 2012-02-13 22:46:01 UTC
From: w1ect
Topic: 3562 Message: 3563

Hi Bob, XMLog works OK with the 64-bit version of Windows, that's what I'm using here.

If the FT-950 is one of those rigs that allow you to change the baud rate for your CAT connection the first thing to do is go to your rig's menus for the CAT port and make sure they match the settings found in the XMLog "Options/HF Rig Port Select" menu item. Picking the rig type of "Yaesu FT-950" just picks some default settings and then you can change these defaults to match the current setting found on the rig's menu.

If this isn't the problem we'll have to do some deeper checking...

Mike - W1ECT

3564. Question

Yahoo group: XMLog
Date: 2012-02-15 20:58:00 UTC
From: Dave
Topic: 699 Message: 3564

Hi All,
Im looking for a logging program that will let you add scanned QSL images to the contacts.
Other than CQRLog for Linux, are there any Windows programs out there?

3565. Need updated country file

Yahoo group: XMLog
Date: 2012-02-24 14:22:11 UTC
From: Puck
Topic: 3565 Message: 3565

Due to a computer glitch which I've not been able to solve I cannot update XMLOG on my computer. The update file just will not run on it. I am using version 6.37 which works just fine but I need a current country file. Sice my version Southern Sudan became a DXCC entity and now R1MV has been dropped and is on the deleted list.

Can someone tell me which file I'd need to edit and how to do it to get my DXCC totals right. OR can some one send me that file only with the current data?

73,
Puck W4PM

3566. Southern Sundan prefix assigned (Beta Test Version 6.50)

Yahoo group: XMLog
Date: 2012-02-24 18:35:37 UTC
From: w1ect
Topic: 3566 Message: 3566

Southern Sudan has been assigned an official prefix (Z8). I've posted a beta version (6.50) at www.xmlog.com/beta which will automatically update any log entries that were assigned the "temporary" prefix of "QQ".

Mike - W1ECT

3567. Help Please with Log Fields

Yahoo group: XMLog
Date: 2012-02-26 17:37:48 UTC
From: Kevin Nathan
Topic: 3567 Message: 3567

Hi Mike and All,

I am totally blind and had XM set up exactly the way I want it. Then, this morning, I worked EI80IRTS which is the Irish Transmitter Society special call. It was a long address given in QRZ.com so I chose the button to place that address into the log entry. The only problem is that when I did this, now all entries come up with address fields available but my fields for name, notes, etc. disappeared--or at least they did to my speech screen reader.

Can someone please tell me what setting I need to change to get them back and get rid of all of the address fields that keep popping up with a new entry? Your help is ever so much appreciated.

Thanks a bunch and very 73.

Kevin :)
Amateur Radio: K7RX

[Non-text portions of this message have been removed]

3568. RE: [XMLog] Southern Sudan prefix assigned (Beta Test Version 6.50)

Yahoo group: XMLog
Date: 2012-02-29 16:19:26 UTC
From: Craig Bradley
Topic: 3568 Message: 3568

Thanks Mike,

So far 6.50 looks good, no problems.

73,

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Friday, February 24, 2012 10:36 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Southern Sundan prefix assigned (Beta Test Version 6.50)

Southern Sudan has been assigned an official prefix (Z8). I've posted a beta version (6.50) at www.xmlog.com/beta which will automatically update any log entries that were assigned the "temporary" prefix of "QQ".

Mike - W1ECT

[Non-text portions of this message have been removed]

3569. County mismatches

Yahoo group: XMLog
Date: 2012-02-29 18:38:00 UTC
From: Ken Anderson, N0AS
Topic: 3569 Message: 3569

I have a couple of QSO records where the person has put their city in the county field for their LOTW submissions.

Xmlog flags this every time as an "invalid county," which it is, of course. And I have to "Appy" the LOTW data to the record every time I update xmlog.

Is there a way to set xmlog so that it no longer wants to "fix" these two QSO records each time?

Thanks!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

3570. Re: [XMLog] County mismatches

Yahoo group: XMLog
Date: 2012-03-01 03:38:42 UTC
From: Robert Dixon
Topic: 3569 Message: 3570

Hi Ken: I am one of those baffling situations. Cities in Virginia are separate from counties. I don't know why. (They also have overlapping city/county school districts with two or more boards of education in a single county.) To keep LoTW and FCC simple I have listed myself as Rockingham County. Makes life simpler. If there is a rare situation where somebody needs a city I will make a special card and send it off to that op. I have only gotten one card, from a Japanese Op when I lived downstate in the county of Bedford, city of Bedford. He thought I was in Bedford City. Sent his $1 back with a card and an apology.

Yes, MLog can be frustrating but I love it anyway and find it works great for contesting.

Bob, W8HGH Harrisonburg City/Rockingham County, VA

----- Original Message -----
From: Ken Anderson, N0AS<mailto:wheels247@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, February 29, 2012 1:38 PM
Subject: [XMLog] County mismatches

I have a couple of QSO records where the person has put their city in the county field for their LOTW submissions.

Xmlog flags this every time as an "invalid county," which it is, of course. And I have to "Appy" the LOTW data to the record every time I update xmlog.

Is there a way to set xmlog so that it no longer wants to "fix" these two QSO records each time?

Thanks!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

[Non-text portions of this message have been removed]

3571. Re: [XMLog] County mismatches

Yahoo group: XMLog
Date: 2012-03-01 18:52:37 UTC
From: WILLIS COOKE
Topic: 3569 Message: 3571

The County Hunters Award team has a way of counting every location for a county. Virginia is not the only state that has some cities which are not legally in a county. St. Louis, Mo is one city that I know. I am not a county hunter, so I don't have these areas committed to memory, but if you look on ht County Hunter web site you can find a listing of which county these cities count for in the County Hunter Award. It has been a while since I looked at these, but as I recall it is not easy to find. Mostly it counts for the county that surrounds the city, but one that I remember is Virginia Beach does not have an obvious county. It would be nice if the County Hunters could make this a bit easier to find, maybe they have since I last looked. If you operate from one of these cities it would be convenient to know what county you are a credit for. Since most of the cities involved are large and in populated counties, I don't think any are rare.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Robert Dixon <w8hgh@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, February 29, 2012 9:38 PM
Subject: Re: [XMLog] County mismatches

Hi Ken: I am one of those baffling situations. Cities in Virginia are separate from counties. I don't know why. (They also have overlapping city/county school districts with two or more boards of education in a single county.) To keep LoTW and FCC simple I have listed myself as Rockingham County. Makes life simpler. If there is a rare situation where somebody needs a city I will make a special card and send it off to that op. I have only gotten one card, from a Japanese Op when I lived downstate in the county of Bedford, city of Bedford. He thought I was in Bedford City. Sent his $1 back with a card and an apology.

Yes, MLog can be frustrating but I love it anyway and find it works great for contesting.

Bob, W8HGH Harrisonburg City/Rockingham County, VA

----- Original Message -----
From: Ken Anderson, N0AS<mailto:wheels247@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, February 29, 2012 1:38 PM
Subject: [XMLog] County mismatches

I have a couple of QSO records where the person has put their city in the county field for their LOTW submissions.

Xmlog flags this every time as an "invalid county," which it is, of course. And I have to "Appy" the LOTW data to the record every time I update xmlog.

Is there a way to set xmlog so that it no longer wants to "fix" these two QSO records each time?

Thanks!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3572. RE: [XMLog] County mismatches

Yahoo group: XMLog
Date: 2012-03-01 18:58:36 UTC
From: Dave AA6YQ
Topic: 3569 Message: 3572

See <http://www.dxawards.com/usaca/indcities.htm>

73,

Dave, AA6YQ

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of WILLIS COOKE
Sent: Thursday, March 01, 2012 1:53 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] County mismatches

The County Hunters Award team has a way of counting every location for a county. Virginia is not the only state that has some cities which are not legally in a county. St. Louis, Mo is one city that I know. I am not a county hunter, so I don't have these areas committed to memory, but if you look on ht County Hunter web site you can find a listing of which county these cities count for in the County Hunter Award. It has been a while since I looked at these, but as I recall it is not easy to find. Mostly it counts for the county that surrounds the city, but one that I remember is Virginia Beach does not have an obvious county. It would be nice if the County Hunters could make this a bit easier to find, maybe they have since I last looked. If you operate from one of these cities it would be convenient to know what county you are a credit for. Since most of the cities involved are large and in populated counties, I don't think any are rare.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Robert Dixon <w8hgh@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, February 29, 2012 9:38 PM
Subject: Re: [XMLog] County mismatches

Hi Ken: I am one of those baffling situations. Cities in Virginia are separate from counties. I don't know why. (They also have overlapping city/county school districts with two or more boards of education in a single county.) To keep LoTW and FCC simple I have listed myself as Rockingham County. Makes life simpler. If there is a rare situation where somebody needs a city I will make a special card and send it off to that op. I have only gotten one card, from a Japanese Op when I lived downstate in the county of Bedford, city of Bedford. He thought I was in Bedford City. Sent his $1 back with a card and an apology.

Yes, MLog can be frustrating but I love it anyway and find it works great for contesting.

Bob, W8HGH Harrisonburg City/Rockingham County, VA

----- Original Message -----
From: Ken Anderson, N0AS<mailto:wheels247@...>

To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, February 29, 2012 1:38 PM
Subject: [XMLog] County mismatches

I have a couple of QSO records where the person has put their city in the county field for their LOTW submissions.

Xmlog flags this every time as an "invalid county," which it is, of course. And I have to "Appy" the LOTW data to the record every time I update xmlog.

Is there a way to set xmlog so that it no longer wants to "fix" these two QSO records each time?

Thanks!

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3573. Re: [XMLog] County mismatches

Yahoo group: XMLog
Date: 2012-03-01 20:11:46 UTC
From: Ken Anderson, N0AS
Topic: 3569 Message: 3573

I should have made my question more specific. I worked a Nevada gentleman. In his LOTW credentials he has "Carson City, NV" listed as the *county*. I don't care *why* he might have done this.

And I have several others with similar problems.

Now when I download and validate my LOTW confirmations, xmlog flags these each and every time ("not a valid county"). Then I have to go thru the process of individually applying (or not) the LOTW info to the xmlog county field.

What I am asking is: is there a way in xmlog to "mark" these QSO records so that I don't have to go thru this process each and every time?

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Mar 1, 2012, at 12:58 PM, "Dave AA6YQ" <aa6yq@...> wrote:

> See <http://www.dxawards.com/usaca/indcities.htm>
>
> 73,
>
> Dave, AA6YQ
>
> -----Original Message-----
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]On Behalf Of WILLIS COOKE
> Sent: Thursday, March 01, 2012 1:53 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] County mismatches
>
>
>
> The County Hunters Award team has a way of counting every location for a county. Virginia is not the only state that has some cities which are not legally in a county. St. Louis, Mo is one city that I know. I am not a county hunter, so I don't have these areas committed to memory, but if you look on ht County Hunter web site you can find a listing of which county these cities count for in the County Hunter Award. It has been a while since I looked at these, but as I recall it is not easy to find. Mostly it counts for the county that surrounds the city, but one that I remember is Virginia Beach does not have an obvious

county. It would be nice if the County Hunters could make this a bit easier to find, maybe they have since I last looked. If you operate from one of these cities it would be convenient to know what county you are a credit for. Since most of the cities involved are large and in populated counties, I don't think any are rare.
>
>
> Willis 'Cookie' Cooke
> K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart
>
> _____
> From: Robert Dixon <w8hgh@...>
> To: XMLog@yahoogroups.com
> Sent: Wednesday, February 29, 2012 9:38 PM
> Subject: Re: [XMLog] County mismatches
>
>
>
> Hi Ken: I am one of those baffling situations. Cities in Virginia are separate from counties. I don't know why. (They also have overlapping city/county school districts with two or more boards of education in a single county.) To keep LoTW and FCC simple I have listed myself as Rockingham County. Makes life simpler. If there is a rare situation where somebody needs a city I will make a special card and send it off to that op. I have only gotten one card, from a Japanese Op when I lived downstate in the county of Bedford, city of Bedford. He thought I was in Bedford City. Sent his $1 back with a card and an apology.
>
> Yes, MLog can be frustrating but I love it anyway and find it works great for contesting.
>
> Bob, W8HGH Harrisonburg City/Rockingham County, VA
>
> ----- Original Message -----
> From: Ken Anderson, N0AS<mailto:wheels247@...>
> To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
> Sent: Wednesday, February 29, 2012 1:38 PM
> Subject: [XMLog] County mismatches
>
> I have a couple of QSO records where the person has put their city in the county field for their LOTW submissions.
>
> Xmlog flags this every time as an "invalid county," which it is, of course. And I have to "Appy" the LOTW data to the record every time I update xmlog.
>
> Is there a way to set xmlog so that it no longer wants to "fix" these two QSO records each time?
>
> Thanks!
>
> Ken
> Amateur Radio Callsign: N0AS
>
> Irritating nearly everyone since 1956.
>

> ARRL: arrl.org
> Twin City DX Association: tcdxa.org
> INDEXA: indexa.org
> FISTS: fists.org
> DMC: digital-modes-club.org
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3574. FW: new to the group intro KC9PXZ

Yahoo group: XMLog
Date: 2012-03-01 15:14:06 UTC
From: Jim Cameron
Topic: 3574 Message: 3574

Hello group,

I just found this group so I thought I would join. XMlog was reamened to my by Handi Ham. So I am hoping it works out from. Well a little about me. My name is Jimmy; I live in Wisconsin I got my ticket in 2009 then in 2010 upgraded to general. I am hoping to up grade to Extra before June. I enjoy working the Birds, ARES/RACES, rag chewing on the local repeaters and skywarn/weather. spotting. I just started getting on HF in Oct. For UHF/VHF I run, an I-COM IC28H feed with RG8 to a Diamond 510 dual band antenna at 50 ft. For UHF I run a Realm SLU-40 6 channel. I also own the Realm SLV-25 2 meter. As I said, just getting my feet wet with HF. I run a Kenwood 440s witch is an awesome radio. Feed with RG-213 to a Radio Wavz 80 meter DX OCFD at about 50 feet. My first rig was a HTX 202 That I still have. Works great. I am not sure how I feel about contesting yet. I do know that I am a lot less mic shy on a contest weekend. I am a member of handihams. My being in a wheelchair HTs. work best mobile or if I am around town. I drive with hand controls so only work mobile when the XYL or my daughter is driving. I think I may set up an echo link node to be able to check into handiham nets and the like on echo link using my HT. I have a wire interface and it worked great and the simplex node was temperately set up a while ago. I just got sick of unplugging it if I wanted to use phone on a local repeater. So I need o look into something that will allow me to switch from my wire interface when using the node to using the rigs mic when I want to work phone on one of the local repeaters. I think I may enjoy traffic handling but for now working on getting my WAS. I found WAS nets? On the internet, I will have to look more into that.
Well just wanted to post a short intro and tell the group a little about myself & what I enjoy about ham radio.

73
"Aonaibh RI Chéile,"
James H. Cameron Jr.
KC9PXZ "Jimmy"

3575. Re: Need updated country file

Yahoo group: XMLog
Date: 2012-03-01 22:12:38 UTC
From: w1ect
Topic: 3565 Message: 3575

Hi Puck, Not sure which file you are referring to, the Prefixes file? If you do an install of the current beta at www.xmlog.com/beta this file will be re-installed. It includes the new Southern Sudan prefix (Z8) but hasn't moved MV Island to "deleted" status yet (this is on the todo list).

Mike - W1ECT

3576. Re: Help Please with Log Fields

Yahoo group: XMLog
Date: 2012-03-01 22:17:12 UTC
From: w1ect
Topic: 3567 Message: 3576

Hi Kevin, You should first check the settings of the a couple of Log Window menu items - "Edit/Use Defaults For New Entries" to see if you have defaults turned on and "Edit/Edit Defaults For New Entries" to make sure you have the defaults set up to correspond to your needs.

Mike - W1ECT

3577. Re: County mismatches

Yahoo group: XMLog
Date: 2012-03-01 22:21:05 UTC
From: w1ect
Topic: 3569 Message: 3577

Hi Ken, Sorry but there's no way to ignore certain entries/fields on LoTW data being imported. If there's a couple of annoying entries that you see on every import you could always open the LoTW file with a simple text editor like NotePad or WordPad and delete the offending fields (or the complete entries). No doubt a macro could be created to automate this...

Mike - W1ECT

3578. Re: [XMLog] Re: County mismatches

Yahoo group: XMLog
Date: 2012-03-01 23:28:45 UTC
From: Ken Anderson, N0AS
Topic: 3569 Message: 3578

Thanks, Mike! That's what I needed to know. :)

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Mar 1, 2012, at 4:21 PM, "w1ect" <w1ect@...> wrote:

> Hi Ken, Sorry but there's no way to ignore certain entries/fields on LoTW data being imported. If there's a couple of annoying entries that you see on every import you could always open the LoTW file with a simple text editor like NotePad or WordPad and delete the offending fields (or the complete entries). No doubt a macro could be created to automate this...
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3579. RE: [XMLog] Re: Help Please with Log Fields

Yahoo group: XMLog
Date: 2012-03-02 04:47:39 UTC
From: Kevin Nathan
Topic: 3567 Message: 3579

Yes, I have checked this one. I just need to have my wife take a look at a couple of choices which my speech screen reader do not work with very well and I think we can fix it. If not, I'll let you know.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Thursday, March 01, 2012 14:17
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Help Please with Log Fields

Hi Kevin, You should first check the settings of the a couple of Log Window menu items - "Edit/Use Defaults For New Entries" to see if you have defaults turned on and "Edit/Edit Defaults For New Entries" to make sure you have the defaults set up to correspond to your needs.

Mike - W1ECT

[Non-text portions of this message have been removed]

3580. RE: [XMLog] Re: Help Please with Log Fields

Yahoo group: XMLog
Date: 2012-03-02 12:44:25 UTC
From: John Vernaleken
Topic: 3567 Message: 3580

Kevin,
Once in a while I think I had the same problem. Since I am also blind I had my XYL look at the screen. If I remember correctly, there were some buttons in the bottom left of screen she clicked and things went back to the way it was.
I am using JAWS and could not get the buttons read. Other than the buttons XMLOG is handled by JAWS and is very blind friendly.

John KC2QJB

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Kevin Nathan
Sent: Thursday, March 01, 2012 11:48 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Help Please with Log Fields

Yes, I have checked this one. I just need to have my wife take a look at a couple of choices which my speech screen reader do not work with very well and I think we can fix it. If not, I'll let you know.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
w1ect
Sent: Thursday, March 01, 2012 14:17
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] Re: Help Please with Log Fields

Hi Kevin, You should first check the settings of the a couple of Log Window menu items - "Edit/Use Defaults For New Entries" to see if you have defaults turned on and "Edit/Edit Defaults For New Entries" to make sure you have the defaults set up to correspond to your needs.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3581. RE: [XMLog] Re: Help Please with Log Fields

Yahoo group: XMLog
Date: 2012-03-02 14:06:25 UTC
From: Kevin Nathan
Topic: 3567 Message: 3581

Hi John,

I totally agree. It's just that with us both working, it seems like projects like this sometimes get a back burner status. But, this weekend should be quiet and perhaps we can fix it this weekend.

Great to hear from you again. Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of John Vernaleken
Sent: Friday, March 02, 2012 04:44
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Re: Help Please with Log Fields

Kevin,
Once in a while I think I had the same problem. Since I am also blind I had my XYL look at the screen. If I remember correctly, there were some buttons in the bottom left of screen she clicked and things went back to the way it was.
I am using JAWS and could not get the buttons read. Other than the buttons XMLOG is handled by JAWS and is very blind friendly.

John KC2QJB

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Kevin Nathan
Sent: Thursday, March 01, 2012 11:48 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Re: Help Please with Log Fields

Yes, I have checked this one. I just need to have my wife take a look at a couple of choices which my speech screen reader do not work with very well and I think we can fix it. If not, I'll let you know.

Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of
w1ect
Sent: Thursday, March 01, 2012 14:17
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] Re: Help Please with Log Fields

Hi Kevin, You should first check the settings of the a couple of Log Window menu items - "Edit/Use Defaults For New Entries" to see if you have defaults turned on and "Edit/Edit Defaults For New Entries" to make sure you have the defaults set up to correspond to your needs.

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3582. RE: [XMLog] Re: County mismatches

Yahoo group: XMLog
Date: 2012-03-16 05:05:00 UTC
From: Craig Bradley
Topic: 3569 Message: 3582

If you use the "Download records posted since _____" option with the date of your last download you will not keep downloading the bad records. Once you have downloaded them there is no need to download the same QSLs again.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Ken Anderson, N0AS
Sent: Thursday, March 01, 2012 3:29 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: County mismatches

Thanks, Mike! That's what I needed to know. :)

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Mar 1, 2012, at 4:21 PM, "w1ect" <w1ect@...
<mailto:w1ect%40xmlog.com> > wrote:

> Hi Ken, Sorry but there's no way to ignore certain entries/fields on LoTW data being imported. If there's a couple of annoying entries that you see on every import you could always open the LoTW file with a simple text editor like NotePad or WordPad and delete the offending fields (or the complete entries). No doubt a macro could be created to automate this...
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

[Non-text portions of this message have been removed]

3583. DXPeditions - E51EWP (S Cook Is.)

Yahoo group: XMLog
Date: 2012-03-25 18:25:32 UTC
From: w1ect
Topic: 3583 Message: 3583

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51EWP - South Cook Islands (E5/S)

Mike - W1ECT

3584. RE: [XMLog] DXPeditions - E51EWP (S Cook Is.) add 9M6/OH2YY

Yahoo group: XMLog
Date: 2012-03-26 15:56:54 UTC
From: Craig Bradley
Topic: 3584 Message: 3584

Also 9m6/oh2yy on Spratly (1S)

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Sunday, March 25, 2012 11:26 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] DXPeditions - E51EWP (S Cook Is.)

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51EWP - South Cook Islands (E5/S)

Mike - W1ECT

[Non-text portions of this message have been removed]

3585. RE: [XMLog] DXPeditions - E51M

Yahoo group: XMLog
Date: 2012-03-28 06:31:16 UTC
From: Craig Bradley
Topic: 3585 Message: 3585

We also have E51M on N Cook Is now.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Craig Bradley
Sent: Monday, March 26, 2012 8:57 AM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] DXPeditions - E51EWP (S Cook Is.) add 9M6/OH2YY

Also 9m6/oh2yy on Spratly (1S)

- Craig

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf
Of
w1ect
Sent: Sunday, March 25, 2012 11:26 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] DXPeditions - E51EWP (S Cook Is.)

Here's a new callsign to add to the special calls list using the "View/Show
Callsign List" menu item.

E51EWP - South Cook Islands (E5/S)

Mike - W1ECT

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3586. DXPeditions (not) - 4U1GSC (UN in Italy)

Yahoo group: XMLog
Date: 2012-03-30 15:58:57 UTC
From: w1ect
Topic: 3586 Message: 3586

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

4U1GSC - Italy (I)

This is a new United Nations callsign for the United Nations Global Service Center (UNGSC) located in Brindisi, Italy.

Mike - W1ECT

3587. Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-04 07:24:44 UTC
From: Craig Bradley
Topic: 3587 Message: 3587

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3588. Re: Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-04 14:14:33 UTC
From: w1ect
Topic: 3587 Message: 3588

Hi Craig, You can import the LoTW file as an ADIF file but to do this you need a hack first. Normally XMLog detects the LoTW flavor of this ADIF file and assumes you are making a mistake and won't let you proceed. ADIF files are just simple text files so you can open the file with NotePad or WordPad and check out the header. Temporarily change the PROGRAMID from LoTW to XXXX and do the import and then re-edit the LoTW file and restore the PROGRAMID to LoTW. Perhaps I should add a "Go ahead and import anyway" option?

Mike - W1ECT

3589. Re: [XMLog] Re: Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-04 14:26:28 UTC
From: Ken Anderson, N0AS
Topic: 3587 Message: 3589

Mike,

Has there been any indication from the LOTW and DXCC crews if they ever intend to include a download of "accepted" QSLs.

Sure would be nice to download that instead of manually going thru 100+ submitted QSLs to apply the credit.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Apr 4, 2012, at 9:14 AM, "w1ect" <w1ect@...> wrote:

> Hi Craig, You can import the LoTW file as an ADIF file but to do this you need a hack first. Normally XMLog detects the LoTW flavor of this ADIF file and assumes you are making a mistake and won't let you proceed. ADIF files are just simple text files so you can open the file with NotePad or WordPad and check out the header. Temporarily change the PROGRAMID from LoTW to XXXX and do the import and then re-edit the LoTW file and restore the PROGRAMID to LoTW. Perhaps I should add a "Go ahead and import anyway" option?
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3590. Re: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-04 15:26:59 UTC
From: WILLIS COOKE
Topic: 3587 Message: 3590

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3591. Re: Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-05 20:10:21 UTC
From: w1ect
Topic: 3587 Message: 3591

Hi Ken, The closest thing is a couple of lists that you can produce from the ARRL web site that are similar to the XMLog "DXCC Totals" and "DXCC Checklist" reports. To get the totals log on to:

https://p1k.arrl.org/lotwuser/awardaccount

and click on "View Award Credit Matrix" to get the checklist.

I've tried creating a feature to compare the XMLog checklist with the ARRL credit matrix but it's not ready for prime time. I can remember several times comparing the two lists by hand after making DXCC submissions, not a very pleasant task.

Mike - W1ECT

>
> Mike,
>
> Has there been any indication from the LOTW and DXCC crews if they ever intend to include a download of "accepted" QSLs.
>
> Sure would be nice to download that instead of manually going thru 100+ submitted QSLs to apply the credit.
>
> Ken
> Amateur Radio Callsign: N0AS
>

3592. TS-590S Solutions

Yahoo group: XMLog
Date: 2012-04-09 20:13:34 UTC
From: David P
Topic: 3592 Message: 3592

Anyone successfully running XMLog with their TS-590? What you using for HF rig settings?

Thanks
D

3593. RE: [XMLog] TS-590S Solutions

Yahoo group: XMLog
Date: 2012-04-09 23:31:19 UTC
From: Kevin Nathan
Topic: 3592 Message: 3593

Hi David,

Yes, I am running XMLog with my 590 and even use a data splitter from B&B electronics to run my SPE amp off the same port. Settings I use are as follows:

Com Port: com1
Port Type: XMLog
Radio is Kenwood (no number)
baud rate: 9600
Parity: None
Data Bits: 8
Stop Bits: 1
Flow control: none
Data Mode: LSB or USB
RTS: Always On

I hope that helps some. Take care and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of David P
Sent: Monday, April 09, 2012 13:14
To: XMLog@yahoogroups.com
Subject: [XMLog] TS-590S Solutions

Anyone successfully running XMLog with their TS-590? What you using for HF rig settings?

Thanks
D

[Non-text portions of this message have been removed]

3594. RE: [XMLog] Re: Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-10 05:51:07 UTC
From: Craig Bradley
Topic: 3587 Message: 3594

Hi Mike,

Thanks that worked very well - easy hack.

Yes, an option would be a nice feature if that is easy to do. It would be handy for people just starting out with computer logging or for some who lost their log file in a computer crash.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, April 04, 2012 7:15 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Importing a log file from LoTW to XMLog

Hi Craig, You can import the LoTW file as an ADIF file but to do this you need a hack first. Normally XMLog detects the LoTW flavor of this ADIF file and assumes you are making a mistake and won't let you proceed. ADIF files are just simple text files so you can open the file with NotePad or WordPad and check out the header. Temporarily change the PROGRAMID from LoTW to XXXX and do the import and then re-edit the LoTW file and restore the PROGRAMID to LoTW. Perhaps I should add a "Go ahead and import anyway" option?

Mike - W1ECT

[Non-text portions of this message have been removed]

3595. RE: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-10 05:58:16 UTC
From: Craig Bradley
Topic: 3587 Message: 3595

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@pacbell.net <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3596. RE: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-10 06:05:41 UTC
From: Craig Bradley
Topic: 3587 Message: 3596

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM

Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3597. Re: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-10 13:56:11 UTC
From: WILLIS COOKE
Topic: 3587 Message: 3597

I'm not sure Craig. I have only read about it and not found it, but look in LOTW, not in XMLog. I would start looking in the far right block where you check your uploads. I always keep adequate backups locally, so I have never needed to download my log after I have uploaded it. If you need more help, try the ARRL LOTW help utility and tell them exactly what you need. Of course, the log you download will be a subset of your uploaded log and contain only those fields that LOTW stores. Once you get the ADIF file, upload it with the XMLog utility.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Tuesday, April 10, 2012 1:05 AM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM

To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3598. RE: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-12 04:57:20 UTC
From: Craig Bradley
Topic: 3587 Message: 3598

Hi Cookie,

There is a “button” on the side bar in LoTW but it only downloads the confirmed ones. It would be good to have a way to download the whole log in an emergency and I have heard that some of the other logging programs can do this.

However in this case (I have not lost my log), I have a friend who has had his entire DXCC record transferred to LoTW and he would like to start with computer logging. As all of his QSOs in DXCC were confirmed by default, this file should be exactly what he needs.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Tuesday, April 10, 2012 6:56 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

I'm not sure Craig. I have only read about it and not found it, but look in LOTW, not in XMLog. I would start looking in the far right block where you check your uploads. I always keep adequate backups locally, so I have never needed to download my log after I have uploaded it. If you need more help, try the ARRL LOTW help utility and tell them exactly what you need. Of course, the log you download will be a subset of your uploaded log and contain only those fields that LOTW stores. Once you get the ADIF file, upload it with the XMLog utility.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, April 10, 2012 1:05 AM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3599. Re: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-12 13:10:33 UTC
From: WILLIS COOKE
Topic: 3587 Message: 3599

Craig, I am not sure I remember everything. As I recall, the ARRL was saying that they could recover some logs if the need was dire, but that they would need to be involved and they did not want to encourage use of LOTW as a log backup. Since then the LOTW server has suffered from not enough bandwidth for the number of users and long delays in uploading after major DX contests. They may have abandoned the practice altogether because of excess usage. I don't think they ever had a hot button for a complete log dump. You can write ARRL and see what they will do for you, but don't expect an enthusiastic response.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, April 11, 2012 11:57 PM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

There is a “button” on the side bar in LoTW but it only downloads the confirmed ones. It would be good to have a way to download the whole log in an emergency and I have heard that some of the other logging programs can do this.

However in this case (I have not lost my log), I have a friend who has had his entire DXCC record transferred to LoTW and he would like to start with computer logging. As all of his QSOs in DXCC were confirmed by default, this file should be exactly what he needs.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Tuesday, April 10, 2012 6:56 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

I'm not sure Craig. I have only read about it and not found it, but look in LOTW, not in XMLog. I would start looking in the far right block where you check your uploads. I always keep adequate backups locally, so I have never needed to download my log after I have uploaded it. If you need more help, try the ARRL LOTW help utility and tell them exactly what you need. Of course, the log you download will be a subset of your uploaded log and contain only those fields that LOTW stores. Once you get the ADIF file, upload it with the XMLog utility.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, April 10, 2012 1:05 AM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@pacbell.net <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >

To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3600. RE: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-16 17:06:30 UTC
From: Craig Bradley
Topic: 3587 Message: 3600

Hi Cookie,

I really don’t need to download the entire log. In this case I am trying to help someone who has had his DXCC record transferred to LoTW upload that file. As the DXCC record is all confirmed QSOs, there should be no problem uploading that file with the current system.

There are no “lost logs” in this case.

Thanks & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Thursday, April 12, 2012 6:11 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I am not sure I remember everything. As I recall, the ARRL was saying that they could recover some logs if the need was dire, but that they would need to be involved and they did not want to encourage use of LOTW as a log backup. Since then the LOTW server has suffered from not enough bandwidth for the number of users and long delays in uploading after major DX contests. They may have abandoned the practice altogether because of excess usage. I don't think they ever had a hot button for a complete log dump. You can write ARRL and see what they will do for you, but don't expect an enthusiastic response.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 11, 2012 11:57 PM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

There is a “button” on the side bar in LoTW but it only downloads the confirmed ones. It would be good to have a way to download the whole log in an emergency and I have heard that some of the other logging programs can do this.

However in this case (I have not lost my log), I have a friend who has had his entire DXCC record transferred to LoTW and he would like to start with computer logging. As all of his QSOs in DXCC were confirmed by default, this file should be exactly what he needs.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Tuesday, April 10, 2012 6:56 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

I'm not sure Craig. I have only read about it and not found it, but look in LOTW, not in XMLog. I would start looking in the far right block where you check your uploads. I always keep adequate backups locally, so I have never needed to download my log after I have uploaded it. If you need more help, try the ARRL LOTW help utility and tell them exactly what you need. Of course, the log you download will be a subset of your uploaded log and contain only those fields that LOTW stores. Once you get the ADIF file, upload it with the XMLog utility.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, April 10, 2012 1:05 AM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3601. XMLog support for new DXCC online application?

Yahoo group: XMLog
Date: 2012-04-16 17:09:36 UTC
From: Craig Bradley
Topic: 3601 Message: 3601

Hi Mike,

The new online DXCC application process says that it will allow you to upload an ADIF file for a card submission. See paragraph 2 on this page:

https://p1k.arrl.org/onlinedxcc/

Do you plan to add a feature to XMLog to export a submission file?

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3602. Re: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-16 18:16:25 UTC
From: WILLIS COOKE
Topic: 3587 Message: 3602

Craig, I'm not clear on what you want to do. If you want a single download of all the data, I don't know if you can do that. But, you can go to Awards then select the account and then open DXCC. You will see a grid that shows the number of countries worked and number accepted for each type of DXCC (general, phone, cw, digital, 160 meters, etc.) If you click on the kind of DXCC it will give you a list of the pending credits. If you select show radio buttons for pending credits, all credits and all entities. Select the type of DXCC from the drop down list then select whether to sort by name or prefix, then click the Select DXCC to View and you will get the appropriate list of contacts. If you click on the call sign it will give you the details of the contact. If you want to see the contacts, you can go to the Your QSOs tab and it will allow you to list various sorts. You can print any of these lists, but if you can download them to ADIF I
am not sure how to do that.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@...>
To: XMLog@yahoogroups.com
Sent: Monday, April 16, 2012 12:06 PM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I really don’t need to download the entire log. In this case I am trying to help someone who has had his DXCC record transferred to LoTW upload that file. As the DXCC record is all confirmed QSOs, there should be no problem uploading that file with the current system.

There are no “lost logs” in this case.

Thanks & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Thursday, April 12, 2012 6:11 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I am not sure I remember everything. As I recall, the ARRL was saying that they could recover some logs if the need was dire, but that they would need to be involved and they did not want to encourage use of LOTW as a log backup. Since then the LOTW server has suffered from not enough bandwidth for the number of users and long delays in uploading after major DX contests. They may have abandoned the practice altogether because of excess usage. I don't think they ever had a hot button for a complete log dump. You can write ARRL and see what they will do for you, but don't expect an enthusiastic response.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 11, 2012 11:57 PM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

There is a “button” on the side bar in LoTW but it only downloads the confirmed ones. It would be good to have a way to download the whole log in an emergency and I have heard that some of the other logging programs can do this.

However in this case (I have not lost my log), I have a friend who has had his entire DXCC record transferred to LoTW and he would like to start with computer logging. As all of his QSOs in DXCC were confirmed by default, this file should be exactly what he needs.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Tuesday, April 10, 2012 6:56 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

I'm not sure Craig. I have only read about it and not found it, but look in LOTW, not in XMLog. I would start looking in the far right block where you check your uploads. I always keep adequate backups locally, so I have never needed to download my log after I have uploaded it. If you need more help, try the ARRL LOTW help utility and tell them exactly what you need. Of course, the log you download will be a subset of your uploaded log and contain only those fields that LOTW stores. Once you get the ADIF file, upload it with the XMLog utility.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, April 10, 2012 1:05 AM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3603. RE: [XMLog] Importing a log file from LoTW to XMLog

Yahoo group: XMLog
Date: 2012-04-17 14:20:47 UTC
From: Craig Bradley
Topic: 3587 Message: 3603

Hi Cookie,

This is for someone who has never used computer logging. All of his QSOs are on paper logs and all of his QSLs have been paper cards checked by card checkers and then submitted to the DXCC desk for awards where the staff then keyed all of them into the computer.

You can request that the ARRL transfer your DXCC record (which contains all of your QSLs from checked cards) into LoTW and he has done this. So his LoTW file is entirely QSLs from the DXCC system. We want to download this into XMLog so he can get started in computer logging with all of his DXCC credits in XMLog. By downloading all of the LoTW confirmations using the feature already in XMLog we can get this file and then “hack it” per Mike’s instructions. As all of his records in LoTW are confirmed, we will get everything.

I have tried this and it works so the problem is solved.

Thanks & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of WILLIS COOKE
Sent: Monday, April 16, 2012 11:16 AM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not clear on what you want to do. If you want a single download of all the data, I don't know if you can do that. But, you can go to Awards then select the account and then open DXCC. You will see a grid that shows the number of countries worked and number accepted for each type of DXCC (general, phone, cw, digital, 160 meters, etc.) If you click on the kind of DXCC it will give you a list of the pending credits. If you select show radio buttons for pending credits, all credits and all entities. Select the type of DXCC from the drop down list then select whether to sort by name or prefix, then click the Select DXCC to View and you will get the appropriate list of contacts. If you click on the call sign it will give you the details of the contact. If you want to see the contacts, you can go to the Your QSOs tab and it will allow you to list various sorts. You can print any of these lists, but if you can download them to ADIF I
am not sure how to do that.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Sent: Monday, April 16, 2012 12:06 PM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I really don’t need to download the entire log. In this case I am trying to help someone who has had his DXCC record transferred to LoTW upload that file. As the DXCC record is all confirmed QSOs, there should be no problem uploading that file with the current system.

There are no “lost logs” in this case.

Thanks & 73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Thursday, April 12, 2012 6:11 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I am not sure I remember everything. As I recall, the ARRL was saying that they could recover some logs if the need was dire, but that they would need to be involved and they did not want to encourage use of LOTW as a log backup. Since then the LOTW server has suffered from not enough bandwidth for the number of users and long delays in uploading after major DX contests. They may have abandoned the practice altogether because of excess usage. I don't think they ever had a hot button for a complete log dump. You can write ARRL and see what they will do for you, but don't expect an enthusiastic response.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 11, 2012 11:57 PM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

There is a “button” on the side bar in LoTW but it only downloads the confirmed ones. It would be good to have a way to download the whole log in an emergency and I have heard that some of the other logging programs can do this.

However in this case (I have not lost my log), I have a friend who has had his entire DXCC record transferred to LoTW and he would like to start with computer logging. As all of his QSOs in DXCC were confirmed by default, this file should be exactly what he needs.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Tuesday, April 10, 2012 6:56 AM

To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

I'm not sure Craig. I have only read about it and not found it, but look in LOTW, not in XMLog. I would start looking in the far right block where you check your uploads. I always keep adequate backups locally, so I have never needed to download my log after I have uploaded it. If you need more help, try the ARRL LOTW help utility and tell them exactly what you need. Of course, the log you download will be a subset of your uploaded log and contain only those fields that LOTW stores. Once you get the ADIF file, upload it with the XMLog utility.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: Craig Bradley <craigjb@... <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Tuesday, April 10, 2012 1:05 AM
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi again Cookie,

I just spent some time looking at the “new” log file. You are right, it only downloaded the LoTW confirmed QSOs and it put the confirmed date in the “QSL Rcvd” field not in the “LoTW Rcvd” field.

Which LoTW utility are you referring to and where do I get it?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of Craig Bradley
Sent: Monday, April 09, 2012 10:58 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] Importing a log file from LoTW to XMLog

Hi Cookie,

I downloaded the file from LoTW by selecting “Import/Export” on the XMLog menu bar. Then selected “Download/Validate LoTW Data” and selected “Download all records”, this downloads the whole LoTW QSO file to your disk. Then I did the “hack” that Mike described and imported the file using Import/Export – Import ADIF file. Worked great.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of WILLIS COOKE
Sent: Wednesday, April 04, 2012 8:27 AM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: Re: [XMLog] Importing a log file from LoTW to XMLog

Craig, I'm not Mike and maybe he has a better answer, but the download/validate routine just downloads the confirmed QSOs and enters the QSL data into XMLog. You need to download an ADIF file from LOTW using the LOTW utility and then import the ADIF file into XMLog. You can't do a one step download.

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Craig Bradley <craigjb@pacbell.net <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net>
<mailto:craigjb%40pacbell.net> <mailto:craigjb%40pacbell.net> >
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>
Sent: Wednesday, April 4, 2012 2:24 AM
Subject: [XMLog] Importing a log file from LoTW to XMLog

Mike,

Is there any way to import a log file from LoTW into XMLog?

A friend of mine has had his DXCC record transferred to LoTW and would like to download it. I tried creating a new log file in XMLog with no QSOs in it and then did a LoTW download/validate. When I tried to Apply LoTW data to the log it said that none of them were in the log (I expected than) but it didn't apply any of them. I tried to import the file but it complained that is was a LoTW file.

Is there any way to do this with XMLog?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3604. DXPeditions - TO3X (St. Barthelemy)

Yahoo group: XMLog
Date: 2012-04-19 15:43:22 UTC
From: w1ect
Topic: 3604 Message: 3604

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO3X - St. Barthelemy (FJ)

April 16-30, http://www.dxpedition.be/TO3X.html

Mike - W1ECT

3605. map screens too small to read on my laptop

Yahoo group: XMLog
Date: 2012-04-21 17:41:57 UTC
From: Jim
Topic: 3605 Message: 3605

Is there a way to enlarge the callsign map screen? I can't read the text on my laptop.
Thanks for any help.

James Garrison
N4EES

3606. Re: map screens too small to read on my laptop

Yahoo group: XMLog
Date: 2012-04-22 15:33:09 UTC
From: w1ect
Topic: 3605 Message: 3606

Hi James, Are you referring to the "Packet Spots Map" window? If so you can click/hold/drag the lower left corner to resize this window. You can free some screen space by turning off bands that you don't want to see using the "View" menu item. Also try the "View" menu item to switch between "Horizontal" and "vertical" to see what fits best on your screen.

Mike - W1ECT

3607. Help with log files

Yahoo group: XMLog
Date: 2012-04-24 06:52:39 UTC
From: n9qhp
Topic: 3607 Message: 3607

I enter all my contacts in the program and exit the program when I open it back up and nothing is there how do I save and recall it back up

3608. Re: [XMLog] Help with log files

Yahoo group: XMLog
Date: 2012-04-24 14:33:47 UTC
From: Ken Anderson, N0AS
Topic: 3607 Message: 3608

Click File/Open Log and open the log file in which you made the entries. You can also set a default log to open each time you start the program.

Lots of good info here: http://www.xmlog.com/help/

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Apr 24, 2012, at 1:52 AM, "n9qhp" <n9qhp@...> wrote:

> I enter all my contacts in the program and exit the program when I open it back up and nothing is there how do I save and recall it back up
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3609. WINE and XMLOG error 445

Yahoo group: XMLog
Date: 2012-04-30 03:53:05 UTC
From: john_ki4ro
Topic: 3609 Message: 3609

Hi...just got XMLOG running through WINE on my UBUNTU/LINUX machine. Every time I try to access a callbook I get an error 445. Anyone else run into this problem and found a solution.

73
John

3610. bulk set LOTW and eQSL Sent

Yahoo group: XMLog
Date: 2012-05-07 00:29:05 UTC
From: k1jy
Topic: 3610 Message: 3610

What I'd really like to be able to do, and I don't see yet if there is a way, is to bulk set LOTW and eQSL sent to today's date at the time I import an ADIF file from a contest log. Am I just missing something?

Thanks,
K1JY

3611. Re: bulk set LOTW and eQSL Sent - Never Mind

Yahoo group: XMLog
Date: 2012-05-07 11:05:42 UTC
From: k1jy
Topic: 3610 Message: 3611

Never mind.

I found that by creating ADIF files from WITHIN XMLog,the LOTW and eQSL dates can be set (even if those files are not used for an upload).

Thanks.

--- In XMLog@yahoogroups.com, "k1jy" <k1jy.yahoo@...> wrote:
>
> What I'd really like to be able to do, and I don't see yet if there is a way, is to bulk set LOTW and eQSL sent to today's date at the time I import an ADIF file from a contest log. Am I just missing something?
>
> Thanks,
> K1JY
>

3612. 8J1ITU in Antarctica?

Yahoo group: XMLog
Date: 2012-05-13 18:40:25 UTC
From: Craig Bradley
Topic: 3612 Message: 3612

I just saw 8J1ITU spotted and the XMLog band map identified him as KC4 in Antarctica. I think that he is in Japan. I don't see that call in the call sign list so why did XMLog flag him as KC4?

73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

3614. Re: 8J1ITU in Antarctica?

Yahoo group: XMLog
Date: 2012-05-14 17:25:45 UTC
From: w1ect
Topic: 3612 Message: 3614

Hi Craig, Currently the prefixes file is set up such that all 8J1 prefixes are considered to be in Antarctica and apparently this isn't correct. I'll change the prefixes file to remove 8J1 from Antarctica and then we'll have to make any 8J1 Antarctic callsigns exceptions by adding them to the "Callsign List". The current calls in this catagory would be 8J1RL and 8J1RF - if anyone has info on other 8J1 calls that have been used for Antarctic stations please let me know.

Mike - W1ECT

3615. RE: [XMLog] Re: 8J1ITU in Antarctica?

Yahoo group: XMLog
Date: 2012-05-15 06:29:39 UTC
From: Craig Bradley
Topic: 3612 Message: 3615

Thanks Mike.

I worked him first jus to make sure, then spotted him on the local repeater, at which point I was corrected (he is listed in Japan by QRZ.com).

- Craig

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Monday, May 14, 2012 10:26 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: 8J1ITU in Antarctica?

Hi Craig, Currently the prefixes file is set up such that all 8J1 prefixes are considered to be in Antarctica and apparently this isn't correct. I'll change the prefixes file to remove 8J1 from Antarctica and then we'll have to make any 8J1 Antarctic callsigns exceptions by adding them to the "Callsign List". The current calls in this catagory would be 8J1RL and 8J1RF - if anyone has info on other 8J1 calls that have been used for Antarctic stations please let me know.

Mike - W1ECT

[Non-text portions of this message have been removed]

3616. DXpeditions - RI1ANF - South Shetland Is.

Yahoo group: XMLog
Date: 2012-05-15 18:08:42 UTC
From: w1ect
Topic: 3616 Message: 3616

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item:

RI1ANF - South Shetlands Is. (VP8/SH)

Mike - W1ECT

3617. RE: [XMLog] XMLog support for new DXCC online application?

Yahoo group: XMLog
Date: 2012-05-16 06:23:52 UTC
From: Craig Bradley
Topic: 3601 Message: 3617

Hi Mike,

Did you see this?

73

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Craig Bradley
Sent: Monday, April 16, 2012 10:10 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] XMLog support for new DXCC online application?

Hi Mike,

The new online DXCC application process says that it will allow you to upload an ADIF file for a card submission. See paragraph 2 on this page:

https://p1k.arrl.org/onlinedxcc/

Do you plan to add a feature to XMLog to export a submission file?

Thanks & 73,

- Craig, AE6RR

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3618. DM780 to XMLog bridge??

Yahoo group: XMLog
Date: 2012-05-16 14:28:35 UTC
From: n5ftr@swbell.net
Topic: 3618 Message: 3618

Is there a bridge that will allow DM780 users to add their contacts automatically to XMLog, as there is with DXKeeper and several other log programs?
73,
Buzz - NI5DX

3619. Re: XMLog support for new DXCC online application?

Yahoo group: XMLog
Date: 2012-05-16 16:50:39 UTC
From: w1ect
Topic: 3601 Message: 3619

Hi Craig, How about doing a "Awards/DXCC/DXCC Submission Tracking" and setting the "Reset Current Records To Those In Report" option. Then create an ADIF file from those records and do an on-line submission of that ADIF file?

This would not set the DXCC "Submitted" date so you would have to go through that record set and double-click on all the DXCC submit dates. If this technique proves useful I guess I could include a "Set DXCC Submitted Date" option along with all the other "Set XXX Date" options for ADIF exports.

Mike - W1ECT

3620. RE: [XMLog] Re: XMLog support for new DXCC online application?

Yahoo group: XMLog
Date: 2012-05-20 15:42:13 UTC
From: Craig Bradley
Topic: 3601 Message: 3620

Hi Mike,

This sounds like it would work unless the ARRL wants something special in the ADIF file. I don't have any submissions coming up for a while so I won't need it soon. I just thought that you might want to be thinking about this. It might be nice to have a check box when doing the submission forms to generate the ADIF file, that might solve the "DXCC submitted date" issue.

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, May 16, 2012 9:51 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: XMLog support for new DXCC online application?

Hi Craig, How about doing a "Awards/DXCC/DXCC Submission Tracking" and setting the "Reset Current Records To Those In Report" option. Then create an ADIF file from those records and do an on-line submission of that ADIF file?

This would not set the DXCC "Submitted" date so you would have to go through that record set and double-click on all the DXCC submit dates. If this technique proves useful I guess I could include a "Set DXCC Submitted Date" option along with all the other "Set XXX Date" options for ADIF exports.

Mike - W1ECT

[Non-text portions of this message have been removed]

3621. DXpeditions - VK9PN - Lord Howe I.

Yahoo group: XMLog
Date: 2012-05-25 14:43:07 UTC
From: w1ect
Topic: 3621 Message: 3621

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item:

VK9PN - Lord Howe I. (VK9L)

Mike - W1ECT

3623. DXpeditions - TX5VT- Marquesas I.

Yahoo group: XMLog
Date: 2012-06-07 23:47:21 UTC
From: w1ect
Topic: 3623 Message: 3623

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item:

TX5VT- Marquesas I. (FO/M)

Mike - W1ECT

3624. QRZ Look Up Data

Yahoo group: XMLog
Date: 2012-07-03 02:04:25 UTC
From: n3dd
Topic: 3624 Message: 3624

All of a sudden I am getting the Alert: A subscription is required to access complete record " notification when doing a QRZ look up. My XML subscription is still valid.

Anyone else have this problem?

73, Dom
N3DD

3625. RE: [XMLog] QRZ Look Up Data

Yahoo group: XMLog
Date: 2012-07-03 02:19:39 UTC
From: Dom DiClementi
Topic: 3624 Message: 3625

Problem Solved.....

Seems like a reset on the QRZ website did the trick!

73, Dom
N3DD

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of n3dd
Sent: Monday, July 02, 2012 10:04 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ Look Up Data

All of a sudden I am getting the Alert: A subscription is required to access complete record " notification when doing a QRZ look up. My XML subscription is still valid.

Anyone else have this problem?

73, Dom
N3DD

[Non-text portions of this message have been removed]

3626. RE: [XMLog] QRZ Look Up Data

Yahoo group: XMLog
Date: 2012-07-03 02:59:33 UTC
From: Kevin Nathan
Topic: 3624 Message: 3626

I am getting this message also and just tried again with the same result and a valid subscription. What did you mean by a reset and how do you do it? Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dom DiClementi
Sent: Monday, July 02, 2012 19:20
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] QRZ Look Up Data

Problem Solved.....

Seems like a reset on the QRZ website did the trick!

73, Dom
N3DD

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of n3dd
Sent: Monday, July 02, 2012 10:04 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] QRZ Look Up Data

All of a sudden I am getting the Alert: A subscription is required to access complete record " notification when doing a QRZ look up. My XML subscription is still valid.

Anyone else have this problem?

73, Dom
N3DD

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3627. RE: [XMLog] QRZ Look Up Data

Yahoo group: XMLog
Date: 2012-07-03 03:03:24 UTC
From: Dom DiClementi
Topic: 3624 Message: 3627

Check under "My Account" in QRZ and see if your XML Subscription is checked.
Mine was not for some reason. I sent an email to them and apparently they
reset it.

Dom, N3DD

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
Kevin Nathan
Sent: Monday, July 02, 2012 11:00 PM
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] QRZ Look Up Data

I am getting this message also and just tried again with the same result and
a valid subscription. What did you mean by a reset and how do you do it?
Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf
Of Dom
DiClementi
Sent: Monday, July 02, 2012 19:20
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] QRZ Look Up Data

Problem Solved.....

Seems like a reset on the QRZ website did the trick!

73, Dom
N3DD

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of n3dd
Sent: Monday, July 02, 2012 10:04 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>

Subject: [XMLog] QRZ Look Up Data

All of a sudden I am getting the Alert: A subscription is required to access complete record " notification when doing a QRZ look up. My XML subscription is still valid.

Anyone else have this problem?

73, Dom
N3DD

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3628. RE: [XMLog] QRZ Look Up Data

Yahoo group: XMLog
Date: 2012-07-03 13:07:39 UTC
From: Kevin Nathan
Topic: 3624 Message: 3628

Thanks Dom,

I'll have to look at that tonight since am on the way to work this morning.

I appreciate the info though. Very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dom DiClementi
Sent: Monday, July 02, 2012 20:03
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] QRZ Look Up Data

Check under "My Account" in QRZ and see if your XML Subscription is checked. Mine was not for some reason. I sent an email to them and apparently they reset it.

Dom, N3DD

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Kevin Nathan
Sent: Monday, July 02, 2012 11:00 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] QRZ Look Up Data

I am getting this message also and just tried again with the same result and a valid subscription. What did you mean by a reset and how do you do it?
Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of Dom
DiClementi

Sent: Monday, July 02, 2012 19:20
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] QRZ Look Up Data

Problem Solved.....

Seems like a reset on the QRZ website did the trick!

73, Dom
N3DD

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of n3dd
Sent: Monday, July 02, 2012 10:04 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] QRZ Look Up Data

All of a sudden I am getting the Alert: A subscription is required to access
complete record " notification when doing a QRZ look up. My XML subscription
is still valid.

Anyone else have this problem?

73, Dom
N3DD

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3629. RE: [XMLog] QRZ Look Up Data

Yahoo group: XMLog
Date: 2012-07-04 03:27:37 UTC
From: Kevin Nathan
Topic: 3624 Message: 3629

Hi Dom,

It looks as if they found their problem. I looked up a call tonight and it worked just as it should.

Thanks much for the help and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Dom DiClementi
Sent: Monday, July 02, 2012 20:03
To: XMLog@yahoogroups.com
Subject: RE: [XMLog] QRZ Look Up Data

Check under "My Account" in QRZ and see if your XML Subscription is checked. Mine was not for some reason. I sent an email to them and apparently they reset it.

Dom, N3DD

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>] On Behalf Of
Kevin Nathan
Sent: Monday, July 02, 2012 11:00 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] QRZ Look Up Data

I am getting this message also and just tried again with the same result and a valid subscription. What did you mean by a reset and how do you do it? Thanks much and very 73.

Kevin :)
Amateur Radio: K7RX

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com> [mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com> <mailto:XMLog%40yahoogroups.com>] On Behalf Of Dom

DiClementi
Sent: Monday, July 02, 2012 19:20
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: RE: [XMLog] QRZ Look Up Data

Problem Solved.....

Seems like a reset on the QRZ website did the trick!

73, Dom
N3DD

_____

From: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
[mailto:XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>] On Behalf
Of n3dd
Sent: Monday, July 02, 2012 10:04 PM
To: XMLog@yahoogroups.com <mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
<mailto:XMLog%40yahoogroups.com>
Subject: [XMLog] QRZ Look Up Data

All of a sudden I am getting the Alert: A subscription is required to access
complete record " notification when doing a QRZ look up. My XML subscription
is still valid.

Anyone else have this problem?

73, Dom
N3DD

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3630. QTH Field entry from QRZ Logbook?

Yahoo group: XMLog
Date: 2012-07-10 15:34:08 UTC
From: David
Topic: 3630 Message: 3630

I have been pleased with the program, but wonder what I need to do to have the QTH field filled without typing it in. I am using the QRZ logbook which fills the other fields with Control-F, But the QTH field stays blank.

Am I missing a command, or is this normal?

Any help would be welcome.

David - KE6YX

3631. Re: [XMLog] QTH Field entry from QRZ Logbook?

Yahoo group: XMLog
Date: 2012-07-10 15:47:52 UTC
From: Willis
Topic: 3630 Message: 3631

How is QRZ.com going to know the QTH? It already puts in the address of the home QTH. If the station is mobile or portable QRZ does not know that. You can always ask the operator if in doubt. Communication other than 599 is always allowed and often encouraged in ham radio!

Sent from my iPhone

On Jul 10, 2012, at 10:34, "David" <davidcuttler@...> wrote:

> I have been pleased with the program, but wonder what I need to do to have the QTH field filled without typing it in. I am using the QRZ logbook which fills the other fields with Control-F, But the QTH field stays blank.
>
> Am I missing a command, or is this normal?
>
> Any help would be welcome.
>
> David - KE6YX
>
>
>
>
>
>
>

[Non-text portions of this message have been removed]

3632. Re: QTH Field entry from QRZ Logbook?

Yahoo group: XMLog
Date: 2012-07-10 15:59:28 UTC
From: David
Topic: 3630 Message: 3632

Willis,

I didn't request a flip answer. I thought it would be nice to be able to set a default to use the QRZ City which could always be over written if different.

I suggest you keep your attitude to yourself!

David

--- In XMLog@yahoogroups.com, Willis <wrcooke@...> wrote:
>
> How is QRZ.com going to know the QTH? It already puts in the address of the home QTH. If the station is mobile or portable QRZ does not know that. You can always ask the operator if in doubt. Communication other than 599 is always allowed and often encouraged in ham radio!
>
> Sent from my iPhone
>
> On Jul 10, 2012, at 10:34, "David" <davidcuttler@...> wrote:
>
> > I have been pleased with the program, but wonder what I need to do to have the QTH field filled without typing it in. I am using the QRZ logbook which fills the other fields with Control-F, But the QTH field stays blank.
> >
> > Am I missing a command, or is this normal?
> >
> > Any help would be welcome.
> >
> > David - KE6YX
> >
> >
> >
> >
> >
> >
> >
> >
> >
> [Non-text portions of this message have been removed]
>

3633. Re: QTH Field entry from QRZ Logbook?

Yahoo group: XMLog
Date: 2012-07-11 19:46:17 UTC
From: w1ect
Topic: 3630 Message: 3633

Hi David, The QTH field dates back to (very) old versions of XMLog that did not have address fields. The callbook lookup doesn't bother to fill this field in since it's redundant to the address/state/county/... fields. Feel free to use it for any other location info.

Mike - W1ECT

3634. Re: [XMLog] Re: QTH Field entry from QRZ Logbook?

Yahoo group: XMLog
Date: 2012-07-11 22:15:16 UTC
From: Robert Dixon
Topic: 3630 Message: 3634

Can't help you there but am curious. Does anybody know how many of us use MLog? I get into CW/RTTY contests and MLog does a nice job. I make a new log for each contest, change it to ADIF and upload it to LOTW. Then the log is transferred to the current log (in this case log 33). When I get about 1000-1200 contacts they are printed out as a text file and put in a 99 cent paper binder. All logs are also kept in MLog with backups. All logs back to 1970 (DX), 1999 (DX and stateside) are put into a master log. (Almost 29,000 contacts) I download LoTW contacts and keep them in a separate log called LoTW. It is much faster to hunt through the downloaded log than going to ARRL LoTW. Mike has done a superb job I think and MLog does everything I want from a logging program.

Ham Radio: The real internet since May,1895
----- Original Message -----
From: w1ect<mailto:w1ect@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, July 11, 2012 3:46 PM
Subject: [XMLog] Re: QTH Field entry from QRZ Logbook?

Hi David, The QTH field dates back to (very) old versions of XMLog that did not have address fields. The callbook lookup doesn't bother to fill this field in since it's redundant to the address/state/county/... fields. Feel free to use it for any other location info.

Mike - W1ECT

[Non-text portions of this message have been removed]

3635. DXPeditions - TX0HF (Austral Is.)

Yahoo group: XMLog
Date: 2012-07-18 19:22:41 UTC
From: w1ect
Topic: 3635 Message: 3635

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX0HF - Austral Is. (FO/A) - July 11-23.

Mike - W1ECT

3636. DXPeditions - 9M4SLL (Spratly Is.)

Yahoo group: XMLog
Date: 2012-07-24 13:54:48 UTC
From: w1ect
Topic: 3636 Message: 3636

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

9M4SLL - Spratly Is. (1S) - August 7-13.

Mike - W1ECT

3637. DXPeditions - TO2D (Saint Barthelemy)

Yahoo group: XMLog
Date: 2012-07-31 01:47:56 UTC
From: w1ect
Topic: 3637 Message: 3637

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO2D - Saint Barthelemy (FJ) July 22 - Aug. 4

http://st-barth.hb9eme.ch/

Mike - W1ECT

3638. mlog.exe violation problem

Yahoo group: XMLog
Date: 2012-08-06 16:33:18 UTC
From: Buzz
Topic: 3638 Message: 3638

Greetings,

Earlier this morning I had XMlog open and was looking at one of the logs I have there. I was actually looking at the page where all contacts are available to search.

All of a sudden the program closed and I noticed that the desktop icon had disappeared from my desktop. I have tried to open the program but each time I try to open it from my computer I get an error message saying mlog.exe is missing.

I renamed my mlog directory and tried to run the setup file for version 6.53. When I do that I get the error message on installation stating:

mlog.exe - access violation has occurred while copying file

I can't seem to get the program back and running-not a good situation for a QSL manager needing to print out labels for the 25 cards I have in today's mail.

Any help is greatly appreciated.

73,

Buzz

NI5DX

[Non-text portions of this message have been removed]

3639. Re: [XMLog] mlog.exe violation problem

Yahoo group: XMLog
Date: 2012-08-06 17:57:22 UTC
From: Willis
Topic: 3638 Message: 3639

Buzz, since XMlog has no protection it sound to me like Windows security problem. Are you running the program from an administrator user privilege? Make a copy of the log files before you try too many things. Good luck and let us know how you fare.

Sent from my iPhone

On Aug 6, 2012, at 11:33, "Buzz" <n5ftr@...> wrote:

> Greetings,
>
> Earlier this morning I had XMlog open and was looking at one of the logs I
> have there. I was actually looking at the page where all contacts are
> available to search.
>
> All of a sudden the program closed and I noticed that the desktop icon had
> disappeared from my desktop. I have tried to open the program but each time
> I try to open it from my computer I get an error message saying mlog.exe is
> missing.
>
> I renamed my mlog directory and tried to run the setup file for version
> 6.53. When I do that I get the error message on installation stating:
>
> mlog.exe - access violation has occurred while copying file
>
> I can't seem to get the program back and running-not a good situation for a
> QSL manager needing to print out labels for the 25 cards I have in today's
> mail.
>
> Any help is greatly appreciated.
>
> 73,
>
> Buzz
>
> NI5DX
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

3640. Prefix file

Yahoo group: XMLog
Date: 2012-08-07 23:45:18 UTC
From: John
Topic: 3640 Message: 3640

I have just installed XMLog fresh on a new Win 7 system. Start fails with a message that the prefix file cannot be found? I loaded using the program load online. Have I missed something?

John / WA1JG

3641. Re: [XMLog] Prefix file

Yahoo group: XMLog
Date: 2012-08-07 23:57:02 UTC
From: WILLIS COOKE
Topic: 3640 Message: 3641

Did you use the administrator log in and load everything in the C:/mlog directory?

Willis 'Cookie' Cooke
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: John <jh.graves@verizon.net>
To: XMLog@yahoogroups.com
Sent: Tuesday, August 7, 2012 6:45 PM
Subject: [XMLog] Prefix file

I have just installed XMLog fresh on a new Win 7 system. Start fails with a message that the prefix file cannot be found? I loaded using the program load online. Have I missed something?

John / WA1JG

[Non-text portions of this message have been removed]

3642. mlog error

Yahoo group: XMLog
Date: 2012-08-08 01:18:26 UTC
From: John
Topic: 3642 Message: 3642

No, I created a subdirectory (mlog) inside C:/program files/ Is this a problem?

John

3643. Re: [XMLog] mlog error

Yahoo group: XMLog
Date: 2012-08-08 02:36:31 UTC
From: Ken Anderson, N0AS
Topic: 3642 Message: 3643

Yes, it can be. Either set up a directory such as c:\xmlog or c:\ham radio\xmlog and put your other ham radio programs in the c:\ham radio\[other ham radio programs] . This will help a lot in avoiding installation and upgrading problems.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Aug 7, 2012, at 8:18 PM, "John" <jh.graves@...> wrote:

> No, I created a subdirectory (mlog) inside C:/program files/ Is this a problem?
>
> John
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3644. Re: bug report - 33cm incorrectly reported as 35cm in exported ADIF

Yahoo group: XMLog
Date: 2012-08-08 09:55:48 UTC
From: Bob Vaughan
Topic: 3445 Message: 3644

This bug does not appear to have been resolved, and it's been just over a year since I reported it.

I just downloaded and tested with 6.53, and it still exports 902Mhz as 35cm. eQSL and LOTW both reject 35cm as an invalid band.

Please fix.

--- In XMLog@yahoogroups.com, "Bob Vaughan" <techie@...> wrote:
>
>
> Interesting. This is the first time I have ever heard the 902Mhz band referred to as 35cm.. Everything I have seen shows it as 33cm, including the current (v2.2.7) ADIF spec at http://www.adif.org
>
> http://www.adif.org/ has the versions going back to 2.1.4 (2003), which also shows 33cm. The version shown on hosenose is v1.0, which is obsolete.
>
> It looks like eQSL adheres to the current spec, as it should.
> WriteLog also appears to adhere to the current spec.
>
>
> If I search online, most references that I find to 35cm band are referencing pirate radio in Europe in the 860Mhz range.
>
> http://www.wavelengthcalculator.com shows that 902Mhz is 33.2cm,
> and 850Mhz is 35.2cm.
>
> I suspect that the original 35cm designation in v1.0 was in error, and it was corrected in later revisions.
>
>
>
> --- In XMLog@yahoogroups.com, "Dave Sergeant" <dave@> wrote:
> >
> > eQSL seem to be wrong. The official spec at
> > http://www.hosenose.com/adif/adif.html has your 902MHz band as 35cm
> > (see table half way down). But at eQSL
> > (http://www.eqsl.cc/qslcard/adifcontentspecs.cfm) you will see it has
> > 33cm for 902-928. You need to raise it with eQSL.
> >
> > 73 Dave G3YMC
> >
> > On 2 Aug 2011 at 11:42, Bob Vaughan wrote:
> >
> > > I exported a ADIF to upload to eQSL, and when I tried uploading it, eQSL

> > > spit out the following error:
> > >
> > > YYYYMMDD=20100912 HHMM=2002 Call=WA6KLK BAND bad: 35CM
> > >
> > >
> > > The ADIF record looks like this:
> > >
> > > <QSO_DATE:8:D>20100912 <TIME_ON:4>2002 <CALL:6>WA6KLK <FREQ:7>927.500
> > > <BAND:4>35cm <RST_SENT:2>59 <RST_RCVD:2>59 <MODE:2>fm <TX_PWR:2>35
> > > <DXCC:3>291 <COMMENT:10>specra D37 <GRIDSQUARE:4>CM89
> > > <STATION_CALLSIGN:5>AF6RR <OPERATOR:5>AF6RR <MY_CQ_ZONE:2>03
> > > <MY_ITU_ZONE:2>06 <MY_GRIDSQUARE:6>CM87wj <MY_LAT:11>N037 24.200
> > > <MY_LONG:11>W122 09.940 <MY_CITY:8>Stanford <MY_CNTY:14>CA,Santa Clara
> > > <MY_STATE:2>CA <MY_COUNTRY:3>291 <EOR>
> > >
> > >
> > > Note the <BAND:4>35cm
> > >
> > > When I changed it to 33cm, it uploaded without errors.
> > >
> > >
> >
> >
> > http://www.davesergeant.com
> >
>

3645. Re: bug report - 33cm incorrectly reported as 35cm in exported ADIF

Yahoo group: XMLog
Date: 2012-08-09 00:05:42 UTC
From: w1ect
Topic: 3445 Message: 3645

Hi Bob, Sorry this was missed - I've posted a fix at www.xmlog.com/beta

Mike - W1ECT

3646. QRZ Lookup

Yahoo group: XMLog
Date: 2012-08-11 21:24:44 UTC
From: Bill Turini
Topic: 3646 Message: 3646

I've been updating mlog with my 32 years worth of logs. I bought a subscription to QRZ to get the contact data, but I noticed that the county and grid square doesn't seem to populate from QRZ to mlog. Am I missing something?

73's

Bill
--
Bill Turini
KA4GAV

[Non-text portions of this message have been removed]

3647. RE: [XMLog] QRZ Lookup

Yahoo group: XMLog
Date: 2012-08-11 22:53:46 UTC
From: Wayne Schuler
Topic: 3646 Message: 3647

The grid square should populate if you 'double-click' on the grid field.

The county does not, but you can select it if you know which county it is.

/Wayne, AI9Q

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Bill Turini
Sent: Saturday, August 11, 2012 2:25 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] QRZ Lookup

I've been updating mlog with my 32 years worth of logs. I bought a subscription to QRZ to get the contact data, but I noticed that the county and grid square doesn't seem to populate from QRZ to mlog. Am I missing something?

73's

Bill
--
Bill Turini
KA4GAV

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3649. Re: QRZ Lookup

Yahoo group: XMLog
Date: 2012-08-12 14:44:32 UTC
From: w1ect
Topic: 3646 Message: 3649

Hi Bill,

I created a few log entries it seems to fill in the county and grid ok for new entries when "Edit/Use Defaults" is selected and "Edit/Set Defaults" has the "Get info from callbook" option set. However, I guess you're referring to existing entries.

There is no way to make a global change for all entries or for "currently selected" entries. Probably not a good idea since data for older entries is less likely to be current.

As Wayne noted you can update a existing entry's grid with a double-click but other fields like the county use double-clicks for list displays. However all fields that can be updated from the callbook include a "set xxx field from callbook" in the right-click popup menu.

Mike - W1ECT

> I've been updating mlog with my 32 years worth of logs. I bought a
> subscription to QRZ to get the contact data, but I noticed that the
> county and grid square doesn't seem to populate from QRZ to mlog. Am
> I missing something?

3650. DXPeditions - E51AIU (South Cook Is.)

Yahoo group: XMLog
Date: 2012-08-13 01:17:46 UTC
From: w1ect
Topic: 3650 Message: 3650

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51AIU - South Cook Is. (E5/S) - until August 17

Mike - W1ECT

3651. downloading LOTW dqata

Yahoo group: XMLog
Date: 2012-08-20 15:31:59 UTC
From: ve4ra
Topic: 3651 Message: 3651

I have suddenly lost the ability to download/validate LOTW data. I get and error message "cannot access ARRL site". I can log into my account at LOTW and access all the files on that web site. Has anyone had this problem and what can I do to fix it?

3652. Re: downloading LOTW dqata

Yahoo group: XMLog
Date: 2012-08-20 16:37:44 UTC
From: Dave Sergeant
Topic: 3651 Message: 3652

You can of course download your QSL data to your hard drive and import from that. That is the way I always do it.

73 Dave G3YMC

On 20 Aug 2012 at 15:31, ve4ra wrote:

> I have suddenly lost the ability to download/validate LOTW data. I get
> and error message "cannot access ARRL site". I can log into my account
> at LOTW and access all the files on that web site. Has anyone had this
> problem and what can I do to fix it?
>

http://www.davesergeant.com

3653. DXPeditions - NH8S (Swain's I.)

Yahoo group: XMLog
Date: 2012-08-22 13:47:36 UTC
From: w1ect
Topic: 3653 Message: 3653

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

NH8S - Swain's I. (KH8/S)

http://www.nh8s.org - Sept. 5-19

Mike - W1ECT

3654. Kosovo

Yahoo group: XMLog
Date: 2012-09-18 17:08:47 UTC
From: w1ect
Topic: 3654 Message: 3654

I'm going to wait until prefixes are officially assigned by the ITU before I make a new version of XMLog available. The new version will take care of any QSOs in the log made with stations that are eligible for Kosovo DXCC credit.

Until then, WFWL (work first, worry later) and just live with the "?" that gets assigned for the country.

Mike - W1ECT

3655. RE: [XMLog] Kosovo

Yahoo group: XMLog
Date: 2012-09-19 04:52:36 UTC
From: Craig Bradley
Topic: 3654 Message: 3655

Hi Mike,

Is there any way to get the ? to show up in red on the band map?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Tuesday, September 18, 2012 10:09 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Kosovo

I'm going to wait until prefixes are officially assigned by the ITU before I make a new version of XMLog available. The new version will take care of any QSOs in the log made with stations that are eligible for Kosovo DXCC credit.

Until then, WFWL (work first, worry later) and just live with the "?" that gets assigned for the country.

Mike - W1ECT

[Non-text portions of this message have been removed]

3656. Re: Kosovo

Yahoo group: XMLog
Date: 2012-09-20 16:36:58 UTC
From: w1ect
Topic: 3654 Message: 3656

Hi Craig, You probably need to enable the "Show Un-needed Spots" options. The way the logic works now unknown=un-needed.

Mike - W1ECT

3657. DXPeditions - 3D2C (Conway)

Yahoo group: XMLog
Date: 2012-09-21 00:25:27 UTC
From: w1ect
Topic: 3657 Message: 3657

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2C - Conway (3D2/C)

http://www.yt1ad.info/3d2c/index.html - Sept. 24 to Oct. 5

Mike - W1ECT

3658. DXPeditions - 3D2EW (Fiji)

Yahoo group: XMLog
Date: 2012-09-21 20:19:52 UTC
From: w1ect
Topic: 3658 Message: 3658

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2EW - Fiji (3D2/F)

Mike - W1ECT

3659. Transfer to a New Computer

Yahoo group: XMLog
Date: 2012-09-22 01:48:43 UTC
From: n3dd
Topic: 3659 Message: 3659

I'm about to install XMLOG on a new W7 machine and would like to transfer the data from the old machine. After the program install transfering the log file seems easy enough but how do I transfer the old settings? Copy the .ini file? Any others?

73

Dom, N3DD

3660. Re: Transfer to a New Computer

Yahoo group: XMLog
Date: 2012-09-22 15:25:45 UTC
From: w1ect
Topic: 3659 Message: 3660

Hi Dom, Check the Help file section "Backups", it has a list of all the files that should be copied. It's a pretty simple list, .log files, .ini files and layouts.mdb (if you've created any custom labels).

Mike - W1ECT

3661. RE: [XMLog] Re: Transfer to a New Computer

Yahoo group: XMLog
Date: 2012-09-22 18:15:38 UTC
From: Dom DiClementi
Topic: 3659 Message: 3661

Thanks Mike! Looks like a pretty simple list. I should have no problem.

Dom, N3DD

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Saturday, September 22, 2012 11:26 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Transfer to a New Computer

Hi Dom, Check the Help file section "Backups", it has a list of all the files that should be copied. It's a pretty simple list, .log files, .ini files and layouts.mdb (if you've created any custom labels).

Mike - W1ECT

[Non-text portions of this message have been removed]

3662. DXPeditions - 3D2NW (Fiji)

Yahoo group: XMLog
Date: 2012-09-22 18:42:07 UTC
From: w1ect
Topic: 3662 Message: 3662

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2NW - Fiji (3D2/F)

Mike - W1ECT

3664. QRZ.COM connect errors

Yahoo group: XMLog
Date: 2012-09-27 22:59:45 UTC
From: w1ect
Topic: 3664 Message: 3664

QRZ.COM has changed the address used for XML lookups. I've posted a new version at www.xmlog.com/beta which should hopefully fix the problem.

Mike - W1ECT

3665. Re: [XMLog] QRZ.COM connect errors

Yahoo group: XMLog
Date: 2012-09-27 23:22:31 UTC
From: Stan Gantz
Topic: 3664 Message: 3665

Thanks, Mike! THAT got it!!!!! Sorry for being
so hyper, but WHY did the $%# change the address
used without telling their paid subcribers?

Stan W5GZ
.....
At 04:59 PM 9/27/2012, you wrote:
>
>
>QRZ.COM has changed the address used for XML
>lookups. I've posted a new version at
>www.xmlog.com/beta which should hopefully fix the problem.
>
>Mike - W1ECT
>
>

[Non-text portions of this message have been removed]

3666. DXPeditions - 3D2XB 3D2AS 3D2XC 3D2PT 3D2OP (Fiji)

Yahoo group: XMLog
Date: 2012-10-08 19:26:16 UTC
From: w1ect
Topic: 3666 Message: 3666

Here are some new callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

3D2XB 3D2AS 3D2XC 3D2PT 3D2OP - Fiji (3D2/F)

Mike - W1ECT

3667. DXPeditions - TX5EG (French Polynesia)

Yahoo group: XMLog
Date: 2012-10-08 22:16:00 UTC
From: w1ect
Topic: 3667 Message: 3667

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX5EG - French Polynesia (FO/P)

Mike - W1ECT

3668. DXPeditions - 3D2ZY (Fiji)

Yahoo group: XMLog
Date: 2012-10-11 21:43:19 UTC
From: w1ect
Topic: 3668 Message: 3668

Here's a new 3D2 callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2ZY - Fiji (3D2/F)

Mike - W1ECT

3669. Active X message 429

Yahoo group: XMLog
Date: 2012-10-29 14:18:46 UTC
From: mefazamy
Topic: 3669 Message: 3669

After I downloaded some misleading internet info/software, I got Active X messages when I attempted to use XMLog 6.40: Can't open custom layout & Can't create object.

I think I ought to download the latest version of XMLog. If my intuition is accurate, should I first delete 6.40 before downloading 6.56? Is there a different solution? Please advise.

Evan

3670. Re: Active X message 429

Yahoo group: XMLog
Date: 2012-10-29 17:24:23 UTC
From: mefazamy
Topic: 3669 Message: 3670

It started to work on its own. Thank Goodness! I downloaded WinLog and began to set it up. For the heck of it, I clicked on the XM's shortcut and XMLog was normal. However, if this should occur again, I need to know what to do.

Thanks,
Evan

--- In XMLog@yahoogroups.com, "mefazamy" <FAZAMY@...> wrote:
>
> After I downloaded some misleading internet info/software, I got Active X messages when I attempted to use XMLog 6.40: Can't open custom layout & Can't create object.
>
> I think I ought to download the latest version of XMLog. If my intuition is accurate, should I first delete 6.40 before downloading 6.56? Is there a different solution? Please advise.
>
> Evan
>

3671. Re: Active X message 429

Yahoo group: XMLog
Date: 2012-10-30 22:54:19 UTC
From: w1ect
Topic: 3669 Message: 3671

Hi Even, I don't have a clue as to why you were getting that error message but I can tell you that you can install later versions of XMLog without un-installing the current version. If you want feel more secure about installs check the help file section "Backups" which provides info on backing up your log files (*.log files) as well as files that contain your current options settings (*.ini files).

Mike - W1ECT

3672. DXPeditions - E51C, E51ABS, E51BZD, E51CHX (South Cook Is.)

Yahoo group: XMLog
Date: 2012-11-09 16:38:03 UTC
From: w1ect
Topic: 3672 Message: 3672

Here's some new callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51C, E51ABS, E51BZD, E51CHX - South Cook Is. (E5/S)

Operation is planned for November 12 to 30.

Mike - W1ECT

3673. Out dated call signs

Yahoo group: XMLog
Date: 2012-11-09 17:21:29 UTC
From: Nelson Wittstock
Topic: 3673 Message: 3673

I just added new calls to my "show callsign" list and noticed that it is quite long now. I'm wondering if somewhere there is a listing of expired call signs that I could delete from the list. Probably not but it was just a thought.

Nelson, K8DJC

3674. Re: Out dated call signs

Yahoo group: XMLog
Date: 2012-11-10 18:20:21 UTC
From: w1ect
Topic: 3673 Message: 3674

Hi Nelson, The older calls maintained in the "callsign list" are useful for folk who are creating their logs from scratch and entering old QSOs by hand. It can also be useful when doing ADIF imports from sources that have not associated DXCC countries with the log entries.

If you don't fall into either of these catagories you can do some wholesale trimming by editing the file "dxcalls.ini".

Mike - W1ECT

3677. DXPeditions - E51KBR (South Cook Is.)

Yahoo group: XMLog
Date: 2012-11-16 17:25:42 UTC
From: w1ect
Topic: 3677 Message: 3677

Here's some new callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51KBR - South Cook Is. (E5/S)

Mike - W1ECT

3678. DXPeditions - RI1ANU (South Shetland Is.)

Yahoo group: XMLog
Date: 2012-11-20 17:29:46 UTC
From: w1ect
Topic: 3678 Message: 3678

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI1ANU - South Shetland Is. (VP8/SH)

Mike - W1ECT

3679. RE: [XMLog] Re: Out dated call signs

Yahoo group: XMLog
Date: 2012-12-11 16:19:59 UTC
From: Craig Bradley
Topic: 3673 Message: 3679

Hi Mike,

I have missed a lot of updates. How can I get a new dxcalls.ini file or does it come with the latest download?

73,

- Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Saturday, November 10, 2012 10:20 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Out dated call signs

Hi Nelson, The older calls maintained in the "callsign list" are useful for folk who are creating their logs from scratch and entering old QSOs by hand. It can also be useful when doing ADIF imports from sources that have not associated DXCC countries with the log entries.

If you don't fall into either of these catagories you can do some wholesale trimming by editing the file "dxcalls.ini".

Mike - W1ECT

[Non-text portions of this message have been removed]

3680. DXPeditions - E51E (South Cook Is.)

Yahoo group: XMLog
Date: 2012-12-12 20:54:04 UTC
From: w1ect
Topic: 3680 Message: 3680

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51E - South Cook Is. (E5/S)

Dec. 10 to Jan. 5 - http://aitutaki2012.com/

Mike - W1ECT

3681. Re: Out dated call signs

Yahoo group: XMLog
Date: 2012-12-12 21:06:31 UTC
From: w1ect
Topic: 3673 Message: 3681

Hi Craig, Installing a new version of XMLog will update the callsign list (callsigns.ini). Of course installing a version from www.xmlog.com/beta may add a few more recent calls.

Mike - W1ECT

3682. RE: [XMLog] Re: Out dated call signs

Yahoo group: XMLog
Date: 2012-12-16 17:35:32 UTC
From: Craig Bradley
Topic: 3673 Message: 3682

Thanks!

Craig, AE6RR

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of w1ect
Sent: Wednesday, December 12, 2012 1:07 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: Out dated call signs

Hi Craig, Installing a new version of XMLog will update the callsign list (callsigns.ini). Of course installing a version from www.xmlog.com/beta may add a few more recent calls.

Mike - W1ECT

[Non-text portions of this message have been removed]

3683. XMLOG UNDER CROSSOVER IN LINUX UNBUNTU

Yahoo group: XMLog
Date: 2012-12-17 05:24:42 UTC
From: Benny Owens
Topic: 3683 Message: 3683

HI FOLKS

I LOADED LINUX AND GOT IT WORKING AND NOT FINDING A LOG PROGRAM AS POWERFUL AS XMLOG FOR LINUX, I ADDED CROSSOVER TO ALLOW WINDOWS PROGRAMS LIKE XMLOG TO RUN UNDER IT ON LINUX.

I HAVE XMLOG WORKING FAIRLY WELL THIS WAY. I HAVE A COUPLE OF ISSUES. I COPIED IN ALL FILES FROM MY WINDOWS VERSION TO THE LINUX VERSION.

1- ON XMLOG START UP I GET AN ERROR MESSAGE ABOUT LAYOUT.MDB. I ALSO HAD TO GO THRU ALL THE SETTING IN THE XMLOG LIKE COLORS, PACKET SETUP, RIG SETUP ETC.... BUT IT WORKS OK.

2- ON XMLOG PACKET START UP I GET AN ERROR MESSAGE ABOUT MY NOD FILE I USE. I USE F5 AND HIT ENTER AND THE TELNET WORKS FINE.

3- THE REAL PROBLEM IS THE RIG PORT GIVES AN ERROR MESSAGE ABOUT A INVALID COM PORT. I USED THE SAME SETTINGS THE WINDOWS XP VERSION. I TRIED ALL 16 COM PORTS WITHOUT IT WORKING WHEN I CLICK ON THE CALL SIGN ON THE SPOTS MAP OR USING CONTROL A TO START A NEW ENTRY. I GET THE ERROR MESSAGE WHEN CLICKING THE CALL SIGN ON THE PACKET OR SPOTS MAP SCREENS. ANY HELP ON THIS ONE IS REALLY NEEDED.

THANKS FOR READING AND 73

BENNY K5KV

[Non-text portions of this message have been removed]

3684. DXPeditions - RD1AV (Antarctica)

Yahoo group: XMLog
Date: 2012-12-20 23:25:27 UTC
From: w1ect
Topic: 3684 Message: 3684

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RD1AV - Antarctica (KC4)

December 22 to February 17 - QSL via RN1ON

Mike - W1ECT

3685. TQ8 error file

Yahoo group: XMLog
Date: 2012-12-23 20:29:24 UTC
From: bobwarmke
Topic: 3685 Message: 3685

Hello Mike and others,
I have manually entered about 50 QSO’s from my paper log into XMLog. When I attach my TQ8 file for uploading to LOTW, I receive an error report which states that the error is “Invalid Band 0” in all of my entries. I had entered all frequencies in the frequency window as 5 digit numbers like 18070. I am sure I am missing something.
Please help me.
Merry Xmas and 73,
Bob, W6CYX

[Non-text portions of this message have been removed]

3686. Re: [XMLog] TQ8 error file

Yahoo group: XMLog
Date: 2012-12-23 20:36:32 UTC
From: Ken Anderson, N0AS
Topic: 3685 Message: 3686

Bob,

I'm away from my computer - but I think that you need to enter the freq as 18.070 rather than 18070. That is, you need the decimal.

Ken
Amateur Radio Callsign: N0AS

Irritating nearly everyone since 1956.

ARRL: arrl.org
Twin City DX Association: tcdxa.org
INDEXA: indexa.org
FISTS: fists.org
DMC: digital-modes-club.org

On Dec 23, 2012, at 2:29 PM, "bobwarmke" <w6cyx@...> wrote:

> Hello Mike and others,
> I have manually entered about 50 QSO’s from my paper log into XMLog. When I attach my TQ8 file for uploading to LOTW, I receive an error report which states that the error is “Invalid Band 0” in all of my entries. I had entered all frequencies in the frequency window as 5 digit numbers like 18070. I am sure I am missing something.
> Please help me.
> Merry Xmas and 73,
> Bob, W6CYX
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

3687. Problem Solved

Yahoo group: XMLog
Date: 2012-12-23 21:29:40 UTC
From: bobwarmke
Topic: 3687 Message: 3687

Thank You Jeff and Ken for the nice Xmas present! That solved my problem.
73, Bob, W6CYX

[Non-text portions of this message have been removed]

3688. XMLog 6.58 Alpha test

Yahoo group: XMLog
Date: 2012-12-27 19:16:13 UTC
From: w1ect
Topic: 3688 Message: 3688

The next version of XMLog has been updated to include all the Mode types defined in the latest ADIF specification. To support all these modes I've had to increase the size limit of the Mode field from 6 to 8 characters. Unfortunately this isn't a simple change because field sizes in the log file (a Microsoft Access database) can't be arbitrarily increased.

The changes seem to be working smoothly but I'd like to put it through a cycle of Alpha testing before making it more widely available as a Beta test version. If you'd like to install this version it's posted at:

www.xmlog.com/beta/xmlog658.zip

Please back up your log files before running this version.
Please back up your log files before running this version.

Mike - W1ECT

3689. OMNI VII Setup

Yahoo group: XMLog
Date: 2012-12-29 17:46:56 UTC
From: wb4ktf
Topic: 3689 Message: 3689

Hello and Happy New Year to everyone,
I have a TenTec OMNI VII and am trying to set it up so that xmlog can access the frequency and mode. I have a Tentec Serial to USB cable that I've plugged into my PC. I see that it exists as a Prolific USB on COMM Port 4. What do I do to set it up to work now? I ask for someone to advise me of the settings to use in xmlog option HF Rig Port Select. Do I need to enter in a "Rig Address" and if so what address do I use from the OMNI VII?
Thanks and 73s.
WB4KTF

3690. Re: OMNI VII Setup

Yahoo group: XMLog
Date: 2012-12-30 02:15:05 UTC
From: Benny Owens
Topic: 3689 Message: 3690

MY SETTINGS FOR XMLOG AND THE TEN TEC OMNI VII.

73
BENNY K5KV

[Non-text portions of this message have been removed]

3691. Re: OMNI VII Setup

Yahoo group: XMLog
Date: 2012-12-30 19:05:44 UTC
From: wb4ktf
Topic: 3689 Message: 3691

K5KV,
Benny,
The 'non-text" data or image that you sent to yahoo was removed by the software. Would you mind sending the info direct to my email:

wb4ktf at pipeline.com

73s
Glen

--- In XMLog@yahoogroups.com, Benny Owens <k5kvm5@...> wrote:
>
> MY SETTINGS FOR XMLOG AND THE TEN TEC OMNI VII.
>
> 73
> BENNY K5KV
>
>
> [Non-text portions of this message have been removed]
>

3692. Re: OMNI VII Setup

Yahoo group: XMLog
Date: 2012-12-31 01:29:52 UTC
From: Benny Owens
Topic: 3689 Message: 3692

wb4ktf

i sent it to your yyahoo acocunt last night and it bounced

tonight i sent it to pipeline that refused my email authentication

get an email that really works.

[Non-text portions of this message have been removed]

3693. RIG CONTROL

Yahoo group: XMLog
Date: 2013-01-08 03:54:03 UTC
From: KA1ANW
Topic: 3693 Message: 3693

I attempted to set up xmlog with my FT450D,I got a message when I tried to add my frquency to the log by way of the FT450D. The message was:Rig Response for get freq/mode to short received 3, expected 27. Is there a member who can help me get the logging program and my radio working properly. I would most appreciate help with this problem. Thank you, KA1ANW

3694. Re: RIG CONTROL

Yahoo group: XMLog
Date: 2013-01-08 17:24:37 UTC
From: w1ect
Topic: 3693 Message: 3694

Hi, For the FT-450 XMLog sends a "IF;" command which should return a 27 character block of info that includes the frequency, mode, etc. The first thing to check are the FT-450 settings for the baud rate, etc. to make sure they agree with XMLog's "Options/Set Rig Port" settings. If these settings agree then there is a debug feature available that will let us display the info being sent/received.

Mike - W1ECT

3695. DXPeditions - VK3GK/9 (Norfolk I.)

Yahoo group: XMLog
Date: 2013-01-11 16:14:08 UTC
From: w1ect
Topic: 3695 Message: 3695

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK3GK/9 - Norfolk I. (VK9N)

Until Jan. 15

Mike - W1ECT

3696. no matching entry lotw

Yahoo group: XMLog
Date: 2013-01-20 20:54:32 UTC
From: pa1cc
Topic: 3696 Message: 3696

I have a "no matchting entry" report for about 1.100 qso's which were downloaded from lotw. Obviously these qso's won't be flagged as "qsl received lotw" automatically. I have been searching through the adi. files to find some sort of mismatch but I can't find anything wrong: the adi download shows only good data matching the data in my log. And there shouldn't be a problem anyway because these "no matches" are confirmed by the lotw system. What could be the problem?

73 Ton PA1CC

3697. Re: no matching entry lotw

Yahoo group: XMLog
Date: 2013-01-20 21:34:51 UTC
From: w1ect
Topic: 3696 Message: 3697

Hi Ton, You should check "Matching LoTW Records to Entries in Your Log" in the LoTW section of the help file (under "Importing and Exporting Log Entries"). As noted there the callsign, date, time, frequency and mode contained in the ADIF file from LoTW have to match an existing entry in your log file.

If it's not obvious why no matches are being found you can send a copy of your log and the LoTW/ADIF file (as attachments) to support@... and I'll check to see what's happening.

Mike - W1ECT

3698. DXPeditions - VK0JJJ (Antarctica)

Yahoo group: XMLog
Date: 2013-01-24 23:20:14 UTC
From: w1ect
Topic: 3698 Message: 3698

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK0JJJ - Antarctica (KC4)

Until Jan. 2014

Mike - W1ECT

3700. DXPeditions - RI1ANP (Antarctica) , 3D2NB and 3D2OU (Fiji)

Yahoo group: XMLog
Date: 2013-02-01 17:52:21 UTC
From: w1ect
Topic: 3700 Message: 3700

Here's some new callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

RI1ANP - Antarctica (KC4)

3D2NB, 3D2OU - Fiji (3D2/F) - 3D2NB may already be in the list depending on your XMLog version.

Mike - W1ECT

3701. DXPeditions - 3D2NB and 3D2OU (Rotuma)

Yahoo group: XMLog
Date: 2013-02-05 00:08:53 UTC
From: w1ect
Topic: 3701 Message: 3701

Here's some new callsigns to add to the special calls list using the "View/ShowCallsign List" menu item.

3D2RO, 3D2RX - Rotuma(3D2/R) - 3D2RX may already be in the list depending on your XMLog version.

Mike - W1ECT

3702. Individual calls

Yahoo group: XMLog
Date: 2013-02-11 16:27:53 UTC
From: g4tgk
Topic: 3702 Message: 3702

Hi Mike,
Is it possible to get a list or number of different stations worked from XMLog. For instance, my log shows about 8,000 entries but there are probably nearer 7,000 stations worked.
Thanks,
John.

3703. Re: Individual calls

Yahoo group: XMLog
Date: 2013-02-12 15:19:33 UTC
From: w1ect
Topic: 3702 Message: 3703

Hi John, No there isn't a way to get a list of unique calls. If you've had some experience programming you can create a file with all the entries and then scan that file counting unique calls.

1) Use "Display/Sort By" to set the sorting by callsign
2) Select all entries
3) Use "Display/Short" and select a filename for the destination

The resulting file will be a simple text file that can be read by just about anything.

Mike - W1ECT

3704. Deleting/editing a block of calls

Yahoo group: XMLog
Date: 2013-02-19 14:13:17 UTC
From: n5ftr@swbell.net
Topic: 3704 Message: 3704

Greetings,

I have imported a block of over 1000 entries into the log of one of the DX stations I assist. This is a contest log and he entered 599 1, 599 2, 599 3, etc. into the sent field. When I imported the file into the log the SENT and RECEIVE fields did not import(They are blank). Is it possible for me to edit the entire group to show a 599 report for all? I, of course, have edited individual calls before, but never had occasion to edit a group of 1000+.

Is it also possible to delete a large group of entries imported into a log by mistake? The calls are all in consecutive order and I can delete individual calls. I see a Delete Selected Entries under the Edit tab, but have not been able to mark a group of entries to delete more than one at a time.

Thank you for any assistance with these questions.

73,

Buzz
NI5DX

3705. Re: Deleting/editing a block of calls

Yahoo group: XMLog
Date: 2013-02-20 03:18:56 UTC
From: w1ect
Topic: 3704 Message: 3705

Hi Buzz, If there is something unique about the entries - a range of dates, etc. then you can use the Edit/Delete Selected Entries menu item. The best case would be if you used a seperate Station Info profile for these entries and then you'd be able to select using one of those fields. To get more info on using wildcards, date ranges, etc. as search keys check the Searching the Log and Wildcards sections of the help file. If you need more help in this area you can ask here or contact me at support@...

I'm not sure why the info wouldn't be imported correctly. You can send me a copy of the ADIF file to support@... and I'll take a look.

Mike - W1ECT

3706. Problem!!!

Yahoo group: XMLog
Date: 2013-02-20 23:42:58 UTC
From: k2qmf@...
Topic: 3706 Message: 3706

Hello All,

I am having a problem getting QTH info
from "HamQth.com" through XMLog...

When I click on a callsign it says
format error.

Anyone else having this???

Thanks for any help...

73,
Ted K2QMF

_____
How to Sleep Like a Rock
Obey this one natural trick to fall asleep and stay asleep all night.
http://thirdpartyoffers.juno.com/TGL3141/51255fc4992f15fc40f32st02vuc

3707. Re: HamQTH.com Problem!!!

Yahoo group: XMLog
Date: 2013-02-21 00:30:33 UTC
From: w1ect
Topic: 3706 Message: 3707

He must have diddled the returned data somehow, I'll check it out and let you know.

Mike - W1ECT

3708. Re: Problem!!!

Yahoo group: XMLog
Date: 2013-02-21 17:56:00 UTC
From: w1ect
Topic: 3706 Message: 3708

Hi Ted, Strange - I was see the error last night but it's working OK today. Is it working for you?

Mike - W1ECT

3709. Re: [XMLog] Re: Problem!!!

Yahoo group: XMLog
Date: 2013-02-21 19:24:59 UTC
From: k2qmf@...
Topic: 3706 Message: 3709

Hi Mike,

I just checked and, yes it is working fine again!!!

Thanks for your quick response Mike....

73,
Ted K2QMF

On Thu, 21 Feb 2013 17:56:00 -0000 "w1ect" <w1ect@...> writes:
> Hi Ted, Strange - I was see the error last night but it's working OK
> today. Is it working for you?
>
> Mike - W1ECT
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

OVERSTOCK ipads: $30.93
Get 32GB Apple iPad for as low as $30.93. Limit 1.Day. Grab yours Now!
http://thirdpartyoffers.juno.com/TGL3141/51267505387fc7504096est02vuc

3710. DXPeditions - TX5K (Clipperton I.)

Yahoo group: XMLog
Date: 2013-02-27 00:00:11 UTC
From: w1ect
Topic: 3710 Message: 3710

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX5K - Clipperton I. (FO/C)

http://www.cordell.org/CI/index.html

Mike - W1ECT

3711. obtaining information

Yahoo group: XMLog
Date: 2013-02-27 16:41:11 UTC
From: Glenn
Topic: 3711 Message: 3711

I'm new to the XMLog and so I need lots of help. I finished installing a lot of my paper contact log into xmlog. How can I pull up a list of all the Spain or France contacts that I've entered into the log. I tried to pull up "award" and then enter the country. But it doesn't let me access it. W9GDK

3712. Re: [XMLog] obtaining information

Yahoo group: XMLog
Date: 2013-02-28 11:23:12 UTC
From: glen harding
Topic: 3711 Message: 3712

hello glenn..
If you go into the search mode you can put in the box that says country, the name of countries, you will be to put to find just those entries.

Glen (W1FNJ)

From: Glenn <gdkgkk@...>
To: XMLog@yahoogroups.com
Sent: Wednesday, February 27, 2013 11:41 AM
Subject: [XMLog] obtaining information

I'm new to the XMLog and so I need lots of help. I finished installing a lot of my paper contact log into xmlog. How can I pull up a list of all the Spain or France contacts that I've entered into the log. I tried to pull up "award" and then enter the country. But it doesn't let me access it. W9GDK

[Non-text portions of this message have been removed]

3713. Re: obtaining information

Yahoo group: XMLog
Date: 2013-02-28 15:37:19 UTC
From: Benny Owens
Topic: 3711 Message: 3713

PUT F OR EA IN THE COUNTRY CODE BOX AND HIT ENTER

73
BENNY K5KV

[Non-text portions of this message have been removed]

3714. Logs for multiple stations

Yahoo group: XMLog
Date: 2013-02-28 19:05:24 UTC
From: k1jy
Topic: 3714 Message: 3714

Any advice on establishing multiple, discrete, station logs? By that I mean, one log, profile, configuration, etc. for an individual's call, and a separate log, profile, configuration, etc. for a club station call. None of the information in one log/profile/configuration ever needs to mix with, or should be confused with, the other. I am aware of creating additional logs and profiles, but in this case, even the LOTW log-in needs to be different. I don't want to ever corrupt data with the wrong profile or imported log data. Other than an additional XMLog installation in a separate directory, any suggestions?
Thanks,Lindsay, K1JY

[Non-text portions of this message have been removed]

3715. Re: [XMLog] Logs for multiple stations

Yahoo group: XMLog
Date: 2013-03-01 00:14:42 UTC
From: glen harding
Topic: 3714 Message: 3715

you can have one log for each individual call sign without downloading another copy of xmlog.. just go and setup a whole new log with the callsign you want to use

---
From: k1jy <k1jy.yahoo@k1jy.net>
To: XMLog@yahoogroups.com
Sent: Thursday, February 28, 2013 2:05 PM
Subject: [XMLog] Logs for multiple stations

Any advice on establishing multiple, discrete, station logs? By that I mean, one log, profile, configuration, etc. for an individual's call, and a separate log, profile, configuration, etc. for a club station call. None of the information in one log/profile/configuration ever needs to mix with, or should be confused with, the other. I am aware of creating additional logs and profiles, but in this case, even the LOTW log-in needs to be different. I don't want to ever corrupt data with the wrong profile or imported log data. Other than an additional XMLog installation in a separate directory, any suggestions?
Thanks,Lindsay, K1JY

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

3716. Re: [XMLog] Logs for multiple stations

Yahoo group: XMLog
Date: 2013-03-01 00:37:09 UTC
From: Buzz
Topic: 3714 Message: 3716

Go to "Create New Log" and enter the call for the new log and it is done.

73,

Buzz

On Feb 28, 2013, at 6:14 PM, glen harding <n1nkc@...> wrote:

> you can have one log for each individual call sign without downloading another copy of xmlog.. just go and setup a whole new log with the callsign you want to use
>
> _____
> From: k1jy k1jy.yahoo@...>
> To: XMLog@yahoogroups.com
> Sent: Thursday, February 28, 2013 2:05 PM
> Subject: [XMLog] Logs for multiple stations
>
>
>
> Any advice on establishing multiple, discrete, station logs? By that I
> mean, one log, profile, configuration, etc. for an individual's call,
> and a separate log, profile, configuration, etc. for a club station
> call. None of the information in one log/profile/configuration ever
> needs to mix with, or should be confused with, the other. I am aware of
> creating additional logs and profiles, but in this case, even the LOTW
> log-in needs to be different. I don't want to ever corrupt data with
> the wrong profile or imported log data. Other than an additional XMLog
> installation in a separate directory, any suggestions?
> Thanks,Lindsay, K1JY
>
> [Non-text portions of this message have been removed]
>
> [Non-text portions of this message have been removed]
>
>

[Non-text portions of this message have been removed]

3717. Re: Logs for multiple stations

Yahoo group: XMLog
Date: 2013-03-01 01:14:26 UTC
From: w1ect
Topic: 3714 Message: 3717

Hi Lindsay, As others have mentioned XMLog allows you to create more than one log file. Of course this means making sure you have the correct log file open when you make changes. More than once I've worked a new station, added it to my log, and then later noticed that I had actually added it to my "debugging" log file which is the one I have as my "default" log (the log automatically opened when XMLog starts).

XMLog provides "Station Profiles" that can be associated with log entries which can define an operator and station callsign. However the primary use for this feature is for folk like me who have moved around and have had different calls through the years. This allows selecting a sub-set of your full log based on location, operator callsign or station callsign (this info is part of the ADIF specification).

Mike - W1ECT

3718. Re: Logs for multiple stations

Yahoo group: XMLog
Date: 2013-03-01 01:50:45 UTC
From: k1jy
Topic: 3714 Message: 3718

Thanks, Mike.

Yes, the create more than one log file as others mentioned, is more simplistic and error prone for this need than I was hoping for.

I was hoping to limit the possible errors to only selecting which log file was being used, by making sure the correct Station Profile (call sign/location/etc) was automatically selected for the log file selected, and that other setup parameters (such as LOTW account) were automatically selected and followed the log file. Since things like LOTW account information, QSL label formatting, etc. do not follow either the log, or the station profile, each would have to be manually selected and perhaps modified depending on the station one wants to log.

I guess not something one normally does or wishes for. A great program nevertheless. First time in years of use I think I've run in to something I really wanted to do that's not quite so easy.

73,
Lindsay

--- In XMLog@yahoogroups.com, "w1ect" <w1ect@...> wrote:
>
> Hi Lindsay, As others have mentioned XMLog allows you to create more than one log file. Of course this means making sure you have the correct log file open when you make changes. More than once I've worked a new station, added it to my log, and then later noticed that I had actually added it to my "debugging" log file which is the one I have as my "default" log (the log automatically opened when XMLog starts).
>
> XMLog provides "Station Profiles" that can be associated with log entries which can define an operator and station callsign. However the primary use for this feature is for folk like me who have moved around and have had different calls through the years. This allows selecting a sub-set of your full log based on location, operator callsign or station callsign (this info is part of the ADIF specification).
>
> Mike - W1ECT
>

3723. QRZ Look Up

Yahoo group: XMLog
Date: 2013-03-15 15:47:34 UTC
From: n3dd
Topic: 3723 Message: 3723

Suddenly I'm getting a "Format error in session data from QRZ.COM The download of the specified resource has failed" error when trying to lookup data with QRZ. I am an XML subscriber.

Anyone else having this issue??

Dom, N3DD

3724. Tentec 539 Argonaut VI

Yahoo group: XMLog
Date: 2013-03-23 00:11:37 UTC
From: John
Topic: 3724 Message: 3724

Does XMLog support data from the TenTec Argonaut VI (539)?

John - WA1JG

3725. Re: Tentec 539 Argonaut VI

Yahoo group: XMLog
Date: 2013-03-23 16:57:22 UTC
From: w1ect
Topic: 3724 Message: 3725

Hi John, I've found the documentation for the control commands on the TenTec site and I'll take a look. The best case is that it shares the command set with another TenTec rig and you will be able to control the 539 by selecting that rig type. Otherwise I'll have to add the rig-specific changes which usually isn't a problem.

I'll let you know...

Mike - W1ECT

3726. Re: UTC Offset

Yahoo group: XMLog
Date: 2013-03-26 23:10:28 UTC
From: k9mrd
Topic: 2938 Message: 3726

Willis,

I am running XP, have the correct time zone selected, the 'correct-for-daylight-saving-time' box checked, correct time shows in lower right of screen, BUT XMLog UTC is 1 hour off!!

Had to edit all of my LOTW uploads since DST started and re-upload. Now I have to remember to change the time for every log entry. I have never had this problem before and have been an XMLog user for many years.

Wayne

--- In XMLog@yahoogroups.com, WILLIS COOKE <wrcooke@...> wrote:
>
>
> My log time is off by an hour since the change to DST. I have not been able to find how to set/change the offset from the CDST on my computer. How is the offset computed or where is the offset input. I don't remember this problem in past years nor can I find a way to change the offset from 6 hours to 5 hours?
>
> Willis 'Cookie' Cooke
> K5EWJ
>

3727. Ten Tec Argonaut 539

Yahoo group: XMLog
Date: 2013-03-29 03:25:27 UTC
From: John
Topic: 3727 Message: 3727

Mike,

I hope to have the 539 in hand tomorrow or Monday. I will set it up and try connecting the version of XMLog that I am currently using and then the new version.

The word I got from Ten Tec is that the controls are the same as the Eagle or related to the Eagle. Is the TenTec Eagle capable of driving XMLog? And when was (Release ?) it added if it is already in the program?

3728. DXPeditions - 3D2SE (Fiji)

Yahoo group: XMLog
Date: 2013-04-12 00:49:27 UTC
From: w1ect
Topic: 3728 Message: 3728

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2SE - Fiji (3D2/F)

Until April 16

Mike - W1ECT

3729. How to handle eQSL Data

Yahoo group: XMLog
Date: 2013-04-22 17:19:54 UTC
From: baamaster
Topic: 3729 Message: 3729

Folks

While recovering from surgery, I thought it a good chance to bring XMLog up to date with 35+ years of qsos. Well, I got everything loaded, except for 7 years of paper logs that I can't find, and scrubbed the data for the 6 moves during that period. I consider the log as clean as it's going to get and ready for uploading to LoTW and eQSL.

LoTW submission is covered in the docs, but the only comments on submitting to eQSL I can find in searching the messages are in the XMLog 6.00 LoTW Features document, and they seem to be contradictory.

As I understand it, to submit data from XMLog to eQSL you select a subset of your log and then create an ADIF file using the "Import/Export ADIF File" menu item. The resulting ADIF file is then submitted to eQSL manually.

The document continues

"When you create this ADIF file you can choose one of two new options: "Set LoTW Sent Field to Current Date" or "Set eQSL Sent Field to Current Date". Setting one of these two options will update the "LoTW Sent" (or "eQSL Sent") field for all log entries that were included in the ADIF file."

Implying that XMLog sets the "eQSL Sent" field.

But two paragraphs down in the document is the statement

"The "eQSL Sent" and "eQSL Rcvd" fields can only be set manually and ..... "

So, which is correct? Does the creation of the ADIF file set the "eQSL Sent" field, if you choose, or do you have to set it manually?

On the flip side, I understand that it's best to just set the "eQSL Rcvd" field manually.

Thanks for reading this long post.

73's

Bill
KA4GAV

3730. Re: How to handle eQSL Data

Yahoo group: XMLog
Date: 2013-04-22 18:09:58 UTC
From: Dave Sergeant
Topic: 3729 Message: 3730

Upload of eQSL can be done exactly as you say, ie produce an ADIF of
the selected QSOs and upload them to eQSL via their website.

But you can indeed only update the eQSL received field manually, making
it less usable.

What I have done is to set up a completly separate XMLog account,
eQSL.log, to just contain those QSOs that have been confirmed at eQSL.
You can either download your COMPLETE inbox using the button at the
bottom of the eQSL inbox pate, or use a program I have written to
convert those QSOs displayed in the inbox to an ADIF
(http://www.davesergeant.com/bbcbasic/eqsladif.zip). I have been using
this method for a long time and it works well.

LOTW of course is much more straightforward.

73 Dave G3YMC

On 22 Apr 2013 at 17:19, baamaster wrote:

> While recovering from surgery, I thought it a good chance to bring XMLog
> up to date with 35+ years of qsos. Well, I got everything loaded,
> except for 7 years of paper logs that I can't find, and scrubbed the
> data for the 6 moves during that period. I consider the log as clean as
> it's going to get and ready for uploading to LoTW and eQSL.
>
> LoTW submission is covered in the docs, but the only comments on
> submitting to eQSL I can find in searching the messages are in the XMLog
> 6.00 LoTW Features document, and they seem to be contradictory.
>
> As I understand it, to submit data from XMLog to eQSL you select a
> subset of your log and then create an ADIF file using the "Import/Export
> ADIF File" menu item. The resulting ADIF file is then submitted to eQSL
> manually.
>
> The document continues
>
> "When you create this ADIF file you can choose one of two new options:
> "Set LoTW Sent Field to Current Date" or "Set eQSL Sent Field to Current
> Date". Setting one of these two options will update the "LoTW Sent" (or
> "eQSL Sent") field for all log entries that were included in the ADIF
> file."
>
> Implying that XMLog sets the "eQSL Sent" field.
>
>

> But two paragraphs down in the document is the statement
>
> "The "eQSL Sent" and "eQSL Rcvd" fields can only be set manually and
> ..... "
>
> So, which is correct? Does the creation of the ADIF file set the "eQSL
> Sent" field, if you choose, or do you have to set it manually?
>
>
> On the flip side, I understand that it's best to just set the "eQSL
> Rcvd" field manually.
>

http://www.davesergeant.com

3731. Re: How to handle eQSL Data

Yahoo group: XMLog
Date: 2013-04-23 19:39:35 UTC
From: w1ect
Topic: 3729 Message: 3731

Hi Bill, I've looked through the current help file sources and I can't find the comment about the "eQSL Sent field can only be set manually". I guess you may be looking at an older version? The ADIF Export menu item does give you the option of setting the LoTW Sent or eQSL Sent date to the current date. The LoTW import has the option of setting the LoTW Rcvd field but there is no corresponding feature for the eQSL Rcvd field. If this is a problem I can look into adding this field to the fields that can be set using a "Edit/Change xxx For Multiple Entries" menu item.

Mike - W1ECT

3732. Re: How to handle eQSL Data

Yahoo group: XMLog
Date: 2013-04-23 20:02:00 UTC
From: Dave Sergeant
Topic: 3729 Message: 3732

Well the ADIF file I generate to import into XMLog has a field <EQSL_QSLRDATE:8>20130421 which when imported does indeed set the eQSL field. But it has to be in the ADIF file, not an option in the XMLog import options.

73 Dave G3YMC

On 23 Apr 2013 at 19:39, w1ect wrote:

> Hi Bill, I've looked through the current help file sources and I can't
> find the comment about the "eQSL Sent field can only be set manually". I
> guess you may be looking at an older version? The ADIF Export menu item
> does give you the option of setting the LoTW Sent or eQSL Sent date to
> the current date. The LoTW import has the option of setting the LoTW
> Rcvd field but there is no corresponding feature for the eQSL Rcvd
> field. If this is a problem I can look into adding this field to the
> fields that can be set using a "Edit/Change xxx For Multiple Entries"
> menu item.
>
> Mike - W1ECT
>

http://www.davesergeant.com

3733. Re: How to handle eQSL Data

Yahoo group: XMLog
Date: 2013-04-24 00:32:12 UTC
From: w1ect
Topic: 3729 Message: 3733

Hi Dave, I understand what your program does to hack the ADIF file to add the eQSL received dates. I'm adding a menu item that would allow you to hack in the date using XMLog itself. Basically if you can select a sub-set of the records you want to change you're in business. Normally this would mean selecting the records with a common eQSL "Sent" date (the date you supplied when you did the ADIF export) and then picking the "Edit/Change Dates For Multiple Records". While I was at it I made the menu item a general date changer (QSO date, LoTW/eQSL sent and received dates.

I'll post the changes in the beta test area in a few days.

Mike - W1ECT

3734. Yaesu FT-950 Won't connect to XMlog

Yahoo group: XMLog
Date: 2013-04-27 20:45:37 UTC
From: dekz8y
Topic: 3734 Message: 3734

Xmlog won't change frequency on radio.Help!!! This is a new Set up. First time I tried to connect it didn't change frequency.

3735. Re: Yaesu FT-950 Won't connect to XMlog

Yahoo group: XMLog
Date: 2013-04-29 16:31:45 UTC
From: w1ect
Topic: 3734 Message: 3735

Have you had success controlling your rig with software other than XMLog? This would rule out problems with cables and device drivers, etc.

If you are sure the connection between the rig and PC are ok the next thing to check are the XMLog rig settings. Many rigs allow you to select various values for the baud rate, etc. Be sure your XMLog values match the current settings for your rig.

Mike - W1ECT

3736. Re: How to handle eQSL Data

Yahoo group: XMLog
Date: 2013-04-29 16:37:30 UTC
From: w1ect
Topic: 3729 Message: 3736

Hi Bill, I've posted a beta version 6.61 at www.xmlog.com/beta This version allows you to set the eQSL received dates for multiple records. If you can isolate the records you want to update with a log search then the new "Edit/Change Date and Time for Multiple Entries" menu item may do what you need. Perhaps you set the eQSL sent dates to the same value - in this case you can do a log search on that field to isolate the records that need to be updated.

Mike - W1ECT

3737. DXPeditions - E51FOC (South Cook Is.)

Yahoo group: XMLog
Date: 2013-05-12 17:48:00 UTC
From: w1ect
Topic: 3737 Message: 3737

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51FOC - South Cook Is. (E5/S)

May 9-29, CW only

Mike - W1ECT

3738. DXPeditions - VP8DOH (Falkland Is.)

Yahoo group: XMLog
Date: 2013-05-16 22:10:56 UTC
From: w1ect
Topic: 3738 Message: 3738

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VP8DOH - Falkland Is. - (VP8/F)

Mike - W1ECT

3739. DXPeditions - E51JJU (South Cook Is.)

Yahoo group: XMLog
Date: 2013-05-27 00:36:48 UTC
From: w1ect
Topic: 3739 Message: 3739

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51JJU - South Cook Is. (E5/S)

Using E51FOC's equipment...

Mike - W1ECT

3740. LOTW change

Yahoo group: XMLog
Date: 2013-05-27 08:30:05 UTC
From: Dave Sergeant
Topic: 3740 Message: 3740

The downloaded adif file from the LOTW site (lotwreport.adi) used to contain the field LOTW_QSLRDATE which XMLog uses to fill the LoTW Rcvd field. I have just downloaded my latest one and it now instead uses <QSLRDATE> instead, which of course doesn't fill that field or even the QSL Recvd one. DO you have any information on this change, why it was done, and if anything can be done to cope with it. I always found it useful to import my latest confirmations then see what the new ones were by selecting LoTW Rcvd to cover the date range.

73 Dave G3YMC

http://www.davesergeant.com

3741. Re: LOTW change

Yahoo group: XMLog
Date: 2013-05-27 09:54:03 UTC
From: Dave Sergeant
Topic: 3740 Message: 3741

Take that back, it must have been finger trouble. Downloaded the
lotwreport.adi again and it has imported correctly and set the LoTW
Recvd fields correctly.

73 Dave G3YMC

On 27 May 2013 at 9:30, Dave Sergeant wrote:

> The downloaded adif file from the LOTW site (lotwreport.adi) used to
> contain the field LOTW_QSLRDATE which XMLog uses to fill the LoTW Rcvd
> field. I have just downloaded my latest one and it now instead uses
> <QSLRDATE> instead, which of course doesn't fill that field or even the
> QSL Recvd one. DO you have any information on this change, why it was
> done, and if anything can be done to cope with it. I always found it
> useful to import my latest confirmations then see what the new ones were
> by selecting LoTW Rcvd to cover the date range.
>

http://www.davesergeant.com

3742. XMLog and new Buckmaster HamCall DVD

Yahoo group: XMLog
Date: 2013-05-29 12:57:59 UTC
From: keefus65
Topic: 3742 Message: 3742

Greetings All!

I'm new to the forum but have been a consistent user of XMLog for the last few years. It's a great program and I've enjoyed using it very much.

However, I recently purchased Buckmaster's new "HamCall" DVD (vs. CD...the May 5, 2013 release) and am now consistently unable to set XMLog to read either directly from the DVD or from the downloaded program (and data files) on my hard drive.

My computer is a Pentium 4 running Windows XP with Service Pack 3. I've also tried interfacing XMLog and the new HamCall DVD with my Windows 8 laptop and have achieved the same non-result.

I'm running the latest version of XMLog (V 6.59...and even tried the new Beta version) both the same result. I've also insured that all of the called for data files are in my "C:\Ham0" folder (i.e. countrys. HAMCALL. IDX, HAMCALL.DAT) as per your help menu. therein.

What's more, when I try to switch the Callbook destination location in XMLog to anything other than a root directory (i.e. C:, F:, or some such) I get an error message that says that I can only set that parameter to a root directory. This is DESPITE the instructions in the help file that say I should set that parameter to C:\HAM0 (i.e. where that laundry list of apparently needed data files resides).

My hunch is that Buckmaster's switch from a CD file format to a DVD format (and perhaps adding much more data to the data file) may have now upset the internal pointers to this info in the XMLog program..

Another confusing twist is that tbe new HamCall DVD runs just fine on its own using its built-in program. That is, it finds all the call sign data as it should. What's more, I am also able to run last year's version (May 2012) of the HamCall CD with XMLog and all appears to work normally.

So, again, something appears to be amiss in the interface between XMLog and the new Buckmaster Hamcall DVD.

Any help in resolving this issue would be greatly appreciated.

3743. DXPeditions - R155C (Asiatic Russia)

Yahoo group: XMLog
Date: 2013-05-31 13:38:11 UTC
From: w1ect
Topic: 3743 Message: 3743

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

R155C - Asiatic Russia (UA9)

Active until June 30

Mike - W1ECT

3744. Create new log

Yahoo group: XMLog
Date: 2013-06-15 18:37:09 UTC
From: Jim
Topic: 3744 Message: 3744

Trying out XMLog for first time. Only thing done so far is station info. I want to create my log. I click on create new log and I get the demo log. I assume I do not want to use demo log. How do I create log ie. NV9X General Log. Thanks.
Jim, NV9X

3745. RE: [XMLog] Create new log

Yahoo group: XMLog
Date: 2013-06-15 20:33:44 UTC
From: Buzz
Topic: 3744 Message: 3745

Hi Jim,

I have a ton of logs in my database for XMLog, so when I click Create New Log I get a blank field in which I can type NI5DX or whatever name I want on the file.

If your field shows Demo.log, is it possible to clear it and type NV9X in that field?

Buzz

NI5DX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Jim
Sent: Saturday, June 15, 2013 1:37 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Create new log

Trying out XMLog for first time. Only thing done so far is station info. I want to create my log. I click on create new log and I get the demo log. I assume I do not want to use demo log. How do I create log ie. NV9X General Log. Thanks.
Jim, NV9X

[Non-text portions of this message have been removed]

3746. Re: Create new log

Yahoo group: XMLog
Date: 2013-06-16 14:53:03 UTC
From: Jim
Topic: 3744 Message: 3746

Yes I can change demo to NV9X, but when I x out of new log screen it is gone. Wait a minute. Brain cramp. Maybe I have to enter a contact before I can create log. I will try that.

--- In XMLog@yahoogroups.com, Buzz <ni5dx@...> wrote:
>
> Hi Jim,
>
>
>
> I have a ton of logs in my database for XMLog, so when I click Create New
> Log I get a blank field in which I can type NI5DX or whatever name I want on
> the file.
>
> If your field shows Demo.log, is it possible to clear it and type NV9X in
> that field?
>
>
>
> Buzz
>
> NI5DX
>
>
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Jim
> Sent: Saturday, June 15, 2013 1:37 PM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] Create new log
>
>
>
>
>
> Trying out XMLog for first time. Only thing done so far is station info. I
> want to create my log. I click on create new log and I get the demo log. I
> assume I do not want to use demo log. How do I create log ie. NV9X General
> Log. Thanks.
> Jim, NV9X
>
>
>
>
>
>
>

>
> [Non-text portions of this message have been removed]
>

3747. Re: Create new log

Yahoo group: XMLog
Date: 2013-06-17 13:50:39 UTC
From: w1ect
Topic: 3744 Message: 3747

Hi Jim, To create a new log file you should use the "File/Create New Log" menu item and enter your log file name and click the "OK" button. Also, to make things easier you can then use the "Options/Log Fields..." menu item and set the "Default Log File" to NV9X.log (or whatever name you chose for your file. This means you won't have to do a "File/Open Old Log" every you start XMLog.

Mike - W1ECT

3748. first setup

Yahoo group: XMLog
Date: 2013-06-19 15:53:01 UTC
From: MichaelG
Topic: 3748 Message: 3748

I think I have it okay on the computer but when I click on it I get what appears to be a demo screen as I cannot put data into it. It does say it's for my call at the bottom though. What silly thing am I doing wrong here?

3749. RE: [XMLog] first setup

Yahoo group: XMLog
Date: 2013-06-19 16:11:06 UTC
From: Buzz
Topic: 3748 Message: 3749

Are you trying to add single contacts or import a .adif file? It makes a difference in what steps you need to follow.

73,

Buzz

NI5DX

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of MichaelG
Sent: Wednesday, June 19, 2013 10:53 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] first setup

I think I have it okay on the computer but when I click on it I get what appears to be a demo screen as I cannot put data into it. It does say it's for my call at the bottom though. What silly thing am I doing wrong here?

[Non-text portions of this message have been removed]

3750. Re: [XMLog] first setup

Yahoo group: XMLog
Date: 2013-06-19 16:20:11 UTC
From: Michael Goins
Topic: 3748 Message: 3750

I can't add anything into it.

I get what looks like demo page about 1/4 screen size with my call at the bottom left, but it won't let me click into it to add anything. It also has some of the pull down headings I can open and some I can't. Don't know what I'm doing wrong.

If I can't figure this out, they are going to come and take back my Mensa card.

On Wed, Jun 19, 2013 at 11:11 AM, Buzz <ni5dx@...> wrote:

> **
>
>
> Are you trying to add single contacts or import a .adif file? It makes a
> difference in what steps you need to follow.
>
> 73,
>
> Buzz
>
> NI5DX
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of
> MichaelG
> Sent: Wednesday, June 19, 2013 10:53 AM
> To: XMLog@yahoogroups.com
> Subject: [XMLog] first setup
>
> I think I have it okay on the computer but when I click on it I get what
> appears to be a demo screen as I cannot put data into it. It does say it's
> for my call at the bottom though. What silly thing am I doing wrong here?
>
> [Non-text portions of this message have been removed]
>
>
>

[Non-text portions of this message have been removed]

3751. Exporting selected QSOs

Yahoo group: XMLog
Date: 2013-07-25 14:40:57 UTC
From: buzzmann555
Topic: 3751 Message: 3751

Hi again,

I am trying to export to a .adif file a bunch of QSOs that are going to be sent to the outgoing bureau. I am going to try GlobalQSL for the first time. I do not want to send the entire log to them, only the bureau cards I have here that I want to reply to.

I have gone through the 300+ cards twice now marking them with the
Ctrl B function to show that they were sent to the bureau on a certain date. However, after doing the Ctrl B thing for all of the cards I went to the export function and told the program that I wanted to export. Of course, I had the choice of exporting the entire log or the selected entries. I chose the selected entries option. When I exported, the only QSOs that were exported were the two for the last call sign that I had entered.

As I said, I have been through this stack of 300+ cards two times and still cannot figure out how to export ONLY those, but ALL of those, that I mark with the Ctrl B.

There must be a different way to mark the QSOs that I am missing. It seems this is a function that should be easily carried out by the program. I figure it must be "cockpit" error, but do not know how to get out of the tail spin.

Any help is greatly appreciated.

73,

Buzz - NI5DX

3752. Re: Exporting selected QSOs

Yahoo group: XMLog
Date: 2013-07-26 14:25:55 UTC
From: w1ect
Topic: 3751 Message: 3752

Hi Buzz, It sounds like you want to select the log entries for which you just set the QSL Sent date. Assuming you used the same QSL Sent date for all the entries of interest just enter the that date as a search key and that will select the appropriate entries. If you set the date over a range of a few days you may still be OK, just enter a date range as the search key for the Date Sent field (for example >=7/1/13,<=7/31/13 would include all days in July 2013, see the sections on Searching the Log in the Help file).

Mike - W1ECT

3753. CAT control

Yahoo group: XMLog
Date: 2013-08-10 18:03:06 UTC
From: Chris Lewis
Topic: 3753 Message: 3753

Hi, All

I am struggling with setting up CAT control between my Tentec Omni VI and XMLog running on a XP desktop.

Has anyone else made this combination work, and are there any known issues, please?

Or any ideas on what I might be doing wrong, please?

Thanks

73
Chris G3NHL

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2013.0.3392 / Virus Database: 3211/6567 - Release Date: 08/10/13

[Non-text portions of this message have been removed]

3754. Re: CAT control

Yahoo group: XMLog
Date: 2013-08-11 16:06:07 UTC
From: w1ect
Topic: 3753 Message: 3754

Hi Chris, What kind of problems are you having. Are you able to pick the correct Comm port? Does XMLog complain about the Comm port?

Mike - W1ECT

3755. qrz call look up

Yahoo group: XMLog
Date: 2013-08-19 12:45:22 UTC
From: Andrew
Topic: 3755 Message: 3755

Howdy.. I subscribed to qrz for call look up.. seems like all I get is a format error? any help.. thanks

73 - andy

3756. Re: qrz call look up

Yahoo group: XMLog
Date: 2013-08-20 14:43:25 UTC
From: w1ect
Topic: 3755 Message: 3756

Hi Andy, What version of XMLog are you running? QRZ has made changes in the past that have required XMLog updates.

Mike - W1ECT

3757. Re: [XMLog] Re: qrz call look up

Yahoo group: XMLog
Date: 2013-08-20 15:31:21 UTC
From: wb6gum
Topic: 3755 Message: 3757

Howdy Mike..
I'm running 6.56 on a win 7 system..
Andy - WB6GUM

On 8/20/2013 7:43 AM, w1ect wrote:
>
> Hi Andy, What version of XMLog are you running? QRZ has made changes
> in the past that have required XMLog updates.
>
> Mike - W1ECT
>
>

[Non-text portions of this message have been removed]

3758. DXPeditions - TX5D (Austral Is.)

Yahoo group: XMLog
Date: 2013-10-03 16:16:13 UTC
From: <w1ect@...>
Topic: 3758 Message: 3758

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX5D - Austral Is. (FO/A)

Active through October 14

Mike - W1ECT

3759. DX-Peditions - IA0MZ (Antarctica)

Yahoo group: XMLog
Date: 2013-10-11 01:01:10 UTC
From: <w1ect@...>
Topic: 3759 Message: 3759

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

IA0MZ - Antarctica (KC4)

Active October 14 until January 31

Mike - W1ECT

3760. DXPeditions - TO2TT (Mayotte)

Yahoo group: XMLog
Date: 2013-10-11 01:51:33 UTC
From: <w1ect@...>
Topic: 3760 Message: 3760

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO2TT - Mayotte (FH)

Active October 3-17

Mike - W1ECT

3761. Newbie needs some help...

Yahoo group: XMLog
Date: 2013-10-16 00:16:00 UTC
From: Tom Francis
Topic: 3761 Message: 3761

Even after 50 some odd years in the hobby, I'm just getting into computer logging - don't ask, but I'm a Luddite and I've been doing paper logs for so long, I hated to give it up hi.

I like the XMLog a lot, but I have a little problem with mode reporting. I apparently don't understand how to enter a PSK mode entry - I enter PSK, but it doesn't show up when I run the log to check entries or totals per mode. I've been entering the paper logs for the past year which is why I'm curious.

Is there a special code for PSK in the Mode entry?

Thanks.

73

Tom, W1TEF
Lexington County, SC

3762. Re: [XMLog] Newbie needs some help...

Yahoo group: XMLog
Date: 2013-10-16 02:46:49 UTC
From: Robert Dixon
Topic: 3761 Message: 3762

Hi Tom! I have been licensed since 1951 and understand the problem. I have been using mLog for at least 10 years. I use one of the older versions 4.96 mostly because I am lazy. Here's what I did:

I created a log named after the paper log number before I transcribed from paper to mLog. Go to Edit on the task bar at the top and go down to Edit Defaults and click.If you have a bunch on 28.000, punch that into Freq. Put in the RST Out and RST in. If you have a bunch on one date put that in (I use DD/MM/YY). Type in the mode. (PSK works with V4.96) I don't know if even the latest versions will allow you to punch in the alphabet soup of modes that exist today. If that is the case I type in the info in the Notes line at the bottom.
Go down and click Save.

Go back to File: Click on Open Old Log. Go to Select at bottom of page and click on Cancel. then go to Edit and click on Add a New Entry. You should find the Date, RST out/in, frequency and mode ready to go. All you have to do is type in the callsign.

Repeat this for the second entry in the paper log. If only a few contacts are made on a given date that may have to be punched in quite often (I work mostly contests so the only thing I have to change is the freq and Mode.) I put the name of the contest in the bottom line labeled Notes.

Once you get all the paperlogs entered in Mlog you can start using Mlog as the primary log. (If the last paper log was 21, your first computer log will be 32.) When I get about 1000-1100 contacts in a computer log. I print it out as a text file and make a label for the front of the three-ring folder. You now have a paper copy of your computer log. So you have two files for each one.

Once I got all the old paper logs converted to Mlog I created a new log called MASTER LOG and imported each computer log into it. This way I can find everything in one log.

This is a nice way to log for contests. I just bring it up, have Edit save the current date and set it for the current time. Frequency, etc. is punched in. So, when I work an op in a contest the only thing I have to do is type in his call. At the end of the contest I can look at that particular computer log in alphabetical order and decide which ones need a QSL.

Hope this covered what you wanted. You can contact Mike McManus also by e-mail. If I can help let me know.

73 and Gud DX

Bob, W8HGH

----- Original Message -----
From: Tom Francis<mailto:tomfrancis@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Tuesday, October 15, 2013 8:16 PM

Subject: [XMLog] Newbie needs some help...

Even after 50 some odd years in the hobby, I'm just getting into computer logging - don't ask, but I'm a Luddite and I've been doing paper logs for so long, I hated to give it up hi.

I like the XMLog a lot, but I have a little problem with mode reporting. I apparently don't understand how to enter a PSK mode entry - I enter PSK, but it doesn't show up when I run the log to check entries or totals per mode. I've been entering the paper logs for the past year which is why I'm curious.

Is there a special code for PSK in the Mode entry?

Thanks.

73

Tom, W1TEF
Lexington County, SC

3763. RE: Newbie needs some help...

Yahoo group: XMLog
Date: 2013-10-16 15:15:07 UTC
From: <w1ect@...>
Topic: 3761 Message: 3763

Hi Tom, I think most of the PSK varieties are allowed in the Mode field. You can define new data modes using the "Edit/Define Custom Modes" menu item. All the various data QSO's show up as RTTY in the reports since DXCC treats them all as TTY. Also, when you search your log you can select all the various PSK QSO's using a wildcard of =PSK* in the mode field (see the log searching section of the help file for more info).

Mike - W1ECT

3764. Re: [XMLog] Digest Number 352

Yahoo group: XMLog
Date: 2013-10-16 17:43:53 UTC
From: <kk4khk@...>
Topic: 3764 Message: 3764

Tom,
Your doing much better than me. I can't even get XMLog to send what I've logged to my LoTW page to update my contacts!
I just stopped using it totally and went to a simple spreadsheet. At least I can export that as a CSV file then use LoTW manager to convert it and then up date my on line records. I can't figure out how some of the other hams out there know exactly who you are by your call before they even come back to you? I'm pretty fast on the keyboard but these guys must have some kind of database tied in to their new radios for automatic logging. Now I can see this working with Packet, Packtor, RTTY, And even CW but not with voice? That's pretty amazing .
--
Alex Watters-KV4PW
Roanoke,VA

A Ham Radio Amateur is:

CONSIDERATE.never knowingly operates in such a way as to lessen the pleasure of others.
LOYAL.offers loyalty, encouragement and support to other amateurs, local clubs, and the American Radio Relay League, through which Amateur Radio in the United States is represented nationally and internationally.
PROGRESSIVE.with knowledge abreast of science, a well-built and efficient station and operation above reproach.
FRIENDLY.slow and patient operating when requested; friendly advice and counsel to the beginner; kindly assistance, cooperation and consideration for the interests of others. These are the hallmarks of the amateur spirit.
BALANCED.radio is an avocation, never interfering with duties owed to family, job, school or community.
PATRIOTIC.station and skill always ready for service to country and community.

Paul M. Segal W9EEA
------ circa.1927 -----

---- XMLog@yahoogroups.com wrote:

3765. Re: [XMLog] Digest Number 352

Yahoo group: XMLog
Date: 2013-10-16 20:22:30 UTC
From: Robert Dixon
Topic: 3764 Message: 3765

Alex. If you have Word this should print out. There are shorter ways to upload MLog but this works. Let me know if you can download it. (I am sending one to myself so I can open it to see if the attachment works.)
----- Original Message -----
From: kk4khk@...<mailto:kk4khk@...>
To: tomfrancis@...<mailto:tomfrancis@...>
Cc: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, October 16, 2013 1:43 PM
Subject: Re: [XMLog] Digest Number 352

Tom,
Your doing much better than me. I can't even get XMLog to send what I've logged to my LoTW page to update my contacts!
I just stopped using it totally and went to a simple spreadsheet. At least I can export that as a CSV file then use LoTW manager to convert it and then up date my on line records. I can't figure out how some of the other hams out there know exactly who you are by your call before they even come back to you? I'm pretty fast on the keyboard but these guys must have some kind of database tied in to their new radios for automatic logging. Now I can see this working with Packet, Packtor, RTTY, And even CW but not with voice? That's pretty amazing .
--
Alex Watters-KV4PW
Roanoke,VA

A Ham Radio Amateur is:

CONSIDERATE.never knowingly operates in such a way as to lessen the pleasure of others.
LOYAL.offers loyalty, encouragement and support to other amateurs, local clubs, and the American Radio Relay League, through which Amateur Radio in the United States is represented nationally and internationally.
PROGRESSIVE.with knowledge abreast of science, a well-built and efficient station and operation above reproach.
FRIENDLY.slow and patient operating when requested; friendly advice and counsel to the beginner; kindly assistance, cooperation and consideration for the interests of others. These are the hallmarks of the amateur spirit.
BALANCED.radio is an avocation, never interfering with duties owed to family, job, school or community.
PATRIOTIC.station and skill always ready for service to country and community.

Paul M. Segal W9EEA
------ circa.1927 -----

---- XMLog@yahoogroups.com wrote:

[Non-text portions of this message have been removed]

3766. Re: [XMLog] Digest Number 352

Yahoo group: XMLog
Date: 2013-10-16 20:29:32 UTC
From: Robert Dixon
Topic: 3764 Message: 3766

Hi agn Alex: The attachment went through and I sent a copy to myself. So it is good to go. I use MLog during contests and upload after each one. Hasn't been a problem yet.

BTW: We lived in Bedford from 1996 -2010. Did you ever get a chance to meet Lynn, K4VCJ (SK)?

73 Bob, W8HGH
----- Original Message -----
From: kk4khk@...<mailto:kk4khk@...>
To: tomfrancis@...<mailto:tomfrancis@...>
Cc: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, October 16, 2013 1:43 PM
Subject: Re: [XMLog] Digest Number 352

Tom,
Your doing much better than me. I can't even get XMLog to send what I've logged to my LoTW page to update my contacts!
I just stopped using it totally and went to a simple spreadsheet. At least I can export that as a CSV file then use LoTW manager to convert it and then up date my on line records. I can't figure out how some of the other hams out there know exactly who you are by your call before they even come back to you? I'm pretty fast on the keyboard but these guys must have some kind of database tied in to their new radios for automatic logging. Now I can see this working with Packet, Packtor, RTTY, And even CW but not with voice? That's pretty amazing .
--
Alex Watters-KV4PW
Roanoke,VA

A Ham Radio Amateur is:

CONSIDERATE.never knowingly operates in such a way as to lessen the pleasure of others.
LOYAL.offers loyalty, encouragement and support to other amateurs, local clubs, and the American Radio Relay League, through which Amateur Radio in the United States is represented nationally and internationally.
PROGRESSIVE.with knowledge abreast of science, a well-built and efficient station and operation above reproach.
FRIENDLY.slow and patient operating when requested; friendly advice and counsel to the beginner; kindly assistance, cooperation and consideration for the interests of others. These are the hallmarks of the amateur spirit.
BALANCED.radio is an avocation, never interfering with duties owed to family, job, school or community.
PATRIOTIC.station and skill always ready for service to country and community.

Paul M. Segal W9EEA
------ circa.1927 -----

---- XMLog@yahoogroups.com wrote:

3767. DXPeditions - E51AAR (S. Cook)

Yahoo group: XMLog
Date: 2013-10-21 22:40:10 UTC
From: <w1ect@...>
Topic: 3767 Message: 3767

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51AAR - South Cook Is (E5/S)

Active October 21-26

Mike - W1ECT

3769. DXPeditions - TX5RV (Austral Is.)

Yahoo group: XMLog
Date: 2013-11-01 17:13:53 UTC
From: <w1ect@...>
Topic: 3769 Message: 3769

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX5RV - Austral Islands (FO/A)

Active October 30 to November 6 013

Mike - W1ECT

3770. DXPeditions - RI1ANR (Antarctica)

Yahoo group: XMLog
Date: 2013-11-01 17:16:18 UTC
From: <w1ect@...>
Topic: 3770 Message: 3770

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI1ANR - Antarctica (KC4)

Active until March 2014

Mike - W1ECT

3772. DXPeditions - K9W (Wake I.)

Yahoo group: XMLog
Date: 2013-11-02 20:39:19 UTC
From: <w1ect@...>
Topic: 3771 Message: 3772

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

K9W - Wake I. (KH9)

Active until November 15 - see http://www.wake2013.org/

Mike - W1ECT

3773. DXPeditions - JD1YBT (Ogasawara I.)

Yahoo group: XMLog
Date: 2013-11-07 22:05:41 UTC
From: <w1ect@...>
Topic: 3773 Message: 3773

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

JD1YBT - Ogasawara I. (JD1/O)

Active until November 15

Mike - W1ECT

3774. DXPeditions - W8A (American Samoa)

Yahoo group: XMLog
Date: 2013-11-08 00:25:36 UTC
From: <w1ect@...>
Topic: 3774 Message: 3774

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

W8A - American Samoa (KH8)

Active November 12 to 22

Mike - W1ECT

3775. DXPeditions - VK0GB (Antarctica)

Yahoo group: XMLog
Date: 2013-11-14 23:04:54 UTC
From: <w1ect@...>
Topic: 3775 Message: 3775

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK0GB - Antarctica (KC4)

Active from November 17 to 26.

Mike - W1ECT

3776. DXPeditions - TO0MT (Guadeloupe)

Yahoo group: XMLog
Date: 2013-11-20 19:11:10 UTC
From: <w1ect@...>
Topic: 3776 Message: 3776

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO0MT - Guadeloupe (FG)

Active from November 18 to December 1

Mike - W1ECT

3777. download and use xmlog

Yahoo group: XMLog
Date: 2013-11-21 18:51:06 UTC
From: <5b4ajo@...>
Topic: 3777 Message: 3777

how can I download and use the xmlog?

3778. Re: [XMLog] download and use xmlog

Yahoo group: XMLog
Date: 2013-11-21 19:50:38 UTC
From: Tom Francis
Topic: 3777 Message: 3778

http://www.xmlog.com/

Best regards,

Tom, W1TEF
Lexington County, SC

On 11/21/2013 1:51 PM, 5b4ajo@... wrote:
>
> how can I download and use the xmlog?
>
>

3779. RE: Re: [XMLog] download and use xmlog

Yahoo group: XMLog
Date: 2013-11-22 15:50:35 UTC
From: <5b4ajo@...>
Topic: 3777 Message: 3779

I know the website but I got confuse

---In XMLog@yahoogroups.com, <tomfrancis@...> wrote:

http://www.xmlog.com/ http://www.xmlog.com/

Best regards,

Tom, W1TEF
Lexington County, SC

On 11/21/2013 1:51 PM, 5b4ajo@... mailto:5b4ajo@... wrote:

how can I download and use the xmlog?

3780. Re: [XMLog] download and use xmlog

Yahoo group: XMLog
Date: 2013-11-22 16:06:36 UTC
From: Tom Francis
Topic: 3777 Message: 3780

Go down to the bottom of the page and right under the Donate
icon, you will see this - xmlog662.zip <http://www.xmlog.com/xmlog662.zip>

Down load the file, unzip it (you can do this in Windows and Firefox
without using a zipper) and off you go.

Good luck.

73

Tom, W1TEF
Lexington County, SC*
*
On 11/22/2013 10:50 AM, 5b4ajo@... wrote:
>
> I know the website but I got confuse
>
>
>
> ---In XMLog@yahoogroups.com, <tomfrancis@...> wrote:
>
> http://www.xmlog.com/
>
> Best regards,
>
> Tom, W1TEF
> Lexington County, SC
>
> On 11/21/2013 1:51 PM, 5b4ajo@... <mailto:5b4ajo@...> wrote:
>
>> how can I download and use the xmlog?
>>
>
>

3781. Re: [XMLog] Digest Number 362-REPLY

Yahoo group: XMLog
Date: 2013-11-23 20:30:46 UTC
From: <kk4khk@...>
Topic: 3781 Message: 3781

Hell I gave up using my copy because it's almost as hard as using LoTW. That's a bigger night mare.
I just use a simple Excel spreadsheet. Much easier.
--
Alex Watters-KV4PW
Roanoke,VA

A Ham Radio Amateur is:

CONSIDERATE.never knowingly operates in such a way as to lessen the pleasure of others.
LOYAL.offers loyalty, encouragement and support to other amateurs, local clubs, and the American Radio Relay League, through which Amateur Radio in the United States is represented nationally and internationally.
PROGRESSIVE.with knowledge abreast of science, a well-built and efficient station and operation above reproach.
FRIENDLY.slow and patient operating when requested; friendly advice and counsel to the beginner; kindly assistance, cooperation and consideration for the interests of others. These are the hallmarks of the amateur spirit.
BALANCED.radio is an avocation, never interfering with duties owed to family, job, school or community.
PATRIOTIC.station and skill always ready for service to country and community.

Paul M. Segal W9EEA
------ circa.1927 -----

---- XMLog@yahoogroups.com wrote:

3782. DXPeditions - JD1BDA (Ogasawara)

Yahoo group: XMLog
Date: 2013-11-30 01:18:05 UTC
From: <w1ect@...>
Topic: 3782 Message: 3782

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

JD1BDA - Ogasawara (JD1/O)

Mike - W1ECT

3783. ADIF Exports

Yahoo group: XMLog
Date: 2013-12-15 17:06:41 UTC
From: <george.familyuk@...>
Topic: 3783 Message: 3783

I am experimenting with XMLOG version 6.59 (admittedly, not the very latest) with a total of 15,827 entries in the log.

If I open the log and, before selecting any entries, click on "Export ADIF File / Currently Selected Log Entries" then 15,827 entries are correctly exported.

If I open the log and before selecting any entries, click on "Export ADIF File / All Log Entries" then only 15,097 entries are exported although XMLOG says 15,827 entries have been exported. The most recent entries excluded.

It's no big issue but it would be interesting to know if anyone else has experienced this and whether I am doing something wrong.

Many thanks,

Brian
G3ZOH

3784. RE: ADIF Exports

Yahoo group: XMLog
Date: 2013-12-16 18:07:09 UTC
From: <w1ect@...>
Topic: 3783 Message: 3784

Hi Brian, I couldn't duplicate that problem here. Could you send me a copy of your log file (whatever.log) and also your options settings file (mlog.ini which is located in the XMLog install folder). Just send them as email attachments to support@xmlog.com

Mike - W1ECT

3785. using XMLog for Logbook of the world

Yahoo group: XMLog
Date: 2013-12-17 19:00:44 UTC
From: <kk4khk@...>
Topic: 3785 Message: 3785

Does anyone on here teach a course or a class on how to use this wonderful software package?......LOL
I've tried to use it and gave up totally.....
--
Alex Watters-KV4PW
Roanoke,VA

A Ham Radio Amateur is:

CONSIDERATE.never knowingly operates in such a way as to lessen the pleasure of others.
LOYAL.offers loyalty, encouragement and support to other amateurs, local clubs, and the American Radio Relay League, through which Amateur Radio in the United States is represented nationally and internationally.
PROGRESSIVE.with knowledge abreast of science, a well-built and efficient station and operation above reproach.
FRIENDLY.slow and patient operating when requested; friendly advice and counsel to the beginner; kindly assistance, cooperation and consideration for the interests of others. These are the hallmarks of the amateur spirit.
BALANCED.radio is an avocation, never interfering with duties owed to family, job, school or community.
PATRIOTIC.station and skill always ready for service to country and community.

Paul M. Segal W9EEA
------ circa.1927 -----

3786. Re: [XMLog] using XMLog for Logbook of the world

Yahoo group: XMLog
Date: 2013-12-17 20:30:22 UTC
From: Tom Francis
Topic: 3785 Message: 3786

Alex,

There isn't a course. You may need a "Navigator" to
borrow a term to help you through the process
though. I wouldn't hold out any hope for that as most
hams seem to avoid it although the digital crowd
seems to have no problems working with it.

Which should tell you something in and of itself. Nerds.

The simple truth is that this system is screwed up
beyond salvation. It was ill conceived, executed poorly,
is indifferently supported with minimal staff or
volunteers to help maintain the system to a higher
standard or offer expert help.

I'm not a dummy by any stretch of the imagination
and I have several people who have successfully
navigated the system to help me as I had been at it
for over six months and still no joy.

To explain: I finally got to the point where the system
would finally allow me to log in - which was the first
problem. None of the passwords they sent me worked.'
Ever. They sent three. Finally, I could log into the system
to request the certificate. It kicked back the request and
that took another two tries before I got that done - arrives
in the email. At this point, I think I've got this thing
totally under control. Took one of my contest logs, did
the ADIF magic conversion, attached the magic certificate
and uploaded the file. The system burped, took the log
and nothing appeared in the system except for an error
message - certificate numbers don't match.

Er.......I only have one certificate number - how could it
not match? Try it again. No joy. Ugh. Ok, what now?

On the advice of one of the local club members, I asked
for a new certificate - just in case. That should have cleared
it up.

Nope - no joy. I got to nosing around the LoTW web site
and my account information and discovered that indeed
the certificate number on file, didn't match the certificate
they sent me. Huh - now what do I do? I can use the
certificate number I have gives me access so it must be
valid, I only have one computer so it's not that....wait a

minute - I have a vanity call - anybody want to bet that
is the problem?

Yep. It turns out that I'm not the only one with this issue
and there is no known fix for it.

What a surprise.

I'm a former ARRL staffer, I appreciate what the ARRL does
for ham radio both in the US and worldwide. I've been on
the inside and see what the average staffer has to put up
with and it isn't pretty. You would think it's a hams dream
job, but it's not.

But this system is pure crap - unadulterated and foul. eQSL
has done it the correct way, has just as much, if not more,
integrity, it's easy to use and it works - first time no less.

ARRL members should be outraged at this sham attempt
to do cards electronically. When you have over 280 ARRL
members waiting in line to get an answer to a problem or
assistance and that assistance might not happen for a couple
of months, something is wrong - very, very wrong. I had
one issue with eQSL and got it solved within an hour by email.

The only solution to this is to write your Section Chief, Division
Director and K1ZZ himself to get something done - otherwise
it will stay the way it is - confusing and virtually useless.

One last thing - you would think that LoTW would handle WAS
QSLs fairly easily wouldn't you? It doesn't. That is one common
complaint I've been hearing all along my battle with LoTW.

And with that, I shall retire from the field of battle with LoTW
the victor - hi hi.'

73

Tom, W1TEF
Lexington County, SC

3787. RE: [XMLog] using XMLog for Logbook of the world

Yahoo group: XMLog
Date: 2013-12-17 21:06:54 UTC
From: Dave AA6YQ
Topic: 3785 Message: 3787

Tom, if you are still interested in submitting QSOs to LotW, I suggest the following steps:

1. upgrade to the current version of TQSL (2.0); it's available here:

<http://www.arrl.org/TrustedQSL/tQSL-help/installation.htm>

2. start TQSL, and

2a. on the "Callsign Certificates" tab, double-click the entry for your Callsign Certificate, and verify that the information shown in the "Certificate Properties" window is correct

2b. on the "Station Locations" tab, double-click on the entry for your Station Location, and verify that the information shown in the "Station Location Properties" window is correct

2c. on the "Log Operations" tab, click the "Sign a log and upload it automatically to LoTW" button; use the "Select file to sign" window to select the ADIF file you wish to submit to LoTW

If you encounter any difficulty with the above steps, let me know via

aa6yq (at) ambersoft.com

Step-by-step instructions for using TQSL to submit QSOs, manage Callsign Certificates, and manage Stations Locations are available via

<http://www.arrl.org/TrustedQSL/tQSL-help/>

as well as via TQSL's Help menu.

73,

Dave, AA6YQ

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Tom Francis
Sent: Tuesday, December 17, 2013 3:30 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] using XMLog for Logbook of the world

Alex,

There isn't a course. You may need a "Navigator" to
borrow a term to help you through the process
though. I wouldn't hold out any hope for that as most
hams seem to avoid it although the digital crowd
seems to have no problems working with it.

Which should tell you something in and of itself. Nerds.

The simple truth is that this system is screwed up
beyond salvation. It was ill conceived, executed poorly,
is indifferently supported with minimal staff or
volunteers to help maintain the system to a higher
standard or offer expert help.

I'm not a dummy by any stretch of the imagination
and I have several people who have successfully
navigated the system to help me as I had been at it
for over six months and still no joy.

To explain: I finally got to the point where the system
would finally allow me to log in - which was the first
problem. None of the passwords they sent me worked.'
Ever. They sent three. Finally, I could log into the system
to request the certificate. It kicked back the request and
that took another two tries before I got that done - arrives
in the email. At this point, I think I've got this thing
totally under control. Took one of my contest logs, did
the ADIF magic conversion, attached the magic certificate
and uploaded the file. The system burped, took the log
and nothing appeared in the system except for an error
message - certificate numbers don't match.

Er.......I only have one certificate number - how could it
not match? Try it again. No joy. Ugh. Ok, what now?

On the advice of one of the local club members, I asked
for a new certificate - just in case. That should have cleared
it up.

Nope - no joy. I got to nosing around the LoTW web site
and my account information and discovered that indeed
the certificate number on file, didn't match the certificate
they sent me. Huh - now what do I do? I can use the
certificate number I have gives me access so it must be
valid, I only have one computer so it's not that....wait a
minute - I have a vanity call - anybody want to bet that
is the problem?

Yep. It turns out that I'm not the only one with this issue
and there is no known fix for it.

What a surprise.

I'm a former ARRL staffer, I appreciate what the ARRL does
for ham radio both in the US and worldwide. I've been on
the inside and see what the average staffer has to put up
with and it isn't pretty. You would think it's a hams dream
job, but it's not.

But this system is pure crap - unadulterated and foul. eQSL
has done it the correct way, has just as much, if not more,

integrity, it's easy to use and it works - first time no less.

ARRL members should be outraged at this sham attempt
to do cards electronically. When you have over 280 ARRL
members waiting in line to get an answer to a problem or
assistance and that assistance might not happen for a couple
of months, something is wrong - very, very wrong. I had
one issue with eQSL and got it solved within an hour by email.

The only solution to this is to write your Section Chief, Division
Director and K1ZZ himself to get something done - otherwise
it will stay the way it is - confusing and virtually useless.

One last thing - you would think that LoTW would handle WAS
QSLs fairly easily wouldn't you? It doesn't. That is one common
complaint I've been hearing all along my battle with LoTW.

And with that, I shall retire from the field of battle with LoTW
the victor - hi hi.'

73

Tom, W1TEF
Lexington County, SC

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1432 / Virus Database: 3658/6427 - Release Date: 12/17/13

3788. Re: [XMLog] using XMLog for Logbook of the world

Yahoo group: XMLog
Date: 2013-12-17 21:48:01 UTC
From: Tom Francis
Topic: 3785 Message: 3788

No offense Dave, but I've done all that.

And thank you for proving my point - it is much to
complicated for a simple function like logging for QSL
purposes. You shouldn't have to go through all that
just to upload a log file.

Besides, my certificates don't match and apparently
it's not fixable unless the original W1TEF file is reset.

And I can't do that.

Thanks for the information though - I'm sure it will be
a help to others who are having issues.

73

Tom, W1TEF
Lexington County, SC

On 12/17/2013 4:06 PM, Dave AA6YQ wrote:
>
> Tom, if you are still interested in submitting QSOs to LotW, I suggest
> the following steps:
>
> 1. upgrade to the current version of TQSL (2.0); it's available here:
>
> <http://www.arrl.org/TrustedQSL/tQSL-help/installation.htm>
>
> 2. start TQSL, and
>
> 2a. on the "Callsign Certificates" tab, double-click the entry for
> your Callsign Certificate, and verify that the information shown in
> the "Certificate Properties" window is correct
>
> 2b. on the "Station Locations" tab, double-click on the entry for your
> Station Location, and verify that the information shown in the
> "Station Location Properties" window is correct
>
> 2c. on the "Log Operations" tab, click the "Sign a log and upload it
> automatically to LoTW" button; use the "Select file to sign" window to
> select the ADIF file you wish to submit to LoTW
>
> If you encounter any difficulty with the above steps, let me know via
>
> aa6yq (at) ambersoft.com
>

> Step-by-step instructions for using TQSL to submit QSOs, manage
> Callsign Certificates, and manage Stations Locations are available via
>
> <http://www.arrl.org/TrustedQSL/tQSL-help/>
>
> as well as via TQSL's Help menu.
>
> 73,
>
> Dave, AA6YQ
>
> From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf
> Of Tom Francis
> Sent: Tuesday, December 17, 2013 3:30 PM
> To: XMLog@yahoogroups.com
> Subject: Re: [XMLog] using XMLog for Logbook of the world
>
> Alex,
>
> There isn't a course. You may need a "Navigator" to
> borrow a term to help you through the process
> though. I wouldn't hold out any hope for that as most
> hams seem to avoid it although the digital crowd
> seems to have no problems working with it.
>
> Which should tell you something in and of itself. Nerds.
>
> The simple truth is that this system is screwed up
> beyond salvation. It was ill conceived, executed poorly,
> is indifferently supported with minimal staff or
> volunteers to help maintain the system to a higher
> standard or offer expert help.
>
> I'm not a dummy by any stretch of the imagination
> and I have several people who have successfully
> navigated the system to help me as I had been at it
> for over six months and still no joy.
>
> To explain: I finally got to the point where the system
> would finally allow me to log in - which was the first
> problem. None of the passwords they sent me worked.'
> Ever. They sent three. Finally, I could log into the system
> to request the certificate. It kicked back the request and
> that took another two tries before I got that done - arrives
> in the email. At this point, I think I've got this thing
> totally under control. Took one of my contest logs, did
> the ADIF magic conversion, attached the magic certificate
> and uploaded the file. The system burped, took the log
> and nothing appeared in the system except for an error
> message - certificate numbers don't match.

>
> Er.......I only have one certificate number - how could it
> not match? Try it again. No joy. Ugh. Ok, what now?
>
> On the advice of one of the local club members, I asked
> for a new certificate - just in case. That should have cleared
> it up.
>
> Nope - no joy. I got to nosing around the LoTW web site
> and my account information and discovered that indeed
> the certificate number on file, didn't match the certificate
> they sent me. Huh - now what do I do? I can use the
> certificate number I have gives me access so it must be
> valid, I only have one computer so it's not that....wait a
> minute - I have a vanity call - anybody want to bet that
> is the problem?
>
> Yep. It turns out that I'm not the only one with this issue
> and there is no known fix for it.
>
> What a surprise.
>
> I'm a former ARRL staffer, I appreciate what the ARRL does
> for ham radio both in the US and worldwide. I've been on
> the inside and see what the average staffer has to put up
> with and it isn't pretty. You would think it's a hams dream
> job, but it's not.
>
> But this system is pure crap - unadulterated and foul. eQSL
> has done it the correct way, has just as much, if not more,
> integrity, it's easy to use and it works - first time no less.
>
> ARRL members should be outraged at this sham attempt
> to do cards electronically. When you have over 280 ARRL
> members waiting in line to get an answer to a problem or
> assistance and that assistance might not happen for a couple
> of months, something is wrong - very, very wrong. I had
> one issue with eQSL and got it solved within an hour by email.
>
> The only solution to this is to write your Section Chief, Division
> Director and K1ZZ himself to get something done - otherwise
> it will stay the way it is - confusing and virtually useless.
>
> One last thing - you would think that LoTW would handle WAS
> QSLs fairly easily wouldn't you? It doesn't. That is one common
> complaint I've been hearing all along my battle with LoTW.
>
> And with that, I shall retire from the field of battle with LoTW
> the victor - hi hi.'
>

> 73
>
> Tom, W1TEF
> Lexington County, SC
>
> ---
> No virus found in this message.
> Checked by AVG - www.avg.com
> Version: 10.0.1432 / Virus Database: 3658/6427 - Release Date: 12/17/13
>
>

3789. RE: [XMLog] using XMLog for Logbook of the world

Yahoo group: XMLog
Date: 2013-12-17 21:59:26 UTC
From: Dave AA6YQ
Topic: 3785 Message: 3789

>>>AA6YQ comments below

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com] On Behalf Of Tom Francis
Sent: Tuesday, December 17, 2013 4:48 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] using XMLog for Logbook of the world

No offense Dave, but I've done all that.

And thank you for proving my point - it is much to
complicated for a simple function like logging for QSL
purposes. You shouldn't have to go through all that
just to upload a log file.

>>>Two of those three steps were “just checking to see if things are ok”. The actual upload takes but a couple mouse clicks; perhaps XMLog includes automation that further reduces even that.

Besides, my certificates don't match and apparently it's not fixable unless the original W1TEF file is reset.

And I can't do that.

>>>If action from LotW staff is required, I’ll help you get that quickly.

>>>It would take you but a few moments to run through the steps I suggested to see where things stand.

73,

Dave, AA6YQ

3790. DXPeditions - RI20ANT (South Shetland I.)

Yahoo group: XMLog
Date: 2013-12-20 01:44:36 UTC
From: <w1ect@...>
Topic: 3790 Message: 3790

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI20ANT - South Shetland I (VP8/SH)

Active until Dec 31.

Mike - W1ECT

3791. ClubLog

Yahoo group: XMLog
Date: 2013-12-23 19:17:09 UTC
From: <k9mrd@...>
Topic: 3791 Message: 3791

Some DX stations have not filed paper work, etc for DXCC certification. When uploading my log to Clublog, I get error messages for several of these contacts. Clublog suggests setting the DXCC Country Code to 0 (zero) or the Received QSL date to I (invalid). However, XMLog will not allow these entries. I even tried to setup a new country with a prefix of 0 (zero) and that did not work. Is there a work-around?

Wayne

3792. RE: ClubLog

Yahoo group: XMLog
Date: 2013-12-24 16:56:07 UTC
From: <w1ect@...>
Topic: 3791 Message: 3792

Hi Wayne, If you set the log entry "Prefix" field to ? XMLog will not include a "DXCC" field in the corresponding ADIF entry. Not quite the same as explicitly including a "DXCC=0" field but I would expect that this would work.

Mike - W1ECT

3793. RE: ClubLog

Yahoo group: XMLog
Date: 2013-12-24 16:58:33 UTC
From: <w1ect@...>
Topic: 3791 Message: 3793

Hi again, An afterthought - If setting the prefix to ? does not work (perhaps ClubLog will complain about a missing DXCC field?) you can edit your ADIF file to hack in a <DXCC:1:>0 into the appropriate entries. ADIF files are simple text files so you can edit them with Wordpad or Notepad.

The format of data in ADIF files is: <FieldName:FieldLength>FieldValue

Mike - W1ECT

3794. RE: ClubLog

Yahoo group: XMLog
Date: 2013-12-24 19:49:20 UTC
From: <k9mrd@...>
Topic: 3791 Message: 3794

Hi Mike,

I tried the '?' yesterday and forgot to mention that it does not work. Yes, I can edit the ADIF file, but Clublog suggests clearing the old file and uploading the entire log file on occasion. This means editing the ADIF file each time and that is a huge file/problem even using Ctrl F!! I was looking for a way to edit the XMLog file so I would only have to make one edit.

I could just delete the record, but sometimes the DX station is approved for DXCC at a later date.

Wayne

3795. ZM90DX

Yahoo group: XMLog
Date: 2013-12-25 21:37:37 UTC
From: <k9mrd@...>
Topic: 3795 Message: 3795

ZM90(zero)DX is special event station in New Zealand and is not Acukland/Campbell Island. Just in case anyone missed it.

3796. RE: ClubLog

Yahoo group: XMLog
Date: 2013-12-25 21:37:46 UTC
From: <w1ect@...>
Topic: 3791 Message: 3796

Hello Wayne, I don't think there's much more I can do. I don't want to allow a DXCC value of zero in the ADIF file because this is not a legal value according to the ADIF specification. The enumeration for the acceptable values for this field consists only of valid country codes and there is no allowance for a country code of zero.

Hopefully ClubLog could to treat records with an no DXCC field provided in the same way as they currently treat records that explicitly specify a zero value. I have never dealt with them so I have no idea if they would be open to suggestions like this.

Mike - W1ECT

3797. RE: ClubLog

Yahoo group: XMLog
Date: 2013-12-25 22:01:49 UTC
From: <w1ect@...>
Topic: 3791 Message: 3797

Wayne, One thing you could do is not include the log entries with ? as the prefix when you do your export. Search your log with a Prefix field search key of !=[?] (not equal to ?) and then when you do the export choose "Currently Selected Entries" rather than "All Log Entries".

Note that the peculiar form for the search key as !=[?] rather than !=? is required because normally the ? character is used as a wildcard to mean "match any single character". Enclosing the ? in brackets causes the ? to be treated as a normal (non-wildcard) character.

Mike - W1ECT

3798. RE: ClubLog

Yahoo group: XMLog
Date: 2013-12-26 16:29:48 UTC
From: <w1ect@...>
Topic: 3791 Message: 3798

Hi Wayne, I passed on your experience to the ADIF group and received this response:

Hi. ClubLog rejects QSOs if the submitted DXCC entity value differs from
the DXCC entity that ClubLog has determined from the callsign and date.

I've had a look and the ClubLog help does indeed say that an invalid value
of 0 should be used to represent the country being unknown.

I've raised a ticket with the ClubLog Support desk about this topic and
we'll see what the response is.

Mike

3799. Re: ClubLog

Yahoo group: XMLog
Date: 2013-12-26 18:46:10 UTC
From: Dave Sergeant
Topic: 3791 Message: 3799

There is some confusion here. Setting the country to '?' will indeed stop XMLog listing those QSOs in its DXCC listings, and that does work. But it will not produce a valid DXCC country code number in the exported ADIF file.

ClubLog has a callsign checker on what you submit, independent of what you tell it is the DXCC. For instance, QSOs with Z6, Kosovo, currently do not count for DXCC purposes. ClubLog will highlight that problem and the QSOs will not be used for any ClubLog statistics. But that is for information only. Remember ClubLog is NOT DXCC in any form or shape, rather than a large database of QSOs that is used for various purposes, eg DXPedition QSLing, totally separate from LOTW and not supported in any way by ARRL. If ClubLog throws out a QSO it will explain why, together with a link to a fuller explanation. Whatever you set the DXCC code to it will still tell you the same thing and won't accept it for its records. So don't worry about it.

What is more important is, if you are claiming awards, how LOTW handles things. In the case of Kosovo it simply won't count - yes, you can upload that QSO to LOTW but it will never see a matching valid QSO. The information ClubLog gives you is just helping you in knowing whether it is worth using that QSO for a LOTW or DXCC credit.

73 Dave G3YMC

On 24 Dec 2013 at 11:49, k9mrd@... wrote:

> I tried the '?' yesterday and forgot to mention that it does not work.
> Yes, I can edit the ADIF file, but Clublog suggests clearing the old
> file and uploading the entire log file on occasion. This means editing
> the ADIF file each time and that is a huge file/problem even using Ctrl
> F!! I was looking for a way to edit the XMLog file so I would only
> have to make one edit.
>

http://www.davesergeant.com

3800. Re: ClubLog

Yahoo group: XMLog
Date: 2013-12-26 20:44:51 UTC
From: <k9mrd@...>
Topic: 3791 Message: 3800

Dave,

Thank you for your detailed answer. I understand and have understood all that you stated. I am just trying to inhibit the messages emailed from Clublog once a problem has been discovered during log analysis. For example, I have many band slots filled by 5N/LZ1QK. Clublog has a specific exclusion from DXCC for this call. I have since filled those band slots with other contacts and would like to eliminate the error messages received from Clublog for the 5N/LZ1QK contacts. A memo from Clublog states setting the DXCC code to 0 (Zero) will do this i.e., DXCC=0 inhibits a call from Clublog processing, but retains the call in case it is approved by DXCC in the future.

It would seem the only way to address my problem and the problems encountered by others is to edit the ADIF file every time a complete log is uploaded....not an easy task as the size of the log and number of errors increases. An alternative would be to delete the problem contacts from my log which I do not wish to do for several reasons, one of which is mentioned above.

If XMLog error checking could be modified to allow a DXCC code of 'zero', this problem would vanish with a single key stroke!.

Thanks again for your input Dave!

Wayne

3801. Re: ClubLog

Yahoo group: XMLog
Date: 2013-12-26 21:03:46 UTC
From: Dave Sergeant
Topic: 3791 Message: 3801

Knowing now the call you are having problems with, I have done a little research.

5N/LZ1WQ was indeed not valid for DXCC as he did not have a valid licence issued by the Nigerian authorities. He is now 5N3WQK, a valid licenced callsign and acceptable by ARRL for DXCC. So work him, or any of the other very active 5N stations such as 5N7M. You will not have any more QSOs with his old non-call.

There is no reason whatsoever to upload your complete log every time to ClubLog. It is only suggested by Clublog themselves as a way of ironing out bad calls (and you could indeed just delete the 5N/LZ1QK ones as they are no different from working a pirate station and will never ever be valid). The normal way of using clublog is just to upload new QSOs since your last upload and this is the way I do it every time. With nearly 65,000 QSOs uploaded there I am not going to upload that lot every time... So do that and you will never see those comments/errors again.

It actually annoys me that clublog does not set the default for upload for 'merge with existing log' and you have to manually select it every time. I have moaned, but it falls on deaf ears..

73 Dave G3YMC

On 26 Dec 2013 at 12:44, k9mrd@... wrote:

> Dave,
>
> Thank you for your detailed answer. I understand and have understood all
> that you stated. I am just trying to inhibit the messages emailed from
> Clublog once a problem has been discovered during log analysis. For
> example, I have many band slots filled by 5N/LZ1QK. Clublog has a
> specific exclusion from DXCC for this call. I have since filled those
> band slots with other contacts and would like to eliminate the error
> messages received from Clublog for the 5N/LZ1QK contacts. A memo from
> Clublog states setting the DXCC code to 0 (Zero) will do this i.e.,
> DXCC=0 inhibits a call from Clublog processing, but retains the call in
> case it is approved by DXCC in the future.
>
> It would seem the only way to address my problem and the problems
> encountered by others is to edit the ADIF file every time a complete log
> is uploaded....not an easy task as the size of the log and number of
> errors increases. An alternative would be to delete the problem
> contacts from my log which I do not wish to do for several reasons, one
> of which is mentioned above.

>
> If XMLog error checking could be modified to allow a DXCC code of
> 'zero', this problem would vanish with a single key stroke!.
>
> Thanks again for your input Dave!
>
> Wayne

http://www.davesergeant.com

3802. Re: ClubLog

Yahoo group: XMLog
Date: 2013-12-27 18:19:31 UTC
From: <w1ect@...>
Topic: 3791 Message: 3802

As I mentioned before, If you want to exclude the log entries that you have flagged as having "unknown" countries just do a log search with a Prefix search key of !=[?] (not equal to ?) and then when doing your ADIF export (or creating a report, etc.) choose "Currently Selected Entries" rather that "All Log Entries".

Mike - W1ECT

3803. Re: ClubLog

Yahoo group: XMLog
Date: 2013-12-27 18:40:02 UTC
From: <k9mrd@...>
Topic: 3791 Message: 3803

Thanks Mike - Easy solution!!

3804. Ver 6.62 Update

Yahoo group: XMLog
Date: 2013-12-27 19:13:04 UTC
From: <k9mrd@...>
Topic: 3804 Message: 3804

I keep XMLog, Spots History, Check Call/Prefix, and World Map open on my monitor.

Before I upgraded to Ver 6.62, each window 'remembered' its correct position upon starting XMLog. Now Check Call/Prefix and World Map always default to center screen and must be repositioned. XMLog and Spots History go to their positions when XMLog was closed last.

Is there a way to restore all window to their last position when XMLog was closed? Long ago when I was coding this was done in software, but have no idea how it is handled in modern systems. The OS is XP.

Wayne

3805. RE: Ver 6.62 Update

Yahoo group: XMLog
Date: 2013-12-28 17:05:02 UTC
From: <w1ect@...>
Topic: 3804 Message: 3805

Hello Wayne, I can't reproduce the problem here - what version were you running before you upgraded to 6.62?

Have you made any changes to your monitor setup?

Perhaps there is some problem with the values saved for the windows position. You can try resetting all your XMLog window positions by running XMReset which is located in your XMLog install folder (usually c:\mlog). Before you run XMReset save a copy of your current options settings file mlog.ini (also in the install folder). Send a copy of this file to me (support@xmlog.com) as an email attachment.

Mike - W1ECT

3806. RE: Ver 6.62 Update

Yahoo group: XMLog
Date: 2013-12-28 19:20:53 UTC
From: <k9mrd@...>
Topic: 3804 Message: 3806

Hi Mike,

Problem SOLVED!!

By shrinking the vertical size of the two windows very slightly, (they are positioned at top of screen) everything works fine again. The size difference is imperceptible. Originally the displays must have pushed up against or over the monitor's upper boundary. I have no idea how/why this happened......

Wayne

---In XMLog@{{emailDomain}}, <w1ect@...> wrote:

Hello Wayne, I can't reproduce the problem here - what version were you running before you upgraded to 6.62?

Have you made any changes to your monitor setup?

Perhaps there is some problem with the values saved for the windows position. You can try resetting all your XMLog window positions by running XMReset which is located in your XMLog install folder (usually c:\mlog). Before you run XMReset save a copy of your current options settings file mlog.ini (also in the install folder). Send a copy of this file to me (support@...) as an email attachment.

Mike - W1ECT

3807. DXPeditions - RI44ANT (South Shetland Is.)

Yahoo group: XMLog
Date: 2014-01-03 03:44:47 UTC
From: <w1ect@...>
Topic: 3807 Message: 3807

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI44ANT - South Shetland Is. (VP8/SH)

Mike - W1ECT

3808. DxPeditions - E51CDW (South Cook Is.)

Yahoo group: XMLog
Date: 2014-01-24 20:25:31 UTC
From: <w1ect@...>
Topic: 3808 Message: 3808

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51CDW - South Cook Is. (E5/S)

Mike - W1ECT

3809. DXPeditions - D8A (Antarctica)

Yahoo group: XMLog
Date: 2014-01-31 15:45:12 UTC
From: <w1ect@...>
Topic: 3809 Message: 3809

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

D8A - Antarctica (KC4)

Mike - W1ECT

3810. CW PTT via serial RTS problems

Yahoo group: XMLog
Date: 2014-02-08 15:47:46 UTC
From: <w1nr@...>
Topic: 3810 Message: 3810

I am running xmlog 6.62 with serial port CW on COM1 and rig control via USB CI-V on COM4 to an Icom ProIII. There is an internet connection to packet cluster and a spots history window open. If I have Enable PTT checked on the CW port menu, every time a new spot is entered into the history window the rig gets PTT asserted two times, immediately after the sot appears for a short time, then again about 4 seconds later. No carrier so it seems to be just the RTS getting asserted and not DTR. CW keyer interface is a home brew opto-isolator IF using DTR for CW and RTS for PTT control. This setup works fine on Writelog and N1MM. Any ideas???

Mike, W1NR

3811. DXPeditions - TO7CC (Reunion)

Yahoo group: XMLog
Date: 2014-02-09 03:38:25 UTC
From: <w1ect@...>
Topic: 3811 Message: 3811

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO7CC - Reunion (FR/R)

Mike - W1ECT

3812. RE: CW PTT via serial RTS problems

Yahoo group: XMLog
Date: 2014-02-10 16:38:46 UTC
From: <w1ect@...>
Topic: 3810 Message: 3812

Hi Mike, Yes - Pretty strange, I'll check the PTT usage and get back to you.

Mike - W1ECT

3813. Daily Digest - Cutting down on e-mails

Yahoo group: XMLog
Date: 2014-02-10 16:50:06 UTC
From: <w1ect@...>
Topic: 3813 Message: 3813

By default Yahoo sets up your account so that each posting here gives you a separate email. You can have each days postings grouped into a single email ("Daily Digest") if you:

1. Click on the "Membership" pulldown and select "Edit Membership"
2. Click on the little icon to the right of "Subscription" to "Edit Settings"
3. Set "Message Delivery" to "Daily Digest"
4. Click "Save"

Mike - W1ECT

3814. eQSL Received ?

Yahoo group: XMLog
Date: 2014-02-11 23:23:32 UTC
From: <guido@...>
Topic: 3814 Message: 3814

After many years I've begun transferring QSLs from XMLog to LoTW and eQSL and I've run into something strange.

The LoTW and eQSL sent fields are set when I create the adif files, and the LoTW Received filed is set (as appropriate) when I import the adif file. But, I noticed random eQSL received dates set. And, they are all set to 4/22/13!

Anyone seen this before?

Bill

3815. RE: eQSL Received ?

Yahoo group: XMLog
Date: 2014-02-12 20:20:47 UTC
From: <w1ect@...>
Topic: 3814 Message: 3815

Hi Bill, ADIF (and LoTW) provides two fields that apply to QSL Sent/Received info - one is a status like EQSL_QSL_RCVD which can be Y(es), N(o), R(equested), or I(gnore/Invalid), and an associated field like EQSL_QSLRDATE which is the date. The date is field is not required.

If XMLog finds the "RCVD" status set to "Y" and there is no associated date it sets the date value to "?". I thought that perhaps an older version of XMLog set the date to the current date but looking back through the older versions I find that this is not the case.

Perhaps this is just reflects the data in the incoming LoTW file? These files (and all ADIF files) are simple text files that can be opened with Notepad or Wordpad. You can search the file for the appropriate callsign/date and check it out.

Mike - W1ECT

3816. Re: eQSL Received ?

Yahoo group: XMLog
Date: 2014-02-13 11:54:53 UTC
From: Dave Sergeant
Topic: 3814 Message: 3816

I am rather confused what you are actually doing...

For QSOs you have entered into XMLog (as against imported from elsewhere) the LOTW and eQSL Received fields will be blank unless you have yourself set them to something. If they have been imported from somewhere else (eg a contest program) then they may have been set by that software (especially if you are using a program that does automatic uploads to eQSL).

If you export a selection of QSOs for upload to LOTW (via TQSL) and eQSL as an ADIF then those ADIF files will only use what is available in the XMLog data.

If you subsequently download your log data:
From LOTW, it will contain a LOTW_QSLRDATE field showing when you when the other party uploaded the matching data.

If you download your entire log from eQSL (option at bottom of eQSL inbox) that does NOT contain any EQSL_QSLRDATE information (just checked).

At what stage do those eQSL Received fields get set?

73 Dave G3YMC

On 11 Feb 2014 at 15:23, guido@... wrote:

> After many years I've begun transferring QSLs from XMLog to LoTW and
> eQSL and I've run into something strange.
>
> The LoTW and eQSL sent fields are set when I create the adif files, and
> the LoTW Received filed is set (as appropriate) when I import the adif
> file. But, I noticed random eQSL received dates set. And, they are all
> set to 4/22/13!
>
> Anyone seen this before?
>
> Bill

http://www.davesergeant.com

3817. Re: eQSL Received ?

Yahoo group: XMLog
Date: 2014-02-13 16:32:20 UTC
From: <bsiegfried@...>
Topic: 3814 Message: 3817

The EQSL_QSLRDATE fields get set when you set them. I set the EQSL_QSLRDATE fields manually in my log when I receive eQSLs.

I actually also set the LOTW_QSLRDATE fields manually as well, even though I know I can merge those into my log automatically if I like. But I do it manually because I prefer to eyeball the data in certain fields in case there is a difference between what the LOTW confirmation reports and what I've got logged. Since I don't chase paper anymore, it doesn't much matter to me if LOTW (or eQSL) confirmations are actually incorrect with some of their data as long as my log is correct.

I have found that there are a surprisingly high number of hams out there who do not have their TQSL station location files set up correctly for LOTW. Most of the DX stations are pretty good about having accurate station data in their location files. But It is a particular problem when U.S. stations run mobile and neglect to setup new TQSL station location files for the counties they are in when they work you. There are also other items that U.S. hams don't pay much attention to when they set up these TQSL station location files, as well. My experience in nearly 2 years of using LOTW (and eQSL) is that we receive confirmations that are completely accurate with regard to their station data only about 70% of the time.

Now obviously, if I was very active and made thousands of contacts all the time, these manual methods wouldn't work too well because they would be too time-consuming and tedious, but for somebody like me who has only about 11K contacts in 50 years of hamming, they work fine.

Barry, K2MF >>

---In XMLog@yahoogroups.com, <dave@...> wrote:

I am rather confused what you are actually doing...

For QSOs you have entered into XMLog (as against imported from
elsewhere) the LOTW and eQSL Received fields will be blank unless you
have yourself set them to something. If they have been imported from
somewhere else (eg a contest program) then they may have been set by
that software (especially if you are using a program that does
automatic uploads to eQSL).

If you export a selection of QSOs for upload to LOTW (via TQSL) and
eQSL as an ADIF then those ADIF files will only use what is available
in the XMLog data.

If you subsequently download your log data:
From LOTW, it will contain a LOTW_QSLRDATE field showing when you when
the other party uploaded the matching data.

If you download your entire log from eQSL (option at bottom of eQSL inbox) that does NOT contain any EQSL_QSLRDATE information (just checked).

At what stage do those eQSL Received fields get set?

73 Dave G3YMC

On 11 Feb 2014 at 15:23, guido@... mailto:guido@... wrote:

> After many years I've begun transferring QSLs from XMLog to LoTW and
> eQSL and I've run into something strange.
>
> The LoTW and eQSL sent fields are set when I create the adif files, and
> the LoTW Received filed is set (as appropriate) when I import the adif
> file. But, I noticed random eQSL received dates set. And, they are all
> set to 4/22/13!
>
> Anyone seen this before?
>
> Bill

http://www.davesergeant.com http://www.davesergeant.com

3818. Re: eQSL Received ?

Yahoo group: XMLog
Date: 2014-02-13 17:15:49 UTC
From: <w1ect@...>
Topic: 3814 Message: 3818

Good point Dave, log entry fields are not updated by LoTW imports unless you explicitly edit them when LoTW/XMLog mismatches are found during an Import/Apply LoTW Data To Log operation.
Mike - W1ECT

3819. DXPeditoins - TX6G (Austral Is.)

Yahoo group: XMLog
Date: 2014-02-13 20:29:24 UTC
From: <w1ect@...>
Topic: 3819 Message: 3819

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX6G - Austral Is. (FO0/A)

Active March 20 - April 1

Mike - W1ECT

3820. RE: CW PTT via serial RTS problems

Yahoo group: XMLog
Date: 2014-02-14 00:01:27 UTC
From: <w1ect@...>
Topic: 3810 Message: 3820

Hello Mike, I checked out the PTT usage and didn't find anything. Could you send me an email to support@xmlog.com with your XMLog options file attached? This file is named mlog.ini and is located in your XMLog install folder (usually c:\mlog).

Mike - W1ECT

3821. XMLOG on XP Home

Yahoo group: XMLog
Date: 2014-02-17 01:07:14 UTC
From: <ion_op@...>
Topic: 3821 Message: 3821

Hi,

I've never been able to run XMLOG on XP home unless I'm administrator which I don't want to do. When I run it under my ID I get errors such as Can't open custom layouts, MS Jet Engine can't open layouts.mdb. Open by other user or need permission to view data. I didn't have this problem with a laptop running Vista but that PC just died so I want to use my XP home desktop.

Tnx,

Mike KA2FIR

3822. RE: XMLOG on XP Home

Yahoo group: XMLog
Date: 2014-02-18 13:47:35 UTC
From: <bsiegfried@...>
Topic: 3821 Message: 3822

Hey, Mike nice to see you here!

XMLog has been my logging program of choice since mid-2012. I run it on XP Pro but as administrator, which I realize you don't want to do.

It would probably be to your advantage to do that if you really like the program as I do. Perhaps you could assign administrator privileges to your personal account and that might solve your problem?

73 de Barry K2MF >>

---In XMLog@yahoogroups.com, <ion_op@...> wrote:

Hi,

I've never been able to run XMLOG on XP home unless I'm administrator which I don't want to do. When I run it under my ID I get errors such as Can't open custom layouts, MS Jet Engine can't open layouts.mdb. Open by other user or need permission to view data. I didn't have this problem with a laptop running Vista but that PC just died so I want to use my XP home desktop.

Tnx,

Mike KA2FIR

3823. RE: XMLOG on XP Home

Yahoo group: XMLog
Date: 2014-02-18 15:12:42 UTC
From: <rsmithjr6@...>
Topic: 3821 Message: 3823

Hi Mike
Try this right click on the mlog folder, and then click on properties. In the new popup under the general tab if read-only is checked, uncheck it, then click the security tab. Find your user name in the Group or user names. Highlight your user name and in the permissions box, Copy down what is checked first before you start in case you need to put it back.
Then check everything under Allow so you have full control over that folder. And, then click apply and try again.

Ron
N2MSV

3824. DXPeditions - TO7BC (Mayotte)

Yahoo group: XMLog
Date: 2014-02-24 22:05:05 UTC
From: <w1ect@...>
Topic: 3824 Message: 3824

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO7BC - Mayotte (FH)

Active late March - early April, 2014

Mike - W1ECT

3825. DXPeditions - TO22C (Guadeloupe)

Yahoo group: XMLog
Date: 2014-02-25 20:54:19 UTC
From: <w1ect@...>
Topic: 3825 Message: 3825

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO22C - Guadeloupe (FG)

Mike - W1ECT

3826. Re: ClubLog

Yahoo group: XMLog
Date: 2014-03-03 17:36:46 UTC
From: <w1ect@...>
Topic: 3791 Message: 3826

Hi Wayne, I posted a message at the ADIF group describing the Clublog usage of the DXCC field value of zero to represent "undefined" . It started a long discussion that ended with the ADIF spec being updated to allow a zero value for unknown. The main concern was that the ARRL LoTW system would reject this value but it turns out that the ARRL had previously changed LoTW so that it would accept a zero value for this field (it just hadn't been documented).

I've posted a XMLog beta version at www.xmlog.com/beta http://www.xmlog.com that includes this change.

Mike - W1ECT

3827. DXPeditions - RI59ANT (South Shetland Is.)

Yahoo group: XMLog
Date: 2014-03-03 23:44:02 UTC
From: <w1ect@...>
Topic: 3827 Message: 3827

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI59ANT - South Shetland Is. (VP8/SH)

Active during March

Mike - W1ECT

3828. Re: [XMLog] DXPeditions - RI59ANT (South Shetland Is.)

Yahoo group: XMLog
Date: 2014-03-04 04:24:31 UTC
From: WILLIS COOKE
Topic: 3827 Message: 3828

I worked RI4ANT on New Years Day. All directional indications were that the station was near Antarctica and Vlad was heard using R44ANT on Jan 2 from South Shetland. Do you have any information about the operator of RI4ANT or its location. Club Log indicates that it should be European Russia but propagation at the time and my directional antenna say otherwise. I worked the station on CW at 35 to 40 wpm which is consistent with Vlad's operating. I suppose it could have been a Slim, but he would need to be at a very southern latitude and be very proficient at CW.

Willis 'Cookie' Cooke, TDXS DX Chairman
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: "w1ect@xmlog.com" <w1ect@...>
To: XMLog@yahoogroups.com
Sent: Monday, March 3, 2014 5:44 PM
Subject: [XMLog] DXPeditions - RI59ANT (South Shetland Is.)

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI59ANT - South Shetland Is. (VP8/SH)

Active during March

Mike - W1ECT

3829. LOTW importXM

Yahoo group: XMLog
Date: 2014-03-13 17:52:51 UTC
From: Gary Woods
Topic: 3829 Message: 3829

I have over 8,ooo entries in my LOTW log that I would like to import to my current XMLog. I have the LOTW information downloaded in ADI file format and have not been able to download it to my current XMLog. Can anybody help? Thanks!

Gary Woods WS5J
4441 Smiling Hills Court
Cleburne, Texas 76031

3830. Re: [XMLog] LOTW importXM

Yahoo group: XMLog
Date: 2014-03-13 18:26:37 UTC
From: WILLIS COOKE
Topic: 3829 Message: 3830

First validate all the information then select Import/Export. Select Apply LOTW to log which is the bottom selection. It happens really fast so you may not think anything happened, so look at some of the data to be sure it is imported.

Willis 'Cookie' Cooke, TDXS DX Chairman
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

_____
From: Gary Woods <g_dub54@...>
To: XMLog@yahoogroups.com
Sent: Thursday, March 13, 2014 12:52 PM
Subject: [XMLog] LOTW importXM

I have over 8,ooo entries in my LOTW log that I would like to import to my current XMLog. I have the LOTW information downloaded in ADI file format and have not been able to download it to my current XMLog. Can anybody help? Thanks!

Gary Woods WS5J
4441 Smiling Hills Court
Cleburne, Texas 76031

3831. Dxpeditions - 3D2FJ (Fiji)

Yahoo group: XMLog
Date: 2014-03-21 02:15:57 UTC
From: <w1ect@...>
Topic: 3831 Message: 3831

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2FJ - Fiji (3D2/F)

Active from March 23 to 31

Mike - W1ECT

3832. Windows 8 and 8.1?

Yahoo group: XMLog
Date: 2014-04-09 15:26:29 UTC
From: <w1ect@...>
Topic: 3832 Message: 3832

I don't have any plans to upgrade from Windows 7 to 8 any time soon so I wouldn't know what to tell someone who asked me about installing XMLog on a Windows 8 system. Has anyone out there had successes/failures trying to get XMLog running on Windows 8?

Mike - W1ECT

3833. Re: [XMLog] Windows 8 and 8.1?

Yahoo group: XMLog
Date: 2014-04-09 17:23:16 UTC
From: Robert Dixon
Topic: 3832 Message: 3833

Hi Mike: Nothing on Windows 8. I started using MLog about 13 years ago and swear by it. Sent you a donation several years ago too. I still use v 4.96 and probably should upgrades. This is EXCELLENT for contesting and uploading to LoTW. K.I.S.S. Keep it simple stupid is my motto! Also, if it ain't broke, don't fix it! I will continue using Windows XP with Webroot spyware and McAfee as a backup.

Really do appreciate you wonderful logging program. I love it.

73 and Good DX

Bob, W8HGH

"Life is too short for QRP"...
Martti Laine, OH2BH

----- Original Message -----
From: w1ect@xmlog.com<mailto:w1ect@...>
To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>
Sent: Wednesday, April 09, 2014 11:26 AM
Subject: [XMLog] Windows 8 and 8.1?

I don't have any plans to upgrade from Windows 7 to 8 any time soon so I wouldn't know what to tell someone who asked me about installing XMLog on a Windows 8 system. Has anyone out there had successes/failures trying to get XMLog running on Windows 8?

Mike - W1ECT

3834. Log Help!!

Yahoo group: XMLog
Date: 2014-04-09 19:37:58 UTC
From: <k2qmf@...>
Topic: 3834 Message: 3834

Hello All,

Today when I started my XMLog program
I got 2 error messages!

1 - "Can't open custom label layouts
(3049) Can't open database"

2 - "Can't open alert history database
(3049) Can't open database"

I tried the repair log option but that did not work!!

Any help Please.....

Thanks in advance.

73,
Ted K2QMF

_____
Do THIS before eating carbs (every time)
1 EASY tip to increase fat-burning, lower blood sugar & decrease fat storage
http://thirdpartyoffers.juno.com/TGL3141/5345a1da58ffa21da21d4st01vuc

3835. DXpeditions - JD1AAI (Ogasawara)

Yahoo group: XMLog
Date: 2014-04-11 00:59:31 UTC
From: <w1ect@...>
Topic: 3835 Message: 3835

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

JD1AAI - Ogasawara (JD1/O)

Active until April 17

Mike - W1ECT

3836. Re: Log Help!!

Yahoo group: XMLog
Date: 2014-04-11 20:52:39 UTC
From: <w1ect@...>
Topic: 3834 Message: 3836

Hell Ted,

> 1 - "Can't open custom label layouts
> (3049) Can't open database"
>
> 2 - "Can't open alert history database
> (3049) Can't open database"

Was there any other error info (numbers or text) displayed, perhaps in the error dialog heading?

The "Custom Label Layouts" database file is named "Layouts.mdb" and and the Alert History database file is named "Alerts.mdb". Both should be found in your XMLog install folder (normally C:\XMLog).

> I tried the repair log option but that did not work!!

The "Repair" option only applies to log files and not to these other two files.

Without any more detail on why the file(s) can't be opened it's hard to come up with a strategy for fixing the problem. If the files seem to exist in the XMLog folder and XMLog doesn't seem to be having problems reading your log file (i.e. XMLog's Microsoft Access database interface is working) then it will probably be necessary to replace the files with backups or recreate them.

The Layouts.mdb file is backed up as part of XMLog's backup feature so you can perhaps get a previous copy from XMLog's Backups folder. The Alerts.mdb file is not backed up but you can exit XMLog and delete the current broken copy and restart XMLog and it should create a new one (of course your cluster alert history will be lost).

The most brute-force method of replacing the two files would be to exit XMLog, delete the existing copies, and the re-install XMLog which will replace the files with fresh copies (and lose and custom label definitions and alert history).

Mike - W1ECT

3837. Re: [XMLog] Re: Log Help!!

Yahoo group: XMLog
Date: 2014-04-11 21:15:02 UTC
From: <k2qmf@...>
Topic: 3834 Message: 3837

Hi Mike,

In trying different things to correct the problem
I found another ".mdb" file in the program folder along with
the layouts.mdb and the alerts.mdb files.

I erased this third .mdb file (can't remember the name of it)
and everything now seems to be working fine!!

73,
Ted K2QMF

On 11 Apr 2014 13:52:39 -0700 <w1ect@...> writes:

Hell Ted,

> 1 - "Can't open custom label layouts
> (3049) Can't open database"
>
> 2 - "Can't open alert history database
> (3049) Can't open database"

Was there any other error info (numbers or text) displayed, perhaps in
the error dialog heading?

The "Custom Label Layouts" database file is named "Layouts.mdb" and and
the Alert History database file is named "Alerts.mdb". Both should be
found in your XMLog install folder (normally C:\XMLog).

> I tried the repair log option but that did not work!!

The "Repair" option only applies to log files and not to these other two
files.

Without any more detail on why the file(s) can't be opened it's hard to
come up with a strategy for fixing the problem. If the files seem to
exist in the XMLog folder and XMLog doesn't seem to be having problems
reading your log file (i.e. XMLog's Microsoft Access database interface
is working) then it will probably be necessary to replace the files with
backups or recreate them.

The Layouts.mdb file is backed up as part of XMLog's backup feature so
you can perhaps get a previous copy from XMLog's Backups folder. The
Alerts.mdb file is not backed up but you can exit XMLog and delete the
current broken copy and restart XMLog and it should create a new one (of
course your cluster alert history will be lost).

The most brute-force method of replacing the two files would be to exit XMLog, delete the existing copies, and the re-install XMLog which will replace the files with fresh copies (and lose and custom label definitions and alert history).

Mike - W1ECT

_____
Old School Yearbook Pics
View Class Yearbooks Online Free. Search by School & Year. Look Now!
http://thirdpartyoffers.juno.com/TGL3141/53485ba875cd55ba8711ast02vuc

[Non-text portions of this message have been removed]

3838. DXpeditions - 5K0M (San Andres and Providencia)

Yahoo group: XMLog
Date: 2014-04-15 14:21:25 UTC
From: <w1ect@...>
Topic: 3838 Message: 3838

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

5K0M - San Andres and Providencia (HK0/S)

Active April 19-24

Mike - W1ECT

3839. DXpeditions - 3D2KM (Fiji Is.)

Yahoo group: XMLog
Date: 2014-04-18 20:26:07 UTC
From: <w1ect@...>
Topic: 3839 Message: 3839

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2KM - Fiji Is. (3D2/F)

Not a DXpedition but has been active lately....

Mike - W1ECT

3840. DXpeditions - 3D2RH (Fiji Is.)

Yahoo group: XMLog
Date: 2014-04-25 00:32:51 UTC
From: <w1ect@...>
Topic: 3840 Message: 3840

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2RH - Fiji Is. (3D2/F)

Active until May 4

Mike - W1ECT

3841. DXpeditions - VK9DAC (Norfolk I.)

Yahoo group: XMLog
Date: 2014-05-20 14:46:16 UTC
From: w1ect@...
Topic: 3841 Message: 3841

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK9DAC - Norfolk I. (VK9N)

Active May 20-27

Mike - W1ECT

3842. DXpeditions - E51AVE, KJW, JQY, MCA (S. Cook Is.)

Yahoo group: XMLog
Date: 2014-05-22 22:27:55 UTC
From: w1ect@...
Topic: 3842 Message: 3842

Here's some new callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51AVE, E51KJW, E51JQY, E51MCA - South Cook Is. (E5/S)

Active until May 31

Mike - W1ECT

3843. DXpeditions - 4U4F (Italy)

Yahoo group: XMLog
Date: 2014-05-24 19:48:42 UTC
From: w1ect@...
Topic: 3843 Message: 3843

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

4U4F - Italy (I)

Not a DXpedition, WPX contest call for 4U0WFP

Mike - W1ECT

3845. DXpeditions - IA/IZ3SUS (Antarctica)

Yahoo group: XMLog
Date: 2014-06-06 14:42:35 UTC
From: w1ect@...
Topic: 3845 Message: 3845

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

IA/IZ3SUS - Antarctica (KC4)

Mike - W1ECT

3846. Dxpeditions - FT4TA (Tromelin)

Yahoo group: XMLog
Date: 2014-06-17 12:33:24 UTC
From: w1ect@...
Topic: 3846 Message: 3846

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

FT4TA - Tromelin (FR/T)

October 30 - November 10, 2014

Mike - W1ECT

3847. DXPeditions - E51QBV (S. Cook Is.)

Yahoo group: XMLog
Date: 2014-07-04 17:29:05 UTC
From: w1ect@...
Topic: 3847 Message: 3847

Here's a new callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51QBV - S. Cook Is. (E5/S)

July 10-19, 2014

Mike - W1ECT

3849. DXPeditions - E51AND, E51KC (S. Cook Is.)

Yahoo group: XMLog
Date: 2014-07-11 15:44:51 UTC
From: w1ect@...
Topic: 3849 Message: 3849

Here's some callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51AND, E51KC - S. Cook Is. (E5/S)

July 15-19, 2014

Mike - W1ECT

3850. DXPeditions - VK9EC (Cocos-Keeling Is.)

Yahoo group: XMLog
Date: 2014-07-25 13:00:10 UTC
From: w1ect@...
Topic: 3850 Message: 3850

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK9EC - Cocos-Keeling Is. (VK9C)

July 29 - Aug 2, 2014

Mike - W1ECT

3851. DXPeditions - VK9EX (Christmas I.)

Yahoo group: XMLog
Date: 2014-08-04 17:26:36 UTC
From: w1ect@...
Topic: 3851 Message: 3851

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK9EX - Christmas I. (VK9X)

Active August 2-8, 2014

Mike - W1ECT

3852. DXPeditions - 3D2AC, 3D2CO, 3D2LJ ,3D2TR (Fiji)

Yahoo group: XMLog
Date: 2014-08-22 15:11:51 UTC
From: w1ect@...
Topic: 3852 Message: 3852

Here's some callsigns to add to the special calls list using the "View/Show Callsign List" menu item.3D2AC, 3D2CO, 3D2LJ and 3D2TR - Fiji (3D2/F)

Active August 24 - September 1, 2014

Mike - W1ECT

3853. DXPeditions - TX4A (New Caledonia)

Yahoo group: XMLog
Date: 2014-09-05 13:07:32 UTC
From: w1ect@...
Topic: 3853 Message: 3853

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX4A - New Caledonia (FK)

Active Sept. 1 - 9, 2014

Mike - W1ECT

3854. Changing UTC time in XMLog

Yahoo group: XMLog
Date: 2014-09-23 21:25:30 UTC
From: ni5dx@...
Topic: 3854 Message: 3854

I have installed XMLog on an Asus mini-laptop. I did all the setup information. I noticed this morning when I opened the program that the UTC time that is shown in the program is 12 hours off of the actual UTC time. The computer time is correct. I cannot find anywhere in the HELP file or in the program where I can change the UTC time so that it is, in fact, the actual UTC time. Any help is greatly appreciated.

73,
Buzz - NI5DX

3855. LoTW Problems (State set for non US/Canada log entries)

Yahoo group: XMLog
Date: 2014-09-24 15:48:48 UTC
From: w1ect@...
Topic: 3855 Message: 3855

There seems to be a problem with the State field being set for non-USA/Canadian log entries which results in problems with LoTW submits and downloads (as well as bogus info in your log file). I suspect this is related to the "Set Info from Callbook" option being enabled, I'll check into it soon and then let you know the results. In the meantime it would probably be best to delay any XMLog LoTW activity until I find the problem.

Mike - W1ECT

3856. Re: LoTW Problems (State set for non US/Canada log entries)

Yahoo group: XMLog
Date: 2014-09-24 17:26:52 UTC
From: bsiegfried@...
Topic: 3855 Message: 3856

I am wondering what the issue is, as I pull my logging info from the QRZ XML service and have never had the State field populated by anything other than a US state or a Canadian province from that service. Perhaps this has something to do with which service you are using?

73 Barry K2MF

---In XMLog@yahoogroups.com, <w1ect@...> wrote :

There seems to be a problem with the State field being set for non-USA/Canadian log entries which results in problems with LoTW submits and downloads (as well as bogus info in your log file). I suspect this is related to the "Set Info from Callbook" option being enabled, I'll check into it soon and then let you know the results. In the meantime it would probably be best to delay any XMLog LoTW activity until I find the problem.

Mike - W1ECT

3857. CW delay in sending

Yahoo group: XMLog
Date: 2014-09-24 18:11:47 UTC
From: k8djc@...
Topic: 3857 Message: 3857

Sometimes when I go to send one of my canned responses on cw there is a few seconds delay. When I hit the send button again the message is sent twice after a moment's delay. I am assuming that my computer is busy doing something else before it will react. Does that mean I should find a way other than XMLog for my cw work or is there a setting I can change?

Nelson

3858. Re: LoTW Problems (State set for non US/Canada log entries)

Yahoo group: XMLog
Date: 2014-09-25 15:52:38 UTC
From: w1ect@...
Topic: 3855 Message: 3858

Re: LoTW Problems (State set for non US/Canada log entries)

I was locked into the idea that the problem was caused by XMLog somehow having the State field set to some bad value when the XMLog user's QSOs were uploaded to LoTW and then XMLog was complaining when it saw those values come back on a download.

I wasn't considering that those "bad" downloaded values might be coming not from XMLog's QSO data but from the QSO data uploaded by the station that was worked.

In any case, the main problem was assuming that the State value was only appropriate for USA/Canada QSO's and trying to validate them as such. I'll have to make a change to the QSO validator so that it only checks for USA/VE state/province values when appropriate (and just not bother trying to validate State values for other countries).

I'll let you know when I have something ready.

Mike - W1ECT

3859. Re: [XMLog] Re: LoTW Problems (State set for non US/Canada log entries)

Yahoo group: XMLog
Date: 2014-09-25 16:02:02 UTC
From: Richards
Topic: 3855 Message: 3859

Ah.... yes... Back to the proverbial "drawing board"... eh? ;-)

Thanks.

-------------------------K8JHR ------------------------

On 9/25/2014 11:52 AM, w1ect@... [XMLog] wrote:
>
> I'll let you know when I have something ready.
>

3860. Resize Log Window?

Yahoo group: XMLog
Date: 2014-09-15 10:21:54 UTC
From: Richards
Topic: 3860 Message: 3860

Is there a way to make the program window larger? Thanks. ----------K8JHR

3861. Re: Resize Log Window?

Yahoo group: XMLog
Date: 2014-09-27 13:31:52 UTC
From: w1ect@...
Topic: 3860 Message: 3861

Many of the XMLog windows can be resized but not the main logging window.

Mike - W1ECT

3862. Re: [XMLog] Re: LoTW Problems

Yahoo group: XMLog
Date: 2014-09-28 16:51:47 UTC
From: w1ect@...
Topic: 3855 Message: 3862

A fix for the LoTW problem related to the "State" field being set is addressed in the beta version 6.68 available at xmlog.com/beta

Mike - W1ECT

3863. Contacts not showing in Award list

Yahoo group: XMLog
Date: 2014-09-30 04:34:53 UTC
From: mailing_lists@...
Topic: 3863 Message: 3863

After uploading my contacts from the RTTY contest this weekend, I checked my WAS RTTY Award totals. I was still stuck at 46 states. I checked the WAS Checklist and it showed that I was missing MN and MI. I knew that I worked those states several times during the contest. But why weren't the totals updated?

I looked at the entries for the MN and MI stations, and manually entered the states, looked at the WAS award totals and checklist and behold, they were there. Why did this happen? I thought that XMlog was supposed to get the states?

When I looked at the entries from the past contacts, up until 8/15/14, I noticed that the state and county were filled in. Did I accidentally change a setting?

Bill

3864. Re: Contacts not showing in Award list

Yahoo group: XMLog
Date: 2014-09-30 14:52:13 UTC
From: w1ect@...
Topic: 3863 Message: 3864

Hi Bill,

Take a look at the ADIF file that you imported and see if the state info was included - for example an entry might include: <STATE:2>MN

ADIF files are simple text files that can be opened with Apps like NotePad and WordPad.

Mike - W1ECT

3865. Re: [XMLog] Re: Contacts not showing in Award list

Yahoo group: XMLog
Date: 2014-09-30 18:57:09 UTC
From: Bill Turini
Topic: 3863 Message: 3865

I entered all the contacts (165) into XMlog by hand.

On 9/30/2014 9:52 AM, w1ect@... [XMLog] wrote:
>
> Hi Bill,
>
> Take a look at the ADIF file that you imported and see if the state
> info was included - for example an entry might include: <STATE:2>MN
>
> ADIF files are simple text files that can be opened with Apps like
> NotePad and WordPad.
>
> Mike - W1ECT
>
>

--
Bill Turini
KA4GAV

3866. DXPedetions - E51HDJ, E51XIW (South Cook Is.)

Yahoo group: XMLog
Date: 2014-10-01 13:26:44 UTC
From: w1ect@...
Topic: 3866 Message: 3866

Here's two callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51HDJ, E51XIW – South Cook Is. (E5/S)

Active September 30 to October 6, 2014

Mike - W1ECT

3867. Re: [XMLog] Re: Contacts not showing in Award list

Yahoo group: XMLog
Date: 2014-10-01 19:31:26 UTC
From: w1ect@...
Topic: 3863 Message: 3867

Hi Bill,

I'd like to get more info from you to help resolve this problem. Please contact me directly at support@xmlog.com

Mike - W1ECT

3868. Washington DC

Yahoo group: XMLog
Date: 2014-10-03 01:33:02 UTC
From: jplahitko@...
Topic: 3868 Message: 3868

Hi
I just made my first contact with Washington DC. W1AW/3
Using QRZ.com for call book.
When I save the entry in XMLog, it automatically enters the state as MD.
When I enter DC, it overwrites it to MD.
I was unable to find this answer via internet search. Is MD correct?

Thank you

3869. DXPeditions - TX5Z (Austral Is.)

Yahoo group: XMLog
Date: 2014-10-03 13:42:54 UTC
From: w1ect@...
Topic: 3869 Message: 3869

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX5Z - Austral Is. (FO/A)

Active until Oct. 13, 2014

Mike - W1ECT

3870. Re: Washington DC

Yahoo group: XMLog
Date: 2014-10-03 13:47:43 UTC
From: w1ect@...
Topic: 3868 Message: 3870

For the purposes of the ARRL Worked All States award Washington D.C. is considered to be Maryland.

Historically both VA and MD ceded land for DC resulting in a diamond shaped area but the VA part was given back (see Wikipedia for details).

Mike - W1ECT

3871. Error message

Yahoo group: XMLog
Date: 2014-10-11 01:03:48 UTC
From: FAZAMY@...
Topic: 3871 Message: 3871

Had to get a new computer -- Vista OS. Now have Windows 7. Used old settings - Kenwood Com 4 @ 9600. Can't get com port to open. Used various other combination for TS 480. Bad cable? Any ideas.

Evan

3872. Re: Error message

Yahoo group: XMLog
Date: 2014-10-12 13:18:46 UTC
From: w1ect@...
Topic: 3871 Message: 3872

Hi Evan,

Are you sure the new PC's serial port is port 4? Here's one way to see what you have:

1) Click on Windows Start button
2) Type in "Device Manager" in the "Search Programs and Files" area
3) Click on "Device Manager"
4) Click on the "+" next to "Ports (COM & LPT)"

This will list the various ports you have, port 1 will show up as COM1, etc...

Mike - W1ECT

3873. LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-12 22:15:33 UTC
From: w3ml@...
Topic: 3873 Message: 3873

I just updated to 6.66 and now the TQsl program is showing all my PSK31 contacts as errors because it is reading the export file as only PSK.

Any fix for this?

John, W3ML

3874. Ver 6.66 changing PSK31 to PSK

Yahoo group: XMLog
Date: 2014-10-13 22:17:37 UTC
From: w3ml@...
Topic: 3874 Message: 3874

I downloaded the new version 6.66 and now when I run export adi file it changes the Mode PSK31 to Mode PSK.

LoTW will not accept PSK as the mode.

Any fix I can do or is there a fix coming from the maker?

Please advise.

Thanks and 73

John W3ML

3875. re:LoTW and PSK

Yahoo group: XMLog
Date: 2014-10-12 22:23:15 UTC
From: w3ml@...
Topic: 3875 Message: 3875

I checked my ADIF file and this is what is showing:

<MODE:3>PSK <SUBMODE:5>PSK31

With the MODE being set to PSK seems to be why the TQSL program is rejecting the contacts.

John W3ML

3876. Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-14 14:07:42 UTC
From: w1ect@...
Topic: 3873 Message: 3876

Hi John,

Version 6.65 of XMLog included an update to conform to the latest ADIF specification that now uses "MODE" and "SUBMODE" fields to describe the mode. In the case of all the PSK variations the spec says MODE should be "PSK" and SUBMODE should be PSK31 (or PSK63 etc). The former ADIF scheme just spec'ed the MODE to be set to "PSK31" and had no SUBMODE field. Apparently the ARRL isn't allowing this new format. (Or perhaps there's an update to TQSL?). I'll ask the ARRL and let you know their response.

In the meantime if you want to do some hacking you can edit your ADIF file to remove all the <MODE:3>PSK fields and then change the <SUBMODE:5>PSK31 to <MODE:5>PSK31

The ADIF files are just simple text files that can be edited with WordPad or NotePad, etc.

Mike - W1ECT

3877. Re: [XMLog] LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-14 15:02:56 UTC
From: WILLIS COOKE
Topic: 3873 Message: 3877

LOTW and ARRL Awards do not recognize modes of digital and records them all as RTTY. If you want to keep PSK separate from RTTY you can either record the digital mode in noted or do a search and replace in the ADIF file to replace the modes that you wish to have in your XMLog with RTTY. You will need to do this for each mode that XMLog will allow. If you want the ARRL program to change it for you, GOOD LUCK!!

Willis 'Cookie' Cooke, TDXS DX Chairman
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

On Tuesday, October 14, 2014 8:53 AM, "w3ml@... [XMLog]" <XMLog@yahoogroups.com> wrote:

I just updated to 6.66 and now the TQsl program is showing all my PSK31 contacts as errors because it is reading the export file as only PSK.

Any fix for this?

John, W3ML

3878. Re: [XMLog] re:LoTW and PSK

Yahoo group: XMLog
Date: 2014-10-14 20:10:23 UTC
From: WILLIS COOKE
Topic: 3875 Message: 3878

Try setting the mode to RTTY and the submode to PSK31

Willis 'Cookie' Cooke, TDXS DX Chairman
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

On Tuesday, October 14, 2014 8:53 AM, "w3ml@... [XMLog]" <XMLog@yahoogroups.com> wrote:

I checked my ADIF file and this is what is showing:

<MODE:3>PSK <SUBMODE:5>PSK31

With the MODE being set to PSK seems to be why the TQSL program is rejecting the contacts.

John W3ML

3879. Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-14 22:26:48 UTC
From: w3ml@...
Topic: 3873 Message: 3879

Hi Mike,

The latest TQSL is v2.0.3 build (2.0.3).

The adfi file does show the mode and submode as you say, but TQSL is rejecting the PSK mode.

Wonder ARRL wired their program backwards?

Thanks
73
John W3ML

3880. Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-15 19:25:04 UTC
From: w1ect@...
Topic: 3873 Message: 3880

I have downloaded the latest TQSL and yes, it still complains about MODE=PSK.

I got a response from the ARRL noting that my complaint has been forward to the developers, I'll keep you up-to-date...

Again, If you want to hack your ADIF file, delete the <MODE:3>PSK fields and change the <SUBMODE:5>PSK31 to <MODE:5>PSK31 (or PSK63). If you change the mode to RTTY folks that download your QSOs will not get the correct mode.

Mike - W1ECT

3881. Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-15 19:52:35 UTC
From: wrcooke@...
Topic: 3873 Message: 3881

I am not complaining about not being able to report PSK. In my opinion, it is not different than RTTY, so I support the ARRL position to a certain extent. I am not particulary fond of any of the digital modes except manually sent and decoded CW, but then I am an old ham of 58 years duration and nearly 74 years of age. I find digital of all sorts particularly boring. I would prefer that ARRL just call it DIGITAL or DIG than RTTY, but as a contester and DXer, I think more of us use RTTY than the other modes. I know that RTTY has been in use since the 1930s and that PSK is more popular with the younger crowd, but I think that PSK will soon be abandoned for some better and easier digital mode. I made a brief excursion to try PSK-32 and RTTY and found that the conversations involved pushing a couple of F keys and reading some pre-loaded message. The only real convrsations I was able to find usually included that the other party was exploring a new mode, usually preferred CW and would soon abandon PSK and go back to CW. I realize that there are many, particularly younger people who do not agree. There has never been and never will be consensus abot which ham radio mode is most enjoyable.

Willis Cooke, born 1940, first licensed 1956, K5EWJ since 1956.

3882. Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-15 22:10:41 UTC
From: w1ect@...
Topic: 3873 Message: 3882

Hi Willis,

The matter at hand is supporting the current ADIF specification. The ADIF spec is periodically updated in order to better fulfill it's objectives - to allow accurate exchange of QSO info between programs. So, it's not a matter of anybody's point of view it's just a matter of adhering to the specification.

Mike - W1ECT

3883. Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-18 16:01:08 UTC
From: w3ml@...
Topic: 3873 Message: 3883

Thanks Mike.

I, too, filed a complaint with the LoTW folks. Maybe they will do something about it.

73
John W3ML
President
Northwest Indiana DX Club

Past ARRL Section Manager

3884. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-18 16:26:12 UTC
From: WILLIS COOKE
Topic: 3873 Message: 3884

I would not hold my breath. ARRL does not respond well to such complaints. I don't operate very much digital, so it does not bother me to hack my ADIF file and put in RTTY.

Willis 'Cookie' Cooke, TDXS DX Chairman
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

On Saturday, October 18, 2014 11:01 AM, "w3ml@... [XMLog]" <XMLog@yahoogroups.com> wrote:

Thanks Mike.

I, too, filed a complaint with the LoTW folks. Maybe they will do something about it.

73
John W3ML
President
Northwest Indiana DX Club

Past ARRL Section Manager

3885. DXPeditions - TX7G (Marquesas Is.)

Yahoo group: XMLog
Date: 2014-10-19 14:47:27 UTC
From: w1ect@...
Topic: 3885 Message: 3885

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX7G - Marquesas Is. (FO/M)

Active October 18-26, 2014 - www.tx7g.com

Mike - W1ECT

3886. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-19 14:51:05 UTC
From: w1ect@...
Topic: 3873 Message: 3886

If there is no timely response from the ARRL LoTW group I guess I'll add a prompt (temporary hopefully) for ADIF exports, something like "Is this file going to be used to upload to the ARRL?" which would use the old mode format.

Mike - W1ECT

3887. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-19 15:19:50 UTC
From: w3ml@...
Topic: 3873 Message: 3887

Mike,

That would probably fix the problem. As it seems to be only affecting the PSK contacts, not the RTTY.

John, W3ML

3888. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-19 15:20:58 UTC
From: w3ml@...
Topic: 3873 Message: 3888

They have listened to me in the past and fixed things. Hopefully, since I am now a Past Section Manager and not an active one they will still take into consideration what I have to say.

John W3ML

3889. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-19 18:17:13 UTC
From: bsiegfried@...
Topic: 3873 Message: 3889

Hi, Mike (et al)...

Dave, AA6YQ might be the person to contact about this. You can get his attention quickly if you post the issue in the ARRL-LOTW Yahoo group.

73 Barry K2MF

---In XMLog@yahoogroups.com, <w1ect@...> wrote :

If there is no timely response from the ARRL LoTW group I guess I'll add a prompt (temporary hopefully) for ADIF exports, something like "Is this file going to be used to upload to the ARRL?" which would use the old mode format.

Mike - W1ECT

3890. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-20 22:13:58 UTC
From: w3ml@...
Topic: 3873 Message: 3890

Here is the reply form the ARRL on how to fix this.

John,
The next version of TQSL will accommodate the ADIF sub mode.
Until then you can educate TQSL to know the mode PSK means PSK31.
Mapping TQSL to read the mode output from your logging software.

1. Open TQSL
2. Select [File] - [Display or Modify Preferences] - [ADIF Modes]
3. Click the ADD button on right.
4. In the mode window enter the mode as it is expressed in your logging program.(PSK)
5. Use the drop down menu to select the mode that you want it to represent. (PSK31)
6. Click OK - Click OK
7. Now you can sign the log and upload the TQ8 file. Trusted QSL will convert the mode as it expressed in your ADIF file to an acceptable ADIF mode.

Thank you for using Logbook of The World
73,
Norm Fusaro, W3IZ

Thanks Mike for your help too.
73
John, W3ML

3891. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-21 17:55:16 UTC
From: w1ect@...
Topic: 3873 Message: 3891

Thanks for the post John. This seems like it will do the job until the updated TQSL is available. I've added this info to the XMLog home page.

Mike - W1ECT

3892. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-22 14:44:46 UTC
From: w1ect@...
Topic: 3873 Message: 3892

I received an email from the ARRL letting me know that version 2.1 of TQSL is being tested and that this version will support the ADIF MODE/SUBMODE scheme.

Mike - W1ECT

3893. Re: [XMLog] Re: LoTW and PSK contacts

Yahoo group: XMLog
Date: 2014-10-24 01:00:36 UTC
From: w3ml@...
Topic: 3873 Message: 3893

Thanks Mike for the information. Will be glad to see their new update.

73
John W3ML

3894. CAN'T OPEN RIG PORT ERROR

Yahoo group: XMLog
Date: 2014-10-24 01:18:17 UTC
From: FAZAMY@...
Topic: 3894 Message: 3894

Ever since I got a new Windows 7 computer I can't get the rig to communicate with the computer. I've posted my situation on several bulletin boards. I have a TS-480. I used XmLog and N1MM successfully on my Vista and Windows 95(?) machines.

I bought a Startech cable and no change. The original TS480 cable didn't communicate either.
I've installed the new drivers.
I have selected the correct COM port on the XmLog.
I selected all 3 Kenwood settings on the HF port select to no avail.
I selected various baud rates on XMLog and the rig to no avail.
All the other settings on HF Port Settings that worked before remained the same.

It's got to be something I'm overlooking? Is there something inherent in OS 7 that's causing the problem?
Any ideas?

Tnx,
Evan

3895. Re: CAN'T OPEN RIG PORT ERROR

Yahoo group: XMLog
Date: 2014-10-24 02:34:24 UTC
From: FAZAMY@...
Topic: 3894 Message: 3895

Have it working somewhat. It's not like it was before, but I'll work on it.

3896. Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-24 06:20:23 UTC
From: martin.gw4tpg@...
Topic: 3896 Message: 3896

Been using LOTW with XM Log for years with no issues however this morning get a 12156 error when attempting to download from LOTW server via import / export menu and download / validate LOTW data
- strange as this option has worked fine for me in the past, my version of XM Log is 6.66 by the way. Anyone else seeing this issue?

3897. Re: Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-24 18:12:59 UTC
From: w1ect@...
Topic: 3896 Message: 3897

Hi Martin,

I'm also seeing the 12156 errors on LoTW downloads. It seems that the text for this error is "The HTTP redirect request failed" - problems with the LoTW server perhaps?

I also see the same problem using Firefox with the same URL that XMLog uses for the download.

If this problem persists you can do your LoTW downloads from the ARRL web page which seems to be working ok. You log on to the LoTW page and select "Your QSO's", select the records you want to download, and then select "Download Report". Then you can validate and apply the downloaded file which gets saved as "lotwreport.adi".

Hopefully this problem will "go away" soon, otherwise I'll try for some assistance from the LoTW folk.

Mike - W1ECT

3898. Re: [XMLog] Re: Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-24 21:24:07 UTC
From: Jim Plahitko
Topic: 3896 Message: 3898

I had the same problem last night. I changed the lotw URL in xmlog and it solved the problem. I am not at my computer to relay the URL at this time. I also use HRD and got the URL from its setup.

Jim Plahitko

On Oct 24, 2014, at 2:12 PM, "w1ect@... [XMLog]" <XMLog@yahoogroups.com> wrote:

> Hi Martin,
>
> I'm also seeing the 12156 errors on LoTW downloads. It seems that the text for this error is "The HTTP redirect request failed" - problems with the LoTW server perhaps?
>
> I also see the same problem using Firefox with the same URL that XMLog uses for the download.
>
> If this problem persists you can do your LoTW downloads from the ARRL web page which seems to be working ok. You log on to the LoTW page and select "Your QSO's", select the records you want to download, and then select "Download Report". Then you can validate and apply the downloaded file which gets saved as "lotwreport.adi".
>
> Hopefully this problem will "go away" soon, otherwise I'll try for some assistance from the LoTW folk.
>
> Mike - W1ECT
>
>
>

3899. Re: Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-24 22:36:50 UTC
From: Jim Plahitko Gmail
Topic: 3896 Message: 3899

I don't know if this is the correct answer, but I had this issue just last night. The default LOTW URL in my version is:

https://p1k.arrl.org/lotwuser/lotwreport.adi

I switched to this URL which worked for me. It is:

https://lotw.arrl.org/lotwuser/lotwreport.adi

Jim, K9JWP

3900. Re: [XMLog] Re: Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-24 23:01:59 UTC
From: Stan Gantz
Topic: 3896 Message: 3900

Tried it, and now everything is back working OK! Think you got it!!!!

Thanks a lot, es 73......

Stan W5GZ

I don't know if this is the correct answer, but I had this issue just
last night. The default LOTW URL in my version is:

https://p1k.arrl.org/lotwuser/lotwreport.adi

I switched to this URL which worked for me. It is:

https://lotw.arrl.org/lotwuser/lotwreport.adi

Jim, K9JWP

At 04:36 PM 10/24/2014, you wrote:

>https://lotw.arrl.org/lotwuser/lotwreport.adi

3901. Re: [XMLog] Re: Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-24 23:54:34 UTC
From: Jim Plahitko Gmail
Topic: 3896 Message: 3901

I am glad it worked. I love XMLog.

Jim K9JWP

3902. Problem with loading XM log after N1MM+ installed

Yahoo group: XMLog
Date: 2014-10-27 17:26:16 UTC
From: WILLIS COOKE
Topic: 3902 Message: 3902

I installed N1MM+ for the CQWW SSB Contest. When I first loaded N1MM+ it would not control my Elecraft K3, but XMLog had no difficulty. I copied the settings I used for XMLog and the only difference was that I was using 9800 baud for XMLog and 4800 baud for N1MM, so I changed to 9600 baud. After trying hot reboots and cold reboots N1MM+ started controlling my K3. After the contest, I closed N1MM+ and loaded XMLog, but it will not control my K3. Anybody have an idea what I need to do to switch back and forth with reliabiiity? I like both the programs and I have been able to switch back and forth with N1MM Clasic, but I could not run both programs at the same time. It seems that there is something that should make them both work without cold rebooting between and I have not tried that yet.

Willis 'Cookie' Cooke, TDXS DX Chairman
K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

3903. Re: [XMLog] Re: Downloading LOTW Data

Yahoo group: XMLog
Date: 2014-10-27 19:14:55 UTC
From: martin.gw4tpg@...
Topic: 3896 Message: 3903

Mike / All Tried using the different URL and it worked fine for me too - many thanks for the help and I am one very satisfied XMLog user !

3904. DXPeditions - TO10RR - Guadeloupe

Yahoo group: XMLog
Date: 2014-11-01 18:24:22 UTC
From: w1ect@...
Topic: 3904 Message: 3904

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO10RR - Guadeloupe (FG)

Active Nov. 2-16, 2014

Mike - W1ECT

3905. Downloading LoTW Data - Beta version 6.69

Yahoo group: XMLog
Date: 2014-11-13 19:40:08 UTC
From: w1ect@...
Topic: 3905 Message: 3905

I've posted a beta version at http://www.xmlog.com/beta http://www.xmlog.com/beta that includes two changes related to LoTW downloads

1) I've changed the default ARRL URL from www.pk1.... to www.lotw....

2) I've replaced the method used to do the actual downloads. I've had some problems in the past with the old method (the "Internet Transfer Control"), it would sometimes hang up before large downloads completed. I'd appreciate it if you could try a download and let me know if you have any problems.

Mike - W1ECT

3906. Anyone ever exported log files to fldigi logbook?

Yahoo group: XMLog
Date: 2014-11-14 19:56:53 UTC
From: FAZAMY@...
Topic: 3906 Message: 3906

In trying to export XMLog psk log to fldigi logbook, PSK subsets -- 31, 63, 125 -- do not appear in the mode column. The file gets imported only as PSK. As you know the log files get converted to adif so that they can be recognized by other log formats. I'm using XMLog 6.66.

Evan
KB2AMY

3907. Recommendations for adif software.

Yahoo group: XMLog
Date: 2014-11-16 13:26:46 UTC
From: FAZAMY@...
Topic: 3906 Message: 3907

I previously asked about having a problem with fldigi logbook accepting psk sub modes from XMlog .
I've an idea about converting log files to adif..

I see long lists of adif files on Google. I need one that I can download and use without it generating malware, viruses, or pop-ups.

Recommendations please.

Evan
KB2AMY

3908. Re: Anyone ever exported log files to fldigi logbook?

Yahoo group: XMLog
Date: 2014-11-17 21:42:15 UTC
From: w1ect@...
Topic: 3906 Message: 3908

Hi Evan,

I recently made changes to XMLog that brought it up-to-date with the current ADIF specification.

One of those changes was a new scheme for defining the QSO mode, the old scheme just used a MODE field while the new scheme uses a MODE plus a SUBMODE field. While I suppose it's nice to keep up-to-date the down side is that apps that try to import these ADIF files might not be able to deal with this new MODE+SUBMODE scheme. The ARRL app used to manage LoTW is one example of this (they are currently testing a new version of the TQSL app that can handle the MODE+SUBMODE scheme). It seems that FLDIGI is another app that isn't ready for this change...

I you're willing to hack the ADIF file created by XMLog you can probably get around this incompatibility. ADIF files are just simple text files that can be edited by apps like Wordpad or Notepad. A typical ADIF PSK31 mode definition in the previous scheme would have included a field of the form:

<MODE:5>PSK31

while the new scheme would have two fields:

<MODE:3>PSK <SUBMODE:5>PSK31

where the numbers after the colon specify the field length.

So... to hack new files to the old format

1) Do a global replace of <MODE:3>PSK to nothing

2) Do a global replace of <SUBMODE:5>PSK31 to <MODE:5>PSK31

3) and do similar replacements for any PSK63 or PSK128 QSOs

Mike - W1ECT

3909. DXPeditions - IA/IZ2QEJ (Antarctica)

Yahoo group: XMLog
Date: 2014-12-05 16:15:10 UTC
From: w1ect@...
Topic: 3909 Message: 3909

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

IA/IZ2QEJ - Antarcticat (KC4)

Active until Feb 2015

Mike - W1ECT

3910. DXPeditions - JD1BOX (Ogasawara)

Yahoo group: XMLog
Date: 2014-12-05 16:17:11 UTC
From: w1ect@...
Topic: 3910 Message: 3910

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

JD1BOX - Ogasawara (JD1/O)

Active until Dec 12, 2014

Mike - W1ECT

3911. DXPeditions - JD1BOI, JD1BON (Ogasawara)

Yahoo group: XMLog
Date: 2014-12-19 15:26:48 UTC
From: w1ect@...
Topic: 3911 Message: 3911

Here's two callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

JD1BOI, JD1BON - Ogasawara (JD1/O)

Active until Jan 2, 2015

Mike - W1ECT

3912. DXPeditions - RI1ANZ (Antarctica)

Yahoo group: XMLog
Date: 2014-12-19 15:29:00 UTC
From: w1ect@...
Topic: 3912 Message: 3912

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI1ANZ - Antarctica (KC4)

Mike - W1ECT

3913. can't open log

Yahoo group: XMLog
Date: 2014-12-22 15:40:50 UTC
From: nroch2@...
Topic: 1686 Message: 3913

Hello,
I am new to the group and hoping someone can help. I have a log that for some reason won't open. The message I receive is "can't open log "C:\xmlog\nr1h.log' (3343) unrecognized database format 'C:\xmlog\nr1h.log'
Unfortunately I lost all my log contacts from December. I can open the log with notepad but it is all in code. I don't even mind if I have to reenter all the contacts if I could at least read them in notepad. Any help at all would be greatly appreciated.
Thanks,
Norm
NR1H

3914. Re: can't open log

Yahoo group: XMLog
Date: 2014-12-22 19:55:15 UTC
From: jplahitko@...
Topic: 1686 Message: 3914

Norm

XMLog uses a Microsoft Access database with the extension changed to .Log instead of .mdb. You cannot read an Access database with Notepad and if you open it with Notepad and accidentally save it with Notepad, you are likely to corrupt it.

The 3343 error code seems to be indicating the database is corrupted.

XMLog has a Repair Log feature under the File menu. I have never used the repair option myself. You might try this feature to see if it will fix your problem. Before doing so, I would suggest you make a copy of the log file as a backup first.

I wish you luck,

Jim, K9JWP

3915. Re: can't open log

Yahoo group: XMLog
Date: 2014-12-23 01:36:47 UTC
From: nroch2@...
Topic: 1686 Message: 3915

Jim,
Thanks for the reply, I tried the repair and it did help on a file but not the one I was hoping for, it did add almost a full month to the log. I did a search on the net to find some software to fix the corrupt file but didn't have much luck. It doesn't matter what program I use to read it. I have some rare dx in the file that I can't get to and I hate to lose those records. Thanks for the reply Jim.
73
Norm
NR1H

3916. DXPeditions - R230S (European Russia)

Yahoo group: XMLog
Date: 2014-12-25 16:26:32 UTC
From: w1ect@...
Topic: 3916 Message: 3916

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

R230S - European Russia (UA)

Active until December 28, 2014

Mike - W1ECT

3917. Re: DXPeditions - R230S (European Russia)

Yahoo group: XMLog
Date: 2014-12-27 16:05:36 UTC
From: Dave Sergeant
Topic: 3916 Message: 3917

Surely this does not need an exception. These days only U*2F/R*2F and U*2K/R*2K etc count as Kaliningrad, everything else in the 2 series is European Russia - a lot of them around.

73 Dave G3YMC

On 25 Dec 2014 at 8:26, w1ect@... [XMLog] wrote:

> Here's a callsign to add to the special calls list using the "View/Show
> Callsign List" menu item.
>
> R230S - European Russia (UA)
>
> Active until December 28, 2014
>
> Mike - W1ECT
>

http://davesergeant.com

3918. converting ADIF to tq8

Yahoo group: XMLog
Date: 2015-01-06 15:11:32 UTC
From: Robert
Topic: 3918 Message: 3918

Is there any way to convert ADIF files in Mlog to tq8 for purposes of uploading to LoTW. Please include the version number of Mlog so I may upgrade.

Many thanks and 73

Bob W8HGH

3919. Re: [XMLog] converting ADIF to tq8

Yahoo group: XMLog
Date: 2015-01-06 15:31:46 UTC
From: WILLIS COOKE
Topic: 3918 Message: 3919

You need to do that with the ARRL supplied upload software. That and uploading it to LoTW is what it does. First download the contacts you want to upload to ADIF then upload that with the LOTW software to LOTW. ARRL continues to be a PITA. Willis 'Cookie' Cooke, TDXS Contest Chairman K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart
From: "'Robert' w8hgh@... [XMLog]" <XMLog@yahoogroups.com>
To: xmlog@yahoogroups.com
Sent: Tuesday, January 6, 2015 9:11 AM
Subject: [XMLog] converting ADIF to tq8

  Is there any way to convert ADIF files in Mlog to tq8 for purposes of uploading to LoTW. Please include the version number of Mlog so I may upgrade. Many thanks and 73 Bob W8HGH

3920. Re: [XMLog] converting ADIF to tq8

Yahoo group: XMLog
Date: 2015-01-06 18:23:08 UTC
From: Robert
Topic: 3918 Message: 3920

Hi Willis: Yes ARRL is a PITA for sure. Will see if this works.

----- Original Message -----

From: WILLIS COOKE wrcooke@... [XMLog]<mailto:wrcooke@...%20[XMLog]>

To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>

Sent: Tuesday, January 06, 2015 10:31 AM

Subject: Re: [XMLog] converting ADIF to tq8

You need to do that with the ARRL supplied upload software. That and uploading it to LoTW is what it does. First download the contacts you want to upload to ADIF then upload that with the LOTW software to LOTW. ARRL continues to be a PITA.

Willis 'Cookie' Cooke, TDXS Contest Chairman

K5EWJ & Trustee N5BPS, USS Cavalla, USS Stewart

From: "'Robert' w8hgh@... [XMLog]" <XMLog@yahoogroups.com>
To: xmlog@yahoogroups.com
Sent: Tuesday, January 6, 2015 9:11 AM
Subject: [XMLog] converting ADIF to tq8

Is there any way to convert ADIF files in Mlog to tq8 for purposes of uploading to LoTW. Please include the version number of Mlog so I may upgrade.

Many thanks and 73

Bob W8HGH

#ygrp-mkp { BORDER-TOP: #d8d8d8 1px solid; FONT-FAMILY: Arial; BORDER-RIGHT: #d8d8d8 1px solid; BORDER-BOTTOM: #d8d8d8 1px solid; PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 10px; MARGIN: 10px 0px; BORDER-LEFT: #d8d8d8 1px solid; PADDING-RIGHT: 10px } #ygrp-mkp HR { BORDER-TOP: #d8d8d8 1px solid; BORDER-RIGHT: #d8d8d8 1px solid; BORDER-BOTTOM: #d8d8d8 1px solid; BORDER-LEFT: #d8d8d8 1px solid } #ygrp-mkp #hd { FONT-SIZE: 85%; FONT-WEIGHT: 700; COLOR: #628c2a; MARGIN: 10px 0px; LINE-HEIGHT: 122% } #ygrp-mkp #ads { MARGIN-BOTTOM: 10px } #ygrp-mkp .ad { PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #ygrp-mkp .ad P { MARGIN: 0px } #ygrp-mkp .ad A { TEXT-DECORATION: none; COLOR: #0000ff } #ygrp-sponsor #ygrp-lc { FONT-FAMILY: Arial } #ygrp-sponsor #ygrp-lc #hd { FONT-SIZE: 78%; FONT-WEIGHT: 700; MARGIN: 10px 0px; LINE-HEIGHT: 122% } #ygrp-sponsor #ygrp-lc .ad { MARGIN-BOTTOM: 10px; PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #actions { FONT-SIZE: 11px; FONT-FAMILY: Verdana; PADDING-BOTTOM: 10px; PADDING-TOP: 10px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #activity { FONT-SIZE: 10px; FONT-FAMILY: Verdana; FLOAT: left; PADDING-BOTTOM: 10px; PADDING-TOP: 10px; PADDING-LEFT: 10px; PADDING-RIGHT: 10px; BACKGROUND-COLOR: #e0ecee } #activity SPAN { FONT-WEIGHT: 700 } #activity SPAN:first-child

{ TEXT-TRANSFORM: uppercase } #activity SPAN A { TEXT-DECORATION: none; COLOR: #5085b6 } #activity SPAN SPAN { COLOR: #ff7900 } #activity SPAN .underline { TEXT-DECORATION: underline } .attach { FONT-SIZE: 12px; FONT-FAMILY: Arial; WIDTH: 400px; PADDING-BOTTOM: 10px; PADDING-TOP: 10px; PADDING-LEFT: 0px; CLEAR: both; DISPLAY: table; PADDING-RIGHT: 0px } .attach DIV A { TEXT-DECORATION: none } .attach IMG { BORDER-TOP: medium none; BORDER-RIGHT: medium none; BORDER-BOTTOM: medium none; BORDER-LEFT: medium none; PADDING-RIGHT: 5px } .attach LABEL { MARGIN-BOTTOM: 5px; DISPLAY: block } .attach LABEL A { TEXT-DECORATION: none } BLOCKQUOTE { MARGIN: 0px 0px 0px 4px } .bold { FONT-SIZE: 13px; FONT-FAMILY: Arial; FONT-WEIGHT: 700 } .bold A { TEXT-DECORATION: none } DD.last P A { FONT-FAMILY: Verdana; FONT-WEIGHT: 700 } DD.last P SPAN { FONT-FAMILY: Verdana; FONT-WEIGHT: 700; MARGIN-RIGHT: 10px } DD.last P SPAN.yshortcuts { MARGIN-RIGHT: 0px } DIV.attach-table DIV DIV A { TEXT-DECORATION: none } DIV.attach-table { WIDTH: 400px } DIV.file-title A { TEXT-DECORATION: none } DIV.file-title A:active { TEXT-DECORATION: none } DIV.file-title A:hover { TEXT-DECORATION: none } DIV.file-title A:visited { TEXT-DECORATION: none } DIV.photo-title A { TEXT-DECORATION: none } DIV.photo-title A:active { TEXT-DECORATION: none } DIV.photo-title A:hover { TEXT-DECORATION: none } DIV.photo-title A:visited { TEXT-DECORATION: none } DIV#ygrp-mlmsg #ygrp-msg P A SPAN.yshortcuts { FONT-SIZE: 10px; FONT-FAMILY: Verdana; FONT-WEIGHT: normal } .green { COLOR: #628c2a } .MsoNormal { MARGIN: 0px } o { FONT-SIZE: 0px } #photos DIV { WIDTH: 72px; FLOAT: left } #photos DIV DIV { OVERFLOW: hidden; BORDER-TOP: #666666 1px solid; HEIGHT: 62px; BORDER-RIGHT: #666666 1px solid; WIDTH: 62px; BORDER-BOTTOM: #666666 1px solid; BORDER-LEFT: #666666 1px solid } #photos DIV LABEL { OVERFLOW: hidden; FONT-SIZE: 10px; WIDTH: 64px; WHITE-SPACE: nowrap; COLOR: #666666; TEXT-ALIGN: center } #reco-category { FONT-SIZE: 77% } #reco-desc { FONT-SIZE: 77% } .replbq { MARGIN: 4px } #ygrp-actbar DIV A:first-child { PADDING-RIGHT: 5px; MARGIN-RIGHT: 2px } #ygrp-mlmsg { FONT: x-small Arial, helvetica,clean, sans-serif } #ygrp-mlmsg TABLE { FONT-SIZE: 100%; FONT-VARIANT: normal; FONT-WEIGHT: normal; FONT-STYLE: normal; LINE-HEIGHT: normal } #ygrp-mlmsg SELECT { FONT: 99% Arial, Helvetica, clean, sans-serif } INPUT { FONT: 99% Arial, Helvetica, clean, sans-serif } TEXTAREA { FONT: 99% Arial, Helvetica, clean, sans-serif } #ygrp-mlmsg PRE { FONT: 100% monospace } CODE { FONT: 100% monospace } #ygrp-mlmsg * { LINE-HEIGHT: 1.22em } #ygrp-mlmsg #logo { PADDING-BOTTOM: 10px } #ygrp-msg P A { FONT-FAMILY: Verdana } #ygrp-msg P#attach-count SPAN { FONT-WEIGHT: 700; COLOR: #1e66ae } #ygrp-reco #reco-head { FONT-WEIGHT: 700; COLOR: #ff7900 } #ygrp-reco { MARGIN-BOTTOM: 20px; PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #ygrp-sponsor #ov LI A { FONT-SIZE: 130%; TEXT-DECORATION: none } #ygrp-sponsor #ov LI { LIST-STYLE-TYPE: square; FONT-SIZE: 77%; PADDING-BOTTOM: 6px; PADDING-TOP: 6px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #ygrp-sponsor #ov UL { PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 8px; MARGIN: 0px; PADDING-RIGHT: 0px } #ygrp-text { FONT-FAMILY: Georgia } #ygrp-text P { MARGIN: 0px 0px 1em } #ygrp-text TT { FONT-SIZE: 120% } #ygrp-vital UL LI:unknown { BORDER-RIGHT: medium none }

3921. HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-01-07 17:35:09 UTC
From: k0ekl@...
Topic: 3921 Message: 3921

I've noticed just in the past couple days that callsign lookups to Hamqth.com are failing with this message:

<CALLSIGN> not found in callbook

Format error in session data from
HamQTH.com
The download of the specified resource has
failed.

(Where <CALLSIGN> is any callsign that I'm attempting to look up or log in XMLog.)

I have confirmed that I am using my correct username and password for HamQTH.com and that calls being searched for can in fact be found by searching via the HamQTH.com website.

3922. Re: HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-01-08 18:27:54 UTC
From: w1ect@...
Topic: 3921 Message: 3922

I can't reproduce the problem here, my callbook lookups using HAMQTH.COM work OK and don't produce any error messages.

Is anyone else seeing this problem?

Mike - W1ECT

3923. RE: [XMLog] Re: HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-01-08 19:38:48 UTC
From: Kenneth Moorman
Topic: 3921 Message: 3923

I did see this problem for an hour or so a few days ago, but it cleared up for me and haven’t experienced it since.

Ken, NU4I

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
Sent: Thursday, January 08, 2015 1:28 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: HamQTH.com callbook lookup failing

I can't reproduce the problem here, my callbook lookups using HAMQTH.COM work OK and don't produce any error messages.

Is anyone else seeing this problem?

Mike - W1ECT

[Non-text portions of this message have been removed]

3924. RE: [XMLog] Re: HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-01-08 19:42:18 UTC
From: Kenneth Moorman
Topic: 3921 Message: 3924

I should read the email better before responding! I was seeing this problem with QRZ.com, not QTH.com, but as I said, it cleared up on its own and hasn’t happened since. Sorry for the confusion.

Ken, NU4I

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
Sent: Thursday, January 08, 2015 1:28 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: HamQTH.com callbook lookup failing

I can't reproduce the problem here, my callbook lookups using HAMQTH.COM work OK and don't produce any error messages.

Is anyone else seeing this problem?

Mike - W1ECT

[Non-text portions of this message have been removed]

3925. How does WAS Worked/Confirmed report work?

Yahoo group: XMLog
Date: 2015-01-08 20:49:39 UTC
From: Bill Turini
Topic: 3921 Message: 3925

Folks

For some time now (over a year), I've been tracking my WAS RTTY award contacts and felt that something was "strange" about the "States Worked/Confirmed" report. I've even gone as far as thinking of writing a program to parse the log entries and produce my own report, but I can't see how the program could be incorrect.

Today I decided to really , really look at my problem and I found some things that I don't understand. Perhaps some of the learned folks on the list can explain them.

First, some background: I select | Awards | WAS | States Worked/Confirmed | ; then in Modes/Bands I checked "Data" and the bands 80-10.; Include "accepted" entries (whatever that is) and Include LoTW Confirmations (which I want) and produce the report.

On the report:

The first thing I notice in the "Band/Mode: RTTY" is that I don't have DE confirmed. This is correct. My everlasting hatred goes out to folks in DE who will work you for a contest, but not confirm. Next thing I notice is that I have a confirmation for KS and it is the only station worked. Pardon me, I have 9 worked and confirmed in the log. Doing a bit more checking, I see that only unconfirmed stations are listed under worked - is this correct?

Skipping on to the Band/Mode: 20, I see that I have worked DE. Wait a minute ! I only have one DE on RTTY in my log and he's not confirmed. I look up the call, and I worked him on SSB. The smoking gun! I look up a number of other calls on all the bands and they are all SSB, not RTTY.

When I produced the report and selected Data as the mode I assumed the report was going to be for RTTY (or PSK). Apparently that's not the case, or I am doing something incorrectly. Can someone explain this to me? All I want to do is get a listing of states worked/confirmed for RTTY.

Thanks,

Bill
KA4GAV

--
Bill Turini
KA4GAV

3926. Re: How does WAS Worked/Confirmed report work?

Yahoo group: XMLog
Date: 2015-01-09 16:48:47 UTC
From: w1ect@...
Topic: 3921 Message: 3926

Hi Bill,

This report is supposed to be a guide for selecting which QSO's should be QSL'ed to boost your totals.

Include "accepted"; entries (whatever that is)

Accepted QSO's are those that have been credited by the ARRL (that is, the WAS Submit date field has been set). These QSO's are not listed by default since they are not candidates for QSL'ing.

Next thing I notice is that I have a confirmation for KS and it is the only station worked. Pardon me, I have 9 worked and confirmed in the log. Doing a bit more checking, I see that only unconfirmed stations are listed under worked - is this correct?

Yes, the idea here is that for QSL'ing purposes you are interested in distinguishing between QSO's that have been confirmed and QSO's that have only been worked and not yet confirmed - these QSO's are candidate for QSL'ing to increase your totals.

Skipping on to the Band/Mode: 20, I see that I have worked DE. Wait a minute ! I only have one DE on RTTY in my log and he's not confirmed. I look up the call, and I worked him on SSB. The smoking gun! I look up a number of other calls on all the bands and they are all SSB, not RTTY.

Sorry Bill, I guess the documentation could be better here. When you pick Band/Mode:20 you should consider associated results separate from the RTTY results. That is these results apply to your ARRL WAS band/mode totals and not to your RTTY totals. The WAS report follows the same logic as the DXCC worked/confirmed report which in turn is associated with the DXCC awards:

- There is a general award where the total can include QSO's for any bands and modes,

- There are mode specific awards where the total includes QSO's only using that mode (and ignoring the band).

- And there are band specific awards where the total includes QSO's only using that ban (and ignoring the mode).

So as you can see these reports are focused on selecting which QSO's should be QSL'ed to increase your totals for any/all of these three award categories. (Which, by the way, is the same goal as the Critical QSO's report where this function is a bit more obvious).

Mike - W1ECT

3927. Re: HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-01-11 14:55:31 UTC
From: k0ekl@...
Topic: 3921 Message: 3927

It's still happening for me.

I did try downloading the latest version of XMLog and installing it into a separate directory and tested only using the demo log file and got the same message when attempting to do a callbook lookup. My next test will be to try installing XMLog on a different PC.

3928. Re: HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-01-12 15:31:34 UTC
From: w1ect@...
Topic: 3921 Message: 3928

I've done some more checking here but I still can't reproduce the problem. Is it possible that your anti-virus software or firewall is blocking XMLog? Some protection software requires you to specifically allow individual programs access to the internet.

Mike - W1ECT

3929. XMLOG configuration for Flex 6300

Yahoo group: XMLog
Date: 2015-01-14 01:31:48 UTC
From: wim_dewilder@...
Topic: 3929 Message: 3929

I managed to make Fldigi to work with SmartSDR on the Flex 6300,
is there a setting in XMLog for rig control working with Smart SDR ?

Here's the Fldigi rig interface description file
http://www.w1hkj.com/xmls/sdr/SmartSDR.xml http://www.w1hkj.com/xmls/sdr/SmartSDR.xml

thanks de K6TE Wim

3930. Re: XMLOG configuration for Flex 6300

Yahoo group: XMLog
Date: 2015-01-14 16:40:56 UTC
From: w1ect@...
Topic: 3929 Message: 3930

Hello Wim,

I found a description of the Flex CAT commands and it looks like they took the route that other manufacturers have used lately - they have chosen use the Kenwood CAT command format (at least for the most common CAT functions). This means that until I officially add "Flex" to the rig list you can set your rig type to "Kenwood" and see if that does the trick. I'll take a closer look at the documentation and see if their Kenwood emulation is appropriate for the simple CAT commands XMLog uses.

One thing to note, when using XMLog's built in rig-control features it needs exclusive use of the port to the radio. This means that you can't have FLDigi or N1MM running and accessing the rig. However, many programs use a rig-sharing system called OmniRig to share a rig port and XMLog can be set up to access your rig via OmniRig. Of course this is only useful if all the programs support OmniRig but this is becoming more common as time goes by. Info on setting up OmniRig can be found in the help files.

So, the first step would be to set your rig type to "Kenwood", close any other programs you have running that might be using the Flex's CAT port and then check to see if XMLog can communicate with your rig. One simple test is to start a fresh log entry and then double-click on the Freq and Mode fields and see if XMLog can get this data. If so, then you can decide whether using OmniRig would be useful.

Mike - W1ECT

3931. Re: XMLOG configuration for Flex 6300

Yahoo group: XMLog
Date: 2015-01-15 05:00:01 UTC
From: wim_dewilder@...
Topic: 3929 Message: 3931

Hi Mike

thanks for the pointer, so I selected Kenwood and 9600 bps and I got it
to work to read frequency and mode/power and such.

The Flex software comes with a SmartCAT program and it can create extra virtual serial
ports.
So I use COM4 for Fldigi and a new virtual port COM5 for XMlog and both
seems to coexist without extra other software.

I need to test it a bit more but works fine when I type CTRL-A to add a new log entry it
picks up the freq and modes.

thanks
- Wim

3932. Re: XMLOG configuration for Flex 6300

Yahoo group: XMLog
Date: 2015-01-15 05:05:15 UTC
From: wim_dewilder@...
Topic: 3929 Message: 3932

I gave you a plug on the FlexRadioSmartSDR yahoo group also !

3933. Re: XMLOG configuration for Flex 6300

Yahoo group: XMLog
Date: 2015-01-19 21:38:50 UTC
From: al@...
Topic: 3929 Message: 3933

Hi Wim, I set it up for my 6700 and it works FB as you described.

Thanks for also adding to the Flex forum, that is where I first saw your tip.

Regards, Al / NN4ZZ
al (at) nn4zz (dot) com

FlexRadioSmartSDR https://groups.yahoo.com/neo/groups/FlexRadioSmartSDR/info

https://groups.yahoo.com/neo/groups/FlexRadioSmartSDR/info

FlexRadioSmartSDR https://groups.yahoo.com/neo/groups/FlexRadioSmartSDR/info This Discussion group is for FLEX radios using the SmartSDR architecture. The new hardware architecture has multiple processors including a Field Programm...

View on groups.yahoo.com https://groups.yahoo.com/neo/groups/FlexRadioSmartSDR/info
Preview by Yahoo

3934. XMLog & KX3

Yahoo group: XMLog
Date: 2015-01-21 15:17:05 UTC
From: wd8jwj@...
Topic: 3934 Message: 3934

Anyone using XMLog with a KX3 ?
73, Bill, WD8JWJ

3935. DXPeditions - OP0LE (Antarctica)

Yahoo group: XMLog
Date: 2015-01-30 18:09:26 UTC
From: w1ect@...
Topic: 3935 Message: 3935

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

OP0LE - Antarctica (KC4)

Mike - W1ECT

3936. DXPeditions - K1N (Navassa I.)

Yahoo group: XMLog
Date: 2015-01-30 18:11:37 UTC
From: w1ect@...
Topic: 3936 Message: 3936

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

K1N - Navassa I. (KP1)

Beginning around February 2 to 16.

Mike - W1ECT

3937. Re: HamQTH.com callbook lookup failing

Yahoo group: XMLog
Date: 2015-02-01 17:23:56 UTC
From: k0ekl@...
Topic: 3921 Message: 3937

Sorry to be tardy with this. I tried installing XM Log on an old laptop running XP and nothing else, no antivirus at all, and observed the same problem.

That said the problem disappeared on January 17th and has not reoccurred. Perhaps it was my ISP? The important thing is that it works again.

Thanks for your attention to the issue, Mike. Yours is still my favorite log program and I've evaluated almost all of them.

3938. Possible bug: Problem sending DX spots when using Omnirig

Yahoo group: XMLog
Date: 2015-02-01 20:26:18 UTC
From: k0ekl@...
Topic: 3938 Message: 3938

I have noticed that since switching to OminRig to allow multiple programs to share the serial port that my K3 is connected to there is a problem sending DX spots.

When using Omnirig, if I go to the packet window and hit F4 XM log generates a cluster message like this: "DX ? "callsign" where "callsign" is whatever call is currently defined as #HIM.

If I close all programs that utilize Omnirig and switch XMLog to directly use Com2, the serial port that my K3 is connected to a correct message is generated "DX 24893.0 FO8AA" for example.

I assume that this is just a communications glitch when querying the rig for it's frequency when generating a spot as XMLog correctly fills the frequency field in normal logging when using Omnirig.

3939. DXPeditions - CT8/OK2ZI (Azores)

Yahoo group: XMLog
Date: 2015-02-02 19:50:22 UTC
From: w1ect@...
Topic: 3939 Message: 3939

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

CT8/OK2ZI - Azores (CU)

February 1 to March 6.

Mike - W1ECT

3940. Re: DXPeditions - CT8/OK2ZI (Azores)

Yahoo group: XMLog
Date: 2015-02-02 19:55:49 UTC
From: Dave Sergeant
Topic: 3939 Message: 3940

Again surely not necessary - CT8 has been Azores since June 2009 when
they changed some of the Portugese prefixes. Has the XMLog country list
not caught up yet?

see https://clublog.freshdesk.com/support/articles/53831-portuguese-portugal-madeira-and-azores-callsign-history

73 Dave G3YMC

On 2 Feb 2015 at 11:50, w1ect@... [XMLog] wrote:

> Here's a callsign to add to the special calls list using the "View/Show
> Callsign List" menu item.
>
> CT8/OK2ZI - Azores (CU)
>
> February 1 to March 6.
>
> Mike - W1ECT
>

http://davesergeant.com

3941. Re: DXPeditions - CT8/OK2ZI (Azores)

Yahoo group: XMLog
Date: 2015-02-03 18:56:05 UTC
From: w1ect@...
Topic: 3939 Message: 3941

OK Dave, Thanks for pointing this out. Actually the prefix definitions are correct. Back in version 6.69 I re-organized the prefix search and callsign->country routines a created a bug that causes CT8 (as well as other prefixes) to be misidentified. Hopefully I will be able to post a beta version with a fix soon.

Mike - W1ECT

3942. Re: XMLog & KX3

Yahoo group: XMLog
Date: 2015-02-07 00:03:57 UTC
From: kdiehl@...
Topic: 3934 Message: 3942

I just got my KX3, so I haven't tested extensively, but these setting seem to be working fine with the factory USB cable.

Port Type XMLOG Elecraft K3

Com Port (as identified by KX3 utility program)

Baud Rate 38400

Data Bits 8

Stop Bits 2

Flow Control none

Data Mode LSB or USB

3943. Re: XMLog & KX3

Yahoo group: XMLog
Date: 2015-02-07 16:47:18 UTC
From: wd8jwj@...
Topic: 3934 Message: 3943

Yes it does work. I set my baud to 19200 because that is what the HR50 is set at. Works fine. Haven't used it much yet though.
73, Bill, Wd8JWJ

3944. Re: XMLog & KX3

Yahoo group: XMLog
Date: 2015-02-07 17:17:14 UTC
From: w1ect@...
Topic: 3934 Message: 3944

Hi Keith, Glad to hear you got the KX3 working using K3 for the rig type. These days most rigs (including Elecraft) support the basic Kenwood-style command set which makes it easy on developers. I'll officially add the KX3 to the list in the next version (which will be equivalent to the K3).

Mike - W1ECT

3945. Bug fix for CT8/OK2ZI country guessing

Yahoo group: XMLog
Date: 2015-02-12 15:38:52 UTC
From: w1ect@...
Topic: 3945 Message: 3945

I've posted beta version 6.74 of XMLog at www.xmlog.com/beta http://www.xmlog.com/beta which fixes the problem with country guessing for callsigns containing slashes. This is a bug that was introduced in version 6.69

Mike - W1ECT

3946. Re: Possible bug: Problem sending DX spots when using Omnirig

Yahoo group: XMLog
Date: 2015-02-14 13:33:32 UTC
From: k0ekl@...
Topic: 3938 Message: 3946

Mike;

I uninstalled Omnirig and reinstalled and that seems to have fixed the problem with creating cluster spots. You can consider this matter resolved.

3947. tq8 rejects psk

Yahoo group: XMLog
Date: 2015-02-20 02:51:35 UTC
From: k2iz@...
Topic: 3947 Message: 3947

I've been using XM Log for quite a while, it seems whenever I list the contact as PSK and try to get the contact signed in tq8 I get an error message "invalid mode", I've tried right click on mode and clicking several of the radio buttons under PSK but I still get the same error message, I'm using the latest version, am I missing something?
73 John K2IZ

3948. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2015-02-20 17:05:39 UTC
From: w1ect@...
Topic: 3947 Message: 3948

Hi John,

Check this note from xmlog.com

Mike - W1ECT

- Version 6.65 included changes to support the new ADIF scheme that uses a combination of MODE and SUBMODE fields to describe the QSO mode. Unfortunately TQSL (the program used to "sign" ADIF files prior to uploading them to LoTW) does not yet support this new scheme and results in error messages about illegal modes like PSK. To handle this problem until a new version of TQSL is available you can use a feature of the current TQSL version to map unrecognized modes to acceptable values.
1. Open TQSL
2. From the "File" menu select "Display or Modify Preferences..." and then select the "ADIF Modes" tab.
3. Click the "Add..." button.
4. In the "Add ADIF Mode" window enter the unrecognized ADIF mode to be mapped (PSK).
5. Select the mode to map to (PSK31) from the "Resulting TQSL Mode:" drop down menu.
6. Click OK
7. You can now sign the ADIF file and upload the TQ8 file to LoTW.

3949. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2015-02-22 02:59:33 UTC
From: k2iz@...
Topic: 3947 Message: 3949

That did it!, thank you, another small donation is on it's way, I'm still learning how to use the program, still use a paper log, don't quite trust computers and back ups.
73 John K2IZ

3950. Re: [XMLog] Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2015-02-22 17:16:50 UTC
From: WILLIS COOKE
Topic: 3947 Message: 3950

John, if you trust paper and not computer logs then print your computer log as often as you like and you will have a permanent log that you can read. I have everything on computer since 1990 and as much as I get around to before 1990. I am missing paper logs from many contests because I lost them and did not put them in an official paper log. I am not missing any of the computer logs. I have been a ham for 59 years and have over 30,000 QSOs on computer. After every contest, I make an ADIF of my computer log and transfer it to XMLog so I now have 33,161 entries in XMLog and it is still fast enough that I am not ready to break it up. Willis 'Cookie' Cooke,TDXS Contest Chairman K5EWJ & Trustee N5BPS
From: "k2iz@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Saturday, February 21, 2015 8:59 PM
Subject: [XMLog] Re: tq8 rejects psk

That did it!, thank you, another small donation is on it's way, I'm still learning how to use the program, still use a paper log, don't quite trust computers and back ups.73 John K2IZ

3951. How do I correct my grid square?

Yahoo group: XMLog
Date: 2015-03-03 20:16:38 UTC
From: Bill Turini
Topic: 3947 Message: 3951

I imported an adif file from fldigi where I had my grid square set incorrectly, so now I have a number of records in XMLog with the wrong grid square. Is there any way to correct this?

I can't even figure out how to search for a grid square in XMLog! I found out that the grid square was set incorrectly when I had to edit the adif file to change the PSK field for uploading to LOTW.

Thanks,

Bill

--
Bill Turini
KA4GAV

3953. Re: [XMLog] Re: How do I correct my grid square?

Yahoo group: XMLog
Date: 2015-03-04 15:32:19 UTC
From: Bill Turini
Topic: 3947 Message: 3953

That's not the problem, Mike. XMLog is working fine. I imported an adif file from another program that had the incorrect grid square. Now I have several dozen entries in XMLog with the incorrect grid square.

On 3/4/2015 9:03 AM, w1ect@... [XMLog] wrote:
>
> Hi Bill,
>
> You can set your grid square using the "Options/Station Info" menu
> item.
>
> Mike - W1ECT
>
>

--
Bill Turini
KA4GAV

3954. Re: [XMLog] Re: How do I correct my grid square?

Yahoo group: XMLog
Date: 2015-03-04 16:26:30 UTC
From: w1ect@...
Topic: 3947 Message: 3954

Sorry Bill, I saw that I had mis-understood your question and deleted my reply - but not before you saw it it seems. I'll email you direct after I do a little digging.

Mike - W1ECT

3955. Re: [XMLog] Re: How do I correct my grid square?

Yahoo group: XMLog
Date: 2015-03-04 17:38:34 UTC
From: Bill Turini
Topic: 3947 Message: 3955

Mike

Thanks. One question - is the grid square used for anything? If it's unimportant in the grand scheme of things, I'll just ignore the problem.

Bill

On 3/4/2015 10:26 AM, w1ect@... [XMLog] wrote:
>
> Sorry Bill, I saw that I had mis-understood your question and deleted
> my reply - but not before you saw it it seems. I'll email you direct
> after I do a little digging.
>
> Mike - W1ECT
>
>

--
Bill Turini
KA4GAV

3956. Re: [XMLog] Re: How do I correct my grid square?

Yahoo group: XMLog
Date: 2015-03-05 10:27:52 UTC
From: bsiegfried@...
Topic: 3947 Message: 3956

Hi, Bill...

Whether or not the grid square field for your own station data is actually used for anything, I know that it would drive me crazy if the incorrect data was in it for any records in my log.

If the number of records you would have to change is prohibitively large, one thing you might try is to manufacture an ADIF file of all of the entries that have the incorrect grid square. Simply Select on that field for the incorrect data and then export the ADIF file of those records.

Then use a decent simple plain text editor to do a find and replace of the incorrect grid square to the correct one. Then import the resulting ADIF file back into XMlog. At the time of import, you may indicate that you want the imported data to replace the existing data in your log. That will fix all the records in one operation.

73 Barry K2MF

---In XMLog@yahoogroups.com, <mailing_lists@...> wrote :

Mike

Thanks. One question - is the grid square used for anything? If it's unimportant in the grand scheme of things, I'll just ignore the problem.

Bill

On 3/4/2015 10:26 AM, w1ect@... mailto:w1ect@... [XMLog] wrote:

Sorry Bill, I saw that I had mis-understood your question and deleted my reply - but not before you saw it it seems. I'll email you direct after I do a little digging.

Mike - W1ECT

--
Bill Turini
KA4GAV

3957. eQSL Handling in XMLog

Yahoo group: XMLog
Date: 2015-03-09 16:46:43 UTC
From: Bill Turini
Topic: 3947 Message: 3957

This past weekend I uploaded 10 years of past QSOs to eQSL and was pleasantly surprised at confirmations from some entities that I never thought I'd receive. Still no DE though :-(

I've looked, but seee no way to import eQSL files into XMLog to keep track of them. I see a field, does this need to be filled in manually? Did I miss the section on how (or if) eQSLs are handled in XMLog?

Thanks,

Bill

--
Bill Turini
KA4GAV

3958. Re: [XMLog] Re: How do I correct my grid square?

Yahoo group: XMLog
Date: 2015-03-09 18:18:22 UTC
From: Bill Turini
Topic: 3947 Message: 3958

Barry

I followed your suggestion and change the 58 incorrect grid squares.

Then I RTFM for the hundredth time and found that there is an EDIT command that will allow you to change the station info for multiple entries. :-o

Now I am reading the manual for the 100+1 time to see if I can answer my own question on how to apply eQSL data to the log.

73's

Bill

On 3/5/2015 4:27 AM, bsiegfried@... [XMLog] wrote:
>
> Hi, Bill...
>
> Whether or not the grid square field for your own station data is
> actually used for anything, I know that it would drive me crazy if the
> incorrect data was in it for any records in my log.
>
> If the number of records you would have to change is prohibitively
> large, one thing you might try is to manufacture an ADIF file of all
> of the entries that have the incorrect grid square. Simply Select on
> that field for the incorrect data and then export the ADIF file of
> those records.
>
> Then use a decent simple plain text editor to do a find and replace of
> the incorrect grid square to the correct one. Then import the
> resulting ADIF file back into XMlog. At the time of import, you may
> indicate that you want the imported data to replace the existing data
> in your log. That will fix all the records in one operation.
>
> 73 Barry K2MF
>
>
> ---In XMLog@yahoogroups.com, <mailing_lists@...> wrote :
>
> Mike
>
> Thanks. One question - is the grid square used for anything? If it's
> unimportant in the grand scheme of things, I'll just ignore the problem.
>
> Bill

>
> On 3/4/2015 10:26 AM, w1ect@... <mailto:w1ect@...> [XMLog] wrote:
>
>> Sorry Bill, I saw that I had mis-understood your question and
>> deleted my reply - but not before you saw it it seems. I'll
>> email you direct after I do a little digging.
>>
>> Mike - W1ECT
>>
>
> --
> Bill Turini
> KA4GAV
>
>

--
Bill Turini
KA4GAV

3959. Re: eQSL Handling in XMLog

Yahoo group: XMLog
Date: 2015-03-11 15:27:45 UTC
From: w1ect@...
Topic: 3947 Message: 3959

Hi Bill,

XMLog does handle the eQSL-related fields in ADIF files (EQSL_QSLRDATE, EQSL_QSLSDATE, EQSL_QSL_RCVD and EQSL_QSL_SENT). Outside of ADIF imports that happen to have these fields set the only way the set the XMLog fields is manually.

Since eQSLs are not accepted for ARRL/CW awards any eQSLs are ignored for awards tracking reports.

Mike - W1ECT

3960. DXPeditions - E51UFF (N. Cook), E51IOU (S.Cook)

Yahoo group: XMLog
Date: 2015-03-13 14:20:19 UTC
From: w1ect@...
Topic: 3960 Message: 3960

Here's two callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51UFF - N. Cook (E5/N) - Active until March 17

E51IOU - S. Cook (E5/S) - Active until March 21

Mike - W1ECT

3961. DXPeditions - VP8DXU, VP8QJM, VP8DQE (Falkland Is.)

Yahoo group: XMLog
Date: 2015-03-15 23:14:23 UTC
From: w1ect@...
Topic: 3961 Message: 3961

Here's three callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

VP8DXU, VP8QJM, VP8DQE - Falkland Is. (VP8/F)

Active through March 26

Mike - W1ECT

3962. DXpeditions - JD1BOW (Ogasawara)

Yahoo group: XMLog
Date: 2015-03-27 13:49:27 UTC
From: w1ect@...
Topic: 3962 Message: 3962

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

JD1BOW - Ogasawara (JD1/O)

Active March 28-31

Mike - W1ECT

3963. .log to .adif

Yahoo group: XMLog
Date: 2015-04-02 01:33:17 UTC
From: k2iz@...
Topic: 3963 Message: 3963

Ok, I've totally lost it, just got back on the air after 2 months recovery from major surgery, entered all my contact information and it is a .log file, now I want to send it to LotW and its asking for an ADIF file, I cannot remember how to get the log file changed from a .log to an ADIF, I tried signing the .log file from TQSL but it give me nothing but error messages, what did I forget?....what did I do wrong?...any help will be appreciated. tnx and 73 John K2IZ

3964. RE: [XMLog] .log to .adif

Yahoo group: XMLog
Date: 2015-04-02 12:46:21 UTC
From: John Vernaleken`
Topic: 3963 Message: 3964

Go to Inport/Export

John KC2QJB

From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
Sent: Wednesday, April 01, 2015 9:33 PM
To: XMLog@yahoogroups.com
Subject: [XMLog] .log to .adif

Ok, I've totally lost it, just got back on the air after 2 months recovery from major surgery, entered all my contact information and it is a .log file, now I want to send it to LotW and its asking for an ADIF file, I cannot remember how to get the log file changed from a .log to an ADIF, I tried signing the .log file from TQSL but it give me nothing but error messages, what did I forget?....what did I do wrong?...any help will be appreciated.

tnx and 73 John K2IZ

[Non-text portions of this message have been removed]

3965. RE: [XMLog] .log to .adif

Yahoo group: XMLog
Date: 2015-04-03 15:08:24 UTC
From: k2iz@...
Topic: 3963 Message: 3965

Got a couple of hours sleep, figured it out, all I had to do was create a file and everything worked after that, thank you to everyone.
73 John K2IZ

3966. DXPeditions - VP8DOZ (S. Georgia Is.)

Yahoo group: XMLog
Date: 2015-04-03 15:48:41 UTC
From: w1ect@...
Topic: 3966 Message: 3966

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VP8DOZ - S. Georgia Is. (VP8/G)

Mike - W1ECT

3967. DXPeditions - 3D2XT (Fiji Is.)

Yahoo group: XMLog
Date: 2015-04-17 15:52:16 UTC
From: w1ect@...
Topic: 3967 Message: 3967

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2XT - Fiji Is. (3D2/F)

Acitve April 12-17

Mike - W1ECT

3968. DXPeditions - TX5P (Clipperton I.)

Yahoo group: XMLog
Date: 2015-04-18 14:41:29 UTC
From: w1ect@...
Topic: 3968 Message: 3968

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX5P - Clipperton I. (FO/C)

Mike - W1ECT

3969. DXPeditions - E51DWC (S. Cook Is.)

Yahoo group: XMLog
Date: 2015-06-19 13:42:39 UTC
From: w1ect@...
Topic: 3969 Message: 3969

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51DWC - South Cook Is. (E5/S)

Mike - W1ECT

3970. DXPeditions - E51RAT (S. Cook Is.)

Yahoo group: XMLog
Date: 2015-07-11 15:27:20 UTC
From: w1ect@...
Topic: 3970 Message: 3970

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51RAT - South Cook Is. (E5/S)

Mike - W1ECT

3971. Log Order?

Yahoo group: XMLog
Date: 2015-08-05 22:48:33 UTC
From: H. M. Motley, Jr,
Topic: 3971 Message: 3971

I set up a new computer and installed the latest version of XMLOG. My log now comes up in what I consider to be "reverse" order - oldest QSO displays.

I need to change the order. I know it's something simple but I can't remember how and I can't seen to find it.

Help!

Puck W4PM

3972. Re: Log Order?

Yahoo group: XMLog
Date: 2015-08-06 09:05:29 UTC
From: bsiegfried@...
Topic: 3971 Message: 3972

Hi, Puck...

Try Display --> Sort By --> select QSO Date/Time (reversed) --> Press OK

Or, edit your Mlog.ini file and change LogSortBy=When to LogSortBy=Reverse

73 Barry K2MF

---In XMLog@yahoogroups.com, <hmmjr@...> wrote :

I set up a new computer and installed the latest version of XMLOG. My log now comes up in what I consider to be "reverse" order - oldest QSO displays.

I need to change the order. I know it's something simple but I can't remember how and I can't seen to find it.

Help!

Puck W4PM

3973. DXPeditions - VI0ANZAC (Antarctica)

Yahoo group: XMLog
Date: 2015-08-28 13:43:17 UTC
From: w1ect@...
Topic: 3973 Message: 3973

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VI0ANZAC - Antarctica (KC4)

Active August 29-30

Mike - W1ECT

3974. DXPeditions - TX6A (Mayotte)

Yahoo group: XMLog
Date: 2015-09-02 17:57:16 UTC
From: w1ect@...
Topic: 3974 Message: 3974

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX6A - Mayotte (FH)

Mike - W1ECT

3975. DXPeditions - JD1BOH (Ogasawara)

Yahoo group: XMLog
Date: 2015-09-04 14:41:49 UTC
From: w1ect@...
Topic: 3975 Message: 3975

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

JD1BOH - Ogasawara (JD1/O)

Active September 4-7
Mike - W1ECT

3976. DXPeditions - E51DLD (S. Cook Is.)

Yahoo group: XMLog
Date: 2015-09-18 15:03:02 UTC
From: w1ect@...
Topic: 3976 Message: 3976

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51DLD - S. Cook Is. (E51/S)

Active Sept 21 - Oct 3
Mike - W1ECT

3977. TX3X - Chesterfield Is.

Yahoo group: XMLog
Date: 2015-09-19 21:44:09 UTC
From: w1ect@...
Topic: 3977 Message: 3977

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX3X - Chesterfield Is. (FK/C)

Active Oct. 1 - Oct. 12

Mike - W1ECT

3978. DXPeditions - E51MQT/MBX/MKW - (N. Cook Is.)

Yahoo group: XMLog
Date: 2015-09-25 15:50:39 UTC
From: w1ect@...
Topic: 3978 Message: 3978

Here's some callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

E51MQT, E51MBX and E51MKW - N. Cook Is. (E5/N)

Active Sept. 29 - Oct. 27

Mike - W1ECT

3979. DXPeditions - 4U70VIC (Austria)

Yahoo group: XMLog
Date: 2015-10-01 16:28:00 UTC
From: w1ect@...
Topic: 3979 Message: 3979

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

4U70VIC - Austria, special call for 4U1VIC - (OE)

Active Oct.-Dec. 2015

Mike - W1ECT

3980. DxPeditions - RI10NRC (Asiatic Russia)

Yahoo group: XMLog
Date: 2015-10-09 13:34:30 UTC
From: w1ect@...
Topic: 3980 Message: 3980

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI10NRC - Asiatic Russia (UA9)

Active Oct. 2015

Mike - W1ECT

3981. DXPeditions - 4U70UN (U.N. New York)

Yahoo group: XMLog
Date: 2015-10-23 13:43:57 UTC
From: w1ect@...
Topic: 3981 Message: 3981

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

4U70UN - U.N. New York (4U1UN)

Active Oct. 24-25, 2015

Mike - W1ECT

3982. DXPeditions - E51KIK - (S. Cook Is.)

Yahoo group: XMLog
Date: 2015-11-06 14:19:20 UTC
From: w1ect@...
Topic: 3982 Message: 3982

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51KIK - S. Cook Is. (E5/S)

Active Nov. 9 - 15

Mike - W1ECT

3983. DxPeditions - VP8IDX, VP8STI, and VP8SGI

Yahoo group: XMLog
Date: 2015-11-18 16:31:18 UTC
From: w1ect@...
Topic: 3983 Message: 3983

Here's some callsigns to add to the special calls list using the "View/Show Callsign List" menu item.

VP8IDX - Falkland Is. (VP8/F) - will also be used /MM
VP8STI - South Sandwich Is. (VP8/SA)
VP8SGI - South Georgia Is. (VP8/G)

The Intrepid-DX Group is scheduled to meet in the Falklands in late December or early January and arrive in South Sandwich around January 17th.

Mike - W1ECT

3984. Cable

Yahoo group: XMLog
Date: 2015-11-22 01:39:41 UTC
From: Richard Lochner
Topic: 3984 Message: 3984

Am looking for serial to phone plug for my computer to 9000D as previously linked on the XMlog website.

Thanks,

Rich, K9CIV

Sent from my iPhone

3985. DXPeditions - 8T2BH (Antarctica)

Yahoo group: XMLog
Date: 2015-12-04 16:06:15 UTC
From: w1ect@...
Topic: 3985 Message: 3985

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

8T2BH - Antarctica (KC4)

Active until mid-December 201
Mike - W1ECT

3986. DXPeditions - E51XGI - (S. Cook Is.)

Yahoo group: XMLog
Date: 2015-12-06 19:57:29 UTC
From: w1ect@...
Topic: 3986 Message: 3986

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51XGI - S. Cook Is. (E5/S)

Active Dec. 4-10

Mike - W1ECT

3987. DXPeditions - E51WET - (S. Cook Is.)

Yahoo group: XMLog
Date: 2015-12-11 13:53:36 UTC
From: w1ect@...
Topic: 3987 Message: 3987

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51WET - S. Cook Is. (E5/S)

Active Dec. 14 - Jan. 08

Mike - W1ECT

3988. Where do I find PicomClient with PowerConsole Version 3.02.01.mis ?

Yahoo group: XMLog
Date: 2016-01-06 01:57:53 UTC
From: ke1iw@...
Topic: 3988 Message: 3988

I have tried to install XMLog and the program asks for this file. I have searched my disk file several ways and cannot find it. Where should I look for it on the web?
KE1IW

3989. Re: Where do I find PicomClient with PowerConsole Version 3.02.01.mis ?

Yahoo group: XMLog
Date: 2016-01-06 16:19:39 UTC
From: w1ect@...
Topic: 3988 Message: 3989

Hi Dave, PicomClient isn't something provided or used by XMLog and I don't know why the installer would try to load it. Are you using the official version from XMLog.com?

A Google doesn't reveal much about PicomClient but it looks like it's one of those apps that is used to install adware/searchbars/etc. along with the main app.

Mike - W1ECT

3990. Re: [XMLog] Re: Where do I find PicomClient with PowerConsole Version 3.02.01.mis ?

Yahoo group: XMLog
Date: 2016-01-06 17:45:42 UTC
From: David Haze
Topic: 3988 Message: 3990

I believe I downloaded the correct program. I found the link at ARRL.org. I will delete/uninstall and try again.Will XMlog work using my printer port?Regards/73David

On Wednesday, January 6, 2016 11:19 AM, "w1ect@xmlog.com [XMLog]" <XMLog@yahoogroups.com> wrote:

Hi Dave, PicomClient isn't something provided or used by XMLog and I don't know why the installer would try to load it. Are you using the official version from XMLog.com?

A Google doesn't reveal much about PicomClient but it looks like it's one of those apps that is used to install adware/searchbars/etc. along with the main app.

Mike - W1ECT

3991. Re: Where do I find PicomClient with PowerConsole Version 3.02.01.mis ?

Yahoo group: XMLog
Date: 2016-01-06 18:04:13 UTC
From: Dave Sergeant
Topic: 3988 Message: 3991

A search for XMLog on the ARRL website comes up with a single link in a contest bulletin from 2002 and has the correct address - http://www.xmlog.com/ which takes you to Mike's site. I have just upgraded to the latest version, 6.74, via that and it installed normally with no cryptic error messages. As Mike suggests, those sort of unwanted bundled applications come if you download from a third party site - I encountered one yesterday and nearly got caught out. But downloading from Mike's site is safe.

Mike, I know we had a discussion about this many moons ago, but your prefix file still has the wrong prefixes for Kaliningrad - only R2F and R2K are now Kaliningrad, every other R2 call is normal European Russia. I have my own updated prefix file that handles these properly.

73 Dave G3YMC

On 6 Jan 2016 at 17:45, David Haze ke1iw@... [XMLog] wrote:

> I believe I downloaded the correct program. I found the link at
> ARRL.org. I will delete/uninstall and try again.Will XMlog work using my
> printer port?Regards/73David
>

http://davesergeant.com

3992. Re: [XMLog] Re: Where do I find PicomClient with PowerConsole Version 3.02.01.mis ?

Yahoo group: XMLog
Date: 2016-01-06 18:58:41 UTC
From: David Haze
Topic: 3988 Message: 3992

Mike also commented on the need to download from his site. I deleted my initial download and visited the host site as suggested. All is well. Thank you all for the help.73,DBHasemanKE1IW

On Wednesday, January 6, 2016 1:04 PM, "'Dave Sergeant' dave@... [XMLog]" <XMLog@yahoogroups.com> wrote:

A search for XMLog on the ARRL website comes up with a single link in a contest bulletin from 2002 and has the correct address - http://www.xmlog.com/ which takes you to Mike's site. I have just upgraded to the latest version, 6.74, via that and it installed normally with no cryptic error messages. As Mike suggests, those sort of unwanted bundled applications come if you download from a third party site - I encountered one yesterday and nearly got caught out. But downloading from Mike's site is safe.

Mike, I know we had a discussion about this many moons ago, but your prefix file still has the wrong prefixes for Kaliningrad - only R2F and R2K are now Kaliningrad, every other R2 call is normal European Russia. I have my own updated prefix file that handles these properly.

73 Dave G3YMC

On 6 Jan 2016 at 17:45, David Haze ke1iw@... [XMLog] wrote:

> I believe I downloaded the correct program. I found the link at
> ARRL.org. I will delete/uninstall and try again.Will XMlog work using my
> printer port?Regards/73David
>

http://davesergeant.com

3993. cant import my log files

Yahoo group: XMLog
Date: 2016-01-07 00:46:36 UTC
From: jdwill46@...
Topic: 3993 Message: 3993

i did a system restore on my windows 7 computer and it wiped out my log entries. i can get to the back up file that windows created and see all of my 896 log entries which are in csv file format. the log only gives me the option of import adif files. is there a way to get my log entries back to the log with out having to type them in manually?

3994. Re: cant import my log files

Yahoo group: XMLog
Date: 2016-01-07 15:28:45 UTC
From: w1ect@...
Topic: 3993 Message: 3994

Hi - I have a lot of questions so please contact me directly via email at support@xmlog.com

Mike - W1ECT

3995. DXPeditions - K5P (Palmyra/Jarvis Is.)

Yahoo group: XMLog
Date: 2016-01-08 16:10:50 UTC
From: w1ect@...
Topic: 3995 Message: 3995

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

K5P - Palmyra/Jarvis Is. (KH5)

Active Jan 12 - 25

Mike - W1ECT

3996. DXPeditions - E51J - (S. Cook Is.)

Yahoo group: XMLog
Date: 2016-01-13 16:52:15 UTC
From: w1ect@...
Topic: 3996 Message: 3996

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51J - S. Cook Is. (E5/S)

Active Jan. 12 - Jan. 21

Mike - W1ECT

3997. DXPeditions - E51BQ - (S. Cook Is.)

Yahoo group: XMLog
Date: 2016-01-14 21:45:35 UTC
From: w1ect@...
Topic: 3997 Message: 3997

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51BQ - S. Cook Is. (E5/S)

Actually not a DXPedtion, he's a resident of the village of Muri on the southeast side or Rarotonga Island.

Mike - W1ECT

3998. DXPeditions - E51RJR - (S. Cook Is.)

Yahoo group: XMLog
Date: 2016-01-22 15:06:43 UTC
From: w1ect@...
Topic: 3998 Message: 3998

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51RJR - S. Cook Is. (E5/S)

Active until Feb. 14

Mike - W1ECT

3999. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-01-22 20:03:20 UTC
From: w3ml@...
Topic: 3947 Message: 3999

Okay, the method shown on the website of going into and adding PSK>PSK31 does not work anymore on the new version of TQSL.

ARRL's program is back to rejecting the PSK contacts.

Is there any other fixed?

John W3ML

4000. v 6.74 & TS480

Yahoo group: XMLog
Date: 2016-01-23 19:47:29 UTC
From: FAZAMY@...
Topic: 4000 Message: 4000

I'm having difficulty with v. 6.74 communicating with TS-480. I have to double click date, time, frequency and mode to get the info on the log.

Is there something wrong with my setup listed below?

Here are the settings from an older version that worked with my gear:
COM 5
BAUD 5
DATA BITS 8
STOP BITS 2
PARITY NONE
RTS ALWAYS ON
FLOW CONTROL NONE
KENWOOD

I'm not sure if baud 5 goes on this list. I don't see baud listed on 6.74 Port selector. I might have put it there for another situation.

I've tried 4800 and 9600 bps on log and TS480.

Evan

4001. Re: v 6.74 & TS480

Yahoo group: XMLog
Date: 2016-01-24 19:13:35 UTC
From: w1ect@...
Topic: 4000 Message: 4001

Hi Even,

I have to double click date, time, frequency and mode to get the info on the log.

This is the way things work by by default. If you want to have these fields set automatically when you open a new log entry first choose the "Edit/Edit Defaults For New Log Entries" menu item and set the appropriate options at the bottom of the form. Then choose the "Edit/Use Defaults For New Log Entries" menu item to enable these defaults (when enabled this menu item will have a check-mark to the left - each time you click on this menu item it will reverse the check-mark setting).

I don't see baud listed on 6.74 Port selector.

If you choose the "Options/HF Rig Port Select" menu item you should be able to select the baud rate used by XMLog.

Mike - W1ECT

4002. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-01-24 19:24:38 UTC
From: w1ect@...
Topic: 3947 Message: 4002

Hi John,

It's going to take me a while to check this out. In the meantime you can open your AIDF file with NotePad or WordPad and globally change all the "<MODE:3>PSK" entries to "<MODE:5>PSK31". The value after the : is the number of characters. You can also delete the "<SUBMODE:5>PSK31" fields but I don't think this will be required, TQSL will likely ignore them.

Mike - W1ECT

4003. Re: v 6.74 & TS480

Yahoo group: XMLog
Date: 2016-01-25 00:36:13 UTC
From: FAZAMY@...
Topic: 4000 Message: 4003

Thanks Mike,

I don't remember having to do this for former versions, but I won't forget how to do it. I wrote it down.

73,
Evan

4004. DXPeditions - VK0EK (Heard I.)

Yahoo group: XMLog
Date: 2016-01-28 22:29:15 UTC
From: w1ect@...
Topic: 4004 Message: 4004

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VK0EK - Heard I. (VK0/H)

Active March 18- April 10

Mike - W1ECT

4005. DXPeditions - 3D2UK (Fiji Is.)

Yahoo group: XMLog
Date: 2016-02-01 19:23:40 UTC
From: w1ect@...
Topic: 4005 Message: 4005

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2UK- Fiji Is. (3D2/F)

Mike - W1ECT

4006. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-02-02 15:34:38 UTC
From: w1ect@...
Topic: 3947 Message: 4006

Hi John,

I see that things are just as you reported. TQSL 2.2 doesn't handle a MODE PSK + SUBMODE PSK31 and the "Custom Mapping" feature used to map PSK to PSK31 no longer works. This means that the only option now is directly hacking the ADIF file to change the <MODE:3>PSK fields to <MODE:5>PSK31

I sent an email to the ARRL describing the problem. I'll keep you up-to-date.

Mike - W1ECT

4007. Entry field question

Yahoo group: XMLog
Date: 2016-02-03 20:07:11 UTC
From: Tom Francis
Topic: 4007 Message: 4007

Greetings,

I have been activating parks in the NPOTA event. I've been using XMLog to build the .adi file as we use paperlogs - its easier for my activation partner and me to cross check especially with CW calls.

For CW, when entering the exchange in the sent field, it will not allow for a full exchange - 599 NS55 for example. It has six spaces which makes it 599NS55 which, and I know this is picky, just offends my inherent sense of "order" :)

Is there away I can expand the field to seven or eight spaces? I don't want to burden the programmers as they have enough to do, but if I could do it myself that would be cool.

Very best regards,

Tom, W1TEF/4

4008. Re: [XMLog] Entry field question

Yahoo group: XMLog
Date: 2016-02-04 00:13:26 UTC
From: n1nkc@...
Topic: 4007 Message: 4008

According to his download page. You can modify it. As far as I know he is the only developer. He wrote the program back in the dos days.

Sent from my iPhone

> On Feb 3, 2016, at 3:07 PM, Tom Francis tomfrancis@...g [XMLog] <XMLog@yahoogroups.com> wrote:
>
> Greetings,
>
> I have been activating parks in the NPOTA event. I've been using
> XMLog to build the .adi file as we use paperlogs - its easier for my
> activation partner and me to cross check especially with CW calls.
>
> For CW, when entering the exchange in the sent field, it will not
> allow for a full exchange - 599 NS55 for example. It has six spaces
> which makes it 599NS55 which, and I know this is picky, just
> offends my inherent sense of "order" :)
>
> Is there away I can expand the field to seven or eight spaces? I
> don't want to burden the programmers as they have enough to
> do, but if I could do it myself that would be cool.
>
> Very best regards,
>
> Tom, W1TEF/4
>

4009. Re: Entry field question

Yahoo group: XMLog
Date: 2016-02-04 20:13:26 UTC
From: w1ect@...
Topic: 4007 Message: 4009

Hi Tom,

The RST field is only designed to contain an RST value, it's length got extended a bit because some wanted to include modifiers that are sometimes used with RST values (like A for aurora).

It's best to include any contest exchange in the Notes field in the form "In: whatever" and "Out: whatever". Since XMLog is not designed as a contesting program it's not very convenient to use it as such. Most folk (like myself) use a contesting program like WriteLog, N1MM, etc. and at the end of the contest use the contest logger to create an ADIF file and then add that data to your log by importing that ADIF file.

Mike - W1ECT

4011. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-02-06 00:16:26 UTC
From: w3ml@...
Topic: 3947 Message: 4011

Hi Mike,

I hope the ARRL responds to your questions, as they never answered my question about it at all.

Probably, because they don't know how to fix their program or don't want to fix their program.

Thanks and 73

John W3ML

4012. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-02-06 16:28:51 UTC
From: w1ect@...
Topic: 3947 Message: 4012

TQSL version 2.2 and associated configuration file version 6.0 is now available and seems to handle the ADIF mode/submode fields without problems. Also, the "Custom Mapping" of PSK->PSK31 is no longer needed.

Mike - W1ECT

4014. Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-02-07 05:22:40 UTC
From: w3ml@...
Topic: 3947 Message: 4014

Thanks Mike and Dave for the help to get this fixed. Works great now!.
73
John W3ML

4015. RE: [XMLog] Re: tq8 rejects psk

Yahoo group: XMLog
Date: 2016-02-07 06:27:20 UTC
From: Dave AA6YQ
Topic: 3947 Message: 4015

Rick K1MU, the volunteer who develops TQSL, and Mike K1MK of the ARRL staff did the work.

Anyone needing help with LoTW is encouraged to send email to

LoTW-help(at)arrl.org

or post a message on the ARRL-LoTW Yahoo group, which you can join via

arrl-lotw-subscribe (at) yahoogroups.com

There is an email list for developers, to which Mike W1ECT has access.

73,

Dave, AA6YQ (member, ARRL LoTW committee)

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
Sent: Sunday, February 07, 2016 12:23 AM
To: XMLog@yahoogroups.com
Subject: [XMLog] Re: tq8 rejects psk

Thanks Mike and Dave for the help to get this fixed. Works great now!.

73
John W3ML

Posted by: w3ml@...

4016. How to move XMLog

Yahoo group: XMLog
Date: 2016-02-07 20:54:44 UTC
From: Bill Turini
Topic: 4016 Message: 4016

Folks

I need to move XMLog to a new computer. I'd like to keep my
configuration file and the special calls file. How can I move it in the
most painless manner?

Thanks,

Bill
--

Bill Turini

KA4GAV

4017. Re: How to move XMLog

Yahoo group: XMLog
Date: 2016-02-08 15:29:49 UTC
From: w1ect@...
Topic: 4016 Message: 4017

Hi Bill,

Just move your install folder (usually c:\mlog) with all the files and sub-folders to the same place on your new system. Then install XMLog specifying the same folder.

All the options are contained in .ini files which are not over-written during an install (so you don't have to worry about losing any info from the system registry).

Mike - W1ECT

4018. Re: [XMLog] Re: How to move XMLog

Yahoo group: XMLog
Date: 2016-02-08 18:42:45 UTC
From: Bill Turini
Topic: 4016 Message: 4018

Worked great!

Now if only TQSL would cooperate :-)

On 2/8/2016 9:29 AM, w1ect@... [XMLog] wrote:
>
> Hi Bill,
>
> Just move your install folder (usually c:\mlog) with all the files
> and sub-folders to the same place on your new system. Then install
> XMLog specifying the same folder.
>
> All the options are contained in .ini files which are not
> over-written during an install (so you don't have to worry about
> losing any info from the system registry).
>
> Mike - W1ECT
>
>

--

Bill Turini

KA4GAV

4019. RE: [XMLog] Re: How to move XMLog

Yahoo group: XMLog
Date: 2016-02-09 00:27:58 UTC
From: Dave AA6YQ
Topic: 4016 Message: 4019

>>>AA6YQ comments below

-----Original Message-----
From: XMLog@yahoogroups.com [mailto:XMLog@yahoogroups.com]
Sent: Monday, February 08, 2016 1:43 PM
To: XMLog@yahoogroups.com
Subject: Re: [XMLog] Re: How to move XMLog

Worked great!

Now if only TQSL would cooperate :-)

>>>Step-by-step instructions are here:

<https://lotw.arrl.org/lotw-help/multiple-computers/>

73,

Dave, AA6YQ

4020. DXPeditions - 3D2PW (Fiji Is.)

Yahoo group: XMLog
Date: 2016-02-12 14:44:49 UTC
From: w1ect@...
Topic: 4020 Message: 4020

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

3D2PW - Fiji Is. (3D2/F)

Active Feb. 13-19

Mike - W1ECT

4021. DXPeditions - VP8RHF (Falkland Is.)

Yahoo group: XMLog
Date: 2016-02-15 23:49:40 UTC
From: w1ect@...
Topic: 4021 Message: 4021

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VP8RHF - Falkland Is. (VP8/F)

DXPedition-ers returning from VP8STI/VP8SGI

Mike - W1ECT

4022. DXPeditions - VP8DRC (Falkland Is.)

Yahoo group: XMLog
Date: 2016-02-20 01:33:27 UTC
From: w1ect@...
Topic: 4022 Message: 4022

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

VP8DRC - Falkland Is. (VP8/F)

Mike - W1ECT

4023. DXPeditions - FT4JA (Juan de Nova)

Yahoo group: XMLog
Date: 2016-02-24 13:34:14 UTC
From: w1ect@...
Topic: 4023 Message: 4023

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

FT4JA - Juan de Nova (FR/J)

Active March 29 - April 11

Mike - W1ECT

4024. DXPeditions - TX7EU (Marquesas Is.)

Yahoo group: XMLog
Date: 2016-03-03 21:04:14 UTC
From: w1ect@...
Topic: 4024 Message: 4024

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TX7EU - Marquesas Is. (FO/M)

Active March 2 - 15

Mike - W1ECT

4025. K1TTT

Yahoo group: XMLog
Date: 2016-03-27 10:37:53 UTC
From: nroch2@...
Topic: 4025 Message: 4025

Hello, Not being that savy with computers a friend set up xmlog a few years ago and put in K1TTT for spots, worked well for me until recently. Now I can't connect to the spots at all. Any help or info would be greatly appreciated. I really enjoyed just clicking on the spot and the rig would change the frequency.
Thanks,
Norm
NR1H

4026. Re: [XMLog] K1TTT

Yahoo group: XMLog
Date: 2016-03-27 12:02:34 UTC
From: Michael McCarthy
Topic: 4025 Message: 4026

K1TTT shut off telnet port 23 and only listens on port 7373. However, I cannot connect to him right now. Try a different node.

Michael A. McCarthy, W1NR

THAT was the equation. EXISTENCE!... SURVIVAL... must cancel out... programming!

- Ruk -

From: "nroch2@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 6:37 AM
Subject: [XMLog] K1TTT

Hello, Not being that savy with computers a friend set up xmlog a few years ago and put in K1TTT for spots, worked well for me until recently. Now I can't connect to the spots at all. Any help or info would be greatly appreciated. I really enjoyed just clicking on the spot and the rig would change the frequency.Thanks,NormNR1H

4027. Re: [XMLog] K1TTT

Yahoo group: XMLog
Date: 2016-03-27 23:50:01 UTC
From: norm
Topic: 4025 Message: 4027

Michael,
I tried to find where to put 7373 into xmlog but could not find where to change the port. I don't wan't to be a pain but could you please advise me, I would really appreciate it very much.
Thanks,
Norm
NR1H

----- Original Message -----
From: Michael McCarthy w1nr@... [XMLog]
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 8:02 AM
Subject: Re: [XMLog] K1TTT

K1TTT shut off telnet port 23 and only listens on port 7373. However, I cannot connect to him right now. Try a different node.

Michael A. McCarthy, W1NR

THAT was the equation. EXISTENCE!... SURVIVAL... must cancel out... programming!

- Ruk -

From: "nroch2@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 6:37 AM
Subject: [XMLog] K1TTT

Hello, Not being that savy with computers a friend set up xmlog a few years ago and put in K1TTT for spots, worked well for me until recently. Now I can't connect to the spots at all. Any help or info would be greatly appreciated. I really enjoyed just clicking on the spot and the rig would change the frequency.
Thanks,
Norm
NR1H

4028. Re: [XMLog] K1TTT

Yahoo group: XMLog
Date: 2016-03-28 10:57:29 UTC
From: Michael McCarthy
Topic: 4025 Message: 4028

Options->Packet Options and Port Select->Port
The entry for Internet Address should be "dxc.k1ttt.net 7373" then hit save.You can also create additional entries by putting a different address into the field and hitting save.
Michael A. McCarthy, W1NR

THAT was the equation. EXISTENCE!... SURVIVAL... must cancel out... programming!

- Ruk -

_
| Reply via web post | • | Reply to sender | • | Reply to group | • | Start a New Topic | •
| Messages in this topic (3) |

Visit Your Group
- New Members 1
• Privacy • Unsubscribe • Terms of Use
.

4029. Re: [XMLog] K1TTT

Yahoo group: XMLog
Date: 2016-03-28 01:21:11 UTC
From: glen harding
Topic: 4025 Message: 4029

is xmlog communicating with your radio.. check all your settings

On Sunday, March 27, 2016 7:50 PM, "'norm' nroch2@... [XMLog]" <XMLog@yahoogroups.com> wrote:

☐Michael, I tried to find where to put 7373 into xmlog but could not find where to change the port. I don't wan't to be a pain but could you please advise me, I would really appreciate it very much.Thanks,NormNR1H
----- Original Message ----- From: Michael McCarthy w1nr@... [XMLog] To: XMLog@yahoogroups.com Sent: Sunday, March 27, 2016 8:02 AM Subject: Re: [XMLog] K1TTT
K1TTT shut off telnet port 23 and only listens on port 7373. However, I cannot connect to him right now. Try a different node.

Michael A. McCarthy, W1NR

THAT was the equation. EXISTENCE!... SURVIVAL... must cancel out... programming!

- Ruk -

From: "nroch2@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 6:37 AM
Subject: [XMLog] K1TTT

Hello, Not being that savy with computers a friend set up xmlog a few years ago and put in K1TTT for spots, worked well for me until recently. Now I can't connect to the spots at all. Any help or info would be greatly appreciated. I really enjoyed just clicking on the spot and the rig would change the frequency. Thanks, Norm NR1H

4030. Re: K1TTT

Yahoo group: XMLog
Date: 2016-03-28 14:16:54 UTC
From: w1ect@...
Topic: 4025 Message: 4030

It seems like K1TTT is down at the moment. I've been using W1NR lately, here's my .nod file for W1NR

```
rem
rem Internet DXSpider PacketCluster at W1NR
rem
connect dxc.w1nr.com:7300
match login:
send #me
match de W1NR
send set/page 0
send unset/echo
send show/fdx/25
```

Mike - W1ECT

4031. Re: [XMLog] Re: K1TTT

Yahoo group: XMLog
Date: 2016-03-28 17:37:16 UTC
From: norm
Topic: 4025 Message: 4031

Thanks Mike,
Just not sure where to put this file.
----- Original Message -----
From: w1ect@... [XMLog]
To: XMLog@yahoogroups.com
Sent: Monday, March 28, 2016 10:16 AM
Subject: [XMLog] Re: K1TTT

It seems like K1TTT is down at the moment. I've been using W1NR lately, here's my .nod file for W1NR

```
rem
rem Internet DXSpider PacketCluster at W1NR
rem
connect dxc.w1nr.com:7300
match login:
send #me
match de W1NR
send set/page 0
send unset/echo
send show/fdx/25
```

Mike - W1ECT

4032. Re: [XMLog] K1TTT

Yahoo group: XMLog
Date: 2016-03-28 17:38:59 UTC
From: norm
Topic: 4025 Message: 4032

Hi Glen,
Yes it does comminicate because I can bring up W1AN cluster OK.
Norm
NR1H
----- Original Message -----
From: glen harding n1nkc@yahoo.com [XMLog]
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 9:21 PM
Subject: Re: [XMLog] K1TTT

is xmlog communicating with your radio.. check all your settings

On Sunday, March 27, 2016 7:50 PM, "'norm' nroch2@... [XMLog]" <XMLog@yahoogroups.com> wrote:

☐
Michael,
I tried to find where to put 7373 into xmlog but could not find where to change the port. I don't wan't to be a pain but could you please advise me, I would really appreciate it very much.
Thanks,
Norm
NR1H

----- Original Message -----
From: Michael McCarthy w1nr@... [XMLog]
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 8:02 AM
Subject: Re: [XMLog] K1TTT

K1TTT shut off telnet port 23 and only listens on port 7373. However, I cannot connect to him right now. Try a different node.

Michael A. McCarthy, W1NR

THAT was the equation. EXISTENCE!... SURVIVAL... must cancel out... programming!

- Ruk -

From: "nroch2@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Sunday, March 27, 2016 6:37 AM
Subject: [XMLog] K1TTT

Hello, Not being that savy with computers a friend set up xmlog a few years ago and put in K1TTT for spots, worked well for me until recently. Now I can't connect to the spots at all. Any help or info would be greatly appreciated. I really enjoyed just clicking on the

spot and the rig would change the frequency.
Thanks,
Norm
NR1H

4033. Re: [XMLog] Re: K1TTT

Yahoo group: XMLog
Date: 2016-03-28 19:45:40 UTC
From: w1ect@...
Topic: 4025 Message: 4033

Put the data in a text file with a name like NETW1NR.nod into your XMLog install folder (normally c:\mlog).

Then you can use the Packet Window's Connect/Start Node File menu item to access the file. You can also use the Options/Packet Options menu's Port tab and set the Internet Auto-Connect value to NETW1NR (or whatever file name you choose). Then XMLog will automatically execute this node file when the packet window starts up.

Check the help file section on node files for more info.

Mike - W1ECT

4034. Re: [XMLog] Re: K1TTT

Yahoo group: XMLog
Date: 2016-03-29 14:43:11 UTC
From: Robert
Topic: 4025 Message: 4034

Question: I am using two identical Optiplex GX80 computers with Mlog Version 4.96 and Windows 7. (I am using the old version because it does the job and have no need to upgrade). Has there been a problem getting Mlog to work if I switch over to Windows 10?

Would appreciate a reply on this one as I don't want to got to Windows 10 if I don't need to do so.

73 Bob, W8HGH

----- Original Message -----

From: w1ect@xmlog.com [XMLog]<mailto:w1ect@...%20[XMLog]>

To: XMLog@yahoogroups.com<mailto:XMLog@yahoogroups.com>

Sent: Monday, March 28, 2016 3:45 PM

Subject: Re: [XMLog] Re: K1TTT

Put the data in a text file with a name like NETW1NR.nod into your XMLog install folder (normally c:\mlog).

Then you can use the Packet Window's Connect/Start Node File menu item to access the file. You can also use the Options/Packet Options menu's Port tab and set the Internet Auto-Connect value to NETW1NR (or whatever file name you choose). Then XMLog will automatically execute this node file when the packet window starts up.

Check the help file section on node files for more info.

Mike - W1ECT

#ygrp-mkp { BORDER-TOP: #d8d8d8 1px solid; FONT-FAMILY: Arial; BORDER-RIGHT: #d8d8d8 1px solid; BORDER-BOTTOM: #d8d8d8 1px solid; PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 10px; MARGIN: 10px 0px; BORDER-LEFT: #d8d8d8 1px solid; PADDING-RIGHT: 10px } #ygrp-mkp HR { BORDER-TOP: #d8d8d8 1px solid; BORDER-RIGHT: #d8d8d8 1px solid; BORDER-BOTTOM: #d8d8d8 1px solid; BORDER-LEFT: #d8d8d8 1px solid } #ygrp-mkp #hd { FONT-SIZE: 85%; FONT-WEIGHT: 700; COLOR: #628c2a; MARGIN: 10px 0px; LINE-HEIGHT: 122% } #ygrp-mkp #ads { MARGIN-BOTTOM: 10px } #ygrp-mkp .ad { PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #ygrp-mkp .ad P { MARGIN: 0px } #ygrp-mkp .ad A { TEXT-DECORATION: none; COLOR: #0000ff } #ygrp-sponsor #ygrp-lc { FONT-FAMILY: Arial } #ygrp-sponsor #ygrp-lc #hd { FONT-SIZE: 78%; FONT-WEIGHT: 700; MARGIN: 10px 0px; LINE-HEIGHT: 122% } #ygrp-sponsor #ygrp-lc .ad { MARGIN-BOTTOM: 10px; PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #actions { FONT-SIZE: 11px; FONT-FAMILY: Verdana; PADDING-BOTTOM: 10px; PADDING-TOP: 10px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #activity { FONT-SIZE: 10px; FONT-FAMILY: Verdana; FLOAT: left; PADDING-BOTTOM: 10px; PADDING-TOP: 10px; PADDING-LEFT: 10px; PADDING-RIGHT: 10px; BACKGROUND-COLOR: #e0ecee } #activity SPAN { FONT-WEIGHT: 700 } #activity SPAN:first-child { TEXT-TRANSFORM: uppercase } #activity SPAN A { TEXT-DECORATION: none; COLOR: #5085b6 }

#activity SPAN SPAN { COLOR: #ff7900 } #activity SPAN .underline { TEXT-DECORATION: underline } .attach { FONT-SIZE: 12px; FONT-FAMILY: Arial; WIDTH: 400px; PADDING-BOTTOM: 10px; PADDING-TOP: 10px; PADDING-LEFT: 0px; CLEAR: both; DISPLAY: table; PADDING-RIGHT: 0px } .attach DIV A { TEXT-DECORATION: none } .attach IMG { BORDER-TOP: medium none; BORDER-RIGHT: medium none; BORDER-BOTTOM: medium none; BORDER-LEFT: medium none; PADDING-RIGHT: 5px } .attach LABEL { MARGIN-BOTTOM: 5px; DISPLAY: block } .attach LABEL A { TEXT-DECORATION: none } BLOCKQUOTE { MARGIN: 0px 0px 0px 4px } .bold { FONT-SIZE: 13px; FONT-FAMILY: Arial; FONT-WEIGHT: 700 } .bold A { TEXT-DECORATION: none } DD.last P A { FONT-FAMILY: Verdana; FONT-WEIGHT: 700 } DD.last P SPAN { FONT-FAMILY: Verdana; FONT-WEIGHT: 700; MARGIN-RIGHT: 10px } DD.last P SPAN.yshortcuts { MARGIN-RIGHT: 0px } DIV.attach-table DIV DIV A { TEXT-DECORATION: none } DIV.attach-table { WIDTH: 400px } DIV.file-title A { TEXT-DECORATION: none } DIV.file-title A:active { TEXT-DECORATION: none } DIV.file-title A:hover { TEXT-DECORATION: none } DIV.file-title A:visited { TEXT-DECORATION: none } DIV.photo-title A { TEXT-DECORATION: none } DIV.photo-title A:active { TEXT-DECORATION: none } DIV.photo-title A:hover { TEXT-DECORATION: none } DIV.photo-title A:visited { TEXT-DECORATION: none } DIV#ygrp-mlmsg #ygrp-msg P A SPAN.yshortcuts { FONT-SIZE: 10px; FONT-FAMILY: Verdana; FONT-WEIGHT: normal } .green { COLOR: #628c2a } .MsoNormal { MARGIN: 0px } o { FONT-SIZE: 0px } #photos DIV { WIDTH: 72px; FLOAT: left } #photos DIV DIV { OVERFLOW: hidden; BORDER-TOP: #666666 1px solid; HEIGHT: 62px; BORDER-RIGHT: #666666 1px solid; WIDTH: 62px; BORDER-BOTTOM: #666666 1px solid; BORDER-LEFT: #666666 1px solid } #photos DIV LABEL { OVERFLOW: hidden; FONT-SIZE: 10px; WIDTH: 64px; WHITE-SPACE: nowrap; COLOR: #666666; TEXT-ALIGN: center } #reco-category { FONT-SIZE: 77% } #reco-desc { FONT-SIZE: 77% } .replbq { MARGIN: 4px } #ygrp-actbar DIV A:first-child { PADDING-RIGHT: 5px; MARGIN-RIGHT: 2px } #ygrp-mlmsg { FONT: x-small Arial, helvetica,clean, sans-serif } #ygrp-mlmsg TABLE { FONT-SIZE: 100%; FONT-VARIANT: normal; FONT-WEIGHT: normal; FONT-STYLE: normal; LINE-HEIGHT: normal } #ygrp-mlmsg SELECT { FONT: 99% Arial, Helvetica, clean, sans-serif } INPUT { FONT: 99% Arial, Helvetica, clean, sans-serif } TEXTAREA { FONT: 99% Arial, Helvetica, clean, sans-serif } #ygrp-mlmsg PRE { FONT: 100% monospace } CODE { FONT: 100% monospace } #ygrp-mlmsg * { LINE-HEIGHT: 1.22em } #ygrp-mlmsg #logo { PADDING-BOTTOM: 10px } #ygrp-msg P A { FONT-FAMILY: Verdana } #ygrp-msg P#attach-count SPAN { FONT-WEIGHT: 700; COLOR: #1e66ae } #ygrp-reco #reco-head { FONT-WEIGHT: 700; COLOR: #ff7900 } #ygrp-reco { MARGIN-BOTTOM: 20px; PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #ygrp-sponsor #ov LI A { FONT-SIZE: 130%; TEXT-DECORATION: none } #ygrp-sponsor #ov LI { LIST-STYLE-TYPE: square; FONT-SIZE: 77%; PADDING-BOTTOM: 6px; PADDING-TOP: 6px; PADDING-LEFT: 0px; PADDING-RIGHT: 0px } #ygrp-sponsor #ov UL { PADDING-BOTTOM: 0px; PADDING-TOP: 0px; PADDING-LEFT: 8px; MARGIN: 0px; PADDING-RIGHT: 0px } #ygrp-text { FONT-FAMILY: Georgia } #ygrp-text P { MARGIN: 0px 0px 1em } #ygrp-text TT { FONT-SIZE: 120% } #ygrp-vital UL LI:unknown { BORDER-RIGHT: medium none }

4035. Windows 10

Yahoo group: XMLog
Date: 2016-03-31 20:04:23 UTC
From: w1ect@...
Topic: 4025 Message: 4035

Hi Bob,

I'm not running a Windows 10 system here yet but I do have a local ham that switched to Windows 10 and didn't have any problems.

After doing an install on a new system, copy files with .log, .ini, and .mdb extensions from your old system, replacing the default files created during the install.

Here's an explicit list is from the "Backups" section of the help file:

*.log Log files
mlog.ini General options settings
histinfo.ini Spots History Window settings
spotinfo.ini Spots Map Window settings
labels.ini Custom label page layouts
layouts.mdb Custom label definitions
memories.ini Rig and Rotor memories
report.ini Display/Display Excel settings

Mike - W1ECT

4036. Re: [XMLog] Windows 10

Yahoo group: XMLog
Date: 2016-03-31 20:45:06 UTC
From: WILLIS COOKE
Topic: 4025 Message: 4036

I switched to Windows 10 when they offered the change free. Beware of anything that is free because there is a catch. Microsoft can change it any way they wish while you are not watching but have the computer working. You cannot control anything! It has always been that way, but you could trust Microsoft not to do dirty tricks. They have changed their attitude and business practice so that now they will delete programs or change the operating system so you can't find them and they can direct you to their "Store" for your new software which is now at a reasonable price, but for how long. Once you are in Windows 10, you cannot go back and you can not trust Microsoft. I have crossed the line with Windows 10 and I am trying to find a solution. So far, I have not. Someone will find a way out, but who or when, I do not know. Willis 'Cookie' Cooke,

From: "w1ect@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Thursday, March 31, 2016 3:04 PM
Subject: [XMLog] Windows 10

Hi Bob,

   I'm not running a Windows 10 system here yet but I do have a local ham that switched to Windows 10 and didn't have any problems.

   After doing an install on a new system, copy files with .log, .ini, and .mdb extensions from your old system, replacing the default files created during the install.

Here's an explicit list is from the "Backups" section of the help file:

```
*.log                    Log files
mlog.ini                General options settings
histinfo.ini             Spots History Window settings
spotinfo.ini            Spots Map Window settings
labels.ini               Custom label page layouts
layouts.mdb          Custom label definitions
memories.ini         Rig and Rotor memories
report.ini               Display/Display Excel settings
```

Mike - W1ECT

4037. Re: Windows 10

Yahoo group: XMLog
Date: 2016-04-01 05:55:01 UTC
From: Dave Sergeant
Topic: 4025 Message: 4037

There seems an awful lot of misinformation in some parts. Those of us
who HAVE moved to Windows 10, turned off most of the telemetry and
installed Classic Shell so that it looks to most intents and purposes
like Windows 7, have come to rather like it. I was sceptical at first,
but it really is excellent and does everything I need.

As for XMLog, it works 100% on Windows 10.

73 Dave G3YMC

On 31 Mar 2016 at 20:45, WILLIS COOKE wrcooke@yahoo.com [XMLog] wrote:

> I switched to Windows 10 when they offered the change free. Beware of
> anything that is free because there is a catch. Microsoft can change it
> any way they wish while you are not watching but have the computer
> working. You cannot control anything! It has always been that way, but
> you could trust Microsoft not to do dirty tricks. They have changed
> their attitude and business practice so that now they will delete
> programs or change the operating system so you can't find them and they
> can direct you to their "Store" for your new software which is now at a
> reasonable price, but for how long. Once you are in Windows 10, you
> cannot go back and you can not trust Microsoft. I have crossed the line
> with Windows 10 and I am trying to find a solution. So far, I have not.
> Someone will find a way out, but who or when, I do not know. Willis
> 'Cookie' Cooke,
>

http://davesergeant.com

4038. DXPeditions - RI1AND (Antarctica)

Yahoo group: XMLog
Date: 2016-04-01 12:42:31 UTC
From: w1ect@...
Topic: 4038 Message: 4038

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

RI1AND - Antarctica (KC4)

Mike - W1ECT

4039. Re: [XMLog] Re: K1TTT

Yahoo group: XMLog
Date: 2016-04-02 16:50:06 UTC
From: norm
Topic: 4025 Message: 4039

Thank you Mike for all the help. Will be putting in the program this weekend.
73's
Norm
NR1H
----- Original Message -----
From: 'norm' nroch2@cox.net [XMLog]
To: XMLog@yahoogroups.com
Sent: Monday, March 28, 2016 1:37 PM
Subject: Re: [XMLog] Re: K1TTT

☐

Thanks Mike,
Just not sure where to put this file.
----- Original Message -----
From: w1ect@... [XMLog]
To: XMLog@yahoogroups.com
Sent: Monday, March 28, 2016 10:16 AM
Subject: [XMLog] Re: K1TTT

It seems like K1TTT is down at the moment. I've been using W1NR lately, here's my .nod file for W1NR

```
rem
rem Internet DXSpider PacketCluster at W1NR
rem
connect dxc.w1nr.com:7300
match login:
send #me
match de W1NR
send set/page 0
send unset/echo
send show/fdx/25
```

Mike - W1ECT

4040. DXPeditions - E51MRC (S. Cook Is.)

Yahoo group: XMLog
Date: 2016-04-08 11:10:50 UTC
From: w1ect@...
Topic: 4040 Message: 4040

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51MRC - S. Cook Is. (E5/S)

Active April 13 to 22

Mike - W1ECT

4042. Mount Athos (#2)

Yahoo group: XMLog
Date: 2016-04-24 16:42:50 UTC
From: w1ect@...
Topic: 4042 Message: 4042

Here's two Mount Athos callsigns to add to the special calls list using the "View/Show Callsign List" menu item (as per the The Weekly DX bulletin).

SV2RSG - Mount Athos (SV/A)

SV2/SV1RP/T - Mount Athos (SV/A)

Mike - W1ECT

Sorry about the first version that included SV1RP

4043. Importing Satellite Data

Yahoo group: XMLog
Date: 2016-05-02 20:17:11 UTC
From: johnki4ro@...
Topic: 4043 Message: 4043

Been a long time since I've used XMLOG. I have an ADIF file that I exported from another logging application that has satellite data in it. When I import the ADIF to XMLOG, none of the satellite data comes in.

Any suggestions?

73
John KI4RO

4045. Re: Importing Satellite Data

Yahoo group: XMLog
Date: 2016-05-04 15:09:46 UTC
From: w1ect@...
Topic: 4043 Message: 4045

Hi John,

The only satellite-related ADIF fields recognized by XMLog are the satellite name (SAT_NAME) and mode (SAT_MODE). These fields are not normally displayed so they need to be enabled using the Options/Log Fields... menu item (under the "Log Fields" tab there is a "Show Satellite Fields" option).

ADIF files are just simple text files so you can open your ADIF file with NotePad or WordPad and check to see if the SAT_NAME and SAT_MODE fields do appear.

Mike - W1ECT

4046. Re: [XMLog] Re: Importing Satellite Data

Yahoo group: XMLog
Date: 2016-05-05 20:36:30 UTC
From: WILLIS COOKE
Topic: 4043 Message: 4046

John and others. If you require an SDIF field that Mike has judged not required by many, you can change the header to match one of the fields that Mike has provided and the data will appear there if fits the size and type data. If you think that Mike should add it, tell Mike what field you want and if he agrees that it is needed he might decide to add it. Of course he can't add it if you do not ask. He may still think he was correct to omit it if only a few ask for it, but he wants to sell programs and will do what suits most folks. Enclose a contribution and the larger it is, the more is will make what you want worth the effort. I find Mike a very reasonable person, but being all things to all people requires infinite time and infinite effort which none of us can produce. Willis 'Cookie' Cooke,

From: "w1ect@... [XMLog]" <XMLog@yahoogroups.com>
To: XMLog@yahoogroups.com
Sent: Wednesday, May 4, 2016 10:09 AM
Subject: [XMLog] Re: Importing Satellite Data

Hi John,

The only satellite-related ADIF fields recognized by XMLog are the satellite name (SAT_NAME) and mode (SAT_MODE). These fields are not normally displayed so they need to be enabled using the Options/Log Fields... menu item (under the "Log Fields" tab there is a "Show Satellite Fields" option).

ADIF files are just simple text files so you can open your ADIF file with NotePad or WordPad and check to see if the SAT_NAME and SAT_MODE fields do appear.

Mike - W1ECT

4047. DXPeditions - PY0NY (Fernando de Noronha)

Yahoo group: XMLog
Date: 2016-05-13 13:35:06 UTC
From: w1ect@...
Topic: 4047 Message: 4047

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

PY0NY - Fernando de Noronha (PY0/F)

Active until May 23

Mike - W1ECT

4048. DXPeditions - E51XYZ (S. Cook Is.)

Yahoo group: XMLog
Date: 2016-05-20 13:52:52 UTC
From: w1ect@...
Topic: 4048 Message: 4048

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51XYZ - S. Cook Is. (E5/S)

Active May 23 to 28

Mike - W1ECT

4049. DXPeditions - E51ADT (S. Cook Is.)

Yahoo group: XMLog
Date: 2016-05-21 14:55:25 UTC
From: w1ect@...
Topic: 4049 Message: 4049

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

E51ADT - S. Cook Is. (E5/S)

Active until May 27

Mike - W1ECT

4050. DxPeditions - XR0YS (Easter I.)

Yahoo group: XMLog
Date: 2016-06-03 00:07:49 UTC
From: w1ect@...
Topic: 4050 Message: 4050

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

XR0YS - Easter I. (CE0Y)

Active until June 8

Mike - W1ECT

4051. DXPeditions - TO200SPM (St. Pierre and Miquelon)

Yahoo group: XMLog
Date: 2016-07-29 00:19:12 UTC
From: w1ect@...
Topic: 4051 Message: 4051

Here's a callsign to add to the special calls list using the "View/Show Callsign List" menu item.

TO200SPM - St. Pierre and Miquelon (FP)

Active until August 5th

Mike - W1ECT